


FIG. 1







FIG. 2

FIG. 3




FIG. 4





FIG. 5






FIG. 6

FIG. 7A




FIG. 7B




FIG. 8




FIG. 9A




FIG. 9B




FIG. 11






FIG. 12A


Myeloid Cells of total cells



MDSC subsets



gMDSC



mMDSC







FIG. 12B


Myeloid Cells of total cells

MDSC subsets


Monocytes do not express LRRC33



M-MDSC



G-MDSC



M2 MΦ




FIG. 13A




FIG. 13B




FIG. 13C




FIG. 14




FIG. 16




FIG. 17




FIG. 19A




FIG. 19B




FIG. 20




FIG. 21A





FIG. 21B



Outliers identified with two methods remove the same samples from the data set

FIG. 21C




FIG. 22




FIG. 23A




FIG. 23B




FIG. 23C




FIG. 24

- ☐ High p-Smad2 Nucleus
- ☐ Medium p-Smad2 Nucleus
- ☐ Low p-Smad2 Nucleus
- ☐ Negative p-Smad2 Nucleus






FIG. 25



36/65

FIG. 26A



37/65

FIG. 26B




FIG. 27




FIG. 29A




FIG. 29B




FIG. 29C




FIG. 29D





FIG. 29E



45/65

FIG. 30A






FIG. 30B




FIG. 30C




FIG. 31




FIG. 32





FIG. 33





FIG. 34



Melanoma Sample 30



FIG. 35A




FIG. 35B




FIG. 35C






FIG. 36A




FIG. 36B





FIG. 36C



Actual Image




FIG. 37A




FIG. 37B





FIG. 37C




FIG. 38




FIG. 39




FIG. 40




FIG. 41
Identification of binding regions
[ProTGFβ1 C4S] - [ProTGFβ1 C4S + ADI Ab6 Fab]



FIG. 42
Mapping of H/DX-protected regions of proTGFβ1 by Ab6 binding

