SEQUENCE LISTING

<110> University of Copenhagen

<120> Fatty acid derivatives of dimeric inhibitors of PSD-95

<130> P3416PC00

<160> 6

<170> PatentIn version 3.5

<210> 1
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> X is independently any amino acid

<220>
<221> SITE
<222> (1)..(4)
<223> Peptide 1

<220>
<221> SITE
<222> (1)..(1)
<223> X4 in description; amino acid residue selected from E, Q, A, N and S

<220>
<221> SITE
<222> (2)..(2)
<223> X3 in description; amino acid residue selected from S and T

<220>
<221> SITE
<222> (3)..(3)
<223> X2 in description; amino acid residue selected from A, D, E, Q, N, S, V, N-Me-A, N-Me-D, N-Me-E, N-Me-Q, N-Me-N, N-Me-S and N-Me-V

<220>
<221> SITE
<222> (4)..(4)
<223> X1 in description; amino acid residue selected from I, L and V

<400> 1

Xaa Xaa Xaa Xaa
1

<210> 2
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> X is independently any amino acid

<220>
<221> SITE
<222> (1)..(4)
<223> Peptide 2

<220>
<221> SITE
<222> (1)..(1)
<223> Z4 in description; amino acid residue selected from E, Q, A, N and S

<220>
<221> SITE
<222> (2)..(2)
<223> Z3 in description; amino acid residue selected from S and T

<220>
<221> SITE
<222> (3)..(3)
<223> Z2 in description; amino acid residue selected from A, D, E, Q, N, S, V, N-Me-A, N-Me-D, N-Me-E, N-Me-Q, N-Me-N, N-Me-S and N-Me-V

<220>
<221> SITE
<222> (4)..(4)
<223> Z1 in description; amino acid residue selected from I, L and V

<400> 2

Xaa Xaa Xaa Xaa
1

<210> 3
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> specific peptide

<220>
<221> PEPTIDE
<222> (1)..(5)
<223> Specific peptide

<400> 3

Ile Glu Thr Ala Val
1 5

<210> 4
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> specific peptide

<220>
<221> PEPTIDE
<222> (1)..(5)
<223> specific peptide

<400> 4

Ile Glu Thr Asp Val
1 5

<210> 5
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> X is independently any amino acid

<220>
<221> SITE
<222> (1)..(1)
<223> X5 in description; any amino acid residue

<220>
<221> SITE
<222> (2)..(2)
<223> X4 in description; amino acid residue selected from E, Q, A, N and S

<220>
<221> SITE
<222> (3)..(3)
<223> X3 in description; amino acid residue selected from S and T

<220>
<221> SITE
<222> (4)..(4)
<223> X2 in description; amino acid residue selected from A, D, E, Q, N, S, V, N-Me-A, N-Me-D, N-Me-E, N-Me-Q, N-Me-N, N-Me-S and N-Me-V

<220>
<221> SITE
<222> (5)..(5)
<223> X1 in description; amino acid residue selected from I, L and V

<400> 5

Xaa Xaa Xaa Xaa Xaa
1 5

<210> 6
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> X is independently any amino acid

<220>
<221> SITE
<222> (1)..(1)
<223> Z5 in description; any amino acid residue

<220>
<221> SITE
<222> (2)..(2)
<223> Z4 in description; amino acid residue selected from E, Q, A, N and S

<220>
<221> SITE
<222> (3)..(3)

<223> Z3 in description; amino acid residue selected from S and T

<220>
<221> SITE
<222> (4)..(4)
<223> Z2 in description; amino acid residue selected from A, D, E, Q, N, S, V, N-Me-A, N-Me-D, N-Me-E, N-Me-Q, N-Me-N, N-Me-S and N-Me-V

<220>
<221> SITE
<222> (5)..(5)
<223> Z1 in description; amino acid residue selected from I, L and V

<400> 6

Xaa Xaa Xaa Xaa Xaa
1 5