
Claims

1. Use of a compound of Formula:



or a pharmaceutically acceptable salt thereof, wherein:

W, X^1 and X^2 are independently selected from $(CR^aR^b)_t$, $(CR^aR^b)_uO(CR^aR^b)_v$, $(CR^aR^b)_uC(O)(CR^aR^b)_v$, $(CR^aR^b)_uC(O)NR^c(CR^aR^b)_v$, $(CR^aR^b)_uC(O)O(CR^aR^b)_v$, $(CR^aR^b)_uC(S)(CR^aR^b)_u$, $(CR^aR^b)_uC(S)NR^c(CR^aR^b)_v$, $(CR^aR^b)_uS(O)(CR^aR^b)_v$, $(CR^aR^b)_uS(O)NR^c(CR^aR^b)_v$, $(CR^aR^b)_uS(O)_2(CR^aR^b)_v$, $(CR^aR^b)_uS(O)_2NR^c(CR^aR^b)_v$, $(CR^aR^b)_uNR^c(CR^aR^b)_v$, and $(CR^aR^b)_uC(=NR^d)NR^c(CR^aR^b)_v$;

R^2 is H, C_{1-6} alkyl, or C_{3-7} cycloalkyl;

R^{3a} and R^{5a} are independently selected from C_{1-8} alkyl, C_{2-8} alkenyl, C_{2-8} alkynyl, aryl, cycloalkyl, heteroaryl, and heterocycloalkyl, each optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, Cy^1, CN, NO_2, OR^{e1}, SR^{e1}, $C(O)R^{f1}$, $C(O)NR^{g1}R^{h1}$, $C(O)OR^{e1}$, $OC(O)R^{f1}$, $OC(O)NR^{g1}R^{h1}$, $NR^{g1}C(O)NR^{g1}R^{h1}$, $NR^{g1}R^{h1}$, $NR^{g1}C(O)R^{f1}$, $NR^{g1}C(O)OR^{e1}$, $C(=NR^i)NR^{g1}R^{h1}$, $NR^{g1}C(=NR^i)NR^{g1}R^{h1}$, $P(R^{f1})_2$, $P(OR^{e1})_2$, $P(O)R^{e1}R^{f1}$, $P(O)OR^{e1}OR^{f1}$, $S(O)R^{f1}$, $S(O)NR^{g1}R^{h1}$, $S(O)_2R^{f1}$, and $S(O)_2NR^{g1}R^{h1}$;

R^{3b} is aryl or heteroaryl each optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, C_{1-4} hydroxyalkyl, Cy^2, CN, NO_2, OR^{e1}, SR^{e1}, $C(O)R^{f1}$, $C(O)NR^{g1}R^{h1}$, $C(O)OR^{e1}$, $OC(O)R^{f1}$, $OC(O)NR^{g1}R^{h1}$, $NR^{g1}C(O)NR^{g1}R^{h1}$, $NR^{g1}R^{h1}$, $NR^{g1}C(O)R^{f1}$, $NR^{g1}C(O)OR^{e1}$, $C(=NR^i)NR^{g1}R^{h1}$, $NR^{g1}C(=NR^i)NR^{g1}R^{h1}$, $P(R^{f1})_2$, $P(OR^{e1})_2$, $P(O)R^{e1}R^{f1}$, $P(O)OR^{e1}OR^{f1}$, $S(O)R^{f1}$, $S(O)NR^{g1}R^{h1}$, $S(O)_2R^{f1}$, and $S(O)_2NR^{g1}R^{h1}$;

R^{5b} is H, C_{1-8} alkyl, C_{2-8} alkenyl, C_{2-8} alkynyl, aryl, cycloalkyl, heteroaryl, or heterocycloalkyl wherein said C_{1-8} alkyl, C_{2-8} alkenyl, C_{2-8} alkynyl, aryl, cycloalkyl, heteroaryl, or heterocycloalkyl are each optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, C_{1-4} hydroxyalkyl, Cy^2, CN, NO_2, OR^{e1}, SR^{e1}, $C(O)R^{f1}$, $C(O)NR^{g1}R^{h1}$, $C(O)OR^{e1}$, $OC(O)R^{f1}$, $OC(O)NR^{g1}R^{h1}$, $NR^{g1}C(O)NR^{g1}R^{h1}$, $NR^{g1}R^{h1}$, $NR^{g1}C(O)R^{f1}$, $NR^{g1}C(O)OR^{e1}$, $C(=NR^i)NR^{g1}R^{h1}$, $NR^{g1}C(=NR^i)NR^{g1}R^{h1}$, $P(R^{f1})_2$, $P(OR^{e1})_2$, $P(O)R^{e1}R^{f1}$, $P(O)OR^{e1}OR^{f1}$, $S(O)R^{f1}$, $S(O)NR^{g1}R^{h1}$, $S(O)_2R^{f1}$, and $S(O)_2NR^{g1}R^{h1}$;

Cy^1 and Cy^2 are independently selected from aryl, heteroaryl, cycloalkyl, and heterocycloalkyl, each optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected

from halo, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, C_{1-4} haloalkyl, CN, NO_2, OR^{e3}, SR^{e3}, $C(O)R^{f3}$, $C(O)NR^{g3}R^{h3}$, $C(O)OR^{e3}$, $OC(O)R^{f3}$, $OC(O)NR^{g3}R^{h3}$, $NR^{g3}R^{h3}$, $NR^{g3}C(O)R^{h3}$, $NR^{g3}C(O)OR^{e3}$, $C(=NR^{i})NR^{g1}R^{h1}$, $NR^{g1}C(=NR^{i})NR^{g1}R^{h1}$, $P(R^{f3})_2$, $P(OR^{e3})_2$, $P(O)R^{e3}R^{f3}$, $P(O)OR^{e3}OR^{f3}$, $S(O)R^{f3}$, $S(O)NR^{g3}R^{h3}$, $S(O)_2R^{f3}$, and $S(O)_2NR^{g3}R^{h3}$;

R^a and R^b are independently selected from H, halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, aryl, cycloalkyl, heteroaryl, heterocycloalkyl, arylalkyl, cycloalkylalkyl, heteroarylalkyl, heterocycloalkylalkyl, CN, NO_2, OR^{e4}, SR^{e4}, $C(O)R^{f4}$, $C(O)NR^{g4}R^{h4}$, $C(O)OR^{e4}$, $OC(O)R^{f4}$, $OC(O)NR^{g4}R^{h4}$, $NR^{g4}R^{h4}$, $NR^{g4}C(O)R^{h4}$, $NR^{g4}C(O)OR^{e4}$, $C(=NR^{i})NR^{g1}R^{h1}$, $NR^{g1}C(=NR^{i})NR^{g1}R^{h1}$, $P(R^{f4})_2$, $P(OR^{e4})_2$, $P(O)R^{e4}R^{f4}$, $P(O)OR^{e4}OR^{f4}$, $S(O)R^{f4}$, $S(O)NR^{g4}R^{h4}$, $S(O)_2R^{f4}$, and $S(O)_2NR^{g4}R^{h4}$;

R^c is H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, aryl, cycloalkyl, arylalkyl, or cycloalkylalkyl;

R^d is H, OR^{d1}, CN or NO_2;

R^{d1} is H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, aryl, cycloalkyl, arylalkyl, or cycloalkylalkyl;

R^{e1}, R^{e3},and R^{e4} are independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, (C_{1-6} alkoxy)-C_{1-6} alkyl, C_{2-6} alkynyl, aryl, cycloalkyl, heteroaryl, heterocycloalkyl, arylalkyl, cycloalkylalkyl, heteroarylalkyl and heterocycloalkylalkyl;

R^{f1}, R^{f3}, and R^{f4} are independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, aryl, cycloalkyl, heteroaryl and heterocycloalkyl;

R^{g1}, R^{g3}, and R^{g4} are independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, aryl, cycloalkyl, arylalkyl, and cycloalkylalkyl;

R^{h1}, R^{h3}, and R^{h4} are independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, aryl, cycloalkyl, arylalkyl, and cycloalkylalkyl;

or R^{g1} and R^{h1} together with the N atom to which they are attached form a 4-, 5-, 6- or 7-membered heterocycloalkyl group;

or R^{g3} and R^{h3} together with the N atom to which they are attached form a 4-, 5-, 6- or 7-membered heterocycloalkyl group;

or R^{g4} and R^{h4} together with the N atom to which they are attached form a 4-, 5-, 6- or 7-membered heterocycloalkyl group;

R^i is H, CN, or NO_2;

a is 0 or 1;

b is 0 or 1;

n is 0 or 1;

p is 0 or 1;

t is 1, 2, 3, 4, 5 or 6;

u is 0, 1, 2, 3, 4, 5 or 6; and

v is 0, 1, 2, 3, 4, 5 or 6;

and an anti-PD-1 antibody; in the preparation of a combined medical preparation for treatment of cancer.

2. The use of claim 1, wherein R^2 of the compound of the Formula is H.

3. The use according to claim 2, wherein n of the compound of the Formula is 0.

4. The use according to claim 3, wherein p of the compound of the Formula is 1.

5. The use according to claim 4, wherein R^{5b} of the compound of the Formula is H.

6. The use according to claim 5, wherein a of the compound of the Formula is 0.

7. The use according to claim 6, wherein b of the compound of the Formula is 0.


8. The use of claim 7, wherein R^{3b} of the compound of the Formula is phenyl optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, Cy^2, CN, NO_2, OR^{e1}, SR^{e1}, $C(O)R^{f1}$, $C(O)NR^{g1}R^{h1}$, $C(O)OR^{e1}$, $OC(O)R^{f1}$, $OC(O)NR^{g1}R^{h1}$, $NR^{g1}C(O)NR^{g1}R^{h1}$, $NR^{g1}R^{h1}$, $NR^{g1}C(O)R^{f1}$, $NR^{g1}C(O)OR^{e1}$, $P(R^{f1})_2$, $P(OR^{e1})_2$, $P(O)R^{e1}R^{f1}$, $P(O)OR^{e1}OR^{f1}$, $S(O)R^{f1}$, $S(O)NR^{g1}R^{h1}$, $S(O)_2R^{f1}$, and $S(O)_2NR^{g1}R^{h1}$.

9. The use of claim 6, wherein b of the compound of the Formula is 1.

10. The use of claim 9, wherein W of the compound of the Formula is $(CR^aR^b)_t$ or $(CR^aR^b)_uO(CR^aR^b)_v$.

11. The use of claim 10, wherein R^{3b} of the compound of the Formula is heteroaryl, optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, Cy^2, CN, NO_2, OR^{e1}, SR^{e1}, $C(O)R^{f1}$, $C(O)NR^{g1}R^{h1}$, $C(O)OR^{e1}$, $OC(O)R^{f1}$, $OC(O)NR^{g1}R^{h1}$, $NR^{g1}C(O)NR^{g1}R^{h1}$, $NR^{g1}R^{h1}$, $NR^{g1}C(O)R^{f1}$, $NR^{g1}C(O)OR^{e1}$, $P(R^{f1})_2$, $P(OR^{e1})_2$, $P(O)R^{e1}R^{f1}$, $P(O)OR^{e1}OR^{f1}$, $S(O)R^{f1}$, $S(O)NR^{g1}R^{h1}$, $S(O)_2R^{f1}$, and $S(O)_2NR^{g1}R^{h1}$.

12. The use of claim 1, wherein the compound has formula:



wherein:

X^1 is $(CR^aR^b)_t$ or $(CR^aR^b)_uC(O)(CR^aR^b)_v$;

R^{3a} is C_{1-8} alkyl, C_{2-8} alkenyl, C_{2-8} alkynyl, aryl, cycloalkyl, heteroaryl, or heterocycloalkyl, each optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, C_{1-4} hydroxyalkyl, Cy^1, CN, NO_2, OR^{e1}, SR^{e1}, $C(O)R^{f1}$, $C(O)NR^{g1}R^{h1}$, $C(O)OR^{e1}$, $OC(O)R^{f1}$, $OC(O)NR^{g1}R^{h1}$, $NR^{g1}C(O)NR^{g1}R^{h1}$, $NR^{g1}R^{h1}$, $NR^{g1}C(O)R^{f1}$, $NR^{g1}C(O)OR^{e1}$, $C(=NR^i)NR^{g1}R^{h1}$, $NR^{g1}C(=NR^i)NR^{g1}R^{h1}$, $P(R^{f1})_2$, $P(OR^{e1})_2$, $P(O)R^{e1}R^{f1}$, $P(O)OR^{e1}OR^{f1}$, $S(O)R^{f1}$, $S(O)NR^{g1}R^{h1}$, $S(O)_2R^{f1}$, and $S(O)_2NR^{g1}R^{h1}$;

R^{3b} is aryl or heteroaryl, each optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, C_{1-4} hydroxyalkyl, Cy^2, CN, NO_2, OR^{e1}, SR^{e1}, $C(O)R^{f1}$, $C(O)NR^{g1}R^{h1}$, $C(O)OR^{e1}$, $OC(O)R^{f1}$, $OC(O)NR^{g1}R^{h1}$, $NR^{g1}C(O)NR^{g1}R^{h1}$, $NR^{g1}R^{h1}$, $NR^{g1}C(O)R^{f1}$, $NR^{g1}C(O)OR^{e1}$, $C(=NR^i)NR^{g1}R^{h1}$, $NR^{g1}C(=NR^i)NR^{g1}R^{h1}$, $P(R^{f1})_2$, $P(OR^{e1})_2$, $P(O)R^{e1}R^{f1}$, $P(O)OR^{e1}OR^{f1}$, $S(O)R^{f1}$, $S(O)NR^{g1}R^{h1}$, $S(O)_2R^{f1}$, and $S(O)_2NR^{g1}R^{h1}$;

R^{5b} is H, C_{1-8} alkyl, C_{2-8} alkenyl, C_{2-8} alkynyl, aryl, cycloalkyl, heteroaryl, or heterocycloalkyl; wherein said C_{1-8} alkyl, C_{2-8} alkenyl, C_{2-8} alkynyl, aryl, cycloalkyl, heteroaryl, or heterocycloalkyl are each optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, C_{1-4} hydroxyalkyl, Cy^2, CN, NO_2, OR^{e1}, SR^{e1}, $C(O)R^{f1}$, $C(O)NR^{g1}R^{h1}$, $C(O)OR^{e1}$, $OC(O)R^{f1}$, $OC(O)NR^{g1}R^{h1}$, $NR^{g1}C(O)NR^{g1}R^{h1}$, $NR^{g1}R^{h1}$, $NR^{g1}C(O)R^{f1}$, $NR^{g1}C(O)OR^{e1}$, $C(=NR^i)NR^{g1}R^{h1}$, $NR^{g1}C(=NR^i)NR^{g1}R^{h1}$, $P(R^{f1})_2$, $P(OR^{e1})_2$, $P(O)R^{e1}R^{f1}$, $P(O)OR^{e1}OR^{f1}$, $S(O)R^{f1}$, $S(O)NR^{g1}R^{h1}$, $S(O)_2R^{f1}$, and $S(O)_2NR^{g1}R^{h1}$;

Cy^1 and Cy^2 are independently selected from aryl, heteroaryl, cycloalkyl, and heterocycloalkyl, each optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from halo, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, C_{1-4} haloalkyl, CN, NO_2, OR^{e3}, SR^{e3}, $C(O)R^{f3}$, $C(O)NR^{g3}R^{h3}$, $C(O)OR^{e3}$, $OC(O)R^{f3}$, $OC(O)NR^{g3}R^{h3}$, $NR^{g3}R^{h3}$, $NR^{g3}C(O)R^{h3}$, $NR^{g3}C(O)OR^{e3}$, $C(=NR^i)NR^{g1}R^{h1}$, $NR^{g1}C(=NR^i)NR^{g1}R^{h1}$, $P(R^{f3})_2$, $P(OR^{e3})_2$, $P(O)R^{e3}R^{f3}$, $P(O)OR^{e3}OR^{f3}$, $S(O)R^{f3}$, $S(O)NR^{g3}R^{h3}$, $S(O)_2R^{f3}$, and $S(O)_2NR^{g3}R^{h3}$;

R^a and R^b are independently selected from H, halo, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{1-4} haloalkyl, aryl, cycloalkyl, heteroaryl, heterocycloalkyl, arylalkyl, cycloalkylalkyl, heteroarylalkyl, heterocycloalkylalkyl, CN, NO_2, OR^{e4}, SR^{e4}, $C(O)R^{f4}$, $C(O)NR^{g4}R^{h4}$, $C(O)OR^{e4}$, $OC(O)R^{f4}$,

$OC(O)NR^{g4}R^{h4}$, $NR^{g4}R^{h4}$, $NR^{g4}C(O)R^{h4}$, $NR^{g4}C(O)OR^{e4}$, $C(=NR^{i})NR^{g1}R^{h1}$, $NR^{g1}C(=NR^{i})NR^{g1}R^{h1}$, $P(R^{f4})_2$, $P(OR^{e4})_2$, $P(O)R^{e4}R^{f4}$, $P(O)OR^{e4}OR^{f4}$, $S(O)R^{f4}$, $S(O)NR^{g4}R^{h4}$, $S(O)_2R^{f4}$, and $S(O)_2NR^{g4}R^{h4}$;

R^{e1}, R^{e3},and R^{e4} are independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, (C_{1-6} alkoxy)-C_{1-6} alkyl, C_{2-6} alkynyl, aryl, cycloalkyl, heteroaryl, heterocycloalkyl, arylalkyl, cycloalkylalkyl, heteroarylalkyl and heterocycloalkylalkyl;

R^{f1}, R^{f3}, and R^{f4} are independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, aryl, cycloalkyl, heteroaryl and heterocycloalkyl;

R^{g1}, R^{g3}, and R^{g4} are independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, aryl, cycloalkyl, arylalkyl, and cycloalkylalkyl;

R^{h1}, R^{h3}, and R^{h4} are independently selected from H, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, aryl, cycloalkyl, arylalkyl, and cycloalkylalkyl;

or R^{g1} and R^{h1} together with the N atom to which they are attached form a 4-, 5-, 6- or 7-membered heterocycloalkyl group;

or R^{g3} and R^{h3} together with the N atom to which they are attached form a 4-, 5-, 6- or 7-membered heterocycloalkyl group;

or R^{g4} and R^{h4} together with the N atom to which they are attached form a 4-, 5-, 6- or 7-membered heterocycloalkyl group;

R^{i} is H, CN, or NO_2;

a is 0 or 1;

t is 1, 2, 3, 4, 5 or 6;

u is 0, 1, 2, 3, 4, 5 or 6; and

v is 0, 1, 2, 3, 4, 5 or 6.

13. The use of claim 1, wherein the compound is selected from:

N-benzyl-4-(benzylamino)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

4-[(Anilinocarbonyl)amino]-*N*-(3-chlorophenyl)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

tert-Butyl {4-[({4-[(*E,Z*)-[(3-chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}amino)carbonyl]benzyl}carbamate;

4-(Aminomethyl)-*N*-{4-[(*E,Z*)-[(3-chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide;

4-{[(Benzylamino)carbonyl]amino}-*N*-(3-bromo-4-fluorophenyl)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}morpholine-4-carboxamide;

N-(3-Bromo-4-fluorophenyl)-*N*'-hydroxy-4-(methylamino)-1,2,5-oxadiazole-3-carboximidamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}piperidine-4-carboxamide;

tert-Butyl 4-{4-[({4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}amino)carbonyl]benzyl}piperazine-1-carboxylate;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-(piperazin-1-ylmethyl)benzamide;

1-Benzoyl-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}piperidine-4-carboxamide;

N(4)-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-*N*(1)-phenylpiperidine-1,4-dicarboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-ethylpiperidine-4-carboxamide;

4-[(Benzoylamino)methyl]-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(2-cyanophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-phenylpiperidine-4-carboxamide;

N-(3-Bromo-4-fluorophenyl)-4-({4-[(1,1-dioxidothiomorpholin-4-yl)methyl]benzyl}amino)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-*N*'-hydroxy-4-{[4-(morpholin-4-ylmethyl)benzyl]amino}-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Cyano-4-fluorophenyl)-4-({4-[(1,1-dioxidothiomorpholin-4-yl)methyl]benzyl}amino)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-*N*'-hydroxy-4-[(pyridin-3-ylmethyl)amino]-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Cyano-4-fluorophenyl)-*N*'-hydroxy-4-[(pyridin-4-ylmethyl)amino]-1,2,5-oxadiazole-3-carboximidamide;

4-[(3-Cyanobenzyl)amino]-*N*-(3-cyano-4-fluorophenyl)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-*N*'-hydroxy-4-[(1H-tetrazol-5-ylmethyl)amino]-1,2,5-oxadiazole-3-carboximidamide;

N-{4-[(*E,Z*)-[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}cyclopentanecarboxamide;

N-{4-[(*E,Z*)-[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}nicotinamide;

N-{4-[(*E,Z*)-[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}isonicotinamide;

N-{4-[(*E,Z*)-[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-methoxybenzamide;

N-{4-[(*E,Z*)-[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-methoxybenzamide;

N-{4-[(*E,Z*)-[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-methoxybenzamide;

2-Chloro-*N*-{4-[(*E,Z*)-[(3-chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide;

3-Chloro-*N*-{4-[(*E,Z*)-[(3-chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide;

4-Chloro-*N*-{4-[(*E,Z*)-[(3-chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide;

N-{4-[(*E,Z*)-[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3,3-dimethylbutanamide;

N-{4-[(*E,Z*)-[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-iodobenzamide;

N-{4-[(*E,Z*)-[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-cyanobenzamide;

N-{4-[(*E,Z*)-{[4-Fluoro-3-(trifluoromethyl)phenyl]amino}(hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}nicotinamide;

N-{4-[(*E,Z*)-{[4Fluoro-3-(trifluoromethyl)phenyl]amino}(hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}isonicotinamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}nicotinamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}isonicotinamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-cyanobenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-cyanobenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-naphthamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-naphthamide;

1-Acetyl-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}piperidine-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-furamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}thiophene-2-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-phenyl-5-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

4-(Acetylamino)-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide;

tert-Butyl {4-[({4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}amino)carbonyl]benzyl}carbamate;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-benzothiophene-2-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1,3-thiazole-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-benzothiophene-3-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}thiophene-3-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1H-imidazole-2-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-methyl-1,2,3-thiadiazole-5-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1,2,3-thiadiazole-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2,1-benzisoxazole-3-carboxamide;

4-(Aminomethyl)-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide;

N-(3-Bromo-4-fluorophenyl)-*N*'-hydroxy-4-({[(2-phenylethyl)amino]carbonyl}amino)-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-4-{[(cyclopentylamino)carbonyl]amino}-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-4-({[(3-cyanophenyl)amino]carbonyl}amino)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-*tert*-butyl-1-methyl-1H-pyrazole-5-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-methoxyacetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}cyclopentanecarboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}butanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-methylpropanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}cyclohexanecarboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1H-benzimidazole-5-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-phenoxyacetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}cyclobutanecarboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-methylbutanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-pyridin-3-ylpropanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}quinoline-6-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(4-chlorophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(4-bromophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(4-fluorophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(4-*tert*-butylphenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(3-chlorophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(3,4-dichlorophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(2-naphthyloxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(2,3-dichlorophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(4-chlorophenoxy)-2-methylpropanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(2-chlorophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(3-methoxyphenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(4-methoxyphenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(2-methoxyphenoxy)acetamide;

Benzyl {4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}carbamate;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}piperidine-1-carboxamide;

N-(3-Bromo-4-fluorophenyl)-4-({[(3-cyanophenyl)(methyl)amino]carbonyl}amino)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

4-({[Benzyl(methyl)amino]carbonyl}amino)-*N*-(3-bromo-4-fluorophenyl)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-phenylacetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(3-methoxyphenyl)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(4-methoxyphenyl)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(2-methoxyphenyl)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-cyanobenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(3-bromophenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(4-bromophenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(4-chlorophenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(3-chlorophenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(2-fluorophenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(3-fluorophenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(2-chlorophenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(3-methylphenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(3-(trifluoromethyl)phenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(4-fluorophenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(2-methoxyphenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(3-methoxyphenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(4-methoxyphenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(4-methylphenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-[4-(trifluoromethyl)phenyl]propanamide;

3-[2,5-Bis(trifluoromethyl)phenyl]-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}propanamide;

3-[3,5-Bis(trifluoromethyl)phenyl]-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-methyl-3-phenylpropanamide;

2-Benzyl-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3,3-dimethylbutanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-[4-(trifluoromethyl)pyrimidin-2-yl]piperidine-4-carboxamide;

1-Benzyl-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-*tert*-butyl-1H-pyrazole-5-carboxamide;

2-(Benzyloxy)-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-(4-chlorophenyl)cyclopentanecarboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-phenoxybenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2,4,6-trichlorobenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-methoxybenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-methoxybenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2,2-diphenylacetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-(trifluoromethoxy)benzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-methoxybenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3,4-dimethoxybenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(2-nitrophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}biphenyl-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(2,6-dichlorobenzyl)-1,3-thiazole-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2,6-dimethoxybenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-nitrobenzamide;

5-Bromo-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}nicotinamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3,3-dimethylbutanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(2-thienyl)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-phenylbutanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2,2-dimethylpropanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-(morpholin-4-ylmethyl)benzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-[(1,1-dioxidothiomorpholin-4-yl)methyl]benzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-(phenylacetyl)piperidine-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-(methylsulfonyl)piperidine-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-pyridin-4-yl-1,3-thiazole-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-nitrobenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-nitrobenzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-isopropylpiperidine-4-carboxamide;

tert-Butyl 4-{4-[({4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}amino)carbonyl]-1,3-thiazol-2-yl}piperidine-1-carboxylate;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-phenyl-1,3-thiazole-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-methyl-1,3-thiazole-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-piperidin-4-yl-1,3-thiazole-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(4-cyanophenoxy)acetamide;

tert-Butyl 3-[({4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}amino)carbonyl]piperidine-1-carboxylate;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-3-(3-nitrophenyl)propanamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(3-nitrophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(4-nitrophenoxy)acetamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}piperidine-3-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-methyl-2-pyridin-3-yl-1,3-thiazole-5-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-methyl-1,3-thiazole-5-carboxamide;

2-Amino-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1,3-thiazole-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-methyl-2-pyrazin-2-yl-1,3-thiazole-5-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-methyl-2-[4-(trifluoromethyl)phenyl]-1,3-thiazole-5-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2,4-dimethyl-1,3-thiazole-5-carboxamide;

1-Acetyl-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}pyrrolidine-2-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1,5-dimethyl-1H-pyrazole-3-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-5-chloro-1-methyl-1H-pyrazole-4-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1,3-dimethyl-1H-pyrazole-5-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-methyl-1H-imidazole-2-carboxamide;

4-[(Acetylamino)methyl]-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-methylpiperidine-4-carboxamide;

1-Acetyl-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}piperidine-3-carboxamide;

1-Acetyl-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-methylpiperidine-4-carboxamide;

1-Acetyl-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-phenylpiperidine-4-carboxamide;

4-(Benzylamino)-*N*-(3-bromo-4-fluorophenyl)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-1-ethylpiperidine-3-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-4-ethylpiperazine-1-carboxamide;

4-Acetyl-*N*-{4-[(*E,Z*)-[(3-bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}piperazine-1-carboxamide;

N-{4-[(*E,Z*)-[(3-Bromo-4-fluorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-(1-ethylpiperidin-4-yl)-1,3-thiazole-4-carboxamide;

N-(3-Bromo-4-fluorophenyl)-*N*'-hydroxy-4-[(1,3-thiazol-4-ylmethyl)amino]-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-4-[(4-cyanobenzyl)amino]-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-*N*'-hydroxy-4-{[(1-methylpiperidin-4-yl)methyl]amino}-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-*N*'-hydroxy-4-{[4-(piperazin-1-ylmethyl)benzyl]amino}-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-4-({4-[(4-ethylpiperazin-1-yl)methyl]benzyl}amino)-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-(3-Bromo-4-fluorophenyl)-*N*'-hydroxy-4-[(pyridin-4-ylmethyl)amino]-1,2,5-oxadiazole-3-carboximidamide; and

N-(3-Bromo-4-fluorophenyl)-4-[(3-cyanobenzyl)amino]-*N*'-hydroxy-1,2,5-oxadiazole-3-carboximidamide;

N-{4-[[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}-2-phenylacetamide;

N-{4-[[(3-Chlorophenyl)amino](hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide; and

N-{4-[(Benzylamino)(hydroxyimino)methyl]-1,2,5-oxadiazol-3-yl}benzamide; or a pharmaceutically acceptable salt thereof.

14. The use of claim 1, wherein said cancer is selected from cancer of the colon, pancreatic cancer, breast cancer, prostate cancer, lung cancer, brain cancer, ovarian cancer, cervical cancer, testicular cancer, renal cancer, cancer of the head and neck, lymphoma, leukemia, and melanoma.