

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 April 2003 (17.04.2003)

PCT

(10) International Publication Number
WO 03/031423 A1

(51) International Patent Classification⁷: **C07D 301/06**

(21) International Application Number: PCT/US02/29034

(22) International Filing Date:
12 September 2002 (12.09.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/973,663 9 October 2001 (09.10.2001) US

(71) Applicant: **ARCO CHEMICAL TECHNOLOGY, L.P.**
[US/US]; Two Greenville Crossing, Suite 238, 4001 Kenneth Pike, Greenville, DE 19807 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventor: **HANCU, Dan**; 19 Amity Pointe Court, Clifton Park, NY 12065 (US).

Published:
— with international search report

(74) Agents: **CARROLL, Kevin, M.** et al.; Lyondell Chemical Company, 3810 West Chester Pike, Newtown Square, PA 19073 (US).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: DIRECT EPOXIDATION PROCESS USING PRE-TREATED TITANIUM ZEOLITE

(57) Abstract: The invention is a process for epoxidizing an olefin with hydrogen and oxygen in the presence of a catalyst comprising a noble metal and pretreated titanium zeolite. Titanium zeolite pretreatment comprises contacting the titanium zeolite with a leaching agent prior to use in epoxidation. Surprisingly, the process using the pretreated titanium zeolite shows decreased ring-opening to unwanted glycols and glycol ethers.



WO 03/031423 A1