

Fig. 1A




Fig. 1B




Fig. 2A




Fig. 2B




Fig. 2C




Fig. 3A




Fig. 3B




Fig. 4B




Fig. 5AA

*1: Horizontal angle of view: 40 deg



Fig. 5AB

*2: Horizontal angle of view: 50 deg





Fig. 5AC

*3: Horizontal angle of view: 70 deg



*4: Horizontal angle of view: 80 deg



*5: Horizontal angle of view: 105 deg



*6: Horizontal angle of view: 120 deg




Fig. 5AD

Fig. 5AE

Fig. 5AF

Fig. 5B




Fig. 5C

Dx (mm)	Dz (mm)	θ_x (deg)	Z-direction length (mm) of window frame	Reflection reduction rate Rx (%)
10	1	40	500	48
20	1	40	500	45
30	1	40	500	42
40	1	40	500	39
50	1	40	500	37
60	1	40	500	34
70	1	40	500	31
80	1	40	500	28
90	1	40	500	26
100	1	40	500	23
110	1	40	500	21
120	1	40	500	17
130	1	40	500	15
140	1	40	500	12
150	1	40	500	9
160	1	40	500	6
170	1	40	500	4
180	1	40	500	1
190	1	40	500	0
200	1	40	500	0

Fig. 6

