
CLAIMED:

1. A compound of the Formula I:



(I),

or a pharmaceutically acceptable salt thereof,

wherein:

Y is a bond, $–(CR^5R^{5'})_t–$, $–NR^5(CR^5R^{5'})_t–$, or –O–;

each R^1, $R^{1'}$, R^2, and $R^{2'}$ is independently –H, $–(C_1\text{-}C_6)$alkyl, $–(C_2\text{-}C_6)$alkenyl, $–(C_2\text{-}C_6)$alkynyl, $–(C_3\text{-}C_8)$cycloalkyl, $–(C_4\text{-}C_8)$cycloalkenyl, heterocyclyl, aryl, heteroaryl, halogen, –CN, $–OR^5$, $–SR^5$, $–NO_2$, $–NR^5R^{5'}$, $–S(O)_2R^5$, $–S(O)_2NR^5R^{5'}$, $–S(O)R^5$, $–S(O)NR^5R^{5'}$, $–NR^5S(O)_2R^{5'}$, $–NR^5S(O)R^{5'}$, $–C(O)R^5$, or $–C(O)OR^5$, wherein each alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, aryl, or heteroaryl is optionally substituted with one or more substituents selected from the group consisting of oxo, halogen, –CN, $–R^5$, $–OR^5$, $–SR^5$, $–NO_2$, $–NR^5R^{5'}$, $–S(O)_2R^5$, $–S(O)_2NR^5R^{5'}$, $–S(O)R^5$, $–S(O)NR^5R^{5'}$, $–NR^5S(O)_2R^{5'}$, $–NR^5S(O)R^{5'}$, $–C(O)R^5$, and $–C(O)OR^5$;

or R^1 and $R^{1'}$, or R^2 and $R^{2'}$, together with the atom to which they are attached, can combine to form $–(C_3\text{-}C_8)$cycloalkyl ring, heterocycle, $(C_5\text{-}C_8)$spirocycle or 5-to 8-membered spiroheterocycle;

or R^1 and R^2, together with the atoms to which they are attached, can combine to form a $–(C_3\text{-}C_8)$cycloalkyl or a 3-to 8-membered heterocycle;

R^3 is independently –H, $–(C_1\text{-}C_6)$alkyl, $–(C_2\text{-}C_6)$alkenyl, $–(C_2\text{-}C_6)$alkynyl, $–(C_3\text{-}C_8)$cycloalkyl, $–(C_4\text{-}C_8)$cycloalkenyl, heterocyclyl, aryl, heteroaryl, $–S(O)_2R^5$, $–S(O)_2NR^5R^{5'}$, $–S(O)R^5$, $–S(O)NR^5R^{5'}$, $–C(O)R^5$, or $–C(O)OR^5$, wherein each alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, aryl, or heteroaryl is optionally substituted with one or more substituents selected from the group consisting of oxo, halogen, –CN, $–R^5$, $–OR^5$, $–SR^5$, $–NO_2$, $–NR^5R^{5'}$, $–S(O)_2R^5$, $–S(O)_2NR^5R^{5'}$, $–S(O)R^5$, $–S(O)NR^5R^{5'}$, $–NR^5S(O)_2R^{5'}$, $–NR^5S(O)R^{5'}$, $–C(O)R^5$, and $–C(O)OR^5$;

or R^2 and R^3, together with the atoms to which they are attached, can combine to form a 5- to 8-membered heterocyclic ring;

or R^1 and R^3, together with the atoms to which they are attached, can combine to form a 5- to 8-membered heterocyclic ring, optionally fused to an aryl or heteroaryl ring;

R^4 is –H, –(C_1-C_6)alkyl, –(C_2-C_6)alkenyl, –(C_2-C_6)alkynyl, –(C_3-C_8)cycloalkyl, –(C_4-C_8)cycloalkenyl, heterocyclyl, aryl, heteroaryl, halogen, –CN, –OR^5, –SR^5, –NO_2, –$NR^5R^{5'}$, –$S(O)_2R^5$, –$S(O)_2NR^5R^{5'}$, –$S(O)R^5$, –$S(O)NR^5R^{5'}$, –$NR^5S(O)_2R^{5'}$, –$NR^5S(O)R^{5'}$, –$C(O)R^5$, or –$C(O)OR^5$, wherein each alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, aryl, or heteroaryl is optionally substituted with one or more substituents selected from the group consisting of oxo, halogen, –CN, –R^5, –OR^5, –SR^5, –NO_2, –$NR^5R^{5'}$, –$S(O)_2R^5$, –$S(O)_2NR^5R^{5'}$, –$S(O)R^5$, –$S(O)NR^5R^{5'}$, –$NR^5S(O)_2R^{5'}$, –$NR^5S(O)R^{5'}$, –$C(O)R^5$, and –$C(O)OR^5$;

each R^5 and $R^{5'}$ is independently, at each occurrence, –H, –(C_1-C_6)alkyl, –(C_2-C_6)alkenyl, –(C_2-C_6)alkynyl, –(C_3-C_8)cycloalkyl, –(C_4-C_8)cycloalkenyl, heterocyclyl, aryl, heteroaryl, halogen, –CN, –OR^6, –SR^6, –NO_2, –$NR^6R^{6'}$, –$S(O)_2R^6$, –$S(O)_2NR^6R^{6'}$, –$S(O)R^6$, –$S(O)NR^6R^{6'}$, –$NR^6S(O)_2R^{6'}$, –$NR^6S(O)R^{6'}$, –$C(O)R^6$, or –$C(O)OR^6$, wherein each alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, aryl, or heteroaryl is optionally substituted with one or more substituents selected from the group consisting of oxo, halogen, –CN, –R^6, –OR^6, –SR^6, –NO_2, –$NR^6R^{6'}$, –$S(O)_2R^6$, –$S(O)_2NR^6R^{6'}$, –$S(O)R^6$, –$S(O)NR^6R^{6'}$, –$NR^6S(O)_2R^{6'}$, –$NR^6S(O)R^{6'}$, –$C(O)R^6$, and –$C(O)OR^6$;

or two R^5 on adjacent atoms together with the atoms to which they are attached form an aryl ring optionally substituted with one or more R^6; or two R^5 on adjacent atoms together with the atoms to which they are attached form a heteroaryl ring optionally substituted with one or more R^6; or two R^5 on adjacent atoms together with the atoms to which they are attached form a (C_3-C_8)cycloalkyl ring optionally substituted with one or more R^6; or two R^5 on adjacent atoms together with the atoms to which they are attached form a heterocycloalkyl ring optionally substituted with one or more R^6;

or two $R^{5'}$ on adjacent atoms together with the atoms to which they are attached form an aryl ring optionally substituted with one or more R^6; or two $R^{5'}$ on adjacent atoms together with the atoms to which they are attached form a heteroaryl ring optionally substituted with one or more R^6; or two $R^{5'}$ on adjacent atoms together with the atoms to which they are attached form a (C_3-C_8)cycloalkyl ring optionally substituted with one or more R^6; or two $R^{5'}$ on adjacent atoms

together with the atoms to which they are attached form a heterocycloalkyl ring optionally substituted with one or more R^6;

each R^6 and $R^{6'}$ is independently, at each occurrence, –H, –$(C_1$-$C_6)$alkyl, –$(C_2$-$C_6)$alkenyl, –$(C_2$-$C_6)$alkynyl, –$(C_3$-$C_8)$cycloalkyl, –$(C_4$-$C_8)$cycloalkenyl, heterocyclyl, aryl, heteroaryl, halogen, –CN, –OR^7, –SR^7, –NO_2, –$NR^7R^{7'}$, –$S(O)_2R^7$, –$S(O)_2NR^7R^{7'}$, –$S(O)R^7$, –$S(O)NR^7R^{7'}$, –$NR^7S(O)_2R^{7'}$, –$NR^7S(O)R^{7'}$, –$C(O)R^7$, or –$C(O)OR^7$, wherein each alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, aryl, or heteroaryl is optionally substituted with one or more substituents selected from the group consisting of oxo, halogen, –CN, –R^7, –OR^7, –SR^7, –NO_2, –$NR^7R^{7'}$, –$S(O)_2R^7$, –$S(O)_2NR^7R^{7'}$, –$S(O)R^7$, –$S(O)NR^7R^{7'}$, –$NR^7S(O)_2R^{7'}$, –$NR^7S(O)R^{7'}$, –$C(O)R^7$, and –$C(O)OR^7$;


each R^7 and $R^{7'}$ is independently, at each occurrence, –H, –$(C_1$-$C_6)$alkyl, –$(C_2$-$C_6)$alkenyl, –$(C_2$-$C_6)$alkynyl, –$(C_3$-$C_8)$cycloalkyl, –$(C_4$-$C_8)$cycloalkenyl, heterocyclyl, aryl, heteroaryl, halogen, –CN, –OH, –SH, –NO_2, –NH_2, –$S(O)_2H$, –$S(O)_2NH_2$, –S(O)H, –$S(O)NH_2$, –$NHS(O)_2H$, –NHS(O)H, –C(O)H, or –C(O)OH, wherein each alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, heterocyclyl, aryl, or heteroaryl is optionally substituted with one or more substituents selected from the group consisting of oxo, halogen, –CN, –OH, –SH, –NO_2, –NH_2, –$S(O)_2H$, –$S(O)_2NH_2$, –S(O)H, –$S(O)NH_2$, –$NHS(O)_2H$, –NHS(O)H, –C(O)H, and –C(O)OH;

each R^8, $R^{8'}$, R^9, $R^{9'}$, R^{10}, $R^{10'}$, R^{11}, and $R^{11'}$ is independently, at each occurrence, –H, –$(C_1$-$C_6)$alkyl, –$(C_2$-$C_6)$alkenyl, –$(C_2$-$C_6)$alkynyl, –$(C_3$-$C_8)$cycloalkyl, or –$(C_4$-$C_8)$cycloalkenyl, wherein each alkyl, alkenyl, alkynyl, cycloalkyl and cycloalkenyl, is optionally substituted with one or more substituents selected from the group consisting of oxo, halogen, –CN, –R^7, –OR^7, –SR^7, –NO_2, –$NR^7R^{7'}$, –$S(O)_2R^7$, –$S(O)_2NR^7R^{7'}$, –$S(O)R^7$, –$S(O)NR^7R^{7'}$, –$NR^7S(O)_2R^{7'}$, –$NR^7S(O)R^{7'}$, –$C(O)R^7$, and –$C(O)OR^7$;

and


t is 0, 1, 2, or 3.

2. The compound of claim 1, having Formula (Ia-1):




(Ia-1).

3. The compound of claim 1, having Formula (Ia-2):



(Ia-2).

4. The compound of claim 1, having Formula (Ic):



(Ic).

5. The compound of any one of claims 1 or 4, wherein R^1 and $R^{1'}$ are each independently hydrogen, optionally substituted –(C_1-C_6)alkyl, optionally substituted aryl, or optionally substituted heteroaryl, or wherein R^1 and $R^{1'}$, taken together with the atoms to which they are attached, combine to form an optionally substituted -(C_3-C_4)cycloalkyl.

6. The compound of any one of claims 2 or 3, wherein R^1 is optionally substituted –(C_1-C_6)alkyl, optionally substituted aryl, or optionally substituted heteroaryl.

7. The compound of any one of claims 1-4, wherein R^1 and R^3, taken together with the atoms to which they are attached, combine to form an optionally substituted 5- to 6-membered heterocyclic ring.

8. The compound of any one of claims 1-4, wherein R^3 is hydrogen or optionally substituted –(C_1-C_6)alkyl.

9. The compound of any one of claims 1-4, wherein R^2 and $R^{2'}$ are each independently hydrogen or optionally substituted –(C_1-C_6)alkyl.

10. The compound of any one of claims 1-4, wherein R^4 is optionally substituted aryl or optionally substituted heteroaryl.

11. The compound of any one of claims 1-4, wherein each R^5 is independently –H or optionally substituted –(C_1-C_6)alkyl, or two R^5 on adjacent atoms, together with the atoms to which they are attached, form an optionally substituted heterocycloalkyl ring.

12. The compound of any one of claims 1-4, wherein each R^6 is independently –(C_1-C_6)alkyl.

13. The compound of any one of claims 1-4, wherein:

Y, if present, is a bond;

R^1 is selected from the group consisting of hydrogen, optionally substituted –(C_1-C_6)alkyl, optionally substituted aryl, and optionally substituted heteroaryl;

$R^{1'}$, if present, is selected from the group consisting of hydrogen, and optionally substituted –(C_1-C_6)alkyl;

or R^1 and $R^{1'}$, taken together with the atoms to which they are attached, combine to form an optionally substituted -(C_3-C_4)cycloalkyl;

R^2 and $R^{2'}$ are each independently hydrogen or methyl;

R^3 is hydrogen or methyl;

or R^1 and R^3, taken together with the atoms to which they are attached, combine to form an optionally substituted 5- to 6-membered heterocyclic ring;

R^4 is optionally substituted 6- to 10-membered aryl or optionally substituted 6- to 10-membered heteroaryl, wherein the aryl or heteroaryl is optionally substituted with one or more substituents selected from the group consisting of $–R^5$ and $–OR^5$;

each R^5 is independently –H or optionally substituted –(C_1-C_6)alkyl;

or two R^5 on adjacent atoms together with the atoms to which they are attached form a heterocycloalkyl ring optionally substituted with one or more R^6;

each R^6 is independently –(C_1-C_6)alkyl; and

each R^8, $R^{8'}$, R^9, $R^{9'}$, R^{10}, $R^{10'}$, R^{11}, and $R^{11'}$, if present, is hydrogen.

14. The compound of claim 13, wherein:

Y, if present, is a bond;

R^1 is selected from the group consisting of hydrogen, methyl optionally substituted with $-OR^5$, ethyl, optionally substituted 6-membered aryl, and optionally substituted 5- to 6-membered heteroaryl;

$R^{1'}$, if present, is selected from the group consisting of hydrogen and methyl;

or R^1 and $R^{1'}$, taken together with the atoms to which they are attached, combine to form an optionally substituted cyclopropyl;

R^2 and $R^{2'}$ are each independently hydrogen or methyl;

R^3 is hydrogen or methyl;

or R^1 and R^3, taken together with the atoms to which they are attached, combine to form an optionally substituted 5- to 6-membered heterocyclic ring;

R^4 is optionally substituted 6- to 10-membered aryl or optionally substituted 6- to 10-membered heteroaryl, wherein the aryl or heteroaryl is optionally substituted with one or more substituents selected from the group consisting of $-R^5$ and $-OR^5$;


each R^5 is independently –H or optionally substituted $-(C_1\text{-}C_6)$alkyl;







or two R^5 on adjacent atoms together with the atoms to which they are attached form a heterocycloalkyl ring optionally substituted with one or more R^6;







each of each R^6 is independently $-(C_1\text{-}C_6)$alkyl; and







each of R^8, $R^{8'}$, R^9, $R^{9'}$, R^{10}, $R^{10'}$, R^{11}, and $R^{11'}$, if present, is hydrogen.







15. The compound of claim 1 selected from the group consisting of:







Example	Structure	Name
1		(S)-1-(5-((2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one







2		(R)-1-(5-((2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one
3		(R)-1-(5-((2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-(pyridin-2-yl)propan-1-one
4		(S)-1-(5-((2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-(pyridin-2-yl)propan-1-one
5		(R)-(5-((2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydro-2H-pyran-3-yl)methanone
6		(S)-(5-((2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydro-2H-pyran-3-yl)methanone
7		1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2,2-dimethylpropan-1-one







8		1-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one
9		1-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2,2-dimethylpropan-1-one
10		1-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-(hydroxymethyl)-2-methylpropan-1-one
11		1-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-2,2-bis(hydroxymethyl)butan-1-one
12		(R)-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydrofuran-3-yl)methanone
13		(S)-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydrofuran-3-yl)methanone







14		(R)-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydrofuran-3-yl)methanone
15		(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydro-2H-pyran-3-yl)methanone
16		(S)-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydrofuran-3-yl)methanone
17		(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(1-(methoxymethyl)cyclopropyl)methanone
18		1-(5-((2,3-dihydrobenzo[b][1,4]dioxin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one
19		1-(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2,2-dimethylpropan-1-one








20		(R)-(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydrofuran-3-yl)methanone
21		3-hydroxy-2,2-dimethyl-1-(5-((2-methylbenzo[d]oxazol-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)propan-1-one
22		1-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxypropan-1-one
23		(R)-1-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxybutan-1-one
24		(S)-1-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxybutan-1-one
25		1-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-3-methylbutan-1-one



26	 **(+/-)**	(2S,3R and 2R,3S)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylbutan-1-one
27	 **(+/-)**	(2R,3R and 2S,3S)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylbutan-1-one
28		(S)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-3-methyl-2-phenylbutan-1-one
29		(S)-1-(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one
30		(R)-1-(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one
31		(S)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one

32		(S)-1-(5-((2,2-dimethyl-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one
33		(S)-(5-((3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydro-2H-pyran-3-yl)methanone
34		(R)-(5-((3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydro-2H-pyran-3-yl)methanone
35		(S)-1-(5-((3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one
36		(5-((3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(1-(methoxymethyl)cyclopropyl)methanone
37		1-(5-((3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2,2-dimethylpropan-1-one

38		1-(5-((3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-3-methylbutan-1-one
39		(5-((3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydrofuran-3-yl)methanone
40		3-hydroxy-1-(5-((4-methoxyphenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)propan-1-one
41		(S)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-(pyridin-2-yl)propan-1-one
42		(R)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-(pyridin-2-yl)propan-1-one
43		(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(2,3-dihydrobenzofuran-3-yl)methanone

44		(R)-(5-(pyridin-2-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydro-2H-pyran-3-yl)methanone
45		(S)-(5-(pyridin-2-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydro-2H-pyran-3-yl)methanone
46		3-hydroxy-1-(5-((4-methyl-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-2-phenylpropan-1-one
47		(5-((4-methyl-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydrofuran-3-yl)methanone
48		1-(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one
49		1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one

50		(2S)-3-hydroxy-2-phenyl-1-[5-(pyridine-3-sulfonyl)- 1H,2H,3H,4H,5H,6H-pyrrolo[3,4-c]pyrrol-2-yl]propan-1-one
51		(2S)-3-hydroxy-2-phenyl-1-[5-(pyridine-2-sulfonyl)- 1H,2H,3H,4H,5H,6H-pyrrolo[3,4-c]pyrrol-2-yl]propan-1-one
52		(2S)-3-hydroxy-2-phenyl-1-(5-{[6-(trifluoromethyl)pyridin-3-yl]sulfonyl}-1H,2H,3H,4H,5H,6H-pyrrolo[3,4-c]pyrrol-2-yl)propan-1-one
53		3-methoxy-1-(5-((4-methyl-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)propan-1-one; and
54		1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxypropan-1-one.
55		(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(tetrahydrofuran-3-yl)methanone
56		(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)(morpholin-3-yl)methanone

57		1-(5-((2,3-dihydrobenzo[b][1,4]dioxin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-methoxypropan-1-one; and
58		1-(5-(benzofuran-5-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-methoxypropan-1-one,

or a pharmaceutically acceptable salt thereof.

16. The compound of claim 15, wherein the compound is (S)-1-(5-((2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one, or a pharmaceutically acceptable salt thereof.

17. The compound of claim 15, wherein the compound is (R)-1-(5-((2,3-dihydro-[1,4]dioxino[2,3-b]pyridin-7-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-(pyridin-2-yl)propan-1-one, or a pharmaceutically acceptable salt thereof.

18. The compound of claim 15, wherein the compound is (2S,3R and 2R,3S)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylbutan-1-one, or a pharmaceutically acceptable salt thereof.

19. The compound of claim 15, wherein the compound is (2R,3R and 2S,3S)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylbutan-1-one, or a pharmaceutically acceptable salt thereof.

20. The compound of claim 15, wherein the compound is (S)-1-(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one, or a pharmaceutically acceptable salt thereof.

21. The compound of claim 15, wherein the compound is (S)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one, or a pharmaceutically acceptable salt thereof.

22. The compound of claim 15, wherein the compound is 1-(5-((3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2,2-dimethylpropan-1-one, or a pharmaceutically acceptable salt thereof.

23. The compound of claim 15, wherein the compound is (S)-1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-(pyridin-2-yl)propan-1-one, or a pharmaceutically acceptable salt thereof.

24. The compound of claim 15, wherein the compound is 1-(5-(benzo[d]thiazol-6-ylsulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one, or a pharmaceutically acceptable salt thereof.

25. The compound of claim 15, wherein the compound is 1-(5-((4-(difluoromethoxy)phenyl)sulfonyl)-3,4,5,6-tetrahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-hydroxy-2-phenylpropan-1-one, or a pharmaceutically acceptable salt thereof.

26. The compound of claim 15, wherein the compound is (2S)-3-hydroxy-2-phenyl-1-[5-(pyridine-2-sulfonyl)-1H,2H,3H,4H,5H,6H-pyrrolo[3,4-c]pyrrol-2-yl]propan-1-one, or a pharmaceutically acceptable salt thereof.

27. A pharmaceutical composition, comprising a compound of any one of claims 1-26, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.