CLAIMS

1. Use of a composition comprising a hyper-concentrated hyaluronidase in the manufacture of a medicament for reducing or eliminating a hyaluronic acid-induced blockage in one or more blood vessels supplying blood to an area of tissue in an individual in need thereof.

2. Use of a composition comprising a hyper-concentrated hyaluronidase in the manufacture of a medicament for reducing or inhibiting a vascular occlusion in an area of tissue of an individual in need thereof.

3. Use of a composition comprising a hyper-concentrated hyaluronidase in the manufacture of a medicament for reducing or inhibiting a hyaluronic acid-induced loss of tissue in an individual in need thereof.

4. The use according to any one of claims 1-3, wherein the composition to be administered to a dermal portion of a skin region.

5. The use according to any one of claims 1-4, wherein the composition to be administered using a delivery system.

6. The use according to any one of claims 1-5, wherein the composition comprises the hyper-concentrated hyaluronidase in a concentration of at least 25,000 IU/mL, at least 50,000 IU/mL, at least 75,000 IU/mL, at least 100,000 IU/mL, at least 125,000 IU/mL, at least 150,000 IU/mL, at least 175,000 IU/mL, at least 200,000 IU/mL, at least 225,000 IU/mL, at least 250,000 IU/mL, at least 300,000 IU/mL, at least 350,000 IU/mL, at least 400,000 IU/mL, at least 450,000 IU/mL, or at least 500,000 IU/mL; and/or in a concentration of at most 25,000 IU/mL, at most 50,000 IU/mL, at most 75,000 IU/mL, at most 100,000 IU/mL, at most 125,000 IU/mL, at most 150,000 IU/mL, at most 175,000 IU/mL, at most 200,000 IU/mL, at most 225,000 IU/mL, at most 250,000 IU/mL, at most 300,000 IU/mL, at most 350,000 IU/mL, at most 400,000 IU/mL, at most 450,000 IU/mL, or at most 500,000 IU/mL.; or in a concentration of about 25,000 IU/mL to about 50,000 IU/mL, about 25,000 IU/mL to about 75,000 IU/mL, about 25,000 IU/mL to about 100,000 IU/mL, about 25,000 IU/mL to about 125,000 IU/mL, about 25,000 IU/mL to about 150,000 IU/mL, about 25,000 IU/mL to about 175,000 IU/mL, about 25,000 IU/mL to about 200,000 IU/mL, about 25,000 IU/mL to about 225,000 IU/mL, about 25,000 IU/mL to about 250,000 IU/mL, about 25,000 IU/mL to about 300,000 IU/mL, about 25,000 IU/mL to about 350,000 IU/mL, about 25,000 IU/mL to about 400,000 IU/mL, about 25,000 IU/mL to about 450,000 IU/mL, about 25,000 IU/mL to about 500,000 IU/mL, about 50,000 IU/mL to about 75,000 IU/mL, about 50,000 IU/mL to about 100,000 IU/mL, about 50,000 IU/mL to about 125,000 IU/mL, about 50,000 IU/mL to about 150,000 IU/mL, about 50,000 IU/mL to about 175,000 IU/mL, about 50,000 IU/mL to about 200,000 IU/mL, about 50,000 IU/mL to about 225,000 IU/mL, about 50,000 IU/mL to about 250,000 IU/mL, about 50,000 IU/mL to about 300,000 IU/mL, about 50,000 IU/mL to about 350,000 IU/mL, about 50,000 IU/mL to about 400,000 IU/mL, about 50,000 IU/mL to about 450,000 IU/mL, about 50,000 IU/mL to about 500,000 IU/mL, about 75,000 IU/mL to about 100,000 IU/mL, about 75,000 IU/mL to about 125,000 IU/mL, about 75,000 IU/mL to about 150,000 IU/mL, about 75,000 IU/mL to about 175,000 IU/mL, about 75,000 IU/mL to about 200,000 IU/mL, about 75,000 IU/mL to about 225,000 IU/mL, about 75,000 IU/mL to about 250,000 IU/mL, about 75,000 IU/mL to about 300,000 IU/mL, about 75,000 IU/mL to about 350,000 IU/mL, about 75,000 IU/mL to about 400,000 IU/mL, about 75,000 IU/mL to about 450,000 IU/mL, about 75,000 IU/mL to about 500,000 IU/mL, about 100,000 IU/mL to about 125,000 IU/mL, about 100,000 IU/mL to about 150,000 IU/mL, about 100,000 IU/mL to about 175,000 IU/mL, about 100,000 IU/mL to about 200,000 IU/mL, about 100,000 IU/mL to about 225,000 IU/mL, about 100,000 IU/mL to about 250,000 IU/mL, about 100,000 IU/mL to about 300,000 IU/mL, about 100,000 IU/mL to about 350,000 IU/mL, about 100,000 IU/mL to about 400,000 IU/mL, about 100,000 IU/mL to

about 450,000 IU/mL, about 100,000 IU/mL to about 500,000 IU/mL, about 150,000 IU/mL to about 200,000 IU/mL, about 150,000 IU/mL to about 225,000 IU/mL, about 150,000 IU/mL to about 250,000 IU/mL, about 150,000 IU/mL to about 300,000 IU/mL, about 150,000 IU/mL to about 350,000 IU/mL, about 150,000 IU/mL to about 400,000 IU/mL, about 150,000 IU/mL to about 450,000 IU/mL, about 150,000 IU/mL to about 500,000 IU/mL, about 200,000 IU/mL to about 225,000 IU/mL, about 200,000 IU/mL to about 250,000 IU/mL, about 200,000 IU/mL to about 300,000 IU/mL, about 200,000 IU/mL to about 350,000 IU/mL, about 200,000 IU/mL to about 400,000 IU/mL, about 200,000 IU/mL to about 450,000 IU/mL, about 200,000 IU/mL to about 500,000 IU/mL, about 250,000 IU/mL to about 300,000 IU/mL, about 250,000 IU/mL to about 350,000 IU/mL, about 250,000 IU/mL to about 400,000 IU/mL, about 250,000 IU/mL to about 450,000 IU/mL, about 250,000 IU/mL to about 500,000 IU/mL, about 300,000 IU/mL to about 350,000 IU/mL, about 300,000 IU/mL to about 400,000 IU/mL, about 300,000 IU/mL to about 450,000 IU/mL, about 300,000 IU/mL to about 500,000 IU/mL, about 350,000 IU/mL to about 400,000 IU/mL, about 350,000 IU/mL to about 450,000 IU/mL, about 350,000 IU/mL to about 500,000 IU/mL, about 400,000 IU/mL to about 450,000 IU/mL, about 400,000 IU/mL to about 500,000 IU/mL, or about 450,000 IU/mL to about 500,000 IU/mL.

7. The use according to any one of claims 1-5, wherein the composition comprises the hyper-concentrated hyaluronidase in a concentration of at least 10,000 IU/mL, at least 20,000 IU/mL, at least 30,000 IU/mL, at least 40,000 IU/mL, at least 50,000 IU/mL, at least 60,000 IU/mL, at least 70,000 IU/mL, at least 80,000 IU/mL, at least 90,000 IU/mL, or at least 100,000 IU/mL; and/or in a concentration of at most 10,000 IU/mL, at most 20,000 IU/mL, at most 30,000 IU/mL, at most 40,000 IU/mL, at most 50,000 IU/mL, at most 60,000 IU/mL, at most 70,000 IU/mL, at most 80,000 IU/mL, at most 90,000 IU/mL, or at most 100,000 IU/mL; or in a concentration of about 10,000 IU/mL to about 20,000 IU/mL, about 10,000 IU/mL to about 30,000 IU/mL, about 10,000 IU/mL to about 40,000 IU/mL, about 10,000 IU/mL to about 50,000 IU/mL, about 10,000 IU/mL to about 60,000 IU/mL, about 10,000 IU/mL to about 70,000 IU/mL, about 10,000 IU/mL to about 80,000 IU/mL, about 10,000 IU/mL to about 90,000 IU/mL, about 10,000 IU/mL to about 100,000 IU/mL, about 20,000 IU/mL to about 30,000 IU/mL, about 20,000 IU/mL to about 40,000 IU/mL, about 20,000 IU/mL to about 50,000 IU/mL, about 20,000 IU/mL to about 60,000 IU/mL, about 20,000 IU/mL to about 70,000 IU/mL, about 20,000 IU/mL to about 80,000 IU/mL, about 20,000 IU/mL to about 90,000 IU/mL, about 20,000 IU/mL to about 100,000 IU/mL, about 30,000 IU/mL to about 40,000 IU/mL, about 30,000 IU/mL to about 50,000 IU/mL, about 30,000 IU/mL to about 60,000 IU/mL, about 30,000 IU/mL to about 70,000 IU/mL, about 30,000 IU/mL to about 80,000 IU/mL, about 30,000 IU/mL to about 90,000 IU/mL, about 30,000 IU/mL to about 100,000 IU/mL, about 40,000 IU/mL to about 50,000 IU/mL, about 40,000 IU/mL to about 60,000 IU/mL, about 40,000 IU/mL to about 70,000 IU/mL, about 40,000 IU/mL to about 80,000 IU/mL, about 40,000 IU/mL to about 90,000 IU/mL, about 40,000 IU/mL to about 100,000 IU/mL, about 50,000 IU/mL to about 60,000 IU/mL, about 50,000 IU/mL to about 70,000 IU/mL, about 50,000 IU/mL to about 80,000 IU/mL, about 50,000 IU/mL to about 90,000 IU/mL, about 50,000 IU/mL to about 100,000 IU/mL, about 60,000 IU/mL to about 70,000 IU/mL, about 60,000 IU/mL to about 80,000 IU/mL, about 60,000 IU/mL to about 90,000 IU/mL, about 60,000 IU/mL to about 100,000 IU/mL, about 70,000 IU/mL to about 80,000 IU/mL, about 70,000 IU/mL to about 90,000 IU/mL, about 70,000 IU/mL to about 100,000 IU/mL, about 80,000 IU/mL to about 90,000 IU/mL, about 80,000 IU/mL to about 100,000 IU/mL, or about 90,000 IU/mL to about 100,000 IU/mL.

8. The use according to any one of claims 1-5, wherein the composition comprises the hyper-concentrated hyaluronidase in a concentration of at least 5,000 IU/mL, at least 6,000 IU/mL, at least 7,000 IU/mL, at least 8,000 IU/mL, at least 9,000 IU/mL, at least 10,000 IU/mL, at least 11,000 IU/mL, at least 12,000 IU/mL, at least 13,000 IU/mL, at least 14,000 IU/mL, at least 15,000 IU/mL, at least 16,000 IU/mL, at least 17,000 IU/mL, at least 18,000 IU/mL, at least 19,000 IU/mL, or at least 20,000 IU/mL; and/or in a concentration of at most

5,000 IU/mL, at most 6,000 IU/mL, at most 7,000 IU/mL, at most 8,000 IU/mL, at most 9,000 IU/mL, at most 10,000 IU/mL, at most 11,000 IU/mL, at most 12,000 IU/mL, at most 13,000 IU/mL, at most 14,000 IU/mL, at most 15,000 IU/mL, at most 16,000 IU/mL, at most 17,000 IU/mL, at most 18,000 IU/mL, at most 19,000 IU/mL, or at most 20,000 IU/mL; or in a concentration of about 5,000 IU/mL to about 6,000 IU/mL, about 5,000 IU/mL to about 7,000 IU/mL, about 5,000 IU/mL to about 8,000 IU/mL, about 5,000 IU/mL to about 9,000 IU/mL, about 5,000 IU/mL to about 10,000 IU/mL, about 5,000 IU/mL to about 11,000 IU/mL, about 5,000 IU/mL to about 12,000 IU/mL, about 5,000 IU/mL to about 13,000 IU/mL, about 5,000 IU/mL to about 14,000 IU/mL, about 5,000 IU/mL to about 15,000 IU/mL, about 5,000 IU/mL to about 16,000 IU/mL, about 5,000 IU/mL to about 17,000 IU/mL, about 5,000 IU/mL to about 18,000 IU/mL, about 5,000 IU/mL to about 19,000 IU/mL, about 5,000 IU/mL to about 20,000 IU/mL, about 6,000 IU/mL to about 7,000 IU/mL, about 6,000 IU/mL to about 8,000 IU/mL, about 6,000 IU/mL to about 9,000 IU/mL, about 6,000 IU/mL to about 10,000 IU/mL, about 6,000 IU/mL to about 11,000 IU/mL, about 6,000 IU/mL to about 12,000 IU/mL, about 6,000 IU/mL to about 13,000 IU/mL, about 6,000 IU/mL to about 14,000 IU/mL, about 6,000 IU/mL to about 15,000 IU/mL, about 6,000 IU/mL to about 16,000 IU/mL, about 6,000 IU/mL to about 17,000 IU/mL, about 6,000 IU/mL to about 18,000 IU/mL, about 6,000 IU/mL to about 19,000 IU/mL, about 6,000 IU/mL to about 20,000 IU/mL, about 7,000 IU/mL to about 8,000 IU/mL, about 7,000 IU/mL to about 9,000 IU/mL, about 7,000 IU/mL to about 10,000 IU/mL, about 7,000 IU/mL to about 11,000 IU/mL, about 7,000 IU/mL to about 12,000 IU/mL, about 7,000 IU/mL to about 13,000 IU/mL, about 7,000 IU/mL to about 14,000 IU/mL, about 7,000 IU/mL to about 15,000 IU/mL, about 7,000 IU/mL to about 16,000 IU/mL, about 7,000 IU/mL to about 17,000 IU/mL, about 7,000 IU/mL to about 18,000 IU/mL, about 7,000 IU/mL to about 19,000 IU/mL, about 7,000 IU/mL to about 20,000 IU/mL, about 8,000 IU/mL to about 9,000 IU/mL, about 8,000 IU/mL to about 10,000 IU/mL, about 8,000 IU/mL to about 11,000 IU/mL, about 8,000 IU/mL to about 12,000 IU/mL, about 8,000 IU/mL to about 13,000 IU/mL, about 8,000 IU/mL to about 14,000 IU/mL, about 8,000 IU/mL to about 15,000 IU/mL, about 8,000 IU/mL to about 16,000 IU/mL, about 8,000 IU/mL to about 17,000 IU/mL, about 8,000 IU/mL to about 18,000 IU/mL, about 8,000 IU/mL to about 19,000 IU/mL, about 8,000 IU/mL to about 20,000 IU/mL, about 9,000 IU/mL to about 10,000 IU/mL, about 9,000 IU/mL to about 11,000 IU/mL, about 9,000 IU/mL to about 12,000 IU/mL, about 9,000 IU/mL to about 13,000 IU/mL, about 9,000 IU/mL to about 14,000 IU/mL, about 9,000 IU/mL to about 15,000 IU/mL, about 9,000 IU/mL to about 16,000 IU/mL, about 9,000 IU/mL to about 17,000 IU/mL, about 9,000 IU/mL to about 18,000 IU/mL, about 9,000 IU/mL to about 19,000 IU/mL, about 9,000 IU/mL to about 20,000 IU/mL, about 10,000 IU/mL to about 11,000 IU/mL, about 10,000 IU/mL to about 12,000 IU/mL, about 10,000 IU/mL to about 13,000 IU/mL, about 10,000 IU/mL to about 14,000 IU/mL, about 10,000 IU/mL to about 15,000 IU/mL, about 10,000 IU/mL to about 16,000 IU/mL, about 10,000 IU/mL to about 17,000 IU/mL, about 10,000 IU/mL to about 18,000 IU/mL, about 10,000 IU/mL to about 19,000 IU/mL, about 10,000 IU/mL to about 20,000 IU/mL, about 11,000 IU/mL to about 12,000 IU/mL, about 11,000 IU/mL to about 13,000 IU/mL, about 11,000 IU/mL to about 14,000 IU/mL, about 11,000 IU/mL to about 15,000 IU/mL, about 11,000 IU/mL to about 16,000 IU/mL, about 11,000 IU/mL to about 17,000 IU/mL, about 11,000 IU/mL to about 18,000 IU/mL, about 11,000 IU/mL to about 19,000 IU/mL, about 11,000 IU/mL to about 20,000 IU/mL, about 12,000 IU/mL to about 13,000 IU/mL, about 12,000 IU/mL to about 14,000 IU/mL, about 12,000 IU/mL to about 15,000 IU/mL, about 12,000 IU/mL to about 16,000 IU/mL, about 12,000 IU/mL to about 17,000 IU/mL, about 12,000 IU/mL to about 18,000 IU/mL, about 12,000 IU/mL to about 19,000 IU/mL, about 12,000 IU/mL to about 20,000 IU/mL, about 13,000 IU/mL to about 14,000 IU/mL, about 13,000 IU/mL to about 15,000 IU/mL, about 13,000 IU/mL to about 16,000 IU/mL, about 13,000 IU/mL to about 17,000 IU/mL, about 13,000 IU/mL to about 18,000 IU/mL, about 13,000 IU/mL to about 19,000 IU/mL, about 13,000 IU/mL to about 20,000 IU/mL, about 14,000 IU/mL to about 15,000 IU/mL, about 14,000 IU/mL to about 16,000 IU/mL, about 14,000 IU/mL to about 17,000 IU/mL, about 14,000 IU/mL to about

18,000 IU/mL, about 14,000 IU/mL to about 19,000 IU/mL, about 14,000 IU/mL to about 20,000 IU/mL, about 15,000 IU/mL to about 16,000 IU/mL, about 15,000 IU/mL to about 17,000 IU/mL, about 15,000 IU/mL to about 18,000 IU/mL, about 15,000 IU/mL to about 19,000 IU/mL, about 15,000 IU/mL to about 20,000 IU/mL, about 16,000 IU/mL to about 17,000 IU/mL, about 16,000 IU/mL to about 18,000 IU/mL, about 16,000 IU/mL to about 19,000 IU/mL, about 16,000 IU/mL to about 20,000 IU/mL, about 17,000 IU/mL to about 18,000 IU/mL, about 17,000 IU/mL to about 19,000 IU/mL, about 17,000 IU/mL to about 20,000 IU/mL, about 18,000 IU/mL to about 19,000 IU/mL, about 18,000 IU/mL to about 20,000 IU/mL, or about 19,000 IU/mL to about 20,000 IU/mL.

9. The use according to any one of claims 1-5, wherein the composition comprises the hyper-concentrated hyaluronidase in a concentration of at least 250 IU/mL, at least 500 IU/mL, at least 750 IU/mL, at least 1,000 IU/mL, at least 1,500 IU/mL, at least 2,000 IU/mL, at least 2,500 IU/mL, at least 3,000 IU/mL, at least 3,500 IU/mL, at least 4,000 IU/mL, at least 4,500 IU/mL, or at least 5,000 IU/mL; and/or in a concentration of at most 250 IU/mL, at most 500 IU/mL, at most 750 IU/mL, at most 1,000 IU/mL, at most 1,500 IU/mL, at most 2,000 IU/mL, at most 2,500 IU/mL, at most 3,000 IU/mL, at most 3,500 IU/mL, at most 4,000 IU/mL, at most 4,500 IU/mL, or at most 5,000 IU/mL; or in a concentration of about 250 IU/mL to about 500 IU/mL, about 250 IU/mL to about 750 IU/mL, about 250 IU/mL to about 1,000 IU/mL, about 250 IU/mL to about 1,500 IU/mL, about 250 IU/mL to about 2,000 IU/mL, about 250 IU/mL to about 2,500 IU/mL, about 250 IU/mL to about 3,000 IU/mL, about 250 IU/mL to about 3,500 IU/mL, about 250 IU/mL to about 4,000 IU/mL, about 250 IU/mL to about 4,500 IU/mL, about 250 IU/mL to about 5,000 IU/mL, about 500 IU/mL to about 750 IU/mL, about 500 IU/mL to about 1,000 IU/mL, about 500 IU/mL to about 1,500 IU/mL, about 500 IU/mL to about 2,000 IU/mL, about 500 IU/mL to about 2,500 IU/mL, about 500 IU/mL to about 3,000 IU/mL, about 500 IU/mL to about 3,500 IU/mL, about 500 IU/mL to about 4,000 IU/mL, about 500 IU/mL to about 4,500 IU/mL, about 500 IU/mL to about 5,000 IU/mL, about 750 IU/mL to about 1,000 IU/mL, about 750 IU/mL to about 1,500 IU/mL, about 750 IU/mL to about 2,000 IU/mL, about 750 IU/mL to about 2,500 IU/mL, about 750 IU/mL to about 3,000 IU/mL, about 750 IU/mL to about 3,500 IU/mL, about 750 IU/mL to about 4,000 IU/mL, about 750 IU/mL to about 4,500 IU/mL, about 750 IU/mL to about 5,000 IU/mL, about 1,000 IU/mL to about 1,500 IU/mL, about 1,000 IU/mL to about 2,000 IU/mL, about 1,000 IU/mL to about 2,500 IU/mL, about 1,000 IU/mL to about 3,000 IU/mL, about 1,000 IU/mL to about 3,500 IU/mL, about 1,000 IU/mL to about 4,000 IU/mL, about 1,000 IU/mL to about 4,500 IU/mL, about 1,000 IU/mL to about 5,000 IU/mL, about 1,500 IU/mL to about 2,000 IU/mL, about 1,500 IU/mL to about 2,500 IU/mL, about 1,500 IU/mL to about 3,000 IU/mL, about 1,500 IU/mL to about 3,500 IU/mL, about 1,500 IU/mL to about 4,000 IU/mL, about 1,500 IU/mL to about 4,500 IU/mL, about 1,500 IU/mL to about 5,000 IU/mL, about 2,000 IU/mL to about 2,500 IU/mL, about 2,000 IU/mL to about 3,000 IU/mL, about 2,000 IU/mL to about 3,500 IU/mL, about 2,000 IU/mL to about 4,000 IU/mL, about 2,000 IU/mL to about 4,500 IU/mL, about 2,000 IU/mL to about 5,000 IU/mL, about 2,500 IU/mL to about 3,000 IU/mL, about 2,500 IU/mL to about 3,500 IU/mL, about 2,500 IU/mL to about 4,000 IU/mL, about 2,500 IU/mL to about 4,500 IU/mL, about 2,500 IU/mL to about 5,000 IU/mL, about 3,000 IU/mL to about 3,500 IU/mL, about 3,000 IU/mL to about 4,000 IU/mL, about 3,000 IU/mL to about 4,500 IU/mL, about 3,000 IU/mL to about 5,000 IU/mL, about 3,500 IU/mL to about 4,000 IU/mL, about 3,500 IU/mL to about 4,500 IU/mL, about 3,500 IU/mL to about 5,000 IU/mL, about 4,000 IU/mL to about 4,500 IU/mL, about 4,000 IU/mL to about 5,000 IU/mL, or about 4,500 IU/mL to about 5,000 IU/mL.

10. The use according to any one of claims 1-9, wherein the hyper-concentrated hyaluronidase is administered in an amount of at least 25,000 IU/mL, at least 50,000 IU/mL, at least 75,000 IU/mL, at least 100,000 IU/mL, at least 125,000 IU/mL, at least 150,000 IU/mL, at least 175,000 IU/mL, at least 200,000 IU/mL, at least 225,000 IU/mL, at least 250,000 IU/mL, at least 300,000 IU/mL, at least 350,000 IU/mL, at least 400,000

IU/mL, at least 450,000 IU/mL, or at least 500,000 IU/mL; and/or in an amount of at most 25,000 IU/mL, at most 50,000 IU/mL, at most 75,000 IU/mL, at most 100,000 IU/mL, at most 125,000 IU/mL, at most 150,000 IU/mL, at most 175,000 IU/mL, at most 200,000 IU/mL, at most 225,000 IU/mL, at most 250,000 IU/mL, at most 300,000 IU/mL, at most 350,000 IU/mL, at most 400,000 IU/mL, at most 450,000 IU/mL, or at most 500,000 IU/mL.; or in an amount of about 25,000 IU/mL to about 50,000 IU/mL, about 25,000 IU/mL to about 75,000 IU/mL, about 25,000 IU/mL to about 100,000 IU/mL, about 25,000 IU/mL to about 125,000 IU/mL, about 25,000 IU/mL to about 150,000 IU/mL, about 25,000 IU/mL to about 175,000 IU/mL, about 25,000 IU/mL to about 200,000 IU/mL, about 25,000 IU/mL to about 225,000 IU/mL, about 25,000 IU/mL to about 250,000 IU/mL, about 25,000 IU/mL to about 300,000 IU/mL, about 25,000 IU/mL to about 350,000 IU/mL, about 25,000 IU/mL to about 400,000 IU/mL, about 25,000 IU/mL to about 450,000 IU/mL, about 25,000 IU/mL to about 500,000 IU/mL, about 50,000 IU/mL to about 75,000 IU/mL, about 50,000 IU/mL to about 100,000 IU/mL, about 50,000 IU/mL to about 125,000 IU/mL, about 50,000 IU/mL to about 150,000 IU/mL, about 50,000 IU/mL to about 175,000 IU/mL, about 50,000 IU/mL to about 200,000 IU/mL, about 50,000 IU/mL to about 225,000 IU/mL, about 50,000 IU/mL to about 250,000 IU/mL, about 50,000 IU/mL to about 300,000 IU/mL, about 50,000 IU/mL to about 350,000 IU/mL, about 50,000 IU/mL to about 400,000 IU/mL, about 50,000 IU/mL to about 450,000 IU/mL, about 50,000 IU/mL to about 500,000 IU/mL, about 75,000 IU/mL to about 100,000 IU/mL, about 75,000 IU/mL to about 125,000 IU/mL, about 75,000 IU/mL to about 150,000 IU/mL, about 75,000 IU/mL to about 175,000 IU/mL, about 75,000 IU/mL to about 200,000 IU/mL, about 75,000 IU/mL to about 225,000 IU/mL, about 75,000 IU/mL to about 250,000 IU/mL, about 75,000 IU/mL to about 300,000 IU/mL, about 75,000 IU/mL to about 350,000 IU/mL, about 75,000 IU/mL to about 400,000 IU/mL, about 75,000 IU/mL to about 450,000 IU/mL, about 75,000 IU/mL to about 500,000 IU/mL, about 100,000 IU/mL to about 125,000 IU/mL, about 100,000 IU/mL to about 150,000 IU/mL, about 100,000 IU/mL to about 175,000 IU/mL, about 100,000 IU/mL to about 200,000 IU/mL, about 100,000 IU/mL to about 225,000 IU/mL, about 100,000 IU/mL to about 250,000 IU/mL, about 100,000 IU/mL to about 300,000 IU/mL, about 100,000 IU/mL to about 350,000 IU/mL, about 100,000 IU/mL to about 400,000 IU/mL, about 100,000 IU/mL to about 450,000 IU/mL, about 100,000 IU/mL to about 500,000 IU/mL, about 150,000 IU/mL to about 200,000 IU/mL, about 150,000 IU/mL to about 225,000 IU/mL, about 150,000 IU/mL to about 250,000 IU/mL, about 150,000 IU/mL to about 300,000 IU/mL, about 150,000 IU/mL to about 350,000 IU/mL, about 150,000 IU/mL to about 400,000 IU/mL, about 150,000 IU/mL to about 450,000 IU/mL, about 150,000 IU/mL to about 500,000 IU/mL, about 200,000 IU/mL to about 225,000 IU/mL, about 200,000 IU/mL to about 250,000 IU/mL, about 200,000 IU/mL to about 300,000 IU/mL, about 200,000 IU/mL to about 350,000 IU/mL, about 200,000 IU/mL to about 400,000 IU/mL, about 200,000 IU/mL to about 450,000 IU/mL, about 200,000 IU/mL to about 500,000 IU/mL, about 250,000 IU/mL to about 300,000 IU/mL, about 250,000 IU/mL to about 350,000 IU/mL, about 250,000 IU/mL to about 400,000 IU/mL, about 250,000 IU/mL to about 450,000 IU/mL, about 250,000 IU/mL to about 500,000 IU/mL, about 300,000 IU/mL to about 350,000 IU/mL, about 300,000 IU/mL to about 400,000 IU/mL, about 300,000 IU/mL to about 450,000 IU/mL, about 300,000 IU/mL to about 500,000 IU/mL, about 350,000 IU/mL to about 400,000 IU/mL, about 350,000 IU/mL to about 450,000 IU/mL, about 350,000 IU/mL to about 500,000 IU/mL, about 400,000 IU/mL to about 450,000 IU/mL, about 400,000 IU/mL to about 500,000 IU/mL, or about 450,000 IU/mL to about 500,000 IU/mL..

11. The use according to any one of claims 1-9, wherein the hyper-concentrated hyaluronidase is administered in an amount of at least 10,000 IU/mL, at least 20,000 IU/mL, at least 30,000 IU/mL, at least 40,000 IU/mL, at least 50,000 IU/mL, at least 60,000 IU/mL, at least 70,000 IU/mL, at least 80,000 IU/mL, at least 90,000 IU/mL, or at least 100,000 IU/mL; and/or in an amount of at most 10,000 IU/mL, at most 20,000 IU/mL, at most 30,000 IU/mL, at most 40,000 IU/mL, at most 50,000 IU/mL, at most 60,000 IU/mL, at most 70,000 IU/mL, at most 80,000 IU/mL, at most 90,000 IU/mL, or at most 100,000

IU/mL; or in an amount of about 10,000 IU/mL to about 20,000 IU/mL, about 10,000 IU/mL to about 30,000 IU/mL, about 10,000 IU/mL to about 40,000 IU/mL, about 10,000 IU/mL to about 50,000 IU/mL, about 10,000 IU/mL to about 60,000 IU/mL, about 10,000 IU/mL to about 70,000 IU/mL, about 10,000 IU/mL to about 80,000 IU/mL, about 10,000 IU/mL to about 90,000 IU/mL, about 10,000 IU/mL to about 100,000 IU/mL, about 20,000 IU/mL to about 30,000 IU/mL, about 20,000 IU/mL to about 40,000 IU/mL, about 20,000 IU/mL to about 50,000 IU/mL, about 20,000 IU/mL to about 60,000 IU/mL, about 20,000 IU/mL to about 70,000 IU/mL, about 20,000 IU/mL to about 80,000 IU/mL, about 20,000 IU/mL to about 90,000 IU/mL, about 20,000 IU/mL to about 100,000 IU/mL, about 30,000 IU/mL to about 40,000 IU/mL, about 30,000 IU/mL to about 50,000 IU/mL, about 30,000 IU/mL to about 60,000 IU/mL, about 30,000 IU/mL to about 70,000 IU/mL, about 30,000 IU/mL to about 80,000 IU/mL, about 30,000 IU/mL to about 90,000 IU/mL, about 30,000 IU/mL to about 100,000 IU/mL, about 40,000 IU/mL to about 50,000 IU/mL, about 40,000 IU/mL to about 60,000 IU/mL, about 40,000 IU/mL to about 70,000 IU/mL, about 40,000 IU/mL to about 80,000 IU/mL, about 40,000 IU/mL to about 90,000 IU/mL, about 40,000 IU/mL to about 100,000 IU/mL, about 50,000 IU/mL to about 60,000 IU/mL, about 50,000 IU/mL to about 70,000 IU/mL, about 50,000 IU/mL to about 80,000 IU/mL, about 50,000 IU/mL to about 90,000 IU/mL, about 50,000 IU/mL to about 100,000 IU/mL, about 60,000 IU/mL to about 70,000 IU/mL, about 60,000 IU/mL to about 80,000 IU/mL, about 60,000 IU/mL to about 90,000 IU/mL, about 60,000 IU/mL to about 100,000 IU/mL, about 70,000 IU/mL to about 80,000 IU/mL, about 70,000 IU/mL to about 90,000 IU/mL, about 70,000 IU/mL to about 100,000 IU/mL, about 80,000 IU/mL to about 90,000 IU/mL, about 80,000 IU/mL to about 100,000 IU/mL, or about 90,000 IU/mL to about 100,000 IU/mL.

12. The use according to any one of claims 1-9, wherein the hyper-concentrated hyaluronidase is administered in an amount of at least 10,000 IU/mL, at least 11,000 IU/mL, at least 12,000 IU/mL, at least 13,000 IU/mL, at least 14,000 IU/mL, at least 15,000 IU/mL, at least 16,000 IU/mL, at least 17,000 IU/mL, at least 18,000 IU/mL, at least 19,000 IU/mL, or at least 20,000 IU/mL; and/or in an amount of at most 10,000 IU/mL, at most 11,000 IU/mL, at most 12,000 IU/mL, at most 13,000 IU/mL, at most 14,000 IU/mL, at most 15,000 IU/mL, at most 16,000 IU/mL, at most 17,000 IU/mL, at most 18,000 IU/mL, at most 19,000 IU/mL, or at most 20,000 IU/mL; or in an amount of about 10,000 IU/mL to about 11,000 IU/mL, about 10,000 IU/mL to about 12,000 IU/mL, about 10,000 IU/mL to about 13,000 IU/mL, about 10,000 IU/mL to about 14,000 IU/mL, about 10,000 IU/mL to about 15,000 IU/mL, about 10,000 IU/mL to about 16,000 IU/mL, about 10,000 IU/mL to about 17,000 IU/mL, about 10,000 IU/mL to about 18,000 IU/mL, about 10,000 IU/mL to about 19,000 IU/mL, about 10,000 IU/mL to about 20,000 IU/mL, about 11,000 IU/mL to about 12,000 IU/mL, about 11,000 IU/mL to about 13,000 IU/mL, about 11,000 IU/mL to about 14,000 IU/mL, about 11,000 IU/mL to about 15,000 IU/mL, about 11,000 IU/mL to about 16,000 IU/mL, about 11,000 IU/mL to about 17,000 IU/mL, about 11,000 IU/mL to about 18,000 IU/mL, about 11,000 IU/mL to about 19,000 IU/mL, about 11,000 IU/mL to about 20,000 IU/mL, about 12,000 IU/mL to about 13,000 IU/mL, about 12,000 IU/mL to about 14,000 IU/mL, about 12,000 IU/mL to about 15,000 IU/mL, about 12,000 IU/mL to about 16,000 IU/mL, about 12,000 IU/mL to about 17,000 IU/mL, about 12,000 IU/mL to about 18,000 IU/mL, about 12,000 IU/mL to about 19,000 IU/mL, about 12,000 IU/mL to about 20,000 IU/mL, about 13,000 IU/mL to about 14,000 IU/mL, about 13,000 IU/mL to about 15,000 IU/mL, about 13,000 IU/mL to about 16,000 IU/mL, about 13,000 IU/mL to about 17,000 IU/mL, about 13,000 IU/mL to about 18,000 IU/mL, about 13,000 IU/mL to about 19,000 IU/mL, about 13,000 IU/mL to about 20,000 IU/mL, about 14,000 IU/mL to about 15,000 IU/mL, about 14,000 IU/mL to about 16,000 IU/mL, about 14,000 IU/mL to about 17,000 IU/mL, about 14,000 IU/mL to about 18,000 IU/mL, about 14,000 IU/mL to about 19,000 IU/mL, about 14,000 IU/mL to about 20,000 IU/mL, about 15,000 IU/mL to about 16,000 IU/mL, about 15,000 IU/mL to about 17,000 IU/mL, about 15,000 IU/mL to about 18,000 IU/mL, about 15,000 IU/mL to about 19,000 IU/mL, about 15,000 IU/mL to about 20,000 IU/mL, about 16,000 IU/mL to about 17,000 IU/mL, about 16,000 IU/mL to about

18,000 IU/mL, about 16,000 IU/mL to about 19,000 IU/mL, about 16,000 IU/mL to about 20,000 IU/mL, about 17,000 IU/mL to about 18,000 IU/mL, about 17,000 IU/mL to about 19,000 IU/mL, about 17,000 IU/mL to about 20,000 IU/mL, about 18,000 IU/mL to about 19,000 IU/mL, about 18,000 IU/mL to about 20,000 IU/mL, or about 19,000 IU/mL to about 20,000 IU/mL.

13. The use according to any one of claims 1-9, wherein the hyper-concentrated hyaluronidase is administered in an amount of at least 250 IU/mL, at least 500 IU/mL, at least 750 IU/mL, at least 1,000 IU/mL, at least 1,500 IU/mL, at least 2,000 IU/mL, at least 2,500 IU/mL, at least 3,000 IU/mL, at least 3,500 IU/mL, at least 4,000 IU/mL, at least 4,500 IU/mL, or at least 5,000 IU/mL; and/or in an amount of at most 250 IU/mL, at most 500 IU/mL, at most 750 IU/mL, at most 1,000 IU/mL, at most 1,500 IU/mL, at most 2,000 IU/mL, at most 2,500 IU/mL, at most 3,000 IU/mL, at most 3,500 IU/mL, at most 4,000 IU/mL, at most 4,500 IU/mL, or at most 5,000 IU/mL; or in an amount of about 250 IU/mL to about 500 IU/mL, about 250 IU/mL to about 750 IU/mL, about 250 IU/mL to about 1,000 IU/mL, about 250 IU/mL to about 1,500 IU/mL, about 250 IU/mL to about 2,000 IU/mL, about 250 IU/mL to about 2,500 IU/mL, about 250 IU/mL to about 3,000 IU/mL, about 250 IU/mL to about 3,500 IU/mL, about 250 IU/mL to about 4,000 IU/mL, about 250 IU/mL to about 4,500 IU/mL, about 250 IU/mL to about 5,000 IU/mL, about 500 IU/mL to about 750 IU/mL, about 500 IU/mL to about 1,000 IU/mL, about 500 IU/mL to about 1,500 IU/mL, about 500 IU/mL to about 2,000 IU/mL, about 500 IU/mL to about 2,500 IU/mL, about 500 IU/mL to about 3,000 IU/mL, about 500 IU/mL to about 3,500 IU/mL, about 500 IU/mL to about 4,000 IU/mL, about 500 IU/mL to about 4,500 IU/mL, about 500 IU/mL to about 5,000 IU/mL, about 750 IU/mL to about 1,000 IU/mL, about 750 IU/mL to about 1,500 IU/mL, about 750 IU/mL to about 2,000 IU/mL, about 750 IU/mL to about 2,500 IU/mL, about 750 IU/mL to about 3,000 IU/mL, about 750 IU/mL to about 3,500 IU/mL, about 750 IU/mL to about 4,000 IU/mL, about 750 IU/mL to about 4,500 IU/mL, about 750 IU/mL to about 5,000 IU/mL, about 1,000 IU/mL to about 1,500 IU/mL, about 1,000 IU/mL to about 2,000 IU/mL, about 1,000 IU/mL to about 2,500 IU/mL, about 1,000 IU/mL to about 3,000 IU/mL, about 1,000 IU/mL to about 3,500 IU/mL, about 1,000 IU/mL to about 4,000 IU/mL, about 1,000 IU/mL to about 4,500 IU/mL, about 1,000 IU/mL to about 5,000 IU/mL, about 1,500 IU/mL to about 2,000 IU/mL, about 1,500 IU/mL to about 2,500 IU/mL, about 1,500 IU/mL to about 3,000 IU/mL, about 1,500 IU/mL to about 3,500 IU/mL, about 1,500 IU/mL to about 4,000 IU/mL, about 1,500 IU/mL to about 4,500 IU/mL, about 1,500 IU/mL to about 5,000 IU/mL, about 2,000 IU/mL to about 2,500 IU/mL, about 2,000 IU/mL to about 3,000 IU/mL, about 2,000 IU/mL to about 3,500 IU/mL, about 2,000 IU/mL to about 4,000 IU/mL, about 2,000 IU/mL to about 4,500 IU/mL, about 2,000 IU/mL to about 5,000 IU/mL, about 2,500 IU/mL to about 3,000 IU/mL, about 2,500 IU/mL to about 3,500 IU/mL, about 2,500 IU/mL to about 4,000 IU/mL, about 2,500 IU/mL to about 4,500 IU/mL, about 2,500 IU/mL to about 5,000 IU/mL, about 3,000 IU/mL to about 3,500 IU/mL, about 3,000 IU/mL to about 4,000 IU/mL, about 3,000 IU/mL to about 4,500 IU/mL, about 3,000 IU/mL to about 5,000 IU/mL, about 3,500 IU/mL to about 4,000 IU/mL, about 3,500 IU/mL to about 4,500 IU/mL, about 3,500 IU/mL to about 5,000 IU/mL, about 4,000 IU/mL to about 4,500 IU/mL, about 4,000 IU/mL to about 5,000 IU/mL, or about 4,500 IU/mL to about 5,000 IU/mL.

14. The use according to any one of claims 1-13, wherein the composition to be administered in a single dose or in multiple doses.

15. A kit comprising one or more delivery systems, with each delivery system including a pharmaceutical composition including a hyper-concentrated hyaluronidase in a concentration of at least 4,000 IU/mL, the kit adapted for reducing or eliminating a hyaluronic acid-induced blockage in one or more blood cells supplying blood to an area of tissue in an individual.

16. The kit according to claim 15, wherein the pharmaceutical composition is in a liquid formulation.

17. The kit according to claim 15, wherein the pharmaceutical composition is in a dried formulation.

18. The kit according to claim 17, further comprising one or more containers including a solvent.