
What is claimed is:

1. A compound of Formula **I**:



I

or stereoisomers, tautomers, or pharmaceutically acceptable salts, solvates or prodrugs thereof, wherein:

the Y-B moicty and the NH-C(=X)-NH moicty are in the *trans* configuration;

R^a, R^b, R^c and R^d are independently selected from H and (1-3C)alkyl;

X is O, S or NH;

R^1 is (1-3C alkoxy)(1-6C)alkyl, (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C) alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, aminocarbonyl(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-6C)alkyl, (1-3Calkylamino)(1-3C)alkyl, (1-4C alkoxycarbonyl)(1-6C)alkyl, amino(1-6C)alkyl, hydroxy(1-3C alkoxy)(1-6C)alkyl, di(1-3C alkoxy)(1-6C)alkyl, (1-3C alkoxy)trifluoro(1-6C)alkyl, hydroxytrifluoro(1-6C)alkyl, (1-4C alkoxycarbonyl)(1-3C alkoxy)(1-6C)alkyl, hydroxycarbonyl(1-3C alkoxy)(1-6C)alkyl, $hetAr^5(CH_2)_{0-1}$, or $Ar^5(CH_2)_{0-1}$;

R^2 is H, F, or OH;


Y is a bond, -O- or $-OCH_2-$;

B is Ar^1, $hetAr^1$, 1-6C alkyl or (1-6C)alkoxy;


Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkyl and CN;

$hetAr^1$ is a 5-6 membered heteroaryl having 1-3 ring heteroatoms independently selected from N, S and O, and optionally substituted with 1-2 groups independently selected form (1-6C)alkyl, halogen, OH, CF_3, NH_2 and hydroxy(1-2C)alkyl;


Ring C is formula **C-1**, **C-2**, **or C-3**



C-1



C-2



C-3

R^3 is H, (1-6C)alkyl, hydroxy(1-6C)alkyl, Ar^2, $hetCyc^1$, (3-7C)cycloalkyl, or $hetAr^2$;

Ar^2 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and hydroxymethyl;

$hetCyc^1$ is a 5-6-membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O;

$hetAr^2$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C) alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C) alkyl, $hctAr^3$(1-6C)alkyl, Ar^3(1-6C)alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, pentafluoro(2-6C)alkoxy cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C)alkoxy, aminocarbonyl (1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl [optionally substituted with F, OH, (1-6C alkyl), (1-6C) alkoxy, or (1-3C alkoxy)(1-6C)alkyl], $hetAr^4$, Ar^4, $hetCyc^2(O)CH_2$-, (1-4C alkoxycarbonyl)(1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, aminocarbonyl(1-6C)alkoxy, $hetCyc^2C(=O)$(1-6C)alkoxy, hydroxy(1-3C alkoxy)(1-6C)alkoxy, hydroxytrifluoro(1-6C)alkoxy, (1-3C)alkylsulfonamido(1-6C)alkoxy, (1-3C)alkylamido(1-6C)alkoxy, di(1-3C alkyl)aminocarboxy, $hetCyc^2C(=O)O$-, hydroxydifluoro(1-6C)alkyl, (1-4C alkylcarboxy)(1-6C)alkyl, (1-6C)alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, (1-3C alkoxy)amino-carbonyl, $hetCyc^3$, halogen, CN, trifluoromethylsulfonyl, N-(1-3C alkyl)pyridinonyl, N-(1-3C trifluoroalkyl)pyridinonyl, (1-4C alkylsiloxy)(1-6C)alkoxy, isoindoline-1,3-dionyl(1-6C)alkoxy or N-(1-3C alkyl)oxadiazolonyl;

$hetCyc^2$ is a 4-6 membered heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl, (1-4C alkylcarboxy)(1-6C)alkyl, and (1-6C)acyl;

$hetCyc^3$ is a 4-7 membered heterocycle having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with one or more substituents independently selected from F, CN, CF_3, (1-6C)alkyl, hydroxy(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, (1-6C)acyl-, (1-6C)alkylsulfonyl, trifluoromethylsulfonyl and (1-4C alkoxy)carbonyl;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring atoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

Ar^3 is phenyl optionally substituted with (1-4C)alkoxy;

$hetAr^4$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, halogen, CN, hydroxy(1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, (3-6C cycloalkyl)CH_2- (3-6C cycloalkyl)C(=O)-, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylsulfonyl, NH_2, (1-6C alkyl)amino, di(1-6C alkyl)amino, (1-3C trifluoroalkoxy), (1-3C)trifluoroalkyl, and methoxybenzyl; or a 9-10 membered bicyclic heteroaryl having 1-3 ring nitrogen atoms;

Ar^4 is phenyl optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, aminocarbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-;

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, phenyl [optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy], (3-4C)cycloalkyl, amino, aminocarbonyl, or trifluoro(1-3C alky)amido; or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated, partially unsaturated or unsaturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form 5-6 membered saturated, partially unsaturated or unsaturated heterocyclic ring having a ring heteroatom selected from N, O or S, wherein said heterocyclic ring is optionally substituted with one or two substituents independently selected from (1-6C alkyl)C(=O)O-,, (1-6)acyl, (1-6C)alkyl and oxo, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2;

$hetAr^5$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O or S, wherein the ring is optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl, (1-6C)alkoxy and CF_3;

Ar^5 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl, (1-6C)alkoxy, CF_3O-, (1-4C)alkoxycarbonyl and aminocarbonyl;

R^{3a} is hydrogen, halogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^{3b} is hydrogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^{4a} is hydrogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, phenyl [optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, aminocarbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-], or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, hydroxy(1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, (3-6C cycloalkyl)CH_2- (3-6C cycloalkyl)C(=O)-, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylsulfonyl, NH_2, (1-6C alkyl)amino, di(1-6C alkyl)amino, (1-3C trifluoroalkoxy)(1-3C)trifluoroalkyl, and methoxybenzyl; and

R^{5a} is hydrogen, halogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen.

2. The compound according to claim 1, wherein:

B and the NH-C(=X)-NH moiety are in a *trans* configuration;

R^a, R^b, R^c and R^d are independently selected from H and (1-3C)alkyl;

X is O or S;

R^1 is (1-3C alkoxy)(1-6C)alkyl, (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C) alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, aminocarbonyl(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-6C)alkyl, or (1-3Calkylamino)(1-3C)alkyl;


R^2 is H, F, or OH;

B is Ar^1 or $hetAr^1$;

Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl and (1-6C)alkyl;

$hetAr^1$ is a 5-6 membered heteroaryl having 1-3 ring heteroatoms independently selected from N, S and O, and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl, halogen, OH, CF_3, NH_2 and hydroxy(1-2C)alkyl;

Ring C is



;

R^3 is H, (1-6C)alkyl, hydroxy(1-6C)alkyl, Ar^2, $hetCyc^1$, (3-7C)cycloalkyl, or $hetAr^2$;

Ar^2 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and hydroxymethyl;

$hetCyc^1$ is a 5-6-membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O;

$hetAr^2$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C)alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C)alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C)alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, pentafluoro2-6C)alkoxy cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C)alkoxy, aminocarbonyl(1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$, or Ar^4;

$hetCyc^2$ is a 4-6 membered heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring atoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

Ar^3 is phenyl optionally substituted with (1-4C)alkoxy;

$hetAr^4$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, or a 9-10 membered bicyclic heteroaryl having 1-3 ring nitrogen atoms;

Ar^4 is phenyl optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, amino-carbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-;

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy; or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated heterocyclic ring having a ring heteroatom selected from N, O or S, wherein said ring nitrogen atom is optionally substituted with (1-6C alkyl)C(=O)O-, or (1-6)acyl, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2.

3. A compound according to claim 1 or 2, wherein X is O.

4. A compound according to claim 1 or 2, wherein X is S.

5. A compound according to any of claims 1-4, wherein R^1 is selected from (1-3C alkoxy)(1-6C)alkyl, difluoro(1-6C)alkyl, and trifluoro(1-6C)alkyl.

6. A compound according to claim 5, wherein R^1 is (1-3C alkoxy)(1-6C)alkyl.

7. A compound according to any of claims 1-6, wherein B is Ar^1.

8. The compound of claim 7, wherein Ar^1 is phenyl optionally substituted with one or more halogens.

9. A compound according to any of claims 1-6, wherein Ring B is $hetAr^1$.

10. A compound according to claim 9, wherein Ring B is pyridyl optionally substituted with 1-2 groups independently selected from (1-6C)alkyl or halogen.

11. A compound according to any of claims 1-10, wherein Ring C is formula C-1.

12. A compound according to claim 11, wherein:

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C)alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C)alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C) alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy, trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, penta-fluoro(2-6C)alkoxy, cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C)alkoxy, aminocarbonyl(1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$, or Ar^4; and

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C) alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy.

13. A compound according to claim 12, wherein R^4 is selected from H, (1-6C)alkyl, trifluoro(1-6C)alkyl, cyano(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, cyano(1-6C) alkoxy, hydroxy(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$ and Ar^4.

14. A compound according to claim 13, wherein R^4 is selected from (1-6C)alkyl, trifluoro(1-6C)alkyl, cyano(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl and (3-6C)cycloalkyl.

15. A compound according to claim 13, wherein R^4 is selected from (1-6C)alkoxy, cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, and (1-4C alkoxy)(1-6C)alkoxy.

16. A compound according to claim 15, wherein R^4 is selected from $hetAr^4$ and Ar^4.

17. A compound according to claim 16, wherein R^4 is Ar^4.

18. A compound according to any of claims 1-17, wherein R^5 is selected from H, halogen, CN, (1-6C)alkyl, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy.

19. A compound according to claim 18, wherein R^5 is selected from H, halogen and (1-6C)alkyl.

20. A compound according to claim 19, wherein R^5 is (1-6C)alkyl.

21. A compound according to any of claims 1-11, wherein:

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated heterocyclic ring having a ring heteroatom selected from N, O or S, wherein said ring nitrogen atom is optionally substituted with (1-6C alkyl)C(=O)O-, or (1-6)acyl, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2.

22. A compound according to any of claims 1-21, wherein R^3 is selected from H, Ar^2, $hetAr^2$ and (1-6C)alkyl.


23. A compound according to any of claims 1-22, wherein R^3 is selected from Ar^2 and (1-6C)alkyl.

24. A compound according to claim 23, wherein R^3 is Ar^2.

25. A compound according to any of claims 1-24, wherein R^2 is H.


26. A compound according to any of claims 1-25, wherein R^a, R^b, R^c and R^d are H.

27. A compound according to any of claims 1-26, wherein the Y-B moiety and the -NH-C(=X)-NH- moiety of Formula **I** are trans in the absolute configuration shown in formula C:



C

28. A compound according to any of claims 1-26, wherein Ring B and the -NH-C(=X)-NH- moiety of Formula **I** are *trans* in the absolute configuration shown in formula D:



D

29. A compound according to any of claims 1-27, wherein Y is a bond.

30. A compound of claim 1, selected from a compound of Examples 1-649.

31. A pharmaceutical composition, which comprises a compound of Formula **I** as defined in any one of claims 1 to 30 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.

32. A method for treating a disease or disorder selected from pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection in a mammal, which comprises administering to said mammal a therapeutically effective amount of a compound of Formula **I** as defined in any one of claims 1 to 30 , or a pharmaceutically acceptable salt thereof.


33. The method of claim 32, wherein the disease or disorder is pain.

34. A compound of Formula **I** as defined in any one of claims 1 to 30 , or a pharmaceutically acceptable salt thereof, for use in the treatment of pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection.

35. Use of a compound of Formula **I** as defined in any one of claims 1 to 30, or a pharmaceutically acceptable salt thereof, in the preparation of a medicament for treating pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection.


36. A process for the preparation of a compound of claim 1, which comprises:

(a) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **III**



III


in the presence carbonyldiimidazole and a base; or

(b) for a compound of Formula **I** where X is S, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **III**



III


in the presence di(1H-imidazol-2-yl)methanethione and a base; or

(c) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **IV**



IV


where L^1 is a leaving group, in the presence of a base; or

(d) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **V**



V


where L^2 is a leaving group, with a corresponding compound having the formula **III**



III


in the presence of a base; or

(e) for a compound of Formula **I** where X is O, activating a corresponding compound having the formula **VI**



VI


with diphenylphosphoryl azide followed by coupling the activated intermediate with a corresponding compound having the formula **III**



III


in the presence a base; or

(f) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **VII**



VII

in the presence of a base; or


(g) for a compound of Formula **I** where R^1 is (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, or pentafluoro(2-6C)alkyl, reacting a corresponding compound having the formula **VIII**



VIII

with a corresponding compound having the (trifluoromethoxy)(1-6C)alkyl-L^3, (1-3C sulfanyl)(1-6C)alkyl-L^3, monofluoro(1-6C)alkyl-L^3, difluoro(1-6C)alkyl-L^3, trifluoro(1-6C)alkyl-L^3, tetrafluoro(2-6C)alkyl-L^3, or pentafluoro(2-6C)alkyl-L^3, where L^3 is a leaving atom or a leaving group, in the presence of a base; or

(h) for a compound of Formula **I** where X is O, R^4 is CH_3OCH_2- and R^5 is $OHCH_2$-, treating a corresponding compound having the general formula **IX**




IX

with an inorganic acid; and

optionally removing protecting groups and optionally preparing a pharmaceutically acceptable salt thereof.

37. A process for preparing enantiomer 1 of **II-A**, comprising:

preparing racemic *trans* **II-A**



II-A

where Ring B and the NH_2 group are in the *trans* configuration;

Ring B is Ar^1 or $hetAr^1$;

Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkyl and CN; and


$hetAr^1$ is a 5-6 membered heteroaryl having 1-3 ring heteroatoms independently selected from N, S and O, and optionally substituted with 1-2 groups independently selected form (1-6C)alkyl, halogen, OH, CF_3, NH_2 and hydroxy(1-2C)alkyl;

said method comprising:

treating racemic *trans* **II-A** with di-p-toluoyl-D-tartaric acid to provide the di-p-toluoyl-D-tartaric acid salt of racemic *trans* **II-A**;

recrystallizing the di-p-toluoyl-D-tartaric acid salt of *trans* **II-A** to provide the di-p-toluoyl-D-tartaric acid salt of enantiomer 1 of *trans* **II-A**; and


treating the di-p-toluoyl-D-tartaric acid salt of enantiomer **1** of *trans* **II-A** with an inorganic base to provide free base of enantiomer **1** of *trans* **II-A** having the absolute configuration as illustrated:



II-A

What is claimed is:

1. A compound of Formula **I**:



I

or stereoisomers, tautomers, or pharmaceutically acceptable salts, solvates or prodrugs thereof, wherein:

the Y-B moiety and the NH-C(=X)-NH moiety are in the *trans* configuration;

R^a, R^b, R^c and R^d are independently selected from H and (1-3C)alkyl;

X is O, S or NH;

R^1 is (1-3C alkoxy)(1-6C)alkyl, (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C) alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, aminocarbonyl(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-6C)alkyl, (1-3Calkylamino)(1-3C)alkyl, (1-4C alkoxycarbonyl)(1-6C)alkyl, amino(1-6C)alkyl, hydroxy(1-3C alkoxy)(1-6C)alkyl, di(1-3C alkoxy)(1-6C)alkyl, (1-3C alkoxy)trifluoro(1-6C)alkyl, hydroxytrifluoro(1-6C)alkyl, (1-4C alkoxycarbonyl)(1-3C alkoxy)(1-6C)alkyl, hydroxycarbonyl(1-3C alkoxy)(1-6C)alkyl, $hetAr^5(CH_2)_{0-1}$, or $Ar^5(CH_2)_{0-1}$;

R^2 is H, F, or OH;


Y is a bond, -O- or $-OCH_2-$;

B is Ar^1, $hetAr^1$, 1-6C alkyl or (1-6C)alkoxy;


Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkyl and CN;

$hetAr^1$ is a 5-6 membered heteroaryl having 1-3 ring heteroatoms independently selected from N, S and O, and optionally substituted with 1-2 groups independently selected form (1-6C)alkyl, halogen, OH, CF_3, NH_2 and hydroxy(1-2C)alkyl;


Ring C is formula **C-1, C-2, or C-3**



C-1



C-2



C-3

R^3 is H, (1-6C)alkyl, hydroxy(1-6C)alkyl, Ar^2, $hetCyc^1$, (3-7C)cycloalkyl, or $hetAr^2$;

Ar^2 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and hydroxymethyl;

$hetCyc^1$ is a 5-6-membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O;

$hetAr^2$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C) alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C) alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C)alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, pentafluoro(2-6C)alkoxy cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C)alkoxy, aminocarbonyl (1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl [optionally substituted with F, OH, (1-6C alkyl), (1-6C) alkoxy, or (1-3C alkoxy)(1-6C)alkyl], $hetAr^4$, Ar^4, $hetCyc^2(O)CH_2$-, (1-4C alkoxycarbonyl)(1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, aminocarbonyl(1-6C)alkoxy, $hetCyc^2C(=O)$(1-6C)alkoxy, hydroxy(1-3C alkoxy)(1-6C)alkoxy, hydroxytrifluoro(1-6C)alkoxy, (1-3C)alkylsulfonamido(1-6C)alkoxy, (1-3C)alkylamido(1-6C)alkoxy, di(1-3C alkyl)aminocarboxy, $hetCyc^2C(=O)O$-, hydroxydifluoro(1-6C)alkyl, (1-4C alkylcarboxy)(1-6C)alkyl, (1-6C)alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, (1-3C alkoxy)amino-carbonyl, $hetCyc^3$, halogen, CN, trifluoromethylsulfonyl, N-(1-3C alkyl)pyridinonyl, N-(1-3C trifluoroalkyl)pyridinonyl, (1-4C alkylsiloxy)(1-6C)alkoxy, isoindoline-1,3-dionyl(1-6C)alkoxy or N-(1-3C alkyl)oxadiazolonyl;

$hetCyc^2$ is a 4-6 membered heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl, (1-4C alkylcarboxy)(1-6C)alkyl, and (1-6C)acyl;

$hetCyc^3$ is a 4-7 membered heterocycle having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with one or more substituents independently selected from F, CN, CF_3, (1-6C)alkyl, hydroxy(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, (1-6C)acyl-, (1-6C)alkylsulfonyl, trifluoromethylsulfonyl and (1-4C alkoxy)carbonyl;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring atoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

Ar^3 is phenyl optionally substituted with (1-4C)alkoxy;

$hetAr^4$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, halogen, CN, hydroxy(1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, (3-6C cycloalkyl)CH_2- (3-6C cycloalkyl)C(=O)-, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylsulfonyl, NH_2, (1-6C alkyl)amino, di(1-6C alkyl)amino, (1-3C trifluoroalkoxy), (1-3C)trifluoroalkyl, and methoxybenzyl; or a 9-10 membered bicyclic heteroaryl having 1-3 ring nitrogen atoms;

Ar^4 is phenyl optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, aminocarbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-;

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, phenyl [optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy], (3-4C)cycloalkyl, amino, aminocarbonyl, or trifluoro(1-3C alky)amido; or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated, partially unsaturated or unsaturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form 5-6 membered saturated, partially unsaturated or unsaturated heterocyclic ring having a ring heteroatom selected

from N, O or S, wherein said heterocyclic ring is optionally substituted with one or two substituents independently selected from (1-6C alkyl)C(=O)O-,, (1-6)acyl, (1-6C)alkyl and oxo, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2;

$hetAr^5$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O or S, wherein the ring is optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl, (1-6C)alkoxy and CF_3;

Ar^5 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl, (1-6C)alkoxy, CF_3O-, (1-4C)alkoxycarbonyl and aminocarbonyl;

R^{3a} is hydrogen, halogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^{3b} is hydrogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen;

R^{4a} is hydrogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, phenyl [optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, aminocarbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-], or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, hydroxy(1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, (3-6C cycloalkyl)CH_2- (3-6C cycloalkyl)C(=O)-, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylsulfonyl, NH_2, (1-6C alkyl)amino, di(1-6C alkyl)amino, (1-3C trifluoroalkoxy)(1-3C)trifluoroalkyl, and methoxybenzyl; and

R^{5a} is hydrogen, halogen, (1-6C)alkyl, trifluoro(1-6C)alkyl, (3-6C)cycloalkyl, phenyl optionally substituted with one or more substituents independently selected from halogen, (1-6C)alkyl and hydroxymethyl, or a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms

independently selected from N, O and S and optionally substituted with one or more groups independently selected from (1-6C)alkyl and halogen.

2. The compound according to claim 1, wherein:

B and the NH-C(=X)-NH moiety are in a *trans* configuration;

R^a, R^b, R^c and R^d are independently selected from H and (1-3C)alkyl;

X is O or S;

R^1 is (1-3C alkoxy)(1-6C)alkyl, (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C) alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluro(2-6C)alkyl, cyano(1-6C)alkyl, aminocarbonyl(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-6C)alkyl, or (1-3Calkylamino)(1-3C)alkyl;


R^2 is H, F, or OH;

B is Ar^1 or $hetAr^1$;

Ar^1 is phenyl optionally substituted with one or more substituents independently selected from halogen, CF_3, CF_3O-, (1-4C)alkoxy, hydroxy(1-4C)alkyl and (1-6C)alkyl;

$hetAr^1$ is a 5-6 membered heteroaryl having 1-3 ring heteroatoms independently selected from N, S and O, and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl, halogen, OH, CF_3, NH_2 and hydroxy(1-2C)alkyl;

Ring C is



;

R^3 is H, (1-6C)alkyl, hydroxy(1-6C)alkyl, Ar^2, $hetCyc^1$, (3-7C)cycloalkyl, or $hetAr^2$;

Ar^2 is phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and hydroxymethyl;

$hetCyc^1$ is a 5-6-membered saturated or partially unsaturated heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O;

$hetAr^2$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C) alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C) alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C)

alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C)alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, pentafluoro2-6C)alkoxy cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C)alkoxy, aminocarbonyl (1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$, or Ar^4;

$hetCyc^2$ is a 4-6 membered heterocyclic ring having 1-2 ring heteroatoms independently selected from N and O and optionally substituted with 1-2 groups independently selected from (1-6C)alkyl;

$hetAr^3$ is a 5-membered heteroaryl ring having 1-3 ring atoms independently selected from N, O and S and optionally substituted with (1-6C)alkyl;

Ar^3 is phenyl optionally substituted with (1-4C)alkoxy;

$hetAr^4$ is a 5-6 membered heteroaryl ring having 1-3 ring heteroatoms independently selected from N, S and O and optionally substituted with 1-2 substituents independently selected from (1-6C)alkyl, or a 9-10 membered bicyclic heteroaryl having 1-3 ring nitrogen atoms;

Ar^4 is phenyl optionally substituted with one or more groups independently selected from (1-6C)alkyl, halogen, CN, CF_3, CF_3O-, (1-6C)alkoxy, (1-6Calkyl)OC(=O)-, amino-carbonyl, (1-6C)alkylthio, hydroxy(1-6C)alkyl, (1-6C alkyl)SO_2-, HOC(=O)- and (1-3C alkoxy)(1-3C alkyl)OC(=O)-;

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy; or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated heterocyclic ring having a ring heteroatom selected from N, O or S, wherein said ring nitrogen atom is optionally substituted with (1-6C alkyl)C(=O)O-, or (1-6)acyl, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2.

3. A compound according to claim 1 or 2, wherein X is O.

4. A compound according to claim 1 or 2, wherein X is S.

5. A compound according to any of claims 1-4, wherein R^1 is selected from (1-3C alkoxy)(1-6C)alkyl, difluoro(1-6C)alkyl, and trifluoro(1-6C)alkyl.

6. A compound according to claim 5, wherein R^1 is (1-3C alkoxy)(1-6C)alkyl.

7. A compound according to any of claims 1-6, wherein B is Ar^1.

8. The compound of claim 7, wherein Ar^1 is phenyl optionally substituted with one or more halogens.

9. A compound according to any of claims 1-6, wherein Ring B is $hetAr^1$.

10. A compound according to claim 9, wherein Ring B is pyridyl optionally substituted with 1-2 groups independently selected from (1-6C)alkyl or halogen.

11. A compound according to any of claims 1-10, wherein Ring C is formula C-1.

12. A compound according to claim 11, wherein:

R^4 is H, OH, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C) alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, cyano(1-6C)alkyl, hydroxy(1-6C)alkyl, dihydroxy(2-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, amino(1-6C)alkyl, amino-carbonyl(1-6C)alkyl, (1-3C)alkylsulfonamido(1-6C)alkyl, sulfamido(1-6C)alkyl, hydroxyl-carbonyl(1-6C)alkyl, $hetAr^3$(1-6C)alkyl, Ar^3(1-6C) alkyl, (1-6C)alkoxy, monofluoro(1-6C)alkoxy, difluoro(1-6C)alkoxy, trifluoro(1-6C)alkoxy, tetrafluoro(2-6C)alkoxy, penta-fluoro(2-6C) alkoxy, cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, dihydroxy(2-6C)alkoxy, amino(2-6C) alkoxy, aminocarbonyl(1-6C)alkoxy, hydroxycarbonyl(1-6C)alkoxy, $hetCyc^2$(1-6C)alkoxy, $hetAr^3$(1-6C)alkoxy, Ar^3(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (1-3C alkylsulfonyl)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$, or Ar^4; and

R^5 is H, (1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl, tetrafluoro(2-6C)alkyl, pentafluoro(2-6C)alkyl, halogen, CN, (1-4C)alkoxy, hydroxy(1-4C) alkyl, (1-3C alkoxy)(1-4C)alkyl, (1-4C alkyl)OC(=O)-, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy.

13. A compound according to claim 12, wherein R^4 is selected from H, (1-6C)alkyl, trifluoro(1-6C)alkyl, cyano(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl, (1-6C)alkoxy, cyano(1-6C) alkoxy, hydroxy(1-6C)alkoxy, (1-4C alkoxy)(1-6C)alkoxy, (3-6C)cycloalkyl, $hetAr^4$ and Ar^4.

14. A compound according to claim 13, wherein R^4 is selected from (1-6C)alkyl, trifluoro(1-6C)alkyl, cyano(1-6C)alkyl, (1-3C alkoxy)(1-6C)alkyl and (3-6C)cycloalkyl.

15. A compound according to claim 13, wherein R^4 is selected from (1-6C)alkoxy, cyano(1-6C)alkoxy, hydroxy(1-6C)alkoxy, and (1-4C alkoxy)(1-6C)alkoxy.

16. A compound according to claim 15, wherein R^4 is selected from $hetAr^4$ and Ar^4.

17. A compound according to claim 16, wherein R^4 is Ar^4.

18. A compound according to any of claims 1-17, wherein R^5 is selected from H, halogen, CN, (1-6C)alkyl, (1-4C)alkoxy, hydroxy(1-4C)alkyl, (1-6C)alkylthio, or phenyl optionally substituted with one or more groups independently selected from halogen, (1-6C)alkyl and (1-6C)alkoxy.

19. A compound according to claim 18, wherein R^5 is selected from H, halogen and (1-6C)alkyl.

20. A compound according to claim 19, wherein R^5 is (1-6C)alkyl.

21. A compound according to any of claims 1-11, wherein:

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated carbocyclic ring optionally substituted with one or more substituents independently selected from (1-6C)alkyl, or

R^4 and R^5 together with the atoms to which they are attached form a 5-6 membered saturated heterocyclic ring having a ring heteroatom selected from N, O or S, wherein said ring nitrogen atom is optionally substituted with (1-6C alkyl)C(=O)O-, or (1-6)acyl, and said sulfur ring atom is optionally oxidized to S(=O) or SO_2.

22. A compound according to any of claims 1-21, wherein R^3 is selected from H, Ar^2, $hetAr^2$ and (1-6C)alkyl.


23. A compound according to any of claims 1-22, wherein R^3 is selected from Ar^2 and (1-6C)alkyl.

24. A compound according to claim 23, wherein R^3 is Ar^2.

25. A compound according to any of claims 1-24, wherein R^2 is H.


26. A compound according to any of claims 1-25, wherein R^a, R^b, R^c and R^d are H.

27. A compound according to any of claims 1-26, wherein the Y-B moiety and the -NH-C(=X)-NH- moiety of Formula **I** are trans in the absolute configuration shown in formula C:



C

28. A compound according to any of claims 1-26, wherein Ring B and the -NH-C(=X)-NH- moiety of Formula **I** are *trans* in the absolute configuration shown in formula D:



D

29. A compound according to any of claims 1-27, wherein Y is a bond.

30. A compound of claim 1, selected from

1-(3-*tert*-butyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-p-tolyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

trans-1-(4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

trans-1-(4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-*tert*-butyl-1-methyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(1,3-dimethyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-(pyridin-3-yl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-(4-fluorophenyl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-cyclopropyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(1,3-diphenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[*c*]pyrazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-*tert*-butyl-1-(2-fluorophenyl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-(3-fluorophenyl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(pyridin-3-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-1*H*-pyrazol-5-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[*c*]pyrazol-3-yl)thiourea;

1-(2-(3-fluorophenyl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(2-(4-fluorophenyl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-cyclopentyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(1-ethyl-3-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-4,5,6,7-tetrahydro-2*H*-indazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-methyl-2,4,5,6-tetrahydrocyclopenta[*c*]pyrazol-3-yl)urea;

1-(1,3-dimethyl-4-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-o-tolyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-*tert*-butyl-1-m-tolyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-cyano-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(1-methyl-1*H*-pyrazol-4-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-*tert*-butyl-1-(tetrahyro-2H-pyran-4-yl)-1*H*-pyrazol-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(pyridin-2-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(6,6-dimethyl-2-phenyl-2,4,5,6-tetrahydro-yclopenta[c]pyrazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenyl-pyrrolidin-3-yl)urea;

1-(7,7-dimethyl-2-phenyl-4,5,6,7-tetrahydro-2*H*-indazol-3-yl)-3-(*trans*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-(pyridin-4-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

trans-1-(4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

trans-1-(-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(4-(3-chlorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(4-(2-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(3-isopropyl-1-phenyl-1*H*-pyrazol-5-yl)-3-(1-(2-methoxyethyl)-4-(thiophen-2-yl)pyrrolidin-3-yl)urea;

1-((3,4-*trans*)-4-(2,4-dimethylthiazol-5-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-1-(2-methoxyethyl)-4-(oxazol-5-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-4-(isoxazol-5-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3,4-*trans*)-1-(2-methoxyethyl)-4-(3-methoxyphenyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(1-(2-methoxyethyl)-4-(thiazol-2-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*(3S,4R)*-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(1,3-diphenyl-1*H*-pyrazol-5-yl)-3-((*3S,4R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-phenyl-3-(trifluoromethyl)-1*H*-pyrazol-5-yl)urea;

1-(1,4-dimethyl-3-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-cyclopropyl-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-2-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-3-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,1'-dimethyl-1*H*,1'*H*-3,4'-bipyrazol-5-yl)urea;

1-(3-(3-cyanophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(4-cyanophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(imidazo[1,2-a]pyridin-5-yl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-(4-chloro-1,3-diphenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1*H*-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,3-dimethyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-cyano-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-methyl-3-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-methyl-3-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-cyano-3-(cyanomethyl)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(2-cyanopropan-2-yl)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethyl-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-methyl-1-phenyl-1*H*,1'*H*-3,4'-bipyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(oxetan-3-ylmethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((3-methyloxetan-3-yl)methoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((*S*)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((R)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

tert-butyl 3-(3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)ureido)-2-phenyl-4,6-dihydropyrrolo[3,4-c]pyrazole-5(2*H*)-carboxylate;

1-(3-isopropyl-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2*H*-furo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-isopropyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-furo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-furo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-4,6-dihydro-2H-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(1-hydroxy-2-methylpropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(5-oxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-4-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyridin-4-yl)-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(thiophen-2-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-(methoxymethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-(methoxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-p-tolyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-m-tolyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-o-tolyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-methoxyphenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyphenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-(3-(4-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(3-(4-methoxyphenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-(3-(trifluoromethyl)phenyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(2,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-fluorophenyl)-1-methyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-

fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-(1-hydroxy-2-methylpropan-2-yl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(1-hydroxy-2-methylpropan-2-yl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(4-chlorophenyl)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(2,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-fluorophenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

methyl 4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzoate;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(2-hydroxyethyl)-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(methoxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(methoxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(4-(methylthio)phenyl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,3-diphenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-methoxypropyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-(2-methoxyethoxy)phenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methoxy-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(hydroxymethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(benzyloxy)-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

trans-1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(cyanomethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluoro-phenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-methoxybenzyloxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-1-

phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(2-cyclohexyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-(pyridin-4-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(5-methylpyrazin-2-yl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,4-dimethyl-3-(5-methylpyrazin-2-yl)-1*H*-pyrazol-5-yl)urea;

ethyl 5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1*H*-pyrazole-4-carboxylate;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(pyrazin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-methyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-1-methyl-4-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3-yl)urea;

1-(5-acetyl-2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

(3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-(hydroxymethyl)-3-(methoxymethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzoic acid;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzamide;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)-*N*-methylbenzamide;

4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)-*N*,*N*-dimethylbenzamide;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-(hydroxymethyl)phenyl)-1-methyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-(4-(methylsulfonyl)phenyl)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-3-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1,3-diphenyl-1*H*-pyrazol-5-yl)urea;

2-methoxyethyl 4-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-methyl-1*H*-pyrazol-3-yl)benzoate;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5,5-dioxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-(5,5-dioxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)-3-((3*S*,4*R*)-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5,5-dioxido-2-phenyl-4,6-dihydro-2*H*-thieno[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-(methylsulfonyl)ethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-(hydroxymethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2,3-

dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*R*,4*S*)-4-hydroxy-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*R*,4*S*)-4-fluoro-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-4-phenyl-1-(2-(trifluoromethoxy)ethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-1-(2-(methylthio)ethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-((*S*)-2-methoxypropyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3,4-*trans*)-4-phenyl-1-(4,4,4-trifluorobutyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(cyanomethyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(cyanomethyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3,4-*trans*)-1-(cyanomethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-1-(cyanomethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

2-((3*R*,4*S*)-3-phenyl-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidin-1-yl)acetamide;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-hydroxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((*trans*)-1-(3,3,4,4,4-pentafluorobutyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-1-ethyl-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c] pyrazol-3-yl)urea;

1-((*trans*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((*trans*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((*trans*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((trans)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((*3S,4R*)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*R*,4*S*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*R*,4*S*)-4-(3-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((*trans*)-1-(1,3-difluoropropan-2-yl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

(*trans*)-tert-butyl 3-(3-methoxyphenyl)-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidine-1-carboxylate;

1-((*trans)*-4-(3-chlorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-

2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-((*trans*)-4-(pyridin-2-yl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((*trans*)-4-(4-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-4-(4-chlorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-4-(2-chlorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)-3-((*trans*)-4-(pyridin-3-yl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((*trans*)-4-(2-fluorophenyl)-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-4-(4-fluorophenyl)-1-(2,2-difluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(1H-pyrazol-3-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3-methyl-1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3-(trifluoromethyl)-1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluoro-phenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-(3-methoxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-(2-methoxyethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1H-pyrazol-4-yl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(1-methyl-1H-pyrazol-5-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-1-(1-methyl-1H-pyrazol-5-yl)-4-phenylpyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(1-methyl-1H-pyrazol-5-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3R,4S)-4-(3,5-difluorophenyl)-1-(1-methyl-1H-pyrazol-5-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-phenylpyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyphenyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-fluorophenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(4-fluorophenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methylphenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyphenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-chlorophenyl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-phenyl-1-(2-

(trifluoromethoxy)phenyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-1-(2,6-difluorophenyl)-4-phenylpyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-4-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-ethoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxypyridin-3-yl)-4-phenylpyrrolidin-3-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-(cyanomethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

1-((3S,4R)-1-((1,2,3-thiadiazol-4-yl)methyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-1H-imidazol-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((1-methyl-1H-1,2,3-triazol-4-yl)methyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1,3-dimethoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((*trans*)-4-(4-fluorophenyl)-1-(2-(methylamino)ethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((*trans*)-1-((1H-imidazol-2-yl)methyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

methyl 3-methoxy-2-((*trans*)-3-phenyl-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidin-1-yl)propanoate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-hydroxy-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3-hydroxy-1-methoxy-3-methylbutan-2-yl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

2-((3R,4S)-3-(3,4-difluorophenyl)-4-(3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)ureido)pyrrolidin-1-yl)-3-methoxypropanoic acid;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-hydroxy-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(1-hydroxy-3-methoxypropan-2-yl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(cyanomethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-

(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(((S)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

(R,S)-1-((2α,3β,4α)-2-methyl-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

(R,S)-1-((3β,4α,5α)-5-methyl-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((S)-1,1,1-trifluoro-3-hydroxypropan-2-yl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((S)-1,1,1-trifluoro-3-methoxypropan-2-yl) pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((S)-1,1,1-trifluoro-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-((R)-1,1,1-trifluoro-3-methoxypropan-2-yl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-((R)-1,1,1-trifluoro-3-methoxypropan-2-yl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl) pyrrolidin-3-yl)-3-(3-methyl-4-(methylthio)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-methoxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxyethyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((R)-2-hydroxypropyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

ethyl 5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazole-3-carboxylate;

5-(3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

1-(*trans*-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(*trans*-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(*trans*-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(*trans*-4-(3-chlorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(5-methyl-1,3,4-oxadiazol-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(3-methyl-1,2,4-oxadiazol-5-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(3-(trifluoromethyl)-1,2,4-oxadiazol-5-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(3-(trifluoromethyl)-1,2,4-oxadiazol-5-yl)-1H-pyrazol-5-yl)urea;

5-(3-(*trans*-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-

dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-(*trans*-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

1-(*trans*-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(*trans*-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2',4,5'-trimethyl-1-phenyl-1H,2'H-[3,3'-bipyrazol]-5-yl)urea;

1-(4-cyclopropyl-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-isopropyl-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-ethyl-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-chlorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1-(3-chloro-4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1-(3-chloro-2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(3-chlorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1-(3-chloro-4-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1-(3-chloro-2-fluorophenyl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(2,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3-cyanophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-cyanophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(p-tolyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4,5-trifluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4 -fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-trans-1-(2-methoxyethyl)-4-(1-

methyl-1H-pyrazol-4-yl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-(*trans*-1-(2-methoxyethyl)-4-(1-methyl-1H-pyrazol-4-yl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((trans-1-(2-methoxyethyl)-4-(1,2,3-thiadiazol-4-yl)pyrrolidin-3-yl)urea;

1-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-(trans-1-(2-methoxyethyl)-4-(3-(trifluoromethyl)phenyl)pyrrolidin-3-yl)urea;

1-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3-(trifluoromethyl)phenyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-((3R,4S)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(2-fluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

1-(*trans*-4-(5-chloropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(*trans*-4-(5-chloropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3,4-dimethyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1,3-diphenyl-1H-pyrazol-5-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-(*trans*-4-(5-fluoropyridin-2-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3-fluoropyridin-4-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-1*H*-1,2,4-triazol-3-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-(3-cyano-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-hydroxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methyl-2*H*-1,2,3-triazol-4-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-bromo-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-6-oxo-2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-6-oxo-2-phenyl-2,4,5,6-tetrahydropyrrolo[3,4-*c*]pyrazol-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-chloro-3-ethoxy-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-fluoro-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(4-bromo-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

ethyl 2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)acetate;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((*R*)-3,3,3-trifluoro-2-hydroxypropoxy)-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((*S*)-3,3,3-trifluoro-2-hydroxypropoxy)-1*H*-pyrazol-5-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((*R*)-2-hydroxypropoxy)-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*R*)-2-hydroxybutoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

ethyl 4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1*H*-pyrazole-3-carboxylate;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(2-methoxyethyl)-4-methyl-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)urea;

1-((3*S*,4*R*)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methyl-2*H*-1,2,3-triazol-4-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methyl-2*H*-1,2,3-triazol-4-yl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-morpholinoethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-(1,3-dioxoisoindolin-2-yl)ethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

tert-butyl 4-(2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)ethyl)piperazine-1-carboxylate;

Trans-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenyl-2H-indazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenyl-2H-indazol-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((1-methyl-1H-1,2,4-triazol-3-yl)methoxy)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((R)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(((S)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-(pyrazin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-(pyridazin-4-yl)-2,4,5,6-tetrahydrocyclopenta[c]pyrazol-3-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazol-3-yl dimethylcarbamate;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazol-3-yl morpholine-4-carboxylate;

1-(3-(((S)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-(((R)-2,2-dimethyl-1,3-dioxolan-4-yl)methoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2-(tert-butyldimethylsilyloxy)propoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-(2-hydroxy-2-methylpropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2-(tert-butyldimethylsilyloxy)-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(methoxymethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(1,1-difluoro-2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((S)-2-hydroxypropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((R)-2-hydroxypropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-((R)-2-hydroxypropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-hydroxy-2-methylpropyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(3-methyl-1,2,4-oxadiazol-5-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(2-cyanopropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(2-cyanopropan-2-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-phenyl-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-fluoro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,3-diphenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1,3-diphenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(5-fluoropyridin-2-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-fluoro-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(4-bromo-1'-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(5-fluoropyridin-3-yl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4,5-trifluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(4-methoxybenzyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-(4-methoxybenzyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

2-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)ethyl acetate;

1-(4-chloro-3-(2-hydroxyethyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*cis*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*trans*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-chloro-3-(*cis*-3-hydroxycyclobutyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-((1r,3S)-3-hydroxycyclobutyl)-1-phenyl-1H-pyrazol-5-yl)-3-(*trans*-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*cis*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*trans*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*cis*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(*trans*-3-hydroxycyclobutyl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazole-3-carboxylic acid;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,4-dimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N,N,4-trimethyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N-ethyl-4-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-N-isopropyl-4-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-(hydroxymethyl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

1-((3S,4R)-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

1-((3S,4R)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)urea;

methyl 2-((3R,4S)-3-(3,4-difluorophenyl)-4-(3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)ureido)pyrrolidin-1-yl)acetate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(3,3,3-trifluoro-2-hydroxypropyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-hydroxypropyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-1-(2-cyanoethyl)-4-(3,4-difluorophenyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

2-((3R,4S)-3-(3,4-difluorophenyl)-4-(3-(3-ethoxy-4-methyl-1-phenyl-1H-pyrazol-5-yl)ureido)pyrrolidin-1-yl)-N-methylacetamide;

1-(1-cyclohexyl-3,4-dimethyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(3-hydroxy-2-(hydroxymethyl)propoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)urea;

1-(3-(2,2-difluoroethoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(2,2,2-trifluoroethoxy)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(pyridin-2-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(pyridin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-(pyridin-2-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-phenyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyridin-3-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyridin-4-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyridin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(5-fluoropyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(5-fluoropyridin-3-yl)-4-methyl-1-(pyridin-3-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-(1',4-dimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2',4-dimethyl-1-phenyl-1H,2'H-[3,3'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-(5-fluoropyridin-3-yl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-(5-methylpyridin-3-yl)-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1-(5-chloropyridin-3-yl)-1',4-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-1'-(2,2,2-trifluoro-1-(2,2,2-trifluoroethoxy)ethyl)-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-1'-(2,2,2-trifluoroethyl)-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1'-(cyclopropylmethyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1'-(cyclopropanecarbonyl)-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1'-(methylsulfonyl)-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-isopropyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(pyrimidin-5-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4,5'-trimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',3',4-trimethyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1'-cyclopropyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methylthiazol-5-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-methylpyrimidin-5-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(2-aminopyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2,4-dimethylthiazol-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2,6-dimethylpyridin-4-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(6-aminopyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-bromo-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(6-oxo-1-(2,2,2-trifluoroethyl)-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-isopropyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-bromo-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-(3-(2-aminopyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3R,4S)-4-phenyl-1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1'-ethyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)urea;

1-(1'-ethyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1H-pyrazol-3-yl trifluoromethanesulfonate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxypyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-(dimethylamino)pyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(2-methoxypyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-(2-(dimethylamino)pyrimidin-5-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(1'-ethyl-4-methyl-1-phenyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-2-oxo-1,2-dihydropyridin-4-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-cyclopropyl-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-cyclopropyl-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(1-isopropyl-6-oxo-1,6-dihydropyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(1-isopropyl-6-oxo-1,6-dihydropyridin-3-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((*S*)-2-hydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-(2-(piperazin-1-yl)ethoxy)-1*H*-pyrazol-5-yl)urea;

1-(3-(benzyloxy)-4-chloro-1-methyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)acetic acid;

2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)-*N*-ethylacetamide;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-ethyl-3-(2-hydroxy-2-methylpropoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-(2-aminoethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

N-(2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)ethyl)methanesulfonamide;

N-(2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)ethyl)acetamide;

1-(3-(2-(4-acetylpiperazin-1-yl)ethoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

2-((5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-4-methyl-1-phenyl-1*H*-pyrazol-3-yl)oxy)acetamide;

N-(5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-ethoxy-1-phenyl-1*H*-pyrazol-4-yl)-2,2,2-trifluoroacetamide;

1-(4-amino-3-ethoxy-1-phenyl-1H-pyrazol-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-ethoxy-4-(2-hydroxyethyl)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-(4-methylpiperazin-1-yl)ethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(2-morpholino-2-oxoethoxy)-1-phenyl-1*H*-pyrazol-5-yl)urea;

4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1*H*-pyrazole-3-carboxylic acid;

4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-*N*-methyl-1-phenyl-1*H*-pyrazole-3-carboxamide;

4-bromo-5-(3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-*N*-methoxy-1-phenyl-1*H*-pyrazole-3-carboxamide;

1-(4-chloro-1'-(2-methoxyethyl)-1-phenyl-1*H*,1'*H*-[3,4'-bipyrazol]-5-yl)-3-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-((3*S*,4*R*)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1*H*-pyrazol-5-yl)urea;

1-(3-((R)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2,3-dihydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((S)-2-hydroxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((S)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-((R)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-((S)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(3-((R)-2-hydroxy-3-methoxypropoxy)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1,1'-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1,1'-dimethyl-1H,1'H-[3,4'-bipyrazol]-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

Tert-butyl 4-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)piperidine-1-carboxylate;

1-(4-chloro-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-3-(3,5-dimethylisoxazol-4-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

(R)-tert-butyl 2-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)pyrrolidine-1-carboxylate;

(S)-tert-butyl 2-(4-chloro-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)pyrrolidine-1-carboxylate;

1-(4-bromo-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

Tert-butyl 4-(4-bromo-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)piperidine-1-carboxylate;

1-(4-bromo-1-phenyl-3-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(3,5-dimethylisoxazol-4-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

(R)-tert-butyl 2-(4-bromo-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)pyrrolidine-1-carboxylate;

tert-butyl 4-((4-bromo-5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazol-3-yl)methoxy)piperidine-1-carboxylate;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-phenyl-3-(piperidin-4-yl)-1H-pyrazol-5-yl)urea;

1-(4-chloro-1-phenyl-3-(piperidin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-(piperidin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((R)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((S)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-chloro-1-phenyl-3-((R)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-1-phenyl-3-((S)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-chloro-1-phenyl-3-((S)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)urea;

1-(4-bromo-1-phenyl-3-((R)-pyrrolidin-2-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-phenyl-3-((piperidin-4-yloxy)methyl)-1H-pyrazol-5-yl)urea;

1-(4-chloro-1-phenyl-3-((piperidin-4-yloxy)methyl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-1-phenyl-3-((piperidin-4-yloxy)methyl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-bromo-3-(1-(methylsulfonyl)piperidin-4-yl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-(1-acetylpiperidin-4-yl)-4-bromo-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-chloro-1-phenyl-3-(1-(trifluoromethylsulfonyl)piperidin-4-yl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((R)-1-(methylsulfonyl)pyrrolidin-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(3-((R)-1-acetylpyrrolidin-2-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((R)-1-methylpyrrolidin-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-((S)-1-methylpyrrolidin-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-(4-bromo-3-((1-(methylsulfonyl)piperidin-4-yloxy)methyl)-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(3-((1-acetylpiperidin-4-yloxy)methyl)-4-bromo-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-(4-isopropyl-5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)-4-methyl-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(4-methyl-5-oxo-4,5-dihydro-1,3,4-oxadiazol-2-yl)-1-phenyl-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methoxy-1-phenyl-4-(trifluoromethyl)-1H-pyrazol-5-yl)urea;

1-((trans)-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((trans)-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((3S,4R)-1-(2-methoxyethyl)-4-(3,4,5-trifluorophenyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((3S,4R)-4-(3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-((trans)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-(4-cyano-3-methoxy-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-((3S,4R)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)urea;

1-(4-cyano-1-phenyl-3-(trifluoromethyl)-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

1-(4-cyano-5-oxo-2-phenyl-2,5-dihydro-1H-pyrazol-3-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)urea;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methoxy-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluoro-phenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-ethyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide;

5-(3-((trans)-4-(3-chloro-4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((trans)-4-(4-chloro-3-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((*trans*)-4-(3-chloro-5-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazole-4-carboxamide;

5-(3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)ureido)-1-phenyl-1H-pyrazole-4-carboxamide;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)guanidine;

1-(4-bromo-3-methyl-1-phenyl-1H-pyrazol-5-yl)-3-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)thiourea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(4-methyl-3-(1-methyl-6-oxo-1,6-dihydropyridin-3-yl)-1-phenyl-1H-pyrazol-5-yl)thiourea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)thiourea;

1-((3S,4R)-4-(4-fluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1',4-dimethyl-1-phenyl-1H,1'H-3,4'-bipyrazol-5-yl)thiourea;

Trans-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)urea;

Trans-1-(2-methoxyethyl)-4-phenylpyrrolidin-3-yl)-3-(pyrazolo[1,5-a]pyridin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(pyrazolo[1,5-a]pyridin-3-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-3-phenyl-1-(pyrazin-2-yl)-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,5-dimethyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1,5-dimethyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-isopropyl-5-methyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,5-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-isopropyl-5-methyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(5-methyl-3-phenyl-1-(2,2,2-trifluoroethyl)-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-ethyl-5-methyl-3-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-ethyl-3-methyl-5-phenyl-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-5-phenyl-3-(trifluoromethyl)-1H-pyrazol-4-yl)urea;

1-((3S,4R)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-methyl-3-phenyl-5-(trifluoromethyl)-1H-pyrazol-4-yl)urea;

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(3-methyl-1-phenyl-1*H*-pyrazol-4-yl)urea; and

1-((3*S*,4*R*)-4-(3,4-difluorophenyl)-1-(2-methoxyethyl)pyrrolidin-3-yl)-3-(1-phenyl-3-(trifluoromethyl)-1*H*-pyrazol-4-yl)urea;

and pharmaceutically acceptable salts thereof.

31. A pharmaceutical composition, which comprises a compound of Formula **I** as defined in any one of claims 1 to 30 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier.

32. A method for treating a disease or disorder selected from pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection in a mammal, which comprises administering to said mammal a therapeutically effective amount of a compound of Formula **I** as defined in any one of claims 1 to 30, or a pharmaceutically acceptable salt thereof.


33. The method of claim 32, wherein the disease or disorder is pain.

34. A compound of Formula **I** as defined in any one of claims 1 to 30, or a pharmaceutically acceptable salt thereof, for use in the treatment of pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection.

35. Use of a compound of Formula **I** as defined in any one of claims 1 to 30, or a pharmaceutically acceptable salt thereof, in the preparation of a medicament for treating pain, cancer, inflammation, neurodegenerative disease or Trypanosoma cruzi infection.


36. A process for the preparation of a compound of claim 1, which comprises:

(a) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **III**



III


in the presence carbonyldiimidazole and a base; or

(b) for a compound of Formula **I** where X is S, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **III**



III


in the presence di(1H-imidazol-2-yl)methanethione and a base; or

(c) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II


with a corresponding compound having the formula **IV**



IV


where L^1 is a leaving group, in the presence of a base; or

(d) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **V**



V


where L^2 is a leaving group, with a corresponding compound having the formula **III**



III


in the presence of a base; or

(e) for a compound of Formula **I** where X is O, activating a corresponding compound having the formula **VI**



VI


with diphenylphosphoryl azide followed by coupling the activated intermediate with a corresponding compound having the formula **III**



III


in the presence a base; or

(f) for a compound of Formula **I** where X is O, coupling a corresponding compound having the formula **II**



II

with a corresponding compound having the formula **VII**




VII

in the presence of a base; or

(g) for a compound of Formula **I** where R^1 is (trifluoromethoxy)(1-6C)alkyl, (1-3C sulfanyl)(1-6C)alkyl, monofluoro(1-6C)alkyl, difluoro(1-6C)alkyl, trifluoro(1-6C)alkyl,


tetrafluoro(2-6C)alkyl, or pentafluoro(2-6C)alkyl, reacting a corresponding compound having the formula **VIII**



VIII

with a corresponding compound having the (trifluoromethoxy)(1-6C)alkyl-L^3, (1-3C sulfanyl)(1-6C)alkyl-L^3, monofluoro(1-6C)alkyl-L^3, difluoro(1-6C)alkyl-L^3, trifluoro(1-6C)alkyl-L^3, tetrafluoro(2-6C)alkyl-L^3, or pentafluoro(2-6C)alkyl-L^3, where L^3 is a leaving atom or a leaving group, in the presence of a base; or

(h) for a compound of Formula **I** where X is O, R^4 is CH_3OCH_2- and R^5 is $OHCH_2$-, treating a corresponding compound having the general formula **IX**



IX

with an inorganic acid; and

optionally removing protecting groups and optionally preparing a pharmaceutically acceptable salt thereof.