
Claims


1. A process for the preparation of compounds of Formula I



Formula I

comprising step a) wherein

i) a compound of Formula II is reacted with an acid or base



Formula II

and

ii) a compound of Formula I is isolated from the reaction mixture,

wherein

- R^1 is selected from the group consisting of H, F, Cl, Br and I;
- R^2 is selected from the group consisting of C_{1-5} alkyl and C_{3-5} cycloalkyl
- R^3 is selected from the group consisting of deuterium, F, Cl, Br and I;
- R^4 is selected from the group consisting of H, deuterium, C_{1-5} alkyl, C_{2-5} alkenyl, C_{2-5} alkynyl, C_{3-5} cycloalkyl and C_5 cycloalkenyl, each of which may be optionally substituted with one or more, identical or different, substituents R^7;
- R^5 is selected from the group consisting of C_{1-5} alkyl optionally substituted with one or more, identical or different, substituents R^8, C_{2-5} alkenyl, C_{2-5}

alkynyl, C_{3-6} cycloalkyl optionally substituted with one or more, identical or different, substituents R^8, phenyl optionally substituted with one or more, identical or different, substituents R^9 and benzyl optionally substituted with one or more, identical or different, substituents R^9;

- R^6 is selected from the group consisting of H, deuterium C_{1-5} alkyl and C_{3-5} cycloalkyl;
- R^7 is independently selected from the group consisting of deuterium, tritium, F, Cl, Br, I, CN, isocyanide, C_{3-5} cycloalkyl optionally substituted with one or more, identical or different, substituents R^8, O-C_{1-3} alkyl optionally substituted with one or more, identical or different, substituents R^8, S-C_{1-3} alkyl optionally substituted with one or more, identical or different, substituents R^8, CH_2-O-C_{1-3} alkyl optionally substituted with one or more, identical or different, substituents R^8 and CH_2-S-C_{1-3} alkyl optionally substituted with one or more, identical or different, substituents R^8;
- R^8 is independently selected from the group consisting of deuterium and F;
- R^9 is independently selected from the group consisting of deuterium, methoxy, nitro, cyano, Cl, Br, I and F; and
- n is an integer 0, 1, 2 or 3.

2. The process of claim 1, wherein R^1 is Cl or Br.

3. The process of any of claims 1 to 2, wherein R^2 is C_{1-5} alkyl.

4. The process of any of claims 1 to 3, wherein R^3 is F.

5. The process of any of claims 1 to 4, wherein R^4 is C_{1-5} alkyl optionally substituted with one or more, identical or different, substituents R^7.

6. The process of any of claims 1 to 5, wherein R^5 is C_{1-5} alkyl optionally substituted with one or more, identical or different, substituents R^8.

7. The process of any of claims 1 to 6, wherein R^6 is H.

8. The process of any of claims 1 to 7, wherein n=0.

9. The process of any of claims 1 to 8, wherein the compound of Formula II is reacted with an acid, such as an acid selected from the group formic acid, acetic

acid, propionic acid, butyric acid, benzoic acid, hydrochloric acid and sulfuric acid or a mixture thereof.

10. The process of any of claims 1 to 8, wherein the compound of Formula II is reacted with a base.

11. The process of any of claims 1 to 10, wherein step a) i) is performed at a temperature of between 70°C and 140°C, such as between 80°C and 130°C, such as between 90°C and 120°C.

12. The process of any of claims 1 to 11, wherein the reaction time of step a) i) is between 12 hours and 96 hours, such as between 24 and 72 hours, such as between 36 and 60 hours.


13. The process of any of claims 1 to 12, wherein the compound of Formula I is isolated from the reaction mixture in step a) ii) by adding water and extracting the product into an organic solvent.

14. The process of any of claims 1 to 12, wherein the compound of Formula I is purified by crystallisation from an organic solvent selected from the list consisting of toluene, ethyl acetate, isopropyl acetate and *tert*-butyl methyl ether.

15. The process of any of claims 1 to 13, wherein the compound of Formula I is an inhibitor of the ClC-1 chloride ion channel.

16. The process of any of claims 1 to 13, wherein the process further comprises step b) wherein


i) a compound of Formula III



Formula III

is reacted with *N*-chlorosuccinimide in an organic solvent;

ii) a compound of Formula IV



Formula IV

and a base are added to the reaction mixture; and

iii) a compound of Formula II is isolated from the reaction mixture,

wherein R^1 to R^9 and n are as defined as in claim 1.

17. A compound of formula (II) as defined in Claim 1, selected from the group consisting of:

methyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-chloro-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-2-(5-methyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-chloro-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-2-(5-methyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(5-methyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-chloro-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-2-(5-methyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-chloro-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-2-(5-methyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(5-methyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(5-cyclopropyl-4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-2-cyclopropylacetate;

methyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclobutylpropanoate;

methyl 2-[4-bromo-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

methyl 2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

methyl (2*S*)-2-[4,5-dichloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-chloro-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

methyl (2*S*)-2-[4-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

methyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

methyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

methyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

methyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

methyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-2-cyclopropylacetate;

ethyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclobutylpropanoate;

ethyl 2-[4-bromo-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

ethyl 2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

ethyl (2*S*)-2-[4,5-dichloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-chloro-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

ethyl (2*S*)-2-[4-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

ethyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

ethyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-2-cyclopropylacetate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclobutylpropanoate;

tert-butyl 2-[4-bromo-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

tert-butyl 2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

tert-butyl (2*S*)-2-[4,5-dichloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-chloro-5-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

tert-butyl (2*S*)-2-[4-fluoro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-butoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-2-cyclopropylacetate;

methyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclobutylpropanoate;

methyl 2-[4-bromo-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

methyl 2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

methyl (2*S*)-2-[4,5-dichloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-chloro-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

methyl (2*S*)-2-[4-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

methyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

methyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

methyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

methyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

methyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

methyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-2-cyclopropylacetate;

ethyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclobutylpropanoate;

ethyl 2-[4-bromo-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

ethyl 2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

ethyl (2*S*)-2-[4,5-dichloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-chloro-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

ethyl (2*S*)-2-[4-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

ethyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

ethyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

ethyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-2-cyclopropylacetate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclobutylpropanoate;

tert-butyl 2-[4-bromo-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

tert-butyl 2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]acetate;

tert-butyl (2*S*)-2-[4,5-dichloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-chloro-5-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

tert-butyl (2*S*)-2-[4-fluoro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

tert-butyl (2*S*)-2-[4-chloro-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-cyclopropylpropanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]butanoate;

tert-butyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]-3-methylbutanoate; and

tert-butyl (2*S*)-2-[4-bromo-2-(4-ethoxy-4,5-dihydroisoxazol-3-yl)phenoxy]propanoate.

18. A process for the preparation of a pharmaceutical composition comprising the steps of

i) preparing a compound selected from the group consisting of

(2*S*)-2-[4-bromo-5-fluoro-2-(1,2-oxazol-3-yl)phenoxy]-2-cyclopropylacetic acid;

(2*S*)-2-[4-bromo-2-(1,2-oxazol-3-yl)phenoxy]-3-cyclobutylpropanoic acid;

2-[4-bromo-5-fluoro-2-(1,2-oxazol-3-yl)phenoxy]acetic acid;

2-[4-bromo-2-(1,2-oxazol-3-yl)phenoxy]acetic acid;

(2*S*)-2-[4,5-dichloro-2-(1,2-oxazol-3-yl)phenoxy]propanoic acid;

(2*S*)-2-[4-bromo-5-fluoro-2-(1,2-oxazol-3-yl)phenoxy]propanoic acid;

(2*S*)-2-[4-chloro-5-fluoro-2-(1,2-oxazol-3-yl)phenoxy]propanoic acid;

(2*S*)-2-[4-chloro-2-(1,2-oxazol-3-yl)phenoxy]-3-cyclopropylpropanoic acid;

(2*S*)-2-[4-fluoro-2-(1,2-oxazol-3-yl)phenoxy]propanoic acid;

(2*S*)-2-[4-chloro-2-(5-cyclopropyl-1,2-oxazol-3-yl)phenoxy]propanoic acid;

(2*S*)-2-[4-chloro-2-(1,2-oxazol-3-yl)phenoxy]-3-methylbutanoic acid;

(2*S*)-2-[4-chloro-2-(1,2-oxazol-3-yl)phenoxy]butanoic acid;

(2*S*)-2-[4-chloro-2-(1,2-oxazol-3-yl)phenoxy]propanoic acid;

(2*S*)-2-[4-bromo-2-(1,2-oxazol-3-yl)phenoxy]-3-cyclopropylpropanoic acid;

(2*S*)-2-[4-bromo-2-(1,2-oxazol-3-yl)phenoxy]butanoic acid;

(2*S*)-2-[4-bromo-2-(1,2-oxazol-3-yl)phenoxy]-3-methylbutanoic acid;

(2*S*)-2-[4-bromo-2-(5-methyl-1,2-oxazol-3-yl)phenoxy]propanoic acid;

(2*S*)-2-[4-bromo-2-(5-cyclopropyl-1,2-oxazol-3-yl)phenoxy]propanoic acid; and

(2*S*)-2-[4-bromo-2-(1,2-oxazol-3-yl)phenoxy]propanoic acid

according to any of the claims 1-15 and

ii) formulating said compound into a pharmaceutical composition.