


CLAIMS

1. A compound of Formula (VII):



or the pharmaceutically acceptable salt thereof, wherein:

the dashed lines represent optional double bonds;

p is 0;

n is 1;

X² is N,

X³, X⁴ and X⁵ are each independently selected from CR⁷,

wherein each R⁷ is independently selected from the group consisting of H,

(C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl, (C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl,

(C₂-C₉)heteroaryl, (C₂-C₁₀)alkynyl, (C₁-C₁₀)alkylamine,

((C₁-C₁₀)alkyl)₂amine, (C₂-C₁₀)alkynylamine, (C₁-C₁₀)alkyl-C(O)O-, (C₂-C₉)heteroalkyl-C(O)-, COOH-(C₁-C₁₀)alkyl-, COOH-(C₃-C₁₀)cycloalkyl-,

(C₁-C₁₀)alkoxy-, (C₁-C₁₀)alkoxy-(C₂-C₉)heterocycloalkyl-,

R⁸-(C₁-C₁₀)alkyl-, R⁸-(C₃-C₁₀)cycloalkyl, R⁸-(C₂-C₉)heterocycloalkyl,

R⁸-(C₆-C₁₄)aryl, R⁸-(C₂-C₉)heteroaryl, R⁸-(C₂-C₁₀)alkynyl,

R⁸-(C₁-C₁₀)alkylamine, R⁸-((C₁-C₁₀)alkyl)₂amine,

R⁸-(C₂-C₁₀)alkynylamine, R⁸-C(O)-, R⁸-(C₁-C₁₀)alkyl-C(O)O-,

R⁸-(C₁-C₁₀)alkoxy-, (C₃-C₁₀)cycloalkyl-O-, (C₂-C₉)heterocycloalkyl-O-,

(C₆-C₁₄)aryl-O-, (C₂-C₉)heteroaryl-O-, R⁸-(C₃-C₁₀)cycloalkyl-O-,

R⁸-(C₂-C₉)heterocycloalkyl-O-, R⁸-(C₆-C₁₄)aryl-O-, R⁸-(C₂-C₉)heteroaryl-

O-, HO-, halo, cyano, H₂N-, (CH₃)HN-, (CH₃)₂N-, R⁸R⁹N-, R⁸R⁹N(O)C-,

$R^8(R^9C(O))N-$, $R^8R^9NC(O)O-$, $R^8C(O)-$, $R^8R^9NC(O)R^8N-$, $(C_1-C_{10})alkyl-$
 $OC(O)R^8N-$, $(C_3-C_{10})cycloalkyl-OC(O)R^8N-$, $(C_2-C_9)heterocycloalkyl-$
 $OC(O)R^8N-$, $(C_6-C_{14})aryl-OC(O)R^8N-$, $(C_2-C_9)heteroaryl-OC(O)R^8N-$,
 F_3C- , F_2HC- , CH_3F_2C- , FH_2C- , CH_3FHC- , $(CH_3)_2FC-$, $NC-$,
 $(C_1-C_{10})alkyl(O)P-$, $(C_1-C_{10})alkyl-S-$, $(C_1-C_{10})alkyl-S-(C_1-C_{10})alkyl-$,
 $(C_3-C_{10})cycloalkyl-S-$, $(C_6-C_{14})aryl-S-$, $(C_2-C_9)heteroalkyl-S-$,
 $(C_2-C_9)heterocycloalkyl-S-$, $(C_2-C_9)heteroaryl-S-$, $(C_1-C_{10})alkyl-S(O)-$,
 $(C_3-C_{10})cycloalkyl-S(O)-$, $(C_6-C_{14})aryl-S(O)-$, $(C_2-C_9)heterocycloalkyl-$
 $S(O)-$, $(C_2-C_9)heteroaryl-S(O)-$, $(C_3-C_{10})alkyl-S(O)_2-$, $(C_3-C_{10})cycloalkyl-$
 $S(O)_2-$, $(C_6-C_{14})aryl-S(O)_2-$, $(C_2-C_9)heterocycloalkyl-S(O)_2-$,
 $(C_2-C_9)heteroaryl-S(O)_2-$, $R^8R^9NS(O)_2-$, $(C_1-C_{10})alkyl-S(O)_2R^8N-$,
 $(C_3-C_{10})cycloalkyl-S(O)_2R^8N-$, $(C_6-C_{14})aryl-S(O)_2R^8N-$,
 $(C_2-C_9)heterocycloalkyl-SO_2R^8N-$, and $(C_2-C_9)heteroaryl-S(O)_2R^8N-$;
 wherein R^8 and R^9 are each independently selected from the group
 consisting of H , $(C_1-C_{10})alkyl$, $(C_3-C_{10})cycloalkyl$,
 $(C_2-C_9)heterocycloalkyl$, $(C_6-C_{14})aryl$, $(C_2-C_9)heteroaryl$,
 $(C_1-C_{10})alkylamine$, $((C_1-C_{10})alkyl)_2amine$, $(C_1-C_3)alkynylamine$,
 $(C_1-C_{10})alkyl-C(O)O-$, $COOH-(C_1-C_{10})alkyl$,
 $COOH-(C_3-C_{10})cycloalkyl$, $(C_1-C_{10})alkoxy-$,
 $(C_1-C_{10})alkoxy-(C_1-C_{10})alkyl-$, $(C_3-C_{10})cycloalkyl-O-$,
 $(C_2-C_9)heterocycloalkyl-O-$, $(C_6-C_{14})aryl-O-$,
 $(C_2-C_9)heteroaryl-O-$, $HO-$, $halo$, $(CH_3)_2N-$, and H_2N- ;
 or R^8 and R^9 are taken together to form a 3 to 10 member
 cycloalkyl, heterocycloalkyl, aryl or heteroaryl ring;
 wherein each $(C_1-C_{10})alkyl$, $(C_6-C_{14})aryl$, $(C_2-C_9)heteroaryl$,
 $(C_3-C_{10})cycloalkyl$, or $(C_2-C_9)heterocycloalkyl$ are further
 optionally substituted by one to four groups selected from
 $(C_1-C_{10})alkyl$, $(C_3-C_{10})cycloalkyl$, $(C_2-C_9)heterocycloalkyl$,
 $(C_6-C_{14})aryl$, $(C_2-C_9)heteroaryl$, $(C_1-C_{10})alkylamine$,
 $((C_1-C_{10})alkyl)_2amine$, $(C_1-C_3)alkynylamine$, $(C_1-C_{10})alkyl-C(O)O-$,
 $COOH-(C_1-C_{10})alkyl$, $COOH-(C_3-C_{10})cycloalkyl$,

(C₁-C₁₀)alkoxy-, (C₁-C₁₀)alkoxy-(C₁-C₁₀)alkyl-,
 (C₃-C₁₀)cycloalkyl-O-, (C₂-C₉)heterocycloalkyl-O-, (C₆-C₁₄)aryl-
 O-, (C₂-C₉)heteroaryl-O-, HO-, halo, or H₂N-;

T¹, T², and T³ are each independently selected from N or CR¹⁰,

5 wherein each R¹⁰ is independently selected from the group consisting of H,
 (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl, (C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl,
 (C₂-C₉)heteroaryl, (C₂-C₁₀)alkylanyl, (C₁-C₁₀)alkylamine,
 ((C₁-C₁₀)alkyl)₂amine, (C₂-C₁₀)alkynylamine, (C₁-C₁₀)alkyl-C(O)O-,
 COOH-(C₁-C₁₀)alkyl-, COOH-(C₃-C₁₀)cycloalkyl-, (C₁-C₁₀)alkoxy-,
 10 R^{10A}-(C₁-C₁₀)alkyl-, R^{10A}-(C₃-C₁₀)cycloalkyl,
 R^{10A}-(C₂-C₉)heterocycloalkyl, R^{10A}-(C₆-C₁₄)aryl, R^{10A}-(C₂-C₉)heteroaryl,
 R^{10A}-(C₂-C₁₀)alkylanyl, R^{10A}-(C₁-C₁₀)alkylamine,
 R^{10A}-((C₁-C₁₀)alkyl)₂amine, R^{10A}-(C₂-C₁₀)alkynylamine, R^{10A}-C(O)-,
 R^{10A}-(C₁-C₁₀)alkyl-C(O)O-, R^{10A}-(C₁-C₁₀)alkoxy-, (C₃-C₁₀)cycloalkyl-O-,
 15 (C₂-C₉)heterocycloalkyl-O-, (C₆-C₁₄)aryl-O-, (C₂-C₉)heteroaryl-O-,
 R^{10A}-(C₃-C₁₀)cycloalkyl-O-, R^{10A}-(C₂-C₉)heterocycloalkyl-O-,
 R^{10A}-(C₆-C₁₄)aryl-O-, R^{10A}-(C₂-C₉)heteroaryl-O-, HO-, halo, cyano, H₂N-,
 (CH₃)HN-, (CH₃)₂N-, R^{10A}R¹¹N-, R^{10A}R¹¹N(O)C-, R^{10A}(R¹¹C(O))N-,
 R^{10A}R¹¹NC(O)O-, R^{10A}C(O)-, R^{10A}R¹¹NC(O)R^{10A}N-, (C₁-C₁₀)alkyl-
 20 OC(O)R^{10A}N-, (C₃-C₁₀)cycloalkyl-OC(O)R^{10A}N-,
 (C₂-C₉)heterocycloalkyl-OC(O)R^{10A}N-, (C₆-C₁₄)aryl-OC(O)R^{10A}N-,
 (C₂-C₉)heteroaryl-OC(O)R^{10A}N-, F₃C-, F₂HC-, CH₃F₂C-, FH₂C-,
 CH₃FHC-, (CH₃)₂FC-, NC-, (C₁-C₁₀)alkyl(O)P-, (C₁-C₁₀)alkyl-S-,
 (C₁-C₁₀)alkyl-S-(C₁-C₁₀)alkyl-, (C₃-C₁₀)cycloalkyl-S-, (C₆-C₁₄)aryl-S-,
 25 (C₂-C₉)heteroalkyl-S-, (C₂-C₉)heterocycloalkyl-S-, (C₂-C₉)heteroaryl-S-,
 (C₁-C₁₀)alkyl-S(O)-, (C₃-C₁₀)cycloalkyl-S(O)-, (C₆-C₁₄)aryl-S(O)-,
 (C₂-C₉)heterocycloalkyl-S(O)-, (C₂-C₉)heteroaryl-S(O)-, (C₃-C₁₀)alkyl-
 S(O)₂-, (C₃-C₁₀)cycloalkyl-S(O)₂-, (C₆-C₁₄)aryl-S(O)₂-,
 (C₂-C₉)heterocycloalkyl-S(O)₂-, (C₂-C₉)heteroaryl-S(O)₂-,
 30 R^{10A}R¹¹NS(O)₂-, (C₁-C₁₀)alkyl-S(O)₂R^{10A}N-,

(C₃-C₁₀)cycloalkyl-S(O)₂R^{10A}N-, (C₆-C₁₄)aryl-S(O)₂R^{10A}N-,
(C₂-C₉)heterocycloalkyl-SO₂R^{10A}N-, and (C₂-C₉)heteroaryl-S(O)₂R^{10A}N-;

wherein R^{10A} and R¹¹ are each independently selected from the group

consisting of H, (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl,
(C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl,
(C₁-C₁₀)alkylamine, ((C₁-C₁₀)alkyl)₂amine, (C₁-C₃)alkynylamine,
(C₁-C₁₀)alkyl-C(O)O-, COOH-(C₁-C₁₀)alkyl,
COOH-(C₃-C₁₀)cycloalkyl, (C₁-C₁₀)alkoxy-,
(C₁-C₁₀)alkoxy-(C₁-C₁₀)alkyl-, (C₃-C₁₀)cycloalkyl-O-,
(C₂-C₉)heterocycloalkyl-O-, (C₆-C₁₄)aryl-O-,
(C₂-C₉)heteroaryl-O-, HO-, halo, (CH₃)₂N-, and H₂N-;

or R^{10A} and R¹¹ are taken together to form a 3 to 10 member cycloalkyl,
heterocycloalkyl, aryl or heteroaryl ring;

wherein each (C₁-C₁₀)alkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl,

(C₃-C₁₀)cycloalkyl, or (C₂-C₉)heterocycloalkyl are further
optionally substituted by one to four groups selected from
(C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl, (C₂-C₉)heterocycloalkyl,
(C₆-C₁₄)aryl, (C₂-C₉)heteroaryl, (C₁-C₁₀)alkylamine,
((C₁-C₁₀)alkyl)₂amine, (C₁-C₃)alkynylamine, (C₁-C₁₀)alkyl-C(O)O-
, COOH-(C₁-C₁₀)alkyl, COOH-(C₃-C₁₀)cycloalkyl,
(C₁-C₁₀)alkoxy-, (C₁-C₁₀)alkoxy-(C₁-C₁₀)alkyl-,
(C₃-C₁₀)cycloalkyl-O-, (C₂-C₉)heterocycloalkyl-O-, (C₆-C₁₄)aryl-
O-, (C₂-C₉)heteroaryl-O-, HO-, halo, or H₂N-

Y¹ is O, S, or CR¹²R¹³,

wherein R¹² is absent or R¹² and R¹³ are each independently selected from

the group consisting of H, (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl,
(C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl,
(C₁-C₁₀)alkylamine, ((C₁-C₁₀)alkyl)₂amine, (C₁-C₃)alkynylamine,
(C₁-C₁₀)alkyl-C(O)O-, COOH-(C₁-C₁₀)alkyl,
COOH-(C₃-C₁₀)cycloalkyl, (C₁-C₁₀)alkoxy-,
(C₁-C₁₀)alkoxy-(C₁-C₁₀)alkyl-, (C₃-C₁₀)cycloalkyl-O-,

(C₂-C₉)heterocycloalkyl-O-, (C₆-C₁₄)aryl-O-,
(C₂-C₉)heteroaryl-O-, HO-, halo, and H₂N-;

R¹ together with the carbon to which it is attached to form a carbonyl and R² is

absent, or R¹ and R² are each independently selected from the group

consisting of H, (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl,

(C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl,

(C₁-C₁₀)alkylamine, ((C₁-C₁₀)alkyl)₂amine, (C₁-C₃)alkynylamine,

(C₁-C₁₀)alkoxy-, (C₁-C₁₀)alkoxy-(C₁-C₁₀)alkyl-, (C₃-C₁₀)cycloalkyl-O-,

(C₂-C₉)heterocycloalkyl-O-, (C₆-C₁₄)aryl-O-, (C₂-C₉)heteroaryl-O-, HO-,

halo, and H₂N-, or R¹ and R² are taken together with the carbon to which

they are attached to form a 3 to 10 member ring;

R⁵ is absent or selected from the group consisting of H, (C₁-C₁₀)alkyl, HO-, halo,

and H₂N-, wherein when the dashed lines at Y¹ are a double bond, then R⁵

is absent; and

R⁶ is selected from the group consisting of H, (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl,

(C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl, (C₂-C₁₀)alkynyl,

(C₁-C₁₀)alkylamine, ((C₁-C₁₀)alkyl)₂amine, (C₂-C₁₀)alkynylamine,

(C₁-C₁₀)alkyl-C(O)O-, COOH-(C₁-C₁₀)alkyl-, COOH-(C₃-C₁₀)cycloalkyl-,

(C₁-C₁₀)alkoxy-, R¹⁴-(C₁-C₁₀)alkyl-, R¹⁴-(C₃-C₁₀)cycloalkyl,

R¹⁴-(C₂-C₉)heterocycloalkyl, R¹⁴-(C₆-C₁₄)aryl, R¹⁴-(C₂-C₉)heteroaryl,

R¹⁴-(C₂-C₁₀)alkynyl, R¹⁴-(C₁-C₁₀)alkylamine, R¹⁴-((C₁-C₁₀)alkyl)₂amine,

R¹⁴-(C₂-C₁₀)alkynylamine, R¹⁴-C(O)-, R¹⁴-(C₁-C₁₀)alkyl-C(O)O-,

R¹⁴-(C₁-C₁₀)alkoxy-, (C₃-C₁₀)cycloalkyl-O-, (C₂-C₉)heterocycloalkyl-O-,

(C₆-C₁₄)aryl-O-, (C₂-C₉)heteroaryl-O-, R¹⁴-(C₃-C₁₀)cycloalkyl-O-,

R¹⁴-(C₂-C₉)heterocycloalkyl-O-, R¹⁴-(C₆-C₁₄)aryl-O-,

R¹⁴-(C₂-C₉)heteroaryl-O-, HO-, halo, cyano, H₂N-, (CH₃)HN-, (CH₃)₂N-,

R¹⁴R¹⁵N-, R¹⁴R¹⁵N(O)C-, R¹⁴(R¹⁵C(O))N-, R¹⁴R¹⁵NC(O)O-, R¹⁴C(O)-,

R¹⁴R¹⁵NC(O)R¹⁴N-, (C₁-C₁₀)alkyl-OC(O)R¹⁴N-, (C₃-C₁₀)cycloalkyl-

OC(O)R¹⁴N-, (C₂-C₉)heterocycloalkyl-OC(O)R¹⁴N-, (C₆-C₁₄)aryl-

OC(O)R¹⁴N-, (C₂-C₉)heteroaryl-OC(O)R¹⁴N-, F₃C-, F₂HC-, CH₃F₂C-,

FH₂C-, CH₃FHC-, (CH₃)₂FC-, NC-, (C₁-C₁₀)alkyl(O)P-, (C₁-C₁₀)alkyl-S-,

(C₁-C₁₀)alkyl-S-(C₁-C₁₀)alkyl-, (C₃-C₁₀)cycloalkyl-S-, (C₆-C₁₄)aryl-S-,
 (C₂-C₉)heteroalkyl-S-, (C₂-C₉)heterocycloalkyl-S-, (C₂-C₉)heteroaryl-S-,
 (C₁-C₁₀)alkyl-S(O)-, (C₃-C₁₀)cycloalkyl-S(O)-, (C₆-C₁₄)aryl-S(O)-,
 (C₂-C₉)heterocycloalkyl-S(O)-, (C₂-C₉)heteroaryl-S(O)-, (C₃-C₁₀)alkyl-
 5 S(O)₂-, (C₃-C₁₀)cycloalkyl-S(O)₂-, (C₆-C₁₄)aryl-S(O)₂-,
 (C₂-C₉)heterocycloalkyl-S(O)₂-, (C₂-C₉)heteroaryl-S(O)₂-, R¹⁴R¹⁵NS(O)₂-,
 (C₁-C₁₀)alkyl-S(O)₂R¹⁴N-, (C₃-C₁₀)cycloalkyl-S(O)₂R¹⁴N-, (C₆-C₁₄)aryl-
 S(O)₂R¹⁴N-, (C₂-C₉)heterocycloalkyl-SO₂R¹⁴N-, and (C₂-C₉)heteroaryl-
 S(O)₂R¹⁴N-;
 10 wherein R¹⁴ and R¹⁵ are each independently selected from the group
 consisting of H, (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl,
 (C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl,
 (C₁-C₁₀)alkylamine, ((C₁-C₁₀)alkyl)₂amine, (C₁-C₃)alkynylamine,
 (C₁-C₁₀)alkyl-C(O)O-, COOH-(C₁-C₁₀)alkyl,
 15 COOH-(C₃-C₁₀)cycloalkyl, (C₁-C₁₀)alkoxy-,
 (C₁-C₁₀)alkoxy-(C₁-C₁₀)alkyl-, (C₃-C₁₀)cycloalkyl-O-,
 (C₂-C₉)heterocycloalkyl-O-, (C₆-C₁₄)aryl-O-,
 (C₂-C₉)heteroaryl-O-, HO-, F₂HC-O-, halo, (CH₃)₂N-, H₂N-, F₃C-
 C(O)-, F₃C-, and F₂HC-;
 20 or R¹⁴ and R¹⁵ are taken together to form a 3 to 10 member
 cycloalkyl, heterocycloalkyl, aryl or heteroaryl ring;
 wherein each (C₁-C₁₀)alkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl,
 (C₃-C₁₀)cycloalkyl, or (C₂-C₉)heterocycloalkyl are further
 optionally substituted by one to four groups selected from
 25 (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl, (C₂-C₉)heterocycloalkyl,
 (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl, (C₁-C₁₀)alkylamine,
 ((C₁-C₁₀)alkyl)₂amine, (C₁-C₃)alkynylamine, (C₁-C₁₀)alkyl-C(O)O-
 , COOH-(C₁-C₁₀)alkyl, COOH-(C₃-C₁₀)cycloalkyl,
 (C₁-C₁₀)alkoxy-, (C₁-C₁₀)alkoxy-(C₁-C₁₀)alkyl-,
 30 (C₃-C₁₀)cycloalkyl-O-, (C₂-C₉)heterocycloalkyl-O-, (C₆-C₁₄)aryl-
 O-, (C₂-C₉)heteroaryl-O-, HO-, halo, or H₂N-; and

- Z^1 is selected from H, halo, (C₁-C₁₀)alkyl, (C₂-C₉)heteroalkyl,
 (C₁-C₁₀)alkylamine, ((C₁-C₁₀)alkyl)₂amine,
 (C₂-C₁₀)alkynylamine, (C₁-C₁₀)alkoxy-, or H₂N-;
 Y^2 is O, S, NR¹⁷, or CR¹⁷R¹⁸,
 5 wherein R¹⁷ is absent or R¹⁷ and R¹⁸ are each independently
 selected from H, (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl,
 (C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl,
 (C₁-C₁₀)alkylamine, ((C₁-C₁₀)alkyl)₂amine,
 (C₁-C₃)alkynylamine, (C₁-C₁₀)alkyl-C(O)O-,
 10 COOH-(C₁-C₁₀)alkyl, COOH-(C₃-C₁₀)cycloalkyl,
 (C₁-C₁₀)alkoxy-, (C₁-C₁₀)alkoxy-(C₁-C₁₀)alkyl-,
 (C₃-C₁₀)cycloalkyl-O-, (C₂-C₉)heterocycloalkyl-O-,
 (C₆-C₁₄)aryl-O-, (C₂-C₉)heteroaryl-O-, HO-, halo, or H₂N-.
2. The compound according to claim 1, wherein R¹ and R² are each independently
 15 selected from H, (C₁-C₁₀)alkyl, (C₁-C₁₀)alkylamine, (C₁-C₁₀)alkoxy-, or NH₂.
 3. The compound according to claim 1, wherein Y¹ is selected from O, S, and
 CR¹²R¹³, and Y² is selected from O, S, NR¹⁷, or CR¹⁷R¹⁸, wherein R¹² and
 R¹⁷ are each independently absent or H; and R¹³ and R¹⁸ are each
 independently H or (C₁-C₁₀)alkyl.
 - 20 4. The compound according to claim 1, wherein Y¹ and/or Y² are each
 independently O.
 5. The compound according to claim 1, wherein T¹ is CR¹⁰, T² is CR¹⁰, and T³ is
 CR¹⁰.
 6. The compound according to claim 1, wherein each R¹⁰ is independently selected
 25 from H, (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl, (C₁-C₁₀)alkoxy, and halo.
 7. The compound according to claim 1, wherein T¹ is CR¹⁰, wherein R¹⁰ is H, T² is
 CR¹⁰, wherein R¹⁰ is (C₁-C₁₀)alkyl; and T³ is CR¹⁰, wherein R¹⁰ is H.
 8. The compound according to claim 1, wherein Z¹ is independently selected from
 H, halo, and (C₁-C₁₀)alkyl.
 - 30 9. The compound according to claim 1, wherein each R⁷ is independently selected
 from H, (C₂-C₉)heterocycloalkyl, (C₂-C₉)heteroaryl, (C₂-C₁₀)alkynylamine, (C₁-

- 5 C₁₀)alkoxy-, (C₁-C₁₀)alkyl-(C₂-C₉)heterocycloalkyl, (C₂-C₉)heterocycloalkyl-(C₁-C₁₀)alkoxy-, (C₁-C₁₀)alkoxy-(C₂-C₉)heterocycloalkyl-, (C₂-C₉)heteroalkyl-C(O)-, or F₂HC-, wherein each (C₁-C₁₀)alkyl, (C₂-C₉)heteroaryl, or (C₂-C₉)heterocycloalkyl are further optionally substituted by one to four groups selected from (C₁-C₁₀)alkyl.
10. The compound according to claim 1, wherein R⁶ is selected from (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl, (C₂-C₉)heteroaryl, R¹⁴-(C₆-C₁₄)aryl, R¹⁴-(C₂-C₉)heteroaryl, and R¹⁴-(C₁-C₁₀)alkylamine; wherein R¹⁴ is each independently selected from the group consisting of H, (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl, (C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl, (C₁-C₁₀)alkylamine, (C₁-C₁₀)alkoxy-, HO-, F₂HC-O-, F₃C-C(O)-, F₃C-, and F₂HC-; and wherein each (C₁-C₁₀)alkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl, (C₃-C₁₀)cycloalkyl, or (C₂-C₉)heterocycloalkyl are further optionally substituted by one to four groups selected from (C₁-C₁₀)alkyl, (C₃-C₁₀)cycloalkyl, (C₂-C₉)heterocycloalkyl, (C₆-C₁₄)aryl, (C₂-C₉)heteroaryl, HO-, halo, or H₂N-.

11. A compound selected from the group consisting of:

4-(3-((2-(4-methoxyphenyl)-2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl)methyl)-3*H*-imidazo[4,5-*b*]pyridin-6-yl)-2-methylbut-3-yn-2-amine

(*S*)-4-(3-((2-(4-methoxyphenyl)-2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl)methyl)-3*H*-imidazo[4,5-*b*]pyridin-6-yl)-2-methylbut-3-yn-2-amine

(*R*)-4-(3-((2-(4-methoxyphenyl)-2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl)methyl)-3*H*-imidazo[4,5-*b*]pyridin-6-yl)-2-methylbut-3-yn-2-amine

3-((2-(4-methoxyphenyl)-2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl)methyl)-6-(4-methylpiperazin-1-yl)-3*H*-imidazo[4,5-*b*]pyridine

3-((2-(4-methoxyphenyl)-2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1*H*-pyrazol-4-yl)-3*H*-imidazo[4,5-*b*]pyridine

4-(3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl)methyl)-3*H*-imidazo[4,5-*b*]pyridin-6-yl)-2-methylbut-3-yn-2-amine

(S)-4-(3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3H-imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
(R)-4-(3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3H-imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(4-methylpiperazin-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine-6-carbonitrile
6-(azetidin-1-yl)-3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-cyclopropyl-3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)morpholine
6-methoxy-3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((2-(4-methoxyphenyl)-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
6-methoxy-3-((2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((2-(2,4-dichlorophenyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
2,2,2-trifluoro- <i>N</i> -((6-((6-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-2-yl)methyl)acetamide
6-(3-methoxyazetidin-1-yl)-3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

2-methyl-4-(3-((2-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)but-3-yn-2-amine
4-(3-(1-(2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)ethyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((2-(4-(difluoromethoxy)phenyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-(1,3-dimethyl-1 <i>H</i> -pyrazol-4-yl)-3-((2-(2-fluoro-4-methoxyphenyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-fluoro-2-(4-(trifluoromethyl)phenyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((8-fluoro-2-(4-(trifluoromethyl)phenyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(4-methylpiperazin-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-fluoro-2-(4-(trifluoromethyl)phenyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(piperidin-3-ylethynyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine hydrochloride
3-((8-fluoro-2-(4-(trifluoromethyl)phenyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine 2,2,2-trifluoroacetate
3-((8-fluoro-2-(6-methoxypyridin-3-yl)-5-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-iodo-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-cyclopropyl-3-((8-fluoro-2-(6-methoxypyridin-3-yl)-5-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine 2,2,2-trifluoroacetate

4-(3-((8-fluoro-2-(6-methoxypyridin-3-yl)-5-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((8-fluoro-2-(6-methoxypyridin-3-yl)-5-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((5-cyclopropyl-8-fluoro-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-fluoro-2-(6-methoxypyridin-3-yl)-5,7-dimethyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine 2,2,2-trifluoroacetate
4-(3-((8-fluoro-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((8-fluoro-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(piperidin-3-ylethynyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-fluoro-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)morpholine
3-((8-fluoro-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(2-methyl-1 <i>H</i> -imidazol-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
(<i>S</i>)-4-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine

(R)-4-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)morpholine
6-cyclopropyl-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-ol
6-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-oxa-6-azaspiro[3.3]heptane
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(3-methoxyprop-1-yn-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)isoxazole
6-methoxy-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(S)-6-methoxy-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

(R)-6-methoxy-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(3-methoxyazetidin-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-(azetidin-1-yl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
2-((3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)oxy)- <i>N,N</i> -dimethylethan-1-amine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(oxetan-3-yloxy)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)- <i>N,N</i> -dimethyl-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-amine
1-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-3-methylazetidin-3-ol
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1 <i>H</i> -1,2,4-triazol-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1 <i>H</i> -pyrazol-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-(1 <i>H</i> -imidazol-1-yl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(2-methyl-1 <i>H</i> -imidazol-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-(2,4-dimethyl-1 <i>H</i> -imidazol-1-yl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-((1-methylazetidin-3-yl)oxy)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methyl-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)- <i>N</i> -methyl-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-amine
6-(1,3-dimethyl-1 <i>H</i> -pyrazol-4-yl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-(6-fluoropyridin-3-yl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
1-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)azetidin-3-ol
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(4-methylpiperazin-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
1-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-3-methylazetidin-3-amine

6-(3-fluoroazetidin-1-yl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-fluoro-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
azetidin-1-yl(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)methanone
(<i>S</i>)-azetidin-1-yl(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)methanone
(<i>R</i>)-azetidin-1-yl(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)methanone
(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)methanol
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(methoxymethyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-(difluoromethyl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(<i>S</i>)-6-(difluoromethyl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(<i>R</i>)-6-(difluoromethyl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

6-methoxy-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-2-methyl-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-(azetidin-3-yl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine 2,2,2-trifluoroacetate
6-(1 <i>H</i> -imidazol-2-yl)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine formate
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(4-methyl-1 <i>H</i> -imidazol-2-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-(((2 <i>R</i> ,3 <i>S</i>)-8-methoxy-2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-(((2 <i>R</i> ,3 <i>R</i>)-8-methoxy-2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-(((2 <i>S</i> ,3 <i>R</i>)-8-methoxy-2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-(((2 <i>S</i> ,3 <i>S</i>)-8-methoxy-2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-methoxy-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-methoxy-3-(((2 <i>R</i> ,3 <i>S</i>)-8-methoxy-2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

4-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((2-(6-cyclopropylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(6-cyclopropylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-5-methyl-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(6-cyclopropylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-((1-methylazetidin-3-yl)oxy)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(3-((2-(6-cyclopropylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)methanol
4-(3-((8-methoxy-2-(6-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((8-methoxy-2-(6-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(2-methyl-1 <i>H</i> -imidazol-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine hydrochloride
6-methoxy-3-((8-methoxy-2-(6-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(3-methoxyazetidin-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

1-(3-((8-methoxy-2-(6-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)azetidin-3-ol
3-((8-methoxy-2-(6-propylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(6-ethylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((2-(6-ethylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)morpholine
3-((2-(6-ethylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-((1-methylazetidin-3-yl)oxy)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(6-ethylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(trifluoromethyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(4,6-dimethylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(4,6-dimethylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(3-methoxyazetidin-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-methoxy-2-(4-methoxyphenyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((8-methoxy-2-(4-methoxyphenyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -imidazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

6-bromo-3-((2-(4-(difluoromethoxy)phenyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine hydrochloride
3-((2-(4-(difluoromethoxy)phenyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine hydrochloride
4-(3-((2-(4-(difluoromethoxy)phenyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
1-(3-((2-(4-(difluoromethoxy)phenyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)- <i>N,N</i> -dimethylazetidin-3-amine
3-((2-(4-(difluoromethoxy)phenyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)- <i>N</i> -methyl-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-amine
4-(3-((8-methoxy-2-(pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
6-(1 <i>H</i> -imidazol-1-yl)-3-((8-methoxy-2-(pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-methoxy-2-(2-methylthiazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
4-(6-((6-(3-(1 <i>H</i> -imidazol-1-yl)prop-1-yn-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-2-yl)-2-methylthiazole
4-(3-((8-methoxy-2-(2-methylthiazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)morpholine

4-(6-((3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-2-yl)-2-cyclopropylthiazole
4-(3-((2-(2-cyclopropylthiazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
2-cyclopropyl-4-(8-methoxy-6-((6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-2-yl)thiazole
4-(3-((2-(2,5-dimethylthiazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
4-(3-((8-methoxy-2-(2-methyloxazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
4-(3-((2-(2,5-dimethyloxazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((8-methoxy-2-(6-(2-methoxyethoxy)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-methoxy-2-(6-(2-methoxyethoxy)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((8-methoxy-2-(6-(2-methoxyethoxy)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -imidazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-methoxy-3-((8-methoxy-2-(6-(2-methoxyethoxy)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(6-ethoxypyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

3-((2-(6-ethoxypyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(3-((2-(6-ethoxypyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)methanol
3-((2-(6-(difluoromethoxy)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
1-(3-((2-(6-(difluoromethoxy)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-3-methylazetidin-3-ol
3-((2-(6-(difluoromethoxy)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-(piperidin-4-yl)-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-(piperidin-4-yl)-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(pyridin-3-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine formate
3-((8-methoxy-2-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine formate
3-((2-cyclopropyl-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-(piperidin-4-yl)-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-cyclopropyl-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -imidazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

4-(3-((2-cyclopropyl-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((2-isopropyl-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine formate
4-(3-((2-isopropyl-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-3,5-dimethylisoxazole
3-((2-cyclopropyl-8-methoxy-3-methyl-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(6-(difluoromethyl)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(2-cyclopropylpyrimidin-5-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxy-2-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxy-2-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(3-methoxyazetidin-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-methoxy-3-((8-methoxy-2-(6-methoxy-2-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(2,6-dimethoxypyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(2,6-dimethoxypyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(2,6-dimethoxypyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(3-methoxyazetidin-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

3-((8-methoxy-2-(6-(trifluoromethyl)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(<i>S</i>)-3-((8-methoxy-2-(6-(trifluoromethyl)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(<i>R</i>)-3-((8-methoxy-2-(6-(trifluoromethyl)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-methoxy-3-((8-methoxy-2-(6-methoxy-4-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxy-4-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
5-(6-((3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-2-yl)- <i>N,N</i> -diethylpyridin-2-amine
4-(5-(6-((3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-2-yl)pyridin-2-yl)morpholine
3-((8-methoxy-2-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(1-cyclobutyl-1 <i>H</i> -pyrazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(1-isopropyl-1 <i>H</i> -pyrazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-(methoxymethyl)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(5-methoxypyrazin-2-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(2-methoxypyrimidin-5-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(6-(1,1-difluoroethyl)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

(R)-3-((2-(6-(1,1-difluoroethyl)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(S)-3-((2-(6-(1,1-difluoroethyl)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
5-(6-((3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-2-yl)furo[2,3- <i>b</i>]pyridine
5-(6-((3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-2-yl)-2,3-dihydrofuro[2,3- <i>b</i>]pyridine
3-((2-(1-(cyclopropylmethyl)-1 <i>H</i> -pyrazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(4,4-difluorocyclohexyl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(1-(2-methoxyethyl)-1 <i>H</i> -pyrazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-butyl-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-methoxy-3-((8-methoxy-2-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(1,5-dimethyl-1 <i>H</i> -pyrazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(1,3-dimethyl-1 <i>H</i> -pyrazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-(1-(cyclopropylmethyl)-1 <i>H</i> -pyrazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

3-((2-(1-cyclobutyl-1 <i>H</i> -pyrazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-methoxy-3-((8-methoxy-2-(6-(methoxymethyl)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((2-butyl-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-methoxy-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-(azetidin-1-yl)-3-((8-methoxy-2-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(3-methoxyazetidin-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-cyclopropyl-3-((8-methoxy-2-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-cyclopropyl-3-((8-methoxy-2-(6-(methoxymethyl)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-(difluoromethyl)-3-((8-methoxy-2-(6-(methoxymethyl)pyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(3-((2-(1-cyclobutyl-1 <i>H</i> -pyrazol-4-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)methanol
3-((8-methoxy-2-(6-methylpyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-(trifluoromethyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
1-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)azetidin-2-one

4-(3-((2-(6-methoxypyridin-3-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
4-(3-((8-methoxy-2-(4-methoxyphenyl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
6-fluoro-3-((8-methoxy-2-(6-methoxypyridin-3-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
4-(3-((8-methoxy-2-(6-methoxypyridin-3-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)morpholine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)chroman-6-yl)methyl)-6-(2-methyl-1 <i>H</i> -imidazol-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
3-((8-methoxy-2-(6-methoxypyridin-3-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-fluoro-2-(6-methoxypyridin-3-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
4-(3-((8-methoxy-2-(6-methylpyridin-3-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
4-(3-((8-methoxy-2-(6-methylpyridin-3-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)morpholine
3-((8-methoxy-2-(6-methylpyridin-3-yl)chroman-6-yl)methyl)-6-(2-methyl-1 <i>H</i> -imidazol-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-cyclopropyl-3-((8-methoxy-2-(6-methylpyridin-3-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((2-(6-ethylpyridin-3-yl)-8-methoxychroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
4-(3-((2-(6-ethylpyridin-3-yl)-8-methoxychroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)morpholine

3-((2-(6-ethylpyridin-3-yl)-8-methoxychroman-6-yl)methyl)-6-(2-methyl-1H-imidazol-1-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((8-methoxy-2-(2-methylthiazol-4-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
4-(3-((8-methoxy-2-(2-methylthiazol-4-yl)chroman-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)morpholine
2-methyl-4-(3-((4-methyl-2-(4-(trifluoromethyl)phenyl)-3,4-dihydro-2 <i>H</i> -benzo[<i>b</i>][1,4]oxazin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)but-3-yn-2-amine
4-methyl-6-((6-(1-methyl-1 <i>H</i> -pyrazol-4-yl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-2-(4-(trifluoromethyl)phenyl)-3,4-dihydro-2 <i>H</i> -benzo[<i>b</i>][1,4]oxazine
6-bromo-3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]oxathiin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
4-(3-((2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]oxathiin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-6-yl)-2-methylbut-3-yn-2-amine
3-((2-(6-(2-fluoropropan-2-yl)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
6-((3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridin-3-yl)methyl)-4-methoxy-2-((6-methoxypyridin-3-yl)methyl)benzo[<i>d</i>]oxazole
(<i>S</i>)-3-((2-(6-cyclopropylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(<i>R</i>)-3-((2-(6-cyclopropylpyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine
(<i>R</i>)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-((1-methylazetidin-3-yl)oxy)-3 <i>H</i> -imidazo[4,5- <i>b</i>]pyridine

(S)-3-((8-methoxy-2-(6-methoxypyridin-3-yl)-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-6-((1-methylazetidin-3-yl)oxy)-3H-imidazo[4,5- <i>b</i>]pyridine
(S)-3-((2-(6-(2-fluoropropan-2-yl)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3H-imidazo[4,5- <i>b</i>]pyridine
(R)-3-((2-(6-(2-fluoropropan-2-yl)pyridin-3-yl)-8-methoxy-2,3-dihydrobenzo[<i>b</i>][1,4]dioxin-6-yl)methyl)-3H-imidazo[4,5- <i>b</i>]pyridine

and/or stereoisomers, optical isomers, racemic and diastereomeric mixtures, and/or pharmaceutically acceptable salts thereof.

12. A compound chosen from 3-((8-methoxy-2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl)methyl)-3H-imidazo[4,5-*b*]pyridine, and/or stereoisomers, optical isomers, racemic and diastereomeric mixtures, and/or pharmaceutically acceptable salts thereof.
13. The compound of claim 12, which is 3-(((2S,3S)-8-methoxy-2-(6-methoxypyridin-3-yl)-3-methyl-2,3-dihydrobenzo[*b*][1,4]dioxin-6-yl)methyl)-3H-imidazo[4,5-*b*]pyridine.
14. A pharmaceutical composition comprising a pharmaceutically acceptable excipient and a compound of claim 1 and/or a pharmaceutically acceptable salt thereof.
15. A pharmaceutical composition comprising a pharmaceutically acceptable excipient and a compound of claim 11 and/or a pharmaceutically acceptable salt thereof.