
CLAIMS

1. A compound according to Formula (I)



(I)

or a pharmaceutically acceptable salt, tautomer, isotopologue, or stereoisomer thereof, wherein

A is a direct bond or an optionally substituted C_{1-5} alkyl;

B is selected from optionally substituted C_{3-10} cycloalkyl, optionally substituted 3-14 membered heterocyclyl, optionally substituted C_{6-14} aryl, and optionally substituted 5-14 membered heteroaryl;

W^1 and W^2 are each independently selected from H and CH_3, or taken together to form an oxo group;

W^3 and W^4 are each H or are taken together to form an oxo group;

V is selected from H and CH_3;

R' is a halogen atom;

R'' is selected from halogen atom, optionally substituted C_{1-5} alkyl, and optionally substituted C_{1-5} alkoxy or two R'' can combine to form an oxo group with the carbon to which they are attached;

R''' is selected from halogen atom, -CN, -OH, optionally substituted amino, optionally substituted amido, optionally substituted C_{1-5} alkyl, optionally substituted C_{1-5} alkoxy, optionally substituted C_{3-6} cycloalkyl-oxy, optionally substituted 5-10 membered heterocyclyl-oxy, optionally substituted 5-10 membered heteroaryl-oxy, optionally substituted C_{3-6} cycloalkyl, optionally substituted 3-10 membered heterocyclyl, optionally substituted 5-10 membered aryl, and optionally substituted 5-10 membered heteroaryl;


l is an integer from 0 to 3;

m is an integer from 0 to 3;

n is an integer from 0 to 7; and

wherein at least one of W^1 and W^2 or W^3 and W^4 are taken together form an oxo group.

2. The compound according to claim 1, wherein the compound is a compound of Formula (Ia)



(Ia)

3. The compound according to claim 1 or 2, wherein: (i) W^3 and W^4 are taken together to form an oxo group; and/or (ii) W^1 and W^2 are both H, or W^1 and W^2 are taken together to form an oxo group.

4. The compound according to any one of claims 1-3, wherein B is monocyclic or bicyclic; and is selected from optionally substituted C_{6-14} aryl and optionally substituted 5-14 membered heteroaryl.

5. The compound according to any one of claims 1-4, wherein V is H.


6. The compound according to any one of claims 1-5, wherein:

(i) l is 0 or 1; and/or

(ii) m is 0 or 1; and/or

(iii) n is 0 or 1.

7. The compound according to any one of claims 1-3, wherein the compound is a compound according to Formula (II):



(II)

wherein

A is a direct bond or an optionally substituted C_{1-5} alkyl;

R' is a halogen atom;

R'' is selected from halogen atom, optionally substituted C_{1-5} alkyl, and optionally substituted C_{1-5} alkoxy or two R'' can combine to form an oxo group with the carbon to which they are attached;

Z, Z', and Z'' are each independently selected from N and CR^1;

X, Y, X', and Y' are each independently selected from N and CR^2;

each R^1 is independently selected from H, halogen atom, -CN, optionally substituted C_{1-5} alkyl, optionally substituted C_{1-5} alkoxy, optionally substituted 5-10 membered heteroaryl-oxy, optionally substituted C_{3-6} cycloalkyl, and optionally substituted 3-6 membered heterocyclyl;

each R^2 is independently selected from H, halogen atom, -CN, -OH, oxo, optionally substituted amino, optionally substituted amido, optionally substituted C_{1-5} alkyl, optionally substituted C_{3-6} cycloalkyl, optionally substituted 3-10 membered heterocyclyl, and optionally substituted 5-10 membered heteroaryl;

l is an integer from 0 to 2; and

m is an integer from 0 to 2.

8. The compound according to claim 7, wherein (i) Z, Z', and Z'' are all CR^1; or (ii) Z is N and Z' and Z'' are both CR^1; and/or (iii) X is N and Y, X', and Y' are CR^2; or (iv) X and X' are both N and Y and Y' are both CR^2; or (v) X, Y, X', and Y' are all CR^2.


9. The compound according to claim 7 or 8, wherein: (i) each R^1 is independently selected from H, F Cl, -CN, optionally substituted C_{1-3} alkyl, optionally substituted C_{1-3} alkoxy, optionally substituted C_{3-6} cycloalkyl, and optionally substituted 3-6 membered heterocyclyl; and/or (ii) R^2 is independently selected from H, F, Cl, -CN, -OH, oxo, optionally substituted amino, optionally substituted amido, optionally substituted C_{1-3} alkyl, optionally substituted C_{3-6} cycloalkyl, and optionally substituted 4-8 membered heterocyclyl.

10. The compound according to any one of claims 7-9, wherein:

(i) l is 0 or 1; and/or

(ii) m is 0 or 1.

11. The compound according to claim 7, wherein the compound is a compound according to Formula (IIa):



(IIa)

wherein

A is a direct bond or an optionally substituted C_{1-5} alkyl;

R' is a halogen atom;

R'' is selected from halogen atom, optionally substituted C_{1-5} alkyl, and optionally substituted C_{1-5} alkoxy or two R'' can combine to form an oxo group with the carbon to which they are attached;

Z is selected from N and CR^3;

X, X', and Y' are each independently selected from N and CR^4;

R^1 and R^3 are each independently selected from H, halogen atom, -CN, optionally substituted C_{1-5} alkyl, optionally substituted C_{1-5} alkoxy, optionally substituted 5-10 membered heteroaryl-oxy, optionally substituted C_{3-6} cycloalkyl, and optionally substituted 3-6 membered heterocyclyl;

R^2 and R^4 are each independently selected from H, halogen atom, -CN, -OH, oxo, optionally substituted amino, optionally substituted amido, optionally substituted C_{1-5} alkyl, optionally substituted C_{3-6} cycloalkyl, optionally substituted 3-10 membered heterocyclyl, and optionally substituted 5-10 membered heteroaryl;

l is an integer from 0 to 1; and

m is an integer from 0 to 1.


12. The compound according to claim 11, wherein (i) Z is N; or (ii) Z is CR^1.

13. The compound according to claim 11 or 12, wherein X is N and X' and Y' are both CR^2; or (ii) X and X' are both N and Y' is CR^2; or (iii) X, X', and Y' are all CR^2.


14. The compound according to any one of claims 11-13, wherein (i) R^1 and R^3 are each independently selected from H, F Cl, -CN, optionally substituted C_{1-3} alkyl, optionally substituted C_{1-3} alkoxy, optionally substituted C_{3-6} cycloalkyl, and optionally substituted 3-6 membered heterocyclyl; or (ii) R^1 is independently selected from H and F; or (iii) R^3 is H.


15. The compound according to any one of claims 11-14, wherein (i) R^2 and R^4 are each independently selected from H, F, Cl, -CN, -OH, oxo, optionally substituted amino, optionally substituted amido, optionally substituted C_{1-3} alkyl, optionally substituted C_{3-6} cycloalkyl, optionally substituted 3-10 membered heterocyclyl, and optionally substituted 5-10 membered heteroaryl; or (ii) R^2 is independently selected from optionally substituted C_{1-3} alkyl and optionally substituted 3-10 membered heterocyclyl; or (iii) R^4 is H.


16. The compound according to any one of claims 11-15, wherein:




is





,


,



, or


;

optionally, wherein R^2 is


,



,


,


, or


.

17. The compound according to any one of claims 1-3, wherein the compound is a compound according to Formula (III):



(III)

wherein

A is a direct bond or an optionally substituted C_{1-5} alkyl;

R' is a halogen atom;

R'' is selected from halogen atom, optionally substituted C_{1-5} alkyl, and optionally substituted C_{1-5} alkoxy or two R'' can combine to form an oxo group with the carbon to which they are attached;

Z is selected from N, CH, and CR^3;

each R^3 is independently selected from -CN, optionally substituted C_{1-5} alkyl, optionally substituted C_{3-6} membered cycloalkyl, optionally substituted 3-6 membered heterocyclyl, optionally substituted 5-10 membered aryl, and optionally substituted 5-10 membered heteroaryl;

l is an integer from 0 to 2;

m is an integer from 0 to 2; and

p is an integer from 0 to 3.

18. The compound according to claim 17, wherein (i) Z is N; or (ii) Z is CH.

19. The compound according to claim 17 or 18, wherein each R^3 is independently selected from -CN, optionally substituted C_{1-3} alkyl, optionally substituted 3-6 membered heterocyclyl, and optionally substituted 5-10 membered heteroaryl.

20. The compound according to any one of claims 17-19, wherein:


(i) l is 0 or 1; and/or

(ii) m is 0 or 1; and/or


(iii) p is an integer from 0 to 2.

21. The compound according to any one of claims 1-20, wherein l is 0; and/or m is 0.

22. The compound according to claim 17, wherein the compound is a compound according to Formula (IIIa) or (IIIb):



(IIIa)



(IIIb)

wherein

A is a direct bond or an optionally substituted C_{1-5} alkyl;

R' is a halogen atom;

R'' is selected from halogen atom, optionally substituted C_{1-5} alkyl, and optionally substituted C_{1-5} alkoxy or two R'' can combine to form an oxo group with the carbon to which they are attached;

R^4 is an optionally substituted 3-6 membered heterocyclyl;

l is 0 or 1;

m is 0 or 1; and

q is 0 or 2.

23. The compound according to any one of claims 1-22, wherein (i) A is a direct bond; or (ii) A is an optionally substituted C_{1-3} alkyl; or (iii) A is $-CH_2-$.

24. The compound according to any one of claims 1-23, wherein (i) R' is selected from F and Cl; and/or (ii) R'' is selected from F, Cl, optionally substituted C_{1-3} alkyl, and optionally substituted C_{1-3} alkoxy; and/or (iii) R''' is selected from F, Cl, -CN, -OH, optionally substituted amino, optionally substituted C_{1-3} alkyl, optionally substituted C_{1-3} alkoxy, optionally substituted C_{3-6} cycloalkyl, optionally substituted 3-10 membered heterocyclyl, and optionally substituted 5-10 membered heteroaryl.

25. The compound according to any one of claims 22-24, wherein R^4 is an optionally substituted 6 membered heterocyclyl.

26. The compound according to any one of claims 22-25, wherein l is 0; and/or m is 0; and/or q is 0 or 1.

27. A compound selected from:

- 3-(1-oxo-5-(((S)-1-((2-(tetrahydro-2H-pyran-4-yl)quinolin-6-yl)methyl)pyrrolidin-3-yl)oxy)isoindolin-2-yl)piperidine-2,6-dione;

- 3-(5-(((S)-1-((2-morpholinoquinazolin-6-yl)methyl)pyrrolidin-3-yl)oxy)-1-oxoisoindolin-2-yl)piperidine-2,6-dione;
- 3-(5-(((S)-1-((2-morpholinoquinolin-6-yl)methyl)pyrrolidin-3-yl)oxy)-1-oxoisoindolin-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-(((S)-1-((2-(tetrahydro-2H-pyran-4-yl)quinazolin-6-yl)methyl)pyrrolidin-3-yl)oxy)isoindolin-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-(((S)-1-((7-(tetrahydro-2H-pyran-4-yl)isoquinolin-3-yl)methyl)pyrrolidin-3-yl)oxy)isoindolin-2-yl)piperidine-2,6-dione;
- 3-(5-(((S)-1-((2-(2-hydroxypropan-2-yl)quinolin-6-yl)methyl)pyrrolidin-3-yl)oxy)-1-oxoisoindolin-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-(((S)-1-((2-((R)-tetrahydrofuran-3-yl)quinazolin-6-yl)methyl)pyrrolidin-3-yl)oxy)isoindolin-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-(((S)-1-((2-((R)-tetrahydrofuran-3-yl)quinolin-6-yl)methyl)pyrrolidin-3-yl)oxy)isoindolin-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-(((S)-1-((2-(2-oxopyrrolidin-1-yl)quinolin-6-yl)methyl)pyrrolidin-3-yl)oxy)isoindolin-2-yl)piperidine-2,6-dione;
- (S)-3-(5-(((S)-1-((8-fluoro-2-(tetrahydro-2H-pyran-4-yl)quinolin-6-yl)methyl)pyrrolidin-3-yl)oxy)-1-oxoisoindolin-2-yl)piperidine-2,6-dione;
- (S)-3-(1-oxo-5-(((S)-1-((2-(tetrahydro-2H-pyran-4-yl)quinolin-6-yl)methyl)pyrrolidin-3-yl)oxy)isoindolin-2-yl)piperidine-2,6-dione;
- (S)-3-(5-(((S)-1-((2-morpholinoquinazolin-6-yl)methyl)pyrrolidin-3-yl)oxy)-1-oxoisoindolin-2-yl)piperidine-2,6-dione;
- (S)-3-(5-(((S)-1-((2-morpholinoquinolin-6-yl)methyl)442yrrolidine-3-yl)oxy)-1-oxoisoindolin-2-yl)piperidine-2,6-dione;
- (S)-3-(1-oxo-5-(((S)-1-((2-(tetrahydro-2H-pyran-4-yl)quinazolin-6-yl)methyl)pyrrolidin-3-yl)oxy)isoindolin-2-yl)piperidine-2,6-dione;
- (S)-3-(1-oxo-5-(((S)-1-((7-(tetrahydro-2H-pyran-4-yl)isoquinolin-3-yl)methyl)442yrrolidine-3-yl)oxy)isoindolin-2-yl)piperidine-2,6-dione; or
- (S)-3-(5-(((S)-1-((2-(2-hydroxypropan-2-yl)quinolin-6-yl)methyl)pyrrolidin-3-yl)oxy)-1-oxoisoindolin-2-yl)piperidine-2,6-dione;

or a pharmaceutically acceptable salt, tautomer, isotopologue, or stereoisomer thereof.

28. A compound selected from:

- 3-(5-{[(3S)-1-[(2-methylpyridin-4-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- rel-3-(1-oxo-5-{[(3R)-1-[(quinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({imidazo[1,2-a]pyridin-3-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(5-methoxypyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(4-methylpyridin-2-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[5-(trifluoromethyl)pyridin-2-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinolin-4-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[3-(difluoromethoxy)phenyl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinolin-5-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[1-(pyridin-3-yl)-1H-pyrazol-4-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1,8-naphthyridin-4-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinoxalin-5-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-6-{[(3S)-1-[(quinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 2-(2,6-dioxopiperidin-3-yl)-5-{[(3R)-1-[(quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindole-1,3-dione;
- 2-(2,6-dioxopiperidin-3-yl)-5-{[(3R)-1-[(quinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindole-1,3-dione;
- 2-(2,6-dioxopiperidin-3-yl)-5-{[(3S)-1-[(quinolin-5-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindole-1,3-dione;
- 2-(2,6-dioxopiperidin-3-yl)-5-{[(3S)-1-[(quinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindole-1,3-dione;

- 2-(2,6-dioxopiperidin-3-yl)-5-{[(3S)-1-[(quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindole-1,3-dione;
- 2-(2,6-dioxopiperidin-3-yl)-5-{[(3R)-1-[(quinolin-5-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindole-1,3-dione;
- 2-(2,6-dioxopiperidin-3-yl)-5-{[(3S)-1-[(quinolin-4-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindole-1,3-dione;
- 2-(2,6-dioxopiperidin-3-yl)-5-{[(3R)-1-[(quinolin-4-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindole-1,3-dione;
- 3-(1-oxo-6-{[(3R)-1-[(quinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-oxo-1,2-dihydroquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinazolin-5-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinoxalin-2-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(3-fluoroquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(6-fluoroquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(6-methylquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(5-fluoroquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1,8-naphthyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-methylquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-methoxyquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-oxo-1,2-dihydroquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-[(3-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(5,6-difluoroquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinazolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(isoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(5,6-dimethylpyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(5-methylquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2,3-dimethylpyridin-4-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(4,5-dimethylpyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(isoquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2H,3H,4H-pyrano[2,3-b]pyridin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[5-(trifluoromethyl)pyridin-3-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({imidazo[1,2-a]pyridin-5-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2H,3H,4H-pyrano[2,3-c]pyridin-5-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(3,5-dimethylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(5-methylisoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(trifluoromethyl)quinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1-methylisoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-[(5-fluoroisoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(7-methylisoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(8-fluoroisoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(6-{[(3S)-1-[(isoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(6-{[(3S)-1-[(2-methylquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(7-fluoroisoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-6-{[(3S)-1-[(quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(6-{[(3S)-1-[(isoquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(cinnolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({3-[(3-aminophenyl)methoxy]phenyl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3-aminophenyl)methoxy]phenyl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(3-{[4-(aminomethyl)phenyl]methoxy}phenyl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinazolin-2-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1,7-naphthyridin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2,6-naphthyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(8-methylisoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1,6-naphthyridin-7-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-[(2-methylquinazolin-7-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{[4-(aminomethyl)phenyl]methoxy}phenyl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{[2-(aminomethyl)phenyl]methoxy}phenyl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(3-{[2-(aminomethyl)phenyl]methoxy}phenyl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(3-{[3-(aminomethyl)phenyl]methoxy}phenyl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2,7-naphthyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- rel-3-(1-oxo-5-{[(3R)-1-[1-(quinolin-3-yl)ethyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1,6-naphthyridin-2-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{[3-(aminomethyl)phenyl]methoxy}phenyl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(3,5-difluoroquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[(2-²H)quinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(1-oxo-5-{[(3S)-1-[(quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1,7-naphthyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-chloroquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3R)-3-(1-oxo-5-{[(3S)-1-[(quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- rel-3-(1-oxo-5-{[(3R)-1-[1-(quinolin-3-yl)ethyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(4-chloro-2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 3-(5-{[(3S)-1-[(cinnolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}-2-methylquinoline-4-carbonitrile;
- 3-(5-{[(3S)-1-[(8-fluoro-2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(4-methoxy-2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2,8-dimethylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(3-fluoro-2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(trifluoromethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-ethylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(hydroxymethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinoline-2-carboxamide;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}-N-methylquinoline-2-carboxamide;
- 3-(5-{[(3S)-1-{[2-(fluoromethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(5-fluoro-2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(dimethylamino)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(methylamino)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(4-fluoro-2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-methyl-3-(5-{[(3S)-1-[(2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}-N,N-dimethylquinoline-2-carboxamide;
- 3-(5-{[(3S)-1-[(4-hydroxy-2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[(2-^{2}H)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-methylquinazolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(methoxymethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 3-(5-{[(3S)-1-{[2-(2-hydroxypropan-2-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,5R)-5-methyl-1-[(2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,5S)-5-methyl-1-[(2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(difluoromethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-cyclopropylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-tert-butylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4R)-4-methyl-1-[(2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(2,2,2-trifluoroethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(oxetan-3-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[3-(trifluoromethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-{[3-(difluoromethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}-3-fluoroquinoline-2-carbonitrile;
- 3-(5-{[(2S,3S)-2-methyl-1-[(2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-4-fluoro-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-7-fluoro-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-6-fluoro-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 3-(5-{[(3S,4S)-4-methyl-1-[(2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(2,2-difluoroethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(2R,3S)-2-methyl-1-[(2-methylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-methoxyquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(4-methylpiperazin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(pyrrolidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(morpholin-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1-methyl-1H-indazol-5-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-methyl-2H-indazol-5-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2H,3H,4H-pyrano[2,3-c]pyridin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-{[2-(1-methylpiperidin-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-oxo-2H-chromen-7-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(3-oxo-3,4-dihydro-2H-1,4-benzoxazin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(4-methyl-3-oxo-3,4-dihydro-2H-1,4-benzoxazin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(4-methyl-2-oxo-3,4-dihydro-2H-1,4-benzoxazin-7-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(7-methyl-5,6,7,8-tetrahydro-1,7-naphthyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(6-methyl-5,6,7,8-tetrahydro-1,6-naphthyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(1,2,3,4-tetrahydroquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2H,3H-furo[2,3-c]pyridin-5-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-oxo-3,4-dihydro-2H-1,4-benzoxazin-7-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({5H,7H,8H-pyrano[4,3-b]pyridin-3-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2H,3H-furo[2,3-b]pyridin-5-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({5H,6H,8H-pyrano[3,4-b]pyridin-4-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[3-fluoro(2-²H)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2H,3H,4H-pyrano[2,3-b]pyridin-5-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3S)-1-methylpyrrolidin-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-({2-[(3R)-1-methylpyrrolidin-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(1-methylazetidin-3-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2H,3H,4H-pyrano[3,2-c]pyridin-5-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({5H,6H,8H-pyrano[3,4-b]pyridin-3-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinolin-2-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(8-methyl-5,6,7,8-tetrahydro-1,8-naphthyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinazoline-2-carbonitrile;
- 3-(5-{[(3S)-1-{[2-(methylamino)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinoxalin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1,8-naphthyridin-2-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(quinolin-7-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(isoquinolin-7-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1,5-naphthyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1,5-naphthyridin-2-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(7-methyl-5,6,7,8-tetrahydro-2,7-naphthyridin-4-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(1-methyl-1,2,3,4-tetrahydro-1,7-naphthyridin-5-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(1-oxo-5-{[(3S)-1-{[2-(trifluoromethyl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(phthalazin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-{[(1r,4r)-4-methoxycyclohexyl]amino}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(azetidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}-N-methylquinazoline-2-carboxamide;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}-3-methylpyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 3-(5-{[(3S)-1-{[7-(morpholin-4-yl)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[3-(methoxymethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(2-oxopyrrolidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinoline-3-carbonitrile;
- 3-(5-{[(3S)-1-[(3-methoxyquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[3-(morpholin-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(3-methoxyazetidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}isoquinoline-7-carbonitrile;
- 3-(5-{[(3S)-1-{[7-(methylamino)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[3-(methylamino)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[7-(trifluoromethyl)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}-N-methylisoquinoline-7-carboxamide;
- 3-(5-{[(3S)-1-{[2-(methoxymethyl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[3-(oxetan-3-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(oxetan-3-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[7-(oxan-4-yl)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3S)-3-hydroxypyrrolidin-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3S)-3-methoxypyrrolidin-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-{[(1s,4s)-4-methoxycyclohexyl]amino}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(prop-1-yn-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- rel-3-(1-oxo-5-{[(3R)-1-({2-[(3S)-oxolan-3-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3R)-3-hydroxypyrrolidin-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(3S)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(3-hydroxyazetidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3R)-oxan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(2,2-dimethyloxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(oxan-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(4-hydroxypiperidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-{[2-(4-methoxypiperidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(prop-1-yn-1-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3R)-3-methoxypyrrolidin-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(oxan-4-yloxy)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3S)-oxan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3S)-3-methoxypiperidin-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(3,3-dimethyl-2-oxopyrrolidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(4-phenylpyridin-2-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3R)-3-methoxypiperidin-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(6-fluoro-5-{[(3S)-1-[(isoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(6-fluoro-5-{[(3S)-1-[(6-fluoroisoquinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3S)-oxan-3-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3R)-oxan-3-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[6-(methoxymethyl)quinolin-2-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(oxan-4-yl)amino]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-methoxyquinazolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[4-methyl-2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(1-oxo-5-{[(3S)-1-[(5-phenylpyridin-2-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({7-[(3R)-oxolan-3-yl]isoquinolin-3-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({7-[(3S)-oxolan-3-yl]isoquinolin-3-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[7-(methoxymethyl)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[6-(oxan-4-yl)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(4-methyloxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(3,3-dimethylmorpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-ethynylquinazolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(7-methoxycinnolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}pyridine-3-carbonitrile;
- 3-(5-{[(3S)-1-{[2-(3,3-dimethylmorpholin-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3R)-3-hydroxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(2-methoxypropan-2-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[methyl(oxan-4-yl)amino]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-ethynylquinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3R)-3-(5-{[(3S)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-({2-[(1R,3R)-3-hydroxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3R)-3-hydroxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3S)-3-hydroxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,3S)-3-hydroxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(1-hydroxycyclobutyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1s,4s)-4-hydroxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1r,4r)-4-hydroxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- N-(6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinolin-2-yl)-N-methyloxane-4-carboxamide;
- 3-(5-{[(3S)-1-({4-[4-(oxan-4-yl)phenyl]pyridin-2-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(2-oxopiperidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- N-(6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinolin-2-yl)oxane-4-carboxamide;
- 3-(1-oxo-5-{[(3S)-1-[(2-phenylpyridin-4-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(3-oxomorpholin-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-{[(1r,4r)-4-methoxy-1-methylcyclohexyl]amino}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-{[(1s,4s)-4-methoxy-1-methylcyclohexyl]amino}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(1-methoxycyclobutyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,3R)-3-hydroxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-[(5-methoxy-4-methylpyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({6-[(3R)-oxolan-3-yl]isoquinolin-3-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[8-fluoro-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({6-[(3S)-oxolan-3-yl]isoquinolin-3-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(5-phenylpyridin-3-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[7-(2-methoxypropan-2-yl)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1r,4r)-4-methoxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-{[(1r,4r)-4-methoxycyclohexyl]oxy}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1s,4s)-4-methoxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-{[(1s,4s)-4-methoxycyclohexyl]oxy}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({4-methyl-5-[(oxan-4-yl)methoxy]pyridin-2-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({4-[3-(3,6-dihydro-2H-pyran-4-yl)phenyl]pyridin-2-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[5-fluoro-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1s,3s)-3-hydroxycyclobutyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1r,3r)-3-hydroxycyclobutyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[7-(2-hydroxypropan-2-yl)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(4R)-2,2-dimethyloxan-4-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-({2-[(4S)-2,2-dimethyloxan-4-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({4-[3-(morpholin-4-yl)phenyl]pyridin-2-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(4,4-dimethyl-2-oxopyrrolidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({7-[3-(methylamino)oxetan-3-yl]isoquinolin-3-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,5S)-3-oxa-8-azabicyclo[3.2.1]octan-8-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(4S)-3,3-dimethyloxan-4-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(4R)-3,3-dimethyloxan-4-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,5S)-6-oxa-3-azabicyclo[3.1.1]heptan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,5S)-3-oxa-6-azabicyclo[3.1.1]heptan-6-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 4-(6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinolin-2-yl)-1λ⁶-thiomorpholine-1,1-dione;
- 3-(5-{[(3S)-1-({2-[3-(methylamino)oxetan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-({2-[(1R,3R)-3-methoxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,3S)-3-methoxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3S)-3-methoxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3R)-3-methoxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3R)-3-methoxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,3S)-3-methoxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,3R)-3-methoxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3S)-3-methoxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(4-hydroxyoxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(oxan-4-yloxy)methyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{3-oxabicyclo[4.1.0]heptan-6-yl}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(propan-2-yloxy)methyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(1-oxo-5-{[(3S)-1-{[2-(2-oxopyrrolidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-{[(3S)-oxolan-3-yloxy]methyl}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-[(2-{[(3R)-oxolan-3-yloxy]methyl}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(morpholin-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(2-oxo-1,2-dihydropyridin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-{[2-(2,2-dimethylmorpholin-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(2,2-dimethylmorpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,5S)-3-oxa-8-azabicyclo[3.2.1]octan-8-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{8-oxa-1-azaspiro[4.5]decan-1-yl}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(2-hydroxypropan-2-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[7-(oxan-4-yl)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(4,4-difluoropiperidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(3,3-difluoropiperidin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-{[2-(pyridin-2-yloxy)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{2-oxa-6-azaspiro[3.3]heptan-6-yl}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{2-oxa-6-azaspiro[3.3]heptan-6-yl}quinazolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{7-oxa-2-azaspiro[3.5]nonan-2-yl}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{7-oxa-2-azaspiro[3.5]nonan-2-yl}quinazolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-({2-[(1R,5S)-6-oxa-3-azabicyclo[3.1.1]heptan-3-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 4-(6-{[(3S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}pyrrolidin-1-yl]methyl}quinazolin-2-yl)-1λ⁶-thiomorpholine-1,1-dione;
- 3-(5-{[(3S)-1-[(2-{8-oxa-1-azaspiro[4.5]decan-1-yl}quinazolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{7-oxa-1-azaspiro[3.5]nonan-1-yl}quinazolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3aR,6aS)-hexahydro-1H-furo[3,4-c]pyrrol-5-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3aR,6aS)-hexahydro-1H-furo[3,4-c]pyrrol-5-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(1-oxo-5-{[(3S)-1-({2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1s,3s)-3-methoxycyclobutyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1r,3r)-3-methoxycyclobutyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1r,3r)-3-methoxycyclobutyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,5S)-3-oxa-6-azabicyclo[3.1.1]heptan-6-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1s,3s)-3-methoxycyclobutyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(oxetan-3-yloxy)methyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- (3S)-3-(1-oxo-5-{[(3S)-1-({2-[(3R)-oxolan-3-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(1-oxo-5-{[(3S)-1-({2-[(3S)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{6-oxa-1-azaspiro[3.3]heptan-1-yl}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(5R)-7-oxa-1-azaspiro[4.4]nonan-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{6-oxa-1-azaspiro[3.3]heptan-1-yl}quinazolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3aR,6aR)-hexahydro-2H-furo[2,3-c]pyrrol-5-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(1-oxo-5-{[(3S)-1-({2-[(3S)-oxolan-3-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-[(2-{7-oxa-1-azaspiro[3.5]nonan-1-yl}quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(2R,6S)-10-oxa-4-azatricyclo[5.2.1.0^{2,6}]decan-4-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(2R,6S)-10-oxa-4-azatricyclo[5.2.1.0^{2,6}]decan-4-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3aR,6aR)-hexahydro-2H-furo[2,3-c]pyrrol-5-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(5S)-7-oxa-1-azaspiro[4.4]nonan-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-({2-[(5R)-7-oxa-1-azaspiro[4.4]nonan-1-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(5S)-7-oxa-1-azaspiro[4.4]nonan-1-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4R)-4-methyl-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(oxan-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(4S)-6-oxa-1-azaspiro[3.4]octan-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(4R)-6-oxa-1-azaspiro[3.4]octan-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3R,4S)-4-fluoro-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3R)-4,4-difluoro-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(4S)-6-oxa-1-azaspiro[3.4]octan-1-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(4R)-6-oxa-1-azaspiro[3.4]octan-1-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(2R,6S)-2,6-dimethyloxan-4-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3R,4R)-4-methoxy-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[8-fluoro-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[5-fluoro-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(1-oxo-5-{[(3S)-1-({2-[(1s,4s)-4-(methoxymethyl)cyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S)-1-({2-[(1r,4r)-4-(methoxymethyl)cyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3R,4S)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}-4-fluoropyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 6-{[(4R)-4-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}-3,3-difluoropyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 3-(5-{[(3R,4R)-4-fluoro-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(2R)-2-methyloxan-4-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(2S)-2-methyloxan-4-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4R)-1-({2-[(4S)-2,2-dimethyloxan-4-yl]quinolin-6-yl}methyl)-4-methylpyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4R)-1-({2-[(4R)-2,2-dimethyloxan-4-yl]quinolin-6-yl}methyl)-4-methylpyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3R,4R)-4-fluoro-1-({2-[(3S)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-({2-[(3S)-2,6-dioxopiperidin-3-yl]-1-oxo-2,3-dihydro-1H-isoindol-5-yl}oxy)pyrrolidin-1-yl]methyl}-8-fluoroquinoline-2-carbonitrile;
- 6-{[(3R,4R)-3-{[2-(2,6-dioxopiperidin-3-yl)-1-oxo-2,3-dihydro-1H-isoindol-5-yl]oxy}-4-fluoropyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 3-(5-{[(3S)-1-({2-[(2R,6R)-2,6-dimethyloxan-4-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4R)-1-{[8-fluoro-2-(oxan-4-yl)quinolin-6-yl]methyl}-4-methylpyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 6-{[(3S)-3-({2-[(3S)-2,6-dioxopiperidin-3-yl]-1-oxo-2,3-dihydro-1H-isoindol-5-yl}oxy)pyrrolidin-1-yl]methyl}quinoline-2-carbonitrile;
- 3-(5-{[(3R,4S)-4-fluoro-1-({2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3R,4R)-4-fluoro-1-({2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3R)-4,4-difluoro-1-({2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,2R)-2-(methoxymethyl)cyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(6-fluoro-5-{[(3S)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4R)-4-methyl-1-({2-[(3S)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4R)-4-methyl-1-({2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3R,4S)-4-fluoro-1-({2-[(3S)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,2R)-2-methoxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,2S)-2-methoxycyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,2S)-2-(methoxymethyl)cyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3R)-4,4-difluoro-1-({2-[(3S)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}-2-oxopyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3R)-3-(methoxymethyl)cyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3S)-3-(methoxymethyl)cyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4R)-1-({8-fluoro-2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)-4-methylpyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione
- (3S)-3-(5-{[(3S)-1-{[5-fluoro-2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- (3S)-3-(5-{[(3S)-1-{[7-fluoro-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[8-chloro-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,3R)-3-(methoxymethyl)cyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,3S)-3-(methoxymethyl)cyclohexyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4R)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}-4-(trifluoromethyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S,4S)-4-(methoxymethyl)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3S,4R)-1-({2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)-4-(trifluoromethyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[8-fluoro-2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[5-chloro-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[5-chloro-2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-[(3S)-3-methyl-5-{[(3S)-1-{[2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione;
- (3S)-3-[(3R)-3-methyl-5-{[(3S)-1-{[2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,2S)-2-(methoxymethyl)cyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- 3-(5-{[(3S)-1-({2-[(1R,2R)-2-(methoxymethyl)cyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[5-fluoro-2-(oxan-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[4-(dimethylamino)piperidin-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,2S)-2-(methoxymethyl)cyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,2R)-2-(methoxymethyl)cyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3R)-3-(5-{[(3S)-1-{[2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[4-(methylamino)piperidin-1-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[8-chloro-2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-[(3R)-3-methyl-5-{[(3S)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione;
- (3S)-3-[(3S)-3-methyl-5-{[(3S)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl]piperidine-2,6-dione;
- (3R)-3-(5-{[(3S)-1-{[8-fluoro-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(morpholin-4-yl)-8-(trifluoromethyl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(oxan-4-yl)-8-(trifluoromethyl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[8-cyclopropyl-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- (3S)-3-(5-{[(3S)-1-{[8-cyclopropyl-2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[8-(2-hydroxypropan-2-yl)-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(azetidin-1-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(1-oxo-5-{[(3S)-1-{[2-(pyrrolidin-1-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(4-acetylpiperazin-1-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,3R)-3-(methoxymethyl)cyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(4-methylpiperazin-1-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(4-acetylpiperazin-1-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[8-fluoro-2-(oxan-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(1-acetylpiperidin-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3S)-3-(methoxymethyl)cyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[7-fluoro-2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,3R)-3-(methoxymethyl)cyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,3S)-3-(methoxymethyl)cyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- (3S)-3-(5-{[(3S)-1-{[2-(1-acetylpiperidin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[8-fluoro-2-(morpholin-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1S,2R)-2-methoxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(1R,2S)-2-methoxycyclopentyl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3R)-1-methylpyrrolidin-3-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(5-{[(3S)-1-({2-[(3S)-1-methylpyrrolidin-3-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-({8-fluoro-2-[(3S)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-({8-fluoro-2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4R)-1-{[8-fluoro-2-(oxan-4-yl)quinolin-6-yl]methyl}-4-methylpyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3R)-4,4-difluoro-1-{[2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4S)-4-(methoxymethyl)-1-{[2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[2-(oxan-4-yl)-8-(oxetan-3-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4S)-4-(methoxymethyl)-1-{[2-(oxan-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4R)-1-({2-[(4S)-2,2-dimethyloxan-4-yl]quinolin-6-yl}methyl)-4-methylpyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-({2-[(4S)-2,2-dimethyloxan-4-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-({2-[(4R)-2,2-dimethyloxan-4-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- (3S)-3-(5-{[(3S,4R)-1-({2-[(4R)-2,2-dimethyloxan-4-yl]quinolin-6-yl}methyl)-4-methylpyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-{[8-(azetidin-1-yl)-2-(oxan-4-yl)quinolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4S)-4-(methoxymethyl)-1-{[2-(morpholin-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3R)-4,4-difluoro-1-{[2-(oxan-4-yl)quinazolin-6-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4S)-1-({2-[(4S)-2,2-dimethyloxan-4-yl]quinolin-6-yl}methyl)-4-(methoxymethyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4S)-1-({2-[(4R)-2,2-dimethyloxan-4-yl]quinolin-6-yl}methyl)-4-(methoxymethyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3R)-4,4-difluoro-1-{[7-(oxan-4-yl)isoquinolin-3-yl]methyl}pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4S)-1-{[2-(4-acetylpiperazin-1-yl)quinolin-6-yl]methyl}-4-(methoxymethyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3R)-4,4-difluoro-1-({2-[(3S)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4R)-1-({8-fluoro-2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)-4-methylpyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4R)-1-({8-fluoro-2-[(3S)-oxolan-3-yl]quinolin-6-yl}methyl)-4-methylpyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-({2-[(4S)-2,2-dimethyloxan-4-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3R)-4,4-difluoro-1-({2-[(3R)-oxolan-3-yl]quinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4S)-1-({2-[(4S)-2,2-dimethyloxan-4-yl]-8-fluoroquinolin-6-yl}methyl)-4-(methoxymethyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

- (3S)-3-(5-{[(3S)-1-({7-[(4R)-2,2-dimethyloxan-4-yl]isoquinolin-3-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-({7-[(4S)-2,2-dimethyloxan-4-yl]isoquinolin-3-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S,4S)-1-{[2-(1-acetylpiperidin-4-yl)quinazolin-6-yl]methyl}-4-(methoxymethyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-({2-[(4S)-2,2-dimethyloxan-4-yl]-8-fluoroquinolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- (3S)-3-(5-{[(3S)-1-({2-[(4R)-2,2-dimethyloxan-4-yl]quinazolin-6-yl}methyl)pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3R)-1-(pyrazin-2-yl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3R)-1-({1H-pyrrolo[2,3-b]pyridin-3-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3R)-1-[(quinolin-6-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3R)-1-[(quinolin-4-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3R)-1-[(quinolin-3-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3R)-1-[(quinolin-5-yl)methyl]pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;
- 3-(1-oxo-5-{[(3R)-1-({1H-pyrrolo[2,3-c]pyridin-3-yl}methyl)pyrrolidin-3-yl]oxy}-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione; or
- 3-(5-{[(3R)-1-[(2,4-dimethyl-1,3-thiazol-5-yl)methyl]pyrrolidin-3-yl]oxy}-1-oxo-2,3-dihydro-1H-isoindol-2-yl)piperidine-2,6-dione;

or a pharmaceutically acceptable salt, tautomer, isotopologue, or stereoisomer thereof.

29. Use of a compound of any one of claims 1-28 or a pharmaceutically acceptable salt, tautomer, isotopologue, or stereoisomer thereof, in the manufacture of a medicament for reducing WEE1 kinase protein levels.

30. Use of a compound of any one of claims 1-28 or a pharmaceutically acceptable salt, tautomer, isotopologue, or stereoisomer thereof, in the manufacture of a medicament for the prevention or treatment of cancer.

31. The use according to claim 30, wherein the cancer is selected from gastric, lung, pancreatic, ovarian, breast, skin, colon, neuroblastoma, osteosarcoma, uterine, rectal, and kidney; or wherein the cancer is selected from pancreatic ductal adenocarcinoma (PDAC), small cell lung cancer, non-small cell lung cancer (NSCLC), high grade serous ovarian cancer, triple negative breast cancer, uterine serous carcinoma, Ewing's sarcoma, melanoma, colon, and clear cell renal cell carcinoma (ccRCC).