


CLAIMS

What is claimed is:

1. A compound represented by the following structural formula:



or a pharmaceutically acceptable salt thereof, wherein:

X is N or CR^c;

R¹ is alkyl or -NR^aR^b;

R² is H; halogen; -CN; -NRC(O)R; -C(O)OR; -C(O)NR^aR^b; monocyclic

heteroaromatic optionally substituted with one or more groups selected from alkyl, -CN, -NRC(O)R, -C(O)OR, -C(O)NR^aR^b and halogen; monocyclic non-aromatic heterocycle optionally substituted with one or more groups selected from alkyl, halogen, -CN and =O; or alkyl optionally substituted by one or more groups selected from halogen, hydroxy, alkoxy, -NR^aR^b, -NRC(O)R, -NRC(O)O(alkyl), -NRC(O)N(R)₂, -C(O)OR, thiol, alkylthiol, nitro, -CN, =O, -OC(O)H, -OC(O)(alkyl), -OC(O)O(alkyl), -OC(O)N(R)₂ and -C(O)NR^aR^b;

R³ is alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cycloalkyl, monocyclic non-aromatic heterocycle, monocyclic heteroaromatic or phenyl, wherein the phenyl, monocyclic non-aromatic heterocycle and monocyclic heteroaromatic group represented by R³ are optionally substituted with one or more groups selected from alkyl, halogen, haloalkyl, alkoxy, haloalkoxy, nitro and -CN;

R⁴ and R⁵ independently are halogen, -CN, -OR, -SR, -N(R)₂, -C(O)R, -C(O)OR, -OC(O)O(alkyl), -C(O)O(haloalkyl), -OC(O)R, -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂, -NRSO₂N(R)₂, haloalkyl, haloalkoxy, cycloalkoxy, cycloalkyl, monocyclic non-aromatic heterocycle, monocyclic heteroaromatic or alkyl, wherein the alkyl, monocyclic non-aromatic heterocycle and monocyclic heteroaromatic group represented by R⁴ or R⁵ are optionally substituted with one or more groups selected from -CN, -OR, -SR, -N(R)₂, =O, -C(O)R, -C(O)OR,

-C(O)O(haloalkyl), -OC(O)R, -OC(O)O(alkyl), -C(O)N(R)₂, -OC(O)N(R)₂,
-NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R,
-NRSO₂R, -NRC(O)N(R)₂ and -NRSO₂N(R)₂;

R⁶ is H, halogen, -CN, -OR, -SR, -N(R)₂, -C(O)R, -C(O)OR, -OC(O)O(alkyl),
-C(O)O(haloalkyl), -OC(O)R, -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R,
-NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R,
-NRC(O)N(R)₂, -NRSO₂N(R)₂, haloalkyl, haloalkoxy, cycloalkoxy, cycloalkyl
or alkyl, wherein the alkyl group represented by R⁶ is optionally substituted with
one or more groups selected from -CN, -OR, -SR, -N(R)₂, =O, -C(O)R,
-C(O)OR, -C(O)O(haloalkyl), -OC(O)R, -OC(O)O(alkyl), -C(O)N(R)₂,
-OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂,
-NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂ and -NRSO₂N(R)₂; or

R⁵ and R⁶, taken together with the carbon atoms to which they are bonded, form a
monocyclic non-aromatic heterocycle optionally substituted with one or more
groups selected from alkyl, halogen, hydroxyalkyl, alkoxyalkyl, haloalkyl and
=O; and

each R independently is H or alkyl;

R^a and R^b are independently H, alkyl or R^a and R^b can be taken together with the
nitrogen to which they are attached to form a monocyclic non-aromatic
heterocycle; and

R^c is H, alkyl, or halogen.

2. The compound of claim 1, wherein:


R³ is alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cycloalkyl, or phenyl, wherein the
phenyl group represented by R³ is optionally substituted with one or more
groups selected from alkyl, halogen, haloalkyl, alkoxy, haloalkoxy, nitro and -
CN;

R⁴ and R⁵ independently are halogen, -CN, -OR, -SR, -N(R)₂, -C(O)R, -C(O)OR,
-OC(O)O(alkyl), -C(O)O(haloalkyl), -OC(O)R, -C(O)N(R)₂, -OC(O)N(R)₂,
-NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R,
-NRSO₂R, -NRC(O)N(R)₂, -NRSO₂N(R)₂, haloalkyl, haloalkoxy, cycloalkoxy,
cycloalkyl or alkyl, wherein the alkyl represented by R⁴ or R⁵ is optionally
substituted with one or more groups selected from -CN, -OR, -SR, -N(R)₂, =O,
-C(O)R, -C(O)OR, -C(O)O(haloalkyl), -OC(O)R, -OC(O)O(alkyl),

-C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂ and -NRSO₂N(R)₂;


R⁶ is H, halogen, -CN, -OR, -SR, -N(R)₂, -C(O)R, -C(O)OR, -OC(O)O(alkyl), -C(O)O(haloalkyl), -OC(O)R, -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂, -NRSO₂N(R)₂, haloalkyl, haloalkoxy, cycloalkoxy, cycloalkyl or alkyl, wherein the alkyl group represented by R⁶ is optionally substituted with one or more groups selected from -CN, -OR, -SR, -N(R)₂, =O, -C(O)R, -C(O)OR, -C(O)O(haloalkyl), -OC(O)R, -OC(O)O(alkyl), -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂ and -NRSO₂N(R)₂.

3. The compound of claim 1 or 2, wherein the compound is represented by the following structural formula:




or a pharmaceutically acceptable salt thereof.

4. The compound of claim 3, wherein the compound is represented by the following structural formula:




or a pharmaceutically acceptable salt thereof.

5. The compound of claim 4, wherein the compound is represented by the following structural formula:




or a pharmaceutically acceptable salt thereof.

6. The compound of claim 5, wherein the compound is represented by the following structural formula:




or a pharmaceutically acceptable salt thereof.

7. The compound of claim 4, wherein the compound is represented by the following structural formula:



or a pharmaceutically acceptable salt thereof.

8. The compound of claim 7, wherein the compound is represented by the following structural formula:



or a pharmaceutically acceptable salt thereof.

9. The compound of any one of the preceding claims, wherein:

R^1 is methyl or $-NH_2$;

R^2 is H or methyl, wherein the methyl group represented by R^2 is optionally substituted with one or more groups selected from halogen, hydroxy, alkoxy, $-NR^aR^b$, $-NRC(O)R$, $-NRC(O)O(alkyl)$, $-NRC(O)N(R)_2$, $-C(O)OR$, thiol, alkylthiol, nitro, $-CN$, $=O$, $-OC(O)H$, $-OC(O)(alkyl)$, $-OC(O)O(alkyl)$, $-C(O)NR^aR^b$ and $-OC(O)N(R)_2$;

R^3 is methyl, ethyl, propyl, isopropyl, *tert*-butyl, *sec*-butyl, *iso*-butyl, $-CH_2CF_3$, $-CH(CH_2F)_2$, $-CH(CHF_2)_2$, $-CH(CF_3)_2$, $-CF(CH_3)_2$, $-CF_3$, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, $-C(OH)(CH_3)_2$, $-CH(OH)(CH_3)$, or phenyl, wherein the phenyl group represented by R^3 is optionally substituted with one or more groups selected from alkyl, halogen, haloalkyl, alkoxy, haloalkoxy, nitro and $-CN$; and

R^c , where present, is H.

10. The compound of any one of the preceding claims, wherein R^2 is H or $-CH_2OH$.

11. The compound of any one of the preceding claims, wherein:

R^1 is methyl;

R^2 is $-CH_2OH$; and

R^3 is isopropyl.


12. The compound of any one of the preceding claims, wherein R^4 and R^5 independently are halogen, hydroxy, alkyl, cycloalkyl, cycloalkoxy, alkoxy, haloalkoxy, haloalkyl, $-N(R)_2$, $-C(O)OH$, $-C(O)O(alkyl)$, $-C(O)O(haloalkyl)$, $-C(O)(alkyl)$, $-C(O)N(R)_2$, $-NRC(O)R$, $-SO_2N(R)_2$, $-OC(O)N(R)_2$, $-CN$, hydroxyalkyl or dihydroxyalkyl.

13. The compound of any one of the preceding claims, wherein R^4 and R^5 independently are methyl, ethyl, hydroxy, CF_3 , isopropyl, cyclopropyl, $-CH_2OH$, $-CH(OH)(CH_2)(OH)$, $-C(OH)(CH_3)_2$, $-CH(OH)(CH_3)$, $-CH(OH)(CH_2)(CH_3)$, $-CH(OH)(CH_2)_2(CH_3)$, $-C(O)NH_2$, $-C(O)N(CH_3)_2$, $-C(O)OH$, $-C(O)NH(CH_3)$, $-C(O)CH_3$, $-C(O)CH_2CH_3$, $-C(O)O(CH_2)(CH_3)$, $-C(O)O(tert-butyl)$, $-C(O)O(C)(CH_3)_2(CF_3)$, $-NHC(O)CH_3$, $-OCHF_2$, $-OCF_3$, $-OCH_2CH_3$, $-OCH(CH_3)_2$ or $-OCH_3$.

14. The compound of any one of the preceding claims, wherein R^4 is alkyl, haloalkyl, cycloalkyl, alkoxy, or haloalkoxy.

15. The compound of any one of the preceding claims, wherein R^4 is methyl, halogenated methyl, cyclopropyl, $-OCHF_2$ or $-OCH_3$.
16. The compound of any one of the preceding claims, wherein R^4 is CF_3 .
17. The compound of any one of the preceding claims, where $R^5 -C(OH)(CH_3)_2$.
18. A compound represented by a structural formula depicted in Table 1 or a pharmaceutically acceptable salt thereof.
19. A pharmaceutical composition comprising a pharmaceutical carrier or diluent and the compound of any one of claims 1-18.
20. A method of treating a subject with a disease or disorder that is treatable by upregulating LXR activity comprising administering an effective amount of the compound of any one of claims 1-18 to the subject.
21. The method of claim 20, wherein the disease or disorder is a lipid disorder; cancer; acneiform skin condition; skin inflammatory disease; immunological disorder; condition characterized by a perturbed epidermal barrier function; condition of disturbed differentiation or excess proliferation of the epidermis or mucous membrane; cardiovascular disease; optic nerve and retinal pathology; degenerative neuropathy occurring in a disease; autoimmune disease; traumatic damage to the central or peripheral nervous system; neurodegenerative disease; a degenerative process due to aging, or diseases or disorders of the kidney.
22. The method of claims 21, wherein the disease or disorder is hyperlipidemia, hypercholesterolemia, hyperlipoproteinemia, hypertriglyceridemia, lipodystrophy, hepatic steatosis, nonalcoholic steatohepatitis (NASH), nonalcoholic fatty liver disease (NAFLD), hyperglycemia, insulin resistance, diabetes mellitus, dyslipidemia, atherosclerosis, gallstone disease, acne vulgaris, dermatitis, psoriasis, contact dermatitis, atopic dermatitis, eczema, skin wounds, skin aging, photoaging, wrinkling, diabetes, Niemann-Pick disease type C, Parkinson's disease, Alzheimer's disease, inflammation, xanthoma, obesity, metabolic syndrome, syndrome X, stroke, peripheral occlusive disease, memory loss, diabetic neuropathies, proteinuria, glomerulopathies, diabetic nephropathy, hypertensive nephropathy, IGA nephropathy, focal segmental glomerulosclerosis, hyperphosphatemia, cardiovascular complications of hyperphosphatemia, cancer or multiple sclerosis.
23. The method of claim 22, wherein the disease or disorder is atherosclerosis, Alzheimer's disease or dermatitis.

24. A compound represented by the following structural formula:



or a salt thereof, wherein:

X is N or CR^c;

R¹⁰ is alkyl or -NR^aR^b;

R²⁰ is H; halogen; -CN; -NRC(O)R; -C(O)OR; -C(O)NR^aR^b; monocyclic

heteroaromatic optionally substituted with one or more groups selected from alkyl, -CN, -NRC(O)R, -C(O)OR, -C(O)NR^aR^b and halogen; monocyclic non-aromatic heterocycle optionally substituted with one or more groups selected from alkyl, halogen, -CN and =O; or alkyl optionally substituted by one or more groups selected from halogen, hydroxy, alkoxy, -NR^aR^b, -NRC(O)R, -NRC(O)O(alkyl), -NRC(O)N(R)₂, -C(O)OR, thiol, alkylthiol, nitro, -CN, =O, -OC(O)H, -OC(O)(alkyl), -OC(O)O(alkyl), -OC(O)N(R)₂, -C(O)NR^aR^b, and -O(protecting group);


R³⁰ is alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cycloalkyl or phenyl, wherein the phenyl group represented by R³⁰ is optionally substituted with one or more groups selected from alkyl, haloalkyl, alkoxy, haloalkoxy, nitro and -CN;

each R independently is H or alkyl;

R^a and R^b are independently H, alkyl or R^a and R^b can be taken together with the nitrogen to which they are attached to form a monocyclic non-aromatic heterocycle; and


R^c is H, alkyl, or halogen.

25. The compound of claim 24, wherein the compound is represented by the following structural formula:




or a salt thereof.

26. The compound of claim 25, wherein the compound is represented by the following structural formula:



or a salt thereof.

27. The compound of claim 25, wherein the compound is represented by the following structural formula:




or a salt thereof.

28. The compound of any one of claims 24-27, wherein R^{10} is $-CH_3$.
29. The compound of any one of claims 24-28, wherein R^{20} is $-CH_2OH$, $-CH_2O(\text{protecting group})$, $-COOH$, or $-C(O)O(\text{alkyl})$.

30. The compound of any one of claims 24-29, wherein R^{30} is isopropyl.
31. The compound of any one of claims 24-30, wherein R^{20} is $-\text{CH}_2\text{O}(\text{TBDPS})$ or $-\text{C}(\text{O})\text{OCH}_3$.

Claims

1. A compound represented by the following structural formula:



or a pharmaceutically acceptable salt thereof, wherein:

X is N or CR^c;

R¹ is alkyl or -NR^aR^b;

R² is H; halogen; -CN; -NRC(O)R; -C(O)OR; -C(O)NR^aR^b; monocyclic heteroaromatic optionally substituted with one or more groups selected from alkyl, -CN, -NRC(O)R, -C(O)OR, -C(O)NR^aR^b and halogen; monocyclic non-aromatic heterocycle optionally substituted with one or more groups selected from alkyl, halogen, -CN and =O; or alkyl optionally substituted by one or more groups selected from halogen, hydroxy, alkoxy, -NR^aR^b, -NRC(O)R, -NRC(O)O(alkyl), -NRC(O)N(R)₂, -C(O)OR, thiol, alkylthiol, nitro, -CN, =O, -OC(O)H, -OC(O)(alkyl), -OC(O)O(alkyl), -OC(O)N(R)₂ and -C(O)NR^aR^b;

R³ is alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cycloalkyl, monocyclic non-aromatic heterocycle, monocyclic heteroaromatic or phenyl, wherein the phenyl, monocyclic non-aromatic heterocycle and monocyclic heteroaromatic group represented by R³ are optionally substituted with one or more groups selected from alkyl, halogen, haloalkyl, alkoxy, haloalkoxy, nitro and -CN;

R⁴ and R⁵ independently are halogen, -CN, -OR, -SR, -N(R)₂, -C(O)R, -C(O)OR, -OC(O)O(alkyl), -C(O)O(haloalkyl), -OC(O)R, -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂, -NRSO₂N(R)₂, haloalkyl, haloalkoxy, cycloalkoxy, cycloalkyl, monocyclic non-aromatic heterocycle, monocyclic heteroaromatic or alkyl, wherein the alkyl, monocyclic non-aromatic heterocycle and monocyclic heteroaromatic group represented by R⁴ or R⁵ are optionally substituted with one or more groups

selected from -CN, -OR, -SR, -N(R)₂,

=O, -C(O)R, -C(O)OR, -C(O)O(haloalkyl), -OC(O)R, -OC(O)O(alkyl), -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂ and -NRSO₂N(R)₂;

R⁶ is H, halogen, -CN, -OR, -SR, -N(R)₂, -C(O)R, -C(O)OR, -OC(O)O(alkyl), -C(O)O(haloalkyl), -OC(O)R, -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂, -NRSO₂N(R)₂, haloalkyl, haloalkoxy, cycloalkoxy, cycloalkyl or alkyl, wherein the alkyl group represented by R⁶ is optionally substituted with one or more groups selected from -CN, -OR, -SR, -N(R)₂, =O, -C(O)R, -C(O)OR, -C(O)O(haloalkyl), -OC(O)R, -OC(O)O(alkyl), -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂ and -NRSO₂N(R)₂; or

R⁵ and R⁶, taken together with the carbon atoms to which they are bonded, form a monocyclic non-aromatic heterocycle optionally substituted with one or more groups selected from alkyl, halogen, hydroxyalkyl, alkoxyalkyl, haloalkyl and =O; and

each R independently is H or alkyl;

R^a and R^b are independently H, alkyl or R^a and R^b can be taken together with the nitrogen to which they are attached to form a monocyclic non-aromatic heterocycle; and R^c is H, alkyl, or halogen.

2. The compound of claim 1, wherein:

R³ is alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cycloalkyl, or phenyl, wherein the phenyl group represented by R³ is optionally substituted with one or more groups selected from alkyl, halogen, haloalkyl, alkoxy, haloalkoxy, nitro and -CN;


R⁴ and R⁵ independently are halogen, -CN, -OR, -SR, -N(R)₂, -C(O)R, -C(O)OR, -OC(O)O(alkyl), -C(O)O(haloalkyl), -OC(O)R, -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂, -NRSO₂N(R)₂, haloalkyl, haloalkoxy, cycloalkoxy, cycloalkyl or alkyl, wherein the alkyl represented by R⁴ or R⁵ is optionally substituted with one or more groups selected from -CN, -OR, -SR, -N(R)₂,

=O, -C(O)R, -C(O)OR, -C(O)O(haloalkyl), -OC(O)R, -OC(O)O(alkyl), -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂ and -NRSO₂N(R)₂;

R⁶ is H, halogen, -CN, -OR, -SR, -N(R)₂, -C(O)R, -C(O)OR, -OC(O)O(alkyl), -C(O)O(haloalkyl), -OC(O)R, -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂, -NRSO₂N(R)₂, haloalkyl, haloalkoxy, cycloalkoxy, cycloalkyl or alkyl, wherein the alkyl group represented by R⁶ is optionally substituted with one or more groups selected from -CN, -OR, -SR, -N(R)₂,


=O, -C(O)R, -C(O)OR, -C(O)O(haloalkyl), -OC(O)R, -OC(O)O(alkyl), -C(O)N(R)₂, -OC(O)N(R)₂, -NRC(O)R, -NRC(O)O(alkyl), -S(O)R, -SO₂R, -SO₂N(R)₂, -NRS(O)R, -NRSO₂R, -NRC(O)N(R)₂ and -NRSO₂N(R)₂.

3. The compound of claim 1 or 2, wherein the compound is represented by the following structural formula:



or a pharmaceutically acceptable salt thereof.

4. The compound of claim 1 or 2, wherein the compound is represented by the following structural formula:



or a pharmaceutically acceptable salt thereof.

5. The compound of any one of the preceding claims, wherein:

R^1 is methyl or $-NH_2$;

R^2 is H or methyl, wherein the methyl group represented by R^2 is optionally substituted with one or more groups selected from halogen, hydroxy, alkoxy, $-NR^aR^b$, $-NRC(O)R$, $-NRC(O)O(alkyl)$, $-NRC(O)N(R)_2$, $-C(O)OR$, thiol, alkylthiol, nitro, $-CN$, $=O$, $-OC(O)H$, $-OC(O)(alkyl)$, $-OC(O)O(alkyl)$, $-C(O)NR^aR^b$ and $-OC(O)N(R)_2$;

R^3 is methyl, ethyl, propyl, isopropyl, *tert*-butyl, *sec*-butyl, *iso*-butyl, $-CH_2CF_3$, $-CH(CH_2F)_2$, $-CH(CHF_2)_2$, $-CH(CF_3)_2$, $-CF(CH_3)_2$, $-CF_3$, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, $-C(OH)(CH_3)_2$, $-CH(OH)(CH_3)$, or phenyl, wherein the phenyl group represented by R^3 is optionally substituted with one or more groups selected from alkyl, halogen, haloalkyl, alkoxy, haloalkoxy, nitro and $-CN$; and

R^c , where present, is H.

6. The compound of any one of the preceding claims, wherein:

R^1 is methyl;

R^2 is $-CH_2OH$;


R^3 is isopropyl; and


R^4 and R^5 independently are halogen, hydroxy, alkyl, cycloalkyl, cycloalkoxy, alkoxy, haloalkoxy, haloalkyl, $-N(R)_2$, $-C(O)OH$, $-C(O)O(alkyl)$, $-C(O)O(haloalkyl)$, $-C(O)(alkyl)$, $-C(O)N(R)_2$, $-NRC(O)R$, $-SO_2N(R)_2$, $-OC(O)N(R)_2$, $-CN$, hydroxyalkyl or dihydroxyalkyl.


7. The compound of any one of the preceding claims, wherein R^4 and R^5 independently are methyl, ethyl, hydroxy, CF_3 , isopropyl,


cyclopropyl, $-CH_2OH$, $-CH(OH)(CH_2)(OH)$, $-C(OH)(CH_3)_2$, $-CH(OH)(CH_3)$, $-CH(OH)(CH_2)(CH_3)$, $-CH(OH)(CH_2)_2(CH_3)$, $-C(O)NH_2$, $-C(O)N(CH_3)_2$, $-C(O)OH$, $-C(O)NH(CH_3)$, $-C(O)CH_3$, $-C(O)CH_2CH_3$, $-C(O)O(CH_2)(CH_3)$, $-C(O)O(tert-butyl)$, $-C(O)O(C)(CH_3)_2(CF_3)$, $-NHC(O)CH_3$, $-OCHF_2$, $-OCF_3$, $-OCH_2CH_3$, $-OCH(CH_3)_2$ or $-OCH_3$.

8. The compound of any one of the preceding claims, wherein R^4 is alkyl, haloalkyl, cycloalkyl, alkoxy, or haloalkoxy.
9. The compound of any one of the preceding claims, wherein R^4 is methyl, halogenated methyl, cyclopropyl, $-OCHF_2$ or $-OCH_3$.
10. The compound of any one of the preceding claims, wherein R^4 is CF_3 .
11. The compound of any one of the preceding claims, where R^5 is $-C(OH)(CH_3)_2$.
12. The compound of claim 1, wherein the compound is represented by a structural formula selected from











13. The compound of claim 1, wherein the compound is represented by the following structural formula:



14. A pharmaceutical composition comprising a pharmaceutical carrier or diluent and the compound of any one of claims 1-13.

15. A compound represented by the following structural formula:



or a salt thereof, wherein:

X is N or CR^c;

R¹⁰ is alkyl or -NR^aR^b;

R²⁰ is H; halogen; -CN; -NRC(O)R; -C(O)OR; -C(O)NR^aR^b; monocyclic heteroaromatic optionally substituted with one or more groups selected from alkyl, -CN, -NRC(O)R, -C(O)OR, -C(O)NR^aR^b and halogen; monocyclic non-aromatic

heterocycle optionally substituted with one or more groups selected from alkyl, halogen, -CN and =O; or alkyl optionally substituted by one or more groups selected from halogen, hydroxy, alkoxy, -NR^aR^b, -NRC(O)R, -NRC(O)O(alkyl), -NRC(O)N(R)₂, -C(O)OR, thiol, alkylthiol, nitro, -CN, =O, -OC(O)H, -OC(O)(alkyl), -OC(O)O(alkyl), -OC(O)N(R)₂, -C(O)NR^aR^b, and -O(protecting group);

R³⁰ is alkyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, cycloalkyl or phenyl, wherein the phenyl group represented by R³⁰ is optionally substituted with one or more groups selected from alkyl, haloalkyl, alkoxy, haloalkoxy, nitro and -CN;

each R independently is H or alkyl;

R^a and R^b are independently H, alkyl or R^a and R^b can be taken together with the nitrogen to which they are attached to form a monocyclic non-aromatic heterocycle; and R^c is H, alkyl, or halogen.