

INHIBITOR COMPOUNDS

INTRODUCTION

[0001] The present invention relates to certain compounds that function as inhibitors of BCL6 (B-cell lymphoma 6) activity. The present invention also relates to processes for the preparation of these compounds, to pharmaceutical compositions comprising them, and to their use in the treatment of proliferative disorders, such as cancer, as well as other diseases or conditions in which BCL6 activity is implicated.

BACKGROUND OF THE INVENTION

[0002] BCL6 is a zinc finger transcription repressor that plays a key role in the formation and development of germinal centres, in which B cells undergo somatic hypermutation and recombination of the immunoglobulin genes, in order to generate diversity in antibodies against a variety of foreign antigens (Dent et al., *Science*, 1997, 276, 589-592). BCL6 allows the proliferation of antibody producing B cells by repressing genes involved in DNA damage response, cell cycle arrest and apoptosis. BCL6 mediates this repression by recruiting the corepressor proteins SMRT, NCoR and BCoR to an extended groove motif that forms along the dimer interface of the BCL6 BTB (BR-C, Ttk and Bab) domain (Ahmad et al., *Mol Cell*, 2003, 12, 1551-1564; Ghetu et al., *Mol Cell*, 2008, 29, 384-391). Genetic upregulation of the BCL6 gene, as seen in many lymphomas, leads to malignant B cell proliferation (Hatzi & Melnick, *Trends Mol Med*, 2014, 20, 343-352). Therefore, there exists a need to develop agents that inhibit the tumourigenic effects of BCL6, either by selectively binding to the BTB domain and preventing corepressor recruitment, or by binding to the BTB domain and inducing protein degradation (Kerres et al. *Cell Rep.*, 2017, 20, 2860-2875; Bellenie et al., *J. Med. Chem.*, 2020, 63, 4047-4068).

SUMMARY OF THE INVENTION

[0002a] In a first aspect, the present disclosure refers to a compound, or a pharmaceutically acceptable salt or solvate thereof, selected from:

(S)-10-((5-chloro-2-(3,3-difluoroazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(S)-10-((5-chloro-2-(4-cyclopropyl-3-oxopiperazin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(S)-10-((5-chloro-2-((S)-3,4-dimethyl-5-oxopiperazin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(S)-10-((5-chloro-2-((2-hydroxy-2-methylpropyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(S)-10-((2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
N-((3S,5R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-5-methylpiperidin-3-yl)acetamide;

- N-((3R,5S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-5-methylpiperidin-3-yl)acetamide;
- (S)-10-(((5-chloro-2-((3S,5R)-3-(dimethylamino)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-(((5-chloro-2-((S)-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-(((5-chloro-2-((R)-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-(((5-chloro-2-((S)-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-(((5-chloro-2-((R)-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-(((5-chloro-2-(3-fluoro-3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-(((5-chloro-2-(3-hydroxy-3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-(((5-fluoro-2-((3R,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-10-(((2-(4,4-difluoropiperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-(((2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-(methyl-d3)-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c][1,8]naphthyridin-6(7H)-one;
- (S)-10-(((5-chloro-2-(3-methyl-1,2,4-oxadiazol-5-yl)pyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-(((3-chloro-2-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-10-(((2,3-dichloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one ;
- (S)-10-(((2-chloro-3-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-(((3-chloro-2-methylpyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-(((5-fluoro-2-((1R,5S,7R)-7-hydroxy-3-oxa-9-azabicyclo[3.3.1]nonan-9-yl)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-
- 35 [1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-(((5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-(((2-(3-acetyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (2S)-10-(((2-(8-acetyl-3,8-diazabicyclo[3.2.1]octan-3-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-(((5-chloro-2-(dimethylamino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-(((5-chloro-2-((3S,5R)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 45 (S)-10-(((5-chloro-2-((3S,5R)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-10-((5-chloro-2-((3R,5S)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-10-((5-chloro-2-((S)-3-((dimethylamino)methyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 5 (3R,5S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-5-methylpiperidine-3-carboxamide;
 (3S,5R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-5-methylpiperidine-3-carboxamide;
 10 (S)-10-((5-chloro-2-((3R,5S)-3-(hydroxymethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-10-((5-chloro-2-((3S,5R)-3-(hydroxymethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 15 (S)-10-((5-chloro-2-((R)-4,4-difluoro-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-10-((5-chloro-2-((S)-4,4-difluoro-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-10-((5-chloro-2-((R)-3-(fluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 20 (S)-10-((5-chloro-2-((S)-3-(fluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 2-((R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidin-3-yl)acetamide;
 25 2-((S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidin-3-yl)acetamide;
 (S)-10-((5-chloro-2-((S)-3-(dimethylamino)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-10-((5-chloro-2-((R)-3-(dimethylamino)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 30 (R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-4,4-difluoropiperidine-3-carboxamide;
 (S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-4,4-difluoropiperidine-3-carboxamide;
 35 N-(((R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)methyl)-N-ethylacetamide;
 40 N-(((S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)methyl)-N-ethylacetamide;
 (S)-10-((5-chloro-2-((1R,4R)-5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 45 (S)-10-((5-chloro-2-((1S,4S)-5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- N-((R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)-N-methylacetamide;
- 5 N-((S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)-N-methylacetamide;
- (S)-10-((5-chloro-2-(4-fluoro-4-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((R)-3-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((1S,5R)-3-ethyl-2-oxo-3,8-diazabicyclo[3.2.1]octan-8-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((1R,5S)-3-ethyl-2-oxo-3,8-diazabicyclo[3.2.1]octan-8-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((3S,5R)-3,5-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-(6-acetyl-2,6-diazaspiro[3.3]heptan-2-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((2-hydroxy-2-methylpropyl)(methyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((3-hydroxy-3-methylbutyl)(methyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(6-(cyclopropylmethyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (2S)-10-((5-chloro-2-(6-((2,2-difluorocyclopropyl)methyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(8-(cyclopropylmethyl)-3,8-diazabicyclo[3.2.1]octan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (2S)-10-((5-chloro-2-(8-((2,2-difluorocyclopropyl)methyl)-3,8-diazabicyclo[3.2.1]octan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5R)-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((3S,4R)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,4S)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 45 (S)-10-((5-chloro-2-((3S,4S)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-10-((5-chloro-2-((3R,4R)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-methoxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-((S)-3-methoxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-fluoro-2-((3S,4R)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-fluoro-2-((3R,4S)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (2S)-10-[[5-chloro-2-(4-methyl-1,4-diazepan-1-yl)pyrimidin-4-yl]amino]-2-cyclopropyl-3,3-difluoro-7-methyl-2,4-dihydro-1H-[1,4]oxazepino[2,3-c]quinolin-6-one;
- (S)-10-((5-chloro-2-((R)-3-ethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((S)-3-ethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((R)-4-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3,5-dihydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((1R,5R)-1-(hydroxymethyl)-5-methyl-3-azabicyclo[3.1.0]hexan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((1S,5S)-1-(hydroxymethyl)-5-methyl-3-azabicyclo[3.1.0]hexan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-((3R,5R)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,5S)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((R)-7-hydroxy-5-azaspiro[2.5]octan-5-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-7-hydroxy-5-azaspiro[2.5]octan-5-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-(methyl(propyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,4S)-3-(hydroxymethyl)-4-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-10-((5-chloro-2-((3S,4R)-3-(hydroxymethyl)-4-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((2-hydroxyethyl)(propyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one (;
- 5 (S)-10-((5-chloro-2-(5-azaspiro[2.5]octan-5-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(((R)-3-methoxy-2-methylpropyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(((S)-3-methoxy-2-methylpropyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-(3,3-dimethylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)azetidine-3-carbonitrile;
- (S)-10-((5-chloro-2-(3-fluoroazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-(difluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((S)-3-(difluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-3-methylazetidine-3-carbonitrile;
- 25 (S)-2-(1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)azetidin-3-yl)acetonitrile;
- (S)-10-((5-chloro-2-(3-(difluoromethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-(azetidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-(3-methoxyazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3-methoxy-3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((R)-3-ethylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-ethylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-fluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((S)-3-fluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-hydroxy-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-10-((5-chloro-2-((S)-3-hydroxy-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((3S,5R)-3-amino-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((2-((3R,5S)-3-amino-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((R)-3,3-difluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3,3-difluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-2-methylthiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((S)-2-methylthiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-4,6-dimethyl-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,6-dimethyl-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((S)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((R)-6-oxohexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-6-oxohexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-8-hydroxy-6-azaspiro[3.5]nonan-6-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-((S)-8-hydroxy-6-azaspiro[3.5]nonan-6-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 ((S)-10-((5-chloro-2-(4,4-difluoropiperidin-1-yl)pyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((R)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-10-((5-chloro-2-((S)-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-((3R,5S)-3-fluoro-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-methoxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (2S)-10-((5-chloro-2-(2,6-dimethylthiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3,4-dimethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,3-dimethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (2S)-10-((5-chloro-2-(2,6-dimethyl-1-oxidothiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((2R,5S)-2-(hydroxymethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,6-dimethyl-1,1-dioxidothiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (2S)-10-((5-chloro-2-(2,5-dimethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (2S)-10-((5-chloro-2-(6-hydroxy-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(6-hydroxy-4-(methyl-*d*₃)-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-(3-(2-(azetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (2S)-10-((2-((3S,5R)-3-(2-(azetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-((3R,5S)-3-(2-(azetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (2S)-10-((5-chloro-2-(3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (2S)-10-((5-chloro-2-((3R,5S)-3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-((3S,5R)-3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 45 (2S)-10-((5-chloro-2-((3S,5R)-3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (2S)-10-((2-(3-(azetidine-1-carbonyl)-4,4-difluoropiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-(3,3-difluoroazetidine-1-carbonyl)-4,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (2S)-10-((5-chloro-2-(3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-4,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-(3-(2-(azetidin-1-yl)-2-oxoethyl)-4,4-difluoropiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (2S)-10-((5-chloro-2-(3-ethynylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidine-3-carbonitrile;
- (S)-10-((5-chloro-2-((4,4-difluorocyclohexyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-(2-azabicyclo[4.1.0]heptan-2-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (2S)-10-((5-chloro-2-(3-(difluoromethyl)piperazin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-(2-(dimethylamino)ethoxy)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (2S)-10-((2-(3-(azetidine-1-carbonyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-(3,3-difluoroazetidine-1-carbonyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-(3-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-2-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((R)-2-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3-(fluoromethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (2S)-10-((5-chloro-2-(2-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidine-4-carbonitrile;
- 45 1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-5-fluoro-N,N-dimethylpiperidine-3-carboxamide;

- (2S)-10-((5-chloro-2-(3-fluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(4-fluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-((S)-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(methoxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-2-(methoxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((R)-2-(methoxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(hydroxymethyl)-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((S)-4,4-difluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(4-fluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((2S,4S)-4-fluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((2S,4R)-4-fluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(hydroxymethyl)-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (2S)-10-((5-chloro-2-(4,4-difluoro-2-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3,5-dimethylpiperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-morpholinopyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((S)-2-methylmorpholino)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-fluoropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-2-cyclopropyl-10-((2-(dimethylamino)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-10-((2-(dimethylamino)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-10-((2-(4,4-difluoropiperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((3R,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,5R)-3-fluoro-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (2S)-10-((5-chloro-2-(6-hydroxy-4-methyl-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-methyl-5-oxopiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-((3R,5S)-3-(3-(dimethylamino)propoxy)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(fluoromethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (2S)-10-((5-chloro-2-(4,4-difluoro-3-methoxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(4,4-difluoro-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-methylpiperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((R)-2-methylmorpholino)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-5-fluoropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-(hydroxymethyl)piperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3,5-dimethylpiperidin-1-yl)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-methylpiperidin-1-yl)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(3,4-difluoropiperidin-1-yl)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-chloro-2-morpholinopyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-2-cyclopropyl-3,3-difluoro-10-((5-chloro-2-((R)-2-methylmorpholino)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-chloro-2-((S)-2-methylmorpholino)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (2S)-10-((2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-5-chloropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((1R,5S)-3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-chloropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-chloropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-(hydroxymethyl)piperidin-1-yl)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3,5-dimethylpiperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-methylpiperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(2S)-2-cyclopropyl-10-((2-(3,4-difluoropiperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

5 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-morpholinopyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((R)-2-methylmorpholino)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

10 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((S)-2-methylmorpholino)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(2S)-10-((2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-5-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(S)-10-((2-((1R,5S)-3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

15 (S)-10-((2-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

(S)-2-cyclopropyl-10-((2-(dimethylamino)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one; and

20 (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-(hydroxymethyl)piperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one.

[0002b] In another aspect, the present disclosure refers to a pharmaceutical composition comprising a compound as disclosed herein, or a pharmaceutically acceptable salt or solvate thereof, and a pharmaceutically acceptable carrier or excipient.

25 [0002c] In yet another aspect, the present disclosure refers to a compound as disclosed herein, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition as disclosed herein, for use in therapy.

30 [0002d] In a further aspect, the present disclosure refers to a compound as disclosed herein, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition as disclosed herein, for use in the treatment of cancer, HIV, sepsis, graft-versus-host disease, non-alcoholic fatty liver disease, non-alcoholic steatohepatitis or auto-immune diseases.

[0002e] In another aspect, the present disclosure refers to a compound as disclosed herein, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition as disclosed herein, for use in the treatment of cancer in combination with an additional therapeutic agent.

35 [0002f] In yet another aspect, the present disclosure refers to a use of a compound as disclosed herein, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition as disclosed herein, in the manufacture of a medicament for the treatment of cancer.

[0002g] In a further aspect, the present disclosure refers to a use of a compound as disclosed herein, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical

composition as disclosed herein, in the manufacture of a medicament for the treatment of cancer, HIV, sepsis, graft-versus-host disease, non-alcoholic fatty liver disease, non-alcoholic steatohepatitis or auto-immune diseases.

[0002h] In another aspect, the present disclosure refers to a use of a compound as disclosed herein, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition as disclosed herein, in the manufacture of a medicament for the treatment of cancer, wherein the medicament is to be administered in combination with an additional therapeutic agent.

[0003] According to a first aspect-example of the present invention-disclosure, there is provided a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, as defined herein.

[0004] According to a further aspect-example of the present invention-disclosure, there is provided a pharmaceutical composition comprising a compound as defined herein, or a pharmaceutically acceptable salt, hydrate or solvate thereof, in admixture with a pharmaceutically acceptable diluent or carrier.

[0005] According to a further aspect-example of the present invention-disclosure, there is provided a method of inhibiting BCL6 activity, *in vitro* or *in vivo*, said method comprising contacting a cell with an effective amount of a compound or a pharmaceutically acceptable salt, hydrate or solvate thereof as defined herein.

[0006] According to a further aspect-example of the present invention-disclosure, there is provided a method of inhibiting cell proliferation, *in vitro* or *in vivo*, said method comprising contacting a cell with an

effective amount of a compound or a pharmaceutically acceptable salt, hydrate or solvate thereof as defined herein, or a pharmaceutical composition as defined herein.

[0007] According to a further aspectexample of the present inventiondisclosure, there is provided a method of treating a disease or disorder in which BCL6 activity is implicated in a patient in need of such treatment, said method comprising administering to said patient a therapeutically effective amount of a compound or a pharmaceutically acceptable salt, hydrate or solvate thereof as defined herein, or a pharmaceutical composition as defined herein.

[0008] According to a further aspectexample of the present inventiondisclosure, there is provided a method of treating a proliferative disorder in a patient in need of such treatment, said method comprising administering to said patient a therapeutically effective amount of a compound or a pharmaceutically acceptable salt, hydrate or solvate thereof as defined herein, or a pharmaceutical composition as defined herein.

[0009] According to a further aspectexample of the present inventiondisclosure, there is provided a method of treating cancer in a patient in need of such treatment, said method comprising administering to said patient a therapeutically effective amount of a compound or a pharmaceutically acceptable salt, hydrate or solvate thereof as defined herein, or a pharmaceutical composition as defined herein.

[0010] According to a further aspectexample of the present inventiondisclosure, there is provided a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, or a pharmaceutical composition as defined herein for use in therapy.

[0011] According to a further aspectexample of the present inventiondisclosure, there is provided a compound or a pharmaceutically acceptable salt, hydrate or solvate thereof as defined herein, or a pharmaceutical composition as defined herein, for use in the treatment of a proliferative condition.

[0012] According to a further aspectexample of the present inventiondisclosure, there is provided a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, or a pharmaceutical composition as defined herein for use in the treatment of cancer, HIV, sepsis, graft-versus-host disease, non-alcoholic fatty liver disease, non-alcoholic steatohepatitis or auto-immune diseases. In a particular embodiment example, the cancer is human cancer.

[0013] According to a further aspectexample of the present inventiondisclosure, there is provided a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, as defined herein for use in the inhibition of BCL6 activity.

[0014] According to a further aspectexample of the present inventiondisclosure, there is provided a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, as defined herein for use in the treatment of a disease or disorder in which BCL6 activity is implicated (such as cancer, HIV, sepsis, graft-versus-host disease, non-alcoholic fatty liver disease, non-alcoholic steatohepatitis

or auto-immune diseases).

[0015] According to a further [aspectexample](#) of the present [inventiondisclosure](#), there is provided the use of a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, as defined herein in the manufacture of a medicament for the treatment of a proliferative condition.

5 [0016] Suitably, the proliferative disorder is cancer, suitably a human cancer (for example haematological cancers such as lymphomas (including diffuse large B-cell lymphoma (DLBCL), follicular lymphoma (FL), Burkitt lymphoma (BL) and angioimmunoblastic T-cell lymphoma (AITL)), leukaemias (including acute lymphoblastic leukaemia (ALL), acute myeloid leukaemia (AML) and chronic myeloid leukaemia (CML)) and multiple myeloma, and solid tumours (including
10 glioma, breast cancer, non-small cell lung cancer (NSCLC) and squamous cell carcinomas (SCC) (including SCC of the head and neck, oesophagus, lung and ovary)).

[0017] According to a further [aspectexample](#) of the present [inventiondisclosure](#), there is provided the use of a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, as defined herein in the manufacture of a medicament for the treatment of cancer.

15 [0018] According to a further [aspectexample](#) of the present [inventiondisclosure](#), there is provided a use of a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, as defined herein in the manufacture of a medicament for the inhibition of BCL6 activity.

[0019] According to a further [aspectexample](#) of the present [inventiondisclosure](#), there is provided a use of a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, as defined
20 herein in the manufacture of a medicament for the treatment of a disease or disorder in which BCL6 activity is implicated.

[0020] According to a further [aspectexample](#) of the present [inventiondisclosure](#), there is provided a process for preparing a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, as defined herein.

25 [0021] According to a further [aspectexample](#) of the present [inventiondisclosure](#), there is provided a compound, or a pharmaceutically acceptable salt, hydrate or solvate thereof, obtainable by, or obtained by, or directly obtained by a process of preparing a compound as defined herein.

[0022] According to a further [aspectexample](#) of the present [inventiondisclosure](#), there are provided novel intermediates as defined herein which are suitable for use in any one of the
30 synthetic methods set out herein.

DETAILED DESCRIPTION OF THE INVENTION

Definitions

[0023] Unless otherwise stated, the following terms used in the specification and claims have the following meanings set out below.

35 [0024] It is to be appreciated that references to “treating” or “treatment” include prophylaxis as

CLAIMS

1. A compound, or a pharmaceutically acceptable salt or solvate thereof, selected from:
 - (S)-10-((5-chloro-2-(3,3-difluoroazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((5-chloro-2-(4-cyclopropyl-3-oxopiperazin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((5-chloro-2-((S)-3,4-dimethyl-5-oxopiperazin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((5-chloro-2-((2-hydroxy-2-methylpropyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - N-((3S,5R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-5-methylpiperidin-3-yl)acetamide;
 - N-((3R,5S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-5-methylpiperidin-3-yl)acetamide;
 - (S)-10-((5-chloro-2-((3S,5R)-3-(dimethylamino)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((5-chloro-2-((S)-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((5-chloro-2-((R)-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((5-chloro-2-((S)-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((5-chloro-2-((R)-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((5-chloro-2-(3-fluoro-3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((5-chloro-2-(3-hydroxy-3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((3R,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-2-cyclopropyl-10-((2-(4,4-difluoropiperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-(methyl-d3)-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c][1,8]naphthyridin-6(7H)-one;
 - (S)-10-((5-chloro-2-(3-methyl-1,2,4-oxadiazol-5-yl)pyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-10-((3-chloro-2-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 - (S)-2-cyclopropyl-10-((2,3-dichloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one ;

- (S)-10-((2-chloro-3-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((3-chloro-2-methylpyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((1R,5S,7R)-7-hydroxy-3-oxa-9-azabicyclo[3.3.1]nonan-9-yl)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (2S)-10-((2-(3-acetyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-(8-acetyl-3,8-diazabicyclo[3.2.1]octan-3-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(dimethylamino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((3S,5R)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((S)-3-((dimethylamino)methyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (3R,5S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-5-methylpiperidine-3-carboxamide;
- 25 (3S,5R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-5-methylpiperidine-3-carboxamide;
- (S)-10-((5-chloro-2-((3R,5S)-3-(hydroxymethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-((3S,5R)-3-(hydroxymethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-4,4-difluoro-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,4-difluoro-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((R)-3-(fluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-(fluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 2-((R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidin-3-yl)acetamide;
- 2-((S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidin-3-yl)acetamide;
- (S)-10-((5-chloro-2-((S)-3-(dimethylamino)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 45

- (S)-10-((5-chloro-2-((R)-3-(dimethylamino)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-4,4-difluoropiperidine-3-carboxamide;
- (S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-4,4-difluoropiperidine-3-carboxamide;
- N-(((R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)methyl)-N-ethylacetamide;
- N-(((S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)methyl)-N-ethylacetamide;
- (S)-10-((5-chloro-2-((1R,4R)-5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((1S,4S)-5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- N-((R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)-N-methylacetamide;
- N-((S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)-N-methylacetamide;
- (S)-10-((5-chloro-2-(4-fluoro-4-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((1S,5R)-3-ethyl-2-oxo-3,8-diazabicyclo[3.2.1]octan-8-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((1R,5S)-3-ethyl-2-oxo-3,8-diazabicyclo[3.2.1]octan-8-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,5R)-3,5-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-(6-acetyl-2,6-diazaspiro[3.3]heptan-2-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((2-hydroxy-2-methylpropyl)(methyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3-hydroxy-3-methylbutyl)(methyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(6-(cyclopropylmethyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (2S)-10-((5-chloro-2-(6-((2,2-difluorocyclopropyl)methyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (2S)-10-((5-chloro-2-(8-(cyclopropylmethyl)-3,8-diazabicyclo[3.2.1]octan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(8-((2,2-difluorocyclopropyl)methyl)-3,8-diazabicyclo[3.2.1]octan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((3R,5R)-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,4R)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((3R,4S)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,4S)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,4R)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((R)-3-methoxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-methoxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-fluoro-2-((3S,4R)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-fluoro-2-((3R,4S)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-[[5-chloro-2-(4-methyl-1,4-diazepan-1-yl)pyrimidin-4-yl]amino]-2-cyclopropyl-3,3-difluoro-7-methyl-2,4-dihydro-1H-[1,4]oxazepino[2,3-c]quinolin-6-one;
- 30 (S)-10-((5-chloro-2-((R)-3-ethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-ethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((R)-3-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-4-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((S)-4-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3,5-dihydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-10-((5-chloro-2-((1R,5R)-1-(hydroxymethyl)-5-methyl-3-azabicyclo[3.1.0]hexan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-((1S,5S)-1-(hydroxymethyl)-5-methyl-3-azabicyclo[3.1.0]hexan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5R)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((3S,5S)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-7-hydroxy-5-azaspiro[2.5]octan-5-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-7-hydroxy-5-azaspiro[2.5]octan-5-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-(methyl(propyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,4S)-3-(hydroxymethyl)-4-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,4R)-3-(hydroxymethyl)-4-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((2-hydroxyethyl)(propyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one ;
- (S)-10-((5-chloro-2-(5-azaspiro[2.5]octan-5-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-(((R)-3-methoxy-2-methylpropyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(((S)-3-methoxy-2-methylpropyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3,3-dimethylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-(3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)azetidine-3-carbonitrile;
- 35 (S)-10-((5-chloro-2-(3-fluoroazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-(difluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-(difluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-3-methylazetidine-3-carbonitrile;
- (S)-2-(1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)azetidin-3-yl)acetonitrile;

- (S)-10-((5-chloro-2-(3-(difluoromethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-(azetidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-(3-methoxyazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3-methoxy-3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((R)-3-ethylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-ethylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-fluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((S)-3-fluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-hydroxy-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((S)-3-hydroxy-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((3S,5R)-3-amino-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((3R,5S)-3-amino-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (2S)-10-((2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3,3-difluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3,3-difluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-((R)-2-methylthiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-2-methylthiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((R)-4,6-dimethyl-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,6-dimethyl-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((R)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-6-oxohexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-10-((5-chloro-2-((S)-6-oxohexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-8-hydroxy-6-azaspiro[3.5]nonan-6-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-((S)-8-hydroxy-6-azaspiro[3.5]nonan-6-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 ((S)-10-((5-chloro-2-(4,4-difluoropiperidin-1-yl)pyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((R)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((R)-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-fluoro-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((3R,5S)-3-methoxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,6-dimethylthiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3,4-dimethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (2S)-10-((5-chloro-2-(2,3-dimethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,6-dimethyl-1-oxidothiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((2R,5S)-2-(hydroxymethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,6-dimethyl-1,1-dioxidothiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,5-dimethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((3S,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(6-hydroxy-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (2S)-10-((5-chloro-2-(6-hydroxy-4-(methyl-*d*₃)-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-(3-(2-(azetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 5 (2S)-10-((2-((3S,5R)-3-(2-(azetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-((3R,5S)-3-(2-(azetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 10 (2S)-10-((5-chloro-2-(3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-((3R,5S)-3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 15 (2S)-10-((5-chloro-2-((3S,5R)-3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-((3S,5R)-3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 20 (2S)-10-((2-(3-(azetidine-1-carbonyl)-4,4-difluoropiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-(3,3-difluoroazetidine-1-carbonyl)-4,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 25 (2S)-10-((5-chloro-2-(3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-4,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-(3-(2-(azetidin-1-yl)-2-oxoethyl)-4,4-difluoropiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 30 (2S)-10-((5-chloro-2-(3-ethynylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-*c*]quinolin-10-yl)amino)pyrimidin-2-yl)piperidine-3-carbonitrile;
- 35 (S)-10-((5-chloro-2-((4,4-difluorocyclohexyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-(2-azabicyclo[4.1.0]heptan-2-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 40 (2S)-10-((5-chloro-2-(3-(difluoromethyl)piperazin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-(2-(dimethylamino)ethoxy)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 45 (2S)-10-((2-(3-(azetidine-1-carbonyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;

- (2S)-10-((5-chloro-2-(3-(3,3-difluoroazetidine-1-carbonyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-(3-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-2-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((R)-2-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3-(fluoromethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidine-4-carbonitrile;
- 1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-5-fluoro-N,N-dimethylpiperidine-3-carboxamide;
- 20 (2S)-10-((5-chloro-2-(3-fluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(4-fluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((S)-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(methoxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-2-(methoxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-((R)-2-(methoxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(hydroxymethyl)-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((S)-4,4-difluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(4-fluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((2S,4S)-4-fluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((2S,4R)-4-fluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(hydroxymethyl)-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (2S)-10-((5-chloro-2-(4,4-difluoro-2-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3,5-dimethylpiperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-morpholinopyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((S)-2-methylmorpholino)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-fluoropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-2-cyclopropyl-10-((2-(dimethylamino)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-10-((2-(dimethylamino)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-2-cyclopropyl-10-((2-(4,4-difluoropiperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((3R,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,5R)-3-fluoro-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (2S)-10-((5-chloro-2-(6-hydroxy-4-methyl-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-methyl-5-oxopiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((3R,5S)-3-(3-(dimethylamino)propoxy)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(fluoromethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (2S)-10-((5-chloro-2-(4,4-difluoro-3-methoxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(4,4-difluoro-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-methylpiperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((R)-2-methylmorpholino)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-5-fluoropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-(hydroxymethyl)piperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3,5-dimethylpiperidin-1-yl)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-methylpiperidin-1-yl)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(3,4-difluoropiperidin-1-yl)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-2-cyclopropyl-3,3-difluoro-10-((5-chloro-2-morpholinopyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-chloro-2-((R)-2-methylmorpholino)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-chloro-2-((S)-2-methylmorpholino)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (2S)-10-((2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-5-chloropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((1R,5S)-3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-chloropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((2-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-chloropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-(hydroxymethyl)piperidin-1-yl)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3,5-dimethylpiperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-methylpiperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-2-cyclopropyl-10-((2-(3,4-difluoropiperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-morpholinopyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((R)-2-methylmorpholino)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((S)-2-methylmorpholino)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (2S)-10-((2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-5-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((1R,5S)-3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((2-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-10-((2-(dimethylamino)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one; and
- (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3-(hydroxymethyl)piperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one.
- 40

2. A compound, or a pharmaceutically acceptable salt or solvate thereof, according to claim 1 selected from:

- (S)-10-((5-chloro-2-(3,3-difluoroazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(4-cyclopropyl-3-oxopiperazin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-((S)-3,4-dimethyl-5-oxopiperazin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((2-hydroxy-2-methylpropyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 N-((3S,5R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-5-methylpiperidin-3-yl)acetamide;
- N-((3R,5S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-5-methylpiperidin-3-yl)acetamide;
- 15 (S)-10-((5-chloro-2-((3S,5R)-3-(dimethylamino)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((S)-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3-fluoro-3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-(3-hydroxy-3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((3R,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-2-cyclopropyl-10-((2-(4,4-difluoropiperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-(methyl-d3)-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c][1,8]naphthyridin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-(3-methyl-1,2,4-oxadiazol-5-yl)pyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((3-chloro-2-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-2-cyclopropyl-10-((2,3-dichloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one ;
- 40 (S)-10-((2-chloro-3-fluoropyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((3-chloro-2-methylpyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((1R,5S,7R)-7-hydroxy-3-oxa-9-azabicyclo[3.3.1]nonan-9-yl)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-(3-acetyl-3,8-diazabicyclo[3.2.1]octan-8-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((2-(8-acetyl-3,8-diazabicyclo[3.2.1]octan-3-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-(dimethylamino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,5R)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((S)-3-((dimethylamino)methyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (3R,5S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-5-methylpiperidine-3-carboxamide;
- 20 (3S,5R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-5-methylpiperidine-3-carboxamide;
- (S)-10-((5-chloro-2-((3R,5S)-3-(hydroxymethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((3S,5R)-3-(hydroxymethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-4,4-difluoro-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-((S)-4,4-difluoro-3-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-(fluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-(fluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 2-((R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidin-3-yl)acetamide;
- 2-((S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidin-3-yl)acetamide;
- 40 (S)-10-((5-chloro-2-((S)-3-(dimethylamino)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-(dimethylamino)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-4,4-difluoropiperidine-3-carboxamide;
- 5 (S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-N-ethyl-4,4-difluoropiperidine-3-carboxamide;
- N-(((R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)methyl)-N-ethylacetamide;
- 10 N-(((S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)methyl)-N-ethylacetamide;
- (S)-10-((5-chloro-2-((1R,4R)-5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((1S,4S)-5,5-difluoro-2-azabicyclo[2.2.1]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- N-((R)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)-N-methylacetamide;
- 20 N-((S)-1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-4,4-difluoropiperidin-3-yl)-N-methylacetamide;
- (S)-10-((5-chloro-2-(4-fluoro-4-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((R)-3-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((1S,5R)-3-ethyl-2-oxo-3,8-diazabicyclo[3.2.1]octan-8-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-((1R,5S)-3-ethyl-2-oxo-3,8-diazabicyclo[3.2.1]octan-8-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((3S,5R)-3,5-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-(6-acetyl-2,6-diazaspiro[3.3]heptan-2-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((2-hydroxy-2-methylpropyl)(methyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((3-hydroxy-3-methylbutyl)(methyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(6-(cyclopropylmethyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (2S)-10-((5-chloro-2-(6-((2,2-difluorocyclopropyl)methyl)-2,6-diazaspiro[3.3]heptan-2-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (2S)-10-((5-chloro-2-(8-(cyclopropylmethyl)-3,8-diazabicyclo[3.2.1]octan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(8-((2,2-difluorocyclopropyl)methyl)-3,8-diazabicyclo[3.2.1]octan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((3R,5R)-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,4R)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((3R,4S)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,4S)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,4R)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((R)-3-methoxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-methoxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-fluoro-2-((3S,4R)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-fluoro-2-((3R,4S)-3,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-[[5-chloro-2-(4-methyl-1,4-diazepan-1-yl)pyrimidin-4-yl]amino]-2-cyclopropyl-3,3-difluoro-7-methyl-2,4-dihydro-1H-[1,4]oxazepino[2,3-c]quinolin-6-one;
- 30 (S)-10-((5-chloro-2-((R)-3-ethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-ethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((R)-3-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-4-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((S)-4-methylazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3,5-dihydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-10-((5-chloro-2-((1R,5R)-1-(hydroxymethyl)-5-methyl-3-azabicyclo[3.1.0]hexan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-((1S,5S)-1-(hydroxymethyl)-5-methyl-3-azabicyclo[3.1.0]hexan-3-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5R)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((3S,5S)-3-fluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-7-hydroxy-5-azaspiro[2.5]octan-5-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-7-hydroxy-5-azaspiro[2.5]octan-5-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-(methyl(propyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,4S)-3-(hydroxymethyl)-4-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3S,4R)-3-(hydroxymethyl)-4-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((2-hydroxyethyl)(propyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one ;
- (S)-10-((5-chloro-2-(5-azaspiro[2.5]octan-5-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-(((R)-3-methoxy-2-methylpropyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(((S)-3-methoxy-2-methylpropyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3,3-dimethylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-(3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)azetidine-3-carbonitrile;
- 35 (S)-10-((5-chloro-2-(3-fluoroazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-(difluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-(difluoromethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-3-methylazetidine-3-carbonitrile;
- (S)-2-(1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)azetidin-3-yl)acetonitrile;

- (S)-10-((5-chloro-2-(3-(difluoromethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-(azetidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-(3-methoxyazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3-methoxy-3-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((R)-3-ethylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-ethylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-fluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((S)-3-fluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3-hydroxy-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((S)-3-hydroxy-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((3S,5R)-3-amino-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((2-((3R,5S)-3-amino-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (2S)-10-((2-(6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-3,3-difluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3,3-difluoro-5-hydroxypiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-((R)-2-methylthiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-2-methylthiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((R)-4,6-dimethyl-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,6-dimethyl-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((R)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-6-oxohexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (S)-10-((5-chloro-2-((S)-6-oxohexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-8-hydroxy-6-azaspiro[3.5]nonan-6-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-((S)-8-hydroxy-6-azaspiro[3.5]nonan-6-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 ((S)-10-((5-chloro-2-(4,4-difluoropiperidin-1-yl)pyridin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((R)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-10-((5-chloro-2-((R)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-4,4-difluoro-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 20 (S)-10-((5-chloro-2-((R)-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-fluoro-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((3R,5S)-3-methoxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,6-dimethylthiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3,4-dimethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (2S)-10-((5-chloro-2-(2,3-dimethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,6-dimethyl-1-oxidothiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((2R,5S)-2-(hydroxymethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,6-dimethyl-1,1-dioxidothiomorpholino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2,5-dimethylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((3S,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(6-hydroxy-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (2S)-10-((5-chloro-2-(6-hydroxy-4-(methyl-*d*₃)-1,4-diazepan-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-(3-(2-(azetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-((3S,5R)-3-(2-(azetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-((3R,5S)-3-(2-(azetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-((3R,5S)-3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-((3S,5R)-3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-(3-(azetidine-1-carbonyl)-4,4-difluoropiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-(3,3-difluoroazetidine-1-carbonyl)-4,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-(2-(3,3-difluoroazetidin-1-yl)-2-oxoethyl)-4,4-difluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-(3-(2-(azetidin-1-yl)-2-oxoethyl)-4,4-difluoropiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-ethynylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- 1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-*c*]quinolin-10-yl)amino)pyrimidin-2-yl)piperidine-3-carbonitrile;
- (S)-10-((5-chloro-2-((4,4-difluorocyclohexyl)amino)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-(2-azabicyclo[4.1.0]heptan-2-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(3-(difluoromethyl)piperazin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((3R,5S)-3-(2-(dimethylamino)ethoxy)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;
- (2S)-10-((2-(3-(azetidine-1-carbonyl)-5-methylpiperidin-1-yl)-5-chloropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-*c*]quinolin-6(7H)-one;

- (2S)-10-((5-chloro-2-(3-(3,3-difluoroazetidine-1-carbonyl)-5-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 5 (S)-10-((5-chloro-2-(3-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-2-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 10 (S)-10-((5-chloro-2-((R)-2-(hydroxymethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(3-(fluoromethyl)azetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-methylazetidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 15 (S)-1-(5-chloro-4-((2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)piperidine-4-carbonitrile;
- 1-(5-chloro-4-(((S)-2-cyclopropyl-3,3-difluoro-7-methyl-6-oxo-1,2,3,4,6,7-hexahydro-[1,4]oxazepino[2,3-c]quinolin-10-yl)amino)pyrimidin-2-yl)-5-fluoro-N,N-dimethylpiperidine-3-carboxamide;
- 20 (2S)-10-((5-chloro-2-(3-fluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-(4-fluoropiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 25 (S)-10-((5-chloro-2-((S)-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(methoxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((S)-2-(methoxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 30 (S)-10-((5-chloro-2-((R)-2-(methoxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(hydroxymethyl)-3-methylpiperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 35 (S)-10-((5-chloro-2-((S)-4,4-difluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(4-fluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (S)-10-((5-chloro-2-((2S,4S)-4-fluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- 40 (S)-10-((5-chloro-2-((2S,4R)-4-fluoro-2-(hydroxymethyl)pyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
- (2S)-10-((5-chloro-2-(2-(hydroxymethyl)-3-methylpyrrolidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;

- (2S)-10-((5-chloro-2-(4,4-difluoro-2-(hydroxymethyl)piperidin-1-yl)pyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (2S)-2-cyclopropyl-10-((2-(4,4-difluoro-3,5-dimethylpiperidin-1-yl)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 5 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-morpholinopyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((S)-2-methylmorpholino)pyrimidin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-10-((2-((1R,5S)-8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-5-fluoropyrimidin-4-yl)amino)-2-cyclopropyl-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 10 (S)-2-cyclopropyl-10-((2-(dimethylamino)-5-fluoropyrimidin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-2-cyclopropyl-10-((2-(dimethylamino)-5-chloropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 15 (S)-2-cyclopropyl-3,3-difluoro-10-((5-chloro-2-morpholinopyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-2-cyclopropyl-3,3-difluoro-10-((5-chloro-2-((S)-2-methylmorpholino)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one;
 (S)-2-cyclopropyl-10-((2-(4,4-difluoropiperidin-1-yl)-5-fluoropyridin-4-yl)amino)-3,3-difluoro-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one; and
 20 (S)-2-cyclopropyl-3,3-difluoro-10-((5-fluoro-2-((3R,5S)-3-hydroxy-5-methylpiperidin-1-yl)pyridin-4-yl)amino)-7-methyl-1,2,3,4-tetrahydro-[1,4]oxazepino[2,3-c]quinolin-6(7H)-one.
3. A pharmaceutical composition comprising a compound according to claim 1 or claim 2, or a pharmaceutically acceptable salt or solvate thereof, and a pharmaceutically acceptable carrier
 25 or excipient.
4. A compound according to claim 1 or claim 2, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition according to claim 3, for use in therapy.
5. A compound according to claim 1 or claim 2, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition according to claim 3, for use in the treatment of
 30 cancer, HIV, sepsis, graft-versus-host disease, non-alcoholic fatty liver disease, non-alcoholic steatohepatitis or auto-immune diseases.
6. A compound according to claim 1 or claim 2, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition according to claim 3, for use in the treatment of cancer in combination with an additional therapeutic agent.
- 35 7. A compound or a pharmaceutical composition for the use according to claim 6, wherein the additional therapeutic agent is selected from a BCL-2 family inhibitor, a BTK inhibitor, a TNF inhibitor, an EZH2 inhibitor, a HDAC inhibitor, an ATR kinase inhibitor, an ATM kinase inhibitor, an EGFR tyrosine kinase inhibitor and a corticosteroid.

8. A compound or a pharmaceutical composition for the use according to claims 5 to 7, wherein said cancer is diffuse large B-cell lymphoma (DLBCL), follicular lymphoma (FL), Burkitt lymphoma (BL), angioimmunoblastic T-cell lymphoma (AITL), acute lymphoblastic leukaemia (ALL), acute myeloid leukaemia (AML), chronic myeloid leukaemia (CML), multiple myeloma, breast cancer, non-small cell lung cancer (NSCLC) or squamous cell carcinomas (SCC) of the head and neck, oesophagus, lung or ovary.

9. ~~A method for the treatment of cancer in a subject in need of such treatment, said method comprising administering a therapeutically effective amount~~ Use of a compound according to claim 1 or claim 2, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition according to claim 3, ~~in the manufacture of a medicament for the treatment of cancer.~~

10. Use of a compound according to claim 1 or claim 2, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition according to claim 3, in the manufacture of a medicament for the treatment of cancer, HIV, sepsis, graft-versus-host disease, non-alcoholic fatty liver disease, non-alcoholic steatohepatitis or auto-immune diseases.

11. Use of a compound according to claim 1 or claim 2, or a pharmaceutically acceptable salt or solvate thereof, or a pharmaceutical composition according to claim 3, in the manufacture of a medicament for the treatment of cancer, wherein the medicament is to be administered in combination with an additional therapeutic agent.

12. The use according to claim 11, wherein the additional therapeutic agent is selected from a BCL-2 family inhibitor, a BTK inhibitor, a TNF inhibitor, an EZH2 inhibitor, a HDAC inhibitor, an ATR kinase inhibitor, an ATM kinase inhibitor, an EGFR tyrosine kinase inhibitor and a corticosteroid.

~~13~~10. ~~The use A method~~ according to claims ~~9-12~~, wherein said cancer is diffuse large B-cell lymphoma (DLBCL), follicular lymphoma (FL), Burkitt lymphoma (BL), angioimmunoblastic T-cell lymphoma (AITL), acute lymphoblastic leukaemia (ALL), acute myeloid leukaemia (AML), chronic myeloid leukaemia (CML), multiple myeloma, breast cancer, non-small cell lung cancer (NSCLC) or squamous cell carcinomas (SCC) of the head and neck, oesophagus, lung or ovary.