

NOVEL COELENTERAZINE SUBSTRATES AND METHODS OF USE

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application claims priority to United States Provisional Application No. 61/409,422, filed November 2, 2010, which is incorporated herein by reference in its entirety.

BACKGROUND

[0002] The luciferase secreted from the deep-sea shrimp *Oplophorus gracilirostris* has been shown to possess many interesting characteristics, such as high activity, high quantum yield, and broad substrate specificity (including, e.g., coelenterazine as well as various coelenterazine analogs). The bioluminescent reaction of *Oplophorus* takes place when the oxidation of coelenterazine (substrate) with molecular oxygen is catalyzed by *Oplophorus* luciferase, resulting in light of maximum intensity at 462 nm and the products CO₂ and coelenteramide (Shimomura *et al.*, *Biochemistry*, **17**:994 (1978)). Optimum luminescence occurs at pH 9 in the presence of 0.05-0.1 M NaCl at 40°C, and, due to the unusual resistance of this enzyme to heat, visible luminescence occurs at temperatures above 50°C when the highly purified enzyme is used or at over 70°C when partially purified enzyme is used. At pH 8.7, the native luciferase was reported by Shimomura *et al.* (1978) to have a molecular weight of approximately 130 kDa, apparently comprising four monomers of 31 kDa each; at lower pH, the native luciferase tends to polymerize.

[0003] Later work has shown that the *Oplophorus gracilirostris* luciferase is a complex of native 35 kDa and 19 kDa proteins, i.e., a heterotetramer consisting of two 19 kDa components and two 35 kDa components. Inouye *et al.* (2000) reported the molecular cloning of the cDNAs encoding the 35 kDa and 19 kDa proteins of *Oplophorus* luciferase, and the identification of the protein component that catalyzes the luminescence reaction. The cDNAs encoding the proteins were expressed in bacterial and mammalian cells, and the 19 kDa protein was identified as the component capable of catalyzing the luminescent oxidation of coelenterazine (Inouye *et al.*, 2000).


[0004] The 19 kDa protein of *Oplophorus* luciferase (GenBank accession BAB13776, 196 amino acids) appears to be the smallest catalytic component having luciferase function, and its primary structure has no significant similarity with any reported luciferase including imidazopyrazinone luciferases (Lorenz *et al.*, *PNAS USA*, **88**:4438 (1991); Thompson *et al.*, *PNAS USA*, **86**:6567 (1989)). Expression of the 19 kDa protein in *E. coli* resulted in the

formation of inclusion bodies (Inouye and Sasaki, *Protein Expression and Purification*, **56**:261-268 (2007)). The formation of inclusion bodies is likely due to the instability of the protein.


[0005] The substrate specificity of *Oplophorus* luciferase is unexpectedly broad (Inouye and Shimomura, *BBRC*, **223**:349 (1997)). For instance, bisdeoxycoelenterazine (i.e., coelenterazine-hh), an analog of coelenterazine, is an excellent substrate for *Oplophorus* luciferase comparable to coelenterazine (Nakamura *et al.*, *Tetrahedron Lett.*, **38**:6405 (1997)). Moreover, *Oplophorus* luciferase is a secreted enzyme, like the luciferase of the marine ostracod *Cypridina* (*Vargula*) *hilgendorffii* (Johnson and Shimomura, *Meth. Enzyme*, **57**:331 (1978)), which also uses an imidazopyrazinone-type luciferin to emit light.

SUMMARY


[0006] In an aspect, the disclosure relates to a compound of formula (Ia) or (Ib):



or




wherein R^2 is selected from the group consisting of



R^6 is selected from the group consisting of -H, -OH, -NH₂, -OC(O)R or -OCH₂OC(O)R;

R^8 is selected from the group consisting of



wherein R^3 and R^4 are both H or both C₁₋₂ alkyl;

W is -NH₂, halo, -OH, -NHC(O)R, -CO₂R;

X is -S-, -O- or -NR²²-;

Y is -H, -OH, or -OR¹¹;

Z is -CH- or -N-;






each R^{11} is independently -C(O)R'' or -CH₂OC(O)R'';

R^{22} is H, CH₃ or CH₂CH₃;


each R is independently C₁₋₇ straight-chain alkyl or C₁₋₇ branched alkyl;

R'' is C₁₋₇ straight-chain alkyl or C₁₋₇ branched alkyl;


the dashed bonds indicate the presence of an optional ring, which may be saturated or unsaturated;



[0007] In another aspect, the disclosure relates to a compound selected from



[0008] In an aspect, the disclosure relates to a compound of formula



[0009] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 60% amino acid sequence identity to SEQ ID NO: 1 comprising at least one amino acid substitution at a position corresponding to an amino acid in SEQ ID NO: 1 wherein the OgLuc variant polypeptide has enhanced luminescence.

[0010] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 60% amino acid sequence identity to SEQ ID NO: 1

comprising at least one amino acid substitution at a position corresponding to an amino acid in SEQ ID NO: 1 wherein the OgLuc variant polypeptide has enhanced luminescence relative to an OgLuc polypeptide of SEQ ID NO: 3 with the proviso that the polypeptide encoded by the polynucleotide is not one of those listed in Table 47.

[0011] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 60% amino acid sequence identity to SEQ ID NO: 1 comprising at least one amino acid substitution at a position corresponding to an amino acid in SEQ ID NO: 1 wherein the OgLuc variant polypeptide has enhanced luminescence relative to a polypeptide of SEQ ID NO: 31 with the proviso that the polypeptide encoded by the polynucleotide is not SEQ ID NO: 3 or 15.

[0012] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 60% amino acid sequence identity to SEQ ID NO: 1 comprising at least one amino acid substitution at a position corresponding to an amino acid in SEQ ID NO: 1 wherein the OgLuc variant polypeptide has enhanced luminescence relative to a polypeptide of SEQ ID NO: 29 with the proviso that the polypeptide encoded by the polynucleotide is not SEQ ID NO: 3 or 15.

[0013] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 80% amino acid sequence identity to an OgLuc polypeptide of SEQ ID NO: 1 comprising amino acid substitutions A4E, Q11R, A33K, V44I, P115E, Q124K, Y138I, N166R, I90V, F54I, Q18L, F68Y, L72Q, and M75K corresponding to SEQ ID NO: 1 and the OgLuc variant polypeptide having luciferase activity.

[0014] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 80% amino acid sequence identity to an OgLuc polypeptide of SEQ ID NO: 1, wherein the amino acid at position 4 is glutamate, at position 11 is arginine, at position 18 is leucine, at position 33 is lysine, at position 44 is isoleucine, at position 54 is isoleucine, at position 68 is tyrosine, at position 72 is glutamine, at position 75 is lysine, at position 90 is valine, at position 115 is glutamate, at position 124 is lysine, at position 138 is isoleucine, and at position 166 is arginine corresponding to SEQ ID NO: 1 and the OgLuc variant polypeptide having luciferase activity.

[0015] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 80% amino acid sequence identity to an OgLuc polypeptide of SEQ ID NO: 1 comprising amino acid substitutions A4E, Q11R, A33K, V44I, P115E, Q124K,

Y138I, N166R, Q18L, F54I, L92H, and Y109F corresponding to SEQ ID NO: 1 and the OgLuc variant polypeptide having luciferase activity.

[0016] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 80% amino acid sequence identity to an OgLuc polypeptide of SEQ ID NO: 1 comprising amino acid substitutions A4E, Q11R, A33K, V44I, A54I, F77Y, I90V, P115E, Q124K, Y138I and N166R corresponding to SEQ ID NO: 1 and the OgLuc variant polypeptide having luciferase activity.

[0017] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 80% amino acid sequence identity to an OgLuc polypeptide of SEQ ID NO: 1, wherein the amino acid at position 4 is glutamate, at position 11 is arginine, at position 18 is leucine, at position 33 is lysine, at position 44 is isoleucine, at position 54 is isoleucine, at position 92 is histidine, at position 109 is phenylalanine, at position 115 is glutamate, at position 124 is lysine, at position 138 is isoleucine, and at position 166 is arginine corresponding to SEQ ID NO: 1 and the OgLuc variant polypeptide having luciferase activity.

[0018] In an aspect, the disclosure relates to an isolated polynucleotide encoding an OgLuc variant polypeptide having at least 80% amino acid sequence identity to an OgLuc polypeptide of SEQ ID NO: 1, wherein the amino acid at position 4 is glutamate, at position 11 is arginine, at position 33 is lysine, at position 44 is isoleucine, at position 54 is isoleucine, at position 77 is tyrosine, at position 90 is valine, at position 115 is glutamate, at position 124 is lysine, at position 138 is isoleucine, and at position 166 is arginine corresponding to SEQ ID NO: 1 and the OgLuc variant polypeptide having luciferase activity.

[0019] In an aspect, the disclosure relates to an isolated polynucleotide comprising the polynucleotide encoding the polypeptide of SEQ ID NO: 19.

[0020] In an aspect, the disclosure relates to an isolated polynucleotide comprising the polynucleotide of SEQ ID NO: 18, SEQ ID NO: 24, SEQ ID NO: 25, SEQ ID NO: 42, SEQ ID NO: 88, or SEQ ID NO: 92.

[0021] In an aspect, the disclosure relates to an isolated polynucleotide encoding a decapod luciferase polypeptide having at least 30% amino acid sequence identity to SEQ ID NO: 1, the polypeptide comprising a sequence pattern corresponding to the sequence pattern of Formula (VII) and including no more than 5 differences, wherein differences include differences from pattern positions 1, 2, 3, 5, 8, 10, 12, 14, 15, 17, or 18 relative to Formula (VII) according to the OgLuc pattern listed in Table 4 as well as gaps or insertions between any of the pattern positions

of Formula (VII) according to the OgLuc pattern listed in Table 4, wherein the decapod luciferase produces luminescence in the presence of a coelenterazine.

[0022] In an aspect, the disclosure relates to a synthetic nucleotide sequence encoding an OgLuc variant polypeptide comprising a fragment of at least 100 nucleotides having 80% or less nucleic acid sequence identity to a parent nucleic acid sequence having SEQ ID NO: 2 and having 90% or more nucleic acid sequence identity to SEQ ID NO: 22, SEQ ID NO: 23, SEQ ID NO: 24, or SEQ ID NO: 25 or the complement thereof, wherein the decreased sequence identity is a result of different codons in the synthetic nucleotide sequence relative to the codons in the parent nucleic acid sequence, wherein the synthetic nucleotide sequence encodes a OgLuc variant which has at least 85% amino acid sequence identity to the corresponding luciferase encoded by the parent nucleic acid sequence, and wherein the synthetic nucleotide sequence has a reduced number of regulatory sequences relative to the parent nucleic acid sequence.

[0023] In an aspect, the disclosure relates to a synthetic nucleotide sequence encoding an OgLuc variant polypeptide comprising a fragment of at least 300 nucleotides having 80% or less nucleic acid sequence identity to a parent nucleic acid sequence having SEQ ID NO: 14 and having 90% or more nucleic acid sequence identity to SEQ ID NO: 22 or SEQ ID NO: 23 or the complement thereof, wherein the decreased sequence identity is a result of different codons in the synthetic nucleotide sequence relative to the codons in the parent nucleic acid sequence, wherein the synthetic nucleotide sequence encodes a firefly luciferase which has at least 85% amino acid sequence identity to the corresponding luciferase encoded by the parent nucleic acid sequence, and wherein the synthetic nucleotide sequence has a reduced number of regulatory sequences relative to the parent nucleic acid sequence.

[0024] In an aspect, the disclosure relates to a synthetic nucleotide sequence encoding an OgLuc variant polypeptide comprising a fragment of at least 100 nucleotides having 80% or less nucleic acid sequence identity to a parent nucleic acid sequence having SEQ ID NO: 18 and having 90% or more nucleic acid sequence identity to SEQ ID NO: 24 or SEQ ID NO: 25 or the complement thereof, wherein the decreased sequence identity is a result of different codons in the synthetic nucleotide sequence relative to the codons in the parent nucleic acid sequence, wherein the synthetic nucleotide sequence encodes a OgLuc variant which has at least 85% amino acid sequence identity to the corresponding luciferase encoded by the parent nucleic acid sequence, and wherein the synthetic nucleotide sequence has a reduced number of regulatory sequences relative to the parent nucleic acid sequence.

[0025] In an aspect, the disclosure relates to a fusion peptide comprising a signal peptide from *Oplophorus gracilirostris* fused to a heterologous protein, wherein said signal peptide is SEQ ID NO: 54, wherein the fusion peptide is expressed in a cell and secreted from the cell.

[0026] In an aspect, the disclosure relates to a method of generating a polynucleotide encoding a OgLuc variant polypeptide comprising: (a) using a parental fusion protein construct comprising a parental OgLuc polypeptide and at least one heterologous polypeptide to generate a library of variant fusion proteins; and (b) screening the library for at least one of enhanced luminescence, enhanced enzyme stability or enhanced biocompatibility relative to the parental fusion protein construct.

[0027] In an aspect, the disclosure relates to a method of generating codon-optimized polynucleotides encoding a luciferase for use in an organism, comprising: for each amino acid in the luciferase, randomly selecting a codon from the two most commonly used codons used in the organism to encode for the amino acid to produce a first codon-optimized polynucleotide.

[0028] Other aspects of the invention will become apparent by consideration of the detailed description and accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

[0029] FIG. 1 shows the chemical structure of native coelenterazine, known bis-coelenterazine (coelenterazine-hh), and known coelenterazine-h, where R2, R6 and R8 represent the regions of the molecule where modifications were made.

[0030] FIG. 2 shows the chemical structure of novel coelenterazines PBI-3939, PBI-3889, PBI-3945, PBI-4002, PBI-3841, PBI-3897, PBI-3896, PBI-3925, PBI-3894, PBI-3932, and PBI-3840.

[0031] FIG. 3 shows the Km determination of PBI-3939.

[0032] FIG. 4 shows the chemical structure of various novel coelenterazines of the present invention.

[0033] FIGS. 5A-G show the luminescence (RLUs) generated from lysed bacterial cells expressing C1+A4E using native, known, and novel coelenterazine as substrates. FIGS. 5A, 5C-5G show independent experiments measuring the luminescence in RLUs generated by C1+A4E with known and novel coelenterazines using native coelenterazine as a comparison. FIG. 5B

shows the fold-decrease in luminescence generated by C1+4AE using the substrates shown in FIG. 5A compared to native coelenterazine.

[0034] FIGS. 6A-D show the luminescence generated from lysed bacterial cells expressing various OgLuc variants using native coelenterazine (“Coelente”), known coelenterazine-h (“h”), known coelenterazine-hh (“h,h”), known 2-methyl coelenterazine (“2-me”), known coelenterazine-v (“v”), and novel coelenterazines PBI-3840, PBI-3897, PBI-3889, PBI-3899, PBI-3900, PBI-3912, PBI-3913, PBI-3925, PBI-3897, PBI-3899, PBI-3889, PBI-3939, PBI-3933, PBI-3932, PBI-3946, PBI-3897, PBI-3841, PBI-3896, PBI-3925, and PBI-3945 as substrates.

[0035] FIG. 7 shows the amino acid substitutions in various OgLuc variants.

[0036] FIGS. 8A-B show the luminescence generated from lysed bacterial cells expressing OgLuc variants listed in FIG. 7 using native coelenterazine (“Coelenterazine”), known coelenterazine-h (“H”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3840, PBI-3925, PBI-3912, PBI-3889, PBI-3939, PBI-3933, PBI-3932, PBI-3946, PBI-3941, and PBI-3896 as substrates.

[0037] FIG. 9 shows the luminescence generated from lysed bacterial cells expressing various OgLuc variants using native coelenterazine (“Coelenterazine”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3939, PBI-3945, PBI-3840, PBI-3932, PBI-3925, PBI-9894, and PBI-3896 as substrates.

[0038] FIG. 10 shows the amino acid substitutions in various OgLuc variants.

[0039] FIG. 11 shows the luminescence generated from lysed bacterial cells expressing OgLuc variants listed in FIG. 10 using native coelenterazine (“Coelenterazine”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3939, PBI-3945, PBI-3840, PBI-3932, PBI-3925, PBI-3894, and PBI-3896, as substrates.

[0040] FIG. 12 shows the luminescence generated from lysed bacterial cells expressing OgLuc variants using native coelenterazine (“Coelenterazine”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, PBI-3840, PBI-3932, PBI-3925, PBI-3894, PBI-3896, and PBI-3897 as substrates.

[0041] FIG. 13 shows the luminescence generated from lysed bacterial cells expressing OgLuc variants using native coelenterazine (“Coelenterazine”), known coelenterazine-hh (“H,H”), and novel coelenterazines PBI-3897, PBI-3896, and PBI-3894 as substrates.

[0042] FIG. 14 shows the amino acid substitutions in various OgLuc variants.

[0043] FIG. 15 shows the luminescence generated from lysed bacterial cells expressing OgLuc variants listed in FIG. 14 using native coelenterazine (“Coelenterazine”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3897, PBI-3841, PBI-3896, and PBI-3894 as substrates.

[0044] FIG. 16 shows the luminescence generated from lysed bacterial cells expressing OgLuc variants using native coelenterazine (“Coelenterazine”), known coelenterazine-h (“H”), known coelenterazine-hh (“HH”), and novel coelenterazines PBI-3841 and PBI-3897 as substrates.

[0045] FIG. 17 shows the luminescence generated from lysed bacterial cells expressing various OgLuc variants and humanized *Renilla* luciferase (hRL) using native coelenterazine (“Coel”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3897 and PBI-3841 as substrates.

[0046] FIG. 18 shows the luminescence generated from lysed bacterial cells expressing various OgLuc variants using native coelenterazine (“Coelenterazine”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, and PBI-4002 as substrates.

[0047] FIG. 19 shows the luminescence generated from lysed bacterial cells expressing various OgLuc variants using native coelenterazine (“Coelenterazine”), known coelenterazine-h (“H”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, and PBI-4002 as substrates.

[0048] FIG. 20 shows the amino acid substitutions in various OgLuc variants.

[0049] FIG. 21 shows the luminescence generated from lysed bacterial cells expressing OgLuc variants listed in FIG. 20 using native coelenterazine (“Coelenterazine”), known coelenterazine-h (“H”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3939, PBI-3945, PBI-4002, PBI-3932, and PBI-3840 as substrates.

[0050] FIG. 22 shows the amino acid substitutions in various OgLuc variants.

[0051] FIG. 23 shows the luminescence generated from lysed bacterial cells expressing OgLuc variants listed in FIG. 22 using native coelenterazine (“Coelenterazine”), known coelenterazine-h (“H”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, PBI-4002, PBI-3932, and PBI-3840 as substrates.

[0052] FIG. 24 shows the luminescence generated from lysed bacterial cells expressing various OgLuc variants and hRL (“Renilla”) using native coelenterazine (“Coelenterazine”), known coelenterazine-h (“H”), known coelenterazine-hh (“H,H”), and novel coelenterazines PBI-3939 and PBI-3945 as substrates.

[0053] FIG. 25 shows the luminescence generated from lysed bacterial cells expressing various OgLuc variants and hRL (“Renilla”) using native coelenterazine (“Coelenterazine”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, and PBI-4002 as substrates.

[0054] FIG. 26 shows the amino acid substitutions in various OgLuc variants.

[0055] FIG. 27 shows the luminescence generated from lysed bacterial cells expressing OgLuc variants listed in FIG. 26 using native coelenterazine (“Coelenterazine”), known coelenterazine-h (“H”), known coelenterazine-hh (“h,h”), and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, and PBI-4002 as substrates.

[0056] FIG. 28 shows the luminescence generated from lysed bacterial cells expressing various OgLuc variants and hRL (“Renilla”) using native coelenterazine (“Coel.”), known coelenterazine-h (“H”), known coelenterazine-hh (“H,H”), and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, and PBI-4002 as substrates.

[0057] FIG. 29 shows the luminescence of 9B8 opt and 9B8 opt+K33N in bacterial lysates using native coelenterazine and PBI-3939 as substrates and the relative specificity of these variants for PBI-3939 compared to native coelenterazine.

[0058] FIGS. 30A-D show mutational analysis at position 166 using native coelenterazine (FIG. 30A), coelenterazine-h (FIG.30B), and PBI-399 (FIG. 30C).

[0059] FIG. 31 shows the luminescence of various deletions in the OgLuc variant L27V where (-) is the machine background.

[0060] FIG. 32 shows the normalized luminescence generated from lysed HEK293 cells expressing hRL (“Renilla”) using native coelenterazine as a substrate, firefly luciferase (Luc2) using luciferin (BRIGHT-GLO™ Assay Reagent) as a substrate, and various OgLuc variants using novel PBI-3939 as a substrate.

[0061] FIG. 33 shows the signal stability of IV and 15C1 in bacterial lysates using the novel coelenterazine PBI-3945 as a substrate and IV and 9B8 in bacterial lysates using the novel coelenterazine PBI-3889 as a substrate.

[0062] FIGS. 34A-B show the higher activity (FIG. 34A) and signal stability (FIG. 34B) of the OgLuc variant L27V compared to Firefly (Fluc) and Renilla (Rluc) luciferases.

[0063] FIG. 35 shows the Vmax (RLU/sec) and Km (μ M) values for various OgLuc variants in bacterial lysates using the novel coelenterazine PBI-3939 as a substrate.

[0064] FIG. 36 shows the Vmax (RLU/sec) and Km (μ M) values for various OgLuc variants in bacterial lysates using the novel coelenterazine PBI-3939 as a substrate.

[0065] FIG. 37 shows the Vmax (RLU/sec) and Km (μ M) values for 9B8 opt and 9B8 opt+K33N both in bacterial lysates using the novel coelenterazine PBI-3939 as a substrate.

[0066] FIG. 38 shows the protein stability at 50°C of various OgLuc variants in bacterial lysates using native coelenterazine as a substrate as the luminescence at t=0 and half-life in min

[0067] FIGS. 39A-B show the structural integrity (determined by expression, stability, and solubility as shown by SDS-PAGE analysis) in bacterial lysates of various OgLuc variants at 25°C (FIG. 39A) and 37°C (FIG. 39B) compared to *Renilla* (hRL) and firefly luciferase (Luc2).

[0068] FIGS. 40A-B show the protein stability at 60°C in bacterial lysates of 9B8 opt and 9B8 opt+K33N using the novel coelenterazine PBI-3939 as a substrate as the natural log (ln) of the luminescence (in RLU) over time (FIG. 40A) and as the half-life in hrs (FIG. 40B).

[0069] FIG. 41 shows the percent activity of the OgLuc variants 9B8 and L27V at 60°C.

[0070] FIGS. 42A-B show the protein stability of the OgLuc variant L27V at various pH (FIG. 42A) and salt concentrations (FIG. 42B).

[0071] FIGS. 43A-B shows the gel filtration chromatographic analysis of purified C1+A4E (FIG. 43A) and 9B8 (FIG. 43B).

[0072] FIG. 44 shows the gel filtration chromatographic analysis demonstrating that the OgLuc variant L27V exists in a monomeric form.

[0073] FIGS. 45A-B show the protein expression levels of various OgLuc variant-HALOTAG® (HT7) fusion proteins in undiluted and 1:1 diluted bacterial lysate samples analyzed by SDS-PAGE (FIG.45A) and the normalized protein expression levels (FIG. 45B).

[0074] FIGS. 46A-B show the protein expression (FIG. 46A) and solubility of the OgLuc variants 9B8 opt, V2 and L27V (FIG. 46B).

[0075] FIG. 47 shows the normalized luminescence in RLUs generated from lysed HEK293 cells expressing IV, 9B8, and hRL (“Renilla”) using native coelenterazine and the novel coelenterazine PBI-3939 as substrates.

[0076] FIG. 48 shows the normalized luminescence in RLUs generated from lysed HEK293 cells expressing pF4Ag-Ogluc-9B8-HT7, pF4Ag-Luc2-HT7 and pF4Ag-Renilla-HT7 using PBI-3939, Luciferin (BRIGHT-GLO™ Assay Reagent), and native coelenterazine, respectively, as a substrate.

[0077] FIG. 49 shows the luminescence generated from lysed HEK293 cells expressing 30 or 100 ng of plasmid DNA encoding either 9B8 opt or 9B8 opt+K33N (“K33N”) using the novel coelenterazine PBI-3939 as a substrate.

[0078] FIGS. 50A-E show the luminescence of the OgLuc variant L27V compared to firefly luciferase (Luc2) in HEK 293 (FIG. 50A) and HeLa cells (non-fusion) (FIG. 50B), the luminescence of HaloTag® fusion compared to the OgLuc variant L27V (FIG. 50C) and firefly luciferase (Luc2) (FIG. 50D), and the protein expression of HaloTag®-OgLuc L27V compared to HaloTag®-Firefly luciferase (Luc2) in HEK 293 (“HEK”) and HeLa cells (“HeLa”).

[0079] FIG. 51 shows inhibition analysis of the OgLuc variants 9B8 and L27V against a LOPAC library to determine their susceptibility to off-target interactions.

[0080] FIGS. 52A-E show the inhibition analysis of the OgLuc variants 9B8 and L27V by Suramin and Tyr ag 835 (FIGS. 52A-C) and the chemical structures of Suramin (FIG. 52D) and Tyr ag 835 (FIG. 52E).

[0081] FIG. 53 shows the activity of the OgLuc variants 9B8 and L27V was analyzed in the presence of BSA to determine resistance to non-specific protein interactions.

[0082] FIG. 54 shows the percent activity of the OgLuc variants 9B8 and L27V to determine reactivity to plastic.

[0083] FIG. 55 shows the luminescence generated from lysed HEK293 cells expressing the IV cAMP transcriptional reporter compared to hRL (“Renilla”) using known coelenterazine-h as a substrate with (“induced”) or without (“basal”) forskolin treatment and the fold induction (response) due to forskolin treatment (“fold”).

[0084] FIG. 56 shows the normalized luminescence generated from lysed HEK293 cells expressing the 9B8, 9B8 opt, hRL (“Renilla”) or firefly luciferase (“Luc2”) cAMP transcriptional reporter using PBI-3939 (for 9B8 and 9B8 opt), native coelenterazine (for hRL) or luciferin (BRIGHT-GLO™ Assay Reagent; for Luc2) as a substrate with (“+FSK”) or without (“-FSK”) forskolin treatment and the fold induction (response) due to forskolin treatment (“FOLD”).

[0085] FIG. 57 shows the luminescence generated from lysed HEK293 cells expressing 9B8 opt and 9B8 opt+K33N (“K33N”) cAMP transcriptional reporters using the novel coelenterazine PBI-3939 as a substrate with (“Induced”) or without (“Basal”) forskolin treatment and the fold induction due to forskolin treatment (“Fold Induction”).

[0086] FIGS. 58A-C show the luminescence of the OgLuc variants 9B8 and L27V lytic reporter constructs for multiple pathways in multiple cell types.

[0087] FIGS. 59A-C show the luminescence of the OgLuc variant L27V reporter constructs in various cell lines and with various response elements.

[0088] FIGS. 60A-B show the luminescence of the OgLuc variant L27V secretable reporter compared to *Metridia longa* luciferase with a CMV promoter (FIG. 60A) or a NFkB response element (FIG. 60B).

[0089] FIGS. 61A-F show the absolute luminescence (FIGS. 61A and 61B), the normalized luminescence (FIGS. 61C and 61D) and the fold response (FIGS. 61E and 61F) of optimized versions of L27V (L27V01, L27V02 and L27V03) compared to L27V (L27V00) expressed in HeLa cells.

[0090] FIGS. 62A-B show the luminescence of secreted OgLuc variant L27V02 (containing the IL-6 secretion signal) reporter (FIG. 62A) and L27V02 (“L27V(02)”), L27V02P (“L27V(02)P(01)”) and luc2 (“Fluc”) reporters (FIG. 62A) expressed in HepG2 cells treated with various doses of rhTNFα (“TNFα”).

[0091] FIG. 63 shows the luminescence generated from media and lysate samples of HEK293 cells expressing the codon optimized variant IV opt with or without the secretion signal

sequence using the novel PBI-3939 as a substrate compared to hRL (“Renilla”) with or without the secretion signal sequence using native coelenterazine as a substrate.

[0092] FIGS. 64A-D show the luminescence of the secreted OgLuc variants 9B8, V2 and L27V reporters expressed in CHO cells (FIGS. 64A and 64B) and HeLa (FIGS. 64C and 64D).

[0093] FIGS. 65A-B show a comparison of the luminescence from the secreted OgLuc variants 9B8 and V2 using PBI-3939 as a substrate to that of the secreted luciferase of *Metridia longa* using Ready-to-Glow™ as a substrate numerically (FIG. 65A) and graphically (FIG. 65B).

[0094] FIGS. 66A-B show the fold-increase in luminescence over background generated from HEK293 cells expressing hRL (“Ren”) and 9B8 opt using the coelenterazine derivatives ENDUREN™ (FIG. 66A) and VIVIREN™ (FIG. 66B) and the novel coelenterazine PBI-3939 (FIG. 66B) as substrates.

[0095] FIGS. 67A-D show confocal images of U2OS cells transiently expressing L27V-HaloTag® fusion (FIG. 67A) or IL6-L27V fusion (FIGS. 67B-D). Scale bars = 20µm.

[0096] FIG. 68 shows the luminescence generated from lysed bacterial cells expressing various OgLuc variants and hRL (“Renilla”) in the presence (“Sand”) or absence of sandwich background (“pF4Ag”) using native coelenterazine as a substrate.

[0097] FIG. 69 shows the fold-decrease in activity of various OgLuc variants and hRL (“Renilla”) due to the presence of the sandwich background using native coelenterazine as a substrate.

[0098] FIG. 70 shows the fold-decrease in activity of 9B8 opt and 9B8 opt+K33N in bacterial lysates due to the presence of the sandwich background using the novel coelenterazine PBI-3939 as a substrate.

[0099] FIG. 71 shows the spectral profile of the OgLuc variant L27V.

[00100] FIG. 72 shows the luminescence of two circulated permuted (CP) versions of the OgLuc variant L27V, CP84 and CP95, either with no linker or with a 5, 10, or 20 amino acid linker.

[00101] FIGS. 73A-G show the luminescence of the various CP-TEV protease L27V constructs expressed in wheat germ extract (FIGS. 73A-D), *E. coli* (FIG. 73F-G) and HEK 293 cells (FIG. 73H). FIGS. 73A-D show the basal luminescence of the various CP-TEV protease

L27V constructs prior to TEV addition. FIG. 73E shows the response of the CP-TEV protease L27V constructs of FIGS. 73A-D.

[00102] FIG. 74 shows the fold response of various protein complementation L27V pairs.

[00103] FIGS. 75A-C show the luminescence of various protein complementation (PCA) L27V pairs: one L27V fragment of each pair was fused to either FKBP or FRB using a 1/4 configuration (FIG. 75A) or a 2/3 configuration (FIG. 75B), and the interaction of FKBP and FRB monitored in HEK 293 cells. The luminescence of various protein complementation (PCA) negative controls was also monitored (FIG. 75C).

[00104] FIGS. 76A-H show the luminescence of various protein complementation (PCA) L27V pairs: one L27V fragment of each pair was fused to either FKBP or FRB using a 2/3 configuration (FIGS. 76A and 76C) or a 1/4 configuration (FIGS. 76B and 76D), and the interaction of FKBP and FRB monitored in wheat germ extract (FIGS. 76A and 76B) and rabbit reticulocyte lysate (RRL) (FIGS. 76C and 76D). The luminescence of various protein complementation (PCA) negative controls was also measured (FIG. 76E) in cell free system. The 1/4 configuration was used in a cell free system (FIG. 76F), HEK293 cells (FIG. 76G) and in a lytic system (FIG. 76H).

[00105] FIGS. 77A-C show the luminescence of various protein complementation L27V pairs treated with FK506 and rapamycin (FIG. 77A) and the chemical structure of FK506 (FIG. 77A) and rapamycin (FIG. 77B).

[00106] FIG. 78 shows the activity of the OgLuc variant 9B8 cAMP biosensor with forskolin treatment.

[00107] FIGS. 79A-D show the luminescence of circularly permuted (FIGS. 79A and 79C) and straight split (FIG. 79B and 79D) L27V variants in rabbit reticulocyte lysate (FIGS. 79A-B) and HEK293 cells (FIGS. 79C-D).

[00108] FIGS. 80A-B show the subcellular distribution of the OgLuc variant L27V (FIG. 80A) and control vector pGEM3ZF (FIG. 80B) in U2OS cells for various exposure times.

[00109] FIGS. 81A-C show the subcellular location of the OgLuc variant L27V fused to either the transcription factor Nrf2 (FIG. 81B) or GPCR (FIG. 81C) compared to an unfused L27V control (FIG. 81A).

[00110] FIGS. 82A-C show the use of the OgLuc variant 9B8 opt to monitor intracellular signaling pathways using PBI-4377 (FIG. 82A). The 9B8 opt luciferase was fused to either I κ B (FIG. 82B) or ODD (oxygen-dependent degradation domain of Hif-1 α) (FIG. 82C), and fold response to a stimulus (TNF α for I κ B and phenanthroline for ODD) was monitored via luminescence.

[00111] FIGS. 83A-C show the monitoring of oxidative stress signal pathways using the OgLuc variant (FIG. 83A), L27V02 (FIG. 83B), or *Renilla* luciferase (Rluc) (FIG. 83C).

[00112] FIGS. 84A-B show the comparison of the Nrf2-L27V02 sensor (FIG. 84A) and Nrf2(ARE)-Luc2P reporter (FIG. 84B).

[00113] FIGS. 85A-B show the emission spectra of IV-HT7 with and without ligand, using 1 μ M TMR (FIG. 85A) or 10 μ M Rhodamine 110 (FIG. 85B) as a ligand for HT7 and coelenterazine-h as a substrate for IV.

[00114] FIG. 86 shows the luminescence generated from lysed bacterial cells expressing 9B8 opt mixed with (“+ caspase”) or without (“no caspase”) caspase-3 using a pro-coelenterazine substrate.

[00115] FIGS. 87A-C show the luminescence generated from circularly permuted, straight split L27V variants CP84 and CP103 using PBI-3939 as a substrate with (FIG. 87B) or without (not shown) rapamycin treatment and the response (FIG. 87C) due to rapamycin treatment. The concept of the circularly permuted straight split variants is shown in FIG. 87A.

[00116] FIG. 88 shows percent remaining activity of the L27V variant after exposure to various amounts of urea.

[00117] FIG. 89 shows the effect of 3M urea on the activity of the L27V variant.

[00118] FIGS. 90A-B show the bioluminescence imaging of hormone-induced nuclear receptor (NR) translocation of OgLuc fusions using PBI-3939 substrate.

[00119] FIGS. 91A-B show the bioluminescence imaging of phorbol ester-induced Protein Kinase C alpha (PKC alpha) translocation of OgLuc fusions using PBI-3939 substrate.

[00120] FIGS. 92A-B show the bioluminescence imaging of autophagosomal protein translocation of OgLuc fusions using PBI-3939 substrate.

DETAILED DESCRIPTION

[00121] Before any embodiments of the invention are explained in detail, it is to be understood that the invention is not limited in its application to the details of structure, synthesis, and arrangement of components set forth in the following description or illustrated in the following drawings. The invention is described with respect to specific embodiments and techniques, however, the invention is capable of other embodiments and of being practiced or of being carried out in various ways.

[00122] In the following description of the methods of the invention, process steps are carried out at room temperature (about 22°C) and atmospheric pressure unless otherwise specified. It also is specifically understood that any numerical range recited herein includes all values from the lower value to the upper value. For example, if a concentration range or beneficial effect range is stated as 1% to 50%, it is intended that values such as 2% to 40%, 10% to 30%, or 1% to 3%, etc. are expressly enumerated in this specification. Similarly, if a sequence identity range is given as between, e.g., 60% to <100%, it is intended that intermediate values such as 65%, 75%, 85%, 90%, 95%, etc. are expressly enumerated in this specification. These are only examples of what is specifically intended, and all possible numerical values from the lowest value to the highest value are considered expressly stated in the application.

[00123] Unless expressly specified otherwise, the term "comprising" is used in the context of the present application to indicate that further members may optionally be present in addition to the members of the list introduced by "comprising". It is, however, contemplated as a specific embodiment of the present invention that the term "comprising" encompasses the possibility of no further members being present, i.e., for the purpose of this embodiment "comprising" is to be understood as having the meaning of "consisting of".

[00124] The following detailed description discloses specific and/or preferred variants of the individual features of the invention. The present invention also contemplates, as particularly preferred embodiments, those embodiments which are generated by combining two or more of the specific and/or preferred variants described for two or more of the features of the present invention.

[00125] Unless expressly specified otherwise, all indications of relative amounts in the present application are made on a weight/weight basis. Indications of relative amounts of a component characterized by a generic term are meant to refer to the total amount of all specific variants or members covered by said generic term. If a certain component defined by a generic term is

specified to be present in a certain relative amount, and if this component is further characterized to be a specific variant or member covered by the generic term, it is meant that no other variants or members covered by the generic term are additionally present such that the total relative amount of components covered by the generic term exceeds the specified relative amount. More preferably, no other variants or members covered by the generic term are present at all.

Overview

[00126] In various aspects, the invention is drawn to novel compounds, novel luciferases, and combinations thereof. The invention encompasses methods, compositions, and kits including the novel compounds, novel luciferases, and/or combinations thereof.

[00127] The novel compounds are novel coelenterazines, which can be used as substrates by proteins that utilize coelenterazines to produce luminescence, including, but not limited to, luciferases and photoproteins found in various marine organisms such as cnidarians (e.g., *Renilla* luciferase), jellyfish (e.g., aequorin from the *Aequorea* jellyfish) and decapods luciferases (e.g., luciferase complex of *Oplophorus gracilirostris*). In various embodiments, the novel coelenterazines of the present invention have at least one of enhanced physical stability (e.g., enhanced coelenterazine stability), reduced autoluminescence, and increased biocompatibility with cells (e.g., less toxic to cells, including heterologous cell types) relative to native coelenterazine.

[00128] The novel luciferases disclosed herein include variants of the active subunit of a decapod luciferase. The novel luciferases can utilize various coelenterazines as substrates, including, but not limited to, native and known coelenterazines as well as the novel coelenterazines of the present invention. The novel luciferases display at least one of: enhanced luminescence (including increased brightness, enhanced signal stability and/or signal duration); enhanced enzyme stability (i.e., enhanced enzymatic activity including enhanced resistance to elevated temperature, changes in pH, inhibitors, denaturants, and/or detergents); altered substrate specificity (i.e., change in relative substrate specificity); and enhanced biocompatibility (including at least one of improved expression in cells, reduced toxicity, and/or cell stress). In various embodiments, the present invention encompasses novel luciferases that are present in solution as soluble, active monomers, chemically linked to other molecules (e.g., fusion proteins), or attached onto a solid surface (e.g., particles, capillaries, or assay tubes or plates).

[00129] Certain combinations of the novel coelenterazines and the novel luciferases provide significant technical advantages for bioluminescent assays including enhanced luminescence, wherein enhanced luminescence may be due to one or more factors including enhanced signal stability and enhanced coelenterazine stability. Additionally, many of the novel coelenterazines

were designed to be smaller than commercially-available and/or known coelenterazines. In some cases, the novel luciferases of the present invention preferentially utilize the novel, smaller coelenterazines over the commercially-available and/or known larger coelenterazines.

[00130] The invention encompasses combinations of: the novel luciferase variants with the novel coelenterazines; the novel luciferase variants with known or native coelenterazines; and the novel coelenterazines with any known or native protein (e.g., luciferases or photoproteins) that uses coelenterazine as a substrate.

[00131] The term “coelenterazine” refers to naturally-occurring (“native”) coelenterazine as well as analogs thereof, including coelenterazine-n, coelenterazine-f, coelenterazine-h, coelenterazine-hcp, coelenterazine-cp, coelenterazine-c, coelenterazine-e, coelenterazine-fcp, bis-deoxycoelenterazine (“coelenterazine-hh”), coelenterazine-i, coelenterazine-icp, coelenterazine-v, and 2-methyl coelenterazine, in addition to those disclosed in WO 2003/040100 and U.S. Application Serial No. 12/056,073 (paragraph [0086]), the disclosures of which are incorporated by reference herein. The term “coelenterazine” also refers to the novel coelenterazines disclosed herein (see below). The term “known coelenterazine” refers to a coelenterazine analog known prior to the present invention.

[00132] The term “OgLuc” refers to a decapod luciferase protein, or a variant of such a protein, which generates light in the presence of a coelenterazine. The OgLuc protein may, in its naturally-occurring form, be a monomer or may be a subunit of a protein complex. The OgLuc used in the exemplary embodiments disclosed herein is the 19 kDa subunit from the luciferase complex of *Oplophorus gracilirostris*, although comparable polypeptides from other decapod species (including other *Oplophorus* species) could also be employed and are encompassed within the invention (see R.D. Dennell, Observations on the luminescence of bathypelagic Crustacea decapoda of the Bermuda area, *Zool. J. Linn. Soc., Lond.* **42** (1955), pp. 393–406; see also Poupin et al. Sept 1999. Inventaire documenté des espèces et bilan des formes les plus communes de la mer d'Iroise. *Rapport Scientifique du Laboratoire d'Océanographie de l'École Navale (LOEN)*, Brest (83pgs), each of which is incorporated by reference herein); examples include, without limitation, luciferases of the Aristeidae family, including *Plesiopenaeus coruscans*; the Pandalidea family, including *Heterocarpus* and *Parapandalus richardi*, the Solenoceridae family, including *Hymenopenaeus debilis* and *Mesopenaeus tropicalis*; the Luciferidae family, including *Lucifer typus*; the Sergestidae family, including *Sergestes atlanticus*, *Sergestes arcticus*, *Sergestes armatus*, *Sergestes pediformis*, *Sergestes cornutus*, *Sergestes edwardsi*, *Sergestes henseni*, *Sergestes pectinatus*, *Sergestes sargassi*, *Sergestes similis*, *Sergestes vigilax*, *Sergia challengerii*, *Sergia grandis*, *Sergia lucens*, *Sergia prehensilis*,

Sergia potens, *Sergia robusta*, *Sergia scintillans*, and *Sergia splendens*; the Pasiphaeidae family, including *Glyphus marsupialis*, *Leptochela bermudensis*, *Parapasiphae sulcatifrons*, and *Pasiphea tarda*; the Oplophoridae family, including *Acanthephyra acanthitelsonis*, *Acanthephyra acutifrons*, *Acanthephyra brevirostris*, *Acanthephyra cucullata*, *Acanthephyra curtirostris*, *Acanthephyra eximia*, *Acanthephyra gracilipes*, *Acanthephyra kingsleyi*, *Acanthephyra media*, *Acanthephyra microphthalma*, *Acanthephyra pelagica*, *Acanthephyra prionota*, *Acanthephyra purpurea*, *Acanthephyra sanguinea*, *Acanthephyra sibogae*, *Acanthephyra stylostratis*, *Ephyrina bifida*, *Ephyrina figueirai*, *Ephyrina koskynii*, *Ephyrina ombango*, *Hymenodora glacialis*, *Hymenodora gracilis*, *Meningodora miccyla*, *Meningodora mollis*, *Meningodora vesca*, *Notostomus gibbosus*, *Notostomus auriculatus*, *Oplophorus gracilirostris*, *Oplophorus grimaldii*, *Oplophorus novaezealandiae*, *Oplophorus spinicauda*, *Oplophorus foliaceus*, *Oplophorus spinosus*, *Oplophorus typus*, *Systellaspis braueri*, *Systellaspis cristata*, *Systellaspis debilis*, and *Systellaspis pellucida*; and the Thalassocaridae family, including *Chlorotocoides spinicauda*, *Thalassocaris crinita*, and *Thalassocaris lucida*.

[00133] The polypeptide sequence of the mature (i.e., with no signal sequence) 19 kDa subunit of the naturally-occurring form of the *Oplophorus gracilirostris* luciferase (i.e., 169 amino acids, residues 28 to 196 of BAB 13776) is given in SEQ ID NO: 1. In various embodiments, a methionine residue and a valine residue are inserted at the beginning of the synthetic OgLuc sequence (e.g., as indicated in the C1+A4E polypeptide sequence, SEQ ID NO: 3) to facilitate cloning and expression in heterologous systems. Nevertheless, for consistency, the position numbers of the various amino acid substitutions referred to herein are specified “relative to” SEQ ID NO: 1, i.e., the polypeptide sequence of the mature (with no signal sequence), native 19 kDa subunit of the *Oplophorus gracilirostris* luciferase protein complex.

[00134] Specifically, a protein is a decapod luciferase if, upon alignment of its amino acid sequence with SEQ ID NO: 1, the sequence identity is > 30%, preferably > 40%, and most preferably > 50%, and the protein can utilize coelenterazine as a substrate to catalyze the emission of luminescence, and the amino acid sequence beginning at the position corresponding to position 8 of SEQ ID NO: 1 is:

[00135] [GSAIVK]-{FE}-[FYW]-x-[LIVMFSYQ]-x-x-{K}-x-[NHGK]-x-[DE]-x-[LIVMFY]-[LIVMWF]-x-{G}-[LIVMAKRG] (SEQ ID NO. 330) (VII),

[00136] with no more than 5 differences, or more preferably no more than 4, 3, 2, or 1 difference, or most preferably no differences, wherein the differences occur in positions corresponding to pattern position 1, 2, 3, 5, 8, 10, 12, 14, 15, 17, or 18 of Formula (VII)

according to Table 4. Differences may also include gaps or insertions between the pattern positions of Table 4.

[00137] The term “variant” refers to a modified version of a starting polypeptide or polynucleotide sequence. The term “parental” is a relative term that refers to a starting sequence which is then modified. The parental sequence is generally used as a reference for the protein encoded by the resulting modified sequence, e.g., to compare the activity levels or other properties of the proteins encoded by the parental and the modified sequences. The starting sequence can be a naturally-occurring (i.e., native or wild-type) sequence. The starting sequence can also be a variant sequence which is then further modified. A polypeptide sequence is “modified” when one or more amino acids (which may be naturally-occurring or synthetic) are substituted, deleted, and/or added at the beginning, middle, and/or end of the sequence. A polynucleotide sequence is “modified” when one or more nucleotides are substituted, deleted, and/or added at the beginning, middle, and/or end of the sequence, but which may or may not alter the amino acid encoded by the sequence. In some embodiments, the modifications produce a variant that is a functional fragment of a particular OgLuc or OgLuc variant. A functional fragment is a fragment which is less than a full-length parental sequence which has the same functional activity as the full-length parental sequence. Functional activity is the ability to exhibit luminescence. In some embodiments, the modifications produce a variant that is a permuted sequence of the parental sequence, such as a circularly permuted sequence and permuted sequences comprising deletions and/or insertions.

[00138] Several of the OgLuc variants disclosed herein have been assigned shorthand names to facilitate discussion. The term “C1+A4E” (also referred to as “C1A4E”) refers to a particular OgLuc variant with the amino acid substitutions A4E, Q11R, A33K, V44I, A54F, P115E, Q124K, Y138I, and N166R relative to SEQ ID NO: 1 (SEQ ID NOs: 2 and 3) (where the format “x#y” indicates a parent amino acid ‘x’ at a position ‘#’ that is changed to variant amino acid ‘y’). Variants of the C1+A4E OgLuc variant which are presented herein contain at least the amino acid substitutions found in C1+A4E, unless otherwise indicated. The term “IVY” refers to a variant of the C1+A4E OgLuc variant having additional amino acid substitutions F54I, I90V, and F77Y relative to SEQ ID NO: 1 (SEQ ID NOs: 8 and 9). The term “IV” refers to another variant of the C1+A4E OgLuc variant having additional amino acid substitutions F54I and I90V relative to SEQ ID NO: 1 (SEQ ID NOs: 14 and 15). The term “QC27” refers to yet another variant of the C1+A4E OgLuc variant having additional amino acid substitutions Q18L, F54I, L92H, and Y109F relative to SEQ ID NO: 1 (SEQ ID NOs: 4 and 5). The term “QC27-9a” refers to a variant of the QC27 OgLuc variant with additional amino acid substitutions V21L, F68Y, L72Q,

M75K, H92R, and V158F relative to SEQ ID NO: 1 (SEQ ID NOs: 6 and 7). The term “9B8” refers to a variant of the IV OgLuc variant with additional amino acid substitutions Q18L, F68Y, L72Q, and M75K relative to SEQ ID NO: 1 (SEQ ID NOs: 18 and 19). The term “9B8 opt” refers to the codon optimized version of the 9B8 variant (SEQ ID NO: 24). The term “9B8 opt+K33N” refers to a variant of the 9B8 opt variant with additional amino acid substitution K33N relative to SEQ ID NO: 1 (SEQ ID NOs: 42 and 43). The term “9B8 opt+K33N+170G” refers to a variant of the “9B8 opt+K33N” variant with an additional glycine appended to the C-terminus of the variant, i.e., 170G relative to SEQ ID NO: 1 (SEQ ID NO: 68 and 69). The terms “L27V+T39T+K43R+Y68D” and “L27V” refers to a variant of the 9B8 opt+K33N” variant with additional amino acid substitutions L27V, T39T, K43R, and Y68D relative to SEQ ID NO: 1 (SEQ ID NOs: 88 and 89). The terms “T39T+K43R+Y68D” and “V2” refers to a variant of the “9B8 opt+K33N” variant with additional amino acid substitutions T39T, K43R, and Y68D relative to SEQ ID NO: 1 (SEQ ID NOs: 92 and 93).

[00139] In general, “enhanced” means that the particular property (e.g., luminescence, signal stability, biocompatibility, protein stability (e.g., enzyme stability), or protein expression) is increased relative to that of the reference luciferase plus coelenterazine combination or luciferase under consideration, where the increase is at least 1%, at least 5%, at least 10%, at least 20%, at least 25%, at least 50%, at least 75%, at least 90%, at least 100%, at least 200%, at least 500%, or at least 1000% greater than the reference luciferase plus coelenterazine combination or luciferase under consideration.

[00140] The term “luminescence” refers to the light output of the OgLuc variant under appropriate conditions, e.g., in the presence of a suitable substrate such as a coelenterazine. The light output may be measured as an instantaneous or near-instantaneous measure of light output (which is sometimes referred to as “T=0” luminescence or “flash”) at the start of the luminescence reaction, which may be initiated upon addition of the coelenterazine substrate. The luminescence reaction in various embodiments is carried out in a solution. In other embodiments, the luminescence reaction is carried out on a solid support. The solution may contain a lysate, for example from the cells in a prokaryotic or eukaryotic expression system. In other embodiments, expression occurs in a cell-free system, or the luciferase protein is secreted into an extracellular medium, such that, in the latter case, it is not necessary to produce a lysate. In some embodiments, the reaction is started by injecting appropriate materials, e.g., coelenterazine, buffer, etc., into a reaction chamber (e.g., a well of a multiwell plate such as a 96-well plate) containing the luminescent protein. In still other embodiments, the OgLuc variant and/or novel coelenterazine are introduced into a host and measurements of luminescence are

made on the host or a portion thereof, which can include a whole organism or cells, tissues, explants, or extracts thereof. The reaction chamber may be situated in a reading device which can measure the light output, e.g., using a luminometer or photomultiplier. The light output or luminescence may also be measured over time, for example in the same reaction chamber for a period of seconds, minutes, hours, etc. The light output or luminescence may be reported as the average over time, the half-life of decay of signal, the sum of the signal over a period of time, or the peak output. Luminescence may be measured in Relative Light Units (RLUs).

[00141] The “enhanced luminescence” of an OgLuc variant may be due to one or more of the following characteristics: enhanced light output (i.e., brightness), enhanced substrate specificity, enhanced signal stability, and/or enhanced signal duration. Enhanced signal stability includes an increase in how long the signal from a luciferase continues to luminesce, for example, as measured by the half-life of decay of the signal in a time-course. Enhanced luminescence may be determined relative to the comparable property of a luciferase such as wild-type OgLuc, an OgLuc variant protein, *Renilla* luciferase (e.g., hRluc), or firefly luciferase (e.g., Luc2 luciferase from *Photinus pyralis*) combined with a native, known, or novel substrate, as shown in the Examples below. For example, the luminescence of a given OgLuc variant in combination with a particular coelenterazine (including native, known, or novel coelenterazines) may be compared to the properties of one of OgLuc variants C1+A4E, IV, or IVY combined with any of a native, known, or novel coelenterazine disclosed herein, using one or more of the assays disclosed in the Examples below. In particular, enhanced luminescence may be determined by measuring the luminescence signal (RLU) resulting from the incubation of bacterial lysates containing OgLuc variants in question with the substrate, PBI-3939. Measurements are taken in a reagent which may contain TERGITOL™ to provide Glo-like kinetics, e.g., in which enzyme inactivation is slowed and the luminescence signal is stabilized, which is described elsewhere in the application. In some embodiments, some luciferase variants, e.g., L27V, with certain compounds, e.g., PBI-3939, provide extended duration of the luminescent emission, or glow-like kinetics, in the absence of TERGITOL™. The luminescence signal may be compared to that of a reference point such as the C1+A4E variant with coelenterazine or coelenterazine-h or *Renilla* luciferase with native coelenterazine.

[00142] “Enzyme stability” refers to the stability of enzyme activity (i.e., tolerance of enzymatic activity to reaction conditions). Enhanced enzyme stability refers to enhanced stability of enzyme activity (i.e., enhanced tolerance to reaction conditions). Enhanced enzyme stability includes enhanced thermal stability (e.g., stability at elevated temperatures) and chemical stability (e.g., stability in the presence of inhibitors or denaturants such as detergents,

including, e.g., TRITON™ X-100). Enzyme stability can be used as a measure of protein stability, particularly under conditions known to be disruptive of protein structure, such as high temperatures or the presence of chemical denaturants. In particular, enhanced protein stability may be determined using thermal analysis as described elsewhere in the application (e.g., in Example 28). The luminescence signal may be compared to the reference point of C1+A4E variant with coelenterazine or coelenterazine-h or *Renilla* luciferase with native coelenterazine.

[00143] “Biocompatibility” refers to the tolerance of a cell (e.g., prokaryotic or eukaryotic) to a luciferase and/or coelenterazine compound. Biocompatibility of a luciferase and/or coelenterazine compound is related to the stress it causes on the host cell. For example, a luciferase that is not tolerated by the cell (i.e., one that stresses a cell) may not be expressed efficiently within the cell, for example, the luciferase may be expressed within the cell, but exhibit reduced activity due to the formation of inclusion bodies by the expressed protein. Biocompatibility of a luciferase is related to the ability of the cells to tolerate the insertion of the foreign gene, i.e., a transgene containing the gene encoding the luciferase or fragment thereof, whereby the cells with the transgene do not exhibit manifestations of stress, including induction of stress response pathways, reduced rate of growth, and/or reduced viability (e.g., reduced number of living cells, reduced membrane integrity, or increased rates of apoptosis). Other indications of cell stress may include changes in gene expression, signaling pathways, and/or regulatory pathways. Enhanced biocompatibility of an OgLuc variant may be due to factors such as enhanced protein expression and/or reduced cell stress. Enhanced expression of luminescence for a particular polynucleotide encoding an OgLuc variant may be determined relative to luminescence expression levels for a polynucleotide encoding wild-type OgLuc or an OgLuc variant protein, including codon-optimized polynucleotides, where luminescence activity can be used as a means to monitor protein expression levels.

[00144] In particular, enhanced biocompatibility of the OgLuc variant, novel coelenterazine compound and/or a combination thereof, may be determined by measuring cell viability and/or growth rate of cells. For example, enhanced biocompatibility of the OgLuc variants may be determined by measuring cell viability and/or growth rate of cells containing the OgLuc variants compared to cells containing firefly or *Renilla* luciferase or no luciferase, in the absence of any coelenterazine compound to determine how compatible and/or toxic the luciferase is to the cells. Enhanced biocompatibility of the novel coelenterazine compounds may be determined by measuring cell viability in the absence of luciferase expression of cells exposed to the novel coelenterazine compound compared to native or known coelenterazines to determine how compatible and/or toxic the coelenterazine compound is to the cells. Enhanced biocompatibility

of a combination of an OgLuc variant with a novel coelenterazine compound may be determined by measuring cell viability and/or growth rate of cells containing the OgLuc variant and exposed to the novel coelenterazine and compared to cells containing firefly or *Renilla* luciferase or no luciferase and exposed to native or known coelenterazines.

[00145] In particular, enhanced biocompatibility may be determined using cell viability analysis as described elsewhere in the application (e.g., using a CELLTITER-GLO® assay as described in Example 18 or an apoptosis assay such as one using CASPASE-GLO® technology according to the manufacturer's instructions) or one known in the art. The effect of an OgLuc variant on cell viability or apoptosis may be compared to the effect of a reference luciferase, such as the C1+A4E variant, a firefly luciferase or *Renilla* luciferase. The effect of the novel coelenterazine compound on cell viability or apoptosis may be compared to the effect of native or known coelenterazine compounds on cell viability or apoptosis.

[00146] Enhanced biocompatibility may also be determined by measuring the effect of the OgLuc variant and/or novel coelenterazine compound on cell growth or gene expression. For examples, enhanced biocompatibility of the OgLuc variant may be determined by measuring the cell number after a period of time or by determining the expression of stress response genes in a sample of cells that contain the OgLuc variant compared to cells that contain another luciferase or no luciferase. Enhanced biocompatibility of the novel coelenterazine compound may be determined by measuring the cell number after a period of time or by determining the expression of stress response genes in a sample of cells that are exposed to the novel coelenterazine compound compared to cells exposed to native or known coelenterazines or no coelenterazines. The effect of the OgLuc variant on cell growth or gene expression may be compared to a reference luciferase, such as C1+A4E variant, a firefly luciferase or *Renilla* luciferase. The effect of the novel coelenterazine on cell growth or gene expression may be compared to native or known coelenterazines.

[00147] The identification of robust, stable cell lines expressing an OgLuc variant of the present invention, either in the cytoplasm or as a secreted form, can be facilitated by the bright signal of the luciferase and the small size of the OgLuc gene. The relatively small gene sequence is expected to reduce the likelihood of genetic instability resulting from the integration of the foreign DNA into a cell's genome. As a result of the increased brightness of the OgLuc variants and/or the novel coelenterazines of the present invention, less protein expression, and thereby less DNA needed for transfection, may produce a given level of brightness compared to other known luciferases such as native OgLuc, firefly, or *Renilla* luciferase, which contributes to an enhanced biocompatibility for the OgLuc variants and/or novel coelenterazines. Enhanced

biocompatibility of the OgLuc variants may be measured by the amount of DNA or reagents, e.g., transfection chemicals, needed in transient transfections to generate cells with the same level of luminescence as cells transfected with other luciferases, e.g., native OgLuc, firefly or *Renilla* luciferase. In some embodiments, the amount of OgLuc variant DNA or reagents needed for transfection is less than the amount needed for another luciferase, e.g., native OgLuc, firefly, or *Renilla* luciferase, to generate transfected cells with the same level of luminescence obtained with the other luciferase. Enhanced biocompatibility of the OgLuc variants may be measured by the recovery time of the cells after transfection. In some embodiments, the amount of time needed for recovery after transfection with the OgLuc variant is less than the time needed for another luciferase, e.g., native OgLuc, firefly or *Renilla* luciferase.

[00148] “Relative substrate specificity” is determined by dividing the luminescence of a luciferase in the presence of a test coelenterazine substrate by the luminescence of the luciferase in the presence of a reference coelenterazine substrate. For example, relative specificity may be determined by dividing the luminescence of a luciferase with a novel coelenterazine of the present invention by the luminescence of the luciferase with a different coelenterazine (e.g., native or known coelenterazine, see FIG. 1 for examples, or a different novel coelenterazine of the present invention). The test coelenterazine substrate and the reference coelenterazine substrate that are compared are considered a comparison substrate pair for determining relative substrate specificity.

[00149] A “change in relative substrate specificity” is determined by dividing the relative substrate specificity of a test luciferase using a comparison substrate pair by the relative substrate specificity of a reference luciferase using the same comparison substrate pair. For example, a change in relative specificity may be determined by dividing the relative substrate specificity of a test luciferase with a novel coelenterazine of the present invention compared to a different coelenterazine (e.g., native or known coelenterazine or a different novel coelenterazine of the present invention), by the relative substrate specificity of a reference luciferase with the same novel coelenterazine of the present invention compared to the same different coelenterazine used for the test luciferase.


[00150] In some embodiments, the luminescence with one novel coelenterazine is compared to the luminescence with a different novel coelenterazine. In some embodiments, the luminescence with one native or known coelenterazine is compared to the luminescence with another native or known coelenterazine. In still other embodiments, the luminescence with one native or known coelenterazine is compared to the luminescence with a novel coelenterazine.

[00151] The novel coelenterazines of the present invention include properties such as enhanced physical stability (e.g., enhanced coelenterazine stability) or reduced autoluminescence. The physical stability of the coelenterazine refers to how stable the coelenterazine is in certain conditions such that it maintains the ability to luminesce when used as a substrate by a luciferase. Luminescence that is not dependent on the activity of a luciferase or photoprotein is termed autoluminescence. Autoluminescence is the luminescence of a substance produced by energy released in the form of light during decay or decomposition. For example, autoluminescence can be caused by spontaneous oxidation of the luminogenic substrate coelenterazine.


[00152] As used herein, "pure" or "purified" means an object species is the predominant species present (i.e., on a molar and/or mass basis, it is more abundant than any other individual species, apart from water, solvents, buffers, or other common components of an aqueous system in the composition), and, in some embodiments, a purified fraction is a composition wherein the object species comprises at least about 50% (on a molar basis) of all macromolecular species present. Generally, a "substantially pure" composition will comprise more than about 80% of all macromolecular species present in the composition, in some embodiments more than about 85%, more than about 90%, more than about 95%, or more than about 99%. In some embodiments, the object species is purified to essential homogeneity (contaminant species cannot be detected in the composition by conventional detection methods) wherein the composition consists essentially of a single macromolecular species.

Coelenterazine Derivatives


[00153] In some embodiments, the present invention provides novel coelenterazine derivatives of formula (Ia) or (Ib):



or




wherein R^2 is selected from the group consisting of



R^6 is selected from the group consisting of -H, -OH, -NH₂, -OC(O)R or -OCH₂OC(O)R;

R^8 is selected from the group consisting of



wherein R^3 and R^4 are both H or both C_{1-2} alkyl;

W is -NH₂, halo, -OH, -NHC(O)R, -CO₂R;

X is -S-, -O- or -NR²²-;

Y is -H, -OH, or -OR¹¹;

Z is -CH- or -N-;


each R^{11} is independently -C(O)R'' or -CH₂OC(O)R'';

R^{22} is H, CH₃, or CH₂CH₃

each R is independently C_{1-7} straight-chain alkyl or C_{1-7} branched alkyl;

R'' is C_{1-7} straight-chain alkyl or C_{1-7} branched alkyl;


the dashed bonds indicate the presence of an optional ring, which may be saturated or unsaturated;




[00154] The term “alkyl”, as used herein, pertains to a monovalent moiety obtained by removing a hydrogen atom from a hydrocarbon compound, and which may be saturated, partially unsaturated, or fully unsaturated. The alkyl group may be a straight-chain or branched. An alkyl group may be optionally substituted with, for example, halo. Examples of straight-chain alkyl groups include, but are not limited to, ethyl, n-propyl, n-butyl, and n-propyl, n-hexyl and n-heptyl. Examples of unsaturated alkyl groups which have one or more carbon-carbon double bonds include, but are not limited to, ethenyl (vinyl, -CH=CH_2), 2-propenyl (allyl, -CH=CH-CH_2), and butenyl. Examples of unsaturated alkyl which have one or more carbon-carbon triple bonds include, but are not limited to, ethynyl and 2-propynyl (propargyl). Examples of branched alkyl groups included isopropyl, iso-butyl, sec-butyl, t-butyl and iso-pentyl.


[00155] The term “lower cycloalkyl”, as used herein, pertains to a monovalent moiety obtained by removing a hydrogen atom from a hydrocarbon compound having from 3 to 5 carbon atoms. Examples of saturated lower cycloalkyl groups include, but are not limited to, groups such as cyclopropyl, cyclobutyl and cyclopentyl. Examples of unsaturated lower cycloalkyl groups which have one or more carbon-carbon double bonds include, but are not limited to, groups such as cyclopropenyl, cyclobutenyl and cyclopentenyl.


[00156] The term “halo”, as used herein, pertains to a halogen, such as Cl, F, Br or I.

[00157] In some embodiments, R^2 is ; and X is O or S. In other

embodiments, R^2 is C_{2-5} straight chain alkyl. In certain embodiments, R^8 is , lower cycloalkyl or H. In other embodiments, R^8 is benzyl. In some embodiments, R'' is $-C(CH_3)_3$, $-CH(CH_3)_2$, $-CH_2C(CH_3)_3$, or $-CH_2CH(CH_3)_2$.


[00158] In some embodiments, the present invention provides compounds according to Formula (IIa) or (IIb):






wherein X is O or S, R^6 is H or OH, R^{11} is as defined above, and the dashed bonds indicate the presence of an optional ring.

[00159] In some embodiments, the invention provides compounds according to Formula (IIIa) or (IIIb):




or





wherein R^{12} is C_{2-5} straight-chain alkyl, furyl or thienyl, R^6 is H or OH, R^{11} is as defined above, and the dashed bonds indicate the presence of an optional ring.

[00160] In some embodiments, the invention provides compounds according to Formula (IVa) or (IVb):




or




wherein X is O or S, R⁶ is H or OH, R¹⁸ is H,  or lower cycloalkyl, R³, R⁴ and R¹¹ are as defined above, and the dashed bonds indicate the presence of an optional ring.

[00161] In some embodiments, the invention provides a compound according to Formula (Va) or (Vb):




or




wherein R^8 is benzyl, R^{11} is as defined above, and the dashed bonds indicate the presence of an optional ring.


[00162] In some embodiments, the present invention provides novel coelenterazine derivatives of formula (VIa) or (VIb):



or




wherein R^2 is selected from the group consisting of



R^6 is selected from the group consisting of -H, -OH, -NH₂, -OC(O)R or -OCH₂OC(O)R;

R^8 is selected from the group consisting of



wherein R^3 and R^4 are both H or both C_{1-2} alkyl;

W is -NH₂, halo, -OH, -NHC(O)R, -CO₂R;

X is -S-, -O- or -NH-;

Y is -H, -OH, or -OR¹¹;



Z is -CH- or -N-;



each R^{11} is independently -C(O)R'' or -CH₂OC(O)R'';


each R is independently C_{1-7} straight-chain alkyl or C_{1-7} branched alkyl;

R'' is C_{1-7} straight-chain alkyl or C_{1-7} branched alkyl;


the dashed bonds indicate the presence of an optional ring, which may be saturated or unsaturated;



with the proviso that when R^6 is NH_2 , R^2 is , , or C_{2-5} alkyl;

or R^8 is not .

[00163] Suitable compounds according to the present invention include



Isomers, Salts and Protected Forms

[00164] Certain compounds may exist in one or more particular geometric, optical, enantiomeric, diastereomeric, epimeric, stereoisomeric, tautomeric, conformational, or anomeric forms, including but not limited to, cis- and trans-forms; E- and Z-forms; c-, t-, and r- forms; endo and exo-forms; R-, S-, and meso-forms; D- and L-forms; d- and l-forms; (+) and (-) forms; keto-, enol-, and enolate- forms; syn- and anti-forms; synclinal- and anticlinal-forms; α - and β -

forms; axial and equatorial forms; boat-, chair-, twist-, envelope-, and half-chair forms; and combinations thereof, hereinafter collectively referred to as “isomers” (or “isomeric forms”).

[00165] Note that, except as discussed below for tautomeric forms, specifically excluded from the term “isomers”, as used herein, are structural (or constitutional) isomers (i.e., isomers which differ in the connections between atoms rather than merely by the position of atoms in space). For example, a reference to a methoxy group, -OCH₃, is not to be construed as a reference to its structural isomer, a hydroxymethyl group, -CH₂OH. Similarly, a reference to ortho-chlorophenyl is not to be construed as a reference to its structural isomer, meta-chlorophenyl. However, a reference to a class of structures may well include structurally isomeric forms falling within that class (e.g., C₁₋₇ alkyl includes n-propyl and iso-propyl; butyl includes n-, iso-, sec-, and tert-butyl; methoxyphenyl includes ortho-, meta-, and paramethoxyphenyl).

[00166] Note that specifically included in the term “isomer” are compounds with one or more isotopic substitutions. For example, H may be in any isotopic form, including ¹H, ²H (D), and ³H (T); C may be in any isotopic form, including ¹²C, ¹³C, and ¹⁴C; O may be in any isotopic form, including ¹⁶O and ¹⁸O; and the like.

[00167] Unless otherwise specified, a reference to a particular compound includes all such isomeric forms, including (wholly or partially) racemic and other mixtures thereof. Methods for the preparation (e.g., asymmetric synthesis) and separation (e.g., fractional crystallization and chromatographic means) of such isomeric forms are either known in the art or are readily obtained by adapting the methods taught herein, or known methods, in a known manner.

[00168] Unless otherwise specified, a reference to a particular compound also includes ionic, salt, solvate, and protected forms of thereof, for example, as discussed below. It may be convenient or desirable to prepare, purify, and/or handle a corresponding salt of the active compound, for example, a pharmaceutically-acceptable salt. Examples of pharmaceutically acceptable salts are discussed in Berge *et al.*, *J. Pharm. Sci.*, **66**:1-19 (1977).

[00169] For example, if the compound is anionic, or has a functional group which may be anionic (e.g., -COOH may be -COO⁻), then a salt may be formed with a suitable cation. Examples of suitable inorganic cations include, but are not limited to, alkali metal ions such as Na⁺ and K⁺, alkaline earth cations such as Ca²⁺ and Mg²⁺, and other cations such as Al³⁺. Examples of suitable organic cations include, but are not limited to, ammonium ion (i.e., NH₄⁺) and substituted ammonium ions (e.g., NH₃R⁺, NH₂R₂⁺, NHR₃⁺, NR₄⁺). Examples of some suitable substituted ammonium ions are those derived from: ethylamine, diethylamine,

dicyclohexylamine, triethylamine, butylamine, ethylenediamine, ethanolamine, diethanolamine, piperazine, benzylamine, phenylbenzylamine, choline, meglumine, and tromethamine, as well as amino acids, such as lysine and arginine. An example of a common quaternary ammonium ion is $\text{N}(\text{CH}_3)_4^+$.

[00170] If the compound is cationic, or has a functional group which may be cationic (e.g., -NH_2 may be -NH_3^+), then a salt may be formed with a suitable anion. Examples of suitable inorganic anions include, but are not limited to, those derived from the following inorganic acids: hydrochloric, hydrobromic, hydroiodic, sulfuric, sulfurous, nitric, nitrous, phosphoric, and phosphorous. Examples of suitable organic anions include, but are not limited to, those derived from the following organic acids: acetic, propionic, succinic, glycolic, stearic, palmitic, lactic, malic, pantoic, tartaric, citric, gluconic, ascorbic, maleic, hydroxymaleic, phenylacetic, glutamic, aspartic, benzoic, cinnamic, pyruvic, salicylic, sulfanilic, 2-acetoxybenzoic, fumaric, phenylsulfonic, toluenesulfonic, methanesulfonic, ethanesulfonic, ethane disulfonic, oxalic, pantothenic, isethionic, valeric, lactobionic, and gluconic. Examples of suitable polymeric anions include, but are not limited to, those derived from the following polymeric acids: tannic acid, carboxymethyl cellulose.

[00171] It may be convenient or desirable to prepare, purify, and/or handle a corresponding solvate of the active compound. The term “solvate” is used herein in the conventional sense to refer to a complex of solute (e.g., active compound, salt of active compound) and solvent. If the solvent is water, the solvate may be conveniently referred to as a hydrate, for example, a monohydrate, a di-hydrate, a tri-hydrate, etc.

[00172] It may be convenient or desirable to prepare, purify, and/or handle the active compound in a chemically protected form. The term “chemically protected form”, as used herein, pertains to a compound in which one or more reactive functional groups are protected from undesirable chemical reactions, that is, are in the form of a protected or protecting group (also known as a masked or masking group or a blocked or blocking group). By protecting a reactive functional group, reactions involving other unprotected reactive functional groups can be performed, without affecting the protected group; the protecting group may be removed, usually in a subsequent step, without substantially affecting the remainder of the molecule. See, for example, *Protective Groups in Organic Synthesis* (T. Green and P. Wuts, Wiley, 1999).

[00173] For example, a hydroxy group may be protected as an ether (-OR) or an ester (-OC(=O)R), for example, as: a t-butyl ether; a benzyl, benzhydryl (diphenylmethyl), or trityl (triphenylmethyl) ether; a trimethylsilyl or t-butyldimethylsilyl ether; or an acetyl ester (-O-C(=O)-CH_3).

OC(=O)CH₃, -OAc). For example, an aldehyde or ketone group may be protected as an acetal or ketal, respectively, in which the carbonyl group (>C=O) is converted to a diether (>C(OR)₂), by reaction with, for example, a primary alcohol. The aldehyde or ketone group is readily regenerated by hydrolysis using a large excess of water in the presence of acid. For example, an amine group may be protected, for example, as an amide or a urethane, for example, as: a methyl amide (-NHCO-CH₃); a benzyloxy amide (-NHCO-OCH₂C₆H₅, -NHCbz); as a t-butoxy amide (-NHCO-OC(CH₃)₃, -NH-Boc); a 2-biphenyl-2-propoxy amide (-NHCO-OC(CH₃)₂C₆H₄C₆H₅, -NH-Bpoc), as a 9-fluorenylmethoxy amide (-NH-Fmoc), as a 6-nitroveratryloxy amide (-NH-Nvoc), as a 2-trimethylsilylethyloxy amide (-NH-Teoc), as a 2,2,2-trichloroethyloxy amide (-NH-Troc), as an allyloxy amide (-NH-Alloc), as a 2-(phenylsulphonyl)ethyloxy amide (-NH-Psec); or, in suitable cases, as an N-oxide.

[00174] For example, a carboxylic acid group may be protected as an ester for example, as: an C₁₋₇ alkyl ester (e.g., a methyl ester; a t-butyl ester); a C₁₋₇ haloalkyl ester (e.g., a C₁₋₇ trihaloalkylester); a triC₁₋₇ alkylsilyl-C₁₋₇ alkyl ester; or a C₅₋₂₀ aryl-C₁₋₇ alkyl ester (e.g., a benzyl ester; a nitrobenzyl ester); or as an amide, for example, as a methyl amide.

[00175] For example, a thiol group may be protected as a thioether (-SR), for example, as: a benzyl thioether; an acetamidomethyl ether (-S-CH₂NHC(=O)CH₃).

Synthesis of Coelenterazine Derivatives

[00176] Coelenterazine derivatives according to the present invention may be synthesized according to those methods detailed in Examples 1-16.

Mutant Oplophorus Luciferases

[00177] In embodiments of the present invention, various techniques as described herein were used to identify sites for amino acid substitution to produce an improved synthetic OgLuc polypeptide. Additional techniques were used to optimize codons of the polynucleotides encoding the various polypeptides in order to enhance expression of the polypeptides. It was found that making one or more amino acid substitutions, either alone or in various combinations, produced synthetic OgLuc-type polypeptides having enhanced luminescence (e.g., enhanced brightness, enhanced signal stability, enhanced enzyme stability, and/or change in relative substrate specificity). Furthermore, including one or more codon-optimizing substitutions in the polynucleotides which encode for the various synthetic OgLuc variant polypeptides produced enhanced expression of the polypeptides in various eukaryotic and prokaryotic expression

systems. One embodiment of the present invention is a polynucleotide that encodes a synthetic OgLuc variant polypeptide which is soluble and active in the monomeric form when expressed in prokaryotic and/or eukaryotic cells.

[00178] The OgLuc variants of the present invention may be coupled to any protein of interest or molecule of interest. In some embodiments, the variants are fusion proteins, for example some variants are coupled to a HaloTag® polypeptide attached at either the N-terminus or the C-terminus. Unless otherwise noted, the variants that are HaloTag® fusions include ‘HT7’ as part of the name, e.g., ‘IVY-HT7’. In some embodiments, a signal sequence (e.g., the naturally-occurring *Oplophorus gracilirostris* signal sequence) is attached to the N-terminus of the fusion protein to facilitate the secretion of the fusion protein from the cell. Signal sequences, other than the naturally-occurring signal sequence of OgLuc luciferase, are known in the art to facilitate protein secretion in mammalian cells or other cell types. Signal sequences, in combination with membrane anchoring sequences, may be used to position or display OgLuc variants on the outer surface of the cellular membrane. Other methods, known in the art may also be used to position OgLuc variants to the membrane or other locations within the cell.

[00179] In some embodiments, the invention provides a modified decapod luciferase which has enhanced luminescence relative to a corresponding parental variant decapod luciferase. For example, the parental, variant OgLuc is C1+A4E, IVY, IV, QC27, QC27-9a, 9B8, 9B8 opt+K33N, 9B8 opt+K33N+170G, V2 or “L27V”. In another embodiment, the invention provides a modified decapod luciferase which utilizes a novel coelenterazine. In one embodiment, the modified decapod luciferase has a change in relative specificity for native, known or novel coelenterazines. In one embodiment, the modified decapod luciferase has a change in relative specificity relative to a corresponding parental, variant decapod luciferase.

[00180] In some embodiments, the corresponding parental, variant decapod luciferase is a decapod species, including various species from families within the decapod order including, without limitation, luciferases of the Aristeidae family, including *Plesiopenaeus coruscans*; the Pandalidea family, including *Heterocarpus* and *Parapandalus richardi*, the Solenoceridae family, including *Hymenopenaeus debilis* and *Mesopenaeus tropicalis*; the Luciferidae family, including *Lucifer typus*; the Sergestidae family, including *Sergestes atlanticus*, *Sergestes arcticus*, *Sergestes armatus*, *Sergestes pediformis*, *Sergestes cornutus*, *Sergestes edwardsi*, *Sergestes henseni*, *Sergestes pectinatus*, *Sergestes sargassi*, *Sergestes similis*, *Sergestes vigilax*, *Sergia challengerii*, *Sergia grandis*, *Sergia lucens*, *Sergia prehensilis*, *Sergia potens*, *Sergia robusta*, *Sergia scintillans*, and *Sergia splendens*; the Pasiphaeidae family, including *Glyphus marsupialis*, *Leptochela bermudensis*, *Parapasiphae sulcatifrons*, and *Pasiphea tarda*; the

Oplophoridae family, including *Acanthephyra acanthitelsonis*, *Acanthephyra acutifrons*, *Acanthephyra brevirostris*, *Acanthephyra cucullata*, *Acanthephyra curtirostris*, *Acanthephyra eximia*, *Acanthephyra gracilipes*, *Acanthephyra kingsleyi*, *Acanthephyra media*, *Acanthephyra microphthalma*, *Acanthephyra pelagica*, *Acanthephyra prionota*, *Acanthephyra purpurea*, *Acanthephyra sanguinea*, *Acanthephyra sibogae*, *Acanthephyra stylostratis*, *Ephyrina bifida*, *Ephyrina figueirai*, *Ephyrina koskynii*, *Ephyrina ombango*, *Hymenodora glacialis*, *Hymenodora gracilis*, *Meningodora miccyla*, *Meningodora mollis*, *Meningodora vesca*, *Notostomus gibbosus*, *Notostomus auriculatus*, *Oplophorus gracilirostris*, *Oplophorus grimaldii*, *Oplophorus novaezealandiae*, *Oplophorus spinicauda*, *Oplophorus foliaceus*, *Oplophorus spinosus*, *Oplophorus typus*, *Systellaspis braueri*, *Systellaspis cristata*, *Systellaspis debilis*, and *Systellaspis pellucida*; and the Thalassocaridae family, including *Chlorotocoides spinicauda*, *Thalassocaris crinita*, and *Thalassocaris lucida*. In certain embodiments, the modified luciferase has increased luminescence emission, e.g., at least 1.3-fold, at least 2-fold, or at least 4-fold, in a prokaryotic cell and/or a eukaryotic cell relative to the corresponding wild-type luciferase. In some embodiments, one or more properties of the modified decapod luciferase is compared to comparable properties of a luciferase from another species, e.g., a firefly luciferase or a *Renilla* luciferase.

[00181] In some embodiments, the OgLuc variant has at least 60%, e.g., at least 65%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99%, or 100%, amino acid sequence identity to SEQ ID NOs: 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 27, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 56, 58, 60, 62, 64, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, or 95. In some embodiments, the OgLuc variant, or a functional fragment thereof, has no more than 5 differences, or more preferably, no more than 4, 3, 2, or 1 difference, or most preferably no differences, wherein the differences occur in positions corresponding to pattern position 1, 2, 3, 5, 8, 10, 12, 14, 15, 17, or 18 of Formula (VII) according to Table 4. Differences may also include gaps or insertions between the pattern positions of Table 4.

[00182] In some embodiments, the OgLuc variant of the invention has one or more heterologous amino acid sequences at the N-terminus, C-terminus, or both (a fusion polypeptide such as one with an epitope or fusion tag), which optionally directly or indirectly interact with a molecule of interest. In some embodiments, the presence of the heterologous sequence(s) does not substantially alter the luminescence of the OgLuc variant either before or after the interaction with the molecule of interest. In some embodiments, the heterologous amino acid sequence is an epitope tag. In some embodiments, the heterologous amino acid sequence is one which, during or after interaction with a molecule of interest, undergoes a conformational change, which in turn

alters the activity of the OgLuc variant e.g., an OgLuc variant with such an amino acid sequence is useful to detect allosteric interactions. The OgLuc variant or a fusion with the OgLuc variant or a fragment thereof may be employed as a reporter.

[00183] In some embodiments, a fragment of an OgLuc variant of the invention is fused to a heterologous amino acid sequence, the fusion thereby forming a beta-barrel, which fusion protein is capable of generating luminescence from a naturally-occurring coelenterazine or an analog thereof including the various known coelenterazines discussed herein, or a novel coelenterazine of the present invention.

[00184] Also provided is a polynucleotide encoding an OgLuc variant of the invention or a fusion thereof, an isolated host cell having the polynucleotide or the OgLuc variant or a fusion thereof, and methods of using the polynucleotide, OgLuc variant or a fusion thereof or host cell of the invention.

[00185] The term "identity," in the context of two or more nucleic acids or polypeptide sequences, refers to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or nucleotides that are the same when compared and aligned for maximum correspondence over a comparison window or designated region as measured using any number of sequence comparison algorithms or by manual alignment and visual inspection. Methods of alignment of sequence for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted by the algorithm of Smith *et al.*, (*J. Mol. Biol.* **147**:195-197 (1981)), by the homology alignment algorithm of Needleman and Wunsch, (*J. Mol. Biol.*, **48**:443-453 (1970)), by the search for similarity method of Pearson and Lipman, (*Proc. Natl. Acad. Sci. USA*, **85**:2444-2448 (1988)), by computerized implementations of algorithms e.g., FASTA, SSEARCH, GGSEARCH (available at the University of Virginia FASTA server by William R. Pearson http://fasta.bioch.virginia.edu/fasta_www2/fasta_intro.shtml), the Clustal series of programs (Chenna *et al.*, *Nucl. Acids Res.* **31(13)**:3497-3500 (2003); available examples at <http://www.ebi.ac.uk> or <http://www.ch.embnet.org>), or other sequence analysis software. It is known in the art that generating alignments with maximum correspondence between polypeptide sequences with significant sequence alterations (e.g., altered domain order, missing/added domains, repeated domains, shuffled domains, circular permutation) may involve the use of specialized methods, such as the ABA method (Raphael *et al.*, *Genome Res.* **14(11)**:2336-2346 (2004)), other suitable methods, or performing the alignment with two concatenated identical copies of the polypeptide sequences.

[00186] The term "nucleic acid molecule," "polynucleotide" or "nucleic acid sequence" as used herein, refers to nucleic acid, including DNA or RNA, that comprises coding sequences necessary for the production of a polypeptide or protein precursor. The encoded polypeptide may be a full-length polypeptide, a fragment thereof (less than full-length), or a fusion of either the full-length polypeptide or fragment thereof with another polypeptide, yielding a fusion polypeptide.

[00187] A polynucleotide encoding a protein or polypeptide means a nucleic acid sequence comprising the coding region of a gene, or in other words, the nucleic acid sequence encoding a gene product. The coding region may be present in a cDNA, genomic DNA or RNA form. When present in a DNA form, the oligonucleotide may be single stranded (e.g., the sense strand) or double stranded. Suitable control elements such as enhancers/promoters, splice junctions, polyadenylation signals, etc. may be placed in close proximity to the coding region of the gene if needed to permit proper initiation of transcription and/or correct processing of the primary RNA transcript. Other control or regulatory elements include, but are not limited to, transcription factor binding sites, splicing signals, polyadenylation signals, termination signals and enhancer elements.

[00188] By "peptide," "protein" and "polypeptide" is meant amino acid chains of varying lengths, regardless of post-translational modification (e.g., glycosylation or phosphorylation). The nucleic acid molecules of the invention encode a variant of a man made (i.e., synthetic) variant protein or polypeptide fragment thereof, which has an amino acid sequence that is at least 60%, e.g., at least 65%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100%, amino acid sequence identity to the amino acid sequence of the parental protein from which it is derived, where the parental protein can be a naturally-occurring (native or wild-type) sequence or a variant sequence which is subsequently modified further. The term "fusion polypeptide" or "fusion protein" refers to a chimeric protein containing a reference protein (e.g., OgLuc variant) joined at the N- and/or C-terminus to one or more heterologous sequences (e.g., a non-OgLuc polypeptide). The heterologous sequence can include, but is not limited to, reporter proteins such as the HALOTAG® fusion protein (Promega Corp.), FLAsH (fluorescein arsenical helix binder), and ReAsH (red arsenical helix binder) (e.g., LUMIO™ tag recognition sequence (Invitrogen)), chloramphenicol acetyltransferase (CAT), β -galactosidase (β -Gal), lactamase (P-gal), neomycin resistance (Neo), GUS, galactopyranoside, green fluorescent protein (GFP), luciferase (e.g., a *Renilla reniformis* luciferase, a firefly luciferase (e.g., *Photinus pyralis* or *Photuris pennsylvanica*), or a click beetle luciferase (e.g., *Pyrophorus plagiophthalmus* or *Pyrearinus termitilluminans*) or a glowworm luciferase (e.g., *Phrixothrix hirtus*), xylosidase, thymidine

kinase, arabinosidase and SNAP-tag, CLIP-tag, ACP-tag and MCP-tag (New England Biolabs). In one embodiment, a chimeric protein contains an OgLuc variant joined at the N-terminus to a HALOTAG® fusion protein (Promega Corp.). In another embodiment, a chimeric protein contains an OgLuc variant joined at the C-terminus to a HALOTAG® fusion protein.

[00189] Nucleic acids are known to contain different types of "mutations", which refers to an alteration in the sequence of a nucleotide at a particular base position relative to the wild-type sequence. Mutations may also refer to insertion or deletion of one or more bases so that the nucleic acid sequence differs from a reference, e.g., a wild-type sequence, or replacement with a stop codon. A "substitution" refers to a change in an amino acid at a particular position in a sequence, e.g., a change from A to E at position 4.

[00190] The term "vector" refers to nucleic acid molecules into which fragments of DNA may be inserted or cloned and can be used to transfer DNA segment(s) into a cell and capable of replication in a cell. Vectors may be derived from plasmids, bacteriophages, viruses, cosmids, and the like.

[00191] The term "wild-type" or "native" as used herein, refers to a gene or gene product that has the characteristics of that gene or gene product isolated from a naturally occurring source. A wild-type gene is that which is most frequently observed in a population and is thus arbitrarily designated the "wild-type" form of the gene. In contrast, the term "mutant" refers to a gene or gene product that displays modifications in sequence and/or functional properties (i.e., altered characteristics) when compared to the wild-type gene or gene product. It is noted that naturally occurring mutants can be isolated; these are identified by the fact that they have altered characteristics when compared to the wild-type gene or gene product.

Exemplary Polynucleotides and Proteins

[00192] The invention includes an OgLuc variant or protein fragments thereof, e.g., those with deletions, for instance a deletion of 1 to about 5 residues, and chimeras (fusions) thereof (see U.S. Patent Publication No. 2009/0253131 and WIPO Publication No. WO 2007/120522, the disclosures of which are incorporated by reference herein) having at least one amino acid substitution relative to a wild-type OgLuc, which substitution results in the OgLuc variant having enhanced stability, enhanced luminescence, e.g., increased luminescence emission, greater stability of the luminescence kinetics, and/or altered luminescence color. The sequences of an OgLuc variant are substantially the same as the amino acid sequence of a corresponding wild-type OgLuc. A polypeptide or peptide having substantially the same sequence means that an

amino acid sequence is largely, but is not entirely, the same and retains the functional activity of the sequence to which it is related. In general, two amino acid sequences are substantially the same if they are at least 60%, e.g., at least 65%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, or 99%, but less than 100%, amino acid sequence identity. In some embodiments, the OgLuc variant is encoded by a recombinant polynucleotide. In some embodiments, the OgLuc variant, or a functional fragment thereof, has no more than 5 differences, or more preferably no more than 4, 3, 2, or 1 difference, or most preferably no differences, wherein the differences occur in positions corresponding to pattern position 1, 2, 3, 5, 8, 10, 12, 14, 15, 17, or 18 of Formula (VII) according to Table 4. Differences may also include gaps, insertions, or permutations between the pattern positions of Table 4.

[00193] The OgLuc variant proteins or fusion proteins of the invention may be prepared by recombinant methods or by solid phase chemical peptide synthesis methods. Such methods are known in the art.

Methods of Use and Kits

[00194] The compounds and proteins of the invention may be used in any way that luciferases and luciferase substrates, e.g., coelenterazines, have been used. For example, they may be used in a bioluminogenic method which employs an analog of coelenterazine to detect one or more molecules in a sample, e.g., an enzyme, a cofactor for an enzymatic reaction, an enzyme substrate, an enzyme inhibitor, an enzyme activator, or OH radicals, or one or more conditions, e.g., redox conditions. The sample may include an animal (e.g., a vertebrate), a plant, a fungus, physiological fluid (e.g., blood, plasma, urine, mucous secretions and the like), a cell, a cell lysate, a cell supernatant, or a purified fraction of a cell (e.g., a subcellular fraction). The presence, amount, spectral distribution, emission kinetics, or specific activity of such a molecule may be detected or quantified. The molecule may be detected or quantified in solution, including multiphasic solutions (e.g., emulsions or suspensions), or on solid supports (e.g., particles, capillaries, or assay vessels). In some embodiments the OgLuc variant can be used in luminescence-based assays to detect an enzyme of interest, e.g., CYP450 enzyme, MAO A or B enzyme, a caspase, etc. The novel coelenterazines could be used with photoproteins such as aequorin, obelin, or iPhotina. In some embodiment, the OgLuc variant can be used as an energy donor to another molecule (e.g., to a fluorophore, a chromophore, or a nanoparticle).

[00195] The invention also provides a polynucleotide encoding a transcriptional reporter. In some embodiments, the OgLuc variant or fragment thereof could be operably linked to transcription regulatory sequences, e.g., one or more enhancer, a promoter, a transcription

termination sequence or a combination thereof, to form an expression cassette. For example, the OgLuc variant could be operably linked to a minimal promoter and a cAMP-response element (CRE).

[00196] The proteins of the invention may be used as biosensors, e.g., an OgLuc variant, which, in the presence of another molecule (e.g, one or more molecules of interest), or under certain conditions, has one or more altered activities. Upon interacting with a molecule of interest or being subject to certain conditions, the biosensor undergoes a conformational change or is chemically altered which causes an alteration of the enzyme activity or luminescence, e.g., specific activity, spectral distribution, or emission kinetics. For example, the OgLuc variant of the present invention, for example a circularly permuted variant, can comprise an interaction domain for a molecule of interest. Alternatively, for example, the OgLuc variant may be coupled to an energy acceptor, for example a fluorescent protein, and comprise an interaction domain that alters the efficiency of energy transfer from the enzyme to the energy acceptor. For example, the biosensor could be generated to detect proteases, kinases, a ligand, a binding protein such as an antibody, cyclic nucleotides such as cAMP or cGMP, or a metal such as calcium, by insertion of a suitable sensor region into the OgLuc variant sequence. One or more sensor region can be inserted at the C-terminus, the N-terminus, and/or at one or more suitable location in the polypeptide sequence, where the sensor region comprises one or more amino acids. In the case of a circularly-permuted OgLuc variant, the sensor region may be inserted between the N- and C-termini of the parent OgLuc variant. In addition, one or all of the inserted sensor regions may include linker amino acids to couple the sensor to the remainder of the OgLuc variant polypeptide. Examples of luciferase biosensors are disclosed in U.S. Pat. Appl. Publ. Nos. 2005/0153310 and 2009/0305280 and PCT Publ. No. WO 2007/120522 A2, each of which is incorporated by reference herein.

[00197] In various embodiments, the OgLuc variants disclosed herein may be used to transfer energy to an energy acceptor, for example in Bioluminescence Resonance Energy Transfer (BRET) analysis. For example, the OgLuc variants used in BRET analysis can be used to determine if two molecules are capable of binding each other or co-localize in a cell. For example, an OgLuc variant can be used as a bioluminescence donor molecule which is combined with a molecule or protein of interest to create a first fusion protein. In various embodiments, the first fusion protein contains an OgLuc variant and a protein of interest. In various embodiments, the first fusion proteins containing the OgLuc variant can be used in BRET analysis to detect protein/protein interaction in systems including but not limited to cell lysates, intact cells, and living animals. In various embodiments, HALOTAG® can be used as a fluorescent acceptor

molecule. In some embodiments, HALOTAG® can be fused to a second protein of interest or to an OgLuc variant. For example, an OgLuc variant can be fused to HALOTAG®, expressed in cells or animals, and labeled with a fluorescent HALOTAG® ligand such as HALOTAG® TMR ligand. The fusion can subsequently be excited to fluoresce in the presence of a cell-permeant OgLuc substrate. In some embodiments, BRET may be performed using OgLuc variants in combination with fluorescent proteins, including but not limited to Green Fluorescent Protein (GFP) or Red Fluorescent Protein (RFP) or fluorescent labels including fluorescein, rhodamine green, Oregon green, or Alexa 488, to name a few non-limiting examples.

[00198] In various embodiments, the OgLuc variants and/or the novel coelenterazines of the present invention may be used in protein complementation assays (PCA) to detect the interaction of two biomolecules, e.g., polypeptides. For example, an OgLuc variant of the present invention can be separated into two fragments at a site(s) tolerant to separation and each fragment of the separated OgLuc variant can be fused to one of a pair of polypeptides of interest believed to interact, e.g., FKBP and FRB. If the two polypeptides of interest do in fact interact, the OgLuc fragments then come into close proximity with each other to reconstitute the functional, active OgLuc variant. In some embodiments, the activity of the reconstituted OgLuc variant can then be detected and measured using a native or known coelenterazine or a novel coelenterazine of the present invention. In some embodiments, the split OgLuc variant can be used in a more general complementation system similar to lac-Z (Langley *et al.*, *PNAS* **72**:1254-1257 (1975)) or ribonuclease S (Levit and Berger, *J. Biol. Chem.* **251**:1333 –1339 (1976)). In some embodiments, an OgLuc variant fragment (designated “A”) known to complement with another OgLuc variant fragment (“B”) can be fused to a target protein, and the resulting fusion can be monitored via luminescence in a cell or cell lysate containing fragment B. In some embodiments, the source of fragment B could be the same cell (e.g., if the gene for fragment B is integrated into the genome of the cell or is contained on another plasmid within the cell) or it could be a lysate or purified protein derived from another cell. In some embodiments, this same fusion protein (fragment A) could be captured or immobilized using a fusion between fragment B and a polypeptide such as HALOTAG® capable of attachment to a solid support. In some embodiments, luminescence can be used to demonstrate successful capture or to quantify the amount of material captured.

[00199] In various embodiments, the OgLuc variants and/or the novel coelenterazines of the present invention may be used to quantify coelenterazine. In some embodiments, a coelenterazine (e.g., a native or known coelenterazine, or a novel coelenterazine of the present invention) can be used as a probe of a specific biochemical activity, e.g., apoptosis and drug

metabolism. In some embodiments, the coelenterazine concentration is coupled to a specific enzyme activity by a “pro-coelenterazine” or “pro-substrate” that can be acted on by the specific enzyme of interest. In some embodiments, the pro-coelenterazine is a molecule that cannot support luminescence directly when combined with luciferase, but can be converted into coelenterazine through catalytic processing by a specific enzyme of interest. In some embodiments, the approach can be used for enzymes such as those used in drug metabolism, e.g., cytochrome P450 enzymes, monoamine oxidase, and glutathione S-transferase; and apoptosis, e.g., caspases. For example, coelenterazine (e.g., a native or known coelenterazine, or a novel coelenterazine of the present invention) can be modified to contain a cleavable group, such as 6'-O-methyl. In some embodiments, when incubated with a specific cytochrome P450 enzyme, the 6'-O-methyl is cleaved, and the pro-coelenterazine converted to coelenterazine which can be detected with an OgLuc variant of the present invention. In some embodiments, the pro-coelenterazine can be combined with other components necessary to support luminescence, e.g., luminescent protein such as an OgLuc variant of the present invention, to provide a single reagent and a homogeneous assay. For example, when the reagent is added to a sample, luminescence is generated as pro-coelenterazine is converted to coelenterazine. In various embodiments, similar assays can be developed for other enzymes, small molecules, or other cellular processes that can be linked to the generation of coelenterazines from pro-coelenterazines.

[00200] In various embodiments, the OgLuc variants and/or the novel coelenterazines of the present invention may be used as genetic transcriptional reporter systems. In some embodiments, the OgLuc variants can be multiplexed with a luciferase that emits light at a different wavelength, e.g., red click beetle luciferase (CHROMA-LUC™; Promega Corp.). For example, if an OgLuc variant of the present invention is used as a functional reporter, then the red CHROMA-LUC™ luciferase could be used to control for non-specific effects on genetic regulation or to normalize for transfection efficiency. In some embodiments, luminescence generated from the OgLuc variant (approximately 460 nm) and red CHROMA-LUC™ (approximately 610 nm) can be easily resolved using a luminometer with wavelength-discriminating filters, enabling the measurement of both signals from the same sample. In another example, an OgLuc variant of the present invention could be used as a transcriptional reporter and paired with a luciferase that emits light at a different wavelength contained in an assay reagent. For example, an OgLuc variant of the present invention could be used as transcriptional reporter and paired with either aequorin or a cAMP circularly-permuted firefly luciferase biosensor, or both simultaneously, to detect multiple pathways in a single sample. In such a system, for example, aequorin could be used for the detection and/or measurement of calcium, the biosensor for the detection and/or

measurement of cAMP, and an OgLuc variant for monitoring of downstream gene expression. In another example, an OgLuc variant may be used with one or more additional luciferases, where the luminescence of each luciferase may be separately measured through the use of selective enzyme inhibitors. For example, the luminescence of a first luciferase may be measured upon addition of appropriate substrates and buffers, followed by measurement of a second luciferase upon a subsequent addition of appropriate substrates and buffers and one or more inhibitors selective for the first luciferase. In another example, the luciferase contained in an assay reagent may be used for measuring a specific aspect of cellular physiology, for example ATP to estimate cell viability, or caspase activity to estimate cellular apoptosis.

[00201] In various embodiments, the OgLuc variants of the present invention may be used as reporters in difficult to transfect cell lines or perhaps even in non-dividing primary cells, e.g., stem cells or HepG2 cells. Due to their high signal intensity, the OgLuc variants of the present invention will enable detectable luminescence when transfection efficiency is low. In some embodiments, the OgLuc variants can be used as reporters in cells that are especially sensitive to conditions associated with transfection, e.g., which are sensitive to elevated DNA concentrations or the addition of transfection reagent. Thus, in various embodiments, due to the enhanced luminescence of the OgLuc variants of the present invention, an adequate level of luminescence can be achieved using lower DNA concentrations, less transfection reagent, and/or shorter post-transfection times prior to beginning an assay so that there is a reduced toxicity burden on sensitive cells. In various embodiments, the enhanced luminescence of the OgLuc variants will also allow for a signal to be detected at much later time points. In still other embodiments, the OgLuc variants could be used as reporters for single-copy native promoters.

[00202] In various embodiments, the OgLuc variants of the present invention may be used as fusion tags for a target protein of interest as a way to monitor intracellular levels of the target protein. In some embodiments, the OgLuc variants can be used to monitor specific proteins involved in stress response pathways (e.g., DNA damage, oxidative stress, inflammation) in cells as a way to probe the role various types of stimuli may play in these pathways. In some embodiments, the OgLuc variants can also be used as a means to monitor cellular trafficking of a target protein. For example, the OgLuc variants can also be fused to viral genomes (e.g., HIV, HCV) so that titer levels, i.e., infectivity, can be monitored in cells following treatment with potential antiviral agents. In some embodiments, the variants can also be fused to green fluorescent protein (GFP) or HALOTAG® (in addition to a target protein) for fluorescence activated cell sorting (FACS) to identify high expression clones.

[00203] In various embodiments, identification of robust, stable cell lines expressing an OgLuc variant of the present invention, either in the cytoplasm or as a secreted form, can be facilitated by the enhanced signal of the OgLuc variant and the small size of the OgLuc gene. The relatively small gene sequence should reduce the likelihood of genetic instability resulting from the integration of the foreign DNA into a cell's genome.

[00204] In various embodiments, the OgLuc variants of the present invention can be integrated into a variety of different immunoassay concepts. For example, an OgLuc variant can be fused to a primary or secondary antibody to provide a method of detection for a particular analyte. As another example, an OgLuc variant can be fused to protein A or protein G, and the fusion could then be used to detect a specific antibody bound to a particular analyte. As another example, an OgLuc variant can be fused to streptavidin and used to detect a specific biotinylated antibody bound to a particular analyte. As yet another example, complementary fragments of an OgLuc variant can be fused to primary and secondary antibodies, where the primary antibody recognizes a particular analyte, and the secondary antibody recognizes the primary antibody. In some embodiments, the OgLuc variant activity would be reconstituted in the presence of analyte. As still another example, an OgLuc variant can be conjugated to an analyte (e.g., prostaglandins) and used in a competitive sandwich ELISA format. The OgLuc variant conjugated to an analyte may also be used to detect antibodies capable of binding the analyte, where the binding activity allows the OgLuc variant to be selectively linked to the antibody. An example using Renilla luciferase for quantitatively measuring patient antibody titers to an antigenic target is the Luciferase Immunoprecipitation System (Burbelo *et al.*, Expert Review of Vaccines **9(6)**:567-578 (2010))

[00205] In various embodiments, the OgLuc variants and novel substrates of the present invention can be used for detecting luminescence in live cells. In some embodiments, an OgLuc variant can be expressed in cells (as a reporter or otherwise), and the cells treated with a coelenterazine, e.g., a novel coelenterazine such as PBI-3939, which will permeate cells in culture, react with the OgLuc variant and generate luminescence. In addition to being cell permeant, PBI-3939 shows comparable biocompatibility to native coelenterazine in terms of cell viability. In some embodiments, a version of PBI-3939 containing chemical modifications known to increase the stability of native coelenterazine in media can be synthesized and used for more robust, live cell OgLuc variant-based reporter assays. In still other embodiments, a sample (including cells, tissues, animals, etc.) containing an OgLuc variant and/or a novel coelenterazine of the present invention may be assayed using various microscopy and imaging techniques. In

still other embodiments, a secretable OgLuc variant is expressed in cells as part of a live-cell reporter system.

[00206] In various embodiments, the OgLuc variants and/or novel coelenterazines disclosed herein may be provided as part of a kit. The kit may include one or more OgLuc variants as disclosed herein (in the form of a polypeptide, a polynucleotide, or both) and/or a coelenterazine, along with suitable reagents and instructions to enable a user to perform assays such as those disclosed herein. The coelenterazine may be any of the native, known, or novel coelenterazines disclosed herein. The kit may also include one or more buffers, such as those disclosed herein.

Vectors and Host Cells Encoding the Modified Luciferase or Fusions Thereof

[00207] Once a desirable nucleic acid molecule encoding an OgLuc variant or a fragment thereof, such as one with luminescence activity or which may be complemented by another molecule to result in luminescence activity, or a fusion thereof with luminescence activity, is prepared, an expression cassette encoding the OgLuc variant or a fragment thereof, e.g., one for complementation, or a fusion thereof with luminescence activity, may be prepared. For example, a nucleic acid molecule comprising a nucleic acid sequence encoding an OgLuc variant is optionally operably linked to transcription regulatory sequences, e.g., one or more enhancers, a promoter, a transcription termination sequence or a combination thereof, to form an expression cassette. The nucleic acid molecule or expression cassette may be introduced to a vector, e.g., a plasmid or viral vector, which optionally includes a selectable marker gene, and the vector introduced to a cell of interest, for example, a prokaryotic cell such as *E. coli*, *Streptomyces* spp., *Bacillus* spp., *Staphylococcus* spp. and the like, as well as eukaryotic cells including a plant (dicot or monocot), fungus (including yeast, e.g., *Pichia*, *Saccharomyces* or *Schizosaccharomyces*), or a mammalian cell, lysates thereof, or to an *in vitro* transcription/translation mixture. Mammalian cells include but are not limited to bovine, caprine, ovine, canine, feline, non-human primate, e.g., simian, and human cells. Mammalian cell lines include, but are not limited to, CHO, COS, HEK293, HeLa, CV-1, SH-SY5Y, and NIH 3T3 cells, although numerous other cell lines can also be used as well.

[00208] The expression of an encoded OgLuc variant may be controlled by any promoter capable of expression in prokaryotic cells or eukaryotic cells including synthetic promoters. Prokaryotic promoters include, but are not limited to, SP6, T7, T5, *tac*, *bla*, *trp*, *gal*, *lac* or maltose promoters, including any fragment that has promoter activity. Eukaryotic promoters include, but are not limited to, constitutive promoters, e.g., viral promoters such as CMV, SV40 and RSV promoters, as well as regulatable promoters, e.g., an inducible or repressible promoter

such as the tet promoter, the hsp70 promoter and a synthetic promoter regulated by CRE, including any fragment that has promoter activity. The expression of an encoded OgLuc variant may also be controlled by post-transcriptional processes, such as by regulation of RNA processing or regulation of translation, for example by RNAi, miRNA, shRNA, siRNA, or by RNA or protein degradation. The nucleic acid molecule, expression cassette and/or vector of the invention may be introduced to a cell by any method including, but not limited to, calcium-mediated transformation, electroporation, microinjection, lipofection, and the like.

Optimized Sequences, and Vectors and Host Cells Encoding the OgLuc Variants

[00209] Also provided is an isolated nucleic acid molecule (polynucleotide) comprising a nucleic acid sequence encoding an OgLuc variant of the invention, a functional fragment thereof or a fusion protein thereof. In some embodiments, the isolated nucleic acid molecule comprises a nucleic acid sequence which is optimized for expression in at least one selected host. Optimized sequences include sequences which are codon optimized, i.e., codons which are employed more frequently in one organism relative to another organism, e.g., a distantly related organism, as well as modifications to add or modify Kozak sequences and/or introns, and/or to remove undesirable sequences, for instance, potential transcription factor binding sites. Such optimized sequences can provide enhanced expression, e.g., increased levels of protein expression, when introduced into a host cell. Examples of optimized sequences are disclosed in U.S. Pat. No. 7,728,118 and U.S. Pat. Appl. Publ. Nos. 2008/0070299, 2008/0090291, and 2006/0068395, each of which is incorporated by reference herein.

[00210] In some embodiments, the polynucleotide includes a nucleic acid sequence encoding an OgLuc variant of the invention, which nucleic acid sequence is optimized for expression in a mammalian host cell. In some embodiments, an optimized polynucleotide no longer hybridizes to the corresponding non-optimized sequence, e.g., does not hybridize to the non-optimized sequence under medium or high stringency conditions. The term "stringency" is used in reference to the conditions of temperature, ionic strength, and the presence of other compounds, under which nucleic acid hybridizations are conducted. With "high stringency" conditions, nucleic acid base pairing will occur only between nucleic acid fragments that have a high frequency of complementary base sequences. Thus, conditions of "medium" or "low" stringency are often used when it is desired that nucleic acids that are not completely complementary to one another be hybridized or annealed together. The art knows well that numerous equivalent conditions can be employed to comprise medium or low stringency conditions.

[00211] In some embodiments, the polynucleotide has less than 90%, e.g., less than 80%, nucleic acid sequence identity to the corresponding non-optimized sequence and optionally encodes a polypeptide having at least 60%, e.g., at least 65%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100%, amino acid sequence identity with the polypeptide encoded by the non-optimized sequence. Constructs, e.g., expression cassettes, and vectors comprising the isolated nucleic acid molecule, e.g., with optimized nucleic acid sequence, as well as kits comprising the isolated nucleic acid molecule, construct or vector are also provided.

[00212] A nucleic acid molecule comprising a nucleic acid sequence encoding an OgLuc variant of the invention, a fragment thereof or a fusion thereof is optionally optimized for expression in a particular host cell and also optionally operably linked to transcription regulatory sequences, e.g., one or more enhancers, a promoter, a transcription termination sequence or a combination thereof, to form an expression cassette.

[00213] In some embodiments, a nucleic acid sequence encoding an OgLuc variant of the invention, a fragment thereof or a fusion thereof is optimized by replacing codons, e.g., at least 25% of the codons in a parental OgLuc sequence with codons which are preferentially employed in a particular (selected) cell. Preferred codons have a relatively high codon usage frequency in a selected cell, and preferably their introduction results in the introduction of relatively few transcription factor binding sites for transcription factors present in the selected host cell, and relatively few other undesirable structural attributes. Examples of undesirable structural attributes include, but not limited to, restriction enzyme sites, eukaryotic sequence elements, vertebrate promoter modules and transcription factor binding sites, response elements, *E. coli* sequence elements, mRNA secondary structure. Thus, the optimized nucleic acid product may have an improved level of expression due to improved codon usage frequency, and a reduced risk of inappropriate transcriptional behavior due to a reduced number of undesirable transcription regulatory sequences.


[00214] An isolated and optimized nucleic acid molecule may have a codon composition that differs from that of the corresponding wild-type nucleic acid sequence at more than 30%, 35%, 40% or more than 45%, e.g., 50%, 55%, 60% or more of the codons. Exemplary codons for use in the invention are those which are employed more frequently than at least one other codon for the same amino acid in a particular organism and, in some embodiments, are also not low-usage codons in that organism and are not low-usage codons in the organism used to clone or screen for the expression of the nucleic acid molecule. Moreover, codons for certain amino acids (i.e., those amino acids that have three or more codons), may include two or more codons that are employed more frequently than the other (non-preferred) codon(s). The presence of codons in

the nucleic acid molecule that are employed more frequently in one organism than in another organism results in a nucleic acid molecule which, when introduced into the cells of the organism that employs those codons more frequently, is expressed in those cells at a level that is greater than the expression of the wild-type or parent nucleic acid sequence in those cells.

[00215] In some embodiments of the invention, the codons that are different are those employed more frequently in a mammal, while in still other embodiments, the codons that are different are those employed more frequently in a plant. Preferred codons for different organisms are known to the art, e.g., see <http://www.kazusa.or.jp./codon/>. A particular type of mammal, e.g., a human, may have a different set of preferred codons than another type of mammal. Likewise, a particular type of plant may have a different set of preferred codons than another type of plant. In one embodiment of the invention, the majority of the codons that differ are ones that are preferred codons in a desired host cell. Preferred codons for organisms including mammals (e.g., humans) and plants are known to the art (e.g., Wada *et al.*, *Nucl. Acids Res.*, **18**:2367 (1990); Murray *et al.*, *Nucl. Acids Res.*, **17**:477 (1989)).

EXAMPLES


Reference Example 1 – Synthesis of α -Aminonitrile (Compound 1):



[00216] A flask was charged with sodium bisulfite (71.4 mmol) and 17 mL of water. To this, a solution of aldehyde (69.3 mmol) in 14 mL of tetrahydrofuran (THF) was added dropwise at a rate that kept the internal temperature below 60°C. The resulting suspension was stirred at ambient temperature for 40 min, and ammonium hydroxide solution (4.85 mL) added over 2 min. The resulting solution was magnetically stirred while being heated in an oil bath at 60°C for 1 hr and then left at ambient temperature overnight. The solution was cooled in an ice/saltwater bath until the internal temperature measured below 5°C. To this, a solution of sodium cyanide (71.4 mmol) in 14 mL of water was added dropwise over 30 min. The resulting mixture was stirred at approximately 10°C for 20 min, 30°C for 2 hrs, and at ambient temperature for 18 hrs. The reaction mixture was extracted into three 200 mL portions of diethyl ether, and the combined extracts dried over anhydrous sodium sulfate. The mixture was filtered, and the solution cooled in an ice bath for 20 min. To the stirred solution, hydrogen chloride gas was added until precipitation ceased, and the suspension stirred for 1 hr. The solid was isolated by filtration and


rinsed with three 50 mL portions of diethyl ether. The material was dried under vacuum, and 6.4 g (47.5 mmol) of a white solid was obtained (69%). Procedure was adapted from: Freifelder and Hasbrouck, "Synthesis of Primary 1,2-Diamines by Hydrogenation of alpha-Aminonitriles," *Journal of the American Chemical Society*, 82(3):696-698 (1960).

Reference Example 2 – Synthesis of 2-oxo-2-phenylacetaldehyde oxime (Compound 2):



[00217] A flask was charged with potassium tert-butoxide (58 mmol) and 63 mL of tert-butyl alcohol. The mixture was stirred until a solution was formed, and a solution of the appropriate benzophenone (50 mmol) in 35 mL of tert-butyl alcohol added dropwise over 15 min. The reaction mixture was stirred for 1 hr, and the neat isoamyl nitrite (75 mmol) added over five min. The reaction mixture was monitored for completion and then diluted with 100 mL of heptanes. The resulting solid (38 mmol) was collected via suction filtration and dried to a constant weight under vacuum. Procedure was adapted from: Hagedorn *et al.*, *Chem. Ber.*, 98:193 (1965).

Reference Example 3 – Synthesis of Pyrazine derivatives (Compound 3)




[00218] A 3-neck flask was fitted with a thermometer, septum, and argon line. To this, aminonitrile (47.5 mmol), dry pyridine (190 mL), and oxime (61.75 mmol) was added. The mixture was well stirred for 15 min, and tetra-chloro(bis-pyridyl)titanium complex (94.9 mmol) added in five portions over 35 min making sure the internal temperature remained below 40°C. After the addition was complete, the reaction mixture was stirred overnight at ambient temperature. The reaction mixture was slowly added to a solution of sodium bicarbonate (21.75 g in 174 mL water) in small portions. The resulting mixture was well stirred for 15 min and 80 g of celite was added. The suspension was stirred for 30 min and filtered through a Buchner funnel. The filtrate was removed to a separatory funnel, and the filter cake was suspended in 400 mL of methanol. The mixture was stirred for 30 min and filtered again. This process was repeated a total of four times. The methanolic filtrates were combined and concentrated, and the

residue dissolved in 200 mL of ethyl acetate (EtOAc). The solution was added to the separatory funnel containing the original filtrate, and the mixture further extracted with three 100 mL portions of EtOAc. The combined extracts were washed with two 100 mL portions of saturated sodium carbonate and two 100 mL portions of brine solution. The organic solvent was evaporated, and the crude pyrazine-oxide obtained as a brown oil. The material was dissolved in 3 mL of methanol, and 89 mL of dichloromethane (DCM) was added. To this solution, zinc dust (80.7 mmol) was added, and the mixture cooled in an ice bath until an internal temperature of 15°C was reached. The mixture was treated with glacial acetic acid (3 mL) and warmed to an internal temperature of 30°C in an oil bath for 40 min. The reaction mixture was cooled to room temperature and filtered through a pad of celite. The filter cake was rinsed with DCM, and the combined filtrates washed with an aqueous solution of saturated sodium bicarbonate. The crude product was purified by chromatography over silica gel using a heptane/EtOAc gradient. This gave 2.9 g (29%) of the pyrazine as a brown solid. Procedure was adapted from: Kishi *et al.*, "The structure confirmation of the light-emitting moiety of bioluminescent jellyfish." *Tetrahedron Lett.*, 13(27):2747 (1972).

Reference Example 4 – Synthesis of Coelenterazines


[00219] *Method A:* (the following compounds can be synthesized by Method A: compounds PBI-3840, PBI-3886, PBI-3857, PBI-3887, PBI-3913, PBI-3894, PBI-3896, PBI-3897, PBI-3841 and PBI-3842)



[00220] A flask was charged with pyrazine (8.25 mmol), pyruvic acid (14.0 mmol), camphor sulfonic acid (0.8 mmol), and anhydrous 2-methyl THF (150 mL). The flask was equipped with a condenser and soxhlet extractor charged with 4-angstrom molecular sieves, and the reaction mixture heated in an oil bath at 110°C for 18 hrs. The sieves were replaced with fresh ones, and

reflux continued for 24 hrs. The reaction mixture was filtered and concentrated, and the residue dissolved in EtOAc (200 mL). This solution was washed with three 25 mL portions of saturated sodium bicarbonate solution, 100 mL of 0.1 M sodium acetate buffer, pH 5, and 100 mL of brine solution. The solution was dried over magnesium sulfate, filtered, and concentrated to give 2.3 g (6.2 mmol, 75%) of the crude enamine/acid. This material was dissolved in anhydrous THF (30 mL), and the solution cooled in an ice/water bath for 10 min. To this, the carbodiimide (9.0 mmol) and neat diisopropylethyl amine (14.9 mmol) was added. The cold bath was removed after 10 min, and the reaction mixture stirred at ambient temperature for 3 hrs. To the reaction mixture, 50 mL of 0.1 M sodium acetate buffer, pH 5 was added, and the mixture well stirred for 10 min. The biphasic mixture was extracted with three 100 mL portions of EtOAc, and the combined extracts washed with brine solution. The organic solution was concentrated, and the residue purified by chromatography over silica gel using a DCM/methanol gradient. This gave 336 mg (0.94 mmol, 16%) of the dehydrocoelenterazine as a red solid. This material was suspended in 10 mL of methanol, and the mixture cooled in an ice bath. To this, sodium borohydride (100 mg, 2.6 mmol) was added in three portions over 1 hr. The reaction mixture was stirred for an additional 30 min, and neat glacial acetic acid added drop wise until a pH of 5 was reached. The solution was concentrated, and the residue triturated with 15 mL of water. The solid was isolated via suction filtration and dried under vacuum for several hours to give 318 mg (94%) of the crude coelenterazine as a yellow solid. Procedure was adapted from: Kakoi and Inoue, *Chem. Lett.* 11(3):299-300 (1980).

[00221] *Method B:* (the following compounds can be synthesized by method B: compounds PBI-3882, PBI-3932, PBI-3881)



[00222] A flask was charged with the glyoxal (2.2 mmol), aminopyrazine (1.1 mmol), ethanol (20 mL), 12N HCl (0.6 mL), and water (1 mL). The reaction mixture was heated at reflux for 24 hrs and concentrated. The residue was purified by column chromatography over silica gel using a DCM/methanol gradient. This gave 100 mg (0.25 mmol, 23%) of the coelenterazine product as a dark solid. Procedure was adapted from: Inoue *et al.* "Squid bioluminescence. II. Isolation from *Watasenia scintillans* and synthesis of 2-(p-hydroxybenzyl)-6-(p-hydroxyphenyl)-3,7-dihydroimidazo[1,2-a]pyrazin-3-one." *Chem. Lett.*, 4(2):141-4 (1975).

Method C: Synthesis of novel coelenterazines (the following compounds can be synthesized by method C: PBI-3939, PBI-3945, PBI-3889, PBI-4002)

[00223] The compound 4-(5-amino-6-benzylpyrazin-2-yl)phenol can be prepared according to previously described methods (Kishi *et al.*, *Tetrahedron Lett.*, 13:2747 (1972); Mosrin *et al.*, *Organic Letters*, 11:3406 (2009); Kakoi, *Chem. Pharm. Bull.*, 50:301 (2002)).

[00224] *Synthesis of 2-amino-3-benzyl-5-phenylpyrazine.* A round bottomed flask was charged with 5 g (33.5 mmol) of 2-isonitrosoacetophenone, 6.7 g (36.8 mmol) of 2-amino-3-phenylpropanenitrile hydrochloride and 100 mL of dry pyridine. The mixture was cooled to -20°C and 4.6 mL (40.0 mmol) of TiCl₄ was added dropwise. The reaction was kept at -20°C for 30 min and heated to 80°C for 2.5 hrs. The solvent was evaporated, and the residue taken up in 1 L of DCM. This solution was washed with saturated NaHCO₃ and brine. All volatiles were evaporated, and the residue redissolved in ethanol (400 mL). Raney Ni (2.0 g, aqueous suspension) was added, and the reaction allowed to stir for 5 days under 1 atm of hydrogen. The mixture was passed through celite, and volatiles removed. The residue was chromatographed on silica gel (heptanes/DCM) to give 2.5 g (29%) of 2-amino-3-benzyl-5-phenylpyrazine.

[00225] *Synthesis of 2-amino-3-phenylpropanenitrile hydrochloride.* A round bottomed flask was charged with 65 g (0.624 mol) of sodium hydrogensulfite and 150 mL of water. A solution of 75 g (0.624 mol) of phenylacetaldehyde in 150 mL of THF was added dropwise. After stirring for 20 min, 37 mL of 14 M ammonium hydroxide was added in one portion, and the mixture heated to 60°C for 60 min. After cooling to 0°C, the mix was diluted with 150 mL of water, and a solution of sodium cyanide (27.5 g, 0.560 mol) in 100 mL of water added dropwise keeping internal temperature below 10°C. Upon addition, the mixture was heated to 30°C for 2 hrs and extracted with ether. After drying with sodium sulfate, all volatiles were evaporated, and the residue dissolved in 3.5 L of ether and treated with 400 mL of 3.3 M ethanolic HCl. The resulting precipitate was filtered and dried in vacuum to give 55 g (60%) of product.


[00226] *Synthesis of 3-(furan-2-yl)-2-oxopropanoic acid.* To a 100 mL flask, 3-(furan-2-yl)-2-oxopropanoate (940 mg) along with 23 mL cold 6N NaOH was added. The insoluble mixture was stirred in a 90°C bath for 5 min until dissolved. Cold 1N HCl was added until solution was acidic (approx 120 mL). Solution was extracted 2 x 50 mL EtOAc. Combined organic layers were washed with 40 mL brine and dried with Na₂SO₄. Solution was evaporated to yield 540 mg brown solid. Solid was further purified by reversed-phase high-performance liquid chromatography (HPLC) ramping from 97% aqueous trifluoroacetic acid (TFA) to acetonitrile (ACN).

[00227] *Synthesis of ethyl 3-(furan-2-yl)-2-oxopropanoate.* To a 500 mL flask containing the mixture of isomers (E/Z)-ethyl 2-formamido-3-(furan-2-yl)acrylate (5.0 g), a chilled solution of 220 mL 1.4M (5%) HCl in 50/50 ethanol/water was added. After 5 hrs, the reaction was partitioned between 200 mL of EtOAc and 30 mL brine. The aqueous layer was extracted 2 x 50 mL EtOAc. Combined organic layers were washed with 1 x 50 mL water, and 1 x 50 mL brine and dried over Na₂SO₄. Organic layers were co-evaporated with 26 g celite and eluted over 80 g silica gold ramping from heptane to EtOAc. The appropriate combined fractions were evaporated to yield 2.1 g.

[00228] *Synthesis of (E/Z)-ethyl 2-formamido-3-(furan-2-yl)acrylate.* To a 500 mL flask, 50 mL diethyl ether, Cu₂O (320 mg), and furyl aldehyde (5.2 mL) was added. The flasked was cooled in an ice bath, and ethyl 2-isocyanoacetate (5.3 mL) added. After 1.5 hrs, potassium tert-butoxide (5 g) was added to the reaction. After 4 hrs, the heterogeneous reaction was filtered. 60 mL 30% citric acid and 20 mL EtOAc was added and stirred for 10 min. Aqueous layer was extracted with 50 mL EtOAc. Combined organic layers were dried over anhydrous sodium sulfate. EtOAc layers were co-evaporated with 24 g celite and eluted over 80 g silica gold ramping from heptane to EtOAc. Yellow syrup was used without further purification.

[00229] *Synthesis of 2-oxo-3-(thiophen-2-yl)propanoic acid.* To a 250 mL flask, (E/Z)-5-(thiophen-2-ylmethylene)imidazolidine-2,4-dione (5.0 g) and 100 mL of cold 6N NaOH were added. The mixture was heated to 100°C for 1 hr. Concentrated HCl was added to the cooled solution until acidic (pH=1). The mixture was extracted 8 x 50 mL diethylether. The combined ether layers were washed with 50 mL brine, dried over Na₂SO₄ and evaporated to yield 3.36 g solid. Sample was further purified by recrystalization with α,α,α -trifluorotoluene to yield 1.63 g.

[00230] *Synthesis of (E/Z)-5-(thiophen-2-ylmethylene)imidazolidine-2,4-dione.* To a 250 mL flask, hydantoin (9.8 g) and thiophene-2-carbaldehyde (10 g) were added. To the mixture was dripped piperidine (9.6 mL). The mixture was heated to 100°C for 1 hr and then poured into 300 mL of 1N HCl. The solid was filtered, washed with water and dried in vacuo to yield 4.9 g solid.



[00231] *Steps 1-* To a microwave vial (10 mL), the appropriate phenylpyrazine-2-amine (100 mg), the appropriate pyruvic acid (2 Equivalents), DCM (1 mL), and 1,1,1-trifluoroethanol (1 mL) were heated with stirring for 30 min at 80°C. Reaction was co-adsorbed on 2 grams of


celite, and solvents removed in vacuo. The celite was loaded on 24 g of spherical silica gel and eluted with a ramp of heptanes to ethylacetate. Appropriate fractions were combined and evaporated.

[00232] *Step 2* – The material isolated in step 1 dissolved in THF (0.5 mL) was chilled in an ice bath. Acetic anhydride (25 μ L), dimethylaminopyridine (8.5 mg), and triethylamine (25 μ L) were added. After 2 hrs, the majority of THF was removed in vacuo. The product was precipitated with an aqueous solution of 30% citric acid (2 mL). The solid was washed with water (2 mL) and then dissolved in 3 mL DCM. The DCM was washed 1 x 2 mL water followed by 1 x 2 mL brine. The DCM layer was co-adsorbed on 2 grams of celite, and solvent removed in vacuo. The celite was loaded on 12 g of spherical silica gel and eluted with a ramp of heptanes to DCM. Appropriate fractions were combined and evaporated.

[00233] *Step 3* - The material from step 2 dissolved in DCM (1 mL) was chilled in an ice bath. To the solution, methanol (0.5 mL) and sodium borohydride solution in diglyme (325 μ L of 0.5 M) were added. After 2 hrs, acetic acid (10 μ L) was added, and the solution quickly partitioned between an aqueous solution of 30% citric acid (1 mL) and DCM (2 mL). The DCM layer was co-adsorbed on 1 gram of celite, and solvent removed in vacuo. The celite was loaded on 4 g of spherical silica gel and eluted with a ramp of DCM to EtOAc. Appropriate fractions were combined and evaporated.

[00234] *Step 4* (only if R'' = OAc) – The material in step 3 was dissolved in THF (200 μ L) and chilled in an ice bath. 1 equivalent of 1.35 M potassium methoxide in THF was added to the solution. After 30 min, the reaction was partitioned between DCM (1 mL) and 30% citric acid (1 mL). The DCM layer was co-adsorbed on 0.5 g celite, and solvent removed in vacuo. The celite was loaded on 4 g of spherical silica gel and eluted with a ramp of DCM to EtOAc. Appropriate fractions were combined and evaporated.

[00235] *Method D:* (the following compounds can be synthesized by method D: compounds PBI-3899, PBI-3900, PBI-3925, PBI-3933, PBI-3946) - In general, an aminopyrazine was condensed with 2 equivalents of a 2-oxoacid under an atmosphere of hydrogen in the presence of palladium catalyst. The alpha-amino acid produced was purified and subsequently activated for intramolecular condensation giving rise to the corresponding imidazopyrazinone.



Example 5 – Synthesis of 8-benzyl-6-(4-hydroxyphenyl)-2-propylimidazo[1,2-a]pyrazin-3(7H)-one

[00236] *2-((3-benzyl-5-(4-hydroxyphenyl)pyrazin-2-yl)amino)pentanoic acid*. 4-(5-amino-6-benzylpyrazin-2-yl)phenol (100 mg, 0.36 mmol) was mixed with 2-Oxovaleric acid (84 mg, 0.72 mmol) in ethanol (20 mL). Pd/C (10% Palladium in active carbon, 40 mg) was added, and the reaction mixture heated to 65°C. Air was bubbled out by N_2 gas, and a hydrogen balloon applied to the reaction flask. The reaction was continuously stirred for 4 hrs. After cooling down, it was filtered, and the resulting solution purified by flash chromatography (eluting solvent: 50% EtOAc in heptanes) to give the product as a yellow powder (70 mg, 52%). 1H NMR (300 MHz, CD_2Cl_2 , δ): 8.31 (s, 1H), 7.82 (d, 2H, $J = 9.0$ Hz), 7.31 (m, 5H), 6.92 (d, 2H, $J = 9.0$ Hz), 5.34 (s, 2H), 4.20 (m, 1H), 1.10 (m, 2H), 0.98 (m, 2H), 0.87 (t, 3H); MS (ESI) m/z 378.3 (M+1).

[00237] *8-benzyl-6-(4-hydroxyphenyl)-2-propylimidazo[1,2-a]pyrazin-3(7H)-one*. 2-((3-benzyl-5-(4-hydroxyphenyl)pyrazin-2-yl)amino)pentanoic acid (49 mg, 0.13 mmol) was dissolved in DCM (10 mL). Pyridine (0.5 mL) was added followed by N,N'-Dicyclohexylcarbodiimide (54 mg, 0.26 mmol). The reaction mixture was slowly stirred at room temperature for 1 hr. The solvent was evaporated, and the residue purified by flash chromatography (eluting solvent: EtOAc to DCM to 10% methanol in DCM) to give the product

as a yellow powder (40 mg, 86%). ¹H NMR (300 MHz, CD₃OD, δ): 7.35 (m, 8H), 6.88 (d, J = 9.0Hz, 2H), 4.40 (s, 2H), 2.81 (t, J = 7.5Hz, 2H), 1.81 (m, 2H), 1.02 (t, J = 7.5Hz, 3H); MS (ESI) m/z 359.0.

Example 6 – Synthesis of 8-benzyl-2-butyl-6-(4-hydroxyphenyl)imidazo[1,2-a]pyrazin-3(7H)-one

[00238] *2-((3-benzyl-5-(4-hydroxyphenyl)pyrazin-2-yl)amino)hexanoic acid.* 4-(5-amino-6-benzylpyrazin-2-yl)phenol (200 mg, 0.72 mmol) was mixed with 2-Ketohexanoic acid sodium salt (220 mg, 1.44 mmol) in ethanol (20 mL). Pd/C (10% Palladium in active carbon, 100 mg) was added with a few drops of acetic acid, and the reaction mixture heated to 65°C. Air was bubbled out by N₂ gas, and a hydrogen balloon applied to the reaction flask. The reaction was continuously stirred for 4 hrs. After cooling down, it was filtered and the resulting solution was purified by flash chromatography (eluting solvent: 50% EtOAc in heptanes) to give the product as a yellow powder (130 mg, 46%). MS (ESI): m/z 392.2 (M+1).

[00239] *8-benzyl-2-butyl-6-(4-hydroxyphenyl)imidazo[1,2-a]pyrazin-3(7H)-one.* 2-((3-benzyl-5-(4-hydroxyphenyl)pyrazin-2-yl)amino)hexanoic acid (130 mg, 0.33 mmol) was dissolved in DCM (10 mL). Pyridine (0.5 mL) was added followed by N,N'-Dicyclohexylcarbodiimide (137 mg, 0.67 mmol). The reaction mixture was slowly stirred at room temperature for 1 hr. The solvent was evaporated, and the residue purified by flash chromatography (eluting solvent: EtOAc to DCM to 10% methanol in DCM) to give the product as a yellow powder (110 mg, 89%). ¹H NMR (300 MHz, CD₃OD, δ): 7.30 (m, 8H), 6.88 (d, 2H), 4.40 (s, 2H), 2.84 (t, 2H), 1.77 (m, 2H), 1.51 (m, 2H), 0.89 (m, 3H); MS (ESI) m/z 374.3 (M + 1).


Example 7 – Synthesis of 8-benzyl-2-ethyl-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one (PBI-3925)

[00240] *2-((3-benzyl-5-phenylpyrazin-2-yl)amino)butanoic acid.* 3-benzyl-5-phenylpyrazin-2-amine (200 mg, 0.77 mmol) was mixed with 2-Oxobutyric acid (157 mg, 1.54 mmol) in ethanol (20 mL). Pd/C (10% Palladium in active carbon, 100 mg) was added, and the reaction mixture heated to 65°C. Air was bubbled out by N₂ gas, and a hydrogen balloon applied to the reaction flask. The reaction was continuously stirred for 4 hrs. After cooling down, it was filtered, and the resulting solution purified by flash chromatography (eluting solvent: 50% EtOAc in heptanes) to give the product as a yellow powder (90 mg, 34%). ¹H NMR (300 MHz, CD₂Cl₂, δ): 7.72 (s,

1H), 7.32-7.48 (m, 10H), 4.46 (s, 2H), 4.20 (m, 2H), 2.25 (q, 2H), 0.99 (t, 3H); MS (ESI): m/z 348.3 (M+1).

[00241] 2-((3-benzyl-5-phenylpyrazin-2-yl)amino)butanoic acid was dissolved in DCM (10 mL). Pyridine (0.5 mL) was added followed by N,N'-Dicyclohexylcarbodiimide (137 mg, 0.67 mmol). The reaction mixture was slowly stirred at room temperature for 1 hr. The solvent was evaporated, and the residue purified by flash chromatography (eluting solvent: EtOAc to DCM to 10% methanol in DCM) to give the product as a yellow powder (110 mg, 89%). ¹H NMR (300 MHz, CD₃OD, δ): 7.26 (m, 3H), 6.84-7.07 (m, 8H), 4.03 (s, 2H), 2.47 (q, J = 9.0Hz, 2H), 0.96 (t, J = 9.0Hz, 3H); MS (ESI): m/z 330.2 (M+1).

Example 8 – Synthesis of 8-benzyl-6-phenyl-2-(3,3,3-trifluoropropyl)imidazo[1,2-a]pyrazin-3(7H)-one




[00242] 5,5,5-trifluoro-2-oxopentanoic acid. Ethyl 4,4,4-trifluorobutyrate (1 g, 5.88 mmol) and diethyl oxalate (3.87 g, 26.5 mmol) was dissolved in ethanol. Sodium ethoxide (21% in ethanol, 2.09 g) was added to the solution, and the reaction mixture stirred for 0.5 hrs. Solvent was distilled, and the residue extracted with EtOAc/water. The organic layers were collected and dried over sodium sulfate. After filtration, solvent was removed to give a clear liquid. MS (ESI): m/z 269.1 (M-1). The liquid was then dissolved in 3N HCl (20 mL), and the reaction mixture

refluxed for 4 hrs. After cooling down, the reaction mixture was extracted with EtOAc. The organic layers were collected and dried over sodium sulfate. After filtration, solvent was removed, and the residue used directly in the next step. MS (ESI): m/z 169.7 (M-1).

[00243] *5,5,5-trifluoro-2-((3-benzyl-5-phenylpyrazin-2-yl)amino)butanoic acid*. 3-benzyl-5-phenylpyrazin-2-amine (240 mg, 0.92 mmol) was mixed with 5,5,5-trifluoro-2-oxopentanoic acid (150 mg, 0.88 mmol) in ethanol (20 mL). Pd/C (10% Palladium in active carbon, 100 mg) was added, and the reaction mixture heated to 65°C. Air was bubbled out by N₂ gas, and a hydrogen balloon applied to the reaction flask. The reaction was continuously stirred for 4 hrs. After cooling down, it was filtered, and the resulting solution purified by flash chromatography (eluting solvent: 50% EtOAc in heptanes) to give the product as a yellow powder (200 mg, 54%). ¹H NMR (300 MHz, CD₂Cl₂, δ): 11.45 (s, 1H), 10.20 (s, 1H), 7.94 (s, 1H), 7.34 (m, 10H), 5.34 (s, 2H), 3.96-4.23 (m, 2H), 3.02-3.28 (m, 2H); FNMR: -76.3; MS (ESI): m/z 416.1 (M+1).

[00244] *Coelenterazine* ($R_1 = H$, $R_2 = -CH_2CH_2CF_3$). 5,5,5-trifluoro-2-((3-benzyl-5-phenylpyrazin-2-yl)amino)butanoic acid (100 mg, 0.24 mmol) was dissolved in DCM (10 mL). Pyridine (0.5 mL) was added followed by N,N'-Dicyclohexylcarbodiimide (100 mg, 0.48 mmol). The reaction mixture was slowly stirred at room temperature for 1 hr. The solvent was evaporated, and the residue purified by flash chromatography (eluting solvent: EtOAc to DCM to 10% methanol in DCM) to give the product as a yellow powder (80 mg, 87%). ¹H NMR (300 MHz, CD₂Cl₂, δ): 7.36 (m, 11H), 3.43 (s, 2H), 1.60-1.92 (m, 4H); FNMR: 67.4 (t, J = 18Hz); MS (ESI): m/z 398.2 (M+1).

Example 9 – Synthesis of 8-benzyl-2-(furan-2-ylmethyl)-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one (PBI-3939)




PBI-3939

[00245] *8-benzyl-2-(furan-2-ylmethyl)-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one*:

Synthesized from method C using 3-(furan-2-yl)-2-oxopropanoic acid and 3-benzyl-5-phenylpyrazin-2-amine as starting materials. ¹H NMR (300 MHz, dmsO) δ 8.88 (s, 1H), 8.02 (d, J = 7.9, 2H), 7.61 – 7.38 (m, 6H), 7.37 – 7.14 (m, 3H), 6.38 (s, 1H), 6.26 (d, J = 3.2, 1H), 4.64 (s, 3H), 4.40 (s, 3H); exact mass calculated for C₂₄H₂₀N₃O₂⁺ m/z + 382.16, found m/z + 382.

Example 10 – Synthesis of 8-benzyl-6-phenyl-2-(thiophen-2-ylmethyl)imidazo[1,2-a]pyrazin-3(7H)-one (PBI-3889)




PBI-3889

[00246] 8-benzyl-6-phenyl-2-(thiophen-2-ylmethyl)imidazo[1,2-a]pyrazin-3(7H)-one:

Synthesized from method C using 2-oxo-3-(thiophen-2-yl)propanoic acid and 3-benzyl-5-phenylpyrazin-2-amine as starting materials. ^1H NMR (300 MHz, dmsO) δ 8.85 (s, 1H), 7.99 (d, $J = 6.8$, 2H), 7.63 – 7.02 (m, 10H), 6.94 (dd, $J = 3.5, 5.1$, 1H), 4.62 (s, 2H), 4.58 (s, 2H), 2.69 (contaminate); exact mass calculated for $\text{C}_{24}\text{H}_{20}\text{N}_3\text{OS}^+$ $m/z + 398.13$, found $m/z + 398$.

Example 11 – Synthesis of 8-cyclopropyl-2-(4-hydroxybenzyl)-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one (PBI-3897)




PBI-3897

[00247] 8-cyclopropyl-2-(4-hydroxybenzyl)-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one:

Synthesized using method A with 3-cyclopropyl-5-phenylpyrazin-2-amine and 3-(4-hydroxyphenyl)-2-oxopropanoic acid as starting materials. Exact mass calculated for $\text{C}_{22}\text{H}_{18}\text{N}_3\text{O}_2^-$ $m/z - 356.14$, found $m/z - 356$.


Example 12 – Synthesis of 8-benzyl-2-methyl-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one (PBI-3932)



PBI-3932

[00248] 8-benzyl-2-methyl-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one: Synthesized using method B with 1,1-dimethoxypropan-2-one and 3-benzyl-5-phenylpyrazin-2-amine as starting materials. Exact mass calculated for $\text{C}_{20}\text{H}_{18}\text{N}_3\text{O}^+$ $m/z + 316.14$, found $m/z + 316$.

Example 13 – Synthesis of 2-(4-hydroxybenzyl)-8-methyl-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one (PBI-3896)




PBI-3896

[00249] 2-(4-hydroxybenzyl)-8-methyl-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one:

Synthesized using method A with 3-methyl-5-phenylpyrazin-2-amine and 3-(4-hydroxyphenyl)-2-oxopropanoic acid as starting materials. ¹H NMR (300 MHz, dmso) δ 8.84 (s, 1H), 8.00 (d, *J* = 7.6, 2H), 7.47 (dd, *J* = 8.6, 16.2, 3H), 7.17 (d, *J* = 7.3, 2H), 6.69 (d, *J* = 8.4, 2H), 6.26 (s, 4H), 4.17 (s, 2H), 2.86 (s, 3H), 2.48 (s, 1H).

Example 14 – Synthesis of 8-benzyl-2-(4-hydroxybenzyl)-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one (PBI-3840)




PBI-3840

[00250] 8-benzyl-2-(4-hydroxybenzyl)-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one: Synthesized using method A with 3-(4-hydroxyphenyl)-2-oxopropanoic acid and 3-benzyl-5-phenylpyrazin-2-amine as starting materials. Exact mass calculated for C₂₆H₂₂N₃O₂⁺ *m/z* + 408.17, found *m/z* + 408.

Example 15 - Synthesis of Protected Coelenterazine (Stabilized) (PBI-4377)

[00251] To a mixture of PBI-3939, potassium carbonate (1.1 equiv) and potassium iodide (1.1 equiv) in dimethylformamide (DMF), under an argon atmosphere, was added one equivalent of chloromethyl pivalate at room temperature. Reaction progress was monitored by thin layer chromatography, and upon completion, the reaction mixture was cooled in an ice bath for several minutes before addition of a volume of water equal to the reaction volume. The resulting mixture was extracted with a suitable organic solvent (e.g., EtOAc), and the extract was concentrated to give the crude product. The material was further purified by chromatography over silica gel.

Example 16 – Synthesis of 8-benzyl-2-((1-methyl-1H-imidazol-2-yl)methyl)-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one (PBI-4525), 8-benzyl-6-(4-hydroxyphenyl)-2-((1-methyl-1H-imidazol-2-yl)methyl)-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one (PBI-4540) and 2-((1H-imidazol-2-yl)methyl)-8-benzyl-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one (PBI-4541)



[00252] To a flask containing 10 mmol of 2-methyl imidazole derivative 1 or 2 under an argon atmosphere, 20 mL of dry THF was added, and the solution was cooled in a dry ice/acetone bath to approximately -78°C. To the cold mixture, 9.3 mmol of a solution of n-butyllithium (2.46 M in Hexanes) was added dropwise over several minutes. The resulting solution was stirred at approximately -78°C for 30 min, and 6.7 mmol of compound 3 was added via syringe. The reaction mixture was stirred for 3 hrs and quenched with the addition of 20 mL saturated ammonium chloride solution and 20 mL of saturated sodium bicarbonate solution. The cold bath was removed, and after warming to room temperature, the mixture was extracted with 3 x 100 mL of EtOAc. The combined extracts were dried (MgSO₄), concentrated in vacuo, and the crude compounds 4 or 5 were purified by column chromatography using silica gel (EtOAc/Heptane).

[00253] A microwave vial was charged with 100 mg (1 eq) of compound 6 or 7 and 2 equivalents of compound 8 or 9. To the mixture, 4.5 mL of ethanol and 0.25 mL of concentrated HCl was added. The reaction mixture was heated in a microwave at 100°C for 1.5 hr. The resulting mixture was added to 50 mL of EtOAc and washed sequentially with 20 mL of saturated sodium bicarbonate solution and 20 mL of brine. The organic phase was concentrated

in vacuo, and the residue purified by column chromatography using silica gel (methanol/dichloromethane) to give compounds 10-12.

Example 17 – Stability and Auto-Luminescence Characterization of Novel Coelenterazines

[00254] The stability and auto-luminescence characterization of the novel coelenterazines PBI-3939, PBI-3889, PBI-3945, PBI-4002, or PBI-3896 were determined. Higher stability and less auto-luminescence is an attractive technical feature in a substrate/reagent.

[00255] To determine stability, 20 μ M of novel coelenterazines PBI-3939, PBI-3889, PBI-3945, PBI-4002, or PBI-3896, 30 μ M native coelenterazine, or 22 μ M of known coelenterazine-h or known coelenterazine-hh, were placed in a reporter reagent buffer containing 50 mM CDTA, 150 mM KCl, 50 mM DTT, 35 mM thiourea, 1% TERGITOL® NP-9 (v/v), and 0.1% MAZU® DF 204. Replicate samples were incubated at room temperature (i.e., 22-24°C) for various lengths of time and then transferred to -70°C. After all the samples were collected and frozen, they were thawed and mixed with 10 μ L of bacterial cell lysate containing the OgLuc variant IV in 40 μ L of DMEM without phenol red + 0.1% PRIONEX®. The luminescence of the sample was read at 5 min after IV addition.

[00256] “ T_{90} ” indicates the amount of time for the luminescent signal to decay by 10% (i.e., loss in activity by 10%) at ambient temperature, i.e., 22°C. The rate of decay of the luminescent signal (“ T_{90} ”) was determined from the slope of the linear fit of the data plotted as $\ln$ RLU vs. time, which was calculated from the following equation: $t = \ln(A/A_0) \div (-k)$, where A = intensity at time t , A_0 = intensity at time 0, and k = the rate of decay. As shown in Table 1, the T_{90} values for known coelenterazines-h and -hh, novel coelenterazines PBI-3939, PBI-3889, PBI-3945, PBI-4002, and PBI-3896 were higher than for native coelenterazine, indicating that these coelenterazines were more stable compounds than native coelenterazine.

[00257] To determine the auto-luminescence characterization, HEK293 cells were grown overnight at 15,000 cells per well in DMEM + 10% FBS + pyruvate. Media was removed and replaced with 20 μ M each of the novel coelenterazines shown in FIG. 2, i.e., PBI-3939, PBI-3889, PBI-3945, PBI-4002, PBI-3841, PBI-3897, PBI-3896, PBI-3925, PBI-3894, PBI-3932, and PBI-3840, native coelenterazine and known coelenterazines, coelenterazine-h and coelenterazine-hh, diluted into CO₂ independent media plus 10% FBS. Luminescence was measured shortly after substrate addition on the GLOMAX® Luminometer (1 sec/well). Background luminescence was 154 $\pm$ 15 RLU. Table 1 shows the auto-luminescence characterization normalized to native coelenterazine (“Autolum (norm to coel)”). While coelenterazine-h had

more auto-luminescence than native coelenterazine, all of the other coelenterazines tested had less auto-luminescence.

Table 1: Stability Experiments and Autoluminescence Characterization of IV with Various Coelenterazines.

Substrate ID	Stability (pH 8) (T ₉₀ in hrs)	Autolum (norm to coel)
Coel	1.7	1
Coel h	2.1	1.2
Coel hh	2.0	0.3
3939	4.1	0.2
3889	2.9	0.2
3945	3.3	0.5
4002	3.5	0.6
3841		0.1
3897		0.1
3896	2.8	0.1
3894		0.2
3932		0.1
3840		0.2
3925		0.2

Example 18 – Toxicity of Novel Coelenterazines

[00258] The toxicity of the novel coelenterazines were investigated in HEK293 cells. HEK293 cells were grown overnight at 15,000/well in DMEM + 10% FBS + pyruvate. The media was removed and replaced with the novel coelenterazine compounds (or DMSO control) diluted into CO₂ independent media plus 10% FBS. Cell viability was measured 24 hrs after compound addition using CELLTITER-GLO® assay reagent (Promega Corp.) according to the manufacturer's instructions, and luminescence was measured on the GLOMAX® Luminometer (1 sec/well). Table 2 shows the toxicity of the native coelenterazine, known coelenterazine-h and coelenterazine-hh, and the novel coelenterazines PBI-3939, PBI-3889, PBI-3841, PBI-3897, PBI-3945, PBI-4002, and PBI-3840 in HEK293 cells. With the exception of PBI-3840, the novel

coelenterazines had at least the same toxicity as coelenterazine-hh. Some of the novel coelenterazines had the same toxicity as native coelenterazine and coelenterazine-h.

Table 2: Toxicity of Various Coelenterazines in HEK293 Cells Based on CELLTITER-GLO®

Substrate	Viability (normalized to vehicle (DMSO) control) (%)
Native coelenterazine	100
Coelenterazine h	100
Coelenterazine hh	87
PBI-3939	89
PBI-3889	90
PBI-3841	100
PBI-3897	100
PBI-3945	100
PBI-4002	100
PBI-3840	60

Example 19 - Km of PBI-3939

[00259] To determine the Km of PBI-3939, the OgLuc variant L27V (described in Example 26) was purified via HALOTAG® fusion using the HALOTAG® Protein Purification System according to the manufacturer's instructions and diluted in DMEM without Phenol Red and 0.1% PRIONEX®. 50 µL assay buffer (100 mM MES pH 6, 35 mM Thiourea, 0.5% TERGITOL® NP-9 (v/v), 1 mM CDTA, 2 mM DTT and 150 mM KCl) with varying amounts of PBI-3939 was added to 50 µL diluted enzyme (approximately 20 pM final enzyme concentration), and luminescence measured at 3 min at 22°C. As the data in FIG. 3 demonstrates, the Km of PBI-3939 is approximately 10 µM.

Example 20 – Characterization of compounds PBI-4525, PBI-4540 and PBI-4541

[00260] Compounds PBI-4525, PBI-4540 and PBI-4541 were screened for their ability to detect luminescence. For analysis, 20 µM of each compound was added to assay buffer (100 mM MES pH 6, 35 mM Thiourea, 0.5% TERGITOL® NP-9 (v/v), 1 mM CDTA, 2 mM DTT and 150 mM KCl) which was adjusted to pH 7 with 100 mM HEPES pH 7 to create an assay reagent. The assay reagent was then mixed with 36 pM purified L27V02 enzyme (described in

Example 25B), in DMEM without Phenol Red and 0.1% PRIONEX®. As a control, assay buffer with 20 μ M PBI-3939 or PBI-4528 was used. Luminescence was measured as previously described 3 min after the assay reagent was added to the enzyme mixture. Table 3 demonstrates that compounds PBI-4525, PBI-4540 and PBI-4541 can be used to detect luminescence from a coelenterazine-utilizing luciferase.

Table 3

compd	RU	+/-
4525	20,655	1,006
4528	202,080	5,688
3939	9,808,880	307,565
4540	909	7
4541	5,676	80

Example 21 – OgLuc Pattern Sequence

[00261] Enzyme families, including different classes of luciferases, can be recognized by having common three-dimensional structures and defined catalytic activity. Because enzyme families share evolutionary histories with other enzyme families, they will also exhibit similarities in their three-dimensional structures. Through various means of structural and functional analysis, the inventors have determined that OgLuc, as a representative of decapod luciferases, has a strikingly similar three-dimensional structure to Fatty Acid Binding Proteins (FABPs), indicating commonality of evolutionary history. Thus, decapod luciferase may be defined as having a characteristic three-dimensional structure similar to FABPs and utilizing coelenterazine as a substrate to catalyze the emission of luminescence. Other luciferases, e.g., firefly luciferase, *Renilla* luciferase, bacterial luciferase, and so forth, have clearly distinct three-dimensional structures, indicating that they belong to different enzyme families and do not share evolutionary histories. Dinoflagellate luciferase has a three-dimensional structure exhibiting some similarities to FABPs, suggesting a shared evolutionary history, but does not utilize coelenterazine as a substrate, and thus does not belong to the same enzyme family as decapod luciferases.

[00262] Because amino acid sequences are not as well conserved as three-dimensional structures, defining enzyme families based only on sequence comparisons can be difficult. For example, even though FABPs all have a characteristic barrel-shaped three-dimensional shape, comparisons of their amino acid sequences often reveal very low levels of sequence identity. Nonetheless, sequence identity can be used to demonstrate commonality of three-dimensional structures. Two proteins will have analogous three-dimensional structures if their amino acid

sequences can be aligned to reveal > 30% sequence identity, preferably > 40% sequence identity, and most preferably > 50% sequence identity (Chothia and Lesk, *EMBO J.* 5(4):823-826 (1986); Tramontano, *Genomics*, 4:402–405 (2003)). Thus, a protein is a decapod luciferase if, upon alignment of its amino acid sequence with the sequence of OgLuc, the sequence identity is > 30%, preferably > 40%, and most preferably > 50%, and the protein can utilize coelenterazine as a substrate to catalyze the emission of luminescence.

[00263] Because of structural constraints necessary to sustain the characteristic three-dimensional structure of an enzyme family, some portions of the amino acid sequences in an enzyme family exhibit greater amounts of conservation (i.e., a greater level of sequence identity). Thus, these conserved regions can serve as further evidence of a common three-dimensional structure shared between two proteins. A conserved sequence pattern, also called a signature, motif, or fingerprint, can be generated by manual or computational methods that are known in the art. Patterns can be found in public databases such as PROSITE (<http://expasy.org/prosite>; Sigrist *et al.*, *Nucleic Acids Res.* 38(suppl 1):D161-D166 (2010)).

[00264] For example, a pattern of conserved amino acids can be found upon examination of a large number of known FABPs. PROSITE (Release 20.67, of 05-Oct-2010) contains an FABP pattern (accession number PS00214, created Apr-1990, data updated Apr-2006). This FABP pattern spans 18 amino acid positions and is defined as:

[00265] [GSAIVK]-{FE}-[FYW]-x-[LIVMF]-x-x-{K}-x-[NHG]-[FY]-[DE]-x-[LIVMFY]-[LIVM]-{N}-{G}-[LIVMAKR] (SEQ ID NO: 329) (VI),

[00266] where:

- the standard IUPAC one-letter codes for the amino acids are used.
- the symbol 'x' is used for a position where any amino acid is accepted.
- alternative amino acids at a site are indicated by listing the amino acids between square parentheses '[' ']' (for example: [ALT] represents the possibility of an Ala, Leu, or Thr at the position).
- the absence of particular amino acids at a site is indicated by curly brackets '{ }' (for example: {AM} represents any amino acid at a position except Ala and Met).
- each sequence position (or element in the pattern) is separated from its neighbor by '- '.

- each sequence position is referred to as a “pattern position”, for example the [GSAIVK] would be considered pattern position 1 of Formula (VI), {FE} is considered pattern position 2 of Formula (VI), etc.

[00267] Although a conserved sequence pattern results from a common underlying three-dimensional structure, some changes to the sequence pattern may be allowed without disruption to the three-dimensional structure. For example, for some members of the FABP family, differences are found at four sites in the PROSITE pattern. These additional members of the FABP family include five proteins listed in PROSITE as false negative hits, i.e., FABP protein family members not picked up by the FABP pattern (UniProt database accession numbers FBP12_HUMAN, FABP1_FASGI, FABP2_FASHE, FABPL_SCHBI, RET5_BOVIN) and one protein known to have an FABP fold (Protein Data Bank accession number 2A02). Although OgLuc shares a closely similar three-dimensional structure with FABPs, the sequence patterns of the native and variant amino acid sequences also differ slightly, having differences at 5 positions from the PROSITE pattern. In various embodiments, the pattern in OgLuc begins at a position corresponding to position 8 of SEQ ID NO: 1. An amino acid substitution, deletion, or insertion the sequence pattern is counted as a difference.

[00268] Combining the sequence information from these additional FABPs and the OgLuc variants, an improved sequence pattern can be derived:

[00269] [GSAIVK]-{FE}-[FYW]-x-[LIVMFSYQ]-x-x-{K}-x-[NHGK]-x-[DE]-x-[LIVMFY]-[LIVMWF]-x-{G}-[LIVMAKRG] (SEQ ID NO: 330) (VII).

[00270] The sequence information used to derive this pattern is shown in Table 4. Column 1 identifies the pattern position (listed N- to C-terminus; pattern length is 18 amino acids), and column 6 identifies the corresponding sequence position in OgLuc (numbering according to SEQ ID NO: 1). Column 2 shows the PROSITE FABP pattern (Formula (VI)) element for each pattern position. Column 3 lists amino acids present in six FABP family members that are not represented by the PROSITE FABP pattern. Column 4 lists amino acids present in OgLuc (SEQ ID NO: 1) or OgLuc variants that are not represented by the PROSITE pattern. Column 5 lists the improved pattern (“OgLuc pattern”) (Formula (VII)) created by merging pattern information from columns 2, 3, and 4. Column 7 lists the amino acids in OgLuc (SEQ ID NO: 1) corresponding to the PROSITE FABP pattern positions. Column 8 lists the amino acids found in dinoflagellate luciferase sequences (8 different species) at positions corresponding to the improved pattern (GenBank accession numbers 2021262A, AAA68491, AAC36472,

AAV35379, AAV35380, AAL40676, AAL40677, AAV35378, AAV35377, AAV35381, and Protein Data Bank accession number 1VPR).

[00271] The improved pattern (Formula (VII)) serves as an indication (i.e., a fingerprint) of the three-dimensional protein structure shared between FABPs and OgLuc. However, strict agreement with this pattern is not needed to indicate commonality of the three-dimensional structure. From the examples given here, a common three-dimensional structure may exist even with as many as 5 changes in the pattern. Also, for example, although the dinoflagellate luciferase has a similar three-dimensional structure to FABPs and OgLuc, it has 4 differences from the improved pattern.

[00272] Thus, although a protein may be recognized as being a decapod luciferase based on sequence similarity and utilization of coelenterazine for luminescence, it can be further recognized by also having the improved sequence pattern. Specifically, a protein is a decapod luciferase if, upon alignment of its amino acid sequence with SEQ ID NO: 1 or variants thereof, the sequence identity is > 30%, preferably > 40%, and most preferably > 50%, and the protein can utilize coelenterazine as a substrate to catalyze the emission of luminescence, and the amino acid sequence beginning at the position corresponding to position 8 of SEQ ID NO: 1 is:

[00273] [GSAIVK]-{FE}-[FYW]-x-[LIVMFSYQ]-x-x-{K}-x-[NHGK]-x-[DE]-x-[LIVMFY]-[LIVMWF]-x-{G}-[LIVMAKRG] (SEQ ID NO: 330) (VII),

[00274] with no more than 5 differences, or more preferably no more than 4, 3, 2, or 1 difference, or most preferably no differences, wherein the differences occur in positions corresponding to pattern position 1, 2, 3, 5, 8, 10, 12, 14, 15, 17, or 18 of Formula (VII) according to Table 4. Differences may also include gaps or insertions between the pattern positions of Table 4.

Table 4: Protein sequence patterns

Pattern position	PROSITE FBP pattern PS00214	Other FABPs	OgLuc wt & variants	OgLuc pattern	OgLuc position	OgLuc wt sequence	Dinofl. Luc
1	[GSAIVK] (SEQ ID NO: 427)			[GSAIVK] (SEQ ID NO: 579)	8	G	G
2	{FE}			{FE}	9	D	R
3	[FYW]			[FYW]	10	W	W
4	x			x	11	Q	I

5	[LIVMF] (SEQ ID NO: 590)	SY	Q	[LIVMFSYQ] (SEQ ID NO: 591)	12	Q	<i>T</i>
6	x			x	13	T	[VI]
7	x			x	14	A	S
8	{K}			{K}	15	G	G
9	x			x	16	Y	G
10	[NHG]	K		[NHGK] (SEQ ID NO: 580)	17	N	<i>Q</i>
11	[FY]	SILM (SEQ ID NO: 581)	{FY}	x	18	Q	[AVTK] (SEQ ID NO: 582)
12	[DE]			[DE]	19	D	[AE]
13	x			x	20	Q	F
14	[LIVMFY] (SEQ ID NO: 583)			[LIVMFY] (SEQ ID NO: 584)	21	V	I
15	[LIVM] (SEQ ID NO: 585)	W	F	[LIVMWF] (SEQ ID NO: 586)	22	L	<i>K</i>
16	{K}		K	x	23	E	[EKTQ] (SEQ ID NO: 587)
17	{G}			{G}	24	Q	[AV]
18	[LIVMAKR] (SEQ ID NO: 588)		G	[LIVMAKRG] (SEQ ID NO: 589)	25	G	[VI]

Example 22 - Generation of OgLuc Variants

[00275] *Experimental Details*

[00276] Unless otherwise stated, further variants of a starting OgLuc variant sequence with random substitutions were generated using the error-prone, mutagenic PCR-based system GeneMorph II Random Mutagenesis Kit (Stratagene; Daughtery, *PNAS USA*, 97(5):2029 (2000)), according to manufacturer's instructions, and NNK site saturation (Zheng *et al.*, *Nucleic Acids Research*, 32:e115 (2004)).

[00277] Further variants of a starting OgLuc variant having specific mutations were generated using the oligo-based site-directed mutagenesis kit QuikChange Site-Directed Mutagenesis Kit (Stratagene; Kunkel, *PNAS USA*, 82(2):488 (1985)), according to the manufacturer's instructions.

[00278] The resulting variants were constructed in the context of pF1K FLEXI® vector for T7 promoter-based expression (Promega Corp.). Alternatively, the resulting variants were

constructed in the context of pF4Ag vector (a version of the commercially-available pF4A (Promega Corp.), which contained T7 and CMV promoters modified to contain an *E. coli* ribosome-binding site with or without a C-terminal HALOTAG® (Promega Corp.; referred herein as “HT7”) (Ohana *et al.*, *Protein Expression and Purification*, 68:110-120 (2009)) to generate a fusion protein. For example, to obtain C1+A4E variants, NNK saturation mutagenesis experiments were performed in a pF1K vector background. The C1+A4E library was generated in a pF4Ag vector background with no HT7. The QC27, QC27-9a, and IVY libraries were generated in a pF4Ag vector background with a C-terminal HT7. The IV-based variants were generated in a pF4Ag vector background without HT7. The resulting vectors were used to transform KRX *E. coli* using techniques known in the art.

[00279] Generated OgLuc variants are named for the amino acid substitutions identified in the variant and/or for the *E. coli* clone that contained the variant, e.g., FIG. 6A shows, among other results, that *E. coli* clone 16C5 has the substitution Q20R.

[00280] *Screening Details*

[00281] Resulting libraries were expressed in *E. coli* and primarily screened with a robotic system for OgLuc variants having increased light output (i.e., increased luminescence, increased brightness, or increased light emission) or a change in relative specificity compared to the corresponding starting OgLuc variant. The robotic primary screen was conducted as follows: individual colonies from the generated library were used to inoculate minimal media in 96-well plates and grown at 37°C for 17 to 20 hrs (“M1 culture”). The M1 culture was diluted 1:20 with fresh minimal media and grown at 37°C for 17 – 20 hrs (“M2 culture”). The M2 culture was diluted 1:20 into induction media and grown 17-20 hrs at 25°C with walk-away induction, i.e., autoinduction (Schagat *et al.*, “KRX Autoinduction Protocol: A Convenient Method for Protein Expression.” *Promega Notes*, 98:16-18 (2008)). The induction media contained rhamnose and glucose when novel coelenterazines PBI-3841, PBI-3842, PBI-3857, PBI-3880, PBI-3881, PBI-3886, PBI-3887, PBI-3897, PBI-3896, or PBI-3894 were used as substrates in the primary screen. The induction media did not contain rhamnose or glucose when native coelenterazine, known coelenterazine-h, or novel coelenterazines PBI-3840, PBI-3889, PBI-3899, or PBI-3900 were used as substrates in the primary screen. The use of the different induction media was determined based on the luminescence generated between C1+A4E and the novel coelenterazines, i.e., the induction media containing rhamnose and glucose were used with novel coelenterazines that generated less luminescence with C1+A4E compared to the other novel coelenterazines with C1+A4E.

[00282] Ten μL of induced cells were lysed using 60 μL lysis buffer containing 300 mM HEPES pH 8.0, 300 mM thiourea, 0.3X Passive Lysis Buffer (“PLB”; Promega Corp. Cat. No. E194A), 0.3 mg/mL lysozyme, and 0.003 U/ μL RQ1 DNase and measured for luminescence with 50 μL assay buffer containing 150 mM KCl, 1 mM CDTA, 10 mM DTT, 0.5% TERGITOL® NP-9 (v/v), and 20 μM of a native, known, or novel coelenterazine as a substrate. Luminescence measurements for each variant were taken 3 min after reagent addition and relative luminescence unit (RLU) values were normalized to an average of 8 control wells of the corresponding starting OgLuc variant for each plate. Assay was completed on a TECAN® robotic system.

[00283] OgLuc variants of interest were sequenced using standard sequencing techniques known in the art to identify any additional amino acid substitutions in each such variant. A secondary screen using a non-robotic (manual) system was performed on the variant clones of interest. The manual screen was conducted as follows: Variant clones were grown, in triplicate, in 96-well plates and expressed and assayed as described for the automated assay except the assay buffer was added manually with a multichannel pipette. For each variant, luminescence was measured, averaged, and normalized to the corresponding starting OgLuc variant. Luminescence measurements were made using a TECAN® INFINITE® F500 luminometer.

[00284] *Determining Change in Relative Specificity*

[00285] Relative substrate specificity was determined by dividing the luminescence of a luciferase in the presence of a test coelenterazine substrate by the luminescence of the luciferase in the presence of a reference coelenterazine substrate. For example, relative specificity was determined by dividing the luminescence of a luciferase with a novel coelenterazine of the present invention by the luminescence of the luciferase with a different coelenterazine (e.g., native or known coelenterazine, or a different novel coelenterazine of the present invention). The test coelenterazine substrate and the reference coelenterazine substrate that were compared were considered a comparison substrate pair for determining relative substrate specificity.

[00286] A change in relative substrate specificity was determined by dividing the relative substrate specificity of a test luciferase using a comparison substrate pair by the relative substrate specificity of a reference luciferase using the same comparison substrate pair. For example, a change in relative specificity was determined by dividing the relative substrate specificity of a test luciferase with a novel coelenterazine of the present invention compared to a different coelenterazine (e.g., native or known coelenterazine or a different novel coelenterazine of the present invention), by the relative substrate specificity of a reference luciferase with the same

novel coelenterazine of the present invention compared to the same different coelenterazine used for the test luciferase.

[00287] The luminescence with one novel coelenterazine was compared to the luminescence with a different novel coelenterazine. The luminescence with one native or known coelenterazine was compared to the luminescence with another native or known coelenterazine. The luminescence with one native or known coelenterazine was compared to the luminescence with a novel coelenterazine.

[00288] An increase in luminescence (RLUs) for the OgLuc variant compared to the corresponding starting OgLuc template for novel coelenterazine and a decrease or no change in luminescence for a reference coelenterazine was indicative of a change in relative specificity. A decrease in luminescence of an OgLuc variant for both the novel and reference coelenterazines compared to the corresponding starting OgLuc, but the luminescence of the OgLuc variant with the novel coelenterazine decreasing more, was also indicative of a change in relative specificity. An increase in luminescence of the OgLuc variant compared to the corresponding starting OgLuc for the novel and reference coelenterazines indicated an improvement in activity/stability/expression. If the luminescence of the OgLuc variant with both the novel and the reference coelenterazines increased, but the increase in luminescence with the novel coelenterazine was greater, it indicated an increase in relative specificity and an improvement in activity/stability/expression of the OgLuc variant.

[00289] *A. C1+A4E Variants*

[00290] C1+A4E (SEQ ID NOs: 2 and 3), previously described in U.S. Serial Application No. 12/773,002 (U.S. Published Application No. 2010/0281552), was used as a primary starting sequence (i.e., the parental sequence) for generating additional, synthetic OgLuc variants. C1+A4E has the following amino acid substitutions: A4E, Q11R, A33K, V44I, A54F, P115E, Q124K, Y138I, and N166R, relative to SEQ ID NO: 1. Luminescence of C1+A4E containing bacterial lysates, using the novel coelenterazines described in Examples 1-14 (see FIG. 4 for examples) as substrates, was measured as described previously and compared to the luminescence using native and known coelenterazines as substrates (FIGS. 5A-G). FIG. 5A shows the luminescence of C1+A4E using native coelenterazine ("coelenterazine"), known PBI-3880, and novel coelenterazines PBI-3842, PBI-3857, PBI-3881, PBI-3882, PBI-3886, and PBI-3887 as substrates. The luminescence measurements using known and novel coelenterazines were normalized to the luminescence of C1+A4E using native coelenterazine and the fold-decrease compared to native coelenterazine (FIG. 5B). FIGS. 5C-E show the luminescence of

C1+A4E using native coelenterazine and novel coelenterazines PBI-3945, PBI-3894, and PBI-4002, respectively. FIG. 5F shows the luminescence of C1+A4E using native coelenterazine and novel coelenterazines PBI-3840, PBI-3897, PBI-3889, PBI-3899, and PBI-3900. FIG. 5G shows the luminescence of C1+A4E using native coelenterazine, known coelenterazine PBI-3912 and novel coelenterazines PBI-3913, PBI-3925, PBI-3939, PBI-3933, PBI-3932, PBI-3946, PBI-3841, and PBI-3896. The data indicates the C1+A4E variant can use each of the novel coelenterazines as substrates.

[00291] C1+A4E variants were generated that had at least the amino acid substitutions identified in C1+A4E, unless otherwise indicated. A library (Library 1) of 4400 variant clones of C1+A4E was generated by random mutagenesis as described previously and screened as described previously for improvement in relative specificity change and/or activity change, e.g., brightness. The variants were primarily screened with native coelenterazine, known coelenterazine-h, known PBI-3880, and novel coelenterazines PBI-3840, PBI-3841, PBI-3842, PBI-3857, PBI-3881, PBI-3886, PBI-3887, PBI-3889, PBI-3897, and PBI-3900 as substrates. In addition, half of the variants were screened with novel coelenterazines PBI-3896 and PBI-3894 as substrates. Plates containing variants having known mutations of interest identified from screening previous novel compounds were selected. Variants that showed improvement (either relative specificity change or activity change) for one or more of the novel coelenterazines tested in the primary screen were isolated, sequenced, and screened in a secondary screen.

[00292] In the secondary manual screen, the variants were tested with known coelenterazines PBI-3912, coelenterazine-h, coelenterazine-hh, 2-methyl coelenterazine, and coelenterazine v; and novel coelenterazines PBI-3840, PBI-3897, PBI-3889, PBI-3899, PBI-3900, PBI-3925, PBI-3944, PBI-3932, PBI-3945, PBI-3913, and PBI-3896 as substrates. FIGS. 6A-D summarize the average luminescence normalized to C1+A4E for the variants ("Clone"). FIGS. 6A-D summarize the substitutions in these variants ("AA sequence"), which had at least one of the following additional amino acid substitutions: A14V, G15R, Q18L, Q20R, L22I, E23K, L27V, L27M, K33N, T39I, E49K, F54S, F54I, D55G, I56V, V58I, V58L, I59T, S66T, G67S, F68S, L72Q, M75K, I76N, F77T, F77C, K89E, I90V, I90T, L92H, H93R, M106K, Y109F, P113T, I117F, T126R, V127A, L136M, D139G, P145L, S148T, C164S, or A169V.

[00293] Amino acid substitutions at position 54, 92, and 109 were of interest as substitutions at these positions provided greater light output or improved relative specificity, i.e., specificity away from native coelenterazine and towards at least one novel coelenterazine, as shown in FIGS. 6A-C. The amino acid substitution F54I in clone 29H7 provided greater light output with native coelenterazine and several of the novel coelenterazines. The amino acid substitution

Q18L in clone 40H11, the amino acid substitution L92H in clone 04A12, and the amino acid substitution Y109F in clone 43F9 provided improved relative specificity.

[00294] Table 5 lists C1+A4E variants with an additional amino acid substitution at position 77, 92, or 109 (“AA change”), generated as described previously. These variants were analyzed for increased light output as described previously, i.e., screened for variants that were at least 1.3x brighter than C1+A4E, using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3939, PBI-3894, PBI-3896, PBI-3897, PBI-3932, or PBI-3925 as a substrate. The following additional substitutions yielded a variant that was at least 1.3x brighter than C1+A4E: L92G, L92Q, L92S, L92A, L92M, L92H, L92Y, F77W, F77Y, F77S, F77T, F77V,, F77A, F77G, F77C, F77D, F77M, and Y109F. As shown in Table 5, L92H, F77W and F77A substitutions had the most dramatic improvements with PBI-3897, PBI-3896, and PBI - 3932.

Table 5: Site Saturation of Positions 77, 92 and 109

AA Change	native	hh	PBI-3939	PBI-3894	PBI-3896	PBI-3897	PBI-3932	PBI-3925
L92G	2.2							
L92Q	2	1.8	1.6	1.3	1.4	2.8	1.4	3.4
L92S	2.9				1.5	2.9	2.7	6
L92A	2.5	1.3						
L92M		1.3						
L92H				2.2	21	9.1	3.4	5.9
L92Y								2.5
F77W	1.4		1.4	1.4	8.3	3.2	1.7	2.3
F77Y					1.6	1.3	4.9	6.5
F77S							2.6	
F77T							2.3	
F77V							2.3	
F77A							7.9	2.5
F77G							3.1	
F77C							2.3	
F77D							1.5	
F77M							1.5	1.6
Y109F					1.34	14		

[00295] Additional C1+A4E variants (Group A) were generated by site-directed mutagenesis as described previously to have an additional substitution in at least one of the following amino acid positions relative to SEQ ID NO: 1: 18, 20, 54, 59, 72, 77, 89, 92, 109, 113, 127, 136, or 164. These amino acid positions were chosen because, based on the primary and secondary screens of Library 1, substitutions at these positions had increased total light output compared to C1+A4E using at least one of the following as a substrate: novel coelenterazines PBI-3841, PBI-3896, PBI-3897, PBI-3894, PBI-3925, or PBI-3932, or known coelenterazines 2-methyl coelenterazine or PBI-3912. FIG. 7 lists the variants (“Clone”) and the additional amino acid substitutions contained in each variant. Variant clones were assayed in triplicate as described for the secondary manual screen as described previously and normalized to C1+A4E. FIGS. 8A-B and 9 show the normalized average luminescence of the variants listed in FIG. 7 with various coelenterazines as substrates. FIGS. 8A-B and 9 show variants with either large increases in luminescence for the listed novel compounds compared to C1+A4E or no change or a decrease in luminescence for the known coelenterazine compared to C1+A4E. Clone QC27, which has additional amino acid substitutions Q18L, F54I, L92H, and Y109F, had a 561.32-fold-increase in luminescence with PBI-3896, a 392.98-fold-increase with PBI-3894, and a 283.85-fold-increase with PBI-3896 compared to C1+A4E. This data shows that Q18L, L92H, and Y109F can be combined with each other and with additional substitutions to result in variants with improved relative specificity.

[00296] Other substitutions of interest identified from Library 1 were combined to generate additional variants (Group B) (FIG. 10). Additional amino acid substitutions were made in at least one of the following amino acid positions relative to SEQ ID NO: 1: 18, 20, 54, 71, 77, 90, 92, 109, or 127. These substitutions showed improvement with at least one of the following novel coelenterazines as a substrate: PBI-3841, PBI-3896, PBI-3897, PBI-3894, PBI-3925, or PBI-3932. These variants were assayed as described for Group A variants using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3939, PBI-3945, PBI-3840, PBI-3932, PBI-3925, PBI-3894, and PBI-3896. Variant clones were assayed in triplicate as described for the secondary manual screen as described previously and normalized to C1+A4E. FIG. 11 shows the normalized average luminescence of the variants listed in FIG. 10 with the various coelenterazines as substrates. FIG. 11 shows variants with either large increases in luminescence for the listed novel coelenterazines compared to C1+A4E or no change or a decrease in luminescence for the native and known coelenterazine compared to C1+A4E.

[00297] Additional variants were generated with the additional amino acid substitution I90V and/or Y109F (Group C) and compared to variants generated from Group A or B (see FIG. 12). Clones containing variants with an I90V substitution (“I90V”), a Y109F substitution (“Y109F”), or both substitutions (“LE2”) were compared to clones QC #27, QC#2 E7, QC#2 F4, and QC#1 A11 using assays as described for Group A recombinants with native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, PBI-3840, PBI-3925, PBI-3932, PBI-3894, PBI-3896, and PBI-3897 as substrates (FIG. 12). Variant clones were assayed in triplicate as described for the secondary manual screen as previously described and normalized to C1+A4E (FIG. 12). FIG. 12 shows variants with either large increases in luminescence for the listed novel coelenterazines compared to C1+A4E and no change or a decrease in luminescence for the native or known coelenterazine compared to C1+A4E. FIG. 12 shows that I90V provided greater light output for native coelenterazine and several of the novel substrates.

[00298] *B. QC27 Variants*

[00299] The variant QC27 (SEQ ID NOs: 4 and 5) from A, which has additional amino acid substitutions Q18L, F54I, L92H, and Y109F, was cloned into a pF4A modified vector as described previously to create a C-terminal HT7 (Promega Corp.) fusion protein (“QC27-HT7”) (SEQ ID NOs: 44 and 45). 4400 variants of QC27-HT7 (Library 2) were generated by random mutagenesis as described previously, and primarily screened for increased relative specificity change as described previously using native coelenterazine and novel coelenterazines PBI-3896 and PBI-3897 as substrates. Variant clones were selected, sequenced, and assayed in a secondary manual screen as described previously using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3897, PBI-3896, and PBI-3894 as substrates.

[00300] FIG. 13 lists the additional amino acid substitutions (“Sequence”) identified in these variants (“Sample”), and the luminescence of the variants using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3897, PBI-3896, and PBI-3894 as substrates in the secondary screen normalized to the corresponding starting QC27-HT7. The variants in FIG. 14, had at least one of the following additional amino acid substitutions: F1I, R11Q, L18I, L18Q, V21L, V21M, L22F, F31I, Q32H, V45E, L46Q, S47P, G48R, E49D, G51E, D55E, G67S, F68Y, F68L, Q69H, L72Q, E74K, E74I, M75K, I76F, I76V, H86R, I90T, H92Q, H92R, T96A, V98F, I99V, I99T, V102M, M106I, F109Y, L142V, V158I, T159S, L168F, or G170R (the G170R is located in the linker region between HT7 and the OgLuc variant).

[00301] The amino acid substitutions F68Y in variant 24B12, L72Q in variant 29C4, and M75K in variant 3H11 each provided greater light output for native coelenterazine and several of the novel substrates. The amino acid substitutions V21L in variant 25A11 and H92R in variant 1B6 provided improved relative specificity. Both of these substitutions were cases where luminescence signals were down using the novel coelenterazines as substrates, but were down more using native and known coelenterazines as substrates.

[00302] Additional QC27-HT7 variants were generated to have specific amino acid substitutions (FIG. 14) using site-directed mutagenesis as described previously. Additional substitutions were made in at least one of the following amino acid positions relative to SEQ ID NO: 1: 21, 68, 72, 75, 76, 90, 92, and 158, as these positions showed improvement in relative specificity change as shown in FIG. 14. FIG. 15 shows the luminescence of the QC27-HT7 variants using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3897, PBI-3841, PBI-3896, and PBI-3894 as substrates normalized to the corresponding starting QC27-HT7. As seen in FIG. 15, combining the three amino acid substitutions F68Y, L72Q, and M75K with V158I, as for example in variant QC27#1, provided greater light output for each coelenterazine tested.

[00303] *C. QC27-9a Variants*

[00304] The variant QC27-9a (SEQ ID NOs: 6 and 7) from B, a QC27-HT7 fusion protein with additional amino acid substitutions V21L, H29R, F68Y, L72Q, M75K, and V158I, was used as a starting sequence to generate a library. 4400 variants of QC27-9a (Library 3) were generated by random mutagenesis as described previously and screened for increased relative specificity change using native coelenterazine and novel coelenterazines PBI-3841 and PBI-3897. Variant clones were selected, sequenced, and assayed in a secondary manual screen as described previously using native coelenterazine, known coelenterazine-hh, known coelenterazine-h, and novel coelenterazines PBI-3841 and PBI-3897 as substrates. FIG. 16 lists the additional substitutions (“AA change”) identified in the variants (“Sample”), and the average luminescence of the variants using native coelenterazine, known coelenterazine-hh, known coelenterazine-h, and novel coelenterazines PBI-3841 and PBI-3897 as substrates in the secondary screen normalized to the corresponding starting QC27-9a. The increase in relative specificity represents cases where there was a decrease in luminescence for the variant with the novel, native, and known coelenterazines compared to the starting template, but luminescence with the native and known coelenterazines decreased more. For example, the variant 30D12 with the amino acid substitution L22F had an approximately three-fold loss in activity with the novel coelenterazines PBI-3841 and PBI-3897. However, with native coelenterazine, known

coelenterazine-h, and known coelenterazine-hh, the luminescence of the variant 30D12 was down by ten-fold or more.

[00305] FIG. 17 shows a comparison of the luminescence of C1+A4E, QC27-HT7 and QC27-9a compared to humanized *Renilla* luciferase (referred herein as “hRL”) (SEQ ID NOs: 30 and 31) using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3841 and PBI-3897 as substrates. Although the reaction of QC27-9a with PBI-3897 was brighter than QC27-9a with PBI-3841 (see FIG. 17), the evolution trend, i.e., magnitude of improvement in luminescence, was greatest for PBI-3841 (Table 6). Combining the improvement in luminescence (440-fold) with the decrease in luminescence for native coelenterazine (800-fold) indicated a change in relative specificity (350,000-fold) of QC27-9a using PBI-3841 compared to native coelenterazine.

Table 6: The Change in Relative Specificity of the OgLuc Variants for PBI-3897 and PBI-3841 Compared to Native Coelenterazine and coelenterazine-hh.

Compound	Evolution trend: C1A4E to QC27 #9a	Change in relative specificity (novel coelenterazine/native coelenterazine)
coelenterazine	DOWN 800X	
coelenterazine-hh	DOWN 300X	
PBI-3897	UP 100X	80,000X
PBI-3841	UP 440X	350,000X

[00306] *D. IVY Variants*

[00307] IVY (SEQ ID NOs: 8 and 9), a C1+A4E variant with additional amino acid substitutions F54I, I90V, and F77Y, was cloned into a pF4A modified vector as described previously to create a C-terminal HT7 fusion protein (“IVY-HT7”). 4400 variants of IVY-HT7 (Library 4) were generated by random mutagenesis and screened for increased light output (i.e., increased brightness) and increased relative specificity using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3840, PBI-3889, PBI-3925, PBI-3932, and PBI-3945 as substrates. Variant clones were selected, sequenced, and assayed in triplicate in a secondary screen as described previously using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3889, PBI-3939, PBI-3945, and PBI-4002 as substrates. FIGS. 18 and 19 lists the additional substitutions (“AA change”) identified in the variants (“Sample”) and

the average luminescence of the variants normalized to IVY-HT7 using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3889, PBI-3939, PBI-3945, and PBI-4002 as substrates in the secondary screen. FIG. 18 lists those variants chosen based on performance with PBI-3945 (Group A), which had at least one of the following amino acid substitutions: Q18H, D19N, Q20P, Q32P, K33N, V38I, V38F, K43N, I44F, E49G, I60V, Q69H, I76N, Y77N, Y94F, G95S, G95D, F110I, V119M, K124M, L149I, or R152S. FIG. 19 lists those variants chosen based on performance with PBI-3889 (Group B), which had at least one of the following amino acid substitutions: F6Y, Q18L, L27V, S28Y, Q32L, K33N, V36E, P40T, Q42H, N50K, G51R, H86L, N135D, or I155T.

[00308] Additional IVY-HT7 variants were generated to have additional specific amino acid substitutions using site-directed mutagenesis as described previously. FIG. 20 lists variants with at least one of the following additional amino acid positions relative to SEQ ID NO: 1: 19, 20, 27, 32, 38, 43, 49, 58, 77, 95, 110, and 149, as these substitutions were identified in the variants of FIG. 18, which showed specificity towards PBI-3945 and PBI-4002. FIG. 21 shows the luminescence of the variants listed in FIG. 20 normalized to IVY-HT7 using native coelenterazine, known coelenterazine-h, known coelenterazine-hh, and novel coelenterazines PBI-3939, PBI-3945, PBI-4002, PBI-3932 and PBI-3840 as substrates. None of the variants showed an improvement over IVY-HT7, but there were instances, such as variant C5.19 (SEQ ID NOs: 12 and 13) where luminescence with native or a known coelenterazine decreased about 3-4 logs, but luminescence with PBI-3945 and PBI-4002 decreased only two-fold. Variant C5.19 has additional amino acid substitutions L27V, V38I, and L149I.

[00309] FIG. 22 lists variants with at least one of the following additional amino acid positions relative to SEQ ID NO: 1: 6, 18, 27, 28, 33, 34, 36, 40, 50, 51, 135, and 155, as these substitutions were identified in the variants of FIG. 19, which showed specificity towards PBI-3889 and PBI-3939. FIG. 23 shows the luminescence of the variants listed in FIG. 21 using native coelenterazine, known coelenterazine-h, known coelenterazine-hh, and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, PBI-4002, PBI-3932, and PBI-3840 as substrates normalized to IVY-HT7. Luminescence decreased for each of the variants compared to IVY-HT7. Variant C1.3 (SEQ ID NOs: 10 and 11) had about 2000-fold more luminescence with PBI-3939 than with native or known coelenterazine. Variant C1.3 has additional amino acid substitutions F6Y, K33N, N135D, and I155T.

[00310] The best IVY-HT7 variants for relative specificity change compared to hRL and IVY-HT7 were C5.19, which had the best luminescence with PBI-3945, and C1.3, which had the best luminescence with PBI-3889. FIG. 24 shows the luminescence of hRL, IVY-HT7, C5.19 (a C-

terminal HT7 fusion), and C1.3 (a C-terminal HT7 fusion) with native coelenterazine, known coelenterazine-h, known coelenterazine-hh, and novel coelenterazines PBI-3939 and PBI-3945.

[00311] *E. IV Variants*

[00312] IV (SEQ ID NOs: 14 and 15), a C1+A4E variant with additional amino acid substitutions F54I and I90V, was generated as previously described. To determine the brightest variant for use as a transcriptional reporter, luminescence was measured as described previously provided for C1+A4E (SEQ ID NOs: 2 and 3), IVY (SEQ ID NOs: 8 and 9), and IV (SEQ ID NOs: 14 and 15) using native coelenterazine, known coelenterazine-hh, and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, and PBI-4002 as substrates. hRL was used as a control. As seen in FIG. 25, IV was brighter than both C1+A4E and IVY. The amino acid substitution F54I in IV provided greater light output for native coelenterazine and several of the novel substrates. All three variants were brighter than hRL with the tested coelenterazines.

[00313] The data from A, B and D (i.e., screenings of the libraries generated from C1+A4E, IVY, and QC27 as the starting sequences) were reviewed to determine those additional amino acid substitutions with increased light output (i.e., increased brightness) with a variety of coelenterazines. IV variants were generated as described previously to have additional substitutions which had reduced specificity for native coelenterazine by two- to ten-fold. As listed in FIG. 26, the IV variants (“clone”) had an additional amino acid substitution (“Sequence”) of at least one of the following amino acid substitutions: F1I, E4K, Q18L, L27V, K33N, V38I, F68Y, M70V, L72Q, M75K, or V102E.

[00314] Sixteen plates of variant clones for all combinations of amino acid substitutions were primarily screened and assayed using the automated robot method described previously with native coelenterazine, known coelenterazine-h, known coelenterazine-hh, and novel coelenterazines PBI-3889 and PBI-3945 as substrates. Variants with improved luminescence were selected, sequenced, and assayed in triplicate using the manual screen as described previously. Luminescence was measured using native coelenterazine, known coelenterazine-h, known coelenterazine-hh, and novel coelenterazines PBI-3889, PBI-3939, PBI-3945, and PBI-4002 as substrates. Corresponding starting sequences IV and hRL were used as controls.

[00315] FIG. 26 lists the variants, and the additional amino acid substitutions identified in the variants. FIG. 27 shows the average luminescence of the variants in the secondary screen normalized to IV. Variant 8A3 (SEQ ID NOs: 26 and 27), which has additional amino acid substitutions F1I, L27V, and V38I, had improved relative specificity with novel coelenterazines,

but was not brighter than IV. Variant 8F2 (SEQ ID NOs: 46 and 47), which has additional amino acid substitution L27V, offered improved relative specificity and brightness with 3 of the 4 novel coelenterazines used. Variant 9B8 (SEQ ID NOs: 18 and 19), which has additional amino acid substitutions Q18L, F68Y, L72Q, and M75K, was brighter for all substrates and offered some relative specificity advantage over native coelenterazine as well. Variant 9F6 (SEQ ID NOs: 20 and 21), which has additional amino acid substitutions Q18L, L27V, V38I, F68Y, L72Q, and M75K, showed similar improvements as was seen with 8F2. Variant 15C1 (SEQ ID NOs: 16 and 17), which has additional amino acid substitutions E4K, K33N, F68Y, L72Q, and M75K, was brighter for all novel coelenterazines, but did not have any improved relative specificity benefit. The amino acid substitution Q18L in variant 1D6 provided improved relative specificity, i.e., away from native coelenterazine and towards novel substrates, in the context of IV. In general, the amino acid substitution L27V provided improved relative specificity in the context of IV.

[00316] FIG. 28 shows the luminescence of the 8A3, 9B8, 9F6, and 15C1 variants in the secondary screen using native coelenterazine, known coelenterazine-hh, known coelenterazine-h, and novel coelenterazines PBI-3939, PBI-3945, PBI-3889, and PBI-4002 as substrates compared to IV and hRL. Variant 8A3 had 2 logs decrease in brightness with native coelenterazine compared to IV. Variant 9F6 had 1 log decrease in brightness with native coelenterazine compared to IV. Variant 15C1 with PBI-3945 was the brightest, but the signal half-life was short (see Example 27).

[00317] *F. 9B8 Variants*

[00318] The 9B8 variant from E was further modified to generate additional variants with increased light emission and/or improved relative specificity for PBI-3939. Amino acid substitution L72Q appeared to be a beneficial amino acid substitution for increased light emission (i.e., brightness) as this substitution was identified in the variants 9B8, 9F6, and 15C1, all of which showed improved light emission. To determine if other amino acid substitutions at position 72 would provide similar increases in brightness, additional variants of 9B8 were generated as described previously by saturating position 72 with alternative residues. Four replicates of *E. coli* lysates were prepared and analyzed for brightness as described previously using PBI-3939 as a substrate except the assay buffer contained 10 mM CDTA, 150 mM KCl, 10 mM DTT, 100 mM HEPES, pH 7.0, 35 mM thiourea, and 0.5% TERGITOL® NP-9 (v/v). Table 7 lists 9B8 variants (“Variant”) with similar or improved luminescence compared to 9B8 as indicated by luminescence normalized to 9B8 (“RLU (normalized to 9B8)”), i.e., fold

improvement. The amino acid substitutions of A, G, N, R, and M at position 72 provided at least the same brightness benefit as amino acid Q, i.e., 1-fold.

Table 7: Variants with Similar Luminescence Compared to Variant 9B8.

Variant	RLU (normalized to 9B8)
9B8 + Q72A	1.1
9B8 + Q72G	1
9B8 + Q72N	1
9B8 + Q72R	1
9B8 + Q72M	1

[00319] Additional variants with improved relative specificity to novel PBI-3939 were generated as described previously by saturating amino acid positions 18, 68, 72, 75, and 90 in variant 9B8. *E. coli* lysates were prepared and analyzed for brightness as described previously using native coelenterazine and novel PBI-3939 as substrates. Relative specificity was determined from the ratio of the luminescence of the variant with PBI-3939 to the luminescence of the variant with native coelenterazine, normalized to the ratio of corresponding luminescence of 9B8. Table 8 lists 9B8 variants (“Variant”) with at least 1.1X fold-increase in relative specificity for PBI-3939. The results demonstrate that at least one additional change at each of the sites provided improved relative specificity for PBI-3939 versus native coelenterazine. 9B8 variants with amino acid substitutions K, D, F, G, Y, W, and H at position 18 had the highest fold improvement in relative specificity.

Table 8: Variants with Improved Relative Specificity for PBI-3939

Variant	Relative specificity (PBI-3939 RLU/native coelenterazine RLU; normalized to 9B8)
9B8 + L18K	40.7
9B8 + L18D	25.8
9B8 + L18F	25.6
9B8 + L18G	18.2
9B8 + L18Y	17.8

9B8 + L18W	11.2
9B8 + L18H	9.1
9B8 + L18R	3.5
9B8 + L18M	3.4
9B8 + L18N	2.9
9B8 + L18P	2.6
9B8 + L18S	2.3
9B8 + Y68W	1.1
9B8 + Q72W	6.1
9B8 + Q72Y	2.5
9B8 + Q72F	2.2
9B8 + Q72V	2.2
9B8 + Q72I	2.1
9B8 + Q72T	1.9
9B8 + Q72N	1.8
9B8 + Q72R	1.7
9B8 + Q72P	1.6
9B8 + Q72G	1.5
9B8 + Q72A	1.4
9B8 + Q72M	1.3
9B8 + Q72C	1.3
9B8 + Q72H	1.2
9B8 + Q72S	1.2
9B8 + M75F	1.2
9B8 + V90R	2.4
9B8 + V90Y	1.6
9B8 + V90D	1.4
9B8 + V90P	1.4
9B8 + V90K	1.3
9B8 + V90Q	1.2

[00320] *G. 9B8 + K33N Variants*

[00321] An additional variant, 9B8 opt+K33N (SEQ ID NOs: 42 and 43) was generated to investigate the benefits of amino acid substitution K33N for brightness, relative specificity, and thermal stability. 9B8 opt+K33N was examined and compared to 9B8 opt (described in Example 25A) in various applications.

[00322] *E. coli* lysates containing the variant 9B8 opt or 9B8 opt+K33N were prepared and analyzed as described previously except the assay buffer contained 0.1% TERGITOL® NP-9 (v/v). Luminescence generated from the lysates was measured using the novel PBI-3939 and native coelenterazine as substrates. The relative specificity of the variants for PBI-3939 and native coelenterazine was calculated as described previously. 9B8 opt+K33N (“K33N”) had greater light output (RLU) and a higher relative specificity for PBI-3939 than native coelenterazine compared to 9B8 opt (FIG. 29), indicating that the K33N substitution provided greater light output and improved relative specificity.

[00323] A new OgLuc library was created using 9B8opt+K33N as a starting template. The random library was created using DIVERSIFY® PCR Random Mutagenesis Kit (ClonTech; Catalog # 630703). Condition 5 (as listed in the user manual) was used to generate additional variants, and the average mutation rate was calculated to be 2.6 mutations per gene by compiling sequence data from 83 randomly selected clones. This PCR library was cloned into the pF4Ag-based, non-fusion vector background described previously and the sandwich background, i.e., Id-OgLuc-HT7 (described in Example 45). Variants in the pF4Ag-base non-fusion vector background are designated with (NF). Variants in the sandwich vector background are designated with (F). In order to clone the PCR product into both vectors, an amino acid, i.e., a glycine, was appended to the variant sequence in pF4Ag, generating a new position 170 in the OgLuc variant (“170G”). The 170G is present in the sandwich construct, but in this case is considered part of the linker between OgLuc and HT7. For each library, 4,400 *E. coli* clones were assayed as described previously with the following exceptions. The lysis buffer contained 300 mM MES pH 6.0 instead of HEPES, and 0.5% TERGITOL® NP-9 (v/v), but did not contain thiourea. The assay buffer contained 100 mM MES pH 6.0 instead of HEPES, and 35 mM thiourea. The assay volumes were as follows: 10 µL cells, 40 µL lysis buffer, and 50 µL assay buffer.

[00324] The PCR library in the pF4Ag-based non-fusion background was screened for additional variants with increased luminescence compared to 9B8 opt+K33N+170G (SEQ ID NOs: 68 and 69). Selected variants were then assayed in HEK293 and NIH3T3 cells. For each

cell type, 15,000 cells were plated and grown overnight at 37°C. The next day, the cells were transfected as described in Example 25 with 10 ng pGL4.13 (Promega Corp.) as a transfection control and 100 ng of the OgLuc test DNA. The media was removed, and the cells were lysed with 100 µL of lysis buffer as described in Example 25 except the lysis buffer contained 100 mM MES pH 6.0 instead of HEPES, and luminescence measured using a GLOMAX® Luminometer. For each sample, 10 µL of lysate was assayed with 50 µL of lysis buffer containing 20 µM PBI-3939. For the transfection control, 10 µL of lysate was assayed with 50 µL of BRIGHT-GLO™ Assay Reagent.

[00325] Table 9 shows the fold-increase in luminescence of variants in *E. coli*, HEK293, and NIH3T3 cells and the amino acid substitutions found in the variants. The variants 27A5 (NF) (SEQ ID NOs: 70 and 71), 23D4 (NF) (SEQ ID NOs: 72 and 73) and 24C2 (NF) (SEQ ID NOs: 74 and 75) had at least 1.3 fold-increase in luminescence in *E. coli* and HEK293 cells.

Table 9: Increase in Luminescence Generated by OgLuc Variants Compared to 9B8 opt+K33N+170G in *E. coli*, HEK293 and NIH3T3 Cells

Sample	Sequence	Fold over 9B8 opt+K33N + 170G		
		<i>E. coli</i>	HEK293	NIH3T3
27A5 (NF)	T39T, 170G	1.3	1.5	1.3
23D4 (NF)	G26G, M106L, R112R, 170G	1.5	1.6	1.2
24C2 (NF)	R11Q, T39T, 170G	1.5	1.5	1.1

[00326] Based on the above data, further combination variants were designed and generated (see Table 10) in the context of the pF4Ag-based non-fusion vector background without the 170G. The variants were analyzed in *E. coli*, HEK293 and NIH3T3 cells as described above and compared to 9B8 opt+K33N. The variants were also examined for luminescence with native coelenterazine. Table 10 shows the fold-increase in luminescence of the variants in *E. coli*, HEK293, and NIH3T3 cells, and the amino acid substitutions found in the variants (“Sample”). The variants were named by adding the additional amino acid substitutions in the variant to the prefix “9B8 opt+K33N.” Table 11 shows the relative specificity of the different variants for PBI-3939 compared to native coelenterazine in *E. coli*, NIH3T3, and HEK293 cells. As shown in Table 10, the variant 9B8 opt+K33N+T39T+K43R+Y68D (“V2”; SEQ ID NOs: 92 and 93) had improved luminescence in *E. coli* and a slight improvement in luminescence in NIH3T3 cells. The variant 9B8 opt+K33N+L27V+K43R+Y68D (“L27V, K43R, Y68D”) had a neutral

improvement in luminescence (Table 10) and 5X fold-increase in relative specificity over 9B8 opt+K33N (Table 11) in the three cell types examined.

Table 10: Increase in Luminescence Generated by OgLuc Combination Variants Compared to 9B8 opt+K33N in *E. coli*, NIH3T3 and HEK293 Cells

Sample	Fold over 9B8 opt +K33N		
	<i>E. coli</i>	NIH3T3	HEK293
T39T	1.8	1.1	1.1
K43R	1.2	1.1	1.1
T39T, K43R	1.3	0.9	1.1
Y68D	1.0	1.0	1.2
K43R, Y68D	1.2	1.2	1.2
T39T, K43R, Y68D (“V2”)	1.8	1.1	1.3
L27V	0.9	0.7	0.8
L27V, K43R	0.7	0.6	0.6
L27V, K43R, Y68D	1.2	0.8	0.9
L27V, Y68D	1.2	0.8	0.7
S66N, K43R	0.9	1.1	1.1
L27V, K43R, S66N	1.0	0.6	0.7
9B8 opt + K33N	1.0	1.0	1.0

Table 11: Change in Relative Specificity of OgLuc Combination Variants for PBI-3939 Compared to Native Coelenterazine in *E. coli*, NIH3T3 and HEK293 Cells

Sample	Fold over Native Coelenterazine		
	<i>E. coli</i>	NIH3T3	HEK293
T39T	18.2	18	20
K43R	29.5	31	32
T39T, K43R	29.4	30	32
Y68D	11.4	10	12
K43R, Y68D	18.6	19	21
T39T, K43R, Y68D (“V2”)	18.5	18	21
L27V	85.2	85	97

L27V, K43R	120.1	131	147
L27V, K43R, Y68D	98.3	98	101
L27V, Y68D	59.9	61	64
S66N, K43R	22.9	23	25
L27V, K43R, S66N	100.4	97	106
9B8 opt + K33N	19.0	19	19

[00327] Additional OgLuc variants were generated from 9B8 opt+K33N to contain at least one of the following additional amino acid substitutions relative to SEQ ID NO: 1: L27V, T39T, K43R, Y68D, or S66N (see “Sample” in Table 12 for the amino acid substitutions in the variants). The variants were named by adding the additional amino acid substitutions in the variant after the prefix “9B8 opt+K33N.” These additional variants and the variants 9B8 opt+K33N+L27V+Y68D (“L27V, Y68D”), 9B8 opt+K33N+L27V+K43R+Y68D (“L27V, K43R, Y68D”), 9B8 opt+K33N+L27V+K43R+S66N (“L27V, K43R, S66N”), and 9B8 opt+K33N+T39T+K43R+Y68D (“T39T, K43R, Y68D”; also known as “V2”) from above, were examined for brightness, relative specificity, signal stability and thermal stability. The variants were compared to the variants 9B8 opt (“9B8”) and 9B8 opt+K33N (“K33N”).

[00328] *E. coli* lysates containing the variants were prepared and analyzed as described previously. Luminescence generated from the lysates was measured using the novel PBI-3939 and native coelenterazine as substrates. The luminescence of the variants was normalized to the luminescence generated by 9B8 opt (Table 12). The relative specificity of the variants for PBI-3939 and native coelenterazine was calculated by dividing the luminescence of the variants using PBI-3939 as a substrate with the luminescence of the variants using native coelenterazine as a substrate (Table 12). This data indicates that the amino acid substitution L27V lowers specificity for native coelenterazine.

Table 12: Increase in Luminescence Generated by OgLuc Variants Compared to 9B8 and Change in Specificity of OgLuc Variants for PBI-3939 Compared to Native Coelenterazine in Bacterial Lysates

Sample	Fold over 9B8	Fold over coelenterazine
9B8	1.0	7
K33N	1.1	21
T39T, Y68D	0.9	12
T39T, L27V, K43R	1.2	149
L27V, T39T, K43R, Y68D	1.8	110
T39T, K43R, Y68D	1.6	21
L27V, T39T, K43R, S66N	1.3	114
L27V, K43R, Y68D	1.3	110
L27V, Y68D	1.0	63
L27V, K43R, S66N	1.1	114

[00329] *H. V2 Variants*

[00330] A set of additional variants were designed using V2 (9B8opt with the additional amino acid substitutions K33N+T39T+K43R+Y68D) as a template. The substitutions shown in Table 13 were designed based on either 1) the known diversity according to the structure-based alignment of 28 fatty acid binding proteins (1VYF, 1FDQ, 2A0A, 1O8V, 1BWY, 2ANS, 1VIV, 1PMP, 1FTP, 2HNX, 1JJJ, 1CBR, 2CBS, 1LPI, 1KQW, 2RCQ, 1EII, 1CRB, 1IFC, 2PYI, 2JU3, 1MVG, 2QO4, 1P6P, 2FT9, 1MDC, 1O1U, 1EIO; See U.S. Published Application No. 2010/0281552), or 2) the probing of alternative residues at positions previously identified to play a role in substrate specificity. Changes listed under “Consensus” in Table 13 relate to residues identified in at least 50% of the aligned, above-mentioned fatty acid binding proteins. Changes listed under “Predominant Minority” relate to residues identified in many of the fatty acid binding proteins mentioned above, but found in fewer than 50% of the aligned sequences. Changes listed under “Other” relate to residues were identified less frequently than the predominant minority residue at a given position in the aligned sequences. Finally, changes listed under “Specificity” relate to positions suspected to be involved in determining a variant’s specificity for coelenterazine or a coelenterazine analog. For example, the designed specificity changes at position 27 (leucine residue in the parental sequence, i.e., V2) were changed to other hydrophobic residues or amino acids representing alternative chemistries (e.g., other hydrophobic residues containing rings, residues containing uncharged polar side chains, or residues containing charged side chains); and the designed specificity changes at position 40 (proline in the parental sequence), were to a sampling of different chemistries (chemistries (e.g., other hydrophobic residues containing rings, residues containing uncharged polar side chains, or residues containing charged side chains); note that glycine, glutamine, isoleucine, and leucine are identified at this position the aligned fatty acid binding proteins).

Table 13

Consensus	Predominant minority	Other	Specificity
9 T	9 K	9 K	27 A, I, M, G, D
14 S	10 Y	48 G	40 T, S, F, D, Y
16 E	23 R		
22 M	32 I		
23 K	63 T		
24 A	87 Y		
25 L	100 I		
32 R	111 N, D		
35 A	118 I		
39 K	134 K		
46 Q	142 K, W		
57 F	147 N		
63 S	149 M		
87 N	152 E		
97 E	162 Q		
98 F			
100 E			
102 T			
110 D			
113 K			
118 V			
125 L			
126 V			
129 Q			
130 K			
142 E			
146 G			
147 D			
150 V			
152 T			
165 K			

[00331] The variants were constructed using standard site-directed mutagenesis protocols (see previous examples), and the resulting plasmids transformed into *E. coli* for analysis. Cultures were grown per standard walk away induction in minimal media as described previously. To 10 μ L of the cultured, transformed *E. coli* cells, 40 μ L of lysis buffer (100 mM MES pH 6.0, 0.3X PLB, 0.3 mg/mL Lysozyme, 0.003 U/ μ L RQ1 DNaseI and 0.25% TERGITOL® NP-9 (v/v)) was added followed by the additional of an equal volume (50 μ L) of assay reagent (1 mM CDTA, 150 mM KCl, 2 mM DTT, 20 μ M PBI-3939 or native coelenterazine, 100 mM MES pH 6.0, 35 mM thiourea, and 0.5% TERGITOL® NP-9 (v/v)). Luminescence was measured on a GLOMAX® 96 Microplate Luminometer (Promega Corp.).

[00332] Table 14 summarizes the different amino acid substitutions identified in the analysis. The data is presented as normalized to the parental clone (V2) with regards to the luminescence measured for both PBI-3939 and native coelenterazine. The relative change in specificity to PBI-3939 with respect to native coelenterazine is also shown.

Table 14

Substitution	PBI-3939 NORMALIZED	COELENTERAZINE NORMALIZED	RELATIVE CHANGE IN SPECIFICITY FOR PBI-3939
10 Y	0.7	0.2	3.5
14 S	1.3	1.2	1.1
16 E	0.5	0.2	2.5
23 K	1.3	4	0.3
24 A	0.4	0.2	2.0
25 L	0.0001	0.000023	4.3
27 A	0.8	0.1	8.0
27 D	0.006	0.001	6.0
27 G	0.088	0.005	17.6
27 I	0.2	0.024	8.3
27 M	2.2	0.9	2.4
40 I	0.0017	0.0002	8.5
40 L	0.0007	0.0001	7.0
40 Q	0.0001	0.000026	3.8
87 N	1.2	1.5	0.8
87 T	1.3	1.6	0.8
97 E	0.014	0.01	1.4
100 I	0.002	0.002	1.0
102 T	1.1	1.1	1.0
111 N	0.6	0.6	1.0
113 K	1.2	0.6	2.0
125 L	0.6	0.4	1.5
129 Q	0.0003	0.0001	3.0
130 K	1.1	0.9	1.2
142 E	0.9	0.3	3.0
142 K	0.9	0.3	3.0
142 W	0.8	0.4	2.0
146 G	0.9	0.8	1.1
147 N	0.4	0.4	1.0
149 M	0.7	0.4	1.8
150 V	0.9	0.4	2.3
152 E	0.9	0.5	1.8
152 T	0.9	0.3	3.0

[00333] *I. L27V Variants*

[00334] Using the OgLuc variant L27V as a starting template, i.e., starting sequence or parental sequence, additional variants were made in which some of the amino acids (Table 15) in the L27V variant were reverted to the amino acids found in the native OgLuc luciferase of SEQ ID NO: 1. The variants were constructed by site-directed mutagenesis as previously described. The variants were then screened as previously described for relative activity with either native coelenterazine or PBI-3939. Luminescence was measured on a TECAN® INFINITE® F500 5 min after substrate/assay reagent (as described in H) was added and normalized to the L27V variant starting template. SDS-PAGE analysis of the lysates indicates comparable expression levels (data not shown).

[00335] Table 15 shows the relative activities of the L27V variants with native coelenterazine or PBI-3939. Relative activities <1 indicate the reversion is detrimental compared to the residue

at that site in the L27V variant. Relative activities >1 indicate the reversion is favorable for activity compared to the residue at that site in the L27V variant. Some additional data on these mutants indicated the following: 166K, 54F, 54A and L27V were tested for thermal stability. The $T_{1/2}$ 60°C for 166K, 54F, and 54A were 87, 74, and 33%, respectively, indicating these substitutions cause a reduction in thermal stability. The K_m values for these same 4 variants were the following: for native coelenterazine, L27V was 16 μ M, 54A was 23 μ M, 54F was 40 μ M, and 166K was 21 μ M; for PBI-3939, L27V was 18 μ M, 54A was 62 μ M, 54F was 163 μ M, and 166K was 23 μ M. This indicates higher substrate affinity for L27V, particularly for the position 54 substitutions.

Table 15

Native coelenterazine (50 mM)		PBI-3939 (50 mM)	
AA substitution	Relative activity (5 min)	AA substitution	Relative activity (5 min)
72L	0.2	72L	0.6
4A	1.0	4A	1.0
124Q	1.6	124Q	1.0
43K	1.9	43K	1.1
115P	0.6	115P	0.9
166N	2	166N	2.0
75M	1.1	75M	1.2
54F	0.1	54F	0.4
68F	0.5	68F	0.9
33A	1.7	33A	1.0
138Y	1.0	138Y	1.0
54A	0.6	54A	1.6
90I	0.8	90I	0.6
33K	4.2	33K	0.8
44V	0.7	44V	1
166K	2.1	166K	2
11Q	1.6	11Q	1.3
166F	0.3	166F	0.4
18Q	4.1	18Q	0.6

Example 23 - Mutational Analysis of Position 166

[00336] A. To assess the effect of different amino acids at position 166 on the luciferase activity, the arginine (R) residue at position 166 was substituted to each of the other 19 amino acids using site-directed mutagenesis as previously described in the context of a pF4Ag vector (i.e., in the context of the wild-type OgLuc sequence SEQ ID NO: 1). These position 166 variants were then expressed in *E. coli* as previously described.

[00337] To create lysates, 50 μ L 0.5X FASTBREAK™ Cell Lysis Reagent (Promega Corp.) was added to 950 μ L of induced cultures, and the mixtures incubated for 30 min at 22°C. For the analysis, 50 μ L of lysate was assayed in 50 μ L of assay reagent (as previously described in Example 22H) with either 100 μ M PBI-3939, 30 μ M native coelenterazine, or 22 μ M coelenterazine-h). Luminescence was measured as previously described (FIGS. 30A-C). FIGS. 30A-C show the relative activity of the N166 mutants. Western analysis confirmed comparable expression of all variants (data not shown).

[00338] B. The specific single amino acid substitutions, L27V, A33N, K43R, M75K, T39T, L72Q and F68D were assessed in the wild-type OgLuc or N166R background. The single amino acid substitutions were generated via site-directed mutagenesis as previously described, expressed in *E. coli* as previously described, and luminescence measured using the assay reagent (previously described in Example 22H) with 22 μ M native coelenterazine (FIG. 30D). Western analysis confirmed comparable expression of all variants (data not shown).

Example 24 - Deletion Variants

[00339] Deletions to the L27V variant were made as follows:

Table 16

Deletion #	Deletion Made
27	Residues 1-27 and Val -1
52	Residues 1-52 and Val -1
64	Residues 1-64 and Val -1
84	Residues 1-84 and Val -1
19	Residues 65-83
23	Residues 65-87
23A1	Residues 65-87 + G64D

[00340] The N-terminus of the OgLuc variant L27V is methionine, valine and phenylalanine, i.e., MVF. For numbering purposes, the phenylalanine was considered the first amino acid. “Val-1” indicates that the Valine in “MVF” was deleted. The methionine of “MVF” was included in these deletions. The L27 deletion variants were cloned in the pF4Ag vector and expressed in *E. coli* KRX cells as previously described. Inductions and lysate preparations were performed as described. Lysates were analyzed using the assay reagent (previously described; 100 μ M PBI-3939), and luminescence measured as previously described (FIG. 31). The data demonstrates that smaller fragments of the OgLuc variants can also generate luminescence.

Example 25 – Codon Optimization of OgLuc Variants

[00341] *A. IV and 9B8*

[00342] The IV and 9B8 OgLuc variants were used as templates for codon optimization. The goals, as understood by those skilled in the art, were two-fold: 1) to remove known transcription factor binding sites, or other regulatory sequences, e.g., promoter modules, splice donor/acceptor sites, splice silencers, Kozak sequences, and poly-A signals, that could potentially interfere with the regulation or expression of the OgLuc variants, and 2) to alter the DNA sequence (via silent mutations that do not alter protein sequence) to eliminate rarely used codons, and favor the most commonly used codons in cells of *E. coli*, human, other mammalian, or other eukaryotic organisms (Wada *et al.*, *Nucleic Acids Res.*, 18:2367 (1990)).

[00343] Two different optimized sequences for IV and 9B8, referred to as opt (aka optA) and optB, were designed for each variant. The first optimized sequence, i.e., opt/optA for each variant, was designed by identifying the two best, i.e., most common, human codons for each site (see Table 17) and then randomly picking one of the two for incorporation at each site. For the optB versions, the previous, codon-usage, optimized version, i.e., opt/optA, was used as a starting template, and each codon replaced with the other of the two best human codons identified for this codon-optimization strategy. As an example, the leucine at position 3 in either the IV or 9B8 sequence is encoded by the codon TTG. TTG is not one of the two most common codons for leucine in a human cell, and therefore the codon was changed to the alternative, more common codons for leucine, CTC (opt/optA) or CTG (optB). This same process was repeated for all leucines in the sequence, and due to the random nature of the approach, a CTC codon could end up in optB and the CTG could end up in optA. Because of this two codon-usage approach to optimization, sequences opt/optA and opt B were maximally codon-distinct.

Table 17: Codons used in Codon Optimization

<u>Amino acid</u>	<u>Choice#1</u>	<u>Choice#2</u>
Gly	GGC	GGG
Glu	GAG	GAA
Asp	GAC	GAT
Val	GTG	GTC
Ala	GCC	GCT
Ser	AGC	TTC
Lys	AAG	AAA
Asn	AAC	AAT
Met	ATG	
Ile	ATC	ATT
Thr	ACC	ACA
Trp	TGG	
Cys	TGC	TGT
Tyr	TAC	TAT
Phe	TTC	TTT
Arg	CGG	CGC
Gln	CAG	CAA
His	CAC	CAT
Leu	CTG	CTC
Pro	CCC	CCT

[00344] Each of the 4 sequences (IV opt, IV optB; 9B8 opt, 9B8 optB) were then analyzed (Genomatix Software, Germany) for the presence of transcription factor binding sites or other regulatory sequences as described above, and these undesirable sequences were disrupted via silent nucleotide changes. In some cases, where there were other non-rare codons for both human and *E. coli*, the transcription factor binding sites or other regulatory elements was removed by changing to one of these codons, even though they are not choice#1 or choice#2 (see Table 18). In cases, where removing a transcription factor binding site or other regulatory element would have involved introducing a rare codon, the transcription binding site (or other regulatory element) was usually not changed.

Table 18: Additional Codons used to Remove Transcription Factor Binding Sites and Other Regulatory Elements

Amino Acid	Choice #3	Choice #4
Gly	GGA	GGT
Val	GTA	GTT
Ala	GCG	GCA
Ser	AGT	TCA
Thr	ACG	ACT
Leu	TTG	CTT
Pro	CCG	CCA

[00345] Codon optimized versions of IV (“IV opt” (SEQ ID NO: 22) and “IV optB” (SEQ ID NO: 23)) and 9B8 (“9B8 opt” (SEQ ID NO: 24) and “9B8 optB” (SEQ ID NO: 25)) were generated and cloned into pF4Ag by methods known in the art. HEK293 cells were plated in 96-well plates at 15,000 cells/well and grown overnight at 37°C. The following day, the cells were transiently transfected in 6 well replicates using TRANSIT®-LT1 Transfection Reagent (Mirus Bio) with 100 ng of plasmid DNA encoding the codon optimized versions in pF4Ag and grown overnight at 37°C. HEK293 cells were also transfected with either pGL4.13 (Luc2/SV40) (Paguio *et al.*, “pGL4 Vectors: A New Generation of Luciferase Reporter Vectors” *Promega Notes*, 89:7-10 (2005)) or pGL4.73 (hRL/SV40) (*Id.*) to normalize for differences in transfection efficiency. Ten ng/transfection or 10% of the total DNA transfected was used. Media was removed, and cells were lysed with 100 μ L lysis buffer which contained 10 mM CDTA, 150 mM KCl, 10 mM DTT, 100 mM HEPES, pH 7.0, 35 mM thiourea, and 0.5% TERGITOL® NP-9 (v/v) to create a lysate sample. Luminescence of the lysate sample was measured on a TECAN® INFINITE® F500 luminometer as follows: for hRL and the OgLuc variants, 10 μ L of the lysate sample was assayed for luminescence with 50 μ L of lysis buffer containing 20 μ M of substrate (native coelenterazine for hRL and PBI-3939 for the OgLuc variants). For Luc2 (SEQ ID NOs: 28 and 29), a firefly luciferase, 10 μ L of lysate sample was assayed for luminescence with 50 μ L of BRIGHT-GLO™ Luciferase Assay Reagent (Promega Corp.).

[00346] FIG. 32 shows a comparison of the luminescence measured for the lysates containing the codon optimized versions of the OgLuc variants compared to hRL and Luc2. hRL and the OgLuc variants were normalized to pGL4.13 and Luc2 was normalized to pGL4.73 using methods known in the art. As shown in FIG. 32, Luc2 had approximately 14 fold higher luminescence than hRL. The OgLuc variants had higher luminescence compared to Luc2 and hRL. The codon optimized versions of IV (“IV opt” and “IV optB”) and 9B8 (“9B8 opt”) showed increased luminescence compared to the non-optimized versions.

[00347] As a result of this optimization, the “opt/optA” versions expressed better in human HEK293 cells than their parental sequence, while the “optB” versions did not express as well in HEK293 cells compared to the parental sequence.

[00348] *B. L27V*

[00349] The L27V variant (SEQ ID NO: 88) was optimized to minimize the occurrence of common vertebrate response elements (any transcription factor binding site (TFBS) in the Genomatix database). Three different optimized versions of the L27V variant were created:

[00350] 1. L27V01 - version 1 (SEQ ID NO: 319) - Promoter modules and all other undesired sequence elements (additional details below) were removed by nucleotide substitutions except for individual TFBSs.

[00351] 2. L27V02 - version 2 - L27V01 was used as the starting, i.e., parental, sequence, and as many TFBSs were removed as possible using high stringency match criteria (A higher stringency involves a better match to the binding site and will thus find fewer matches than a lower stringency). There were two versions, A (SEQ ID NO: 322) & B ((SEQ ID NO: 318)), created for L27V02. These two versions were created by selecting different codons for each version to remove undesired sequence elements. Both versions were analyzed by searching for TFBSs with lower stringency.

[00352] 3. L27V03 - version 3 (SEQ ID NO: 325) - L27V02B (SEQ ID NO: 318) was used as the starting sequence. Lower stringency TFBS matches were removed where possible. L27V03 was created to be very codon distinct from L27V02A.

[00353] The following criteria were used to create the L27V optimized variants:

[00354] 1. Codon usage: Preferably, the best two human codons were used for each amino acid (as was done for the IV variant), and the use of rare human codons (HS; coding for <10% of amino acids) was avoided (Table 19). The use of rare *E. coli* codons (EC) was used, if necessary, to remove undesired sequence elements.

Table 19

Amino acid	Best Codons	Avoid Codons	Amino acid	Best Codons	Avoid Codons
A	GCT		N	AAT	
A	GCC		N	AAC	

C	TGT		P	CCT	
C	TGC		P	CCC	
D	GAT		Q	CAG	
D	GAC		Q	CAA	
E	GAG		R	CGG	AGG [EC]
E	GAA		R	CGC	AGA [EC] CGA [EC] CGT [HS]
F	TTT		S	AGC	TCG [HS]
F	TTC		S	TCC	
G	GGG		T	ACA	
G	GGC		T	ACC	
H	CAT		V	GTG	
H	CAC		V	GTC	
I	ATT	ATA [EC]	W	TGG	
I	ATC		Y	TAT	
K	AAG		Y	TAC	
K	AAA				
L	CTG	TTA [HS] CTA			
L	CTC	[HS,EC]			
M	ATG				

[00355] 2. Undesired sequence elements that were removed where possible

[00356] A. Restriction Enzyme (RE) Sites: RE sites were removed that would be useful for cloning and should otherwise not be present in open reading frame (ORF).

[00357] B. Eukaryotic Sequence Elements: Splice donor and acceptor sites, splice silencers, Kozak sequence and PolyA sequences in the (+) mRNA strand were removed.

[00358] C. Vertebrate Promoter Modules (PM) (in Genomatix category: Vertebrate) were removed.

[00359] D. Vertebrate TFBS (in Genomatix categories: Vertebrate, general Core Promoter Elements, and miscellaneous other sequences) were removed where possible. This applied only to L27V optimized versions 2 and 3, but not to version 1.

[00360] E. *E. coli* Sequence Elements: *E. coli* promoters were removed.

[00361] F. mRNA Secondary Structure: Strong secondary structures (high mRNA folding energy) near the 5'end (Zuker, *Nucleic Acid Res.* 31(13): 3406-3415 (2003)) and other strong hairpin structures were removed.

[00362] A sequence comparison, percent pair-wise sequence identity is provided in Table 20 (“()” indicate number of nucleotide differences).

Table 20

	L27V01	L27V02A	L27V02B	L27V03
L27V00	99% (3)	97%	97%	94%
L27V01		98% (12)	98%	94% (32)
L27V02A			99% (4)	95% (26)
L27V02B				96%

Example 26 - Signal Stability of OgLuc Variants

[00363] A. 15C1, 9B and IV

[00364] The signal stability of 15C1 with PBI-3945 and 9B8 with PBI-3889 was measured and compared to IV. *E. coli* containing plasmid DNA encoding 15C1, 9B8, or IV were grown and induced as described previously in 8-well replicates. Cells were lysed using a lysis buffer containing of 300 mM HEPES pH 8.0, 0.3X Passive Lysis Buffer (“PLB”; Promega Corp. Cat. No. E194A), 0.3 mg/mL lysozyme, and 0.003 U/μL RQ1 DNase. Lysates were diluted 1:1000 in lysis buffer and measured for luminescence using a TECAN® INFINITE® F500 luminometer. Measurements were taken immediately after the addition to 10 μL of diluted lysate sample of 50 μL of “Glo” 0.5% TERGITOL assay buffer (“0.5% TERGITOL”), which contained 150 mM

KCl, 1 mM CDTA, 10 mM DTT, 100 mM thiourea, 0.5% TERGITOL® NP-9 (v/v), and 20 μ M of either novel coelenterazines PBI-3945 or PBI 3889.

[00365] The signal stability of the variants was determined by re-reading the plate every 30 seconds for a length of time after the addition of the assay buffer to the sample. The signal half-life was determined from these measurements using methods known in the art. The average signal half-life was compared between the variants and IV. Both 15C1 and 9B8 had a signal half-life of at least 30 min (FIG. 33). Although 15C1, assayed with PBI-3945 had a higher luminescence at t=0, the signal decayed more rapidly than variant 9B8 assayed with PBI-3889. At t=10 min, luminescence for 15C1 with PBI-3945 and 9B8 with PBI-3889 were equivalent.

[00366] *B. 9B8 opt + K33N*

[00367] The signal stability of the 9B8 opt + K33N variants was examined. *E. coli* lysates containing the variants were prepared and analyzed as described previously except the assay buffer contained 0.25% TERGITOL® NP-9 (v/v), 100 mM MES pH 6.0, 1 mM CDTA, 150 mM KCl, 35 mM thiourea, 2 mM DTT, and 20 μ M PBI-3939. Table 22 shows the signal half-life in min of the variants and indicates that the amino acid substitution L27V improves signal stability.

Table 22: Signal stability of OgLuc variants in bacterial lysates

sample	signal half life (min)
9B8	74
K33N	55
T39T, Y68D	87
T39T, L27V, K43R	139
L27V, T39T, K43R, Y68D	114
T39T, K43R, Y68D	61
L27V, T39T, K43R, S66N	124
L27V, K43R, Y68D	122
L27V, Y68D	139
L27V, K43R, S66N	124

[00368] The signal activity and stability of the L27V variant (9B8+K33N+L27V+T39T+K43R+Y68D; SEQ ID NO: 88 and 89) was measured and compared to that of firefly (Luc2) and *Renilla* luciferases. The L27V variant, Luc2 and *Renilla* luciferases were fused to HALOTAG® and expressed in *E. coli*. The luciferases were purified using HALOTAG® as a purification tag according to the manufacturer's protocol (pFN18A; HALOTAG® Protein Purification System). 10 pM of each purified luciferase (diluted in DMEM without phenol red containing 0.01% PRIONEX®) was then mixed with an equal volume of an

assay reagent (100 mM MES pH 6, 35 mM thiourea, 0.5% TERGITOL® NP-9 (v/v), 1 mM CDTA, 2 mM DTT, 150 mM KCl, and 100 μ M PBI-3939 for the L27V variant; ONE-GLO™ Luciferase Assay System (Promega Corp.) for firefly luciferase; and RENILLA-GLO™ Luciferase Assay System (Promega Corp.) for *Renilla* luciferase), and luminescence was monitored over time (3, 10, 20, 30, 45 and 60 min). FIGS. 34A-B demonstrates the high specific activity (FIG. 34A) and signal stability (FIG. 34B) of the L27V variant when compared to firefly and *Renilla* luciferase.

Example 27 – Enzyme Kinetics of OgLuc Variants

[00369] A. IV, 15C1, 9B8, 9F6 and 9A3

[00370] Using methods known in the art, enzyme kinetic assays measuring luminescence were performed with the lysates of *E. coli* containing IV and the IV variants 15C1, 9B8, 9F6, and 9A3. Cells were induced, lysed, and diluted as described in Example 26 except the lysis buffer had a pH of 7.5. Two fold serial dilutions of PBI-3939 in the assay buffer described previously in Example 26 were assayed with the diluted lysates. FIG. 35 shows the K_m and V_{max} values calculated using a hyperbolic fit for IV and the variants 15C1, 9B8, 9F6, and 9A3. Variants 9B8 and 9F6 had higher K_m values compared to IV while K_m values for the other variants were unchanged. Variants 15C1, 9B8, and 9F6 all had higher V_{max} values, while 9A3 had a lower V_{max} value compared to IV.

[00371] 15C1, which had the highest luminescence with PBI-3945 contained the amino acid substitution K33N, indicating that K33N provided increased luminescence. A 9B8 variant was generated to have this additional substitution to provide improvement in luminescence for this variant. Additional variants of 9B8 and 9F6 were generated to have at least one of amino acid substitutions K33N or V38I (“9B8+K33N+V38I” and “9F6+K33N”). Variant 1D6 was used to highlight the importance of amino acid substitutions at positions 68, 72, and 75 for increasing light output and stability. FIG. 36 shows the K_m and V_{max} values calculated using a hyperbolic fit for IV and the variants 9B8, 9B8+K33N+V38I, 9F6, 9F6+K33N, and 1D6. While the actual K_m values were different between FIGS. 35 and 36 for 9B8 and 9F6, the general trend between the variants was consistent.

[00372] The enzyme kinetics, i.e., V_{max} and K_m values, were determined and compared for the variants 9B8 opt and 9B8 opt+K33N as described above except the *E. coli* lysates were assayed with a buffer containing 1 mM CDTA, 150 mM KCl, 2 mM DTT, 100 mM MES pH 6.0, 35 mM thiourea, 0.25% TERGITOL® NP-9 (v/v), 10 mg/mL 2-hydroxypropyl- β -cyclodextrin,

and 20 μ M PBI-3939. Luminescence was measured on a TECAN® INFINITE® F500 luminometer. As shown in FIG. 37, the Vmax and Km values for 9B8 opt+K33N were higher than 9B8 opt, indicating that this clone is brighter and has a lower affinity for substrate.

[00373] *B. 9B8 OPT+K33N VARIANTS*

[00374] The enzyme kinetics values were determined for the OgLuc variants as described previously, except luminescence was measured using a GLOMAX® luminometer. Three replicates were used for each variant. Table 23 shows the average Km and Vmax values with the standard deviation (“Km(+/-)” and “Vmax(+/-)” respectively) calculated using HYPER.EXE, Version 1.0.

Table 23: Vmax (RLU/0.5 sec) and Km (μ M) values for OgLuc Variants

sample	Km	Km (+/-)	Vmax	Vmax (+/-)
9B8	7.7	2.0	86,000,000	14,000,000
K33N	12.5	3.0	110,000,000	17,000,000
T39T, Y68D	7.9	1.8	74,000,000	10,000,000
T39T, L27V, K43R	21.4	5.4	150,000,000	28,000,000
L27V, T39T, K43R, Y68D	13.9	2.9	190,000,000	28,000,000
T39T, K43R, Y68D	10.5	2.8	140,000,000	25,000,000
L27V, T39T, K43R, S66N	16.3	4.8	130,000,000	28,000,000
L27V, K43R, Y68D	13.7	4.3	130,000,000	28,000,000
L27V, Y68D	10.2	3.0	97,000,000	19,000,000
L27V K43R, S66N	20.0	6.2	130,000,000	30,000,000

Example 28 - Protein Stability of OgLuc variants

[00375] As stability of the luciferase protein is another factor affecting luminescence, protein stability, i.e., thermal stability, of the variants was determined.

[00376] *A. 15C1, 9B8, 9F6, 8A3 and IV*

[00377] Lysates of *E. coli* containing 15C1, 9B8, 9F6, 8A3 or IV and *E. coli* expressing hRL (SEQ ID NO: 30 and 31) were prepared from induced cultures as described previously. Lysate samples were diluted 1:1000 with a buffer containing 10 mM HEPES pH 7.5 with 0.1% gelatin. Diluted lysate (100 μ L) samples, in replicate 96-well plates, were incubated at 50°C. At different time points, plates were placed at -70°C (minus seventy degrees Celsius). Prior to measuring the luminescence as described previously, each plate was thawed at room temperature, i.e., 22°C, for 10 min. Samples (10 μ L of each thawed sample) were assayed using native coelenterazine as a substrate. Luminescence was measured immediately after addition of assay buffer for each time

point plate. The half-life of the protein, which indicated protein stability, was calculated from the luminescence data for each time point using methods known in the art.

[00378] Table 24 shows the protein stability of variants 15C1, 9B8, 9F6, and 8A3 having half-lives in min (hrs) of 630.1 (10.5), 346.6 (5.8), 770.2 (12.8) and 65.4 (1.1), respectively. In comparison, hRL had a half-life of 9.6 min, while IV had a half-life of 27.2 min. Table 24 also shows that at 4 hrs, 79%, 61%, and 80% of 15C1, 9B8, and 9F6, respectively, remained active.

Table 24: Protein Stability of OgLuc Variants at 50°C

Sample	$\frac{1}{2}$ life (min)	$\frac{1}{2}$ life (hrs)	% remaining at t = 4 hrs
Renilla	9.6		
IV	27.2		
15C1	630.1	10.5	79%
9B8	346.6	5.8	61%
9F6	770.2	12.8	80%
8A3	65.4	1.1	

[00379] *B. 1D6, 9B8, 9B8+K33N+V38I, 9F6, 9F6+K33N, and IV*

[00380] Lysates of *E. coli* containing 1D6, 9B8, 9B8+K33N+V38I, 9F6, 9F6+K33N, or IV were prepared from induced cultures and assayed for luminescence as described previously. Protein stability, i.e., thermal stability of the lysates, was assayed as described above in this Example. FIG. 38 shows the half-life in minutes (min) of the variants at 50°C, and the luminescence of the sample measured at the start of the incubation period, i.e., t=0, using native coelenterazine as a substrate. The difference between variant 9B8+33+38 and 9F6 was one amino acid substitution, L27V, indicating that this amino acid substitution increased stability. The addition of “activity/expression” substitutions in positions 68, 72, and 75 increased stability. FIG. 38 shows K33N provided greater thermal stability to variant 9F6 and that variant 9B8 had greater light output and stability than variant 1D6. The difference between these two variants, i.e., 9B8 contains additional amino acid substitutions F68Y, L72Q, and M75K, indicated the importance of these three substitutions.

[00381] In addition to thermal stability, structural integrity determined by expression, stability, and solubility can also affect luminescence. As a way to further test the structural integrity of the

improved variants, KRX *E. coli* harboring pF4Ag-based (i.e., no HT7) OgLuc variants N166R (previously described in U.S. Serial Application No. 12/773,002 (U.S. Published Application No. 2010/0281552)), C1+A4E, IV, 9B8, and 9F6 were grown at 37°C in Luria broth (LB) to an OD₆₀₀=0.6 and then induced for overexpression by the addition of rhamnose (0.2% final concentration). Duplicate induced cultures were then grown at either 25 or 37°C for 17 hrs at which time total (T) and soluble (S) fractions were prepared and analyzed by SDS-PAGE using SIMPLYBLUE™ SafeStain (Invitrogen) to stain the gels (FIGS. 39A-B). hRL and Luc2 were used as controls.

[00382] The OgLuc variants, hRL and Luc2 expressed well and were soluble when the induction occurred at 25°C (FIG. 39A; note the approximately 19 kDa dark band in the “soluble” fraction for the OgLuc variants, excluding the N166R variant, and the approximately 36 and 64 kDa bands in the “soluble” fraction for hRL and Luc2, respectively). In contrast, although C1+A4E, IV, 9B8, and 9F6 expressed well at 37°C (significantly better than hRL or Luc2, as shown in the “total” fraction), only the 9B8 and 9F6 variants were soluble when the elevated induction temperature was employed (see FIG. 39B; note the approximately 19 kDa dark band in the “soluble” fraction for 9B8 and 9F6). These results tracked with the thermal stability data shown in Table 24 and FIG. 38.

[00383] *C. 9B8 OPT AND 9B8 OPT + K33N*

[00384] The thermal stability of the variants 9B8 opt and 9B8 opt+K33N was compared. *E. coli* lysates containing the variant 9B8 opt or 9B8 opt+K33N were prepared and analyzed as described previously with the following exceptions: Lysates were diluted 1:100 in the lysis buffer described previously and replicate diluted lysates were incubated at 60°C in a thermocycler. Aliquots were removed at different time-points and placed on dry ice to freeze the samples. Frozen lysates were thawed at 22°C and assayed with a buffer containing 20 mM CDTA, 150 mM KCl, 10 mM DTT, 20 µM PBI-3939, 100 mM HEPES pH 7.0, 35 mM thiourea, and 0.1% TERGITOL® NP-9 (v/v). Luminescence was measured on a GLOMAX® luminometer (Promega Corp.). FIG. 40A shows the light output time course of the natural logarithm (ln) value of luminescence measured in RLU over time in min. As shown in FIG. 40B, 9B8 opt+K33N had a half-life at 60°C of 6.8 hrs, which was longer than the 5.7 hrs half-life of 9B8 opt.

[00385] Table 25 shows the thermal stability at 60°C (“T_{1/2} (60°C)”) of 9B8 opt and 9B8 opt+K33N, and the luminescence (“RLU”) data at the start of the incubation period (i.e., t=0). 9B8 opt+K33N was more stable and approximately 1.8-fold brighter than 9B8 opt, indicating

that the amino acid substitution K33N provided both greater light output and higher thermal stability.

Table 25: Thermal Stability and Luminescence Data for 9B8 opt and 9B8 opt+K33N

Variant	T _{1/2} (60°C)	RLU
9B8 opt	5.7 hrs	23,283,252,000
9B8 opt+K33N	6.8 hrs	42,278,732,000

[00386] *D. 9B8 + K33N Variants*

[00387] The thermal stability of the variants at 60°C was examined as described above, except the assay buffer contained 100 mM MES pH 6.0 instead of HEPES. Table 26 and FIG. 41 shows the half-life in hrs of the variants at 60°C. The data indicates that the amino acid substitution L27V improves thermal stability.

Table 26: Thermal stability of OgLuc variants at 60°C

Sample	1/2 life hours
9B8	5.1
K33N	6.7
T39T, Y68D	16.3
T39T, L27V, K43R	11.8
L27V, T39T, K43R, Y68D	21.7
T39T, K43R, Y68D	15.2
L27V, T39T, K43R, S66N	11.8
L27V, K43R, Y68D	23.2
L27V, Y68D	28.5
L27V, K43R, S66N	10.7

[00388] The variants 9B8 and V2 (9B8+K33N+T39T+K43R+Y68D) were also screened in HEK293 cells to determine their stability. The variants were cloned into pF4Ag and transfected into HEK293 cells (15,000 cells/well) as previously described. After transfection, the cells were lysed in assay reagent (as previously described; no PBI-3939), and luminescence measured using the assay reagent with 20 µM PBI-3939. 9B8 had a half-life of 5.2 hrs while V2 had a half-life of 16.8 hrs. This is consistent with the half-life seen for these variants in *E. coli* (Table 26).

[00389] *E. L27V variant*

[00390] The activity of the L27V variant (9B8+K33N+L27V+T39T+K43R+Y68D) was assessed at various pHs and different salt conditions. 9B8 and 9B8+K33N were previously shown to have similar stability at pH 6 and pH 7 (data not shown). For assessing activity at various salt conditions, 50 μ L of assay buffer with 20 μ M PBI-3939 and varying amounts of KCl or NaCl was mixed with 50 μ L of HEK293 cells transiently transfected with L27V (pF4Ag). Luminescence was measured, and the percent activity (the ratio of luminescence to no salt) determined (FIG. 42B). For assessing activity in various pHs, a reagent was made containing 100 mM citrate, 100 mM MES, 100 mM PIPES, 100 mM HEPES, 100 mM TAPS, 0.5% TERGITOL® NP-9 (v/v), 0.05 % MAZU® DF 204, 1 mM CDTA, and 1 mM DTT titrated to various pH values. 362 pM L27V in assay reagent was mixed with substrate 100 μ M PBI-3939 and luminescence was measured. (FIG. 42A).

Example 29 - Gel filtration Chromatographic Analysis of OgLuc Variants

[00391] A. C1+A4E and 9B8

[00392] Gel filtration analysis was used to verify the expected molecular weight of the purified OgLuc proteins based on the theoretical values and consequently to determine their oligomeric state. A comparison between the relative hydrodynamic volume of the OgLuc variants C1+A4E and 9B8 was made by gel filtration chromatography. For this analysis, the nucleotide sequence for the OgLuc variants, C1+A4E and 9B8, were cloned into a HQ-Tagged FLEXI® Vector (Promega Corp.) to create a HQHQHQ N-terminally tagged protein that was overexpressed in *E. coli* KRX cells. The overexpressed proteins were purified using the HISLINK™ Protein Purification System (Promega Corp.) according to manufacturer's instructions. Samples of each individual standard and sample protein were analyzed by gel filtration chromatography, which was performed at 24°C on an Agilent 1200 HPLC, using a Superdex 200 5/150 GL column (GE Healthcare) with a flow rate of 0.25 mL/min (FIGS. 43A-B). The mobile phase (i.e., running buffer) consisted of 50 mM Tris and 150 mM NaCl, pH 7.5. Protein elution was monitored at 214 and 280 nm. A standard calibration curve was generated using: 1) Ovalbumin, 43 kDa (GE Healthcare), 2) Carbonic Anhydrase, 29 kDa (Sigma) and 3) Myoglobin, 17 kDa (Horse Heart, Sigma). The molecular weights of the purified proteins were calculated directly from the calibration curve.

[00393] The relative elution of the proteins observed with this column was Ovalbumin at 7.98 min, Carbonic Anhydrase at 8.65 min, 9B8 at 8.97 min, and Myoglobin at 9.06 min (FIGS. 43A-B). As shown in FIG. 43B, 9B8 eluted as a 21 kDa protein (predicted MW is approximately 19 kDa) indicating that the 9B8 variant existed as a monomer, whereas C1+A4E eluted at

approximately 4.3 min (FIG. 43A), indicating that C1+A4E was expressed and exists as multimer, e.g., possibly as a tetrameric complex or something larger.

[00394] *B. L27V variant*

[00395] To demonstrate that the OgLuc variant L27V exists in a monomeric state, gel filtration analysis was used to verify the expected molecular weight of the purified L27V protein based on the theoretical value, and consequently to determine its oligomeric state. The relative hydrodynamic volume of the L27V variant was made by gel filtration chromatography. For this analysis, the nucleotide sequence for the L27V variant was cloned into a HaloTag® vector pFN18A (Promega Corp.) to create a HaloTag®-terminally tagged protein that was overexpressed in *E. coli* KRX cells (Promega Corp.). The overexpressed protein was purified using the HaloTag® Protein Purification System (Promega Corp.) according to manufacturer's instructions. Samples of each individual standard and sample protein were analyzed by gel filtration chromatography performed at 24°C on an Agilent 1200 HPLC using a Superdex 200 5/150 GL column (GE Healthcare) with a flow rate of 0.25 mL/min (FIG. 56). The mobile phase (i.e., running buffer) consisted of 50 mM Tris and 150 mM NaCl, pH 7.5. Protein elution was monitored at 214 and 280 nm. A standard calibration curve was generated using: 1) Ovalbumin, 43 kDa (GE Healthcare), 2) Myoglobin, 17 kDa (Horse Heart, Sigma), and 3) Ribonuclease, 14 kDa (Bovine pancreas, GE Healthcare). As shown in FIG. 44, the L27V variant eluted as a 24 kDa protein (predicted MW is approximately 19 kDa) indicating that it existed as a monomer.

Example 30 – Protein Expression Levels of OgLuc variants

[00396] *A. IV, 8A3, 8F2, 9B8, 9F6 and 15C1*

[00397] Normalizing for protein expression provides information about potential differences in specific activity. To provide a means for quantifying protein expression, OgLuc variants were cloned into a pF4Ag vector containing a C-terminal HT7 to generate OgLuc variant-HT7 fusion proteins as described previously. The following fusion proteins were generated: IV-HT7 (SEQ ID NOS: 48 and 49), 8A3-HT7 (SEQ ID NOS: 34 and 35), 8F2-HT7 (SEQ ID NOS: 50 and 51), 9B8-HT7 (SEQ ID NOS: 36 and 37), 9F6-HT7 (SEQ ID NOS: 38 and 39), and 15C1-HT7 (SEQ ID NOS: 52 and 53). *E. coli* containing the OgLuc variant-HT7 fusions were grown and induced as described previously. 900 µL of cell culture was lysed with 100 µL of 10X FASTBREAK™ Cell Lysis Reagent (Promega Corp.). HALOTAG® TMR-ligand (Promega Corp.) was added to each bacterial lysate sample to obtain a final concentration of 0.5 µM. Bacterial lysates were incubated with the HALOTAG® TMR-ligand for 30 min at room temperature according to

manufacture's instructions. 10 μ L of each sample was diluted 1:1 with 1X FASTBREAK™, i.e., 10 μ L sample to 10 μ L 1X FASTBREAK™. 15 μ L of the lysate and 15 μ L of the 1:1 dilution for each sample were analyzed by SDS PAGE. The labeled fusion proteins were resolved by SDS-PAGE, stained with SIMPLYBLUE™ SafeStain (FIG. 45A) and fluorimaged (GE Healthcare Typhoon). Bands were quantitated using Imagequant software (GE Healthcare). FIG. 45B shows the band volume measured from FIG. 45A for IV-HT7 ("IV"), 15C1-HT7 ("15C1"), 9B8-HT7 ("9B8"), 9F6-HT7 ("9F6"), and 8F2-HT7 ("8F2"), normalized to IV-HT7. The data shows that the IV variants expressed well compared to IV.

[00398] *B. 9B8 opt, V2 and L27V*

[00399] The expression levels and solubility of 9B8 opt, V2 and L27V were compared. These three variants, in the context of a pF4Ag background, were used to transform *E. coli* KRX cells. The resulting clones were used for an expression experiment where single colonies were grown overnight at 30°C, diluted 1:100 in LB, grown to an OD₆₀₀ approximately 0.5, and then induced with 0.2% rhamnose for 18 hrs at 25°C. Cells were then incubated for 30 min at room temperature in the presence of 0.5X FASTBREAK™ Lysis Reagent (Promega Corp.), and the resulting lysates stored at -20°C. Following a slow-thaw on ice, soluble fractions were prepared by high-speed centrifugation for 10 min at 4°C. Crude total (T) and soluble (S) fractions were then analyzed for expression levels using SDS-PAGE + Simply blue staining (FIG. 46A) as well as by measuring luminescence (FIG. 46B). For luminescence measurement, 50 μ L of soluble lysates in 96-well microtiter plates were mixed with 50 μ L assay reagent (previously described; 40 μ M PBI-3939), and luminescence measured using a TECAN® INFINITE® F500 multi-detection plate reader. These results indicate that the ranking for these three variants, in terms of their expression levels and solubility, is L27V > V2 > 9B8opt.

Example 31 – Brightness of OgLuc Variants Expressed in Mammalian Cells

[00400] *A. IV and 9B8*

[00401] The IV and 9B8 variant in pF4Ag vector (i.e., no HT7) were evaluated for brightness in HEK293 cells. hRL was used as a control. Briefly, HEK293 cells, plated at 15,000 cells/well in a 96-well plate, were transiently transfected using TRANSIT®-LT1 with plasmid DNAs encoding the various variants and/or control sequences. Cells were grown, lysed, and treated as described in Example 25. Cells were co-transfected with pGL4.13 (Promega Corp.) as a transfection control (10 ng/transfection or 10% of the total DNA transfected was used). Luminescence was measured as described previously using native coelenterazine as a substrate

for hRL or PBI-3939 as a substrate for the OgLuc variants. The OgLuc variant data was corrected for transfection efficiency using Luc2 luminescence (i.e., measuring luminescence after the addition of luciferin substrate). The OgLuc variants IV and 9B8 had greater luminescence compared to hRL (“Renilla”) (FIG. 47).

[00402] For comparison of brightness on a per mole basis in mammalian cells, the C-terminal HT7 fusion protein of variant 9B8 (“pF4Ag-OgLuc-9B8-HT7”) described in Example 30 was analyzed and compared with C-terminal HT7-hRL fusion protein (“pF4Ag-Renilla-HT7”) and C-terminal HT7- Luc2 fusion protein (“pF4Ag-Luc2-HT7”). HEK293 cells (15,000) were plated and grown overnight at 37°C. These cells were transfected with 100 ng of DNA from pF4Ag-Renilla-HT7, pF4Ag-Luc2-HT7, or pF4Ag-OgLuc-9B8-HT7 and grown overnight at 37°C. Media was removed and cells were lysed as described previously. 10 µL of each sample was assayed for luminescence (RLU) with 50 µL BRIGHT-GLO™ for Luc2, 50 µL of 20 µM native coelenterazine for hRL, and 50 µL of 20 µM PBI-3939 for variant 9B8.

[00403] The lysates from 6 wells were pooled and labeled with HALOTAG® TMR-ligand as described in Example 30. The labeled fusion proteins were resolved by SDS-PAGE and fluorimaged (GE Healthcare Typhoon). The band densities were determined to quantitate the relative number of moles present for each luciferase enzyme and the RLU value for each sample was normalized by the calculated band density to normalize expression levels of each protein, i.e., RLUs normalized using TMR label quantitation (FIG. 48). On a mole-to-mole basis, the 9B8 variant was approximately 15-fold brighter than Luc2 and >100-fold brighter than hRL. This data represented differences in specific activity.

[00404] *B. 9B8 opt and 9B8 opt+K33N*

The brightness of the variants 9B8 opt and 9B8 opt+K33N expressed in HEK293 cells was measured and compared as described for the variants without the HT7 in Example 31. 30 and 100 ng of plasmid DNA containing the variant DNA was used to transfect HEK293 cells. Cells were grown and induced as described in Example 31 except the cells were lysed with a lysis buffer containing 1 mM CTDA, 150 mM KCl, 2 mM DTT, 100 mM MES pH 6.0, 35 mM thiourea, 0.25% TERGITOL® NP-9 (v/v), and 10 mg/mL 2-hydroxypropyl-β-cyclodextrin. The lysates were assayed with lysis buffer containing 20 µM PBI-3939 and luminescence was measured on a TECAN® GENIOS™ Pro luminometer. As shown in FIG. 49, 9B8 opt+K33N had greater luminescence compared to 9B8 opt in HEK293 cells, which tracks with the bacterial expression data in Table 25 and FIG. 29.

[00405] *C. 9B8+K33N Variants*

[00406] The brightness of the variants expressed in HEK293 and NIH3T3 cells was measured as described previously. The luminescence of the variants was normalized to the luminescence generated by 9B8 opt (Table 27).

Table 27: Increase in Luminescence generated by OgLuc combination variants in NIH3T3 and HEK293 cells

Sample	HEK293	NIH3T3
9B8	1.0	1.0
K33N	1.8	1.5
T39T, Y68D	1.9	1.5
T39T, L27V, K43R	1.3	0.9
L27V, T39T, K43R, Y68D	1.6	1.6
T39T, K43R, Y68D	1.9	1.9
L27V, T39T, K43R, S66N	1.3	1.2
L27V, K43R, Y68D	1.6	1.5
L27V, Y68D	1.7	1.4
L27V, K43R, S66N	1.2	1.0

[00407] *D. L27V*

[00408] A comparison of the luminescence of the L27V variant to firefly luciferase alone and as a fusion was performed. HEK293 and HeLa cells were plated at 15,000 and 10,000 cells/well, respectively, into wells of 12-well plates and incubated overnight at 37°C, 5% CO₂. The cells were then transfected with serial dilutions of pF4Ag containing L27V or Luc2. 20 ng of pGL4.13 (Promega Corp.) was co-transfected with L27V, and 20 ng of pGL4.73 (Promega Corp.) was co-transfected with Luc2 to act as carrier DNA for lower dilutions of the L27V or Luc2 plasmid DNA. The plasmid DNA was then transfected into the cells (6 replicates for each dilution for each cell type) using TRANSIT®-LTI transfection reagent according to the manufacturer's instructions. The cells were then incubated for 24 hrs at 37°C, 5% CO₂.

[00409] After transfection, the media was removed from the cells, and 100 µL PBS with 0.5% TERGITOL® NP-9 (v/v) added and shaken for 10 min at room temperature. 10 µL of each cell lysate was assayed using ONE-GLO™ Luciferase Assay System (Promega Corp.; Luc2) or assay

reagent (Example 22H with 20 μ M PBI-3939; OgLuc). Luminescence was measured as previously described for the HEK293 (FIG. 50A) and HeLa cells (FIG. 50B).

[00410] Comparison of L27V and Luc2 as fusion partners was performed as described above. L27V and Luc2 were fused to HALOTAG® protein in pF4Ag. FIGS. 50C-D show the luminescence measured with the different fusions in HEK293 (FIG. 50C) and HeLa cells (FIG. 50D).

[00411] In addition to measuring luminescence, protein expression was also analyzed. The transfection was performed as described above. After transfection, the media was removed from the cells, and the cells washed in 1X PBS. 100 μ L 0.1X Mammalian Lysis Buffer (Promega Corp.) containing 1 μ M HALOTAG®TMR ligand (Promega Corp.) and 20 U DNase I was added, and the cells incubated with slow shaking for 45 min at room temperature. The cell samples were then frozen at -20°C. For protein analysis, 32.5 μ L 4X SDS loading dye was added to each sample, and the samples heated at 95°C for 2 min. 10 μ L of sample was then loaded onto an SDS-PAGE gel and imaged on a Typhoon Scanner as previously described (FIG. 50E).

Example 32 – Brightness of Purified OgLuc Variant Compared to Firefly Luciferase

[00412] The 9B8 OgLuc variant was overexpressed and purified as described in Example 33. Reactions between diluted enzyme and substrate were performed using the following 2X buffer/assay reagent: 100 mM MES pH 6.0, 1 mM CDTA, 150 mM KCl, 35 mM thiourea, 2 mM DTT, 0.25% TERGITOL® NP-9 (v/v), 0.025% MAZU® DF 204, 10 mg/mL 2-hydroxy- β -cyclodextrin, and 20 μ M PBI-3939. The final assay concentrations of purified enzyme and substrate were 0.5 pM and 10 μ M, respectively. In parallel, reactions between diluted purified firefly luciferase (i.e., QUANTILUM® Recombinant Luciferase (Promega Corp.)) and luciferin were analyzed. The assay buffer/reagent for the firefly luciferase reaction was BRIGHT-GLO™, and the final assay concentrations were 0.5 pM enzyme and 500 μ M luciferin. As the buffers/reagents for each reaction were known to provide “glow” kinetics, a 15 min time point was used to collect luminescence data. The results from this experiment showed that 9B8 opt using PBI-3939 (19,200 RLU) was approximately 8-fold brighter than QUANTILUM® Recombinant Luciferase with BRIGHT-GLO™ (2,300 RLU).

Example 33 - Inhibition Analysis

[00413] To determine the susceptibility of the OgLuc variants to off-target interactions, the activity of the 9B8 and L27V variants was screened against a LOPAC (library of

pharmacologically active compounds) library. A LOPAC 1280 library (Sigma) was prepared by diluting the compounds to 1 mM in DMSO. On the day of the assay, the compounds were diluted to 20 μ M in 1X PBS, and 10 μ L transferred to a 96-well, white plate. To each well, 10 μ L of purified 9B8, L27V or firefly luciferase (Luc2) enzyme diluted 10^{-4} in Glo Lysis Buffer (Promega Corp.) was added and incubated at room temperature for 2 min. To the samples, 20 μ L assay reagent (1 mM CDTA, 150 mM KCl, 2 mM DTT, 100 mM MES pH 6.0, 35 mM Thiourea, 0.5% TERGITOL® NP-9 (v/v) and 60 μ M PBI-3939) was added, incubated for 3 min, and luminescence measured on a TECAN® GENIOS™ Pro Luminometer. For assaying firefly luciferase, the BRIGHT-GLO™ Assay reagent (Promega Corp.) was used according to the manufacturer's protocol. As a negative control, 8 wells of each plate contained 1X PBS + 2% glycerol. As a positive control, 8 wells of each plate contained 2 mM Suramin in 2% DMSO or 2 mM luciferase inhibitor 1 in 2% DMSO (Calbiochem). Suramin was identified in the preliminary screen of the LOPAC library (i.e., the LOPAC library was screened using the 9B8 variant with a lower substrate concentration of 20 μ M) to be an inhibitor of OgLuc.

[00414] The results in FIG. 51 indicate a general low frequency of off-target interactions between the compounds in the LOPAC library and L27V. This suggests a potential use for L27V as a screening tool for large libraries of diverse chemicals and therapeutic candidates, including live cell-based formats (e.g., high-throughput screening).

[00415] To further examine inhibition resistance, purified 9B8 and L27V were screened against various concentrations of Suramin (Sigma S-2671) and Tyrphostin AG 835 ("Tyr ag 835") (Sigma T-5568) (FIGS. 52A-C). FIGS. 52E-D show the chemical structures for Suramin and Tyr ag 835, respectively. Purified 9B8 and L27V were prepared as described above. Serial dilutions (0, 2 μ M, 6 μ M, 20 μ M, 60 μ M, 200 μ M and 2 mM) of the inhibitors were prepared in 1X PBS with 2% DMSO. To wells of a 96-well, white assay plate, 10 μ L of diluted enzyme and 10 μ L of diluted inhibitor were added and incubated at room temperature for 2 min. 20 μ L assay reagent (described above) was added, and luminescence measured on a GLOMAX®-96 luminometer (FIGS. 52A-C). FIGS. 52A-B show the dose response curves of 9B8 and L27V to Suramin (FIGS. 52A) and Tyr ag 835 (FIGS. 52B). FIG. 52C shows the half maximal inhibitory concentration (IC_{50}) of Suramin and Tyr ag 835 for 9B8 and L27V. The data indicates that L27V is a robust reporter that could be used as a screening tool for large libraries of diverse chemicals and/or therapeutic candidates.

Example 34 - Resistance to Non-specific Protein Interactions

[00416] 1. Purified 9B8 and L27V enzyme were serial diluted in 1:10 in buffer (1X PBS, 1 mM DTT, and 0.005% IGEPAL® CA-630) with or without 0.5 mg/mL BSA (4 sets of each dilution) to 200 µL into PCR strip tubes. The samples were incubated at 60°C wherein at 0, 2, 4, and 6 hrs one set of dilutions for each variant was transferred to -70°C.

[00417] To analyze activity, the samples were thawed to room temperature in a water bath. 50 µL assay reagent (as previously described with 100 µM PBI-3939) was added, and luminescence measured for each minute for 30 min on a TECAN® INFINITE® F500 plate reader. Activity was calculated using the average luminescence of the 1×10^6 and 1×10^7 dilutions (FIG. 53).

[00418] 2. To demonstrate the reactivity of the OgLuc variants to plastic, purified 9B8 and L27V were exposed to polystyrene plates, and their activity measured.

[00419] 50 µL purified 9B8 (45.3 pM) and L27V (85.9 pM) in DMEM without phenol red with 0.1% PRIONEX® was placed into wells of a 96-well, polystyrene microtiter plate at 60, 40, 20 and 0 min. To the samples, 50 µL assay reagent (described above) containing 20 µM PBI-3939 was added and incubated for 5 min at room temperature. Luminescence was measured as previously described, and percent activity determined (FIG. 54; ratio of luminescence to time 0).

Example 35 - Post Translational Modification

[00420] To determine if the OgLuc variants undergo any post translation modifications when expressed in mammalian cells, the 9B8 and L27V variants were expressed in both mammalian cells and *E. coli* and analyzed via mass spectrometry (MS).

[00421] 9B8 and L27V variants were expressed as N-terminal HALOTAG® fusions (pFN18K for *E. coli*; pFN21K for HEK293 cells) in HEK293 and *E. coli* KRX (Promega Corp.) cells and purified using the HALOTAG® Protein Purification System (Promega Corp.) according to the manufacture's instructions. Approximately 5 pmols of purified enzyme was analyzed via LC/MS using a C4 column (Waters Xbridge BEH300, 3.5µm) interfaced to an LTQ Orbitrap Velos mass spectrometer (Thermo Scientific). Data was acquired from 600-2000 *m/z* using the LTQ for detection and processed using the MagTran v1.03 software (Zhang *et al.*, *J. Am. Soc. Mass Spectrom.*, **9**:225–233 (1998)). Both purified enzymes had an experimentally determined mass of 19,666 Da, compared to a calculated mass of an un-modified OgLuc variant, i.e., absent of any post translational modifications, of 19,665 Da.

Example 36 – Evaluation of OgLuc Variants as a Transcriptional Reporter

[00422] *A. IV*

[00423] The use of the OgLuc variants as a transcriptional reporter was examined. To generate a transcriptional reporter of cAMP, hRL and IV were sub-cloned using methods known in the art into a modified pGL4 vector (Promega Corp.) containing a barnase sequence, which was replaced by the DNA fragment of interest. The leader sequence of the modified pGL4 contained a minimal promoter and a cAMP-response element (CRE; SEQ ID NO: 96), so that upon stimulation with a cAMP agonist such as forskolin (FSK), cells accumulating cAMP activated the reporter and generated luminescence. In this experiment, 2 ng DNA of either the hRL or IV transcriptional reporter construct was used to transfect HEK293 cells as described in Example 25. At 24 hrs post transfection, the cells were treated with 100 μ M FSK. Cells that were not treated with FSK were used as a control. After 6 hrs, a reporter reagent was added to treated and control cells. For hRL, the reporter reagent was Renilla-Glo™ reagent (Promega Corp.). For IV, the reporter reagent contained 1 mM CDTA pH 5.5, 150 mM KCl, 10 mM DTT, 0.5% TERGITOL® NP-9 (v/v), 20 μ M coelenterazine-h, and 150 mM thiourea. After 10 min, luminescence was read on a Varioskan® Flash (Thermo Scientific).

[00424] FIG. 55 shows the normalized luminescence of HEK293 cells containing the hRL (“Renilla”) or IV transcriptional reporter treated (“+FSK”) or not treated (“-FSK”) with FSK. The response, i.e., fold-induction or fold-increase (“FOLD”) in luminescence was determined by dividing the luminescence from the treated cells (+FSK) with the luminescence from the control cells (-FSK). As shown in FIG. 55, the response for hRL was <50, while for IV it was >300, demonstrating the use of IV as a transcriptional reporter.

[00425] *B. 9B8 and 9B8 opt*

[00426] The use of variants 9B8 and 9B8 opt as a transcriptional reporter was also examined and compared to hRL and Luc2 transcriptional reporters as previously described for the IV transcriptional reporter with the following modifications. Transcriptional reporters of cAMP containing either variants 9B8 or 9B8 opt were generated as described above. After 6 hrs of FSK induction, the media was removed from the cells and replaced with 100 μ L of the lysis buffer described in Example 25 creating a lysate. The lysate of transfected cells treated with or without FSK were assayed for luminescence as described in Example 25. 10 μ L of the Luc2 lysate was assayed with 50 μ L of BRIGHT-GLO™ Luciferase Assay Reagent. 10 μ L of the hRL lysate was assayed with 50 μ L of lysis buffer containing 20 μ M native coelenterazine. 10 μ L of the variants 9B8 and 9B8 opt lysates were assayed with 50 μ L of lysis buffer containing 20 μ M PBI-3939.

[00427] FIG. 56 shows the normalized luminescence of HEK293 cells containing the 9B8, 9B8 opt, hRL, or Luc2 transcriptional reporter treated (“induced”) or not treated (“basal”) with

FSK. The response, i.e., fold-induction or fold-increase (“fold”) in luminescence, was determined by dividing the induced luminescence by the basal luminescence (FIG. 56). Although the fold induction values are similar for each of the reporters except Luc2, the luminescence generated by the induced 9B8 opt transcriptional reporter was approximately 2.5 logs higher than the induced *Renilla* transcriptional reporter and approximately 1.5 logs higher than the Luc2 transcriptional reporter. FIG. 56 demonstrated the use of 9B8 and 9B8 opt as transcriptional reporters.

[00428] C. *9B8 opt and 9B8 opt+K33N*

[00429] The variants 9B8 opt and 9B8 opt+K33N were compared in a lytic transcriptional reporter assay. The variant 9B8 opt+K33N was cloned using methods known in the art into a pGL4.29 vector (Promega Corp.), which contains a cyclic AMP response element (CRE). The 9B8 opt+K33N transcriptional reporter was tested and compared to the 9B8 opt transcriptional reporter as described above in HEK293 cells. 30 and 100 ng of plasmid DNA containing the transcriptional reporter versions of the variants were used to transfect HEK293 cells. The cells were induced with FSK for 5 hrs prior to measurement for luminescence. Cells were lysed with a lysis buffer containing 1 mM CTDA, 150 mM KCl, 2 mM DTT, 100 mM MES pH 6.0, 35 mM thiourea, 0.25% TERGITOL® NP-9 (v/v), and 10 mg/mL 2-hydroxypropyl- β -cyclodextrin. Luminescence was measured on a TECAN® GENIOS™ Pro luminometer. The lysate was assayed with the lysis buffer containing 20 μ M PBI-3939. FIG. 57 shows the normalized luminescence (transfection corrected) of HEK293 cells expressing the 9B8 opt or 9B8 opt+K33N transcriptional reporter construct treated (“Induced”) or not treated (“Basal”) with FSK. As shown in FIG. 57, the fold-induction for 9B8 opt was 360 when 30 ng of DNA was used for transfection and 109 when 100 ng was used for transfection, while the fold-induction for 9B8 opt+K33N was 275 and 147, respectively. When higher amounts of DNA were used for transfection, K33N provided a greater response.

[00430] D. *L27V*

[00431] 1. L27V was cloned into a reporter vector as described in C of this Example containing a CRE, NFkB or HSE (Heat shock element) response element. Reporter constructs were then transfected into HEK293 cells or HeLa cells as previously described. The cells were then induced using FSK for CRE, TNF α for NFkB or 17-AAG for HSE. Luminescence was measured as previously described using the assay reagent with 20 μ M PBI-3939 (FIGS. 58A-C). The reporter constructs were all validated in HEK293, HeLa, NIH3T3, U2OS and Jurkat cell lines (data not shown).

[00432] 2. L27V02 and L27V02P (containing a PEST sequence; SEQ ID NO: 323) were cloned into a reporter vector (pGL4.32 based) as described in C of this Example. Other OgLuc variants containing a PEST sequence include L27V01-PEST00 and L27V03-PEST02 (SEQ ID NOs: 320 and 326, respectively). The reporter construct was then transfected into HEK293 cells as previously described. The cells were then induced using FSK, and luminescence was measured as previously described using the assay reagent with 20 μ M PBI-3939 (FIGS. 59A-B). Various other reporter constructs were also created and tested in various cell lines (FIGS. 59C). FIG. 59A shows the full dose response for the CRE system in HEK293 cells. FIG. 59B summarizes FIG. 59A. FIG. 59C summarizes the data in FIGS. 59A-B and shows the same type of data for the NFkB response element. Both CRE and NFkB report constructs were examined in HEK293, HeLa, HepG2, Jurkat, ME180, HCT116, and U2OS cell lines.

[00433] 3. HEK293 cells (0.9×10^6 cells in a T25 flask) were transfected with pNFkB-L27V secretion construct (SEQ ID NOS: 463 & 464; wherein the IL-6 secretion sequence (SEQ ID NOs: 461 and 462) replaced the native OgLuc secretion sequence SEQ ID NO: 54), *Metridia longa* (Clontech), pNFkB-L27V (native secretion sequence; SEQ ID NOS: 465 and 466) or firefly luciferase (Luc2; pGL4.32-based) plasmid DNA using FUGENE® HD (Promega Corp.) according to the manufacturer's instructions. Cells were incubated at 37°C, 5% CO₂ for 8 hrs, then trypsinized in 0.5 mL TrypLE (Invitrogen). The lysates were then resuspended in 8 mL DMEM with 10% FBS, 1X NEAA and 1X sodium pyruvate. 100 μ L of the resuspended sample was then added to wells of a 96-well plate and incubated for 16 hrs at 37°C, 5% CO₂.

[00434] Following incubation, the media was removed from the cells and replaced with 100 μ L fresh media with or without TNF α (serially diluted). To assay for secretion, at 3 and 6 hrs, 5 μ L of media (in triplicate) was removed from the cells, brought to 50 μ L with PBS and mixed with 50 μ L assay reagent (as previously described with 100 μ M PBI-3939). Luminescence was measured at 0 and 10 min as previously described (FIG. 60).

[00435] For measuring *Metridia longa* luciferase activity, the Ready-To-Glow™ Secreted Luciferase System (Clontech) was used according to the manufacturer's protocol. Briefly, 5 μ L Ready-to-Glow™ reagent was added to 5 μ L of sample and 45 μ L of PBS. Luminescence was measured immediately after reagent addition (FIG. 60).

[00436] E. *L27V optimized variants*.

[00437] Plasmid DNAs (pGL4.32-L27V00, pGL4.32-L27V01, pGL4.32-L27V02, pGL4.32-L27V03, and pGL4.13) were prepared for transfection using FUGENE® HD according to the

manufacturer's protocol. The pGL4.32 vector (Promega Corp.) contains the NF-κB response element. The L27V codon optimized sequences replaced the Luc2P sequence in the vector. pGL4.13 vector (Promega Corp.) contains the Luc2 gene driven by the SV40 promoter.

[00438] 300 μL of DNA transfection mixture was then mixed with 6 mL of HeLa cell suspension (2×10^5 cells/mL), homogenized, and 100 μL plated into wells of a 96-well plate. The cells were then incubated overnight at 37°C, 5% CO₂. Following incubation, 10 μL of 10X rhTNFα in DPBS with BSA was added to the wells and incubated for 4.5 hrs at 37°C, 5% CO₂. Six wells were given vehicle only. The cells were then allowed to equilibrate at room temperature for 20 min, and then 100 μL assay reagent (as previously described with 100 μM PBI-3939) was added. To cells expressing Luc2 or receiving vehicle only treatment, 100 μL of the ONE-GLO™ Luciferase Assay Reagent was added. Luminescence was measured 12 min post-assay reagent addition as previously described. FIGS. 61A-B shows the absolute luminescence, FIGS. 61C-D shows normalized luminescence and FIGS. 61E-F shows fold response.

Example 37 - OgLuc Variants in a Transcription Reporter Assay

[00439] To demonstrate the ability of the OgLuc variants of the present invention to be used as transcription reporters, the OgLuc variant 9B8 opt was used as a transcriptional reporter in a forward, reverse, and bulk transfection. These methods of transfection were chosen because they are representative of the approaches commonly used for the transient expression of genetic transcriptional reporters.

[00440] Forward Transfection

[00441] Transcriptional reporters containing the cAMP response element (CRE) and 9B8 opt or 9B8 opt further comprising the PEST protein degradation sequence (9B8 opt-P) were prepared in the pGL4.29 (Promega Corp.) backbone, i.e., the luc2P gene of the pGL4.29 vector was replaced with 9B9 opt (SEQ ID NO: 24) or 9B8 opt-P (SEQ ID NO: 65). pGL4.29 was used as a control/benchmark.

[00442] HEK293 cells were plated at 15,000 cells/well in six 96-well tissue culture plates. Cells were grown in 100 μL of DMEM + 10% FBS + 1X non-essential amino acids (NEAA) and incubated overnight at 37°C. The cells were transiently transfected with either 10 ng or 100 ng plasmid DNA/well of pGL4.29 9B8 opt, pGL4.29 9B8 opt-P, or pGL4.29. Plasmid DNA was mixed with 850 μL of OPTI-MEM® (Invitrogen) and 32.4 μL of FUGENE® HD transfection reagent (Promega Corp.) and incubated at room temperature for 10 min. Eight μL of the

transfection/reporter DNA mixture was added to the appropriate wells (2 constructs/plate). Cells were incubated for 4 hrs at 37°C. The medium was replaced with OPTI-MEM® + 0.5% dialyzed FBS + 1X NEAA + 1X sodium pyruvate + 1X Penn-Strep and incubated overnight at 37°C.

[00443] Following incubation, 10 nM or 10 µM FSK (from a 10X stock) in OPTI-MEM® was added to the cells and incubated for 3 hrs at 37°C. A lytic reagent containing 100 mM MES pH 6.1, 1 mM CDTA, 150 mM KCl, 35 mM thiourea, 2 mM DTT, 0.25% TERGITOL® NP-9 (v/v), 0.025% MAZU® DF 204, and 20 µM PBI-3939 was added to the cells containing pGL4.29 9B8 opt or pGL4.29 9B8 opt-P and allowed to incubated for 10 min at room temperature (100 µL lytic reagent added to 100 µL cells). ONE-GLO™ assay reagent (Promega Corp.) was added to cells containing pGL4.29 and used according to the manufacturer's protocol (100 µL reagent added to 100 µL cells). Luminescence was measured on a GLOMAX® Luminometer. Table 26 shows the luminescence of the HEK293 cells expressing the transcriptional reporters containing CRE treated with 10 nM ("baseline") or 10 mM FSK, and the response to FSK (i.e., the luminescence generated by the 10 mM FSK treated cells divided by the luminescence generated of the 10 nM FSK treated cells.)

[00444] The results shown in Table 28 indicate that 9B8 opt and 9B8 opt-P were brighter than luc2P, and that all the luciferase reporters responded to FSK when 100 ng of DNA was used for the transfection. However, when only 10 ng of DNA was used for the transfection, the luminescence for the luc2P reporter was below the detection level for the luminometer.

Table 28: Transcriptional Reporters Containing CRE in HEK293 Cells (3 h timepoint)

Reporter construct	100 ng DNA for transfection			10 ng DNA for transfection		
	baseline	RLU (10 mM FSK)	Response	baseline	RLU (10 mM FSK)	Response
9B8 opt	3,078,418	104,687,723	34	192810	12,926,465	67
9B8 opt-P	122,071	20,544,753	168	11179	1,353,459	121
luc2P	356	5,293	15	0	0	-

[00445] *Reverse Transfection*

[00446] Transcriptional reporters containing the antioxidant response element (ARE) and 9B8 opt or 9B8 opt-P were prepared in the pGL4.29 (Promega Corp.) backbone, i.e., the luc2P gene of the pGL4.29 vector was replaced with 9B9 opt or 9B8 opt-P, and CRE was replaced with 2X ARE (SEQ ID NO: 66) using methods known in the arts.

[00447] HEK293 cells were trypsinized (T75 flask, 3 mL trypsin) and resuspended in 1×10^5 cells/mL (approximately 8.9×10^6 total cells) in medium containing DMEM + 10% FBS + 1X NEAA. Each transcriptional reporter was prepared for transfection by mixing 1.2 mL OPTI-MEM®, 12 µL transcription reporter DNA (100 ng) and 36 µL FUGENE® HD transfection reagent together and incubated at room temperature for 35 min. Following incubation, 624 µL of the transfection/reporter DNA mixture was added to 12 mL of cell suspension and mixed by inversion. After mixing, 100 µL of the cell/DNA mixture was added to wells of a 96-well plate (2 constructs/plate). The cells were incubated at 37°C for 22 hrs. Tert-butylhydroquinone (a Nrf2 stabilizer; tBHQ; 1 µM (“baseline”) or 20 µM) or sulphoraphane, (an organosulfur antioxidant known to activate Nrf2; 1 µM (“baseline”) or 20 µM) in OPTI-MEM® was added to each well and incubated at 37°C for 24 hrs. Cells were lysed with 100 µL lytic reagent as described above for the forward transfection. Luminescence was measured on a GLOMAX® Luminometer.

[00448] Table 29 shows the luminescence of the HEK293 cells expressing the transcriptional reporters containing ARE treated with 1 µM (“baseline”) or 20 µM sulphoraphane and the response to sulphoraphane (i.e., the luminescence generated by the 1 µM sulphoraphane treated cells divided by the luminescence generated of the 20 µM sulphoraphane treated cells). Table 30 shows the luminescence of the HEK293 cells expressing the transcriptional reporters containing ARE treated with 1 µM (“baseline”) or 20 µM tBHQ, and the response to tBHQ (i.e., the luminescence generated by the 1 µM tBHQ treated cells divided by the luminescence generated of the 20 µM tBHQ treated cells). Tables 29 and 30 show that 9B8 opt and 9B8 opt-P could report the presences of two different known stimuli for ARE.

Table 29: Transcriptional Reporters Containing ARE in HEK293 Cells (24 h time point)

Reporter construct	100 ng DNA for transfection		
	baseline	RLU (20 mM sulphoraphane)	Response
9B8 opt	15,600,000	89,600,000	5.8
9B8 opt-P	258,406	3,940,000	15

Table 30: Transcriptional Reporters Containing ARE in HEK293 Cells (24 h time point)

Reporter construct	100 ng DNA for transfection		
	baseline	RLU (20 mM tBHQ)	Response
9B8 opt	15,100,000	120,000,000	8

9B8 opt-P	317,238	8,460,000	27
-----------	---------	-----------	----

[00449] *Bulk Transfection*

[00450] The transcriptional reporters containing CRE and 9B8 opt or 9B8 opt-P described in the forward transfection were used in the bulk transfection of HEK293 and NIH3T3 cells. Transcriptional reporters containing the heat shock response element (HRE; SEQ ID NO: 67) and 9B8 opt or 9B8 opt-P were prepared in the pGL4.29 (Promega Corp.) backbone, i.e., the luc2P gene of the pGL4.29 vector was replaced with 9B9 opt or 9B8 opt-P, and the CRE was replaced with HRE. The transcriptional reporter containing HRE and 9B8 opt-P was used in the bulk transfection of HeLa cells

[00451] HEK293, NIH3T3, or HeLa cells were plated to a single well of a 6-well tissue culture plate the day before transfection at a density of 4.5×10^5 cells/well in 3 mL complete medium (DMEM + 10% FBS + 1X NEAA + 1X sodium pyruvate) for HEK293 cells, 3×10^5 cells/well in 3 mL complete medium (DMEM + 10% fetal calf serum (FCS) + 1X NEAA + 1X sodium pyruvate) for NIH3T3 cells, or 9.9×10^5 cells/well in 3 mL complete medium (DMEM + 10% FBS + 1X NEAA) for HeLa cells. Cells were grown overnight at 37°C.

[00452] 3,300 ng of reporter plasmid DNA in 155 μ L OPTI-MEM® was mixed with 9.9 μ L FUGENE® HD transfection reagent, vortexed briefly, and incubated at room temperature for 10 min. The CRE transcriptional reporters were used to transfect HEK293 and NIH3T3 cells. The HRE transcriptional reporters were used to transfect HeLa cells. The reporter mixture was added to cells and mixed by gentle rocking followed by incubation at 37°C for 6 hrs (HEK293 and NIH3T3) or 3 hrs (HeLa). Cells were then trypsinized and resuspended in medium (DMEM + 10% FBS + 1X NEAA + 1X sodium pyruvate for HEK293 cells, DMEM + 10% FCS + 1X NEAA + 1X sodium pyruvate for NIH3T3 cells, or DMEM + 10% FBS + 1X NEAA for HeLa cells), followed by plating to the individual wells of a 96-well plate (20,000 cells/100 μ L for HEK293, 10,000 cells/100 μ L for NIH3T3, or 13,000 cells/ μ L for HeLa) and incubated at 37°C overnight.

[00453] FSK (CRE stimulator) or 17-AAG (HRE stimulator; 17-Allylamino-demethoxy geldanamycin) in OPTI-MEM® was added to the cells (10 nM or 10 μ M final concentration for FSK; 1 nM or 1 μ M final concentration for 17-AAG) and incubated at 37°C for 4 hrs (FSK) or 6 hrs (17-AAG). Plates were removed from the incubator and allowed to equilibrate to room

temperature for 25 min. Cells were lysed with 100 μ L lytic reagent as described above for the forward transfection. Luminescence was measured on a GLOMAX® Luminometer.

[00454] Table 31 shows the luminescence of the HEK293 cells expressing the transcriptional reporters containing CRE treated with 10 nM (“baseline”) or 10 mM FSK and the response to FSK. Table 32 shows the luminescence of the NIH3T3 cells expressing the transcriptional reporters containing CRE treated with 10 nM (“baseline”) or 10 mM FSK and the response to FSK. Table 33 shows the luminescence of the HeLa cells expressing the transcriptional reporters containing HRE treated with 10 nM (“baseline”) or 10 mM 17-AAG and the response to 17-AAG.

[00455] Tables 29-31 show that 1) both versions of the 9B8opt OgLuc variant can report the presence and stimulatory effects of FSK on CRE in the context of two different cell lines, HEK293 and NIH3T3, and 2) 9B8 optP can report the presence and stimulatory effects of 17-AAG on HRE in the context of HeLa cells.

Table 31: Transcriptional Reporters Containing CRE in HEK293 Cells (4 h time point)

Reporter construct	100 ng DNA for transfection		
	baseline	RLU (10 mM FSK)	Response
9B8 opt	39,700,000	654,000,000	16
9B8 opt-P	3,960,000	460,000,000	116

Table 32: Transcriptional Reporters Containing CRE in NIH3T3 Cells (4 h time point)

Reporter construct	100 ng DNA for transfection		
	baseline	RLU (10 mM FSK)	Response
9B8 opt	9,187,000	23,600,000	2.6
9B8 opt-P	410,461	3,720,000	9

Table 33: Transcriptional Reporters Containing HRE in HeLa Cells (6 h time point)

Reporter construct	100 ng DNA for transfection		
	baseline	RLU (1 mM 17-AAG)	Response
9B8 opt-P	278,118	3,204,000	12

Example 38 - Lytic and Secretable Reporter in Difficult to Express Cells

[00456] HepG2 cells, 1×10^5 cells/mL in a cell suspension, were reverse transfected with plasmid DNA (pGL4.32 backbone; Promega Corp.) containing L27V02, luc2P (Promega Corp.), luc2 (Promega Corp.) or L27V02-IL6 (L27V02 with the native secretion sequence replaced with the IL-6 secretion sequence; (“IL601-L27V02A”; SEQ ID NO: 324) using FUGENE® HD according to the manufacturer’s instructions (1:20 DNA-transfection mixture to cells). 100 μ L cell suspension was then plated into wells of a 96-well plate and incubated for 22 hrs at 37°C, 5% CO₂. Other OgLuc constructs which have the native secretion sequence replaced by the IL-6 secretion sequence include IL601-L27V01 and IL602-L27V03 (SEQ ID NOs: 321 and 327, respectively).

[00457] For secretion analysis, the media was removed from the cells, and the cells washed in 100 μ L DPBS. 100 μ L complete media (DMEM + 10% FBS+ 1X NEAA) was added along with varying doses (1 pg/mL – 100 ng/mL) of rhTNF α (“TNF α ”) for 4.5 h. 10 μ L of the media was then removed, added to 90 μ L complete media, and 100 μ L assay reagent (as previously described; 100 μ M PBI-3939) added. Luminescence was measured as previously described (FIG. 62A).

[00458] For lytic analysis, following plating, the cells were incubated for 4.5 hrs at 37°C, 5% CO₂. The cells were then allowed to equilibrate to room temperature for 20 min. Assay reagent (as previously described; 100 μ M PBI-3939) was added to the cells, and luminescence measured as previously described (FIG. 62B).

Example 39 - Additional lytic reporter features

[00459] The OgLuc variants of the present invention in the context of a cell-based, lytic transcriptional reporter should offer a luminescent signal of a magnitude such that the signal appears sooner than it might with other luciferases. The bright luminescence should also allow for weak promoters to be examined.

Example 40 - Mammalian cell transfections

[00460] The OgLuc variants of the present invention were used as reporters in difficult to transfect cell lines, e.g., Jurkat, HepG2, primary cells, non-dividing primary cells, or stem cells. (See e.g., FIG. 59C) Due to their high signal intensity, the OgLuc variants enable detectable luminescence when transfection efficiency is low. The OgLuc variants can also be used as reporters in cells that are especially sensitive to conditions associated with transfection, i.e., DNA concentration, transfection reagent addition. Due to the brightness of the OgLuc variants, an adequate level of luminescence can be achieved using lower DNA concentrations, less

transfection reagent, and perhaps shorter post-transfection times prior to beginning an assay. This will place less of a toxicity burden on what would otherwise be sensitive cells. The bright luminescence of the OgLuc variants should also allow for a signal to be detected at very long time points in the event such an output is desirable. As another example, the OgLuc variants could be used as reporters for single copy native promoters, e.g., HSB thymidylate kinase (TK) promoter, HOX genes, or LIN28.

Example 41 - Stable cell lines

[00461] The identification of robust, stable cell lines expressing an OgLuc variant of the present invention, either in the cytoplasm or as a secreted form, can be facilitated by the bright signal of the luciferase and the small size of the OgLuc gene. The relatively small gene sequence should reduce the likelihood of genetic instability resulting from the integration of the foreign DNA.

[00462] To generate stable cell lines using an OgLuc variant of the present invention, plasmid DNA comprising a nucleotide sequence for an OgLuc variant and a selectable marker gene, e.g., neomycin, hygromycin, or puromycin, is used to transfect a cell line of interest, e.g., HEK293 cells. Cells of an early passage number, e.g., less than 10 passages, are plated into T25 (1×10^6) or T75 (3×10^6) tissue culture flasks and allowed to grow overnight to approximately 75% confluency. Cells are then transfected using the above plasmid DNA and an appropriate transfection reagent, e.g., TRANSIT®-LT1 or FUGENE® HD. Forty-eight hrs post-transfection, the media is replaced on the cells with selection media containing the selection drug, e.g., G418, hygromycin or puromycin, at a concentration previously determined to kill untransfected cells. Selection of cells containing the plasmid DNA occurs over 2-4 weeks. During this time, the cells are re-plated in selection media at various concentrations into either T25 or T75 tissue culture flasks. The media on the re-plated cells is replaced every 3-4 days for 2-3 weeks with fresh selection media. The flasks are monitored for the formation of live cell colonies. Eventually, the flasks will contain many large colonies and few dead cells.

[00463] From the pool of stable colonies in the flasks, single colonies are isolated and expanded into a single 24-well tissue culture plate. Briefly, cells are harvested using the trypsin/EDTA method, i.e., cells are harvested by removing media, rinsing with Ca^{2+} and Mg^{2+} free PBS and detached by treatment with Trypsin/EDTA. The cells are counted using a hemocytometer and diluted 1×10^5 in complete media. The cells are then diluted to 100 cells/mL, 33 cells/mL, 10 cells/mL, and 3.3 cells/mL in complete media. 100 μL of each dilution is plated into all wells of 96-well tissue culture plate (1 plate for each dilution) and allowed to grow 4-5

days after which 50 μ L of selection media is added to the cells. Approximately a week after plating, cells are visually screened for colony growth and another 50 μ L of selection media is added. The cells continue to be monitored until a single colony covers 40-60% of the well area. When a colony is ready for expansion and screening, colonies are harvested using the trypsin/EDTA method. Each colony is transferred to selection media as follows: 1) Dilute 1:10 into 6 wells of a 96-well assay plate for functional assay, e.g., luminescence detection; 2) Dilute 1:10 into 3 wells of a clear bottom 96-well assay plate for cell viability assay, e.g., CELLTITER-GLO® Luminescent Cell Viability Assay (Promega Corp.); and 3) Dilute 1:10 into a 24-well tissue culture plate for expansion. Cells in the plates for the functional and cell viability assay are then grown 2-3 days and the functional and cell viability assays performed. Positive clones in the 24-well plate are further tested with the functional and cell viability assays as well as for stability of expression and response for at least 20 passages, normal growth rate morphology, and frozen for future use at the earliest possible passage.

Example 42 – OgLuc Secretion Signal Analysis

[00464] *A. IV opt*

[00465] The wild-type OgLuc is processed after synthesis into a mature protein with the secretion signal sequence cleaved off. To determine if the secretion signal sequence would facilitate secretion of the OgLuc variant, the IV opt variant of Example 25 and hRL were cloned into pF4Ag containing an N-terminal OgLuc secretion signal (SEQ ID NO: 54). HEK293 cells (15,000) in 100 μ L Dulbecco's Modified Eagle's medium ("DMEM") with 10% fetal bovine serum (FBS) were transfected as described in Example 25 with 100 ng of plasmid DNA, i.e., hRL or IV opt with or without the secretion signal and grown overnight at 37°C. 50 μ L of media was removed to a new plate and saved for a later assay generating a "media" sample. The rest of the media was removed, and the cells were lysed with 100 μ L of lysis buffer described in Example 25 to generate a "lysate" sample. 10 μ L of media sample and 10 μ L of lysate sample were assayed for luminescence (FIG. 63). Samples for hRL with ("Renilla sig") or without ("Renilla") the OgLuc secretion signal sequence were measured using 50 μ L of lysis buffer containing 20 μ M native coelenterazine. Samples for IV opt with ("IV opt sig") or without ("IV opt") the OgLuc secretion signal sequence were measured using 50 μ L of lysis buffer containing 20 μ M PBI-3939.

[00466] In FIG. 63, the filled bars represent the amount of light that was detected from the media in the absence of any lytic reagent. The open bars represent the total light (secreted + non-secreted) that was detected upon addition of a lytic reagent. FIG. 63 shows that IV opt was

secreted from HEK293 cells into the growth media and that the secretion signal sequence was functional in mammalian cells. “IV opt sig” represents the only situation where a significant amount of luciferase was detected in the media. The results also indicate that this particular signal peptide did not facilitate secretion of hRL.

[00467] *B. 9B8, V2 and L27V*

[00468] To determine if the secretion signal sequence of OgLuc facilitates its secretion, the OgLuc variants 9B8, V2 and L27V were cloned into pF4Ag containing an N-terminal OgLuc secretion signal sequence. The variants were also cloned into vectors without the secretion signal sequence. CHO or HeLa cells were then plates at 100,000 cells/well in 1 mL F12 media with 10% FBS and 1X sodium pyruvate (CHO cells) or DMEM with 10% FBS and 1X sodium pyruvate (HeLa cells) into 12-well plates and incubated overnight at 37°C, 5% CO₂.

[00469] After the overnight incubation, the cells were transfected with 1µg plasmid DNA containing 9B8, V2, or L27V with or without the secretion signal sequence using the TRANSIT®-LT1 transfection reagent (Mirus Bio) and OPTI-MEM® media (Invitrogen). The cells were again incubated overnight at 37°C, 5% CO₂.

[00470] After the second overnight incubation, the media was removed and saved for analysis. To the cells, 1 mL of assay buffer (1 mM CDTA, 150 mM KCl, 2 mM DTT, 100 mM MES pH 6.0, 35 mM Thiourea and 0.5% TERGITOL® NP-9 (v/v)) was added to create a cell lysate. To 10 µL of cell lysate or saved media from each sample, 50 µL assay buffer with 40 µM PBI-3939 was added, and luminescence measured as described above. FIGS. 64A-D demonstrates that 9B8, V2 and L27V variants can be used in a secretable system.

[00471] To determine the stability of the secreted variants, 150 µL aliquots of the saved media from each sample was placed at 37°C or 50°C. The aliquots were then removed at different time points (0, 1, 2, 3, 5, 6, and 7 min), frozen on dry ice, and kept at -20°C until assayed. To assay for stability, the media aliquots were thawed to room temperature, and 10 µL of each aliquot was mixed with assay buffer with PBI-3939 (pH 6.0) as described above. Luminescence was measured as above, and the half-life (t₅₀) determined (Table 34).

Table 34

sample	1/2 life 37C (days)
9B8	8
V2	10
L27V	17
sample	1/2 life 50C (hours)
9B8	3
V2	7
L27V	11

[00472] C. 9B8 and V2 comparison to secreted luciferase of *Metridia longa*

[00473] The secretion of the OgLuc variants 9B8 and V2 was compared to that of the secreted luciferase from *Metridia longa*. CHO cells were plated at 300,000 cells/well in 3 mL F12 media with 10% FBS into wells of 6-well plates and incubated overnight at 37°C, 5% CO₂. The cells were then transfected with either 10 or 100 ng of each variant or *Metridia* luciferase (Clontech) plasmid DNA using TRANSIT®-LTI according to the manufacturer's instructions and incubated for 20 hrs at 37°C, 5% CO₂. After transfection, the media was removed from the cells and assayed. For the OgLuc variants, 50 µL of media was assayed with 50 µL of assay reagent (previously described; 40 µM PBI-3939). For *Metridia* luciferase, the media was assayed using the Ready-to-Glo™ Secreted Luciferase Reporter System (Clontech) according to the manufacture's protocol. Briefly, 5 µL of the 1X substrate/reaction buffer was added to 50 µL of media sample. Luminescence was then measured as previously described (FIGS. 65A-B).

Example 43 – Evaluation of OgLuc Variants and Novel Coelenterazine in Live Cells

[00474] A. The use of OgLuc variants and PBI-3939 in live cells was examined. HEK293 cells were plated in 96-well plates at 15,000 cells/well and grown overnight at 37°C. The following day, the cells were transiently transfected using TRANSIT®-LT1 in 3 replicates with 100 ng of hRL or 9B8 opt in pF4Ag and grown overnight at 37°C. The following day the growth media was removed and replaced with media containing 60 µM VIVIREN™ Live Cell Substrate (Promega Corp.), 60 µM ENDUREN™ Live Cell Substrate (Promega Corp.), or 60 µM PBI-3939 for both hRL and 9B8 opt transfected cells. Non-transfected cells were used as background control. The plate was incubated at 37°C during the course of one day and periodically measured on a TECAN® GENIOS™ Pro luminometer, i.e., 11 times over the course of 24 hrs. FIGS. 66A-B shows the luminescence of the transfected cells divided by the luminescence of the non-transfected cells for each of the substrates, i.e., the signal to background ratio. The data shows that 9B8 opt generated luminescence in a live cell setting (i.e., no lysis) by incubating cells with

VIVIREN™, ENDUREN™, or PBI-3939. The data also demonstrated that PBI-3939 can permeate cells in culture, react with the OgLuc variant, and generate luminescence, thus making it compatible with use in a live cell assay.

[00475] B. To demonstrate live cell analysis using the OgLuc variants, L27V was fused to HALOTAG® and expressed and monitored in live cells. U2OS cells were plated at 40,000 cells/mL into imaging chamber wells and incubated overnight at 37°C, 5% CO₂. Cells were then transfected using FUGENE® HD according to the manufacturer's protocol with the plasmids pFC14K, pFN21K or pF4Ag (all Promega Corp.) containing L27V or pF4Ag containing L27V with the native or IL-6 secretion sequence. Cells were then incubated for 24 hrs at 37°C, 5% CO₂.

[00476] Following incubation, the cells were exposed to HALOTAG® TMR ligand (Promega Corp.), imaged, and fixed. Immunocytochemistry (ICC) was then performed according to the ICC protocol in the HALOTAG® Technology: Focus on Imaging technical manual (Promega Corp.; TM260). The primary antibody used was a polyclonal rabbit, anti-OgLuc 9B8 antibody (1:1000). The secondary antibody used was an Alexa 488 conjugated secondary antibody (green) (FIG. 67A). FIG. 67A shows green fluorescent channel and FIG. 67B shows the differential interference contrast (DIC). Images were acquired using an Olympus Fluoview FV500 confocal microscope (Olympus, USA) outfitted with a 37°C + CO₂ environmental chamber (Solent Scientific Ltd., UK).

[00477] FIGS. 67B-D shows the ICC images with native or IL-6 secretion sequence. Both signal sequences dramatically decrease the amount of enzyme in the nucleus. The punctuate nature of the labeling in the cytoplasm is indicative of vesicle formation expected to occur during the secretion process. The data demonstrates that the presence of a signal peptide reduces the amount of luciferase in the nucleus.

[00478] C. As shown above, the OgLuc variants and novel substrates of the present invention are biocompatible. A reporter system is envisioned where the OgLuc variant is cloned into an expression vector with a promoter of interest and expressed in cells as a reporter protein. The cells are then treated with PBI-3939 which will permeate cells in culture, react with the OgLuc variant, and generate luminescence.

[00479] In addition to being cell permeant, PBI-3939 shows comparable biocompatibility to native coelenterazine in terms of cell viability. A version of compound 3939 containing chemical modifications known to increase the stability of native coelenterazine in media can be

synthesized and used for more robust, live cell OgLuc variant-based reporter assays. Another example of live cell reporting includes the use of a secretable OgLuc variant as a reporter. The native secretion signal peptide (or other known secretion signal peptides) can be fused to the N-terminus of an OgLuc variant so that when the fusion is expressed in mammalian cells, a portion of it will be secreted through the cell membrane into the culture media. Upon addition of substrate luminescence is generated.

Example 44 - Protein fusion reporters

[00480] The OgLuc variants of the present invention can be used as fusion tags for a target protein of interest as a way to monitor intracellular levels of that target protein. Specific proteins involved in stress response pathways, e.g., DNA damage, oxidative stress, inflammation, can be monitored in cells as a way to probe the role various types of stimuli may play in these pathways. The variants can also be used as a means to monitor cellular trafficking of a target protein. The variants can also be fused to viral genomes (e.g., HIV, HCV) so that titer levels, i.e., infectivity, can be monitored in cells following treatment with potential antiviral agents. The variants can also be fused to green fluorescent protein (GFP) or HALOTAG® (in addition to a target protein) so that FACS could be used to identify high expression clones and to provide localization information.

Example 45 - Evaluation of OgLuc Variant in 3-Component Fusion Protein (“Sandwich”)

[00481] 3-component fusion proteins, or “sandwich” fusions, can be used to place bioluminescent and fluorescent proteins close to one another for optimization of a biosensor based on BRET.

[00482] *A. C1+4AE, IV, 9B8 and 9F6*

[00483] The OgLuc variants C1+4AE (SEQ ID NOs: 55 and 56), IV (SEQ ID NOs: 57 and 58), 9B8 (SEQ ID NOs: 61 and 62), and 9F6 (SEQ ID NOs: 63 and 64), and hRL (SEQ ID NOs: 32 and 33) were cloned into a pF4Ag fusion vector with an N-terminal Id (Benezra *et al.*, *Cell*, 61(1):49-59 (1990)), known to be a poor fusion partner, and a C-terminal HT7, which was used for normalization. The gene of interest was “sandwiched” between Id and HT7, i.e., Id-Luciferase-HT7. *E. coli* lysates, containing the variant constructs in pF4Ag or pF4Ag sandwich background, were prepared as described in Example 26 and then assayed with 20 μ M native coelenterazine in the buffer described in Example 25.

[00484] FIG. 68 shows the luminescence for each variant in either pF4Ag or pF4Ag sandwich background (“Sand”). FIG. 69 shows the fold-decrease in luminescence due to the presence of Id and HT7 and determined by dividing the luminescence of the variant in pF4Ag by the luminescence of the variant in the pF4Ag-sandwich. Samples with the largest values showed the most sensitivity to the poor fusion partner Id. The variant 9B8 was the brightest in the sandwich context.

[00485] *B. 9B8 OPT AND 9B8 OPT+K33N*

[00486] The variants 9B8 opt and 9B8 opt+K33N were analyzed in a sandwich background as described above. Sandwich constructs for 9B8 opt (SEQ ID NOs: 40 and 41) and 9B8 opt+K33N (SEQ ID NOs: 59 and 60) were generated as described above. *E. coli* lysates were assayed and measured using the same assay buffer and luminometer as used for generating FIG. 40. FIG. 70 shows the fold-decrease in the presence of a sandwich background indicating that 9B8 opt+K33N is less sensitive to the poor fusion partner Id than 9B8 opt.

[00487] *C. 23D2 and 24C2*

[00488] Variants 23D4 (NF) and 24C2 (NF) were subcloned into the Id-OgLuc-HT7 sandwich background and assayed in *E. coli*. The sandwich variants, 23D4 (F) (SEQ ID NOs: 76 and 77) and 24C2 (F) (SEQ ID NOs: 78 and 79) were compared to 9B8 opt+K33N in the sandwich background (SEQ ID NO: 59 and 60). Table 35 shows the variants had at least the same luminescence as 9B8 opt+K33N in the sandwich background context.

Table 35: Increase in Luminescence Generated by OgLuc Variants Compared to 9B8 opt+K33N+170G in Sandwich Background

Sample	Sequence	Fold over 9B8 opt+K33N sandwich (<i>E. coli</i>)
23D4 (F)	G26G, M106L, R112R, 170G	1.0
24C2 (F)	R11Q, T39T, 170G	1.0

[00489] *D. 1F7 and 15H1*

[00490] The PCR library in the Id-OgLuc-HT7 sandwich background was screened for additional variants with increased luminescence compared to 9B8 opt+K33N in sandwich background. Selected variants were then assayed in HEK293 and NIH3T3 cells. Table 36 shows the fold-increase in luminescence of the sandwich variants in *E. coli*, HEK293 and NIH3T3 cells,

and the amino acid substitutions found in the variants. 1F7 (F) (SEQ ID NOs: 84 and 85) and 15H1 (F) (SEQ ID NOs: 86 and 87) had at least 1.3 fold-increase in luminescence in *E. coli*. 1F7 (F) was brighter than 9B8 opt+K33N in the sandwich background in HEK293 and NIH3T3 cells.

Table 36: Increase in Luminescence Generated by OgLuc Variants Compared to 9B8 opt+K33N in Sandwich Background

Sample	Sequence	Fold over 9B8 opt+K33N sandwich		
		<i>E. coli</i>	HEK293	NIH3T3
1F7 (F)	K43R, Y68D	1.9	2.4	1.4
15H1 (F)	D19D, S66N	1.5	0.9	1.2

[00491] The sandwich variants were subcloned into the pF4Ag-based non-fusion background vector to generate 1F7 (NF) (SEQ ID NOs: 80 and 81) and 15H1 (NF) (SEQ ID NOs: 82 and 83) and were analyzed as described above and compared to 9B8 opt+K33N. Table 37 shows the fold-increase in luminescence of the variants in *E. coli*, HEK293 and NIH3T3 cells. 1F7 (NF) and 15H1 (F) had at least 1.3 fold-increase in luminescence in *E. coli* and HEK293 cells.

Table 37: Increase in Luminescence Generated by OgLuc Variants Compared to 9B8 opt+K33N +170G

Sample	Sequence	Fold over 9B8 opt+K33N + 170G		
		<i>E. coli</i>	HEK293	NIH3T3
1F7 (NF)	K43R, Y68D	1.5	1.5	1.1
15H1 (NF)	D19D, S66N	1.7	1.7	1.2

[00492] *E. V2, 9B8 opt+K33N+L27V+K43R+Y68D, 9B8 opt+K33N+L27V+T39T+K43R+S66N and L27V*

[00493] The variants 9B8 opt+K33N+T39T+K43R+Y68D (“V2”; SEQ ID NOs: 92 and 93), 9B8 opt+K33N+L27V+K43R+Y68D (SEQ ID NOs: 339 and 340), 9B8 opt+K33N+L27V+T39T+K43R+S66N (SEQ ID NOs: 341 and 342), and 9B8 opt+K33N+L27V+T39T+K43R+Y68D (“L27V”; SEQ ID NOs: 88 and 89) were subcloned into the Id-OgLuc-HT7 sandwich background as described above and assayed in HEK293 and NIH3T3 cells as described above. The luminescence generated by the sandwiched variants were compared to the luminescence generated by the 9B9 opt+K33N sandwich (SEQ ID NOs: 59 and

60) (Table 38). The L27V sandwich (SEQ ID NOs: 90 and 91) and V2 sandwich (SEQ ID NOs: 94 and 95) had at least 1.3X fold-increase in luminescence in HEK293 and NIH3T3 cells.

Table 38: Increase in Luminescence Generated by OgLuc variants in sandwich background compared to 9B8 opt+K33N in sandwich background

Sample	NIH 3T3 cells	HEK 293
K33N Sand	1.0	1.0
T39T, K43R, Y68D Sand	1.6	2.3
L27V, K43R, Y68D Sand	1.4	1.7
L27V, T39T, K43R, S66N Sand	0.7	0.7
L27V, T39T, K43R, Y68D Sand	1.4	1.7

[00494] The sandwich and non-sandwich versions of the variants V2, 9B8 opt+K33N+L27V+K43R+Y68D, 9B8 opt+K33N+L27V+T39T+K43R+S66N, and L27V were assayed in HEK293 and NIH3T3 cells as described in Example 37. The luminescence generated by the non-sandwiched variants was compared to the luminescence generated by the sandwiched variants (Table 39). The data shown in Table 39 indicates that the fold-decrease in luminescence for the 9B8 opt+K33N sandwich was less in mammalian cells than in *E. coli* cells as shown in FIG. 70.

Table 39: Fold-Decrease in Luminescence of the OgLuc Variants in the Presence of Sandwich Background

Sample	NIH 3T3 cells	HEK 293
K33N	29	15
T39T, K43R, Y68D	20	6
L27V, K43R, Y68D	22	8
L27V, T39T, K43R, S66N	25	12
L27V, T39T, K43R, Y68D	18	6

Example 46 - Multiplexing

[00495] A. Lysates of *E. coli* expressing the variant 9B8 opt were prepared as previously described in Example 27 and diluted 1000-fold in DMEM without phenol red + 0.1% PRIONEX®. Luminescence from a sample containing 6.3 µg/mL of purified red click beetle luciferase and *E. coli* lysate expressing the variant 9B8 opt was detected using a modified DUAL-GLO® Luciferase Assay System (Promega Corp.). DUAL-GLO® STOP&GLO® Reagent containing 20 µM coelenterazine-h and DUAL-GLO® STOP&GLO® Reagent containing 20 µM PBI 3939 were used, according to the manufacturer's protocol, to detect the

red click beetle luciferase and OgLuc variant 9B8 luciferase from a single sample. Three replicates were performed.

[00496] Luminescence was detected on a Turner MODULUS™ luminometer. Table 40 shows the average luminescence generated by the red click beetle luciferase (“click beetle”), and the luminescence generated by 9B8 opt (“Ogluc”) with coelenterazine-h (“coel h”) or PBI-3939 (“3939”). The standard deviation (“+/-”) and coefficient of variance (“CV”) are also shown. A “no coelenterazine” control was performed to illustrate the amount of quenching of the red click beetle signal by the DUAL-GLO® STOP&GLO® Reagent of the DUAL-GLO® Luciferase Assay System in the absence of coelenterazine. The “no coelenterazine” control yielded a 349-fold quench. Table 40 shows that large luminescent signals from both the red click beetle and OgLuc variant 9B8 was detected in a single sample. This demonstrates that each signal can be read sequentially in a two-step assay, and the signal from the first enzyme can be quenched enough to not contribute significantly to the signal from the second enzyme.

Table 40: Average Luminescence Generated by the Red Click Beetle and 9B8 opt Luciferases Using a Modified DUAL-LUCIFERASE™ Reporter Assay

	click beetle	+/-	CV	Ogluc	+/-	CV	fold-quench	+/- coel
no coel	5,081,163	147,145	2.9%	14,504	214	1.5%	349	
coel h	5,082,100	152,254	3.0%	921,440	47,623	5.2%		64
3939	5,076,547	41,753	0.8%	2,996,940	187,300	6.2%		207

[00497] B. To demonstrate that the multiplex reporter assay described above could be done in reverse, i.e., OgLuc luminescence detected first, quenched and a second luminescence detected, e.g., red click beetle or firefly luciferase, various *Renilla* luciferase inhibitors (see U.S. Published Application No. 2008/0248511) were screened for their ability to also inhibit OgLuc. Two different, previously identified, *Renilla* inhibitors, PBI-3077 and 1424, were added at various concentrations (see Table 41) to *E. coli* lysate samples expressing the variant 9B8 (diluted as above) and a buffer containing 100 mM MES pH 6.0, 1 mM CDTA, 150 mM KCl, 35 mM Thiourea, 2 mM DTT, 0.25% TERGITOL® NP-9 (v/v), 0.025% MAZU® DF 204, and 20 µM PBI-3939. Luminescence was measured as described previously except luminescence was measured using the GLOMAX®-Multi Microplate luminometer (Promega Corp.; also known as Turner MODULUS™). As shown in Table 41, both compounds were able to inhibit OgLuc luminescence. This demonstrates that an OgLuc variant can be multiplexed in a reporter assay with another luciferase wherein luminescence from an OgLuc variant is detected first in the reporter assay.

Table 41: The effect of PBI-3077 and PBI-1424 on Luminescence Generated by Bacterial Lysates Expressing 9B8 opt Using PBI-3939 as a Substrate

	(mM or %)	RLU	+/-	%
	control	27,794,600	626,862	100%
AI (3077)	3	15,473,100	209,567	56%
mM	0.3	22,210,433	102,888	80%
	0.03	22,484,933	927,459	81%
AC (1424)	0.4	176,868	9,579	0.64%
%	0.04	24,267,533	363,861	87%
	0.004	25,126,900	1,569,453	90%

[00498] C. The spectral resolution between OgLuc Variant L27V and firefly luciferase (Fluc) was analyzed. Purified L27V (previously described; 9.54 pM) in DMEM without phenol red + 0.1% PRIONEX® was mixed with assay reagent (previously described) containing 20 µM PBI-3939. Purified firefly luciferase enzyme (QUANTILUM® Recombinant Luciferase; Promega Corp.; 271 ng/mL) in the same media was mixed with a test reagent (100 mM HEPES, pH 7.4, 1 mM CDTA, 16 mM MgSO₄, 1% TERGITOL® NP-9 (v/v), 0.1% MAZU® DF 204, 5 mM ATP, 50 mM DTT, 333 µM luciferin). Purified *Renilla* luciferase (5 ng/mL GST-Renilla) in 1X Renilla Luciferase Assay Lysis Buffer (Promega Corp.) was mixed with 10.5 µM native coelenterazine in Renilla Luciferase Assay Buffer. Luminescence was measured after 3 min for L27V and Fluc and after 10 min for *Renilla* luciferase (FIG. 71)

[00499] D. As another example, an OgLuc variant of the present invention could be used as transcriptional reporter and paired with either aequorin or a cAMP circularly permuted firefly luciferase biosensor (or both simultaneously) to detect multiple pathways in a single sample, e.g., aequorin for the detection and/or measurement of calcium, the biosensor for the detection and/or measurement of cAMP, and an OgLuc variant for monitoring of downstream gene expression.

[00500] E. Other examples for multiplexing with the OgLuc variants of the present invention include:

[00501] i) Transfecting cells with constructs containing an OgLuc variant of the present invention and Firefly luciferase. After transfection, a first reagent could be added to lyse the cells as well as provide the substrate to generate luminescence for the first luciferase. Luminescence from the first luciferase would then be measured. A second reagent would then be added to quench luminescence from the first luciferase as well as provide the substrate to generate luminescence from the second luciferase. Luminescence from the second luciferase

would then be measured. The choice of which luciferase to measure first would only depend on the ability to quench the luminescence from the first luciferase with the second reagent. For this example, luminescence from the OgLuc variant could be measured first as high concentrations of luciferin (substrate for firefly luciferase) has been shown to inhibit OgLuc variant activity.

[00502] ii) Transfecting cells with constructs containing an OgLuc variant of the present invention and Firefly luciferase. After transfection, a first reagent could be added which contained a live cell substrate to generate luminescence for the first luciferase. Luminescence from the first luciferase would then be measured. A second reagent would then be added to lyse the cells, quench luminescence from the first luciferase and provide the substrate to generate luminescence from the second luciferase. Luminescence from the second luciferase would then be measured. This is similar to i) except cell lysis will further limit usage of the live cell substrate and contribute to the quenching of luminescence from the first luciferase.

[00503] iii) Transfecting cells with constructs containing an OgLuc variant of the present invention and Firefly luciferase. After transfection, one reagent could be added which contained substrates to generate luminescence from both luciferases, but the luminescence from each luciferase is spectrally different. The emission max of the OgLuc variants is approximately 460 nm, and certain substrates for Firefly luciferase, for example 5'-chloroluciferin and 5'-methyluciferin, can yield an emission max of approximately 610 nm. Therefore, although there may be some overlap from the blue emission into the red emission, there would be no overlap of the red emission into the blue emission suggesting that little to no mathematical correction would be involved.

[00504] iv) Transfecting cells with constructs containing an OgLuc variant of the present invention and Firefly luciferase. After transfection, one reagent could be added which contained live cell substrates to generate luminescence from both luciferases. The unique feature of this example is that firefly luminescence tends to shift to red at live cell assay temperatures, e.g., 37°C, therefore, a number of different luciferin derivatives could be chosen as a live cell substrate for firefly luciferase to generate luminescence which is spectrally different from that of the OgLuc variant.

[00505] v) Transfecting cells with constructs containing an OgLuc variant of the present invention and *Renilla* luciferase. After transfection, a first reagent could be added to lyse the cells as well as provide the substrate to generate luminescence for the first luciferase. Luminescence from the first luciferase would then be measured. A second reagent would then be added to quench luminescence from the first luciferase as well as provide the substrate to

generate luminescence from the second luciferase. Luminescence from the second luciferase would then be measured. The choice of which luciferase to measure first would only depend on the ability to quench the luminescence from the first luciferase with the second reagent. For this example, inhibitors to quench either the OgLuc variant or *Renilla* luciferase luminescence would need to be used.

[00506] vi) Transfecting cells with constructs containing an OgLuc variant of the present invention and click beetle luciferase. After transfection, one reagent could be added which contained substrates to generate luminescence from both luciferases, but the luminescence from each luciferase is spectrally different as click beetle luciferase generates red-shifted luminescence with native luciferin.

Example 47 - Circular Permutation

[00507] Two circularly permuted (CP) versions of the L27V variant were made: CP84 and CP95. The number designation refers to the N-terminal residue (e.g., “84” indicates the new N-terminus of the CP version).

[00508] To create the circular permutations, the prior N- and C-termini are fused together with no linker (“CP84 no linker” (SEQ ID NOs: 97 and 98) and “CP95 no linker” (SEQ ID NOs: 105 and 106)) or a 5 (“CP84 5AA linker” (SEQ ID NOs: 99 and 100) and “CP95 5AA linker” (SEQ ID NOs: 107 and 108), 10 (“CP84 10AA linker” (SEQ ID NOs: 101 and 102) and “CP95 10AA linker” (SEQ ID NOs: 109 and 110), or 20 (“CP84 20AA linker” (SEQ ID NOs: 103 and 104) and “CP95 20AA linker” (SEQ ID NOs: 111 and 112) amino acid linker, (GSSGG)_n (SEQ ID NO: 113) in between the N- and C-termini ends. (Note: L27V starts with the phenylalanine at the N-terminus, i.e., MVF. The “MV” is present in the “no linker” construct, but not in the “linker” constructs). Once circularly permuted, the CP L27V variants were cloned into the pF1K vector. *E. coli* cells were transformed with the CP vectors and grown in minimal media using the standard walk away induction protocol previously described. For each CP construct, cells were grown in 8 wells of a 96-well plate. After induction, the 8 wells from each sample were pooled, and 10 μ L lysed in 40 μ L lysis buffer (100 mM MES pH 6.0, 0.3X PLB, 0.3 mg/mL lysozyme, 0.003 U/ μ L DNase I, and 0.25% TERGITOL® NP-9 (v/v)). The lysates were then diluted 1:100 (CP versions with linker) or 1:1000 (non-CP versions) in lysis buffer. The CP version without linker was not diluted. The lysates or lysate dilutions were assayed in triplicate in 50 μ L assay reagent (previously described). Luminescence was measured as previously described (FIG. 72).

Example 48 - Identifying Additional Sites for Circular Permutation

[00509] To identify additional CP sites, determine the impact of the CP sites on luciferase activity and investigate the use of a “tether” between fragments, CP constructs were made with a circular permutation made at approximately every 3rd site (i.e., amino acid) of the L27V variant (See FIG. 73E). One skilled in the art would understand that other sites, e.g., the 1st and 2nd site, could also be tested and used in circular permuted OgLuc variants described herein using the methods described here. For example, the L27V variant has been found to be particularly tolerant to circular permutation, particularly situations in which a relatively large binding domain is placed in between the permuted fragments (e.g. cAMP/RIIbB-based sensors). At each site, the linker GSSGG-GSSGG-EPTT-ENLYFQS-DN-GSSGG-GSSGG (SEQ ID NO: 328) was added. The underscored sequence refers to a TEV protease recognition site. The purpose of the linker is to provide a long enough tether between the two variant fragments so they can associate in a way that produces a functional luciferase enzyme. The TEV protease recognition site was used to provide a means to disrupt the tether (in the presence of TEV protease) so that its importance to maintaining activity could be investigated. The use of the TEV protease recognition site created a mode to predict which CP sites would be useful for protein complementation assays (PCA) or for biosensor applications (e.g., insertion of a response element between the CP sites).

[00510] The activity that is seen prior to TEV cleavage represents how the two halves of the variant enzyme behaves in a tethered state. TEV binding to the recognition site causes cleavage, thereby separating the two halves of the variant enzyme. Samples that have been cleaved with TEV would represent the un-induced state and provide an indication of how much background could be expected. Lower activity after TEV cleavage indicates that the two halves cannot come together without induction. Samples that show a large loss in activity after TEV cleavage indicate sites that would function in PCA and biosensor applications. In the case of PCA, the two halves of the variant enzyme would be fused to binding partners that are able to come together (tether) after an induced binding event. In the case of a biosensor, the two halves would “tether” after a binding-induced conformational change occurs. One example for PCA would be to fuse one half of L27V to FRB and the other half to FKBP. The two halves would be brought into proximity with exposure to rapamycin (Banaszynski *et al.*, *J. Am. Chem. Soc.*, **127(13)**:4715–4721(2005)). One example of a biosensor application would be to insert a Cyclic AMP binding domain (e.g., RIIbB) between the CP sites and induce a conformational change by binding of Cyclic AMP to the binding domain.

[00511] Once each CP L27V construct was made, the CP enzyme was expressed in wheat germ, *E. coli* and mammalian cells and digested with TEV protease to investigate luciferase activity.

[00512] 1. For analysis in wheat germ, the CP constructs were expressed using the TnT® T7 Coupled Wheat Germ Extract System (Promega Corp.) according to the manufacture's instructions. The TnT® reactions were then diluted 1:100 in 1X PBS + 0.1% gelatin, and 20 µL added to 25 µL of TEV reaction reagent (5 µL 20X ProTEV buffer (Promega Corp.), 1 µL 100 mM DTT, and 2 µL 10 U ProTEV Plus (Promega Corp.)). The volume of the digestion reactions was brought to 100 µL with water and incubated at 30°C for 60 min. Control samples without TEV protease were also prepared. 10 µL of the digested samples were then added to 40 µL DMEM to a final volume of 50 µL and assayed in 50 µL assay reagent (as previously described; 100 µM PBI-3939). Luminescence was measured as previously described (FIGS. 73A-D).

[00513] 2. For analysis in mammalian cells, HEK293 cells were transfected with the CP L27V variants using a reverse transfection protocol. Briefly, 1 ng CP L27V plasmid DNA was mixed with 1 µg carrier DNA and added to cells in a well of a 12-well plate. Cells were then incubated for 16 hrs at 37°C, 5% CO₂. Cell lysates were then prepared by removing the media from the cells, washing them in 1X PBS, and adding 1 mL 1X PLB. Lysates were then diluted 1:10 in 1X PBS with 0.1% gelatin. 40 µL of the diluted lysate was then used in a TEV protease digestion as described above. 10 µL of the digestion was mixed with 40 µL DMEM without phenol red, and 50 µL assay reagent (previously described; 100 µM PBI-3939) added. Luminescence was measured as previously described (FIG. 73H).

[00514] 3. For analysis in *E. coli*, *E. coli* cultures expressing the CP L27V variants were grown overnight at 30°C. These cultures were used (1:100 diluted in LB + antibiotic) to make new starter cultures for eventual induction. The starter cultures were incubated at 37°C with shaking for 2.5 hrs (OD₆₀₀ is approximately 0.5). Rhamnose (final concentration of 0.2%) was added, the cultures moved to 25°C, and incubated with shaking for 18 hrs.

[00515] To create lysates, 50 µL 0.5X FASTBREAK™ Cell Lysis Reagent (Promega Corp.) was added to 950 µL of induced cultures, and the mixtures incubated for 30 min at 22°C. 50 µL of the lysed culture was then digested with TEV protease as described above and incubated at room temperature for 2 hrs.

[00516] For analysis, lysates were diluted 1:10,000 in HaloTag® Mammalian Purification Buffer (Promega Corp.), and 50 µL assayed in 50 µL of assay reagent (as previously described; 100 µM PBI-3939). Basal and TEV induced luminescence was measured at 5 min time points (FIG. 73F) and the response (FIG. 73G) was determined as previously described.

[00517] FIGS. 73A-D show the basal luminescence of various CP-TEV protease L27V constructs expressed in wheat germ extract. FIG. 73E summarizes the derived CP variants that responded to TEV protease (response is fold decreased), indicating that the CP variants can be used as TEV sensors, i.e., they are indicative of “tether dependence.” Variants showing at least a 1.2-fold change were further validated as significant using Student’s Test (unpaired *p* values; confidence level of 0.03). These results indicate that each CP variant is capable of generating luminescence.

[00518] Various CP-TEV protease L27V constructs were expressed in HEK293 cells. The reverse transfection protocol, previously described was used to transfect 1 ng DNA /well with 1 µg of carrier DNA. Each cell sample was grown in 1 mL of media in a 12 well plate. Cell lysates were prepared by removing media and adding 1 mL of 1X PLB. Samples were diluted 1:10 in 1X PBS+0.1% gelatin. 40 µL of the dilution sample was set up for TEV digestion. 10 µL of the digestion reaction was added to 40 µL of DMEM without phenol red and 50 µL of PBI-3939 as previously described. FIG. 73H shows the luminescence of the various CP-TEV protease L27V constructs expressed in HEK293 cells.

[00519] The data in FIGS. 73A-H demonstrates that the L27V variant can be circularly permuted at various sites, and different sites have different dependencies regarding tether length. The mammalian cell data and Wheat Germ data show similar fold reduction with TEV cleavage. The CP L27V variants that are more dependent on the tether, i.e., are more sensitive to TEV protease cleavage, are potential candidates for PCA. CP L27V variants that are less dependent on the tether may be potential candidates for self-complementation/dimerization assays.

EXAMPLE 49 - PROTEIN COMPLEMENTATION ASSAYS

[00520] Protein complementation assays (PCA) provide a means to detect the interaction of two biomolecules, e.g., polypeptides. PCA utilizes two fragments of the same protein, e.g., enzyme, that when brought into close proximity with each other can reconstitute into a functional, active protein. An OgLuc variant of the present invention can be separated into two fragments at a site(s) tolerant to separation. Then, each fragment of the separated OgLuc variant can be fused to one of a pair of polypeptides of interest believed to interact, e.g., FKBP and FRB. If the two polypeptides of interest do in fact interact, the OgLuc fragments then come into close proximity with each other to reconstitute the functional, active OgLuc variant. The activity of the reconstituted OgLuc variant can then be detected and measured using a native or known coelenterazine or a novel coelenterazine of the present invention. In another example, the split OgLuc variant can be used in a more general complementation system similar to lac-Z (Langley

et al., *PNAS*, 72:1254-1257 (1975)) or ribonuclease S (Levit and Berger, *J. Biol. Chem.*, 251:1333 –1339 (1976)). Specifically, an OgLuc variant fragment (designated “A”) known to complement with another OgLuc variant fragment (“B”) can be fused to a target protein, and the resulting fusion can be monitored via luminescence in a cell or a cell lysate containing fragment B. The source of fragment B could be the same cell (either in the chromosome or on another plasmid), or it could be a lysate or purified protein derived from another cell. This same fusion protein (fragment A) could be captured or immobilized using a fusion between fragment B and a polypeptide such as HALOTAG® capable of attachment to a solid support. Luminescence can then be used to demonstrate successful capture or to quantitate the amount of material captured. Methods for protein complementation can be carried out according to U.S. Published Application No. 2005/0153310, incorporated herein by reference.

[00521] 1. 9B8 opt PCA constructs were made as follows:

[00522] -p9B8PCA 1/4 = pF5A/Met-[9B8 opt (51-169)]-GGGSGGGSS-FRB (SEQ ID NOs: 331 and 332) & pF5A/FKBP-GGGSSGGGSG-[9B8 opt (1-50)] (SEQ ID NOs: 337 and 338)

[00523] -p9B8PCA 1/2 = pF5A/Met-[9B8 opt (51-169)]-GGGSGGGSS-FRB (SEQ ID NOs: 331 and 332) & pF5A/[9B8 opt (1-50)]-GGGSGGGSS-FRB (SEQ ID NOs: 333 and 334)

[00524] -p9B8PCA 2/3 = pF5A/[9B8 opt (1-50)]-GGGSGGGSS-FRB (SEQ ID NOs: 333 and 334) & pF5A/FKBP-GGGSSGGGSG-[9B8 opt (51-169)] (SEQ ID NOs: 335 and 336)

[00525] -p9B8PCA 3/4 = pF5A/FKBP-GGGSSGGGSG-[9B8 opt (51-169)] (SEQ ID NOs: 335 and 336) & pF5A/FKBP-GGGSSGGGSG-[9B8 opt (1-50)] (SEQ ID NOs: 337 and 338)

[00526] The PCA constructs were transfected into HEK293 cells (15,000cells/well) into a 96-well plate using FUGENE® HD according to the manufacturer’s instructions. The cells were then incubated overnight at 37°C, 5% CO₂. After transfection, the media on the cells was replaced with CO₂-independent media with 10% FBS. Assay reagent with 20 µM PBI-3939 was then added, and luminescence measured on a Varioskan Flash at 28°C. 100 µM rapamycin was then added to the wells, and luminescence continuously measured for 1 hr. Fold response was calculated by dividing all luminescence of a given well by the pre-rapamycin treatment luminescence for the same well (FIG. 74).

[00527] 2. To demonstrate the use of the OgLuc variants in PCA, the L27V02A variant fragments were complementated with FKBP or FRB, and the interaction between FKBP and FRB measured.

[00528] Table 42 lists the various protein complementation (PCA) constructs made and tested. “2/3” designates the variant complementation pairs where 1) the “old” C-terminus of L27V02A (“old”=original C-terminus of L27V02A) is the C-terminal partner of FKBP; and 2) the “old” N-terminus of L27V02A is the N-terminal partner of FRB. “1/4” designates the variant pairs where 1) the “old” N-terminus of L27V02A is the C-terminal partner of FKBP; and 2) the “old” C-terminus of L27V02A is the N-terminal partner of FRB. For all constructs, FKBP was located at the N-terminus of the L27V02A fragment, and FRB was located at the C-terminus of the L27V02A fragment. For example, PCA constructs were made with split sites at position 157 (*see* Table 42, “2/3” and “1/4” #s 11 and 12 (SEQ ID NOs: 288-295)), 103 (*see* Table 42, “2/3” and “1/4” #s 9 and 10 (SEQ ID NOs: 296-303)), and 84 (*see* Table 42, “2/3” and “1/4” #s 7 and 8 (SEQ ID NOs: 304-315)). Other PCA constructs were made (SEQ ID NOs: 343-426 and 428-440) (*See* Table 21)

Table 42

“2/3”	“1/4”
1. FKBP—L27V 6 -169	1. FKBP—L27V 1-5
2. L27V 1-5—FRB	2. L27V 6 -169—FRB
3. FKBP—L27V 12 -169	3. FKBP—L27V 1-11
4. L27V 1-11—FRB	4. L27V 12 -169—FRB
5. FKBP—L27V 55 -169	5. FKBP—L27V 1-54
6. L27V 1-54—FRB	6. L27V 55 -169—FRB
7. FKBP—L27V 84 -169	7. FKBP—L27V 1-83
8. L27V 1-83—FRB	8. L27V 84 -169—FRB
9. FKBP—L27V 103 -169	9. FKBP—L27V 1-102
10. L27V 1-102—FRB	10. L27V 103 -169—FRB
11. FKBP—L27V 157 -169	11. FKBP—L27V 1-156
12. L27V 1-156—FRB	12. L27V 157 -169—FRB

“2/3”	“1/4”
1. FKBP—L27V 6 -169	1. FKBP—L27V 1-5
2. L27V 1-5—FRB	2. L27V 6 -169—FRB
3. FKBP—L27V 12 -169	3. FKBP—L27V 1-11
4. L27V 1-11—FRB	4. L27V 12 -169—FRB
5. FKBP—L27V 55 -169	5. FKBP—L27V 1-54
6. L27V 1-54—FRB	6. L27V 55 -169—FRB
7. FKBP—L27V 84 -169	7. FKBP—L27V 1-83
8. L27V 1-83—FRB	8. L27V 84 -169—FRB
9. FKBP—L27V 103 -169	9. FKBP—L27V 1-102
10. L27V 1-102—FRB	10. L27V 103 -169—FRB
11. FKBP—L27V 157 -169	11. FKBP—L27V 1-156
12. L27V 1-156—FRB	12. L27V 157 -169—FRB

Table 21

pCA constructs
SEQ ID NO:343 (pCA 31 pCA L27V02A 45-169 FRB)
SEQ ID NO:344 (pCA 31 pCA L27V02A 45-169 FRB)
SEQ ID NO:345 (pCA 32 FKBP L27V02A 1-44)
SEQ ID NO:346 (pCA 32 FKBP L27V02A 1-44)
SEQ ID NO:347 (pCA 33 pCA L27V02A 46-169 FRB)
SEQ ID NO:348 (pCA 33 pCA L27V02A 46-169 FRB)
SEQ ID NO:349 (pCA 34 pCA FKBP 1-45 L27V02A)
SEQ ID NO:350 (pCA 34 pCA FKBP 1-45 L27V02A)
SEQ ID NO:351 (pCA 35 pCA L27V02A 100-169 FRB)
SEQ ID NO:352 (pCA 35 pCA L27V02A 100-169 FRB)
SEQ ID NO:353 (pCA 36 FKBP L27V02A 1-99)
SEQ ID NO:354 (pCA 36 FKBP L27V02A 1-99)
SEQ ID NO:355 (pCA 37 L27V02A 101-169 FRB)
SEQ ID NO:356 (pCA 37 L27V02A 101-169 FRB)
SEQ ID NO:357 (pCA 38 FKBP 1-100 L27V02A)
SEQ ID NO:358 (pCA 38 FKBP 1-100 L27V02A)
SEQ ID NO:359 (pCA 39 L27V02A 102-169 FRB)
SEQ ID NO:360 (pCA 39 L27V02A 102-169 FRB)
SEQ ID NO:361 (pCA 40 FKBP L27V02A 1-101)
SEQ ID NO:362 (pCA 40 FKBP L27V02A 1-101)
SEQ ID NO:363 (pCA 41 L27V02A 143-169 FRB)
SEQ ID NO:364 (pCA 41 L27V02A 143-169 FRB)
SEQ ID NO:365 (pCA 42 FKBP 1-142 L27V02A)
SEQ ID NO:366 (pCA 42 FKBP 1-142 L27V02A)
SEQ ID NO:367 (pCA 43 L27V02A 145-169 FRB)
SEQ ID NO:368 (pCA 43 L27V02A 145-169 FRB)
SEQ ID NO:369 (pCA 44 FKBP 1-144 L27V02A)
SEQ ID NO:370 (pCA 44 FKBP 1-144 L27V02A)
SEQ ID NO:371 (pCA 45 L27V02A 147-169 FRB)
SEQ ID NO:372 (pCA 45 L27V02A 147-169 FRB)
SEQ ID NO:373 (pCA 46 FKBP- L27V02A 1-146)
SEQ ID NO:374 (pCA 46 L27V02A-FKBP 1-146)
SEQ ID NO:375 (pCA 47 L27V02A 148-169 FRB)
SEQ ID NO:376 (pCA 47 L27V02A 148-169 FRB)
SEQ ID NO:377 (pCA 48 FKBP- L27V02A 1-147)
SEQ ID NO:378 (pCA 48 FKBP- L27V02A 1-147)

SEQ ID NO:379 (pCA 49 L27V02A 156-169 FRB)
SEQ ID NO:380 (pCA 49 L27V02A 156-169 FRB)
SEQ ID NO:381 (pCA 50 FKBP-L27V02A 1-155)
SEQ ID NO:382 (pCA 50 FKBP-L27V02A 1-155)
SEQ ID NO:383 (pCA 51 L27V02A 158-169 FRB)
SEQ ID NO:384 (pCA 51 L27V02A 158-169 FRB)
SEQ ID NO:385 (pCA 52 FKBP 1-157 L27V02A)
SEQ ID NO:386 (pCA 52 FKBP 1-157 L27V02A)
SEQ ID NO:387 (pCA 53 L27V02A 166-169 FRB)
SEQ ID NO:388 (pCA 53 L27V02A 166-169 FRB)
SEQ ID NO:389 (pCA 54 FKBP L27V02A 1-165)
SEQ ID NO:390 (pCA 54 FKBP L27V02A 1-165)
SEQ ID NO:391 (pCA 55 FKBP L27V02A 1-47)
SEQ ID NO:392 (pCA 55 FKBP L27V02A 1-47)
SEQ ID NO:393 (pCA 56 L27V02A 48-169-FRB)
SEQ ID NO:394 (pCA 56 L27V02A 48-169-FRB)
SEQ ID NO:395 (pCA 57 FKBP L27V02A 1-49)
SEQ ID NO:396 (pCA 57 FKBP L27V02A 1-49)
SEQ ID NO:397 (pCA 58 pCA L27V02A 50-169 FRB)
SEQ ID NO:398 (pCA 58 pCA L27V02A 50-169 FRB)
SEQ ID NO:399 (pCA 59 FKBP L27V02A 1-82)
SEQ ID NO:400 (pCA 59 FKBP L27V02A 1-82)
SEQ ID NO:401 (pCA 60 L27V02A 83-169-FRB)
SEQ ID NO:402 (pCA 60 L27V02A 83-16-FRB)
SEQ ID NO:403 (pCA 61 FKBP L27V02A 1-84)
SEQ ID NO:404 (pCA 61 FKBP L27V02A 1-84)
SEQ ID NO:405 (pCA 62 L27V02A 85-169-FRB)
SEQ ID NO:406 (pCA 62 L27V02A 85-169-FRB)
SEQ ID NO:407 (pCA 63 FKBP L27V02A 1-122)
SEQ ID NO:408 (pCA 63 FKBP L27V02A 1-122)
SEQ ID NO:409 (pCA 64 L27V02A 123-169-FRB)
SEQ ID NO:410 (pCA 64 L27V02A 123-169-FRB)
SEQ ID NO:411 (pCA 65 FKBP L27V02A 1-123)
SEQ ID NO:412 (pCA 65 FKBP L27V02A 1-123)
SEQ ID NO:413 (pCA 66 L27V02A 124-169 FRB)
SEQ ID NO:414 (pCA 66 L27V02A 124-169 FRB)
SEQ ID NO:415 (pCA 67 L27V02A 1-168)
SEQ ID NO:416 (pCA 67 L27V02A 1-168)

SEQ ID NO:417 (pCA 67 L27V02A 1-168)
SEQ ID NO:418 (*pCA 68 L27V02A 169 FRB)
SEQ ID NO:419 (*pCA 68 L27V02A 169 FRB)
SEQ ID NO:420 (pCA 69 FKBP L27V02A 1-166)
SEQ ID NO:421 (pCA 69 FKBP L27V02A 1-166)
SEQ ID NO:422 (*pCA 70 L27V02A 167-169 FRB)
SEQ ID NO:423 (*pCA 70 L27V02A 167-169 FRB)
SEQ ID NO:424 (pCA 71 FKBP L27V02A 1-164)
SEQ ID NO:425 (pCA 71 FKBP L27V02A 1-164)
SEQ ID NO:426 (pCA 72 L27V02A 165-169 FRB)
SEQ ID NO:428 (pCA 72 L27V02A 165-169 FRB)
SEQ ID NO:429 (pCA 73 FKBP L27V02A 1-162)
SEQ ID NO:430 (pCA 73 FKBP L27V02A 1-162)
SEQ ID NO:431 (pCA 74 L27V02A 163-169 FRB)
SEQ ID NO:432 (pCA 74 L27V02A 163-169 FRB)
SEQ ID NO:433 (pCA 75 FKBP L27V02A 1-160)
SEQ ID NO:434 (pCA 75 FKBP L27V02A 1-160)
SEQ ID NO:435 (pCA 76 L27V02A 161-169 FRB)
SEQ ID NO:436 (pCA 76 L27V02A 161-169 FRB)
SEQ ID NO:437 (pCA 77 FKBP L27V02A 1-158)
SEQ ID NO:438 (pCA 77 FKBP L27V02A 1-158)
SEQ ID NO:439 (pCA 78 L27V02A 159-169 FRB)
SEQ ID NO:440 (pCA 78 L27V02A 159-169 FRB)

[00529] The complementation pairs described in Table 42 were cloned into the pF4Ag vector as previously described. The PCA constructs (900 μ L) were then expressed in rabbit reticulocyte lysate (RRL; Promega Corp.) or wheat germ extract (Promega Corp.) following the manufacture's instructions. 1.25 μ L of the expression reactions for each PCA pair were mixed with 10 μ L of 2X Binding Buffer (100 mM HEPES, 200 mM NaCl, 0.2% CHAPS, 2 mM EDTA, 20% glycerol, 20 mM DTT, pH 7.5) and 7.5 μ L water, and 18 μ L transferred to wells of a 96-well plate. 2 μ L of 5 μ M Rapamycin (final concentration 0.5 μ M) was added and incubated for 10 min at room temperature.

[00530] Following incubation, 100 μ L of PBI-3939 (50X stock diluted to 1X in assay buffer) and incubate for 3 min at room temperature. Luminescence was measured as previously described (FIG. 76A-B: wheat germ; FIG. 76C-D: rabbit reticulocyte; FIG. 76E-F: cell free system [which system? WG or RRL?]; FIG. 76G: HEK293 cells).

[00531] FIG. 76A-G show the luminescence of various protein complementation (PCA) L27V pairs: one L27V fragment of each pair was fused to either FKBP or FRB using a 2/3 configuration (FIGS. 76A and 76C) or a 1/4 configuration (FIGS. 76B and 76D) as described, and the interaction of FKBP and FRB monitored in wheat germ extract (FIGS. 76A and 76B) and rabbit reticulocyte lysate (RRL) (FIGS. 76C and 76D); and the luminescence of various protein complementation (PCA) negative controls (FIG. 76E). The luminescence of various protein complementation L27V using a 1/4 configuration in a cell free system (RRL) (FIG. 76F) and HEK293 cells (FIG. 76G) was measured. The data in FIGS. 76A-G demonstrates that a variety of different deletions, i.e., small fragments of the L27V variant, are functional.

[00532] 3. To demonstrate the use of the PCA constructs for cell-based PCA, the constructs were transfected into HEK293 cells and assayed with PBI-4377. Plasmid DNA (5 ng) from each PCA pair (6, 12, 55, 84, and 103) were mixed with 40 ng carrier DNA (pGEM-3fz) and 5 μ L OPTI-MEM® and incubated at room temperature for 5 min. FUGENE® HD (0.15 μ L) was then added and again incubated at room temperature for 15 min. The DNA transfection mixtures were added to 100 μ L HEK293 cells (1.5×10^5 cells/mL) in DMEM with 10% FBS (no antibiotics), transferred to wells of a 96-well plate, and incubated overnight at 37°C, 5% CO₂.

[00533] After transfection, the media was removed and replaced with CO₂-independent media with 20 μ M or 50X PBI-4377 and incubated at 37°C without CO₂ regulation for 2 hrs. Luminescence was measured, 10 μ L rapamycin added, and luminescence measured again every 2 min for 2 hrs (FIGS. 76A-C).

[00534] 4. To demonstrate the use of the PCA constructs to identify inhibitors of protein-protein interactions, the constructs described in #2 of this example were used.

[00535] The complementation pairs, 103 “2/3”, 157 “2/3”, 103 “1/4” and 157 “1/4” described in Table 42 were cloned into the pF4Ag vector as previously described. The PCA constructs (25 μ L) were then expressed in rabbit reticulocyte lysate (RRL; Promega Corp.) following the manufacture’s instructions. 1.25 μ L of the expression reactions for each PCA pair were mixed with 10 μ L of 2X Binding Buffer (100 mM HEPES, 200 mM NaCl, 0.2% CHAPS, 2 mM EDTA, 20% glycerol, 20 mM DTT, pH 7.5) and 7.5 μ L water, and 16.2 μ L transferred to wells of a 96-well plate. Rapamycin was examined with various amounts of FK506. To the reactions, the FRB-FKBP binding inhibitor, FK506 (10X) was added, and the reactions incubated at room temperature for 10 min. 15 nM rapamycin (10X stock solution) was added to get a final concentration of 1.5 nM rapamycin and incubated for 2 hrs at room temperature. Following incubation, 100 μ L of PBI-3939 (50X stock diluted to 1X in assay buffer) and incubated for 3

min at room temperature. Luminescence was measured on a GLOMAX® luminometer. FIG. 77 demonstrates that the PCA constructs disclosed herein can be used to identify inhibitors of protein-protein interactions.

[00536] 5. To demonstrate the use of the PCA constructs in a lytic format, the complementation pairs, 103 “2/3”, 157 “2/3”, and 103 “1/4” were transfected into HEK293 cells and assayed with PBI-3939. 0.5 ng plasmid from each PCA pair was mixed with 5 µL OPTI-MEM® and 49 ng pGEM-3zf (Promega Corp.). The sample mixture was incubated at room temperature for 5 min. 0.15 µL FUGENE® HD was then added to the sample mixture and incubated at room temperature for 15 min. 100 µL of HEK293 cells in DMEM with 10% FBS (no antibiotics) at a concentration of 1.5×10^5 cells/mL was added to each sample mixture. The cell sample was then transferred to a well of a 96-well plate and incubated at 37°C, 5% CO₂ overnight.

[00537] The next day, 11.1 µL of 10 µM Rapamycin (Final concentration 1 µM) was added to half of the wells and 11.1 µL water was added to other half of the wells. The 96-well plates were incubated at 37°C for 1 hr. 100 µL of assay reagent + PBI-3939 (2 µL 50X PBI-3939 mixed with 98 µL assay reagent, previously described) was added to each well and the plates were incubated at 37°C for 4 min. Luminescence was measured on a GLOMAX® luminometer at 37°C with 0.5s integration time and 1 read. (FIG. 76H).

Example 50 - OgLuc cAMP Biosensor

[00538] The OgLuc variants of the present invention can be linked to light output not only through concentration, but also through modulation of enzymatic activity. For example, a cAMP biosensor can be developed by incorporating a cAMP-binding domain from Protein Kinase A into a circularly permuted OgLuc variant. An OgLuc variant of the present invention can be circularly permuted at a site(s) tolerable to such permutation by methods known in the art (e.g., U.S. Published Application No. 2005/0153310). The resulting circularly permuted OgLuc variant chimeric protein can function as an intracellular biosensor for cAMP when expressed in mammalian cells. Upon binding of cAMP to the biosensor, the biosensor undergoes a conformational change that creates an active luciferase enzyme. Treating the cells with forskolin, an activator for adenylate cyclase, should result in an increase in luminescence with increasing concentrations of forskolin. Similar biosensors for targets including but not limited to calcium (Ca²⁺), cGMP, and proteases such as caspases and tobacco etch virus (TEV) can be developed by incorporating the appropriate binding domain or cleavage site for each into a circularly permuted OgLuc variant.

[00539] The utility of OgLuc as a biosensor was demonstrated by analysis of variant 9B8 opt in the context of a cAMP sensor. Circularly permuted constructs containing the RII β B subunit of Protein Kinase-A flanked by OgLuc variant sequences were made and expressed in a cell free system as described in described in PCT application PCT/US2007/008176, except the sites for circular permutation were chosen as described below. The nascent protein was assayed in the presence and absence of cAMP. Response to cAMP is defined as the ratio of activity (+) cAMP/ (-) cAMP.

[00540] A structural model for OgLuc has been created, based on similarities to certain fatty acid binding proteins of known structure, previously described in PCT/US2010/33449. The model predicts an ordered sequence of the standard protein structural motifs; α -helix and β -sheet. The regions that transition between these structural elements as circular permutation sites were chosen (see Table 43).

[00541] 1. The template for expression of the biosensor constructs consisted of: C-terminal OgLuc sequence-RII β B sequence-N-terminal OgLuc sequence in plasmid pF5 (Promega Corp.). The TNT® T7 Coupled Wheat Germ Extract System (Promega Part #L4140) was used to translate the construct. The TNT® Wheat Germ Extract Reaction included 25 μ L TNT® Wheat Germ Extract (L411A), 2 μ L TNT® Reaction Buffer (L462A), 1 μ L Amino Acid Mixture, Complete (L446A), 1 μ L RNasin® (40 U/ μ L) (N2615), 1 μ L TNT® T7 RNA Polymerase (L516A), 1.0 μ g DNA template and Nuclease-Free Water to bring the total volume to 50 μ L. The reaction mixture was incubated at 30°C for 120 min.

[00542] An OgLuc activity assay was performed by adding to the 50 μ L OgLuc translation mixture, 50 μ L OgLuc Glo Reagent (100 mM MES (pH 6.0), 1 mM CDTA, 150 mM KCl, 35 mM thiourea, 2 mM DTT, 0.25% TERGITOL® NP-9 (v/v), 0.025% MAZU® DF 204, and 20 μ M PBI-3939) with or without 100 μ M cAMP, and performing a kinetic read for 30 min (TECAN® INFINITE® F500 Plate Reader). Response is determined by dividing the luminescence generated by the biosensor with cAMP by the luminescence generated by the biosensor without cAMP (Table 43).

Table 43: Response of Circularly-Permuted OgLuc Biosensors to cAMP

CP-SITE	RESPONSE
27	2.6X
51	2.2X
84	1.5X

122	4.3X
147	1.9X
157	5.6X

[00543] 2. A cAMP biosensor of 9B8opt circularly permuted at the CP-site 51 was created as described in 1. The biosensor was then transfected into HEK293 cells (15,000 cells/well) using FUGENE® HD according to the manufacturer's instructions into a 96-well plate, and incubated overnight at 37°C, 5% CO₂. After transfection, the media was removed and replaced with CO₂-independent media with 10% FBS. The cells were then incubated for 2 hrs at 37°C, 5% CO₂ after which varying amounts of FSK were added. The cells were then again incubated for 3 hrs at 37°C, 5% CO₂. 6 µM PBI-3939 was then added, and luminescence measured after 13 min (FIG. 78).

[00544] 3. Circularly permuted ("CP"; e.g., CP6 refers to the old residue 6 being new residue 1 after Met) and Straight Split ("SS"; e.g., SS6 refers to a sensor orientated as follows: OgLuc (1-6)-RIIβb binding site (SEQ ID NOs: 441 and 442) -OgLuc (7-169)) versions of L27V were used as cAMP biosensors (SEQ ID NOs: 467-574). CP (SEQ ID NOs: 467-498 and 555-574) and SS (SEQ ID NOs: 499-554) versions of the L27V variant were derived as previously described and expressed in expressed in rabbit reticulocyte lysate (RRL; Promega Corp.) following the manufacture's instructions. The linker sequence between the C-terminus of the RIIβb binding site and OgLuc luciferase sequence was GGGTCAGGTGGATCTGGAGGTAGCTCTTCT (SEQ ID NO: 575). The linker sequence between the N-terminus of the RIIβb binding site and OgLuc luciferase sequence was AGCTCAAGCGGAGGTTTCAGGCGGTTCCGGA (SEQ ID NO: 576) 3.75 µL of the expression reactions were mixed with 1.25 µL 4X cAMP (final concentration 1 nM-0.1 mM), and incubated at room temperature for 15 min. Following incubation, 100 µL of PBI-3939 (50X stock diluted to 1X in assay buffer) and incubated for 3 min at room temperature. Luminescence was measured on a GLOMAX® luminometer (FIGS. 79A-B). Luminescence was also measured for CP and SS versions of the L27V variant expressed in HEK293 cells and treated with forskolin as previously described (FIGS. 79C-D). FIGS. 79A-D demonstrates that circularly permuted and straight split versions of the OgLuc variants disclosed herein can be used as biosensors.

Example 51 - Subcellular Distribution and Localization

[00545] To analysis subcellular distribution, U2OS cells were plated at 2×10^4 cells/cm² into glass-bottom culture dishes in McCoy's 5A media (Invitrogen) containing 10% FBS. The cells

were then incubated for 24 hrs at 37°C, 5% CO₂. Cells were then transfected with 1/20 volume transfection mixture (FUGENE® HD and pF5A-CMV-L27V (the L27V variant (SEQ ID NO: 88) cloned into the pF5A vector with CMV promoter (Promega Corp.)) or pGEM3ZF (Promega Corp.; negative control)) and incubated for 24 hrs at 37°C, 5% CO₂. Following incubation, the cell media was replaced with CO₂-independent media with 0.5% FBS and 100 µM PBI-4378. After a 30 min incubation at 37°C, unfiltered images were captured on an Olympus LV200 bioluminescence microscope using a 60X objective (FIGS. 80A-B) for 25, 100, 1000, and 5000 ms.

[00546] To analyze subcellular localization, N-terminal L27V fusions with the GPCR AT1R (Angiotensin type 1 receptor (SEQ ID NOs: 459 and 460)) with IL-6 secretion sequence (SEQ ID NOs: 461 and 462) or the transcription factor, Nrf2 (SEQ ID NO: 317), were made using a GSSG linker (SEQ ID NOs: 457 and 458) and transfected into U2OS cells as described above (FIGS. 81A-C). FIG. 81C (“GPCRC”) shows expression of a construct where the IL6 signal sequence is upstream of the L27V variant sequence and the AT1R is downstream of the L27V variant sequence. The L27V variant alone was also transfected (“Unfused”). After a 24 hr incubation at 37°C, 5% CO₂, cell media was replaced with CO₂-independent media with 0.5% FBS and equilibrated for 1 hr at 37°C in a non-CO₂-regulated atmosphere. An equal volume of media + 200 µM PBI-3939 was then added, and unfiltered images were captured immediately on an Olympus LV200 bioluminescence microscope using a 60X or 150X objective (FIGS. 81A-C). For cells expressing L27V alone, PBI-3939 was washed off the cells immediately before image capture.

Example 52 - Monitoring Intracellular Signal Pathways

[00547] This example provides two examples of the novel luciferase being used to monitor intracellular signal pathways at the protein level (as opposed to the response element examples which represent transcriptional activation). The variant 9B8opt (SEQ ID NO: 24) was fused to either IκB (Gross *et al.*, *Nature Methods* **2**(8):607-614 (2005)) (at the C-terminus, i.e., N-IκB-(9B8opt)-C)) or ODD(oxygen-dependent degradation domain of Hif-1-α (Moroz *et al.*, *PLoS One* **4**(4):e5077 (2009)) (at the N-terminus, i.e., N-(9B8opt)-ODD-C)). IκB is known to be degraded in cells upon stimulation with TNFα; therefore, the IκB-(9B8opt) construct could be used as a live cell TNFα sensor. ODD (Hif-1-α) is known to accumulate inside cells upon stimulation with compounds that induce hypoxia; therefore, the ODD-(9B8opt) construct could be used as a live cell hypoxia sensor.

[00548] Constructs containing fusions with I κ B or ODD with 9B8opt (pF5A) were expressed in HEK293 cells via reverse transfection (5 ng (I κ B) or 0.05 ng (ODD) DNA (mixed with carrier DNA to give a total of 50 ng)) as previously described and incubated for 24 hrs at 37°C, 5% CO₂. After transfection, the media was replaced with fresh CO₂-independent media containing 0.5% FBS and 20 μ M PBI-4377 and allowed to equilibrate for 4 hrs at 37°C, atmospheric CO₂. Cells were then exposed to a stimulus: TNF α for I κ B fusion expressing cells and phenanthroline for ODD fusion expressing cells. DMSO (vehicle) was added to control cells. For the TNF α /I κ B samples, 100 μ g/mL cycloheximide was added approximately 15 min prior to adding the stimulus to prevent synthesis of new protein. At the indicated time points following treatment, cells were assayed for luminescence. For data normalization, the RLU of each sample at a given time point were divided by the RLU from the same sample immediately after stimulation. Fold response for each sensor was then determined (FIGS. 82A-C).

[00549] B. L27V was used to monitor the oxidative stress signal pathways at the protein level. L27V or *Renilla* luciferase (Rluc) was fused to Nrf2/NFE2L2 in a pF5K expression vector (at the C-terminus; i.e., N-Nrf2-(L27V)-C or N-Nrf2-(Rluc)-C). Keap1 is a negative regulator of Nrf2 (SEQ ID NO: 217). In order to faithfully represent regulation of Nrf2-L27V02 protein levels, Keap1, was co-expressed to keep Nrf2 levels low (via ubiquitination).

[00550] Nrf2-L27V or Nrf2-Rluc (5 ng, pF5K) and a HALOTAG®- Keap1 fusion protein (pFN21-HT7-Keap1 (SEQ ID NO: 316); 50 ng) were expressed in HEK293 cells by transfection of the cells at the time of seeding into the 96-well plates as previously described and incubated for 24 hrs at 37°C, 5% CO₂. After transfection, the media was replaced with fresh CO₂-independent media with 0.5% FBS and 20 μ M PBI-4377 for L27V or 20 μ M ENDUREN™ (Promega Corp.) for *Renilla* luciferase, and the cells equilibrated for 4 hrs at 37°C under atmospheric CO₂. For kinetic analysis, 20 μ M D,L sulforaphane or vehicle (DMSO) were used. In FIG. 83A, luminescence was measured as previously described at the indicated time points following treatment. For data normalization, the luminescence of each sample at a given time point was divided by the luminescence from the same sample immediately after stimulation (FIGS. 83B-C).

[00551] C. A comparison of the response of the Nrf2 sensor described in B and Nrf2(ARE)-Luc2P reporter (Promega Corp.) was performed. Both the Nrf2 sensor and reporter were screened as described in section B above. For the firefly (Luc2P) reporter gene assay, the ONE-GLO™ assay reagent was used. FIGS. 84A-B provides the normalized response of Nrf2-L27V at 2 hrs and Nrf2(ARE)-Luc2P at 16 hrs

Example 53 – Evaluation of OgLuc Variant as Bioluminescent Reporter with BRET

[00552] Bioluminescence resonance energy transfer (BRET) allows monitoring of protein-protein interactions. The intramolecular energy transfer was examined between IV and a HT7 fusion partner where HT7 was previously labeled with a fluorophore, i.e., TMR (excitation/emission (ex/em) wavelength = 555/585 nm) or Rhodamine 110 (excitation/emission wavelength = 502/527 nm). 50 μ L of a bacterial cell lysate containing the IV-HT7 fusion protein of Example 34 was incubated with or without 0.001-10 μ M fluorophore ligand for 1 hr at room temperature. After the incubation, 50 μ L of RENILLA-GLO™, which contains 22 μ M coelenterazine-h, was added to 50 μ L of the enzyme-ligand mixture, and the emission spectrum was recorded at 5 min. Example spectra of IV-HT7 with TMR (FIG. 83A) or Rhodamine 110 (“Rhod110”) (FIG. 85B) are shown indicating BRET was greater when the ex/em of the ligand was closer to the 460 nm luminescent peak of OgLuc, i.e., greater with Rhodamine 110. This data shows that intramolecular energy transfer can occur between OgLuc variants and a fluorophore on a fusion protein. Three different controls were used for comparison (data not shown): 1) a non-HT fusion, 2) a HT-fusion that was not labeled with a HT ligand, and 3) a labeled HT-fusion that was proteolytically cleaved at a TEV site between OgLuc and HT (which indicated the involvement of proximity/distance). BRET was not observed in the three different controls suggesting that HT was involved to achieve BRET. BRET was greater for C1+A4E and IV with a C-terminal HT7 compared to N-terminal HT7.

Example 54 – Protein Proximity Assays for live cells or lytic formats

[00553] In one example, circularly permuted (CP) or straight split (SS) OgLuc fusion proteins is applied to measurements of protein proximity. OgLuc is permuted or split via insertion of a protease substrate amino acid sequence (e.g., TEV) to generate low bioluminescence. The inactive luciferase is tethered (e.g., via genetic fusion) to a monitor protein. A potential interacting protein is tethered (e.g., via genetic fusion) to a protease (e.g., TEV). When the two monitor proteins interact or are in sufficient proximity (e.g., via a constitutive interaction, a drug stimulus or a pathway response), the luciferase is cleaved to generate increased bioluminescence activity. The example may be applied to measurements of protein proximity in cells or in biochemical assays. Furthermore, the high thermal stability of an OgLuc variant luciferase could enable measurements of antibody-antigen interactions in lysed cells or biochemical assays.

Example 55 - Bioluminescent Assays

[00554] 1. To demonstrate the use of an OgLuc variant in a bioluminescent assay to detect caspase-3 enzyme, the 9B8 opt variant was used in a bioluminescent assay using a pro-coelenterazine substrate comprising the DEVD caspase-3 cleavage sequence. Purified caspase-3 enzyme was mixed with an *E. coli* lysate sample expressing the variant 9B8 opt, which was prepared as described in Example 27, and diluted 10-fold in a buffer containing 100 mM MES pH 6.0, 1 mM CDTA, 150 mM KCl, 35 mM thiourea, 2 mM DTT, 0.25% TERGITOL® NP-9 (v/v), 0.025% MAZU® DF 204, with or without 23.5 μ M z-DEVD-coelenterazine-h in 100 mM HEPES pH 7.5. The caspase-3 enzyme was incubated with the lysate sample for 3 hrs at room temperature, and luminescence detected on a Turner MODULUS™ luminometer at various time points. A sample containing only bacterial lysate and a sample containing only caspase-3 were used as controls. Three replicates were used. FIG. 86 and Table 44 demonstrate that 9B8 opt, and thus other OgLuc variants of the present invention, can be used in a bioluminescent assay with a pro-coelenterazine substrate to detect an enzyme of interest.

Table 44: Average luminescence in RLU generated from bacterial lysates expressing the 9B8 opt variant incubated with or without purified caspase-3 using z-DEVD-coelenterazine-h as a substrate.

time (min)	no caspase (RLU)	+ caspase (RLU)
5	26,023	25,411
15.3	7,707	36,906
29.9	4,013	41,854
60.9	2,305	43,370
190.3	1,155	42,448

[00555] 2. The L27V variant was used in a bioluminescent assay using a pro-coelenterazine substrate comprising the DEVD caspase-3 cleavage sequence. Purified caspase-3 enzyme (1 mg/mL) in 100 mM MES pH 6 (50 μ L) was mixed with 227 nM L27V02 variant and 47 μ M PBI-3741 (z-DEVD-coelenterazine-h) in assay buffer (50 μ L). Reactions were incubated for 3 hrs at room temperature, and luminescence detected as previously described. The assay with the L27V variant was compared to a firefly luciferase version of the assay, CASPASE-GLO® 3/7- Assay system (Caspase-Glo; Promega Corp.). Table 45 demonstrate that L27V variant, and thus other OgLuc variants of the present invention, can be used in a bioluminescent assay with a pro-coelenterazine substrate to detect an enzyme of interest.

Table 45

	(+) caspase	+/-	(-) caspase	+/-
L27V	11,532	93	803	25
Caspase-Glo	15,156,567	793,981	302	5

Example 56 - Immunoassays

[00556] The OgLuc variants of the present invention are integrated into a variety of different immunoassay concepts. For example, an OgLuc variant is genetically-fused or chemically conjugated to a primary or secondary antibody to provide a method of detection for a particular analyte. As another example, an OgLuc variant is genetically-fused or chemically conjugated to protein A, protein G, protein L, or any other peptide or protein known to bind to Ig fragments, and this could then be used to detect a specific antibody bound to a particular analyte. As another example, an OgLuc variant is genetically-fused or chemically conjugated to streptavidin and used to detect a specific biotinylated antibody bound to a particular analyte. As another example, complementary fragments of an OgLuc variant are genetically-fused or chemically conjugated to primary and secondary antibodies, where the primary antibody recognizes a particular immobilized analyte, and the secondary antibody recognizes the primary antibody, all in an ELISA-like format. The OgLuc variant activity, i.e., luminescence, is reconstituted in the presence of immobilized analyte and used as a means to quantify the analyte.

[00557] As another example, complementary fragments of an OgLuc variant can be fused to two antibodies, where one antibody recognizes a particular analyte at one epitope, and the second antibody recognizes the analyte at a separate epitope. The OgLuc variant activity would be reconstituted in the presence of analyte. The method would be amenable to measurements of analyte quantification in a complex milieu such as a cell lysate or cell medium. As another example, complementary fragments of an OgLuc variant can be fused to two antibodies, where one antibody recognizes a particular analyte regardless of modification, and the second antibody recognizes only the modified analyte (for example, following post-translational modification). The OgLuc variant activity would be reconstituted in the presence of analyte only when it is modified. The method would be amenable to measurements of modified analyte in a complex milieu such as a cell lysate. As another example, an OgLuc variant can be conjugated to an analyte (e.g., prostaglandins) and used in a competitive sandwich ELISA format.

Example 57 – Dimerization Assay

[00558] This example demonstrates that full-length circularly permuted OgLuc variants can be fused to respective binding partners, e.g., FRB and FKBP, and used in a protein complementation-type assay. The key difference between the method disclosed herein and traditional protein complementation is that there was no complementation, but rather there was dimerization of two full length enzymes, e.g., circularly permuted OgLuc variants.

[00559] Briefly, the circularly permuted reporter proteins similarly configured for low activity were fused to both of the fusion protein partners (*See* FIG. 87A). For example, each fusion partner may be linked to identically structured, permuted reporters. Interaction of the fusion partners brought the permuted reporters into close proximity, thereby allowing reconstitution of a hybrid reporter having higher activity. The new hybrid reporter included portions of each of the circularly permuted reporters in a manner to reduce the structural constraint.

[00560] Circularly permuted, straight split L27V variants CP84 and CP103 (N-(SS-169)-(1-SS₁)-FRB-C and C-(1-SS₁)-(SS-169)-FKBP) were cloned as previously described and expressed (25 μ L) in rabbit reticulocyte lysate (RRL; Promega Corp.) following the manufacture's instructions. 1.25 μ L of the expression reactions for each dimerization pair were mixed with 10 μ L of 2X Binding Buffer (100 mM HEPES, 200 mM NaCl, 0.2% CHAPS, 2 mM EDTA, 20% glycerol, 20 mM DTT, pH 7.5) and 7.5 μ L water, and 18 μ L transferred to wells of a 96-well plate. To the reactions, 2 μ L rapamycin (final concentration 0 and 0.1-1000 nM) was added, and the reactions incubated at room temperature for 10 min. Following incubation, 100 μ L of PBI-3939 (50X stock diluted to 1X in assay buffer) and incubated for 3 min at room temperature. Luminescence was measured on a GLOMAX® luminometer (FIG. 87B) and the response was determined (FIG. 87C). FIGS. 87B-C demonstrates that the OgLuc variants of the present invention can be used to detect protein-protein interactions via a PCA-type dimerization assay.

Example 58 - Intercellular Half-Life

[00561] The intracellular half-life of the OgLuc variants 9B8, 9B8+K33N, V2, L27V, and V2+L27M were determined. CHO cells (500,000) in 15-100 mm plates in F12 media with 10% FBS and 1X sodium pyruvate were transfected with 30 μ L 100 ng/ μ L plasmid DNA containing 9B8, 9B8+K33N, V2, L27V ("V2+L27V") or V2+L27M (all in pF4A vector background) using TRANSIT®-LT1 (Mirus) according to the manufacture's instructions. The cells were then incubated for 6 hrs.

[00562] After incubation, the media was removed and 1 mL Trypsin added to dissociate the cells from the plate. 3 mL of F12 media was then added, and the cells counted. Cells were then

plated at 10,000 cells/well into 6 wells of a 96-well plate (6 wells/variant) and incubated overnight at 37°C. Samples were distributed over 3 plates. Each plate had 6 replicates for different time point measurements.

[00563] After overnight incubation, the media was removed from the cells for t=0 samples, and 100 µL assay buffer (previously described; no substrate) was added. The sample was frozen on dry ice and stored at -20°C. Cycloheximide (100 mg/mL) was diluted 1:100 to a final concentration of 1 mg/mL in OPTI-MEM®. DMSO (100%) was also diluted 1:100 (final concentration 1%) in OPTI-MEM®. The diluted cycloheximide (1 mg/mL) was added (11 µL) to 3 replicates of each transfected variant sample and 11 µL of the diluted DMSO (1%) was added to the other 3 replicates. The cells were then incubated at 37°C, 5% CO₂ and removed at various timepoints (i.e., 0, 0.5, 0.9, 2.5, 4.3, and 6.2 hrs) and processed as the t=0 samples.

[00564] For analysis, the samples were thawed to room temperature, and 10 µL assayed in 50 µL assay reagent. Luminescence was measured on a GLOMAX® luminometer. At each time-point, luminescence was measured for untreated and cycloheximide-treated samples. The RLU for the cells treated with cycloheximide was normalized by the RLU for the untreated cells.

[00565] The intracellular half-life of each variant was calculated by measuring the ratio of the luminescence from the cycloheximide (CHX)-treated to the untreated at each time-point. The ratio was then plotted ln (% treated to untreated) over time, and the half-life calculated (Table 46). The OgLuc variants had intracellular half-lives of approximately 6-9 hrs with a full strength CMV promoter, but the half lives were reduced with a CMV deletion variant (d2). The presence of a PEST degradation signal combined with the full strength CMV promoter reduces half-life significantly.

Table 46

Sample	CMV no deg.	CMV d2 no deg.	CMV Pest
9B8	6.32	3.87	1.43
K33N	9.24	3.70	1.18
V2	9.63	4.28	1.61
V2+L27V	6.66	4.78	1.63
V2+L27M	8.89	6.98	1.63

[00566] Another experiment was completed using the reverse transfection protocol described in Example 52 with HEK293 cells (data not shown). The results from this experiment indicate that the intracellular half-life for the L27V variant with PEST is 10 min. The L27V variant with

no degradation signal used in this experiment did not show a decay over the course of this experiment. In this case the decay was normalized to untreated cells at $t=0$.

Example 59 – Exposure of OgLuc Variants to Urea

[00567] Since Firefly luciferase is known to be relatively unstable, it is much more sensitive to urea exposure. To determine whether this was also the case with the OgLuc variants, the sensitivity of the OgLuc to urea was determined. 5 μ L of 45.3 μ M L27V enzyme was mixed with 100 μ L of a urea solution (100 mM MOPS, pH 7.2, 100 mM NaCl, 1 mM CDTA, 5% glycerol and various concentrations of urea) and incubated for 30 min at room temperature. 5 μ L of the urea+L27V enzyme solution was diluted 10,000-fold into DMEM without phenol red + 0.1% PRIONEX®, 50 μ L was mixed with 50 μ L of assay reagent containing 100 μ M PBI-3939 (previously described) and the luminescence was read at 10 min. (FIG. 88). FIG. 88 indicates that L27V is either resistant to urea or refolds to a functional enzyme very quickly upon removal of urea. This suggests that L27V could be used as a reporter enzyme when chemical denaturing conditions are involved, e.g., multiplexing in conditions where a denaturant is used to stop an enzymatic reaction prior to the OgLuc variant-based reaction.

[00568] A 0.31 mg/mL stock of purified L27V variant was diluted 100,000-fold into buffer (PBS + 1 mM DTT + 0.005% IGEPAL) and incubated with 3 M urea for 30 min at 25°C and then mixed 1:1 (50 μ L + 50 μ L) with an assay reagent containing 100 μ M PBI-3939 (previously described). The reactions were read on a TECAN® INFINITE® F500 luminometer as described previously (for 100 min; 1 min read intervals) (FIG. 89). The results indicate that 3M urea reduces the activity of L27V variant by approximately 50%, but, upon diluting out the urea by 2-fold (to a 1.5 M final concentration) the activity increases, presumably due to refolding.

Example 60 – Imaging of OgLuc Fusion Proteins

[00569] This example demonstrates the use of OgLuc and OgLuc variants to monitor protein translocation in living cells without the need for fluorescence excitation. OgLuc variants were fused to human glucocorticoid receptor (GR; SEQ ID NOs: 451 and 452), human protein kinase C alpha (PKCa; SEQ ID NOs: 449 and 450) or LC3 (SEQ ID NOs: 577 and 578). To analyze subcellular protein translocation using bioluminescence imaging, HeLa cells were plated at 2×10^4 cells/cm² into glass-bottom culture dishes (MatTek) in DMEM medium (Invitrogen) containing 10% FBS. The cells were then incubated for 24 hrs at 37°C, 5% CO₂. Cells were then transfected with 1/20 volume transfection mixture (FUGENE® HD and DNA encoding L27V02-GR (SEQ ID NOs: 453 and 454) or L27V02-PKC alpha (SEQ ID NOs: 455 and 456) cloned into the pF5A vector (Promega Corp.)). The plasmid DNA for L27V02-GR was diluted 1:20 into

pGEM-3ZF (Promega Corp.) to achieve appropriate expression levels of L27V02-GR. The plasmid DNA for L27V02-LC3 and L27V02-PKC alpha was used undiluted. Cells were then incubated for 24 hrs at 37°C, 5% CO₂. Cells transfected with GR fusion proteins were starved of GR agonist for 20 hrs using MEM medium supplemented with 1% charcoal/dextran-treated FBS (Invitrogen). Twenty-four hrs post-transfection (for PKC alpha measurements) or 48 hrs post-transfection (for GR measurements), the cell media was replaced with CO₂-independent media containing 100 µM PBI-3939 immediately before imaging. Unfiltered images were immediately captured on an Olympus LV200 bioluminescence microscope using a 150X objective.

[00570] Cytosol-to-nucleus translocation of L27V02-GR fusion protein was achieved via stimulation with 0.5 mM dexamethasone for 15 min. Cytosol-to-plasma membrane translocation of L27V02-PKC alpha fusion protein was achieved via stimulation with 100 nM PMA for 20 min. L27V02-LC3 fusion protein transfected cells were left untreated or treated with 50 mM Chloroquine in DMEM medium (Invitrogen) containing 10% FBS.

[00571] *L27V02-Glucocorticoid receptor*

[00572] In the absence of glucocorticoids, glucocorticoid receptor (GR) is complexed to Hsp90 proteins and resides in the cytosol. Upon interaction of GR with glucocorticoids, such as dexamethasone, GR proteins dissociate from these protein complexes and translocate to the nucleus to regulate gene transcription. FIGS. 90A-B show the bioluminescence imaging of dexamethasone-induced cytosol to nuclear receptor (NR) translocation of L27V02-glucocorticoid receptor (GR) fusion proteins using PBI-3939 substrate in HeLa cells.

[00573] *L27V02-PKCa*

[00574] Upon treatment with phorbol esters, PKC alpha proteins are recruited to the plasma membrane and regulate cellular responses including membrane dynamics and signal transduction. FIGS. 91A-B show the bioluminescence imaging of phorbol ester-induced Protein Kinase C alpha (PKC alpha) cytosol to plasma membrane translocation of OgLuc L27V02-PKC alpha fusions using PBI3939 substrate in U-2 OS cells.

[00575] *L27V-LC3*

[00576] Association of processed LC-3 proteins with autophagosomes represents a hallmark step in autophagy. Chloroquine treatment arrests autophagic flux at this stage, resulting in accumulation of LC-3 proteins on autophagosomes (producing a punctate subcellular distribution). FIGS. 92A-B show the bioluminescence imaging of chloroquine-induced

autophagosomal protein translocation of OgLuc L27V-LC3 fusions proteins (SEQ ID NOs: 592 and 593) using PBI-3939 substrate in two representative HeLa cell samples.

Table 47 – Proviso List

C1+A4E	Additional Substitutions					
C1+A4E	L92G					
C1+A4E	L92Q					
C1+A4E	L92S					
C1+A4E	L92A					
C1+A4E	L72Q					
C1+A4E	I90T					
C1+A4E	Q20R					
C1+A4E	C164S					
C1+A4E	M75K					
C1+A4E	V79I					
C1+A4E	F54I					
C1+A4E	K89E					
C1+A4E	I90V					
C1+A4E	F77W	F68S	I90V			
C1+A4E	F54I	M75K				
C1+A4E	F54I	M75K	I90V			
C1+A4E	F54I	F68S	M75K			
C1+A4E	F54I	I90V				
C1+A4E	F54I					
C1+A4E	F54T	N135K	I167V	P104L	D139E	
C1+A4E	V45E	L34M	G51V	I99V	I143L	
C1+A4E	S28P	L34M	G51V	I99V	I143L	F54T
C1+A4E	S28P	L34M	G51V	I99V	I143L	F54T
C1+A4E	S28P					

SEQUENCE LISTING

SEQ ID NO:1 (Native mature Ogluc protein) *Oplophorus gracilirostris*

FTLADDFVGDWQQTAGYNQDQVLEQGGGLSSSLFQALGVSVTPPIQKVVLSENGENLKADIHV I I PYEGL
SGFQMGLIEMI FKVVYPVDDHHFKI ILHYGTLVIDGVTPNMIDYFGRPYPGIAVFDGKQITVTGT
LWNGNKIYDERLINPDGSLLFRVTINGVTGWRLCENILA

SEQ ID NO:2 (C1A4E nucleotide)

ATGGTGTTTACATTGGAGGATTTTCGTTGGAGACTGGCGGCAGACAGCTGGATACAACCAAGATCA
AGTGTTAGAACAAAGGAGGATTGTCTAGTCTGTTCCAAAAGCTGGGAGTGTGAGTCACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAATTTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTTTCAAATGGGTCTGATTGAAATGATCTTCAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGATTATTCTCCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTACTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGAACCTCTGTGGAACGGCAACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCACTCCT
CTTCCGCGTTACTATCAATGGAGTCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:3 (C1A4E protein)

MVFTLEDFVGDWRQTAGYNQDQVLEQGGGLSSSLFQKLGVSVTPPIQKIVLSENGENLKFDIHV I I PYE
GLSGFQMGLIEMI FKVVYPVDDHHFKI ILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKI I DERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:4 (QC27 nucleotide)

ATGGTGTTTACATTGGAGGATTTTCGTTGGAGACTGGCGGCAGACAGCTGGATACAACCTAGATCA
AGTGTTAGAACAAAGGAGGATTGTCTAGTCTGTTCCAAAAGCTGGGAGTGTGAGTCACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAATTTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTTTCAAATGGGTCTGATTGAAATGATCTTCAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGATTATTCACCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTTCTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGAACCTCTGTGGAACGGCAACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCACTCCT
CTTCCGCGTTACTATCAATGGAGTCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:5 (QC27 protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGGLSSSLFQKLGVSVTPPIQKIVLSENGENLKIDIHV I I PYE
GLSGFQMGLIEMI FKVVYPVDDHHFKI I HHYGT LVIDGVTPNMIDFFGRPYEGIAVFDGKKITVT
GTLWNGNKI I DERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:6 (QC27 9a nucleotide)

ATGGTGTTTACATTGGAGGATTTTCGTTGGAGACTGGCGGCAGACAGCTGGATACAACCTAGATCA
ACTGTTAGAACAAAGGAGGATTGTCTAGTCTGTTCCAAAAGCTGGGAGTGTGAGTCACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAATTTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTATCAAATGGGTCAGATTGAAAAGATCTTCAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGATTATTCGCCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTTCTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGAACCTCTGTGGAACGGCAACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCACTCCT
CTTCCGCGTTACTATCAATGGAATCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:7 (QC27 9a protein)

MVFTLEDFVGDWRQTAGYNLDQLLEQGGGLSSSLFQKLGVSVTPPIQKIVLSENGENLKIDIHV I I PYE
GLSGYQMGLIEKIFKVVYPVDDHHFKI I RHYGTLVIDGVTPNMIDFFGRPYEGIAVFDGKKITVT
GTLWNGNKI I DERLINPDGSLLFRVTINGITGWRLCERILA

SEQ ID NO:8 (IVY nucleotide)

ATGGTGTTTACATTGGAGGATTTCGTTGGAGACTGGCGGCAGACAGCTGGATACAACCAAGATCA
AGTGTTAGAACAAGGAGGATTGTCTAGTCTGTTCCAAAAGCTGGGAGTGTCTAGTCACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAAAATTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTTTCAAATGGGTCTGATTGAAATGATCTACAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGGTTATTCTCCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTACTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGAACCTCTGTGGAACGGCAACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCACTCCT
CTTCCGCGTTACTATCAATGGAGTCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:9 (IVY protein)

MVFTLEDFVGDWRQTAGYNQDQVLEQGGGLSSLFQKLGVSVTPIQKIVLSGENGLKIDIHV IIPYE
GLSGFQMGLEMIYKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTTINGVTGWRLCERILA

SEQ ID NO:10 (IVY+C1.3 nucleotide)

ATGGTGTTTACATTGGAGGATTACGTTGGAGACTGGCGGCAGACAGCTGGATACAACCAAGATCA
AGTGTTAGAACAAGGAGGATTGTCTAGTCTGTTCCAAAATCTGGGAGTGTCTGTACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAAAATTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTTTCAAATGGGTCTGATTGAAATGATCTACAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGGTTATTCTCCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTACTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGAACCTCTGTGGAACGGCGACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCACTCCT
CTTCCGCGTTACTACCAATGGAGTCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:11 (IVY+C1.3 protein)

MVFTLEDYVGDWRQTAGYNQDQVLEQGGGLSSLFQNLGVSVTPIQKIVLSGENGLKIDIHV IIPYE
GLSGFQMGLEMIYKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGDKIIDERLINPDGSLLFRVTTNGVTGWRLCERILA

SEQ ID NO:12 (IVY C5.19 nucleotide)

ATGGTGTTTACATTGGAGGATTTCGTTGGAGACTGGCGGCAGACAGCTGGATACAACCAAGATCA
AGTGTTAGAACAAGGAGGAGTGTCTAGTCTGTTCCAAAAGCTGGGAGTGTCAATACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAAAATTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTTTCAAATGGGTCTGATTGAAATGATCTACAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGGTTATTCTCCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTACTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGAACCTCTGTGGAACGGCAACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCAATCCT
CTTCCGCGTTACTATCAATGGAGTCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:13 (IVY C5.19 protein)

MVFTLEDFVGDWRQTAGYNQDQVLEQGGVSSLFQKLGVSIPTPIQKIVLSGENGLKIDIHV IIPYE
GLSGFQMGLEMIYKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSILFRVTTINGVTGWRLCERILA

SEQ ID NO:14 (IV nucleotide)

ATGGTGTTTACATTGGAGGATTTCGTTGGAGACTGGCGGCAGACAGCTGGATACAACCAAGATCA
AGTGTTAGAACAAGGAGGATTGTCTAGTCTGTTCCAAAAGCTGGGAGTGTCTAGTCACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAAAATTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTTTCAAATGGGTCTGATTGAAATGATCTTCAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGGTTATTCTCCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTACTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGAACCTCTGTGGAACGGCAACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCACTCCT
CTTCCGCGTTACTATCAATGGAGTCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:15 (IV protein)

MVFTLEDFVGDWRQTAGYNQDQVLEQGGGLSSLFQKLGVSVTPIQKIVLSGENGLKIDIHVIIPYE
GLSGFQMGLIEMIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:16 (15C1 nucleotide)

ATGGTGTTTACATTGAAGGATTTTCGTTGGAGACTGGCGGCAGACAGCTGGATAACAACCAAGATCA
AGTGTTAGAACAAAGGAGGATTGTCTAGTCTGTTCCAAAATCTGGGAGTGTCTAGTCACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAAAAATTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTATCAAATGGGTCAGATTGAAAAGATCTTCAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGGTTATTCTCCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTACTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGA ACTCTGTGGAACGGCAACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCACTCCT
CTTCCGCGTTACTATCAATGGAGTCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:17 (15C1 protein)

MVFTLTKDFVGDWRQTAGYNQDQVLEQGGGLSSLFQNLGVSVTPIQKIVLSGENGLKIDIHV IIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:18 (9B8 nucleotide)

ATGGTGTTTACATTGGAGGATTTTCGTTGGAGACTGGCGGCAGACAGCTGGATACAACCTAGATCA
AGTGTTAGAACAAAGGAGGATTGTCTAGTCTGTTCCAAAAGCTGGGAGTGTCAATCACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAAAAATTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTATCAAATGGGTCAGATTGAAAAGATCTTCAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGGTTATTCTCCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTACTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGAACCTCTGTGGAACGGCAACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCACTCCT
CTTCCGCGTTACTATCAATGGAGTCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:19 (9B8 protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGGLSSLFQKLGVSVTPIQKIVLSGENGLKIDIHV IIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:20 (9F6 nucleotide)

ATGGTGTTTACATTGGAGGATTTTCGTTGGAGACTGGCGGCAGACAGCTGGATACAACCTAGATCA
AGTGTTAGAACAAAGGAGGAGTGTCTAGTCTGTTCCAAAAGCTGGGAGTGTCAATCACCCCAATCC
AGAAAATTGTGCTGTCTGGGGAGAATGGGTAAAAAATTGATATTCATGTCATCATCCCTTACGAG
GGACTCAGTGGTTATCAAATGGGTCAGATTGAAAAGATCTTCAAAGTTGTTTACCCAGTGGATGA
TCATCATTTCAAGGTTATTCTCCATTATGGTACACTCGTTATTGACGGTGTGACACCAAACATGA
TTGACTACTTTGGACGCCCTTACGAGGGAATTGCTGTGTTTGACGGCAAGAAGATCACAGTTACT
GGAACCTCTGTGGAACGGCAACAAGATCATTGATGAGCGCCTGATCAACCCAGATGGTTCACTCCT
CTTCCGCGTTACTATCAATGGAGTCACCGGATGGCGCCTTTGCGAGCGTATTCTTGCC

SEQ ID NO:21 (9F6 protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQKLGVSIPTPIQKIVLSGENGLKIDIHV IIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:22 (IV opt nucleotide)

atggtggttacactcgaagatttcgtaggggactggcggcagacagccggctacaaccaagacca
agtccttgagcagggcggtctgtccagtttgtttcagaaactcggggtgtccgtaacaccgatcc
aaaagattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcttcagatgggcctcattgagatgatctttaaggtggtgtaccctgtggatga
tcactactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatctcgacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacc
gggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacgggtccctgct
gttcgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcatcttttgcg

SEQ ID NO:23 (IV optB nucleotide)

atggtattcacactggaggattttgctcggtgattggcggcgaaccgctgggtacaaccaggacca
ggttctcgaacaagggggcctcagctccctgtttcaaaaactgggtgttagcggtacacctattc
aaaaaatcgtgctctccggggaaaacgggctcaaaatcgatattcatgtgattatcccttacgaa
gggctctccgggtttcagatggggctgatcgaaatgatctttaaggtcgtctatcccgtagatga
tcaccacttcaaggtgatcctccactacgggaccctcgtaattgatggcgtgacccccaacatga
tcgactatcttgggcgcccttacgaggggattgctgtcttcgatggcaaaaaaattacagtgaca

ggcacactctggaacgggaataagatcattgatgagcgctgattaatcccgatgggagcctgct
ctttcgggtgacaattaacggcgtaacaggctggcgccctctgtgaacggattctggcg

SEQ ID NO:24 (9B8 opt nucleotide)

atggtgtttacactcgaagatttcgtaggggactggcggcagacagccggtacaacctggacca
agtccttgagcagggcggtctgtccagtttgtttcagaaactcggggtgtccgtaacaccgatcc
aaaagattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggctatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacc
gggaccctgtggaacgggaacaaaattatcgacgagcgctgatcaaccgacggctccctgct
gttcgcgtaaccatcaacggagtgaaccggctggcggtgtgacgagcgcattttggcg

SEQ ID NO:25 (9B8 optB nucleotide)

atggtattcacactggaggattttgtcggtgattggcggcgaaccgctgggtacaacctcgacca
ggttctcgaacaagggggcctcagctccctgtttcaaaaactgggtgttagcggtacacctattc
aaaaaatcgtgctctccggggaaaacgggctcaaaatcgatattcatgtgattatcccttacgaa
gggctctccgggtatcagatggggcagatcgaaaaatctttaaggtcgtctatcccgtagatga
tcaccacttcaaggtgatcctccactacgggacctcgttaattgatggcgtgaccccaacatga
tcgactattttgggcgcccttacgaggggattgctgtcttcgatggcaaaaaattacagtgaca
ggcacactctggaacgggaataagatcattgatgagcgctgattaatcccgatgggagcctgct
ctttcgggtgacaattaacggcgtaacaggctggcgccctctgtgaacggattctggcg

SEQ ID NO:26 (8A3 nucleotide)

Atggtgattacattggaggatttcgttggagactggcggcagacagctggataacaaccaagatca
agtgttagaacaaggaggagtgtctagtctgtttcaaaaagctgggagtgtcaatcacccaatcc
agaaaattgtgctgtctggggagaatgggttaaaaattgatattcatgtcatcatcccttacgag
ggactcagtggttttcaaatgggtctgattgaaatgatcttcaaagtgtttaccagtggtatga
tcatcatttcaaggttattctccattatggtacactcgttattgacgggtgtgacaccaaacatga
ttgactacttttgacgcccttacgaggggaattgctgtgtttgacggcaagaagatcacagttact
ggaactctgtggaacgggaacaagatcattgatgagcgctgatcaaccagatggttcactcct
cttcgcggttactatcaatggagtcaccggatggcgccctttgcgagcgtattcttgc

SEQ ID NO:27 (8A3 protein)

MVITLEDVFGDWRQTAGYNQDQVLEQGGVSSLFQKLGVSITPIQKIVLSGENGLKIDIHVIIPIYE
GLSGFQMGLEIMIFKVVYPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLEFRVTINGVTGWRLCERILA

SEQ ID NO:28 (Luc2 nucleotide)

atggaagatgcaaaaaacattaagaagggccagcgccattctaccactcgaagacgggaccgc
cggcgagcagctgcacaaagccatgaagcgctacgccctgggtgcccgccaccatcgccctttaccg
acgcacatatcgaggtggacattacctacgccgagctacttcgagatgagcggttcggctggcagaa
gctatgaagcgctatgggctgaatacaaacctcgatcggtgtgacgagagaatagcttgca
gttcttcatgcccgtgttgggtgccctgttcacggtgtggctgtggccccagctaacgacatct
acaacgagcgcgagctgctgaacagcatgggcatcagccagcccaccgtcgtattcgtgagcaag
aaagggctgcaaaagatcctcaacgtgcaaaagaagctaccgatcatacaaaagatcatcatcat
ggatagcaagaccgactaccagggcttccaaagcatgtacaccttcgtgacttcccatttgccac
ccggcttcaacgagtacgacttcgtgcccgagagcttcgaccgggacaaaaccatcgccctgatc
atgaacagtagtggcagtaccggattgcccaagggcgtagccctaccgcaccgcaccgcttgtgt
ccgattcagtcatgcccgcgaccccatcttcggcaaccagatcatccccgacaccgctatcctca
gctgtgtgccatttcaccaaggcttcggcatgttcaccacgctgggctacttgatctgaggcttt
cgggtcgtgctcatgtaccgcttcgaggaggagctattcttgcgagcgttgcaagactataagat
tcaatctgccctgctggtgcccacactatttagcttcttcgctaagagcactctcatcgacaagt

acgacctaagcaacttgcacgagatcgccagcggcgggcgccgctcagcaaggaggtaggtgag
gccgtggccaaacgcttccacctaccaggcatccgccagggtacggcctgacagaaacaaccag
cgccattctgatcacccccgaaggggacgacaagcctggcgagtaggcaagggtggtgcccttct
tcgaggctaagggtggtggacttggacaccggtgaagacactgggtgtgaaccagcgcgcgagctg
tgcgtccgtggcccatgatcatgagcggctacgttaacaaccccgaggctacaaacgctctcat
cgacaaggacggctggctgcacagcggcgacatcgccctactgggacgaggacgagcacttcttca
tcgtggaccggctgaagagcctgatcaaatacaagggtaccaggtagccccagccgaactggag
agcatcctgctgcaacaccccaacatcttcgacgcgggggtcgccggcctgcccagcagcagatgc
cggcgagctgcccgcgcagtcgtcgtgctggaacacggtaaaacatgaccgagaaggagatcg
tgactatgtggccagccaggttacaaccgccaagaagctgcgcggtggtgttgcgtggac
gaggtgcctaaaggactgaccggcaagttggacgcccgcgaagatccgcgagattctcattaaggc
caagaaggcggaagatcgccgtt

SEQ ID NO:29 (Luc2 protein)

medaknikkgpapfypledgtageqlhkmkryalvpgtiaftdahievdivityaeyfemsvrlae
amkryglntnhrivcsenslqffmpvlgalfigvavapandiynereallnsmgisqptvvfsvk
kglqkilnvqklpiiqkiiimdsktidyqgfqsmytfvtshlppgfneydfvpesfdrdkti ali
mnssgstglpkgvalphrtacvrfshardpifgnqipdtailsvvpfhhgfgmfttlglylicgf
rvvlmyrfeelflrslqdykiqsallvptlfsffakstlidkydlsnlheiasggaplskeve
avakrfhlpgirqgygltettsailitpegddkpgavgkvvpffeakvvdldtghtlgnvnrge
cvgpmimsgyvnnpeatnalidkgwlhsgdiaywdedehffivdrkkslikykyqvapaele
sillqhpni fdagvaglpdddagelpaavvvlehgktmtekeivdyvasqvttakklrggvvfv
evpkgltgkldarkireilikakkggiav

SEQ ID NO:30 (HRL (Humanized Renilla) nucleotide)

Atggcttccaaggtgtacgaccccgagcaacgcaaacgcatgatcactgggcctcagtgggtgggc
tcgctgcaagcaaataaacgtgctggactccttcatcaactactatgattccgagaagcacgccc
agaacgccgtgatttttctgcatggtaacgctgcctccagctacctgtggaggcacgtcgtgcct
cacatcgagcccggtggctagatgcatcatcctgatctgatcggaatgggtgaagtcgggcaagag
cggaatggctcatatcgccctcctggatcactacaagtacctcacgcttggttcgagctgctga
accttccaaagaaaatcatctttgtgggccacgactggggggccttgcctggcctttcactactcc
tacgagcaccaagacaagatcaaggccatcgctccatgctgagagtgtcgtggacgtgatcgagtc
ctgggacgagtgccctgacatcgaggaggatctgcctgatcaagagcgaagaggcgagaaaa
tggtgcttgagaataacttcttcgtcgagaccatgctcccaagcaagatcatgcggaaactggag
cctgaggagttcgctgcctacctggagccattcaaggagaagggcgagggttagacggcctaccct
ctcctggcctcgcgagatccctctcgtaaggaggaggcaagcccgcagctcgtccagattgtccgca
actacaacgcctaccttcgggcccagcgacgatctgcctaagatgttcacgagtcgacccctggg
ttcttttccaacgctattgtcgagggagctaagaagttccctaaccagagttcgtgaagggtgaa
gggcctccacttcagccaggaggacgtccagatgaaatgggtaagtacatcaagagcttcgtgg
agcgcgctgctgaagaacgagcag

SEQ ID NO:31 (HRL (Humanized Renilla) protein)

MASKVYDPEQRKRMITGPQWWARCKQMNVLDSFINYYDSEKHAENAVIFLHGNAASSYLWRHVVP
HIEPVARCIIPDLIGMGKSGKSGNGSYRLLDHYKYLTAWFELLNLPKKIIFVGHWDWGACLA FHYS
YEHQDKIKAIVHAESVVDVIESWDEWPDIEEDIALIKSEEKGMVLENNFFVETMLPSKIMRKL
PEEFAAYLEPFKEKGEVRRPTLSWPREIPLVKGKGPDVVQIVRNYNAYLRASDDL PKMFIESDPG
FFSNAIVEGAKKFPNTEFVKVKGLHFSQEDAPDEM KYIKSFVERVLKNEQ

SEQ ID NO:32 (Id-HRL-HT7 sandwich fusion nucleotide)

atgcttggtctgtcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgcccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagcaaggtggagatcctgcagcatgtaatc
gactacatcaggggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg

gggactgcctgtccgcgccccgctcagcaccctgaacggcgagatcagtgccttggcggccgagg
 cggcatgtgttccagccgacgatcgcattctgtgtcgctttctcttgagaatctttattttcag
 gcgtctggaggtggtggcggagcgatcgccatggcctccaaggtgtacgacccccgagcaacgcaa
 acgcatgatcactgggcctcagtggtgggctcgctgcaagcaaatgaacgtgctggactccttca
 tcaactactatgattccgagaagcacgcccagaaacgccgtgatttttctgcatggtaacgctgcc
 tccagctacctgtggaggcacgctcgctgcctcacatcgagccccgtggctagatgcatcatccctga
 tctgatcggaatgggtaagtccggcaagagcggaatggctcatatcgccctcctggatcactaca
 agtacctcaccgcttggttcgagctgctgaaccttccaaagaaaatcatctttgtgggccacgac
 tggggggccttgtctggcctttcactactcctacgagcaccaagacaagatcaaggccatcgcca
 tgctgagagtgtcgtaggacgtgatcgagctcctgggacgagtgccctgacatcgaggaggatctg
 ccctgatcaagagcgaagagggcgagaaaatgggtgcttgagaataacttcttcgctcgagaccatg
 ctcccaagcaagatcatgcggaaactggagcctgaggagtctcgctgcctacctggagccattcaa
 ggagaaggcgaggttagacggcctacctctcctggcctcgcgagatccctctcgtaaaggag
 gcaagcccgacgtcgctccagattgtccgcaactacaacgcctaccttcgggccagcgacgatctg
 cctaagatgttcacatcgagtcgacccctgggttcttttccaacgctattgtcgagggagctaagaa
 gttccctaacaccgagttcgtgaaggtgaagggcctccacttcagccaggaggacgctccagatg
 aatgggtaagtacatcaagagcttcgtggagcgcgctgctgaagaacgagcaggtttctctcgag
 ccaaccactgaggatctgtactttcagagcgataacgatggatccgaaatcggtactggccttcc
 attcgacccccattatgtggaagtccctgggagcgagcgcactacgtcgatgttggtccgcgcg
 atggcaccctgtgctgttccctgcacggtaaccgacccctcctcctacgtgtggcgcaacatcatc
 ccgatgttgacccgacccatcgctgcattgctccagacctgatcggtatgggcaaatccgacaa
 accagacctgggttattttcttcgacgaccacgtccgcttcattggatgccttcacgaagccctgg
 gtctggaagaggtcgctcctgggtcattcacgactggggctccgctctgggtttccactgggccaag
 cgcaatccagagcgcgctcaaaggtattgcatttatggagttcatccgccctatcccgacctggga
 cgaatggccagaatttgcccgagaccttccaggccttccgcaccaccgacgtcgggccgcaagc
 tgatcatcgatcagaacgtttttatcgagggtagcgtgccgatgggtgtcgctccgcccgtgact
 gaagtcgagatggaccattaccgcgagccgttccctgaatcctgttgaccgcgagccactgtggcg
 ctccccaaacgagctgccaatcgccggtgagccagcgaacatcgctcgcgctgggtcgaagaataca
 tggactggctgcaccagtcacctgtcccgaaagctgctgttctggggcaccgccagcgcttctgac
 ccaccggccgaagccgctcgccctggccaaaagcctgcctaactgcaaggctgtggacatcgccc
 gggctctgaatctgctgcaagaagacaacccggacctgatcggcagcgagatcgcgcgctggctgt
 ctactctggagatttccggt

SEQ ID NO:33 (Id-HRL-HT7 sandwich fusion protein)

MLGLSEQSVSISRCAGTRLPALLDEQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
 DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLENLYFQ
 ASGGGGGAIAMASKVYDPEQRKRMITGPQWWARCKQMNVLDSFINYYDSEKHAENAVIFLHGNA
 SSYLWRHVPHIEPVARCIIPDLIGMGKSGKSGNGSYRLLDHYKYLTAWFELNLPKKII FVGH
 WGACLAFHYSYEHQDKIKAIVHAESVVDVIESWDEWPDIEEDIALIKSEEGEKMLENNFFVETM
 LPSKIMRKLEPEEFAAYLEPFKEKGEVRRPTLSWPREIPLVKGGKPDVVQIVRNYNAYLRASDDL
 PKMFIESDPGFFSNAIVEGAKKFPNTEFVKVKGLHFSQEDAPDEMCKYIKSFVERVLKNEQVSLE
 PTTEDLYFQSDNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGTPLVFLHGNPTSSYVWRNII
 PHVAPTHRCIAPDLIGMGKSDKPDLYFFDDHVRFMDFIEALGLEEVVLVIHDWGSALGFHWAK
 RNPERVKGIAFMEFIRPIPTWDEWPEFARETQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLT
 EVEMDHYREPFLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI
 PPAAEARLAKSLPNCKAVDIGPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:34 (8A3-HT7 fusion nucleotide)

atggtgattacattggaggatttctgttgagactggcggcgagacagctggatacaaccaagatca
 agtgttagaacaaggaggagtgtctagtctgttccaaaagctgggagtgtcaatcccccaatcc
 agaaaattgtgctgtctggggagaatgggttaaaaattgatattcatgtcatcatcccttacgag
 ggactcagtggttttcaaattgggtctgattgaaatgatcttcaaagttgtttaccagtggtatga
 tcatcatttcaaggttattctccattatggtacactcgttattgacggtgtgacaccaaacatga

ttgactacttttgacgccccttacgaggggaattgctgtgtttgacggcaagaagatcacagttact
ggaactctgtggaacgggaacaagatcattgatgagcgctgatcaaccagatggttactcct
cttcgcggttactatcaatggagtcaccggatggcgccctttgcgagcgtattcttgccggatatac
tcgagccaaccactgaggatctgtactttcagagcgataacgatggatccgaaatcgggtactggc
tttccattcgacccccattatgtggaagtcctggggcgagcgcgatgcactacgtcgatgttggtcc
gcgcgatggcaccctgtgctgttcctgcacggtaaccggacctcctcctacgtgtggcgcaaca
tcatcccgcatgtttgcaccgacccatcgctgcattgctccagacctgatcggtatgggcaaatecc
gacaaaccagacctgggttattttcttcgacgaccacgtccgcttcattggatgccttcacgaagc
cctgggtctggaagaggtcgctcctgggtcattcacgactggggctccgctctgggtttccactggg
ccaagcgcaatccagagcgcgctcaaaggtattgcatttatggagttcatccgccctatcccagacc
tgggacgaatggccagaatttgcccgcgagaccttccaggccttccgcaccaccgacgtcggccg
caagctgatcatcgatcagaacgtttttatcgagggtagctgccgatgggtgtcgctccgcccgc
tgactgaagtcgagatggaccattaccgcgagccgttcctgaatcctgttgaccgcgagccactg
tggcgcttcccaaaccgagctgccaatcgccgggtgagccagcgaacatcgctcgcgctgggtcgaaga
atacatggactggctgcaccagtcacctgtcccgaaagctgctgttctggggcaccaccaggcgcttc
tgatcccaccggccgaagccgctcgccctggccaaaagcctgcctaactgcaaggctgtggacatc
ggcccgggtctgaatctgctgcaagaagacaaccggacctgatcggcagcgagatcgcgcgctg
gctgtctactctggagatttccggt

SEQ ID NO:35 (8A3-HT7 fusion protein)

MVITLEDVFGDWRQTAGYNQDQVLEQGGVSSLFQKLGVSITPIQKIVLSGENGLKIDIHVIIPYE
GLSGFQMGLIEMI FKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQSDNDGSEIGTG
FPFDPHYVEVLGERMHYVDVGPRDGT PVLFLHGNPTSSYVWRNII PHVAPTHRCIAPDLIGMKS
DKPDLGYFFDDHVRFMDFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIAFMEFIRPIPT
WDEWPEFARETFQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREPFLNPVDREPL
WRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI PPAAEARLAKSLPNCKAVDI
GPGLNLLQEDNPD LIGSEIARWLSTLEISG

SEQ ID NO:36 (9B8-HT7 fusion nucleotide)

atgggtgtttacattggaggatttcggttgagactggcggcagacagctggatacaacctagatca
agtgttagaacaaggaggattgtctagtctgttccaaaagctgggagtgctcagtcaccccaatcc
agaaaattgtgctgtctggtgggagaatgggttaaaaattgatattcatgtcatcatcccttacgag
ggactcagtggttatcaaattgggtcagattgaaaagatcttcaaagttgtttaccagtggtatga
tcatcatttcaaggtattctccattatggtacactcggtatttgacgggtgtgacaccaaactga
ttgactacttttgacgccccttacgaggggaattgctgtgtttgacggcaagaagatcacagttact
ggaactctgtggaacgggaacaagatcattgatgagcgctgatcaaccagatggttactcct
cttcgcggttactatcaatggagtcaccggatggcgccctttgcgagcgtattcttgccggatatac
tcgagccaaccactgaggatctgtactttcagagcgataacgatggatccgaaatcgggtactggc
tttccattcgacccccattatgtggaagtcctggggcgagcgcgatgcactacgtcgatgttggtcc
gcgcgatggcaccctgtgctgttcctgcacggtaaccggacctcctcctacgtgtggcgcaaca
tcatcccgcatgtttgcaccgacccatcgctgcattgctccagacctgatcggtatgggcaaatecc
gacaaaccagacctgggttattttcttcgacgaccacgtccgcttcattggatgccttcacgaagc
cctgggtctggaagaggtcgctcctgggtcattcacgactggggctccgctctgggtttccactggg
ccaagcgcaatccagagcgcgctcaaaggtattgcatttatggagttcatccgccctatcccagacc
tgggacgaatggccagaatttgcccgcgagaccttccaggccttccgcaccaccgacgtcggccg
caagctgatcatcgatcagaacgtttttatcgagggtagctgccgatgggtgtcgctccgcccgc
tgactgaagtcgagatggaccattaccgcgagccgttcctgaatcctgttgaccgcgagccactg
tggcgcttcccaaaccgagctgccaatcgccgggtgagccagcgaacatcgctcgcgctgggtcgaaga
atacatggactggctgcaccagtcacctgtcccgaaagctgctgttctggggcaccaccaggcgcttc
tgatcccaccggccgaagccgctcgccctggccaaaagcctgcctaactgcaaggctgtggacatc
ggcccgggtctgaatctgctgcaagaagacaaccggacctgatcggcagcgagatcgcgcgctg
gctgtctactctggagatttccggt

SEQ ID NO:37 (9B8-HT7 fusion protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGSSSLFQKLGVSVTPIQKIVLSGENGLKIDIHV IIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQSDNDGSEIGTG
FPFDPHYVEVLGERMHYVDVGPRDGT PVLFLHGNPTSSYVWRNII PHVAPTHRCIAPDLIGMGKS
DKPDLGYFFDDHVRFM DAFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIAFMEFIRPIPT
WDEWPEFARET FQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREPFLNPVDREPL
WRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI PPAEAARLAKSLPNCKAVDI
GPGLNLLQEDNPD LIGSEIARWLSTLEISG

SEQ ID NO:38 (9F6-HT7 fusion nucleotide)

atggtgtttacattggaggatttcgttggagactggcggcagacagctggatacaacctagatca
agtgttagaacaaggaggagtgtctagtctgttccaaaagctgggagtgatcaatcccccaatcc
agaaaattgtgctgtctggggagaatgggttaaaaattgatattcatgtcatcatcccttacgag
ggactcagtggttatcaaatgggtcagattgaaaagatcttcaaagttgtttaccagtggtatga
tcatcatttcaaggtattctccattatggtacactcgttattgacgggtgtgacaccaaacatga
ttgactactttggacgcccttacgaggggaattgctgtgtttgacggcaagaagatcacagttact
ggaactctgtggaacggcaacaagatcattgatgagcgctgatcaaccagatggttcactcct
cttccgcgttactatcaatggagtcaccggatggcgcctttgcgagcgtattcttgcgggatac
tcgagccaaccactgaggatctgtactttcagagcgataacgatggatccgaaatcgggtactggc
tttccattcgacccccattatgtggaagtcctgggcgagcgcgatgcactacgtcgatgttggtcc
gcgcgatggcaccctgtgctgttcctgcacggtaaccgcacctcctcctacgtgtggcgcaaca
tcatcccgcatgttgaccgaccatcgctgcattgctccagacctgatcggtatgggcaaattcc
gacaaaccagacctgggttatttcttcgacgaccacgtccgcttcattggatgccttcacgaagc
cctgggtctggaagaggtcgtcctgggtcattcacgactggggctccgctctgggtttccactggg
ccaagcgcaatccagagcgcgctcaaaggtattgcatttatggagttcatccgccctatcccgacc
tgggacgaatggccagaatttgcccgcgagaccttcaggccttcgcaccaccgacgtcggccg
caagctgatcatcgatcagaacgtttttatcgagggtagctgccgatgggtgtcgtccgcccgc
tgactgaagtcgagatggaccattaccgcgagccgttcctgaatcctgttgaccgcgagccactg
tggcgcttcccaaacgagctgccaatcgccggtgagccagcgaacatcgctcgcgctgggtcgaaga
atacatggactggctgcaccagtccccctgtcccgaagctgctgttctggggcaccaccaggcgcttc
tgatcccaccggccgaagccgctcgccctggccaaaagcctgcctaactgcaaggctgtggacatc
ggcccgggtctgaatctgctgcaagaagacaaccgcgacctgatcggcagcgagatcgcgcgctg
gctgtctactctggagatttccggt

SEQ ID NO:39 (9F6-HT7 fusion protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQKLGVSITPIQKIVLSGENGLKIDIHV IIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQSDNDGSEIGTG
FPFDPHYVEVLGERMHYVDVGPRDGT PVLFLHGNPTSSYVWRNII PHVAPTHRCIAPDLIGMGKS
DKPDLGYFFDDHVRFM DAFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIAFMEFIRPIPT
WDEWPEFARET FQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREPFLNPVDREPL
WRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI PPAEAARLAKSLPNCKAVDI
GPGLNLLQEDNPD LIGSEIARWLSTLEISG

SEQ ID NO:40 (Id-9B8 opt-HT7 sandwich fusion nucleotide)

atgcttggtctgtcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgcccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagcaaggtggagatcctgcagcatgtaatc
gactacatcagggaacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgcctgtccgcgccccgctcagcacctgaacggcgagatcagtgcccttggcgggccgagg
cgcatgtgttccagccgacgatcgcatcttgtgtcgcgtttctcttgagaatctttattttcag

gcgtctggaggtggtggcggagcgatcgccatggtggtttacactcgaagatttcgtaggggactg
gcggcagacagccggctacaacctggaccaagtccttgagcagggcggtctgtccagtttgttc
agaaactcgggggtgtccgtaacaccgatccaaaagattgtcctgagcgggtgaaaacggcctgaag
atcgacatccatgtcatcatcccgatgaaggtctgagcggctatcagatgggcccagatcgaaaa
aatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacac
tggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacga
gcgcctgatcaaccccgacggctccctgctgtttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgagcggtattcttgccggatatctcgagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtctggg
cgagcgcatgcactacgtcgatgttggtccgcgcatggcaccctgtgctgttctgcacggta
acccgacctcctcctacgtgtggcgcaacatcatcccgcatgttgaccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaatccgacaaaccagacctgggttattttcttcgacgacca
cgtccgcttcatggatgccttcatcgaagccctgggtctggaagaggtcgctcctggctattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgctcaaaggtattgca
tttatggagttcatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcgcccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgtccgcccgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccgggtga
gccagcgcaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcccctgtcccga
agctgctgttctggggcaccccaggcgttctgatccaccggccgaagccgctcgctggccaaa
agcctgcctaactgcaaggctgtggacatcgggccgggtctgaatctgctgcaagaagacaaccc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttccggtt

SEQ ID NO:41 (Id-9B8 opt-HT7 sandwich fusion protein)

MLGLSEQSVSISRCACTRLPALLDEQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLLENLYFQ
ASGGGGGAIAMVFTLEDFVGDWRQTAGYNLDQVLEQGGGLSSLFQKLGVSVTPIQKIVLSGENGLK
IDIHVIIPYEGLSGYQMGQIEKIFKVVPVDDHDFKVLHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGPVFLHGNPTSSYVWRNII PHVAPTHRCI
APDLIGMGKSDKPDLYFFDDHVRFMDFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIA
FMEFIRPIPTWDEWPEFARETFQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI PPAAEARLAK
SLPNCKAVDIGPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:42 (9B8 opt+K33N nucleotide)

Atggtggtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggacca
agtccttgagcagggcggtctgtccagtttgtttcagaatctcggggtgtccgtaacaccgatcc
aaaagattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatga
ggtctgagcggctatcagatgggcccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacc
gggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgct
gttccgcgtaaccatcaacggagtgaccggctggcggtgtgagcgcatttttggcg

SEQ ID NO:43 (9B8 opt+K33N protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGGLSSLFQNLGVSVTPIQKIVLSGENGLKIDIHVIIPY
ELSGYQMGQIEKIFKVVPVDDHDFKVLHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILA

SEQ ID NO:44 (QC27-HT7 nucleotide)

atggtggtttacattggaggatttcggttgagactggcggcagacagctggatacaacctagatca
agtgttagaacaaggaggattgtctagtctgttccaaaagctgggagtgctcagtcacccaatcc
agaaaattgtgctgtctggggagaatgggttaaaaattgatattcatgtcatcatcccttacgag
ggactcagtggttttcaaattgggtctgattgaaatgatcttcaaagttgtttaccagtggtatga
tcatcatttcaagattattcaccattatggtacactcgttattgacggtgtgacaccaaacatga
ttgacttctttggacgcccttacgaggggaattgctgtgtttgacggcaagaagatcacagttact
ggaactctgtggaacggcaacaagatcattgatgagcgctgatcaaccagatggttcactcct
cttcgcggttactatcaatggagtcaccggatggcgcctttgcgagcgtattcttgccggatatac
tcgagccaaccactgaggatctgtactttcagagcgataacgatggatccgaaatcgggtactggc
tttccattcgacccccattatgtggaagtctgtggcgagcgcgatgcactacgtcgatgttggtcc
gcgcgatggcaccctgtgctgttctgcacggtaaccgcacctcctcctacgtgtggcgcaaca
tcatcccgcatgttgaccgacccatcgctgcattgctccagacctgatcggatgggcaaatcc
gacaaaccagacctgggttatttcttcgacgaccacgtccgcttcattggatgccttcacgaagc
cctgggtctggaagaggctcgctcctgggtcattcacgactggggctccgctctgggtttccactggg
ccaagcgcaatccagagcgcgctcaaaggattgcatthttatggagttcatccgccctatcccagacc
tgggacgaatggccagaatttgcccgcgagacctccaggccttcgcaccaccgacgtcggccg
caagctgatcatcgatcagaacgtttttatcgagggtagcgtgccgatgggtgtcgtccgcccgc
tgactgaagtcgagatggaccattaccgcgagccgttcctgaatcctgttgaccgcgagccactg
tggcgcttcccaaacgagctgccaatcgccgggtgagccagcgaacatcgtcgcgctgggtcgaaga
atacatggactggctgcaccagtcacctgtcccgaagctgctgttctggggcaccaccaggcgcttc
tgatcccaccggccgaagcgcgtcgctggccaaaagcctgcctaactgcaaggctgtggacatc
ggcccggtctgaatctgctgcaagaagacaaccggacctgatcggcagcgagatcgcgcgctg
gctgtctactctggagatttccggt

SEQ ID NO:45 (QC27-HT7 protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGSLFQKLGVSVTPIQKIVLSGENGLKIDIHVIIPYE
GLSGFQMGLIEMIFKVVYPVDDHHFKIIHHYGTLVLDGVTNMFDFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQSDNDGSEIGTG
FPFDPHYVEVLGERMHYVDVGPDRGTPVLFHGNPTSSYVWRNIIIPHVAPTHRCIAPDLIGMGKS
DKPDLGYFFDDHVRFMDFIEALGLEEVVLVIHDWGSALGFHWAKRNPVRVKGIAFMEFIRPIPT
WDEWPEFARETFAQFRITTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREPFLNPVDREPL
WRFPNELPIAGEPANIVALVEEYMDWLHQSPVKLLFWGTPGVLIIPAEAARLAKSLPNCKAVDI
GPGLNLLQEDNPDLIGSEIARWLSTLEISG

SEQ ID NO:46 (8F2)

atggtggtttacattggaggatttcggttgagactggcggcagacagctggatacaaccaagatca
agtgttagaacaaggaggagtgctagtctgttccaaaagctgggagtgctcagtcacccaatcc
agaaaattgtgctgtctggggagaatgggttaaaaattgatattcatgtcatcatcccttacgag
ggactcagtggttttcaaattgggtctgattgaaatgatcttcaaagttgtttaccagtggtatga
tcatcatttcaaggttattctccattatggtacactcgttattgacggtgtgacaccaaacatga
ttgactactttggacgcccttacgaggggaattgctgtgtttgacggcaagaagatcacagttact
ggaactctgtggaacggcaacaagatcattgatgagcgctgatcaaccagatggttcactcct
cttcgcggttactatcaatggagtcaccggatggcgcctttgcgagcgtattcttgcc

SEQ ID NO:47 (8F2 protein)

MVFTLEDFVGDWRQTAGYNQDQVLEQGGVSSLFQKLGVSVTPIQKIVLSGENGLKIDIHVIIPYE
GLSGFQMGLIEMIFKVVYPVDDHHFKVILHYGTLVLDGVTNMFDFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:48 (IV-HT7 nucleotide)

atggtggtttacattggaggatttcggttgagactggcggcagacagctggatacaaccaagatca
agtgttagaacaaggaggattgtctagtctgttccaaaagctgggagtgctcagtcacccaatcc
agaaaattgtgctgtctggggagaatgggttaaaaattgatattcatgtcatcatcccttacgag

ggactcagtggttttcaaagtgggtctgattgaaatgatcttcaaagttgtttaccagtggtatga
tcatcatttcaaggttattctccattatggtacactcggtattgacggtgtgacaccaaactga
ttgactacttttgacgccccttacgaggggaattgctgtgtttgacggcaagaagatcacagttact
ggaactctgtggaacgggaacaagatcattgatgagcgctgatcaaccagatggttactcct
cttcgcgttactatcaatggagtcaccggatggcgccctttgcgagcgtattcttgccggatatac
tcgagccaaccactgaggatctgtactttcagagcgataacgatggatccgaaatcggtactggc
tttccattcgacccccattatgtggaagtcctgggcgagcgcgatgcactacgtcgatgttggtcc
gcgcgatggcaccctgtgctgttcctgcacggtaacccgacctcctcctacgtgtggcgcaaca
tcatcccgcatgttgcaccgaccatcgctgcattgctccagacctgatcggtatgggcaaactcc
gacaaaccagacctgggttatttcttcgacgaccacgtccgcttcattggatgccttcacgaagc
cctgggtctggaagaggtcgctcctgggtcattcacgactggggctccgctctgggtttccactggg
ccaagcgcaatccagagcgcgctcaaaggtattgcatttatggagttcatccgccctatcccagacc
tgggacgaatggccagaatttgcccgcgagaccttccaggccttccgcaccaccgacgtcggccg
caagctgatcatcgatcagaacgtttttatcgagggtagctgccgatgggtgtcgtccgcccgc
tgactgaagtcgagatggaccattaccgcgagccgttcctgaatcctgttgaccgcgagccactg
tggcgcttcccaaacgagctgccaatcgccggtgagccagcgaacatcgctcgcgctgggtcgaaga
atacatggactggctgcaccagtcacctgtcccgaagctgctgttctggggcaccaccaggcgcttc
tgatcccaccggccgaagcgctcgctgcccgaagcctgcctaactgcaaggctgtggacatc
ggcccggtctgaatctgctgcaagaagacaacccgacctgatcggcagcgagatcgcgcgctg
gctgtctactctggagatttccggt

SEQ ID NO:49 (IV-HT7 protein)

MVFTLEDFVGDWRQTAGYNQDQVLEQGGGLSSLFQKLGVSVTPIQKIVLSGENGLKIDIHVIIPYE
GLSGFQMGLIEMIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQSDNDGSEIGTG
FPFDPHYVEVLGERMHYVDVGPDRGTPLVFLHGNPTSSYVWRNIIIPHVAPTHRCIAPDLIGMKS
DKPDLGYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNPVKGIAFMEFIRPIPT
WDEWPEFARETFQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREPFLNPVDREPL
WRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLIIPAEAAARLAKSLPNCKAVDI
GPGLNLLQEDNPDLIGSEIARWLSTLEISG

SEQ ID NO:50 (8F2-HT7 nucleotide)

atggtgtttacattggaggatttcgttgagactggcggcagacagctggatacaaccaagatca
agtgttagaacaaggaggagtgtctagtctgttccaaaagctgggagtgtcagtcacccaatcc
agaaaattgtgctgtctggggagaatgggttaaaaattgatattcatgtcatccttacgag
ggactcagtggttttcaaagtgggtctgattgaaatgatcttcaaagttgtttaccagtggtatga
tcatcatttcaaggttattctccattatggtacactcggtattgacggtgtgacaccaaactga
ttgactacttttgacgccccttacgaggggaattgctgtgtttgacggcaagaagatcacagttact
ggaactctgtggaacgggaacaagatcattgatgagcgctgatcaaccagatggttactcct
cttcgcgttactatcaatggagtcaccggatggcgccctttgcgagcgtattcttgccggatatac
tcgagccaaccactgaggatctgtactttcagagcgataacgatggatccgaaatcggtactggc
tttccattcgacccccattatgtggaagtcctgggcgagcgcgatgcactacgtcgatgttggtcc
gcgcgatggcaccctgtgctgttcctgcacggtaacccgacctcctcctacgtgtggcgcaaca
tcatcccgcatgttgcaccgaccatcgctgcattgctccagacctgatcggtatgggcaaactcc
gacaaaccagacctgggttatttcttcgacgaccacgtccgcttcattggatgccttcacgaagc
cctgggtctggaagaggtcgctcctgggtcattcacgactggggctccgctctgggtttccactggg
ccaagcgcaatccagagcgcgctcaaaggtattgcatttatggagttcatccgccctatcccagacc
tgggacgaatggccagaatttgcccgcgagaccttccaggccttccgcaccaccgacgtcggccg
caagctgatcatcgatcagaacgtttttatcgagggtagctgccgatgggtgtcgtccgcccgc
tgactgaagtcgagatggaccattaccgcgagccgttcctgaatcctgttgaccgcgagccactg
tggcgcttcccaaacgagctgccaatcgccggtgagccagcgaacatcgctcgcgctgggtcgaaga
atacatggactggctgcaccagtcacctgtcccgaagctgctgttctggggcaccaccaggcgcttc
tgatcccaccggccgaagcgctcgctgcccgaagcctgcctaactgcaaggctgtggacatc

ggccccgggtctgaatctgctgcaagaagacaacccggacctgatcggcagcgagatcgcgcgctg
gctgtctactctggagatttccggt

SEQ ID NO:51 (8F2-HT7 protein)

MVFTLEDFVGDWRQTAGYNQDQVLEQGGVSSLFQKLGVSVTPIQKIVLSGENGLKIDIHVIIPYE
GLSGFQMGLEIMIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQSDNDGSEIGTG
FPFDPHYVEVLGERMHYVDVGPRDGTPLFLHGNPTSSYVWRNIIIPHVAPTHRCIAPDLIGMGKS
DKPDLGYFFDDHVRFMDFIEALGLEEVVLVIHDWGSALGFHWAKRNPVKGIAFMFIRPIPT
WDEWPEFARETFQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREPFLNPVDREPL
WRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLIIPAEAAARLAKSLPNCKAVDI
GPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:52 (15C1-HT7 nucleotide)

atggtgtttacattgaaggatttcgttgagactggcggcagacagctggatacaaccaagatca
agtgttagaacaaggaggattgtctagtctgttccaaaatctgggagtgtcagtcacccaatcc
agaaaattgtgctgtctggggagaatgggttaaaaattgatattcatgtcatcatcccttacgag
ggactcagtggttatcaaattgggtcagattgaaaagatcttcaaagttgtttaccagtggtatga
tcatcatttcaaggtattctccattatggtacactcgttattgacgggtgtgacaccaaactga
ttgactactttggacgcccttacgaggggaattgctgtgtttgacggcaagaagatcacagttact
ggaactctgtggaacggcaacaagatcattgatgagcgctgatcaaccagatggttactcct
cttccgcgttactatcaatggagtcaccggatggcgcctttgcgagcgtattcttgccggatatac
tcgagccaaccactgaggatctgtactttcagagcgataacgatggatccgaaatcgggtactggc
tttccattcgacccccattatgtggaagtcctgggcgagcgcgatgcactacgtcgatgttggtcc
gcgcgatggcaccctgtgctgttctgcacggtaaccgcacctcctcctacgtgtggcgcaaca
tcatcccgcatgttgacccgaccatcgctgcattgctccagacctgatcggtatgggcaaattcc
gacaaaccagacctgggttatttcttcgacgaccacgtccgcttcattggatgccttcacgaagc
cctgggtctggaagaggtcgctcctgggtcattcacgactggggctccgctctgggtttccactggg
ccaagcgcaatccagagcgcgctcaaaggtattgcatttatggagttcatccgccctatcccgacc
tgggacgaatggccagaatttgcccgcgagaccttccaggccttccgcaccaccgacgtcggccg
caagctgatcatcgatcagaacgttttatcgagggtagctgccgatgggtgtcgtccgcccgc
tgactgaagtcgagatggaccattaccgcgagccgttcctgaatcctgttgaccgcgagccactg
tggcgcttcccaaacgagctgccaatcgccggtgagccagcgaacatcgctcgcgctggtcgaaga
atacatggactggctgcaccagtcacctgtcccgaagctgctgttctggggcaccaccagcgcttc
tgatcccaccggccgaagccgctcgccgtggccaaaagcctgcctaactgcaaggctgtggacatc
ggccccgggtctgaatctgctgcaagaagacaacccggacctgatcggcagcgagatcgcgcgctg
gctgtctactctggagatttccggt

SEQ ID NO:53 (15C1-HT7 protein)

MVFTLKDFVGDWRQTAGYNQDQVLEQGGVSSLFQNLGVSVTPPIQKIVLSGENGLKIDIHVIIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQSDNDGSEIGTG
FPFDPHYVEVLGERMHYVDVGPRDGTPLFLHGNPTSSYVWRNIIIPHVAPTHRCIAPDLIGMGKS
DKPDLGYFFDDHVRFMDFIEALGLEEVVLVIHDWGSALGFHWAKRNPVKGIAFMFIRPIPT
WDEWPEFARETFQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREPFLNPVDREPL
WRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLIIPAEAAARLAKSLPNCKAVDI
GPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:54 (OgLuc Secretion Signal Peptide) *Oplophorus gracilirostris*

atggcttactccacactgttcatcattgctctcacagccgtcgtaacacaagcctcctccacaca
gaaaagcaacctgaca

SEQ ID NO:55 (Id-C1A4E-HT7 sandwich fusion nucleotide)

atgcttggctctgtcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgcccgctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagtgagcaaggtggagatcctgcagcatgtaatc
gactacatcagggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgcctgtccgcgccccgctcagcaccctgaacggcgagatcagtgccttggcggccgagg
cggcatgtgttccagccgacgatcgcacattgtgtcgcgtttctcttgagaatctttattttcag
gcgctctggaggtggtggcggagcgatcgccatggtgtttacattggaggatttcgttggagactg
gcggcagacagctggatacaaccaagatcaagtgttagaacaaggaggattgtctagtctgttcc
aaaagctgggagtgctagtcaccccaatccagaaaattgtgctgtctggggagaatgggttaaaa
tttgatattcatgtcatcatcccttacgagggactcagtgggttttcaaattgggtctgattgaaat
gatcttcaaagttgtttaccagtggtgatcatcatttcaagattattctccattatggtacac
tcgttattgacggtgtgacaccaaacatgattgactactttggacgcccttacgaggggaattgct
gtgtttgacggcaagaagatcacagttactggaactctgtggaacggcaacaagatcattgatga
gcgcctgatcaaccagatgggttcactcctcttccgcgttactatcaatggagtcaccggatggc
gcctttgcgagcgatttcttgcggatctctcgagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcatgcactacgtcgatgttgggtccgcgcgatggcaccctgtgctgttctgcacggta
accgacctcctcctacgtgtggcgcaacatcatcccgcatgttgaccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaattccgacaaaccagacctgggttatttcttcgacgacca
cgccgcttcatggatgccttcatcgaagccctgggtctggaagaggtcgctcctggtcattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgctcaaaggtattgca
tttatggagttcatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcgggccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgtccgcccgcgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaaccgagctgccaatcgccgggtga
gccagcgaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcacctgtccga
agctgctgttctggggcaccccaggcgcttctgatccaccggccgaagccgctcgctggccaaa
agcctgcctaactgcaaggctgtggacatcgggccgggtctgaatctgctgcaagaagacaacc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttccggt

SEQ ID NO:56 (Id-C1A4E-HT7 sandwich fusion protein)

MLGLSEQSVSISRCASTRLPALLDEQQVNVLLYDMNGCYSLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLNLYFQ
ASGGGGGAIAMVFTLEDFVGDWRQTAGYNQDQVLEQGLSSLFQKLGVSVTPIQKIVLSGENGLK
FDIHVIIPYEGLSGFQMGLIEMI FKVVPVDDHHFKIILHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGSLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGPVLFHLGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMGKSDKPDGLGYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIA
FMEFIRPIPTWDEWPEFARETFQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLIIPAEARLAK
SLPNCKAVDIGPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:57 (Id-IV-HT7 sandwich fusion nucleotide)

atgcttggctctgtcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgcccgctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagtgagcaaggtggagatcctgcagcatgtaatc
gactacatcagggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgcctgtccgcgccccgctcagcaccctgaacggcgagatcagtgccttggcggccgagg
cggcatgtgttccagccgacgatcgcacattgtgtcgcgtttctcttgagaatctttattttcag
gcgctctggaggtggtggcggagcgatcgccatggtgtttacattggaggatttcgttggagactg
gcggcagacagctggatacaaccaagatcaagtgttagaacaaggaggattgtctagtctgttcc
aaaagctgggagtgctagtcaccccaatccagaaaattgtgctgtctggggagaatgggttaaaa
attgatattcatgtcatcatcccttacgagggactcagtgggttttcaaattgggtctgattgaaat

gatcttcaaagttgtttaccagtgatgatcatcatttcaaggtatttctccattatggtacac
tcgttattgacgggtgtgacaccaaacatgattgactactttggacgcccttacgaggggaattgct
gtgtttgacgggaagaagatcacagttactggaactctgtggaacggcaacaagatcattgatga
gcgcctgatcaaccagatggttcactcctcttccgcgttactatcaatggagtcaccggatggc
gcctttgcgagcgtatttcttgccgttttctctcgagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcgatgcactacgtcgatgttggtccgcgcgatggcacccctgtgctgttctgcacggta
acccgacctcctcctacgtgtggcgcaacatcatcccgcatgttgaccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaataccgacaaaccagacctgggttatttcttcgacgacca
cgtccgcttcatggatgccttcacgaagccctgggtctggaagaggctcgctcctgggtcattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgtcaaaggtattgca
tttatggagttcatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcgggccgaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgctccgcccgcgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccgggtga
gccagcgaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcacctgtcccg
agctgctgttctggggcaccccaggcgcttctgatccaccggccgaagccgctcgccctggccaaa
agcctgcctaactgcaaggctgtggacatcgccccgggtctgaatctgctgcaagaagacaacc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttccggt

SEQ ID NO:58 (Id-IV-HT7 sandwich fusion protein)

MLGLSEQSVSISRCACTRLPALLDQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLENLYFQ
ASGGGGGAIAMVFTLEDFVGDWRTAGYNQDQVLEQGGSSLFQKLGVSVTPIQKIVLSGENGLK
IDIHVIIPYEGLSGFQMGLIEMI FKVVPVDDHDFKVI LHYGTLVIDGVTNPMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAVSLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGRDGPVFLFHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMGKSDKPDLYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIA
FMEFIRPIPTWDEWPEFARETQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI PPAAEARLAK
SLPNCKAVDIGPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:59 (Id-9B8 opt+K33N-HT7 sandwich fusion nucleotide)

atgcttggtctgtcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagtgagcaaggtggagatcctgcagcatgtaac
gactacatcagggaacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgcctgtccgcgccccgcctcagcacctgaacggcgagatcagtgccttgggcgccgagg
cggcatgtgttccagccgacgatcgcatcttgtgtcgcgtttctcttgagaatctttattttcag
gcgtctggaggtggtggcgagcgatcgccatgggtgtttacactcgaagatttctgtaggggactg
gcggcagacagccggctacaacctggaccaagtccttgagcagggcggtctgtccagtttgtttc
agaatctcgggggtgtccgtaacaccgatccaaaagattgtcctgagcgggtgaaaacggcctgaag
atcgacatccatgtcatcatcccgatgaaggtctgagcggctatcagatgggcccagatcgaaaa
aatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacac
tggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacga
gcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgcgagcgcattttggcgggatatctcgagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcgatgcactacgtcgatgttggtccgcgcgatggcacccctgtgctgttctgcacggta
acccgacctcctcctacgtgtggcgcaacatcatcccgcatgttgaccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaataccgacaaaccagacctgggttatttcttcgacgacca
cgtccgcttcatggatgccttcacgaagccctgggtctggaagaggctcgctcctgggtcattcacg

actggggctccgctctgggtttccactgggccaaagcgcaatccagagcgcgctcaaaggtattgca
tttatggagttcatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcgggccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgtccgcccgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccggtga
gccagcgaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcccctgtcccga
agctgctgtttctggggcaccccaggcgcttctgatccaccggccgaagccgctcgccctggccaaa
agcctgcctaactgcaaggctgtggacatcgggccgggtctgaatctgctgcaagaagacaaccc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttccggt

SEQ ID NO:60 (Id-9B8 opt+K33N-HT7 sandwich fusion protein)

MLGLSEQSVSISRCACTRLPALLDQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLLENLYFQ
ASGGGGGAIAMVFTLEDFVGDWRQTAGYNLDQVLEQGGSSSLFQNLGVSVTPIQKIVLSGENGLK
IDIHVIIPYEGLSGYQMGQIEKIFKVVPVDDHDFKVLHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGPVFLHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMKSDDKPDLYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIA
FMEFIRPIPTWDEWPEFARETQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLIIPAEARLAK
SLPNCKAVDIGPGLNLLQEDNPD LIGSEIARWLSTLEISG

SEQ ID NO:61 (Id-9B8-HT7 sandwich fusion nucleotide)

atgcttggtctgtcggagcaaagcggtgcatctcgcgctgcgctgggacgcgcctgcccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgagcaaggtggagatcctgcagcatgtaatc
gactacatcagggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgctgtccgcgccccgctcagcacctgaacggcgagatcagtgccttgggcgccgagg
cgcatgtgttccagccgacgatcgcatcttgtgtcgcgtttctcttgagaatctttattttcag
gcgtctggaggtggtggcgagcgatcgccatggtgtttacattggaggatttcgttgagactg
gcggcagacagctggatacaacctagatcaagtgttagaacaaggaggattgtctagtctgttcc
aaaagctgggagtgctagtcacccaatccagaaaattgtgctgtctggtgggagaatgggttaaaa
attgatattcatgtcatcatcccttacgaggactcagtggttatcaaatgggtcagattgaaaa
gatcttcaaagttgtttaccagtggtgatcatcatttcaaggtattctccattatggtacac
tcgttattgacggtgtgacaccaaacatgattgactactttggacgcccttacgaggggaattgct
gtgtttgacggcaagaagatcacagttactggaactctgtggaacggcaacaagatcattgatga
gcgcctgatcaaccagatgggttcactcctcttccgcgttactatcaatggagtcaccggatggc
gcctttgcgagcgtattcttgccgtttctctcgcagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcatgcactacgtcgatgttggtccgcgcgatggcaccctgtgctgttctctgcacggta
accgcacctcctcctacgtgtggcgcaacatcatccgcgatgttgaccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaatccgacaaaccagacctgggttattttcttcgacgacca
cgtccgcttcatggatgccttcacgaagccctgggtctggaagaggtcgctcctgggtcattcacg
actggggctccgctctgggtttccactgggccaaagcgcaatccagagcgcgctcaaaggtattgca
tttatggagttcatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcgggccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgtccgcccgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccggtga
gccagcgaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcccctgtcccga
agctgctgtttctggggcaccccaggcgcttctgatccaccggccgaagccgctcgccctggccaaa
agcctgcctaactgcaaggctgtggacatcgggccgggtctgaatctgctgcaagaagacaaccc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttccggt

SEQ ID NO:62 (Id-9B8-HT7 sandwich fusion protein)

MLGLSEQSVSISRCACTRLPALLDQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLNLYFQ
ASGGGGGAIAMVFTLEDFVGDWRQTAGYNLDQVLEQGGSSLFQKLGVSVTPIQKIVLSGENGLK
IDIHVIIIPYEGLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNMIIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAVSLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGTPLFLHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMGKSDKPDGLGYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNPervKGIA
FMEFIRPIPTWDEWPEFARETFQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLIIPAEAAARLAK
SLPNCKAVDIGPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:63 (Id-9F6-HT7 sandwich fusion nucleotide)

atgcttggtctgtcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgcccgctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagcaaggtggagatcctgcagcatgtaatc
gactacatcagggacctgcagctggagctgaactcggagctcgaagtcgggaccaccggaggccg
gggactgctgtccgcgccccgctcagcaccctgaacggcgagatcagtgcttgccggccgagg
cgcatgtgttccagccgacgatcgcatcttgtgtcgcgtttctcttgagaatctttattttcag
gctgttgagggtggtggcgagcgatcgccatggtgtttacattggaggatttcgttgagactg
gcggcagacagctggatacaacctagatcaagtgttagaacaaggaggagtgtctagtctgttcc
aaaagctgggagtgatcaatcaccccaatccagaaaattgtgctgtctggggagaatgggttaaaa
attgatattcatgtcatcatcccttacgagggactcagtggttatcaaatgggtcagattgaaaa
gatcttcaaagttgtttaccagtggtgatcatcatttcaaggttattctccattatggtacac
tcgttattgacggtgtgacaccaaacatgattgactactttggacgcccttacgaggggaattgct
gtgtttgacggcaagaagatcacagttactggaactctgtggaacggcaacaagatcattgatga
gcgcctgatcaaccagatggttcactcctcttccgcgttactatcaatggagtcaccggatggc
gcctttgcgagcggtattcttgcggtttctctcgagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcatgcactacgtcgatgttggtccgcgcgatggcacccctgtgctgttcctgcacggta
accgacctcctcctacgtgtggcgcaacatcatcccgcatgttgacccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaaccgacaaaccagacctgggttatttcttcgacgacca
cgctccgcttcatggatgccttcatcgaagccctgggtctggaagaggtcgtcctggtcattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgctcaaaggtattgca
tttatggagttcatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcgggccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgtccgcccgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaaccgagctgccaatcgccgggtga
gccagcgaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcacctgtccga
agctgctgttctggggcaccccaggcgcttctgatccaccggccgaagccgctcgctggccaaa
agcctgcctaactgcaaggctgtggacatcgggccgggtctgaatctgctgcaagaagacaacc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttccggt

SEQ ID NO:64 (Id-9F6-HT7 sandwich fusion protein)

MLGLSEQSVSISRCACTRLPALLDQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLNLYFQ
ASGGGGGAIAMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQKLGVSITPIQKIVLSGENGLK
IDIHVIIIPYEGLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNMIIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAVSLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGTPLFLHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMGKSDKPDGLGYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNPervKGIA
FMEFIRPIPTWDEWPEFARETFQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP

FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI PPAAEARLAK
SLPNCKAVDIGPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:65 (9B8 opt-P nucleotide)

atggtggtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggacca
agtccttgagcagggcggtctgtccagtttgtttcagaaactcggggtgtccgtaacaccgatcc
aaaagattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggctatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcatacactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacc
gggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgct
gttcgcgtaaccatcaacggagtgaacggctggcggctgtgcgagcgcattttggcgaaattctc
acggcttccctcccgaggtggaggagcagggcgccggcacccctgcccatgagctgcgcccaggag
agcggcatggatagacaccctgctgcttgcgccagcgccaggatcaacgtc

SEQ ID NO:66 (2X ARE)

TAGCTTGAAATGACATTGCTAATGGTGACAAAGCAACTTTTAGCTTGAAATGACATTGCTAAT
GGTGACAAAGCAACTTT

SEQ ID NO:67 (HRE)

CTGGAATTTTCTAGACTGGAATTTTCTAGACTGGAATTTTCTAGA

SEQ ID NO:68 (K33N+170G nucleotide)

atggtggtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggacca
agtccttgagcagggcggtctgtccagtttgtttcagaatctcggggtgtccgtaacaccgatcc
aaaagattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggctatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcatacactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacc
gggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgct
gttcgcgtaaccatcaacggagtgaacggctggcggctgtgcgagcgcattttggcgggga

SEQ ID NO:69 (K33N+170G protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGLSSSLFQNLGVSVTPIQKIVLSGENGLKIDIHVIIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAG

SEQ ID NO:70 (27A5 (NF) nucleotide)

ATGGTGTTTACACTCGAAGATTTTCGTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAGCAGGGCGGTCTGTCCAGTTTGTTTCAGAATCTCGGGGTGTCCGTAACCTCCGATCC
AAAAGATTGTCCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAGCGGCTATCAGATGGGCCAGATCGAAAAAATTTTAAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATTCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACC
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAGCGCATTTTGGCGGGA

SEQ ID NO:71 (27A5 (NF) protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGLSSSLFQNLGVSVTPIQKIVLSGENGLKIDIHVIIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAG

SEQ ID NO:72 (23D4 (NF) nucleotide)

ATGGTGTTTACACTCGAAGATTTTCGTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAGCAGGGCGGCCTGTCCAGTTTGTTCAGAATCTCGGGGTGTCCGTAACACCGATCC
AAAAGATTGTCCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAGCGGCTATCAGATGGGCCAGATCGAAAAAATTTTAAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATTCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACCTGA
TCGACTATTTTCGGACGTCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACC
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAGCGCATTTTGGCGGGA

SEQ ID NO:73 (23D4 (NF) protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGLSSLFQNLGVSVTPIQKIVLSGENGLKIDIHVPIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNLIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAG

SEQ ID NO:74 (24C2 (NF) nucleotide)

ATGGTGTTTACACTCGAAGATTTTCGTAGGGGACTGGCAGCAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAGCAGGGCGGTCTGTCCAGTTTGTTCAGAATCTCGGGGTGTCCGTAACCTCCGATCC
AAAAGATTGTCCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAGCGGCTATCAGATGGGCCAGATCGAAAAAATTTTAAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATTCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACC
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAGCGCATTTTGGCGGGA

SEQ ID NO:75 (24C2 (NF) protein)

MVFTLEDFVGDWQQTAGYNLDQVLEQGGLSSLFQNLGVSVTPIQKIVLSGENGLKIDIHVPIPYE
GLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAG

SEQ ID NO:76 (Id-23D4-HT7 sandwich fusion nucleotide)

atgcttggtctgtcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgcccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagcaaggtggagatcctgcagcatgtaatc
gactacatcagggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgcctgtccgcgccccgctcagcaccctgaacggcgagatcagtgccttggcgggccgagg
cggcatgtgttccagccgacgatcgcacatcttgtgtcgcgtttctcttgagaatctttattttcag
gcgctctggaggtggtggcgagcgcgatcgccatgggtgtttactcgaagatttcgtaggggactg
gcggcagacagccggctacaacctggaccaagtccttgagcagggcgccctgtccagtttgtttc
agaatctcgggggtgtccgtaacaccgatccaaaagattgtcctgagcgggtgaaaacggcctgaag
atcgacatccatgtcatcatcccgatgaaggtctgagcggctatcagatgggcccagatcgaaaa
aatttttaaggtggtgtacctgtggatgatcatcactttaaggtgattctgcactatggcacac
tggtaatcgacggggttacgccgaacttgatcgactatctcgacgtccgtatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacga
gcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgcgagcgcattttggcgggatatctcgagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcgatgcactacgtcgtatgttggtccgcgcgatggcaccctgtgctgttccctgcacggta
accgacctcctcctacgtgtggcgcaacatcatcccgcatgttgaccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaatccgacaaaccagacctgggttattttcttcgacgacca
cgctccgcttcatggatgccttcacgaagccctgggtctggaagaggtcgtcctggtcattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgtcaaaggtattgca
tttatggagttcatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt

ccaggccttccgcaccaccgacgtcgggccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgctccgcccgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccgggtga
gccagcgaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcccctgtcccga
agctgctgttctggggcaccccaggcgcttctgatccaccggccgaagccgctcgctggccaaa
agcctgcctaactgcaaggctgtggacatcgggccgggtctg

SEQ ID NO:77 (Id-23D4-HT7 sandwich fusion protein)

MLGLSEQSVSISRCACTRLPALLDQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLNLYFQ
ASGGGGGAIAMVFTLEDFVGDWRQTAGYNLDQVLEQGGSSLFQNLGVSVTPIQKIVLSGENGLK
IDIHVIIPYEGLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPLNIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQS
DNDGSEIGTGFPDFPHYVEVLGERMHYVDVGPRDGPVLFHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMGKSDKPDLYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNPervKGIA
FMEFIRPIPTWDEWPEFARETfQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLIIPAEARLAK
SLPNCKAVDIGPGL

SEQ ID NO:78 (Id-24C2-HT7 sandwich fusion nucleotide)

atgcttggtctgtcgagcaaacgctgtccatctcgcgctgcgctgggacgcgcctgcccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgcagcaaggtggagatcctgcagcatgtaatc
gactacatcagggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgcctgtccgcgccccgctcagcacctgaacggcgagatcagtgccttgggcgccgagg
cgcatgtgttccagccgacgatcgcatcttgtgtcgcttctcttgagaatctttatcttcag
gcgtctggaggtggtggcgagcgatcgccatggtgtttacactcgaagatttcgtaggggactg
gcagcagacagccggctacaacctggaccaagtccctgagcagggcggtctgtccagtttgtttc
agaatctcggggtgtccgtaactccgatccaaaagattgtcctgagcgggtgaaaacggcctgaag
atcgacatccatgtcatcatcccgatatgaaggtctgagcggctatcagatgggcccagatcgaaaa
aatcttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacac
tggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgatatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacga
gcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgcgagcgcatctttggcgggatatctcgagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcatgcactacgtcgatgttggtccgcgcatggcacccctgtgctgttccctgcacggta
acccgacctcctcctacgtgtggcgcaacatcatcccgcatgttgaccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaatccgacaaaccagacctgggttatttcttcgacgacca
cgctccgcttcattggatgccttcacgaagccctgggtctggaagaggctcgctcctggctattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgctcaaaggtattgca
tttatggagtccatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcgggccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgctccgcccgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccgggtga
gccagcgaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcccctgtcccga
agctgctgttctggggcaccccaggcgcttctgatccaccggccgaagccgctcgctggccaaa
agcctgcctaactgcaaggctgtggacatcgggccgggtctgaatctgctgcaagaagacaaccc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttccggt

SEQ ID NO:79 (Id-24C2-HT7 sandwich fusion protein)

MLGLSEQSVSISRCACTRLPALLDQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLNLYFQ

ASGGGGGAIAMVFTLEDFVGDWQQTAGYNLDQVLEQGGGLSSLFQNLGVSVTPIQKIVLSGENGLK
IDIHV IIPYEGLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGT PVLFLHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMGKSDKPD LGYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIA
FMEFIRPIPTWDEWPEFARET FQAFRTTDVGRKL IIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI PPAAEARLAK
SLPNCKAVDIGPGLNLLQEDNPD LIGSEIARWLSTLEISG

SEQ ID NO:80 (1F7 (NF) nucleotide)

ATGGTGTTTACACTCGAAGATTTCTAGAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAGCAGGGCGGTCTGTCCAGTTTGTTTCAGAATCTCGGGGTGTCCGTAACACCGATCC
AAAGGATTGTCCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAGCGGCGATCAGATGGGCCAGATCGAAAAAATTTTTAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATTCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACC
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAGCGCATTTTGGCGGGA

SEQ ID NO:81 (1F7 (NF) protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGGLSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHV IIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAG

SEQ ID NO:82 (15H1 (NF) nucleotide)

ATGGTGTTTACACTCGAAGATTTCTAGAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGATCA
AGTCCTTGAGCAGGGCGGTCTGTCCAGTTTGTTTCAGAATCTCGGGGTGTCCGTAACACCGATCC
AAAAGATTGTCCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAACGGCTATCAGATGGGCCAGATCGAAAAAATTTTTAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATTCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACC
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAGCGCATTTTGGCGGGA

SEQ ID NO:83 (15H1 (NF) protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGGLSSLFQNLGVSVTPIQKIVLSGENGLKIDIHV IIPYE
GLNGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAG

SEQ ID NO:84 (Id-1F7-HT7 sandwich fusion nucleotide)

atgcttggtctgtgcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgccaccctgccccagaaccgcaaagttagcaaggtggagatcctgcagcatgtaatc
gactacatcagggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgcctgtccgcgccccgctcagcacctgaacggcgagatcagtgccctggcgggccgagg
cggcatgtgttccagccgacgatcgcatcttgtgtcgcgtttctcttgagaatctttatcttcag
gcgtctggaggtggtggcgagcgatcgccatggtgtttacactcgaagatttcgtaggggactg
gcggcagacagccggctacaacctggaccaagtccttgagcagggcggtctgtccagtttgtttc
agaatctcggggtgtccgtaacaccgatccaaaggattgtcctgagcggtgaaaacggcctgaag
atcgacatccatgtcatcatcccgatgaaggtctgagcggcgatcagatgggacagatcgaaaa
aatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacac
tggtaatcgacggggttacgccgaacatgatcgactatctcgacggccgtatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacga

gcgcctgatcaacccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgagcgagcgcatTTTTGGCGGATATCTCGAGCCAACCCTGAGGATCTGTACTTTcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcatgcactacgtcgtatgttgggtccgcgcgatggcaccctgtgctgttcttgacggta
acccgacctcctcctacgtgtggcgcaacatcatcccgcatgttgacccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaataccgacaaaccagacctgggttattttcttcgacgacca
cgtccgcttcattggatgccttcacgaagccctgggtctggaagaggctcgctcctgggtcattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgctcaaaggatttgca
tttatggagtccatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcggccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgtccgcccgtgactgaagtcgagatggaccattaccgcgagccg
ttctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccggtga
gccagcgaacatcgctcgcgctggctgaagaatacatggactggctgcaccagtcctctgtcccg
agctgctgttctggggcaccccaggcgcttctgatccaccggccgaagccgctcgctggccaaa
agcctgcctaactgaaggctgtggacatcgggccgggtctgaatctgctgcaagaagacaaccc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggag

SEQ ID NO:85 (Id-1F7-HT7 sandwich fusion protein)

MLGLSEQSVSISRCACTRLPALLDEQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLLENLYFQ
ASGGGGGAIAMVFTLEDFVGDWRTAGYNLDQVLEQGGSSLFQNLGVSVTPIQIRIVLSGENGLK
IDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGPVFLHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMKSDDKPDLYFFDDHVRFMDFIEALGLEEVVLVIHDWGSALGFHWAKRNPVERVKGIA
FMEFIRPIPTWDEWPEFARETQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLIIPAEARLAK
SLPNCKAVDIGPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:86 (Id-15H1-HT7 sandwich fusion nucleotide)

atgcttggctctgtcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgcccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagcaaggtggagatcctgcagcatgtaatc
gactacatcagggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgctgtccgcgccccgctcagcaccctgaacggcgagatcagtgccttggcgggccgagg
cgcatgtgttccagccgacgatcgcatcttgtgtcgcgtttctcttgagaatctttattttcag
gctcttgagggtggtggcgagcgatcgccatggtgtttacactcgaagatttcgtaggggactg
gcggcagacagccggtacaacctggatcaagtccttgagcagggcggtctgtccagtttgtttc
agaatctcgggggtgtccgtaacaccgatccaaaagattgtcctgagcgggtgaaaacggcctgaag
atcgacatccatgtcatcatcccgatgaaggctcgaacggctatcagatgggccagatcgaaaa
aatttttaagggtggtgtaccctgtggatgatcatcactttaagggtgattctgcactatggcacac
tggtaatcgacggggttacgccgaacatgatcactatttcggacggccgtatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacga
gcgcctgatcaacccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgagcgagcgcatTTTTGGCGGATATCTCGAGCCAACCCTGAGGATCTGTACTTTcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcatgcactacgtcgtatgttgggtccgcgcgatggcaccctgtgctgttcttgacggta
acccgacctcctcctacgtgtggcgcaacatcatcccgcatgttgacccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaataccgacaaaccagacctgggttattttcttcgacgacca
cgtccgcttcattggatgccttcacgaagccctgggtctggaagaggctcgctcctgggtcattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgctcaaaggatttgca
tttatggagtccatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcggccgcaagctgatcatcgatcagaacgtttttatcgagg

gtacgctgccgatgggtgtcgtccgcccgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccggtga
gccagcgaacatcgtcgcgctggtcgaagaatacatggactggctgcaccagtcccctgtcccga
agctgctgttctggggcaccccaggcgcttctgatccaccggccgaagccgctcgccctggccaaa
agcctgcctaactgcaaggctgtggacatcgccccgggtctgaatctgctgcaagaagacaaccc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttccggt

SEQ ID NO:87 (Id-15H1-HT7 sandwich fusion protein)

MLGLSEQSVSISRCACTRLPALLDEQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLNLYFQ
ASGGGGGAIAMVFTLEDFVGDWRQTAGYNLDQVLEQGGSLFQNLGVSVTPIQKIVLSGENGLK
IDIHVIIPYEGLNGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGPVLFHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMGKSDKPDLYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNPERSVKGIA
FMEFIRPIPTWDEWPEFARETFQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLIIPAEARLAK
SLPNCKAVDIGPGLNLLQEDNPDIGSEIARWLSTLEISG

SEQ ID NO:88 (9B8 opt+K33N+L27V+T39T+K43R+Y68D nucleotide)

Atggtgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggacca
agtccttgagcagggcggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgatcagatgggccagatcgaaaaatttttaagggtggtgtaccctgtggatga
tcatcactttaagggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacc
gggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgct
gttccgcgtaaccatcaacggagtgaccggctggcggtgtgacgagcgcattttggcg

SEQ ID NO:89 (9B8 opt+K33N+L27V+T39T+K43R+Y68D protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:90 (9B8 opt+K33N+L27V+T39T+K43R+Y68D sandwich fusion nucleotide)

atgcttggtctgtcggagcaaagcgtgtccatctcgcgctgcgctgggacgcgcctgcccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagtgagcaaggtggagatcctgcagcatgtaatc
gactacatcagggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggagggcg
gggactgcctgtccgcgccccgctcagcacccctgaacggcgagatcagtgccttggcgggccgagg
cggcatgtgttccagccgacgatcgcacatcttgtgtcgcgtttctcttgagaatctttattttcag
gcgctctggaggtggtggcgagcgatcgccatggtgtttacactcgaagatttcgtaggggactg
gcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttc
agaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaacggcctgaag
atcgacatccatgtcatcatcccgatgaaggtctgagcggcgatcagatgggcccagatcgaaaa
aatttttaaggtggtgtacctgtggatgatcatcactttaaggtgattctgcactatggcacac
tggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgatatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacga
gcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgagcagcgcatttttggcgggatatctcgagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcctggg
cgagcgcgatgcactacgtcgcgatgttgggtccgcgcgatggcacccctgtgctgttctgcacggta
accgcacctcctcctacgtgtggcgcaacatcatcccgcatgttgacccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaatccgacaaaccagacctgggttattttcttcgacgacca
cgtccgcttcattggatgccttcacgaagccctgggtctggaagaggtcgctcctggctattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgctcaaaggtattgca
tttatggagtccatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcggccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgtccgcccgcgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccggtga
gccagcgaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcacctgtcccg
agctgctgttctggggcacccccaggcggttctgatccaccggccgaagccgctcgctggccaaa
agcctgcctaactgcaaggctgtggacatcgggccgggtctgaatctgctgcaagaagacaaccc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttcgggt

SEQ ID NO:91 (9B8 opt+K33N+L27V+T39T+K43R+Y68D sandwich fusion protein)

MLGLSEQSVSISRAGTRLPALDEQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLENLYFQ
ASGGGGGAIAMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSENGLK
IDIHVIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGYLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPDRDGPVFLHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMGKSDKPD LGYFFDDHVRFM DAFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIA
FMEFIRPIPTWDEWPEFARET FQAFRTTDVGRKL IIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI PPAAEARLAK
SLPNCKAVDIGPGLNLLQEDNPDLIGSEIARWLSTLEISG

SEQ ID NO:92 (9B8 opt+K33N+T39T+K43R+Y68D nucleotide)

Atggtgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggacca
agtccttgagcagggcggtctgtccagtttgtttcagaatctcgggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgatcagatgggcccagatcgaaaaaatttttaaggtggtgtacctgtggatga
tcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgatatgaaggcatcgccggtgttcgacggcaaaaagatcactgtaacc

gggaccctgtggaacggcaacaaaaattatcgacgagcgctgatcaaccccgacggctccctgct
gttccgcgtaaccatcaacggagtgaccggctggcggtgtgcgagcgcattttggcg

SEQ ID NO:93 (9B8 opt+K33N+T39T+K43R+Y68D protein)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGLSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFVRTINGVTGWRLCERILA

**SEQ ID NO:94 (9B8 opt+K33N+T39T+K43R+Y68D sandwich fusion
nucleotide)**

atgcttggtctgtcgagcaaagcgtgtccatctcgcgctgcgctgggacgcgctgcccgcctt
gctggacgagcagcaggtgaacgtcctgctctacgacatgaacggctgctactcacgcctcaagg
agctggtgcccaccctgccccagaaccgcaaagtgaagtgagcaaggtggagatcctgcagcatgtaac
gactacatcagggacctgcagctggagctgaactcggagctctgaagtcgggaccaccggaggccg
gggactgcctgtccgcgccccgctcagcacctgaacggcgagatcagtgccttggcgggccgagg
cggcatgtgttccagccgacgatcgcatcttgtgtcgcgtttctcttgagaatctttattttcag
gcgtctggaggtggtggcgagcgatcgccatggtgtttacactcgaagatttcgtaggggactg
gcggcagacagccggctacaacctggaccaagtccttgagcagggcggtctgtccagtttgtttc
agaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaacggcctgaag
atcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggcccagatcgaaaa
aatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacac
tggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaaattatcgacga
gcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgcgagcgcattttggcgggatatctcgagccaaccactgaggatctgtactttcagagc
gataacgatggatccgaaatcggtactggctttccattcgacccccattatgtggaagtcttggg
cgagcgcatgcactacgtcgatgttgggtccgcgcgatggcacccctgtgctgttcttgcacggta
accgcacctcctcctacgtgtggcgcaacatcatcccgcatgttgcaccgacccatcgctgcatt
gctccagacctgatcggtatgggcaaatccgacaaaccagacctgggttattttcttcgacgacca
cgtccgcttcatggatgccttcacgaagccctgggtctggaagaggtcgctcctgggtcattcacg
actggggctccgctctgggtttccactgggccaagcgcaatccagagcgcgctcaaaggtattgca
tttatggagttcatccgccctatcccgaacctgggacgaatggccagaatttgcccgcgagacctt
ccaggccttccgcaccaccgacgtcggccgcaagctgatcatcgatcagaacgtttttatcgagg
gtacgctgccgatgggtgtcgtccgcccgtgactgaagtcgagatggaccattaccgcgagccg
ttcctgaatcctgttgaccgcgagccactgtggcgcttcccaaacgagctgccaatcgccgggtga
gccagcgaaacatcgctcgcgctggtcgaagaatacatggactggctgcaccagtcacctgtcccga
agctgctgttctggggcaccccaggcggttctgatccaccggccgaagccgctcgccctggccaaa
agcctgcctaactgcaaggtgtggacatcgggccgggtctgaatctgctgcaagaagacaaccc
ggacctgatcggcagcgagatcgcgcgctggctgtctactctggagatttccggt

**SEQ ID NO:95 (9B8 opt+K33N+T39T+K43R+Y68D sandwich fusion
protein)**

MLGLSEQSVSISRAGTRLPALLDEQQVNVLLYDMNGCYSRLKELVPTLPQNRKVSKEILQHVI
DYIRDLQLELNSESEVGTGGRGLPVRAPLSTLNGEISALAAEAACVPADDRILCRVSLLENLYFQ
ASGGGGGAIAMVFTLEDFVGDWRQTAGYNLDQVLEQGGLSSLFQNLGVSVTPIQRIVLSGENGLK
IDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLLFVRTINGVTGWRLCERILAGYLEPTTEDLYFQS
DNDGSEIGTGFPFDPHYVEVLGERMHYVDVGPRDGPVFLHGNPTSSYVWRNIIPHVAPTHRCI
APDLIGMGKSDKPD LGYFFDDHVRFMDAFIEALGLEEVVLVIHDWGSALGFHWAKRNP ERVKGIA
FMEFIRPIPTWDEWPEFARET FQAFRTTDVGRKLIIDQNVFIEGTLPMGVVRPLTEVEMDHYREP
FLNPVDREPLWRFPNELPIAGEPANIVALVEEYMDWLHQSPVPKLLFWGTPGVLI PPAAEARLAK
SLPNCKAVDIGPGLNLLQEDNPDLIGSEIARWLSTLEISG

SEQ ID NO:96 (CRE)

GCACCAGACAGTGACGTCAGCTGCCAGATCCCATGGCCGTCATACTGTGACGTCTTTCAGACACC
CCTTGACGTCAATGGGAGAACA

SEQ ID NO:97 (Nucleotide CP 84 no linker)

Atggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgcc
gaacatgatcgactatttcggacggccgatatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgccgatcaaccccgacggc
tccttgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcattttggc
gatggtgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggacc
aagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatc
caaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatga
aggtctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtg

SEQ ID NO:98 (Protein CP 84 no linker)

MDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTINGVTGWRLCERILAMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPI
QRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPV

SEQ ID NO:99 (Nucleotide CP 84 5AA linker)

Atggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgcc
gaacatgatcgactatttcggacggccgatatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgccgatcaaccccgacggc
tccttgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcattttggc
ggggagctccgggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagccg
gctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtg
tcgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgt
catcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtg
tgtaccctgtg

SEQ ID NO:100 (Protein CP 84 5AA linker)

MDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTINGVTGWRLCERILAGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLG
SVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPV

SEQ ID NO:101 (Nucleotide CP 84 10AA linker)

Atggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgcc
gaacatgatcgactatttcggacggccgatatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgccgatcaaccccgacggc
tccttgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcattttggc
gggaagtcttggtggaggagctccgggtggaatggtgtttacactcgaagatttcgtaggggact
ggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgttt
cagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaa
gatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaaa
aaatttttaaggtggtgtaccctgtg

SEQ ID NO:102 (Protein CP 84 10AA linker)

MDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTINGVTGWRLCERILAGSSGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLF
QNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPV

SEQ ID NO:103 (Nucleotide CP 84 20AA linker)

Atggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgcc
gaacatgatcgactatttcggacggccggtatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaaccgggaccctgtggaacgggaacaaaattatcgacgagcgccctgatcaaccccgacggc
tccttgctgttccgcgtaaccatcaacggagtgaacggctggcggtgtgagcgcatTTTTGGC
gggaagtcttggtggagggagctccggtggaggaagtcttggtggagggagctccggtggaatgg
tgTTTactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtc
cttgagcagggcggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaag
gattgtcctgagcggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtc
tgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtg

SEQ ID NO:104 (Protein CP 84 20AA linker)

MDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTINGVTGWRLCERILAGSSGGSSGGSSGGSSGGMVFTLEDFVGDWRQTAGYNLDQV
LEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPV

SEQ ID NO:105 (Nucleotide CP 95 no linker)

Atgggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccggtatga
aggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacgggaacaaaa
ttatcgacgagcgccctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtg
accggctggcggtgtgagcgcatTTTTGGCGATGGTGTttactcgaagatttcgtagggga
ctggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgt
ttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaacggcctg
aagatcgacatccatgtcatcatcccgtatgaagggtctgagcggcgatcagatgggccagatcga
aaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactat

SEQ ID NO:106 (Protein CP 95 no linker)

MGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGV
TGWRLCERILAMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGL
KIDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHY

SEQ ID NO:107 (Nucleotide CP 95 5AA linker)

Atgggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccggtatga
aggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacgggaacaaaa
ttatcgacgagcgccctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtg
accggctggcggtgtgagcgcatTTTTGGCGGGGAGCTccggtggaatggtgtttactcga
agatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcg
gtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagc
ggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaagggtctgagcggcgatca
gatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtga
ttctgcactat

SEQ ID NO:108 (Protein CP 95 5AA linker)

MGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGV
TGWRLCERILAGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLS
GENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHY

SEQ ID NO:109 (Nucleotide CP 95 10AA linker)

Atgggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccggtatga
aggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacgggaacaaaa
ttatcgacgagcgccctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtg
accggctggcggtgtgagcgcatTTTTGGCGGGAAGTCTtggtggagggagctccggtggaat
ggtgtttactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaag
tccttgagcagggcggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaa

aggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatatgaagg
tctgagcggcgatcagatgggcccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatc
atcactttaagggtgattctgcactat

SEQ ID NO:110 (Protein CP 95 10AA linker)

MGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGV
TGWRLCERILAGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQ
RIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHY

SEQ ID NO:111 (Nucleotide CP 95 20AA linker)

Atgggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggcccgatatga
aggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaa
ttatcgacgagcgctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtg
accggctggcggctgtgagcgcatTTTTGGCGGGAAGTtctggtggagggagctccgggtggagg
aagtctggtggagggagctccgggtggaatggtgtttactcgaagatttcgtaggggactggc
ggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcag
aatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagat
cgacatccatgtcatcatcccgatatgaaggctctgagcggcgatcagatgggcccagatcgaaaaa
tttttaagggtggtgtaccctgtggatgatcatcactttaagggtgattctgcactat

SEQ ID NO:112 (Protein CP 95 20AA linker)

MGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGV
TGWRLCERILAGSSGGGSSGGGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQ
NLGVSVTPIQIRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHY

SEQ ID NO:113 (Linker)

(GSGG)_N

SEQ ID NO:114 (L27V CP 5 TEV)

Atggatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcaggg
cgggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctga
gcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatatgaaggctgagcggcgat
cagatgggcccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcatcactttaagg
gattctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggac
ggcggatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaac
ggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgcgtaaccat
caacggagtgaccggctggcggctgtgagcgcatTTTTGGCGGGAAGTtctggtggaggaagtt
ctggtggagagcctactactgagaacttgacttccagagcgataacggaagttctggtggagga
agttctggtggaatggtgtttactcga

SEQ ID NO:115 (L27V CP 5 TEV)

MDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIIPYEGLSGD
QMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWN
GNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGEPTTENLYFQSDNGSSGGG
SSGGMVFTLE

SEQ ID NO:116 (L27V CP 6 TEV)

atgttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcgg
tgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcg
gtgaaaacggcctgaagatcgacatccatgtcatcatcccgatatgaaggctctgagcggcgatcag
atgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcatcactttaagggtgat
tctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggc
cgatatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggc

aacaaaattatcgacgagcgccctgatcaaccccgacggctccctgctgttccgcgtaaccatcaa
cggagtgaccggctggcggctgtgcgagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTG
gtggagagcctactactgagaacttgtacttccagagcgataacggaagttctggtggaggaagt
tctggtggaatggtgtttacactcgaagat

SEQ ID NO:117 (L27V CP 6 TEV)

MFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQ
MGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNG
NKIIDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGSSSGEPTTENLYFQSDNGSSGGGS
SGGMVFTLED

SEQ ID NO:118 (L27V CP 7 TEV)

atggtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgt
gtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtg
aaaacggcctgaagatcgacatccatgtcatcatcccgatgaaggtctgagcggcgatcagatg
ggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattct
gcactatggcacactggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgt
atgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaac
aaaattatcgacgagcgccctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacgg
agtgaccggctggcggctgtgcgagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTG
gagagcctactactgagaacttgtacttccagagcgataacggaagttctggtggaggaagttct
ggtggaatggtgtttacactcgaagatttc

SEQ ID NO:119 (L27V CP 7 TEV)

MVGDWRTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQM
GQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGN
KIIDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGSSSGEPTTENLYFQSDNGSSGGSS
GGMVFTLEDF

SEQ ID NO:120 (L27V CP 9 TEV)

atggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccag
tttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaacg
gctgaagatcgacatccatgtcatcatcccgatgaaggtctgagcggcgatcagatgggccag
atcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcacta
tggcacactggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgcatgaag
gcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaatt
atcgacgagcgccctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgc
cggctggcggctgtgcgagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGC
ctactactgagaacttgtacttccagagcgataacggaagttctggtggaggaagttctggtgga
atggtgtttacactcgaagatttcgtaggg

SEQ ID NO:121 (L27V CP 9 TEV)

MDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQ
IEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI
IDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGSSSGEPTTENLYFQSDNGSSGGSSSG
MVFTLEDFVG

SEQ ID NO:122 (L27V CP 11 TEV)

Atgcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtt
tcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaacggcctga
agatcgacatccatgtcatcatcccgatgaaggtctgagcggcgatcagatgggccagatcgaa
aaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcac
actggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgcatgaaggcatcg

ccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgac
gagcgccctgatcaaccccgacggctccctgctgttcgcgtaaccatcaacggagtgaccggctg
gcggctgtgagcgagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCTACTA
CTGAGAACTTGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTCTGGTGGGAATGGTG
TTTACACTCGAAGATTTCTAGGGGACTGG

SEQ ID NO:123 (L27V CP 11 TEV)

MRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIE
KIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIID
ERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGMV
FTLEDFVGDW

SEQ ID NO:124 (L27V CP 12 TEV)

Cagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaa
tctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcg
acatccatgtcatcatcccgtatgaaggctctgagcggcgatcagatgggccagatcgaaaaaatt
tttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggg
aatcgacgggggttacgccgaacatgatcgactatctcgacggccgctatgaaggcatcgccgtgt
tcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgc
ctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggct
gtgcgagcgcattttggcgggaagttctggtggaggaagttctggtggagagcctactactgaga
acttgtacttccagagcgataacggaagttctggtggaggaagttctggtggaatggtgtttaca
ctcgaagatttcgtaggg

SEQ ID NO:125 (L27V CP 12 TEV)

QTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKI
FKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDER
LINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFT
LEDFVG

SEQ ID NO:126 (L27V CP 15 TEV)

atgggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgg
ggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatcc
atgtcatcatcccgtatgaaggctctgagcggcgatcagatgggccagatcgaaaaaatttttaag
gtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcga
cgggggttacgccgaacatgatcgactatctcgacggccgctatgaaggcatcgccgtgttcgacg
gcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatc
aaccocgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgcga
gcgcattttggcgggaagttctggtggaggaagttctggtggagagcctactactgagaacttgt
acttccagagcgataacggaagttctggtggaggaagttctggtggaatggtgtttacactcgaa
gatttcgtaggggactggcggcagacagcc

SEQ ID NO:127 (L27V CP 15 TEV)

MGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFK
VVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLI
NPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLE
DFVGDWQRQA

SEQ ID NO:128 (L27V CP 18 TEV)

ctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaac
tccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcc
cgtatgaaggctctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtgtaccct
gtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgcc
gaacatgatcgactatctcgacggccgctatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggc
tccctgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggc
gggaagttctggtggaggaagttctggtggagagcctactactgagaacttgtacttccagagcg
ataacggaagttctggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggg
gactggcggcgagacagccggctacaac

SEQ ID NO:129 (L27V CP 18 TEV)

LDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVYP
VDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVG
DWRQTAGYN

SEQ ID NO:130 (L27V CP 21 TEV)

gtccttgagcagggcggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcca
aaggattgtcctgagcggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaag
gtctgagcggcgatcagatgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatgat
catcactttaagggtgattctgcactatggcacactggtaatcgacggggttacgccgaacatgat
cgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccg
ggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctg
ttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttc
tggtggaggaagttctggtggagagcctactactgagaacttgtacttccagagcgataacggaa
gttctggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcgg
cagacagccggctacaacctggaccaa

SEQ ID NO:131 (L27V CP 21 TEV)

VLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVYPVDD
HHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI I DERLINPDGSLL
FRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLED FVGDWR
QTAGYNLDQ

SEQ ID NO:132 (L27V CP 24 TEV)

cagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgt
cctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcg
gcatcagatgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcatcacttt
aagggtgattctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactat
cggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgt
ggaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcgta
accatcaacggagtgaccggctggcggctgtgtagcgcatTTTTGGCGGGAAGTtctggtggagg
aagttctggtggagagcctactactgagaacttgtacttccagagcgataacggaagttctggtg
gaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagcc
ggtacaacctggaccaagtccttgag

SEQ ID NO:133 (L27V CP 24 TEV)

QGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVYPVDDHHF
KVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI I DERLINPDGSLLFRV
TINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLED FVGDWRQTA
GYNLDQVLE

SEQ ID NO:134 (L27V CP 27 TEV)

gtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgg
tgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcgatcaga
tgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcatcactttaagggtgatt
ctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactatctcggacggcc
gtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggca
acaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaac
ggagtgaccggctggcggctgtgtagcgcatTTTTGGCGGGAAGTtctggtggaggaagttctgg
tgagagcctactactgagaacttgtacttccagagcgataacggaagttctggtggaggaagtt
ctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaac
ctggaccaagtccttgagcagggcgggt

SEQ ID NO:135 (L27V CP 27 TEV)

VSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVI
LHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI I DERLINPDGSLLFRVTIN
GVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLED FVGDWRQTAGYN
LDQVLEQGG

SEQ ID NO:136 (L27V CP 34 TEV)

atgctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagat
cgacatccatgtcatcatcccgtatgaaggctctgagcggcgatcagatgggccagatcgaaaaa
tttttaagggtggtgtaccctgtggatgatcatcactttaagggtgattctgcactatggcacactg
gtaatcgacggggttacgccgaacatgatcgactatctcggacggccgtatgaaggcatcgccgt
gttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagc
gcctgatcaaccccgacggctccctgctgttccgcgtaacctcaacggagtgaccggctggcgg
ctgtgtagcgcatTTTTGGCGGGAAGTtctggtggaggaagttctggtggagagcctactactga
gaacttgtacttccagagcgataacggaagttctggtggaggaagttctggtggaatggtgttta
cactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgag
cagggcggtgtgtccagtttgtttcagaat

SEQ ID NO:137 (L27V CP 34 TEV)

MLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTL
VIDGVTNPMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWR
LCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLE
QGGVSSLFQN

SEQ ID NO:138 (L27V CP 40 TEV)

Atgccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcat
cccgtatgaaggctctgagcggcgatcagatgggccagatcgaaaaaatttttaagggtggtgtacc
ctgtggatgatcatcacttttaagggtgattctgcactatggcacactggtaatcgacgggggttacg
ccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagat
cactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaacccccgacg
gctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggtgtgagcgcatttttg
gcggaagtctctggtggaggaagtctctggtggagagcctactactgagaacttgacttccagag
cgataacggaagtctctggtggaggaagtctctggtggaatggtgtttacactcgaagatttcgtag
gggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagt
ttgtttcagaatctcggggtgtccgtaact

SEQ ID NO:139 (L27V CP 40 TEV)

MPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVT
PNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWR
LCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSS
LFQNLGVSVT

SEQ ID NO:140 (L27V CP 43 TEV)

Atgaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatga
aggctctgagcggcgatcagatgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatg
atcatcacttttaagggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatg
atcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaac
cgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaacccccgacggctccctgc
tgttccgcgtaaccatcaacggagtgaccggctggcggtgtgagcgcatttttgccgggaagt
tctggtggaggaagtctctggtggagagcctactactgagaacttgacttccagagcgataacgg
aagtctctggtggaggaagtctctggtggaatggtgtttacactcgaagatttcgtaggggactggc
ggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcag
aatctcgggggtgtccgtaactccgatccaa

SEQ ID NO:141 (L27V CP 43 TEV)

MRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTNPM
IDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWR
LCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSS
LFQNLGVSVTPIQ

SEQ ID NO:142 (L27V CP 44 TEV)

Atgattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaagg
tctgagcggcgatcagatgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatc
atcacttttaagggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatgatc
gactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgg
gaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaacccccgacggctccctgctgt
tccgcgtaaccatcaacggagtgaccggctggcggtgtgagcgcatttttgccgggaagtctct
ggtggaggaagtctctggtggagagcctactactgagaacttgacttccagagcgataacgggaag
ttctggtggaggaagtctctggtggaatggtgtttacactcgaagatttcgtaggggactggcggc

agacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaat
ctcgggggtgtccgtaactccgatccaaagg

SEQ ID NO:143 (L27V CP 44 TEV)

MIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMI
DYFGRPYEGIAVFDGKKITVTGTLWNGNKI IDERLINPDGSLLFRVTINGVTGWRLCERILAGSS
GGSSSGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQN
LGVSVTPIQR

SEQ ID NO:144 (L27V CP 45 TEV)

Atggtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctct
gagcggcgatcagatgggccagatcgaaaaaatTTTTAAGGTGGTGTACCCTGTGGATGATCATC
actTTAAGGTGATTCTGCACATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGATCGAC
tatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggac
cctgtggaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttcc
gcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggt
ggaggaagttctggtggagagcctactactgagaacttgtacttccagagcgataacggaagttc
tggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcaga
cagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctc
ggggtgtccgtaactccgatccaaaggatt

SEQ ID NO:145 (L27V CP 45 TEV)

MVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMID
YFGRPYEGIAVFDGKKITVTGTLWNGNKI IDERLINPDGSLLFRVTINGVTGWRLCERILAGSSG
GGSSSGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNL
GVSVTPIQRI

SEQ ID NO:146 (L27V CP 46 TEV)

Atgctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgag
cggcgatcagatgggccagatcgaaaaaatTTTTAAGGTGGTGTACCCTGTGGATGATCATC
ttaagggtgattctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactat
ttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccct
gtggaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcg
taaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtgga
ggaagttctggtggagagcctactactgagaacttgtacttccagagcgataacggaagttctgg
tgaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacag
ccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcggg
gtgtccgtaactccgatccaaaggatt

SEQ ID NO:147 (L27V CP 46 TEV)

MLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDY
FGRPYEGIAVFDGKKITVTGTLWNGNKI IDERLINPDGSLLFRVTINGVTGWRLCERILAGSSG
GSSSGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLG
VSVTPIQRI

SEQ ID NO:148 (L27V CP 47 TEV)

atgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcgg
cgatcagatgggccagatcgaaaaaatTTTTAAGGTGGTGTACCCTGTGGATGATCATC
agggtgattctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactatttc
ggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtg
gaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcgtaa
ccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtggagga
agttctggtggagagcctactactgagaacttgtacttccagagcgataacggaagttctggtgg

aggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagccg
gctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtg
tccgtaactccgatccaaaggattgtcctg

SEQ ID NO:149 (L27V CP 47 TEV)

MSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYF
GRPYEGIAVFDGKKITVTGTLWNGNKI I DERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGG
SSGGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGV
SVTPIQRIVL

SEQ ID NO:150 (L27V CP 48 TEV)

atgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgga
tcagatggggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaagg
tgattctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactatttcgga
cggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaa
cggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcgtaacca
tcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtggaggaagt
tctggtggagagcctactactgagaacttgtacttccagagcgataacggaagttctggtggagg
aagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagccggct
acaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtcc
gtaactccgatccaaaggattgtcctgagcg

SEQ ID NO:151 (L27V CP 48 TEV)

MGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFG
RPYEGIAVFDGKKITVTGTLWNGNKI I DERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGS
SGGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVS
VTPIQRIVLS

SEQ ID NO:152 (L27V CP 49 TEV)

atggaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatca
gatggggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtga
ttctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactatttcggacgg
ccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacgg
caacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatca
acggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtggaggaagttct
ggtggagagcctactactgagaacttgtacttccagagcgataacggaagttctggtggaggaag
ttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagccggctaca
acctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgta
actccgatccaaaggattgtcctgagcgg

SEQ ID NO:153 (L27V CP 49 TEV)

MENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGR
PYEGIAVFDGKKITVTGTLWNGNKI I DERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSS
GGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSV
TPIQRIVLSG

SEQ ID NO:154 (L27V CP 50 TEV)

atgaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagat
ggggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattc
tgactatggcacactggtaatcgacggggttacgccgaacatgatcgactatttcggacggccg
tatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaa
caaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacg
gagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtggaggaagttctggt

ggagagcctactactgagaacttgtacttccagagcgataacggaagttctggtggaggaagttc
tgggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagccgggtacaacc
tggaccaagtcccttgagcagggcggtgtgtccagtttgtttcagaatctcggggtgtccgtaact
ccgatccaaaggattgtcctgagcggtgaa

SEQ ID NO:155 (L27V CP 50 TEV)

MNGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRP
YEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSG
GEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVT
PIQRIVLSGE

SEQ ID NO:156 (L27V CP 51 TEV)

atgggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatggg
ccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgc
actatggcacactggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgtat
gaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaa
aattatcgacgagcgctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggag
tgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtggaggaagttctggtgga
gagcctactactgagaacttgtacttccagagcgataacggaagttctggtggaggaagttctgg
tggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagccgggtacaacctgg
accaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccg
atccaaaggattgtcctgagcggtgaaaac

SEQ ID NO:157 (L27V CP 51 TEV)

MGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPY
EGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSG
EPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVP
IQRIVLSGEN

SEQ ID NO:158 (L27V CP 52 TEV)

atgctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggcc
gatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcact
atggcacactggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgtatgaa
ggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaat
tatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtga
ccggctggcggctgtgcgagcgcattttggcgggaagttctggtggaggaagttctggtggagag
cctactactgagaacttgtacttccagagcgataacggaagttctggtggaggaagttctggtgg
aatggtgtttacactcgaagatttcgtaggggactggcggcagacagccgggtacaacctggacc
aagtccttgagcagggcggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatc
caaaggattgtcctgagcggtgaaaacggc

SEQ ID NO:159 (L27V CP 52 TEV)

MLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYE
GIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGE
PTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVP
PIQRIVLSGENG

SEQ ID NO:160 (L27V CP 53 TEV)

atgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagat
cgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatg
gcacactggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgtatgaaggc
atcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattat
cgacgagcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccg

gctggcggtgtgctgagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCT
actactgagaacttgtacttccagagcgataacggaagttctggtggaggaagttctggtggaat
ggtgtttactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaag
tccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaa
aggattgtcctgagcgggtgaaaacggcctg

SEQ ID NO:161 (L27V CP 53 TEV)

MKIDIHVIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEG
IAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGE
TTENLYFQSDNGSSGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQ
RIVLSGENGL

SEQ ID NO:162 (L27V CP 54 TEV)

atgatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagatcga
aaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggca
cactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatc
gccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcga
cgagcgctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggct
ggcggtgtgcgagcgcattttggcggaagtctctggtggaggaagtctctggtggagagcctact
actgagaacttgtacttccagagcgataacggaagtctctggtggaggaagtctctggtggaatggt
gtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtcc
ttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaagg
attgtcctgagcgggtgaaaacggcctgaag

SEQ ID NO:163 (L27V CP 54 TEV)

MIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGI
AVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPT
TENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQR
IVLSGENGLK

SEQ ID NO:164 (L27V CP 55 TEV)

atggacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaaaa
aatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacac
tggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacga
gcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgcgagcgcattttggcggaagtctctggtggaggaagtctctggtggagagcctactact
gagaacttgtacttccagagcgataacggaagtctctggtggaggaagtctctggtggaatggtgtt
tacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttg
agcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggatt
gtcctgagcgggtgaaaacggcctgaagatc

SEQ ID NO:165 (L27V CP 55 TEV)

MDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTT
ENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRI
VLSGENGLKI

SEQ ID NO:166 (L27V CP 56 TEV)

Atgatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaaaaaat
ttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactgg
taatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtg
ttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcg
cctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggc
tgtgcgagcgcattttggcggaagtctctggtggaggaagtctctggtggagagcctactactgag
aacttgtacttccagagcgataacggaagtctctggtggaggaagtctctggtggaatggtgtttac
actcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagc
agggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtc
ctgagcgggtgaaaacggcctgaagatcga

SEQ ID NO:167 (L27V CP 56 TEV)

MIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAV
FDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTE
NLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRI
VLSGENGLKID

SEQ ID NO:168 (L27V CP 58 TEV)

atggatcatcatcccgatgaaggtctgagcggcgatcagatgggccagatcgaaaaatttttaa
ggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcg
acgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgac
ggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgccctgat
caaccccgacgggtccctgctgttcgcgtaaccatcaacggagtgaccggctggcggtgtgcg
agcgcattttggcggaagtctggtggaggaagtctggtggagagcctactactgagaacttg
tacttccagagcgataacggaagtctggtggaggaagtctggtggaatggtgtttacactcga
agatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcg
gtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagc
ggtgaaaacggcctgaagatcgacatccat

SEQ ID NO:169 (L27V CP 58 TEV)

MV I I P Y E G L S G D Q M G Q I E K I F K V V Y P V D D H H F K V I L H Y G T L V I D G V T P N M I D Y F G R P Y E G I A V F D
G K K I T V T G T L W N G N K I I D E R L I N P D G S L L F R V T I N G V T G W R L C E R I L A G S S G G G S S G G E P T T E N L
Y F Q S D N G S S G G G S S G M V F T L E D F V G D W R Q T A G Y N L D Q V L E Q G G V S S L F Q N L G V S V T P I Q R I V L S
G E N G L K I D I H

SEQ ID NO:170 (L27V CP 64 TEV)

a t g g g t c t g a g c g g c g a t c a g a t g g g c c a g a t c g a a a a a t t t t t a a g g t g g t g t a c c c t g t g g a
t g a t c a t c a c t t t a a g g t g a t t c t g c a c t a t g g c a c a c t g g t a a t c g a c g g g g t t a c g c c g a a c a
t g a t c g a c t a t t t c g g a c g g c c g t a t g a a g g c a t c g c c g t g t t c g a c g g c a a a a a g a t c a c t g t a
a c c g g g a c c c t g t g g a a c g g c a a c a a a a t t a t c g a c g a g c g c c t g a t c a a c c c c g a c g g c t c c c t
g c t g t t c c g c g t a a c c a t c a a c g g a g t g a c c g g c t g g c g g c t g t g c g a g c g c a t t t t g g c g g g a a
g t t c t g g t g g a g g a a g t t c t g g t g g a g a g c c t a c t a c t g a g a a c t t g t a c t t c c a g a g c g a t a a c
g g a a g t t c t g g t g g a g g a a g t t c t g g t g g a a t g g t g t t a c a c t c g a a g a t t t c g t a g g g g a c t g
g c g g c a g a c a g c c g g c t a c a a c c t g g a c c a a g t c c t t g a g c a g g g c g g t g t g t c c a g t t t g t t t c
a g a a t c t c g g g g t g t c c g t a a c t c c g a t c c a a a g g a t t g t c c t g a g c g g t g a a a c g g c c t g a a g
a t c g a c a t c c a t g t c a t c a t c c c g t a t g a a

SEQ ID NO:171 (L27V CP 64 TEV)

M G L S G D Q M G Q I E K I F K V V Y P V D D H H F K V I L H Y G T L V I D G V T P N M I D Y F G R P Y E G I A V F D G K K I T V
T G T L W N G N K I I D E R L I N P D G S L L F R V T I N G V T G W R L C E R I L A G S S G G G S S G G E P T T E N L Y F Q S D N
G S S G G G S S G M V F T L E D F V G D W R Q T A G Y N L D Q V L E Q G G V S S L F Q N L G V S V T P I Q R I V L S G E N G L K
I D I H V I I P Y E

SEQ ID NO:172 (L27V CP 67 TEV)

a t g g g c g a t c a g a t g g g c c a g a t c g a a a a a t t t t t a a g g t g g t g t a c c c t g t g g a t g a t c a t c a
c t t t a a g g t g a t t c t g c a c t a t g g c a c a c t g g t a a t c g a c g g g g t t a c g c c g a a c a t g a t c g a c t
a t t t c g g a c g g c c g t a t g a a g g c a t c g c c g t g t t c g a c g g c a a a a a g a t c a c t g t a a c c g g g a c c
c t g t g g a a c g g c a a c a a a a t t a t c g a c g a g c g c c t g a t c a a c c c c g a c g g c t c c c t g c t g t t c c g
c g t a a c c a t c a a c g g a g t g a c c g g c t g g c g g c t g t g c g a g c g c a t t t t g g c g g g a a g t t c t g g t g
g a g g a a g t t c t g g t g g a g a g c c t a c t a c t g a g a a c t t g t a c t t c c a g a g c g a t a a c g g a a g t t c t
g g t g g a g g a a g t t c t g g t g g a a t g g t g t t t a c a c t c g a a g a t t t c g t a g g g g a c t g g c g g c a g a c
a g c c g g c t a c a a c c t g g a c c a a g t c c t t g a g c a g g g c g g t g t g t c c a g t t t g t t t c a g a a t c t c g
g g g t g t c c g t a a c t c c g a t c c a a a g g a t t g t c c t g a g c g g t g a a a a c g g c c t g a a g a t c g a c a t c
c a t g t c a t c a t c c c g t a t g a a g g t c t g a g c

SEQ ID NO:173 (L27V CP 67 TEV)

M G D Q M G Q I E K I F K V V Y P V D D H H F K V I L H Y G T L V I D G V T P N M I D Y F G R P Y E G I A V F D G K K I T V T G T
L W N G N K I I D E R L I N P D G S L L F R V T I N G V T G W R L C E R I L A G S S G G G S S G G E P T T E N L Y F Q S D N G S S
G G G S S G M V F T L E D F V G D W R Q T A G Y N L D Q V L E Q G G V S S L F Q N L G V S V T P I Q R I V L S G E N G L K I D I
H V I I P Y E G L S

SEQ ID NO:174 (L27V CP 70 TEV)

a t g a t g g g c c a g a t c g a a a a a t t t t t a a g g t g g t g t a c c c t g t g g a t g a t c a t c a c t t t a a g g t
g a t t c t g c a c t a t g g c a c a c t g g t a a t c g a c g g g g t t a c g c c g a a c a t g a t c g a c t a t t t c g g a c
g g c c g t a t g a a g g c a t c g c c g t g t t c g a c g g c a a a a a g a t c a c t g t a a c c g g g a c c c t g t g g a a c
g g c a a c a a a a t t a t c g a c g a g c g c c t g a t c a a c c c c g a c g g c t c c c t g c t g t t c c g c g t a a c c a t
c a a c g g a g t g a c c g g c t g g c g g c t g t g c g a g c g c a t t t t g g c g g g a a g t t c t g g t g g a g g a a g t t
c t g g t g g a g a g c c t a c t a c t g a g a a c t t g t a c t t c c a g a g c g a t a a c g g a a g t t c t g g t g g a g g a
a g t t c t g g t g g a a t g g t g t t t a c a c t c g a a g a t t t c g t a g g g g a c t g g c g g c a g a c a g c c g g c t a
c a a c c t g g a c c a a g t c c t t g a g c a g g g c g g t g t g t c c a g t t t g t t t c a g a a t c t c g g g g t g t c c g
t a a c t c c g a t c c a a a g g a t t g t c c t g a g c g g t g a a a a c g g c c t g a a g a t c g a c a t c c a t g t c a t c
a t c c c g t a t g a a g g t c t g a g c g g c g a t c a g

SEQ ID NO:175 (L27V CP 70 TEV)

MMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWN
GNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGG
SSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVI
IPYEGLSGDQ

SEQ ID NO:176 (L27V CP 73 TEV)

atgatcgaaaaaatTTTTAAGGTGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATTCTGCA
CTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGATCGACTATTTCCGGACGGCCGTATG
AAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACCGGGACCCTGTGGAACGGCAACAAA
ATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCTGTTCCGCGTAACCATCAACGGAGT
GACCGGCTGGCGGCTGTGCGAGCGCATTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAG
AGCCTACTACTGAGAAGTTGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTCTGGT
GGAATGGTGTTTACACTCGAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGA
CCAAGTCCTTGAGCAGGGCGGTGTGTCCAGTTTGTTCAGAACTCTCGGGGTGTCCGTAACCTCCGA
TCCAAAGGATTGTCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCTCATCCCGTAT
GAAGGTCTGAGCGGCATCAGATGGGCCAG

SEQ ID NO:177 (L27V CP 73 TEV)

MIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNK
IIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSG
GMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPY
EGLSGDQMGQ

SEQ ID NO:178 (L27V CP 76 TEV)

atgatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcac
actggtaatcgacggggttacgccgaacatgatcgactatTTCCGGACGGCCGTATGAAGGCATCG
CCGTGTTTCGACGGCAAAAAGATCACTGTAACCGGGACCCTGTGGAACGGCAACAAAATTATCGAC
GAGCGCCTGATCAACCCCGACGGCTCCCTGCTGTTCCGCGTAACCATCAACGGAGTGACCGGCTG
GCGGCTGTGCGAGCGCATTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCTACTA
CTGAGAAGTTGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTCTGGTGGGAATGGTG
TTTACACTCGAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCAAGTCCT
TGAGCAGGGCGGTGTGTCCAGTTTGTTCAGAACTCTCGGGGTGTCCGTAACCTCCGATCCAAAGGA
TTGTCTCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCTCATCCCGTATGAAGGTCTG
AGCGGCATCAGATGGGCCAGATCGAAAAA

SEQ ID NO:179 (L27V CP 76 TEV)

MIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIID
ERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMV
FTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGL
SGDQMGQIEK

SEQ ID NO:180 (L27V CP 79 TEV)

Atggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaat
cgacggggttacgccgaacatgatcgactatTTCCGGACGGCCGTATGAAGGCATCGCCGTGTTTCG
ACGGCAAAAAGATCACTGTAACCGGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTG
ATCAACCCCGACGGCTCCCTGCTGTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTG
CGAGCGCATTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCTACTACTGAGAAGT
TGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTCTGGTGGGAATGGTGTTTACACTC
GAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCAAGTCCTTGAGCAGGG
CGGTGTGTCCAGTTTGTTCAGAACTCTCGGGGTGTCCGTAACCTCCGATCCAAAGGATTGTCTCTGA

gcggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgat
cagatgggcccagatcgaaaaaatttttaag

SEQ ID NO:181 (L27V CP 79 TEV)

MVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERL
INPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTL
EDFVGDWQRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGD
QMGQIEKIFK

SEQ ID NO:182 (L27V CP 80 TEV)

atggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcga
cggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacg
gcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatc
aaccgccgacggctccctgctgttcgcgctaaccatcaacggagtgaccggctggcggctgtgcga
gcgcattttgccgggaagttctggtggaggaagttctggtggagagcctactactgagaacttgt
acttccagagcgataacggaagttctggtggaggaagttctggtggaatggtgtttacactcgaa
gatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcg
tgtgtccagtttggtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcg
gtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcag
atgggccagatcgaaaaaatttttaaggtg

SEQ ID NO:183 (L27V CP 80 TEV)

MVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLI
NPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLE
DFVGDWQRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQ
MGQIEKIFKV

SEQ ID NO:184 (L27V CP 81 TEV)

atgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgg
ggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggca
aaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaac
cccgacggctccctgctgttcgcgctaaccatcaacggagtgaccggctggcggctgtgcgagcg
cattttggcgggaagttctggtggaggaagttctggtggagagcctactactgagaacttgtact
tccagagcgataacggaagttctggtggaggaagttctggtggaatggtgtttacactcgaagat
ttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgt
gtccagtttggtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtg
aaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatg
ggccagatcgaaaaaatttttaaggtggtg

SEQ ID NO:185 (L27V CP 81 TEV)

MYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLIN
PDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLED
FVGDWQRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQM
GQIEKIFKVV

SEQ ID NO:186 (L27V CP 82 TEV)

atgcctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacggggt
tacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaa
agatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaacccc
gacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcat
tttgccgggaagttctggtggaggaagttctggtggagagcctactactgagaacttgtacttcc
agagcgataacggaagttctggtggaggaagttctggtggaatggtgtttacactcgaagatttc
gtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtc

cagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaa
acggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggc
cagatcgaaaaaatttttaaggtggtgtac

SEQ ID NO:187 (L27V CP 82 TEV)

MPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINP
DGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGEPTTENLYFQSDNGSSGGGSSSGMVFTLEDF
VGDWRTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMG
QIEKIFKVY

SEQ ID NO:188 (L27V CP 83 TEV)

atggtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttac
gccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaaga
tactgttaaccgggaccctgtggaacggcaaaaaattatcgacgagcgcctgatcaaccccgac
ggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcatttt
ggcgggaagtctgtggtggaggaagttctggtggagagcctactactgagaacttgtacttccaga
gcgataacgggaagtctgtggtggaggaagttctggtggaatggtgtttacactcgaagatttcgta
ggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccag
tttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacg
gcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatggggccag
atcgaaaaaatttttaaggtggtgtaccct

SEQ ID NO:189 (L27V CP 83 TEV)

MVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPD
GSLLFRVTINGVTGWRLCERILAGSSGGGSSSGEPTTENLYFQSDNGSSGGGSSSGMVFTLEDFV
GDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQ
IEKIFKVYP

SEQ ID NO:190 (L27V CP 84 TEV)

atggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgcc
gaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgcctgatcaaccccgacggc
tcctgtctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcattttggc
gggaagtctgtggtggaggaagttctggtggagagcctactactgagaacttgtacttccagagcg
ataacgggaagtctgtggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggg
gactggcggcagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagttt
gtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcc
tgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatggggccagatc
gaaaaaatttttaaggtggtgtaccctgtg

SEQ ID NO:191 (L27V CP 84 TEV)

MDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTINGVTGWRLCERILAGSSGGGSSSGEPTTENLYFQSDNGSSGGGSSSGMVFTLEDFVG
DWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQI
EKIFKVYPV

SEQ ID NO:192 (L27V CP 85 TEV)

atggatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccga
catgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactg
taaccgggaccctgtggaacggcaaaaaattatcgacgagcgcctgatcaaccccgacggctcc
ctgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcattttggcggg
aagttctgtggtggaggaagttctggtggagagcctactactgagaacttgtacttccagagcgata
acggaagtctgtggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggac

tggcggcagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtt
tcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctga
agatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaa
aaaatttttaaggtggtgtaccctgtggat

SEQ ID NO:193 (L27V CP 85 TEV)

MDHFFKVLHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGS
LLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGD
WRQTAGYNLDQVLEQGGVSSLFQNLGVSVPPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIE
KIFKVVPVD

SEQ ID NO:194 (L27V CP 86 TEV)

atgcatactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacat
gatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaa
ccgggaccctgtggaacggcaaaaaattatcgacgagcgcctgatcaaccccgacggctccctg
ctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcattttggcgggaag
ttctggtggaggaagttctggtggagagcctactactgagaacttgtacttccagagcgataacg
gaagttctggtggaggaagttctggtggaatgggtgtttacactcgaagatttcgtaggggactgg
cggcagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatggggccagatcgaaaaa
atttttaaggtggtgtaccctgtggatgat

SEQ ID NO:195 (L27V CP 86 TEV)

MHFFKVLHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSL
LFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVPPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDD

SEQ ID NO:196 (L27V CP 87 TEV)

atgcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatgat
cgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccg
ggaccctgtggaacggcaaaaaattatcgacgagcgcctgatcaaccccgacggctccctgtctg
ttccgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcattttggcgggaagttc
tgggtggaggaagttctggtggagagcctactactgagaacttgtacttccagagcgataacggaa
gttctggtggaggaagttctggtggaatgggtgtttacactcgaagatttcgtaggggactggcgg
cagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtttcagaa
tctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcg
acatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatggggccagatcgaaaaaatt
ttaaggtggtgtaccctgtggatgatcat

SEQ ID NO:197 (L27V CP 87 TEV)

MHFFKVLHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSL
FRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWR
QTAGYNLDQVLEQGGVSSLFQNLGVSVPPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKI
FKVVPVDDH

SEQ ID NO:198 (L27V CP 88 TEV)

atgtttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcga
ctatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccggga
ccctgtggaacggcaaaaaattatcgacgagcgcctgatcaaccccgacggctccctgtctgttc
cgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcattttggcgggaagttctgg
tggaggaagttctggtggagagcctactactgagaacttgtacttccagagcgataacgggaagtt

ctggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcag
acagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatct
cggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaacggcctgaagatcgaca
tccatgtcatcatcccgatatgaaggtctgagcggcgatcagatgggccagatcgaaaaaattttt
aaggtggtgtaccctgtggatgatcatcac

SEQ ID NO:199 (L27V CP 88 TEV)

MFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLF
RVTINGVTGWRLCERILAGSSGGSSGGEPTTENLYFQSDNGSSGGSSGGMVFTLEDFVGDWRQ
TAGYNLDQVLEQGGVSSLFQNLGVSVPPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIF
KVVYPVDDHH

SEQ ID NO:200 (L27V CP 91 TEV)

atgattctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactattttcgg
acggccgcatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtgga
acggcaacaaaattatcgacgagcgccgtgatcaaccccgacggctccctgctgttccgcgtaacc
atcaacggagtgaccggctggcggtgtgagcgcattttggcggaagtctgtgtggaggaag
ttctggtggagagcctactactgagaacttgtacttccagagcgataacggaagtctgtgtggag
gaagtctgtgtggaatggtgtttacactcgaagatttctgtaggggactggcggcagacagccggc
tacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtc
cgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtca
tcatcccgatgaaggtctgagcggcgatcagatgggccagatcgaaaaatttttaaggtggtg
taccctgtggatgatcatcactttaaggtg

SEQ ID NO:201 (L27V CP 91 TEV)

MILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILAGSSGGSSGGEPTTENLYFQSDNGSSGGSSGGMVFTLEDFVGDWRQTAG
YNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVV
YPVDDHHFKV

SEQ ID NO:202 (L27V CP 94 TEV)

atgtatggcacactggtaatcgacgggggttacgccgaacatgatcgactattttcggacggccgta
tgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaca
aattatcgacgagcgccgtgatcaaccccgacggctccctgctgttccgcgtaaccatcaacgga
gtgaccggctggcggtgtgagcgcattttggcggaagtctgtgtggaggaagtctgtgtgg
agagcctactactgagaacttgtacttccagagcgataacggaagtctgtgtggaggaagtctgt
gtggaatggtgtttacactcgaagatttctgtaggggactggcggcagacagccggctacaacctg
gaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactcc
gatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccg
atgaaggtctgagcggcgatcagatgggccagatcgaaaaatttttaaggtggtgtaccctgtg
gatgatcatcactttaaggtgattctgcacg

SEQ ID NO:203 (L27V CP 94 TEV)

MYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTING
VTGWRLCERILAGSSGGSSGGEPTTENLYFQSDNGSSGGSSGGMVFTLEDFVGDWRQTAGYNL
DQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVYPV
DDHHFKVILH

SEQ ID NO:204 (L27V CP 95 TEV)

atgggcacactggtaatcgacgggggttacgccgaacatgatcgactattttcggacggccgcatga
aggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaa
ttatcgacgagcgccgtgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtg
accggctggcggtgtgagcgcattttggcggaagtctgtgtggaggaagtctgtgtggaga
gcctactactgagaacttgtacttccagagcgataacggaagtctgtgtggaggaagtctgtgtg
gaatggtgtttacactcgaagatttctgtaggggactggcggcagacagccggctacaacctggac
caagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgat
ccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatg
aaggtctgagcggcgatcagatgggccagatcgaaaaatttttaaggtggtgtaccctgtggat
gatcatcactttaaggtgattctgcactat

SEQ ID NO:205 (L27V CP 95 TEV)

MGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGV
TGWRLCERILAGSSGGSSGGEPTTENLYFQSDNGSSGGSSGGMVFTLEDFVGDWRQTAGYNLD
QVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVYPV
DDHHFKVILHY

SEQ ID NO:206 (L27V CP 97 TEV)

atgctggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcat
cgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcg
acgagcgctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggc
tggcggctgtgagagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCTAC
tactgagaacttgtacttccagagcgataacggaagttctggtggaggaagttctggtggaatgg
tgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtc
cttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaag
gattgtcctgagcggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtc
tgagcggcgatcagatggggccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcat
cactttaagggtgattctgcactatggcaca

SEQ ID NO:207 (L27V CP 97 TEV)

MLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTG
WRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGGMVFTLEDFVGDWRQTAGYNLDQV
LEQGGVSSSLFQNLGVSVPPIQIRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDH
HFKVILHYGT

SEQ ID NO:208 (L27V CP 100 TEV)

Atggacggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgtt
cgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgcc
tgatcaacccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggtg
tgcgagcgcattttggcgggaagtctgtgtgagggaagtctgtgtgagagcctactactgagaa
cttgacttccagagcgataacggaagtctgtgtgagggaagtctgtgtggaatgggtgtttacac
tcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcag
ggcgggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcct
gagcggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcg
atcagatggggccagatcgaaaaaatttttaaggtgggtgtaccctgtggatgatcatcactttaag
gtgattctgcactatggcacactggtaatc

SEQ ID NO:209 (L27V CP 100 TEV)

MDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRL
CERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQ
GGVSSSLFQNLGVSVPPIQIRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFK
VILHYGTLVI

SEQ ID NO:210 (L27V CP 101 TEV)

atgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcga
cggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgccctga
tcaacccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggtgtgc
gagcgcatttttggcgggaagtctgtgtgagggaagtctgtgtgagagcctactactgagaactt
gtacttccagagcgataacggaagtctgtgtgagggaagtctgtgtggaatgggtgtttactcgc
aagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggc
gggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgag
cggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcgatc
agatggggccagatcgaaaaaatttttaaggtgggtgtaccctgtggatgatcatcactttaaggtg
attctgcactatggcacactggtaatcgac

SEQ ID NO:211 (L27V CP 101 TEV)

MGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLC
ERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQ
GVSSSLFQNLGVSVPPIQIRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKV
ILHYGTLVID

SEQ ID NO:212 (L27V CP 102 TEV)

atgggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacgg
caaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgccctgatca
acccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggtgtgag
cgcattttggcgggaagtctgtgtgagggaagtctgtgtgagagcctactactgagaacttgta
cttccagagcgataacggaagtctgtgtgagggaagtctgtgtggaatgggtgtttactcgaag
atttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggt
gtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgg
tgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcgatcaga
tggggccagatcgaaaaaatttttaaggtgggtgtaccctgtggatgatcatcactttaaggtgatt
ctgcactatggcacactggtaatcgacggg

SEQ ID NO:213 (L27V CP 102 TEV)

MVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCE
RILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGG
VSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFKVVPVDDHHFKVI
LHYGTLVIDG

SEQ ID NO:214 (L27V CP 103 TEV)

atgacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaa
aaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaacc
ccgacggctccctgctgttccgcgtaaccatcaacggagtgaaccggctggcggtgtgacgagcgc
attttgccgggaagtctgtgtgaggaagtctgtgtgagagcctactactgagaacttgactt
ccagagcgataacggaagtctgtgtgaggaagtctgtgtggaatggtgtttacactcgaagatt
tcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtg
tccagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtga
aaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctgagcggcgatcagatgg
gccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctg
cactatggcacactggtaatcgacgggggtt

SEQ ID NO:215 (L27V CP 103 TEV)

MTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCER
ILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGV
SSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFKVVPVDDHHFKVIL
HYGTLVIDGV

SEQ ID NO:216 (L27V CP 104 TEV)

atgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaa
gatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccg
acggctccctgctgttccgcgtaaccatcaacggagtgaaccggctggcggtgtgacgagcgcat
ttggcggaagtctgtgtgaggaagtctgtgtgagagcctactactgagaacttgacttcca
gagcgataacggaagtctgtgtgaggaagtctgtgtggaatggtgtttacactcgaagatttcg
taggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtcc
agtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaa
cggcctgaagatcgacatccatgtcatcatcccgtatgaaggctgagcggcgatcagatgggcc
agatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcac
tatggcacactggtaatcgacgggggttacg

SEQ ID NO:217 (L27V CP 104 TEV)

MPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERI
LAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVS
SLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFKVVPVDDHHFKVILH
YGTLVIDGVT

SEQ ID NO:218 (L27V CP 105 TEV)

atgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaaagat
cactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacg
gctccctgctgttccgcgtaaccatcaacggagtgaaccggctggcggtgtgacgagcgcattttg
gcgggaagtctgtgtgaggaagtctgtgtgagagcctactactgagaacttgacttccagag
cgataacggaagtctgtgtgaggaagtctgtgtggaatggtgtttacactcgaagatttcgtag
gggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagt
ttgttttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacgg
cctgaagatcgacatccatgtcatcatcccgtatgaaggctgagcggcgatcagatggggccaga

tcgaaaaaatTTTTaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactat
ggcacactggaatcgacggggttacg

SEQ ID NO:219 (L27V CP 105 TEV)

MNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERIL
AGSSGGSSSGGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSS
LFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFKVVPVDDHHFKVILHY
GTLVIDGVT

SEQ ID NO:220 (L27V CP 106 TEV)

atgatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcac
tgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggct
ccctgctgttccgcgtaaccatcaacggagtgaacggctggcggtgtgcgagcgcatTTTggcg
ggaagtTctggtggaggaagtTctggtggagagcctactactgagaactTgtactTccagagcg
taacggaagtTctggtggaggaagtTctggtggaatggtgtttacactcgaagattTctgtaggg
actggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttg
tttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcct
gaagatcgacatccatgtcatcatcccgtatgaaggTctgagcggcgatcagatgggccagatcg
aaaaaattTTTaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggc
acactggtaatcgacggggttacgccgaac

SEQ ID NO:221 (L27V CP 106 TEV)

MMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA
GSSGGSSSGGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSL
FQNLGVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYG
TLVIDGVTPN

SEQ ID NO:222 (L27V CP 109 TEV)

atgtatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgg
gaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgt
tccgcgtaaccatcaacggagtgaacggctggcggtgtgcgagcgcatTTTggcggaagtTct
ggtggaggaagtTctggtggagagcctactactgagaactTgtactTccagagcgataaacggaag
TctggtggaggaagtTctggtggaatggtgtttacactcgaagattTctgtaggggactggcggc
agacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagttTgtttcagaat
ctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcga
catccatgtcatcatcccgtatgaaggTctgagcggcgatcagatgggccagatcgaaaaaattt
ttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggt
atcgacggggttacgccgaacatgatcgac

SEQ ID NO:223 (L27V CP 109 TEV)

MYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSS
GGSSSGGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNL
GVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLV
IDGVTPNMID

SEQ ID NO:224 (L27V CP 112 TEV)

atgcggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtg
gaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgcgtaa
ccatcaacggagtgaacggctggcggtgtgcgagcgcatTTTggcggaagtTctggtggagga
agtTctggtggagagcctactactgagaactTgtactTccagagcgataaacggaagtTctggtgg
aggaagtTctggtggaatggtgtttacactcgaagattTctgtaggggactggcggcagacagccg
gctacaacctggaccaagtccttgagcagggcggtgtgtccagttTgtttcagaatctcggggtg
tccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgt

catcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaaaaatttttaaggtgg
tgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacggg
gttacgccgaacatgatcgactatttcgga

SEQ ID NO:225 (L27V CP 112 TEV)

MRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGG
SSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGV
SVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDG
VTPNMIDYFG

SEQ ID NO:226 (L27V CP 115 TEV)

atggaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaa
caaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacg
gagtgaccggctggcggctgtgagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGT
GGAGAGCCTACTACTGAGAAGTTGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTC
TGGTGGAAATGGTGTTTACTCTGAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCTACAACC
TGGACCAAGTCTTGAGCAGGGCGGTGTGTCCAGTTTGTTCAGAACTCTCGGGGTGTCCGTAAC
CCGATCCAAAGGATTGTCTTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCTCATCCC
GTATGAAGGTCTGAGCGGCGATCAGATGGGCCAGATCGAAAAATTTTAAAGGTGGTGTACCCTG
TGGATGATCATCCTTTAAGGTGATTCTGCCTATGGCACACTGGTAATCGACGGGGTTACGCCG
AACATGATCGACTATTTCCGACGGCCGTAT

SEQ ID NO:227 (L27V CP 115 TEV)

MEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSG
GEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVS
VTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDG
VTPNMIDYFGRPY

SEQ ID NO:228 (L27V CP 120 TEV)

atgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacga
gcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggc
ggctgtgagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCTACTACT
GAGAAGTTGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAAATGGTGT
TACTCTGAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCAAGTCTTG
AGCAGGGCGGTGTGTCCAGTTTGTTCAGAACTCTCGGGGTGTCCGTAACCTCCGATCCAAAGGAT
TCTCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCTCATCCCCTATGAAGGTCTGAG
CGGCATCAGATGGGCCAGATCGAAAAATTTTAAAGGTGGTGTACCCTGTGGATGATCATCCT
TTAAGGTGATTCTGCCTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGATCGACTAT
TTCGGACGGCCGTATGAAGGCATCGTGGCC

SEQ ID NO:229 (L27V CP 120 TEV)

MFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTT
ENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVS
VTPIQRI
VLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDG
VTPNMIDYFGRPYEGIVA

SEQ ID NO:230 (L27V CP 121 TEV)

atggacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcg
cctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggc
tgtgagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCTACTACTGAG
AAGTTGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAAATGGTGT
TACTCTGAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCAAGTCTTGAGC
AGGGCGGTGTGTCCAGTTTGTTCAGAACTCTCGGGGTGTCCGTAACCTCCGATCCAAAGGATTGTC

ctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcgg
cgatcagatggggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcacttta
aggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttc
ggacggccgtatgaaggcatcgccgtgttc

SEQ ID NO:231 (L27V CP 121 TEV)

MDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTE
NLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIV
LSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYF
GRPYEGIAVF

SEQ ID NO:232 (L27V CP 123 TEV)

atgaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgat
caaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgcg
agcgcattttggcgggaagtctgtgtggaggaagtctgtgtggagagcctactactgagaacttg
tacttccagagcgataacggaagtctgtgtggaggaagtctgtgtggaatggtgtttacactcga
agatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcg
gtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagc
ggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatca
gatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtga
ttctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacgg
ccgtatgaaggcatcgccgtgttcgacggc

SEQ ID NO:233 (L27V CP 123 TEV)

MKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENL
YFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLS
GENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGR
PYEGIAVFDG

SEQ ID NO:234 (L27V CP 124 TEV)

Atgaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaa
ccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagc
gcattttggcgggaagtctgtgtggaggaagtctgtgtggagagcctactactgagaacttgtac
ttccagagcgataacggaagtctgtgtggaggaagtctgtgtggaatggtgtttacactcgaaga
tttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtg
tgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgg
gaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagat
gggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatc
tgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccg
tatgaaggcatcgccgtgttcgacggcaaa

SEQ ID NO:235 (L27V CP 124 TEV)

MKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLY
FQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSG
ENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRP
YEGIAVFDGK

SEQ ID NO:236 (L27V CP 125 TEV)

atgatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaaccc
cgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgca
ttttggcgggaagtctgtgtggaggaagtctgtgtggagagcctactactgagaacttgtacttc
cagagcgataacggaagtctgtgtggaggaagtctgtgtggaatggtgtttacactcgaagattt
cgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgt

ccagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaa
aacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcgatcagatggg
ccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcatcactttaagggtgattctgc
actatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgat
gaaggcatcgccgtgttcgacggcaaaaag

SEQ ID NO:237 (L27V CP 125 TEV)

MITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYF
QSDNGSSGGGSSGGMVFTLEDVFGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGE
NGLKIDIHVIIPIYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPY
EGIAVFDGKK

SEQ ID NO:238 (L27V CP 129 TEV)

atggggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacggctccct
gctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaa
gttctggtggaggaagttctggtggagagcctactactgagaacttgacttccagagcgataac
ggaagtctggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactg
gcggcagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtttc
agaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaag
atcgacatccatgtcatcatcccgatgaaggtctgagcggcgatcagatgggccagatcgaaaa
aatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacac
tggaatcgacgggggttacgccgaacatgatcgactatttcggacggccgatgaaggcatcgcc
gtgttcgacggcaaaaagatcactgtaacc

SEQ ID NO:239 (L27V CP 129 TEV)

MGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDN
GSSGGGSSSGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLK
IDIHVIIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVT

SEQ ID NO:240 (L27V CP 130 TEV)

atgaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacggctccctgct
gttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagtt
ctggtggaggaagttctggtggagagcctactactgagaacttgacttccagagcgataacgga
agttctggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcg
gcagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtttcaga
atctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatc
gacatccatgtcatcatcccgatgaaggtctgagcggcgatcagatgggccagatcgaaaaaat
ttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactgg
taatcgacgggggttacgccgaacatgatcgactatttcggacggccgatgaaggcatcgccgtg
ttcgacggcaaaaagatcactgtaaccggg

SEQ ID NO:241 (L27V CP 130 TEV)

MTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNG
SSGGGSSSGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKI
DIHVIIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAV
FDGKKITVTG

SEQ ID NO:242 (L27V CP 131 TEV)

atgctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacggctccctgctgtt
ccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctg
gtggaggaagttctggtggagagcctactactgagaacttgacttccagagcgataacggaagt
tctggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggca
gacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtttcagaatc
tcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgac
atccatgtcatcatcccgatgaaggtctgagcggcgatcagatgggccagatcgaaaaaat
taaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaa
tcgacgggggttacgccgaacatgatcgactatttcggacggccgatgaaggcatcgccgtgttc
gacggcaaaaagatcactgtaaccgggacc

SEQ ID NO:243 (L27V CP 131 TEV)

MLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGS
SGGGSSSGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKID
IHVIIIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAV
DGKKITVTGT

SEQ ID NO:244 (L27V CP 133 TEV)

atgaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcgt
aaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtggag
gaagttctggtggagagcctactactgagaacttgtacttccagagcgataacggaagttctggt
ggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagc
cggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtttcagaatctcgggg
tgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccat
gtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaaaaaatttttaaggt
ggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacg
gggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggc
aaaaagatcactgtaaccgggacacctgtggg

SEQ ID NO:245 (L27V CP 133 TEV)

MNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGGSSSGEPTTENLYFQSDNGSSSG
GGSSGGMVFTLEDVFGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIH
VIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDG
KKITVTGTLW

SEQ ID NO:246 (L27V CP 136 TEV)

atgaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgcgtaaccatcaa
cggagtgaccggctgtgcgagcgcatthttggcggaagtcttggtggaggaagtctg
gtggagagcctactactgagaacttgtacttccagagcgataacggaagtcttggtggaggaagt
tctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaa
cctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaa
ctccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatc
ccgtatgaaggtctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtgtaccc
tgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacggggttacgc
cgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatc
actgtaaccgggaccctgtggaacggcaac

SEQ ID NO:247 (L27V CP 136 TEV)

MKIIDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGGSSSGEPTTENLYFQSDNGSSGGGS
SGGMVFTLEDVFGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVII
PYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKI
TVTGTWNGN

SEQ ID NO:248 (L27V CP 139 TEV)

atggacgagcgctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgac
cggctggcggtgtgcgagcgcatthttggcggaagtcttggtggaggaagtcttggtggagagc
ctactactgagaacttgtacttccagagcgataacggaagtcttggtggaggaagtcttggtgga
atggtgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggacca
agtccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcactactttaaggtgattctgcactatggcacactggtaatcgacggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacc
gggaccctgtggaacggcaacaaaattatcgacgagcgc

SEQ ID NO:249 (L27V CP 139 TEV)

MDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGGSSSGEPTTENLYFQSDNGSSGGGSSSG
MVFTLEDVFGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPY
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDER

SEQ ID NO:250 (L27V CP 140 TEV)

atggagcgctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccgg
ctggcggtgtgcgagcgcatthttggcggaagtcttggtggaggaagtcttggtggagagccta
ctactgagaacttgtacttccagagcgataacggaagtcttggtggaggaagtcttggtggaatg
gtgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagt
ccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaa
ggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatgaaggt
ctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatca
tactttaaggtgattctgcactatggcacactggtaatcgacggggttacgccgaacatgatcg
actatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccggg
acctgtggaacggcaacaaaattatcgac

SEQ ID NO:251 (L27V CP 140 TEV)

MERLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGGM
VFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEG
LSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTG
TLWNGNKIID

SEQ ID NO:252 (L27V CP 141 TEV)

atgcgcctgatcaacccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctg
gcggtgtgagcgagcgcattttggcggaagtctgtgtggaggaagtctgtgtggagagcctacta
ctgagaacttgacttccagagcgataacggaagtctgtgtggaggaagtctgtgtggaatgggtg
tttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtcct
tgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaagga
ttgtcctgagcggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctgtg
agcggcgatcagatgggcccagatcgaaaaaatttttaagggtgtgtaccctgtggatgatcatca
ctttaagggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgact
atttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggacc
ctgtggaacggcaacaaaattatcgacgag

SEQ ID NO:253 (L27V CP 141 TEV)

MRLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGGMV
FTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEG
SGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGT
LWNGNKIIDE

SEQ ID NO:254 (L27V CP 142 TEV)

atgctgatcaacccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcg
gctgtgagcgagcgcattttggcggaagtctgtgtggaggaagtctgtgtggagagcctactactg
agaacttgacttccagagcgataacggaagtctgtgtggaggaagtctgtgtggaatgggtgttt
acactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttga
gcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattg
tcttgagcggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagc
ggcgatcagatgggcccagatcgaaaaaatttttaagggtgggtgtaccctgtggatgatcatcactt
taagggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatt
tcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccggggaccctg
tggaacggcaacaaaattatcgacgagcgc

SEQ ID NO:255 (L27V CP 142 TEV)

MLINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGGMV
TLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEG
LSDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTL
WNGNKIIDER

SEQ ID NO:256 (L27V CP 143 TEV)

atgatcaacccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggt
gtgagcgagcgcattttggcggaagtctgtgtggaggaagtctgtgtggagagcctactactgaga
acttgacttccagagcgataacggaagtctgtgtggaggaagtctgtgtggaatgggtgtttaca
ctcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagca
ggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcc
tgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggc
gatcagatgggcccagatcgaaaaaatttttaagggtgggtgtaccctgtggatgatcatcacttta
gggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcg

gacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtgg
aacggcaacaaaattatcgacgagcgccctg

SEQ ID NO:257 (L27V CP 143 TEV)

MINPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGGMVFT
LEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSG
DQMGOIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLW
NGNKIIDERL

SEQ ID NO:258 (L27V CP 144 TEV)

atgaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggtgtg
cgagcgcatTTTTGGCGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCTACTACTGAGA
ACTTGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTCTGGTGGGAATGGTGT
TACTACTCGAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCAAGT
CCTTGAGCAGGGCGGTGTGTCCAGTTTGTTCAGAACTCTCGGGGTGTCCGTAACCTCCGAT
CCAAAGGATTGTCTGACGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCTCATCCC
GTATGAAGGTCTGAGCGGCGATCAGATGGGCCAGATCGAAAAATTTTAAGGTGGTGTACC
CTGTGGATGATCATCACTTTAAGGTGATTCTGCCTATGGCACACTGGTAATCGACGGG
GTACGCCGAACATGATCGACTATTTCCGGACGGCGGTATGAAGGCATCGCGTGTTCGAC
GGCAAAAAGATCACTGTAACCGGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCG
CCTGATC

SEQ ID NO:259 (L27V CP 144 TEV)

MNPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGGMVFTL
EDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGD
QMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWN
GNKIIDERLI

SEQ ID NO:260 (L27V CP 145 TEV)

atgcccgcgaggtccctgctgttccgcgtaaccatcaacggagtgaccggctggcggtgtg
cgcatTTTTGGCGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCTACTACTGAGA
ACTTGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTCTGGTGGGAATGGT
GTACTACTCGAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAGCAGGGCGGTGTGTCCAGTTTGTTCAGAACTCTCGGGGTGTCCGTAACCT
CCGATCCAAAGGATTGTCTCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCT
CATCCC GTATGAAGGTCTGAGCGGCGATCAGATGGGCCAGATCGAAAAATTTTAAGGT
GGTGTACCCTGTGGATGATCATCACTTTAAGGTGATTCTGCACTATGGCACACTGGTA
ATCGACGGGGTTACGCCGAACATGATCGACTATTTCCGGACGGCGGTATGAAGGCAT
CGCGTGTTCGACGGCAAAAAGATCACTGTAACCGGGACCCTGTGGAACGGCAACAAA
ATTATCGACGAGCGCCTGATCAAC

SEQ ID NO:261 (L27V CP 145 TEV)

MPDGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGGMVFTLE
DFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQ
MGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNG
NKIIDERLIN

SEQ ID NO:262 (L27V CP 146 TEV)

atggacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggtgtg
cgagcgcatTTTTGGCGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGAGCCTACTACTGAGA
ACTTGTACTTCCAGAGCGATAACGGAAGTTCTGGTGGAGGAAGTTCTGGTGGGAATGGT
GTACTACTCGAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAGCAGGGCGGTGTGTCCAGTTTGTTCAGAACTCTCGGGGTGTCCGTAACCT
CCGATCCAAAGGATTGTCTCTGAGCGGCGGTGAAAACGGCCTGAAGATCGACATCCAT
GTCTCATCCC GTATGAAGGTCTGAGCGGCGATCAGATGGCCAGATCGAAAAATTTTA
AGGTGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATTCT

gcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgt
atgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaac
aaaattatcgacgagcgccctgatcaacccc

SEQ ID NO:263 (L27V CP 146 TEV)

MDGSLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGMVFTLED
FVGDWRTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQM
GQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGN
KIIDERLINP

SEQ ID NO:264 (L27V CP 147 TEV)

atgggctccctgctgtttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcat
tttggcgggaagtctgtgtggaggaagtctgtgtggagagcctactactgagaacttgacttcc
agagcgataacggaagtctgtgtggaggaagtctgtgtggaatggtgtttacactcgaagatttc
gtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtc
cagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaa
acggcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcgatcagatgggc
cagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgca
ctatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatg
aaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaa
attatcgacgagcgccctgatcaaccccgac

SEQ ID NO:265 (L27V CP 147 TEV)

MGSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGMVFTLEDF
VGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMG
QIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNK
IIDERLINPD

SEQ ID NO:266 (L27V CP 148 TEV)

atgtccctgctgtttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcat
ggcgggaagtctgtgtggaggaagtctgtgtggagagcctactactgagaacttgacttccaga
gcgataacggaagtctgtgtggaggaagtctgtgtggaatggtgtttacactcgaagatttcgta
ggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccag
tttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacg
gcctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcgatcagatgggccag
atcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcacta
tggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaag
gcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaatt
atcgacgagcgccctgatcaaccccgacgc

SEQ ID NO:267 (L27V CP 148 TEV)

MSLLFRVTINGVTGWRLCERILAGSSGGGSSSGGEPTTENLYFQSDNGSSGGGSSSGMVFTLEDFV
GDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQ
IEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI
IDERLINPDG

SEQ ID NO:268 (L27V CP 149 TEV)

atgctgctgtttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcat
gggaagtctgtgtggaggaagtctgtgtggagagcctactactgagaacttgacttccagagcg
ataacggaagtctgtgtggaggaagtctgtgtggaatggtgtttacactcgaagatttcgtaggg
gactggcggcagacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagttt
gtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcc
tgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcgatcagatgggccagatc

gaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatgg
cacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggca
tcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatc
gacgagcgctgatcaaccccgacggctcc

SEQ ID NO:269 (L27V CP 149 TEV)

MLLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVG
DWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQI
EKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI I
DERLINPDGS

SEQ ID NO:270 (L27V CP 150 TEV)

atgctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcggg
aagttctggtggaggaagttctggtggagagcctactactgagaacttgacttccagagcgata
acggaagtctggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggac
tggcggcagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtt
tcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctga
agatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaa
aaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcac
actggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcg
ccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgac
gagcgccctgatcaaccccgacggctccctg

SEQ ID NO:271 (L27V CP 150 TEV)

MLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGD
WRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIE
KIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI I
ERLINPDGSL

SEQ ID NO:272 (L27V CP 151 TEV)

atgttccgcgtaaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaag
ttctggtggaggaagttctggtggagagcctactactgagaacttgacttccagagcgataacg
gaagttctggtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactgg
cggcagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaaccccgacggctccctgctg

SEQ ID NO:273 (L27V CP 151 TEV)

MFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI I
RLINPDGSL

SEQ ID NO:274 (L27V CP 154 TEV)

atgaccatcaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtgg
aggaagttctggtggagagcctactactgagaacttgacttccagagcgataacggaagttctg
gtggaggaagttctggtggaatggtgtttacactcgaagatttcgtaggggactggcggcagaca
gccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtttcagaatctcgg
ggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatcc

atgtcatcatcccgtatgaaggtctgagcggcgatcagatgggccagatcgaaaaatttttaag
gtggtgtaccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcga
cggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacg
gcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgccatgatc
aaccgccgacggetccctgctgttcgcgta

SEQ ID NO:275 (L27V CP 154 TEV)

MTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQT
AGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFK
VVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLI
NPDGSLLFRV

SEQ ID NO:276 (L27V CP 156 TEV)

atgaacggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtggaggaag
ttctggtggagagcctactactgagaacttgtacttccagagcgcataacggaagttctggtggag
gaagttctggtggaatggtgtttacactcgaagatttctgtaggggactggcggcagacagccggc
tacaacctggaccaagtcccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtc
cgtaactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtca
tcatcccgatgaaggtctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtg
taccctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggt
tacgcgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaa
agatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgccgtgatcaacccc
gacggctccctgctgttccgcgtaaccatc

SEQ ID NO:277 (L27V CP 156 TEV)

MNGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAG
YNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFKVV
YPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINP
DGSLLFRVTI

SEQ ID NO:278 (L27V CP 157 TEV)

atgggagtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtggaggaagttc
tgggtggagagcctactactgagaacttgtacttccagagcgcataacggaagttctggtggaggaa
gttctggtggaatggtgtttacactcgaagatttctgtaggggactggcggcagacagccggctac
aacctggaccaagtcccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgt
aactccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatca
tcccgatgaaggtctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtgtac
cctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttac
gccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaaga
tactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgccgtgatcaaccccgac
ggctccctgctgttccgcgtaaccatcaac

SEQ ID NO:279 (L27V CP 157 TEV)

MGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGY
NLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFKVVY
PVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPD
GSLLFRVTIN

SEQ ID NO:280 (L27V CP 158 TEV)

atggtgaccggctggcggctgtgcgagcgcattttggcgggaagttctggtggaggaagttctgg
tgagagcctactactgagaacttgtacttccagagcgcataacggaagttctggtggaggaagtt
ctggtggaatggtgtttacactcgaagatttctgtaggggactggcggcagacagccggctacaac
ctggaccaagtcccttgagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaac
tccgatccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcc
cgtatgaaggtctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtgtaccct
gtggatgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgcc
gaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgccgtgatcaaccccgacggc
tcctgctgttccgcgtaaccatcaacgga

SEQ ID NO:281 (L27V CP 158 TEV)

MVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGGMVFTLEDFVGDWRQTAGYN
LDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPEGLSGDQMGQIEKIFKVVYP
VDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTING

SEQ ID NO:282 (L27V CP 160 TEV)

atgggctggcggctgtgagcgcatTTTTGGCGGGAAGTTCTGGTGGAGGAAGTTCTGGTGGAGA
gcctactactgagaacttgtacttccagagcgataacggaagttctggagggaagttctgggtg
gaatgggtgtttacactcgaagatttcgtaggggaactggcggcagacagccggctacaacctggac
caagtccttgagcagggcgggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgat
ccaaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatg
aaggctgagcggcgatcagatgggccagatcgaaaaaatttttaagggtgggtgtaccctgtggat
gatcatcactttaagggtgattctgcactatggcacactggtaatcgacgggggttacgccgaacat
gatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaa
ccgggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctg
ctgttccgcgtaaccatcaacggagtgacc

SEQ ID NO:283 (L27V CP 160 TEV)

MGWRLCERILAGSSGGSSGGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDHDFKVLHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVVTINGVT

SEQ ID NO:284 (L27V CP 163 TEV)

atgctgtgagcgcgcatttttggcgggaagtcttgggtggaggaagtcttgggtggagagcctactactgagaacttgtacttccagagcgcataacggaagtcttgggtggaggaagtcttgggtggaatgggtgtttactactcgaagatttctgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggcgggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggatgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaagggtctgagcggcgatcagatgggccagatcgaaaaaatttttaagggtgggtgtaccctgtggatgatcatcac ttttaagggtgattctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgacta tttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccggggaccc tgtggaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgc gtaaccatcaacggagtgaccggctggcgg

SEQ ID NO:285 (L27V CP 163 TEV)

MLCERILAGSSGGSSGGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVVTINGVTGWR

SEQ ID NO:286 (L27V CP 166 TEV)

Atgcgcatttttggcgggaagtcttgggtggaggaagtcttgggtggagagcctactactgagaactt gtacttccagagcgcataacggaagtcttgggtggaggaagtcttgggtggaatgggtgtttactactc gaagatttctgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagggc ggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgag cgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgtatgaagggtctgagcggcgatc agatgggccagatcgaaaaaatttttaagggtgggtgtaccctgtggatgatcatcactttaagggtg attctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacg gccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccggggaccctgtggaacg gcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgcgtaaccatc aacggagtgaccggctggcggctgtgcgag

SEQ ID NO:287 (L27V CP 166 TEV)

MRILAGSSGGSSGGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTI NGVTGWRLCE

SEQ ID NO:288 (pCA 9 FKBP-L27V02A 157-169)

gagtgagcaggtggaaaccatctccccaggagacggggcgaccttcccccaagcgcgccagacctgc gtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaagagaaacaa gccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaagggttgcccaga tgagtggtgggtcagagagccaaactgactatatctccagattatgcctatgggtgccactgggcac ccaggcatcatccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaaggagg agggagctccgggtggaggcagcgggtggagtgaccggctggcggctgtgcgaacgcattctggcg

SEQ ID NO:289 (pCA 9 FKBP-L27V02A 157-169)

GVQVETISPGDGRTPFKRGQTCVVHYTGMLLEDGKKFDSSRDNRNPKFKFMLGKQEVIRGWEEGVAQMSVGQRAKLTPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGSSGGVTGWRLCERILA

SEQ ID NO:290 (pCA 10 L27V02A 1-156-FRB)

atggtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaaatttttaaggtggtgtacctgtggatga
tcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacggctccctgct
gttccgagtaaccatcaacggagtgaccggaggaggtggctcaggtggaggagctccgtggcca
tcctctggcatgagatgtggcatgaaggcctggaagaggcatctcgtttgtactttggggaaagg
aacgtgaaaggcatgtttgaggtgctggagcccttgcatgctatgatggaacggggccccagac
tctgaaggaaacatcctttaatcaggcctatggtcgagatttaatggaggcccaagagtgggtgca
ggaagtacatgaaatcaggaatgtcaaggacctcacccaagcctgggacctctattatcatgtg
ttccgacgaatctca

SEQ ID NO:291 (pCA 10 L27V02A 1-156-FRB)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGGGSGGGSSVAILWHEMWHEGLEEASRLYFGER
NVKGMFEVLEPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHV
FRRIS

SEQ ID NO:292 (pCA 26 FKBP-L27V02A 1-156)

ggagtgcaggtggaaaccatctccccaggagacggggcgaccttcccccaagcgcgccagacctg
cgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaaaca
agccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcccag
atgagtgtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgggca
cccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaaggag
gagggagctccggtggaggcagcggatggtcttcacactcgaagatttcgttggggactggcga
cagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagttgtttcagaa
tctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaatgggctgaagatcg
acatccatgtcatcatcccgtatgaaggcttgagcggcgaccaaatggggccagatcgaaaaaatt
tttaaggtggtgtacctgtggatgatcatcactttaaggtgatcctgcactatggcacactggt
aatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgt
tcgacggcaaaaagatcactgtaacagggacctgtggaacggcaacaaaattatcgacgagcgc
ctgatcaaccccgacggctccctgctgttccgagtaacctcaac

SEQ ID NO:293 (pCA 26 FKBP-L27V02A 1-156)

GVQVETISPGDGRTPKRGQTCVVHYTGMLEDGKKFDSSRDRNKPFFKMLGKQEVIRGWEEGVAQ
MSVGQRAKLTI SPDYAYGATGHPGII PPHATLVFDVELLKLEGGGSSGGGSGMVFTLEDFVGDWR
QTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI
IDERLINPDGSLLFRVTIN

SEQ ID NO:294 (pCA 25 L27V02A 157-169-FRB)

atgggagtgaccggctggcggctgtgccaacgcattctggcgggaggaggtggctcaggtggagg
gagctccgtggccatcctctggcatgagatgtggcatgaaggcctggaagaggcatctcgtttgt
actttggggaaaggaacgtgaaaggcatgtttgaggtgctggagcccttgcatgctatgatgaa
cggggccccagactctgaaggaaacatcctttaatcaggcctatggtcgagatttaatggaggc
ccaagagtgggtgcaggaagtacatgaaatcaggaatgtcaaggacctcacccaagcctgggacc
tctattatcatgtgttccgacgaatctca

SEQ ID NO:295 (pCA 25 L27V02A 157-169-FRB)

MGVTGWRLCERILAGGGGSSGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMME
RGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:296 (pCA 3 FKBP-L27V02A 103-169)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgcggccagac
ctgctgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcaccagcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggaggagctccggtggaggcagcgggtacgccgaacatgatcgactatttcggacggccgtat
gaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaa
aattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacctcaacggag
tgaccggctggcggtgtgcgaacgcattctggc

SEQ ID NO:297 (pCA 3 FKBP-L27V02A 103-169)

MGVQVETISPGDGRTFPRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTIISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGSSGGSGTNPIMIDYFGRPY
EGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERIL

SEQ ID NO:298 (pCA 4 L27V02A 1-102-FRB)

atggtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgaccaaattgggacagatcgaaaaaatttttaagggtggtgtaccctgtggatga
tcactactttaagggtgatcctgcactatggcacactggtaatcgacggggttgaggaggtggct
caggtggaggagctccgtggccatcctctggcatgagatgtggcatgaaggcctggaagaggca
tctcgtttgtactttggggaaaggaaacgtgaaaggcatgtttgaggtgctggagcccttgcatgc
tatgatggaacggggccccagactctgaaggaaacatcctttaatcaggcctatggtcgagatt
taatggaggcccaagagtgggtgcaggaagtacatgaaatcagggaatgtcaaggacctcacccaa
gcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:299 (pCA 4 L27V02A 1-102-FRB)

MGVQVETISPGDGRTFPRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTIISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGSSGGSGTNPIMIDYFGRPY
EGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERIL

SEQ ID NO:300 (pCA 19 L27V02A 103-169-FRB)

atgacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaa
aaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaacc
ccgacggctccctgctgttccgagtaaccatcaacggagtgaaccggctggcggtgtgcgaacgc
attctggcgaggaggtggctcaggtggaggagctccgtggccatcctctggcatgagatgtg
gcatgaaggcctggaagaggcatctcgtttgtactttggggaaaggaaacgtgaaaggcatgtttg
aggtgctggagcccttgcatgctatgatggaacggggccccagactctgaaggaaacatccttt
aatcaggcctatggtcgagatttaatggaggcccaagagtgggtgcaggaagtacatgaaatcagg
gaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:301 (pCA 19 L27V02A 103-169-FRB)

MTPNIMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCER
ILAGGGGSSGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSF
NQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:302 (pCA 20 FKBP-L27V02A 1-102)

atgggagtgaggtggaaccatctccccaggagacgggcgacacctcccccaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccgggtacaaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggacagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacggggtt

SEQ ID NO:303 (pCA 20 FKBP-L27V02A 1-102)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSRDNRNPKFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGV

SEQ ID NO:304 (pCA 11 FKBP-L27V02A 84-169)

atgggagtgaggtggaaccatctccccaggagacgggcgacacctcccccaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtgatgatcatcactttaaggtgatcctgcactatggc
aactggtaatcgacggggttacgccgaacatgatcgactatttcggacggccggtatgaaggcat
cgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcg
acgagcgctgatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggc
tggcggtgtgacgaacgcattctggcg

SEQ ID NO:305 (pCA 11 FKBP-L27V02A 84-169)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSRDNRNPKFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGSGDDHHFKVILHYG
TLVIDGVTNMDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTG
WRLCERILA

SEQ ID NO:306 (pCA 12 L27V02A 1-83-FRB)

atggtcttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaataaggccagatcgaaaaaatttttaaggtggtgtacctgtgggagg
aggtggctcaggtggagggagctccgtggccatcctctggcatgagatgtggcatgaaggcctgg
aagaggcatctcgtttgtactttggggaaaggaacgtgaaaggcatgtttgaggtgctggagccc
ttgcatgctatgatggaacggggcccccagactctgaaggaaacatcctttaatcaggcctatgg
tcgagatttaatggaggcccaagagtgggtgcaggaagtacatgaaatcagggaatgtcaaggacc
tcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:307 (pCA 12 L27V02A 1-83-FRB)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPVGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEP
LHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIIS

SEQ ID NO:308 (pCA 14 L27V02A 1-83 (no fusion))

atggtcttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaataaggccagatcgaaaaaatttttaaggtggtgtacctgtg

SEQ ID NO:309 (pCA 14 L27V02A 1-83 (no fusion))

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPV

SEQ ID NO:310 (pCA 13 L27V02A 84-169 (no fusion))

atggatgatcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgcc
gaacatgatcgactatttcggacggccgctatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggc
tccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtgacgaacgcattctggc
g

SEQ ID NO:311 (pCA 13 L27V02A 84-169 (no fusion))

MDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTINGVTGWRLCERILA

SEQ ID NO:312 (pCA 28 FKBP 1-83)

atgggagtgaggtggaaccatctccccaggagacgggacaccttccccaaagcgcgccagac
ctgctgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtgagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggtatggtcttcacactcgaagatttcggttggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttgtttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaataaggccagatcgaaaaa
atttttaaggtggtgtacctgtg

SEQ ID NO:313 (pCA 28 FKBP 1-83)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLLEGGGSSGGSGMVFTLEDFVGDW

RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEK
IFKVVYPV

SEQ ID NO:314 (pCA 27 L27V02A 84-169 FRB)

atggatgatcatcactttaaggtgatcctgcactatggcacactggtaatcgacggggttacgcc
gaacatgatcgactatttcggacggccgatatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaacccccgacggc
tccctgctgttccgagtaaccatcaacggagtgaccggctggcggctgtgCGAACGCATTCTGGC
gggaggaggtggctcaggtggaggagctccgtggccatcctctggcatgagatgtggcatgaag
gcctggaagaggcatctcgtttgtactttggggaaaggaacgtgaaaggcatgtttgaggtgctg
gagcccttgcatgctatgatggaacggggccccagactctgaaggaaacatcctttaatcaggc
ctatggtcgagatttaattgaggcccaagagtgggtgcaggaagtacatgaaatcagggaatgtca
aggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:315 (pCA 27 L27V02A 84-169 FRB)

MDDHHFKVILHYGTLVIDGVTNMIIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTINGVTGWRLCERILAGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVL
EPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:316 (HT7-Keap1)

atggcagaaatcggtactggctttccattcgacccccattatgtggaagtcctgggCGAGCGCAT
gcactacgtcgatgttggtccgcgcgatggcacccctgtgctgttcttcacggtaacccgacct
cctcctacgtgtggcgcaacatcatcccgcatgttgacccgacccatcgctgcattgctccagac
ctgatcggtatgggcaaatccgacaaaccagacctgggttatttcttcgacgaccacgtccgctt
catggatgccttcacgaagccctgggtctggaagaggtcgctcctggtcattcacgactggggct
ccgctctgggtttccactgggccaagcgcaatccagagcgcgctcaaaggatttgatttatggag
ttcatccgccctatcccgacctgggacgaatggccagaatttgcccgcgagaccttcaggcctt
ccgcaccaccgacgtcgcccgcaagctgatcatcgatcagaacgtttttatcgagggtacgctgc
cgatgggtgtcgctccgcccgtgactgaagtcgagatggaccattaccgCGAGCCGTTCTCTGAAT
cctgttgaccgCGAGCCACTGTGGCGCTTCCCAAACGAGCTGCCAATCGCCGGTGAGCCAGCGAA
catcgctcgcgctggctcgaagaatacatggactggctgcaccagtcacctgtcccgaagctgctgt
tctggggcaccocaggcgcttctgatcccaccggccgaagccgctcgctggccaaaagcctgcct
aactgcaaggctgtggacatcgccccgggtctgaatctgctgcaagaagacaaccCGGACCTGAT
cggcagcgagatcgcgcgctggctgtcgacgctcgagatttcCGGCGAGCCAACCACTGAGGATC
tgtactttcagagcgataaccgcatcgctttcgaaggagatagaaccatgcagccagatcccagg
cctagcggggctggggcctgctgccgattcctgccccctgcagtcacagtgccctgagggggcagg
ggacgcggtgatgtacgcctccactgagtgaaggcgagggtgacgccctcccagcatggcaacc
gcaccttcagctacacctggaggatcataccaagcaggcctttggcatcatgaacgagctgcgg
ctcagccagcagctgtgtgacgtcacactgcaggtcaagtaccaggatgcaccggccgcccagtt
catggcccacaagggtgggtgctggcctcatccagccctgttttcaaggccatgttcaccaacgggc
tgCGGGAGCAGGGCATGGAGGTGGTGTCCATTGAGGGTATCCACCCCAAGGTATGGAGCGCTC
attgaattcgctacacggcctccatctccatgggCGAGAAGTGTGTCTCTCCAGTCATGAACGG
cgctgtcatgtaccagatcgacagcgttgtccgtgcctgcagtgacttctgggtgcagcagctgg
acccagcaatgccatcgccatcgccaacttcgctgagcagattggctgtgtggagttgcaccag
cgtgcccgggagttacatctacatgcattttggggagggtggccaagcaaggaggattcttcaacct
gtcccaactgccaaactggtgacctcatcgccgggacgacctgaacgtgcgctgcgagtcCGAGG
tcttccacgcctgcatcaactgggtcaagtacgactgcgaacagcgacggttctacgtccaggcg
ctgctgcggggcgtgCGCTGCCACTCGTTGACGCCGAACCTCCTGCAGATGCAGCTGCAGAAGTG
cgagatcctgcagtcCGACTCCCGCTGCAAGGACTACCTGGTCAAGATCTTCGAGGAGCTCACCC
tgcacaagcccacgcaggtgatgccctgcccggcgcccaagggtgggcccgtgatctacaccgcg
ggcggtacttccgacagtcgctcagctacctggaggcttacaaccccagtaacggcacctggct
ccggttggcggaacctgcaggtgccgCGGAGCGGCCTGGCCGGCTGCGTGGTGGGCGGGCTGTTGT
acgcCGTGGGCGGCAGGAACAACCTCGCCCGACGGCAACACCGACTCCAGCGCCCTGGACTGTTAC

aaccccatgaccaatcagtggtcgccctgcgcccccatgagcgtgccccgtaaccgcatcgggggt
gggggtcatcgatggccacatctatgccgtcggcggtcccacggctgcatccaccacaacagtg
tggagaggtatgagccagagcgggatgagtggcacttggtggccccaatgctgacacgaaggatc
ggggtgggcgtggctgtcctcaatcgtctgctttatgccgtggggggctttgacgggacaaaccg
ccttaattcagctgagtggttactaccagagaggaacgagtggcgaatgatcacagcaatgaaca
ccatccgaagcggggcaggcgtctgcgtcctgcacaactgtatctatgctgctgggggctatgat
ggtcaggaccagctgaacagcgtggagcgtacgatgtggaacagagacgtggactttcgtagc
ccccatgaagcaccggcgaagtgccttggggatcactgtccaccaggggagaatctacgtccttg
gaggctatgatggtcacacgttcctggacagtgtggagtgttacgaccagatacagacacctgg
agcgaggtgacccgaatgacatcggggcggagtggggtgggcgtggctgtcaccatggagccctg
ccggaagcagattgaccagcagaactgtacctgttacgtagtt

SEQ ID NO:317 (Nrf2)

TCAATATTGGCCATTAGCCATATTATTCATTGGTTATATAGCATAAATCAATATTGGCTATTGGC
CATTGCATACGTTGTATCTATATCATAATATGTACATTTATATTGGCTCATGTCCAATATGACCG
CCATGTTGGCATTGATTATTGACTAGTTATTAATAGTAATCAATTACGGGGTCATTAGTTCATAG
CCCATATATGGAGTTCCGCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACG
ACCCCGCCCATTTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT
TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCCTTGGCAGTACATCAAGTGTATCATAT
GCCAAGTCCGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTATGCCCAGTACA
TGACCTTACGGGACTTTCTACTTGGCAGTACATCTACGTATTAGTCATCGCTATTACCATGGTG
ATGCGGTTTTGGCAGTACACCAATGGGCGTGGATAGCGGTTTTGACTCACGGGGATTTCCAAGTCT
CCACCCCATTTGACGTCAATGGGAGTTTTGTTTTGGCACCAAAATCAACGGGACTTTCCAAAATGTC
GTAATAACCCCGCCCCGTTGACGCAATGGGCGGTAGGCGTGTACGGTGGGAGGTCTATATAAGC
AGAGCTGGTTTTAGTGAACCGTCAGATCACTAGAAGCTTTATTGCGGTAGTTTTATCACAGTTAAAT
TGCTAACGCAGTCAGTGCTTCTGACACAACAGTCTCGAACTTAAGCTGCAGAAGTTGGTCGTGAG
GCACTGGGCAGGTAAGTATCAAGGTTACAAGACAGGTTTAAGGAGACCAATAGAACTGGGCTTG
TCGAGACAGAGAAGACTCTTGCGTTTTCTGATAGGCACCTATTGGTCTTACTGACATCCACTTTGC
CTTTCTCTCCACAGGTGTCCACTCCCAGTTCAATTACAGCTCTTAAGGCTAGAGTATTAATACGA
CTCACTATAGGGCTAGCGATCGCCATGATGGACTTGGAGCTGCCGCCGCCGGGACTCCCGTCCCA
GCAGGACATGGATTTGATTGACATACTTTGGAGGCAAGATATAGATCTTGGAGTAAGTCGAGAAG
TATTTGACTTCAGTCAGCGACGGAAAGAGTATGAGCTGGAAAAACAGAAAAAATTTGAAAAGGAA
AGACAAGAACAACCTCCAAAAGGAGCAAGAGAAAGCCTTTTTCTGCTCAGTTACAACCTAGATGAAGA
GACAGGTGAATTTCTCCCAATTCAGCCAGCCAGCACATCCAGTCAGAAACCAGTTCTCTCGGTG
GTTTCAAGGTGGTGGCGGGAGCGGTGGAGGGAGCAGCGGTGGAGTGTTTACACTCGAAGATTTCTGA
GGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCAAGTCCTTGAGCAGGGCGGTGTGTCCAG
TTTGTTCAGAAATCTCGGGGTGTCCGTAACCTCCGATCCAAAGGATTGTCCTGAGCGGTGAAAACG
GCCTGAAGATCGACATCCATGTCATCATCCCGTATGAAGGTCTGAGCGGCATCAGATGGGCCAG
ATCGAAAAAATTTTTAAGGTGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATTCTGCACTA
TGGCACACTGGTAATCGACGGGGTTACGCCAACATGATCGACTATTTTCGGACGGCCGTATGAAG
GCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACCGGGACCTGTGGAACGGCAACAAAATT
ATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCTGTTCCGCGTAACCATCAACGGAGTGAC
CGGCTGGCGGTGTGCGAGCGCATTTTGGCGTAAGGCCGCGACTCTAGAGTCGACCTGCAGGCAT
GCAAGCTGATCCGGCTGCTAACAAAGCCCCGAAAGGAAGCTGAGTTGGCTGCTGCCACCGCTGAGC
AATAACTAGCATAACCCCTTGGGGCGGCCGCTTCGAGCAGACATGATAAGATACATTGATGAGTT
TGGACAAACCACAACCTAGAATGCAGTGAAAAAATGCTTTATTTGTGAAATTTGTGATGCTATTG
CTTTATTTGTAACCATTTATAAGCTGCAATAAACAAGTTAACAACAACAATTGCATTCATTTTATG
TTTCAGGTTTCAGGGGGAGATGTGGGAGGTTTTTTTAAGCAAGTAAAACCTCTACAAATGTGGTAA
AATCGAATTTTAACAAAATATTAACGCTTACAATTTCTGATGCGGTATTTTCTCCTTACGCATC
TGTGCGGTATTTACACCCGCATACGCGGATCTGCGCAGCACCATGGCCTGAAATAACCTCTGAAA
GAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACCAGCTGTGGAATGTGTGTGTCAGTTAGGG
TGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGC
AACCAGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATT

AGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCCATCCCGCCCCCTAACTCCGCCCAGTTCCGCC
CATTCTCCGCCCCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCTCGGCCTC
TGAGCTATTCAGAAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTTAATT
AACTGTTGACAATTAATCATCGGCATAGTATATCGGCATAGTATAATACGACAAGGTGAGGAACT
AAACCCAGGAGGCAGATCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGT
GGAGAGGCTATTCCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGTGTTCC
GGCTGTGACGCGAGGGGCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCCGGTGCCCTGAATGAA
CTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACGACGGGCGTTCCCTTGCGCAGCTGTGCT
CGACGTTGTCACTGAAGCGGGAAGGGACTGGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCC
TGTCATCTCACCTTGCTCCTGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCAT
ACGCTTGATCCGGCTACCTGCCATTTCGACCACCAAGCGAAACATCGCATCGAGCGAGCACGTAC
TCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAGGGGCTCGCGCCAG
CCGAAGTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGCGAGGATCTCGTCGTGACCCATGGC
GATGCCCTGCTTGCCGAATATCATGGTGGAAAATGGCCGCTTTTCTGGATTTCATCGACTGTGGCCG
GCTGGGTGTGGCGGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTG
GCGGCGAATGGGCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTTCGACGCGCATC
GCCTTCTATCGCCTTCTTGACGAGTTCTTCTGAGCGGGACTCTGGGGTTTCGAAATGACCGACCAA
GCGACGCCCCAACCTGCCATCACGATGGCCGCAATAAAATATCTTTATTTTCATTACATCTGTGTG
TTGGTTTTTTGTGTGAATCGATAGCGATAAGGATCCTCTTTGCGCTTGCGTTTTCCCTTGTCAG
ATAGCCAGTAGCTGACATTCATCCGGGGTCAGCACCGTTTCTGCGGACTGGCTTTCTACCCGGT
ATCAGCTCACTCAAAGGCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCAGGAAAGAACA
TGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGCTGGCGTTTTTCCAT
AGGCTCCGCCCCCTGACGAGCATCACAAAAATCGACGCTCAAGTCAGAGGTGGCGAAACCCGAC
AGGACTATAAAGATACCAGGCGTTTCCCCCTGGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCC
TGCCGCTTACCGGATACCTGTCCGCCTTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCATAGCTCA
CGCTGTAGGTATCTCAGTTCCGGTGTAGGTCGTTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCC
CGTTCAGCCCGACCGCTGCGCCTTATCCGGTAAGTATCGTCTTGAGTCCAACCCGGTAAGACACG
ACTTATCGCCACTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCT
ACAGAGTTCTTGAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGC
TCTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTCTTGATCCGGCAAACAAACCACCG
CTGGTAGCGGTGGTTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAGGATTTCAAGAA
GATCCTTTGATCTTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACCTCACGTTAAGGGATTTT
GGTCATGAGATTATCAAAAAGGATCTTCACCTAGATCCTTTTATAGTCCGGAAATACAGGAACGC
ACGCTGGATGGCCCTTCGCTGGGATGGTGAAACCATGAAAAATGGCAGCTTCAGTGGATTAAAGTG
GGGGTAATGTGGCCTGTACCCTCTGGTTGCATAGGTATTCATACGGTTAAATTTATCAGGCGCG
ATTGCGGCAGTTTTTCGGGTGGTTTGTGTCATTTTACCTGTCTGCTGCCGTGATCGCGCTGAA
CGCGTTTTAGCGGTGCGTACAATTAAGGGATTATGGTAAATCCACTTACTGTCTGCCCTCGTAGC
CATCGAGATAAACCGCAGTACTCCGGCCACGATGCGTCCGGCGTAGAGGATCGAGATCT

SEQ ID NO:318 (L27V02B)

ATGGTCTTCACACTCGAAGATTTTCGTAGGTGACTGGCGACAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAACAGGGTGGTGTGTCCAGTTTGTTTCAGAATCTCGGGGTGTCCGTAACCTCCGATCC
AAAGGATTGTCCTGAGCGGTGAAAATGGGCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAGCGGCGACCAAATGGGCCAGATCGAAAAAATTTTTAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGA
TCGACTATTTTCGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAAC
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGAGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAACGCATTCTGGCG

SEQ ID NO:319 (L27V01)

ATGGTGTTTTACACTCGAAGATTTTCGTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAACAGGGCGGTGTGTCCAGTTTGTTTCAGAATCTCGGGGTGTCCGTAACCTCCGATCC

AAAGGATTGTCCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAGCGGCGATCAAATGGGCCAGATCGAAAAAATTTTAAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACC
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAGCGCATTTTGGCG

SEQ ID NO:320 (L27V01-PEST00)

ATGGTGTTTACACTCGAAGATTTTCGTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAACAGGGCGGTGTGTCCAGTTTGTTTCAGAATCTCGGGGTGTCCGTAACCTCCGATCC
AAAGGATTGTCCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAGCGGCGATCAAATGGGCCAGATCGAAAAAATTTTAAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACC
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAGCGCATTTTGGCGAATTCAC
ACGGCTTTCCGCCCAGGTTGAAGAGCAAGCCGCCGGTACATTGCCTATGTCCTGCGCACAAAGAA
AGCGGTATGGACCGGCACCCAGCCGCTTGTGCTTCAGCTCGCATCAACGTC

SEQ ID NO:321 (IL601-L27V01)

ATGAACTCCTTCTCCACAAGCGCCTTCGGTCCAGTTGCCTTCTCCCTGGGCCTGCTCCTGGTGT
GCCTGCTGCCTTCCCTGCCCCAGTGTTCACACTCGAAGATTTTCGTAGGGGACTGGCGGCAGACAG
CCGGCTACAACCTGGACCAAGTCCTTGAACAGGGCGGTGTGTCCAGTTTGTTCAGAATCTCGGG
GTGTCCGTAACCTCCGATCCAAAGGATTGTCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCA
TGTCATCATCCCGTATGAAGGTCTGAGCGGCGATCAAAATGGGCCAGATCGAAAAAATTTTAAAG
TGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGAC
GGGGTTACGCCGAACATGATCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGG
CAAAAAGATCACTGTAACCGGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCA
ACCCCGACGGCTCCCTGCTGTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAG
CGCATTTTGGCG

SEQ ID NO:322 (L27V02A)

ATGGTCTTCACACTCGAAGATTTTCGTTGGGGACTGGCGACAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAACAGGGAGGTGTGTCCAGTTTGTTCAGAATCTCGGGGTGTCCGTAACCTCCGATCC
AAAGGATTGTCTGAGCGGTGAAAATGGGCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAGCGGCGACCAAATGGGCCAGATCGAAAAAATTTTAAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACA
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGAGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAACGCATTCTGGCG

SEQ ID NO:323 (L27V02A-PEST01)

ATGGTCTTCACACTCGAAGATTTTCGTTGGGGACTGGCGACAGACAGCCGGCTACAACCTGGACCA
AGTCCTTGAACAGGGAGGTGTGTCCAGTTTGTTCAGAATCTCGGGGTGTCCGTAACCTCCGATCC
AAAGGATTGTCTGAGCGGTGAAAATGGGCTGAAGATCGACATCCATGTCATCATCCCGTATGAA
GGTCTGAGCGGCGACCAAATGGGCCAGATCGAAAAAATTTTAAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAACA
GGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCT
GTTCCGAGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAACGCATTCTGGCGAATTCTC
ACGGCTTTCCGCTGAGGTTGAAGAGCAAGCCGCCGGTACATTGCCTATGTCTGCGCACAAGAA
AGCGGTATGGACCGGCACCCAGCCGCTTGTGCTTCAGCTCGCATCAACGTC

SEQ ID NO:324 (IL601-L27V02A)

ATGAACTCCTTCTCCACAAGCGCCTTCGGTCCAGTTGCCTTCTCCCTGGGCCTGCTCCTGGTGT
GCCTGCTGCCTTCCCTGCCCCAGTCTTCACACTCGAAGATTTTCGTTGGGGACTGGCGACAGACAG
CCGGCTACAACCTGGACCAAGTCCTTGAACAGGGAGGTGTGTCCAGTTTGTTCAGAATCTCGGG
GTGTCCGTAACCTCCGATCCAAAGGATTGTCTGAGCGGTGAAAATGGGCTGAAGATCGACATCCA
TGTCATCATCCCGTATGAAGGTCTGAGCGGCGACCAAAATGGGCCAGATCGAAAAAATTTTAAAG
TGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGAC
GGGGTTACGCCGAACATGATCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGG
CAAAAAGATCACTGTAACAGGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCA
ACCCCGACGGCTCCCTGCTGTTCCGAGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAA
CGCATTTCTGGCG

SEQ ID NO:325 (L27V03)

ATGGTCTTCACACTCGAAGATTTTCGTAGGTGACTGGCGACAGACAGCCGGCTACAACCTGGACCA
AGTTCTTGAACAGGGTGGTGTGTCCAGTTTGTTCAGAATCTCGGGGTGTCCGTAACCTCCAATCC

AGAGGATAGTCCTGAGTGGTGAAAATGGGCTGAAGATCGACATCCATGTCATCATCCCTTATGAA
GGTCTGAGCGGCGATCAGATGGGGCAGATCGAAAAAATTTTAAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGACGGTGTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATTACTGTCACT
GGAACCCTGTGGAATGGGAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCACTGCT
GTTCCGAGTAACCATCAATGGTGTACCGGCTGGCGGCTCTGCGAACGCATTCTAGCA

SEQ ID NO:326 (L27V03-PEST02)

ATGGTCTTCACACTCGAAGATTTTCGTAGGTGACTGGCGACAGACAGCCGGCTACAACCTGGACCA
AGTTCTTGAACAGGGTGGTGTGTCCAGTTTGTTCAGAATCTCGGGGTGTCCGTAACCTCCAATCC
AGAGGATAGTCCTGAGTGGTGAAAATGGGCTGAAGATCGACATCCATGTCATCATCCCTTATGAA
GGTCTGAGCGGCGATCAGATGGGGCAGATCGAAAAAATTTTAAAGGTGGTGTACCCTGTGGATGA
TCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGACGGTGTACGCCGAACATGA
TCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAAAGATTACTGTCACT
GGAACCCTGTGGAATGGGAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCACTGCT
GTTCCGAGTAACCATCAATGGTGTACCGGCTGGCGGCTCTGCGAACGCATTCTAGCAAATAGTC
ACGGCTTTCCGCCTGAGGTTGAAGAGCAAGCCGCCGGTACATTGCCTATGTCTGCGCACAAGAA
AGCGGTATGGACCGGCACCCAGCCGCTTGTGCTTCAGCTCGCATCAACGTC

SEQ ID NO:327 (IL602-L27V03)

ATGAACTCCTTCTCCACAAGCGCCTTCGGTCCAGTCGCCTTCTCCCTGGGCCTGCTCCTGGTGT
GCCCCGTGCCTTTCTGCCCCAGTCTTCACACTCGAAGATTTTCGTAGGTGACTGGCGACAGACAG
CCGGCTACAACCTGGACCAAGTTCTTGAACAGGGTGGTGTGTCCAGTTTGTTCAGAATCTCGGG
GTGTCCGTAACCTCCAATCCAGAGGATAGTCCTGAGTGGTGAAAATGGGCTGAAGATCGACATCCA
TGTCATCATCCCTTATGAAGGTCTGAGCGGCGATCAGATGGGGCAGATCGAAAAAATTTTAAAGG
TGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATCCTGCACTATGGCACACTGGTAATCGAC
GGTGTACGCCGAACATGATCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGG
CAAAAAGATTACTGTCACTGGAACCCTGTGGAATGGGAACAAAATTATCGACGAGCGCCTGATCA
ACCCCGACGGCTCACTGCTGTTCCGAGTAACCATCAATGGTGTACCGGCTGG

SEQ ID NO:328 (Linker)

GSSGGGSSSGEPTTENLYFQSDNGSSGGGSSSG

SEQ ID NO:329 (FABP Consensus Sequence)

[GSAIVK]-{FE}-[FYW]-x-[LIVMF]-x-x-{K}-x-[NHG]-[FY]-[DE]-x-
[LIVMFY]-[LIVM]-{N}-{G}-[LIVMAKR]

SEQ ID NO:330 (OGLUC Consensus Sequence)

[GSAIVK]-{FE}-[FYW]-x-[LIVMFSYQ]-x-x-{K}-x-[NHGK]-x-[DE]-x-
[LIVMFY]-[LIVMWF]-x-{G}-[LIVMAKRG]

SEQ ID NO:331 (9B8 PCA1 (pF5A/Met-[9B8 opt (51-169)]-GGGSGGGSS-FRB)

Atgggcctgaagatcgacatccatgtcatcatcccgatgaaggtctgagcggctatcagatggg
ccagatcgaaaaaatttttaaggtgggtgtaccctgtggatgatcatcactttaaggtgattctgc
actatggcacactggtaatcgacggggttacgccgaacatgatcgactatttcggacggccgtat
gaaggcatcgccgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaacaa
aattatcgacgagcgcctgatcaaccccgacggctccctgctgttcgcgtaaccatcaacggag
tgaccggctggcggctgtgacgagcgcattttgccgggaggaggtggctcaggtggaggagctcc
gtggccatcctctggcatgagatgtggcatgaaggcctggaagaggcatctcgtttgtactttgg
ggaaaggaacgtgaaaggcatgtttgaggtgctggagcccttgcatgctatgatggaacggggcc

cccagactctgaaggaaacatcctttaatcaggcctatggctcgagatttaatggaggcccaagag
tgggtgcaggaagtacatgaaatcaggggaatgtcaaggacctcacccaagcctgggacctctatta
tcatgtgttccgacgaatctca

SEQ ID NO:332 (9B8 PCA1 (pF5A/Met-[9B8 opt (51-169)]-GGGSSGGGSS-FRB)

MGLKIDIHVIIPYEGLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPY
EGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGGGSSGGGSS
VAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSFNQAYGRDLMEAQE
WCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:333 (9B8 PCA2 (pF5A/[9B8 opt (1-50)]-GGGSSGGGSS-FRB)

Atggtgtttactcgaagatttcgtaggggactggcggcagacagccggtacaacctggacca
agtccttgagcagggcggtctgtccagtttgtttcagaaactcgggggtgtccgtaacaccgatcc
aaaagattgtcctgagcgggtgaaaacggaggaggtggctcaggtggaggagctccgtggccatc
ctctggcatgagatgtggcatgaaggcctggaagaggcatctcgtttgtactttggggaaaggaa
cgtgaaaggcatgtttgaggtgctggagcccttgcatgctatgatggaacggggccccagactc
tgaaggaaacatcctttaatcaggcctatggctcgagatttaatggaggcccaagagtgggtgcagg
aagtacatgaaatcaggggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgtt
ccgacgaatctca

SEQ ID NO:334 (9B8 PCA2 (pF5A/[9B8 opt (1-50)]-GGGSSGGGSS-FRB)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGSLFQKLGVSVPITQKIVLSGENGGGSSGGGSSVAI
LWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCR
KYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:335 (9B8 PCA 3 (& pF5A/FKBP-GGGSSGGGSSG-[9B8 opt (51-169)])

atgggagtgaggtggaaaccatctccccaggagacgggcgcaccttccccaaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggaggagctccggtggaggcagcgggtggcctgaagatcgacatccatgtcatcatcccgtat
gaaggctctgagcggctatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtgga
tgatcatcactttaaggtgattctgcactatggcacactggtaatcgacgggggttacgccgaaca
tgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgta
accgggaccctgtggaacggcaaaaaattatcgacgagcgcctgatcaaccocgacggctccct
gctgttccgcgtaaccatcaacggagtgaccggctggcggctgtgagcgcattttggcg

SEQ ID NO:336 (9B8 PCA 3 (& pF5A/FKBP-GGGSSGGGSSG-[9B8 opt (51-169)])

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLDGGKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGGSSGLKIDIHVIIPY
EGLSGYQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITV
TGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:337 (9B8 PCA 4 (pF5A/FKBP-GGGSSGGGSSG-[9B8 opt (1-50)])

atgggagtgaggtggaaaccatctccccaggagacgggcgcaccttccccaaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg

gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggatggtgtttacactcgaagatttcgtaggggactgg
cggcagacagccggctacaacctggaccaagtccttgagcagggcggtctgtccagtttgtttca
gaaactcggggtgtccgtaacaccgatccaaaagattgtcctgagcggtgaaaaac

SEQ ID NO:338 (9B8 PCA 4 (pF5A/FKBP-GGGSSGGSG-[9B8 opt (1-50)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSRDNRNPKFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGSSGGSGSMVFTLEDFVGDW
RQTAGYNLDQVLEQGGSSSLFQKLGVSVTPIQKIVLSGEN

SEQ ID NO:339 (K33N+L27V+K43R+Y68D)

Atggtgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggacca
agtccttgagcagggcggtgtgtccagtttgtttcagaatctcggggtgtccgtaacaccgatcc
aaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcatcactttaaggtgattctgcactatggcacactggtaatcgacggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacc
gggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgct
gttcgcgtaaccatcaacggagtgaccggctggcggtgtgcgagcgcattttggcg

SEQ ID NO:340 (K33N+L27V+K43R+Y68D)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIIPYE
GLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:341 (K33N+ L27V+T39T+K43R+S66N)

Atggtgtttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggacca
agtccttgagcagggcggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgaacggctatcagatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcatcactttaaggtgattctgcactatggcacactggtaatcgacggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacc
gggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgct
gttcgcgtaaccatcaacggagtgaccggctggcggtgtgcgagcgcattttggcg

SEQ ID NO:342 (K33N+ L27V+T39T+K43R+S66N)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIIPYE
GLNGYQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILA

SEQ ID NO:343 (pCA 31 pCA L27V02A 45-169 FRB)

atggtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaaggctc
gagcggcgaccaaattgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatc
actttaaggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgac
tatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggac
cctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttcc
gagtaaccatcaacggagtgaccggctggcggtgtgcgaaacgcattctggcgaggagggtggc
tcagggtgaggaggctccgtggccatcctctggcatgagatgtggcatgaaggcctggaagaggc
atctcgtttgactttgggaaaggaacgtgaaaggcatgtttgaggtgctggagcccttgcatg
ctatgatggaacggggccccagactctgaaggaaacatcctttaatcaggcctatggctgagat
ttaatggaggcccaagagtggtgcaggaagtacatgaaatcagggaatgtcaaggacctcaccca
agcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:344 (pCA 31 pCA L27V02A 45-169 FRB)

MVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMID
YFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGGGG
SGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSFNQAYGRD
LMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRI

SEQ ID NO:345 (pCA 32 FKBP L27V02A 1-44)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgcggccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctccccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggaggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcggggtgtccgtaactccgatccaaaggatt

SEQ ID NO:346 (pCA 32 FKBP L27V02A 1-44)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRI

SEQ ID NO:347 (pCA 33 pCA L27V02A 46-169 FRB)

atgctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctctgag
cggcgaccaaattgggccagatcgaaaaaatttttaagggtgtaccctgtggatgatcatcact
ttaagggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactat
ttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccct
gtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgag
taaccatcaacggagtgaccggctggcggctgtgcgaacgcattctggcgggaggaggtggctca
ggtggaggagctccgtggccatcctctggcatgagatgtggcatgaaggcctggaagaggcatc
tcgtttgtactttggggaaaggacgtgaaaggcatgtttgagggtgctggagcccttgcatgcta
tgatggaacggggccccagactctgaaggaaacatcctttaatcaggcctatggtcgagattta
atggaggcccaagagtgggtgcaggaagtacatgaaatcagggaatgtcaaggacctcaccacaagc
ctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:348 (pCA 33 pCA L27V02A 46-169 FRB)

MLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDY
FGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCERILAGGGGS
GGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSFNQAYGRDL
MEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRI

SEQ ID NO:349 (pCA 34 pCA FKBP 1-45 L27V02A)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgcggccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctccccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggaggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcggggtgtccgtaactccgatccaaaggattgtc

SEQ ID NO:350 (pCA 34 pCA FKBP 1-45 L27V02A)

MGVQVETISPGDGRTFPKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQIRIV

SEQ ID NO:351 (pCA 35 pCA L27V02A 100-169 FRB)

atggacgggggttacgccgaacatgatcgactatctcgacggccgtatgaaggcatcgccgtgtt
cgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgcc
tgatcaacccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggtg
tgcgaacgcattctggcgggaggaggtggctcaggtggaggagctccgtggccatcctctggca
tgagatgtggcatgaaggcctggaagaggcatctcgttgtactttggggaaaggaacgtgaaag
gcatgtttgaggtgctggagcccttgcatgctatgatggaacggggcccccagactctgaaggaa
acatcctttaatcaggcctatggtcgagatttaatggaggcccaagagtgggtgcaggaagtacat
gaaatcagggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaa
tctca

SEQ ID NO:352 (pCA 35 pCA L27V02A 100-169 FRB)

MDGVTPNMIDYFGRPYEGIAVFDDGKKITVTGTLWNGNKIIDERLINPDGSLLFRTVINGVTGWRL
CERILAGGGGSSGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKE
TSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:353 (pCA 36 FKBP L27V02A 1-99)

atgggagtgaggtggaaacctctccccaggagacgggcgcaccttccccaaagcgcgccagac
ctgcgtgggtgactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggtgccc
cagatgagtggtggcagagagccaaactgactatatctccagattatgcctatgggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatgggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaaatggggccagatcgaaaaa
atctttaaggtgggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatc

SEQ ID NO:354 (pCA 36 FKBP L27V02A 1-99)

MGVQVETISPGDGRTFPKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVI

SEQ ID NO:355 (pCA 37 L27V02A 101-169 FRB)

atgggggttacgccgaacatgatcgactatctcgacggccgtatgaaggcatcgccgtgttcga
cggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgccctga
tcaacccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtgc
gaacgcattctggcgggaggaggtggctcaggtggaggagctccgtggccatcctctggcatga
gatgtggcatgaaggcctggaagaggcatctcgtttgtactttggggaaaggaacgtgaaaggca
tgtttgaggtgctggagcccttgcatgctatgatggaacggggcccccagactctgaaggaaaca
tcctttaatcaggcctatggtcgagatttaatggaggcccaagagtgggtgcaggaagtacatgaa
atcagggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatct
ca

SEQ ID NO:356 (pCA 37 L27V02A 101-169 FRB)

MGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLC
ERILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKET
SFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:357 (pCA 38 FKBP 1-100 L27V02A)

Atgggagtgacaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgcggccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaaattgggacagatcgaaaaa
atthtttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgac

SEQ ID NO:358 (pCA 38 FKBP 1-100 L27V02A)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLDGGKFDSSSRDRNPKFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGSGSMVFTLEDVFGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVID

SEQ ID NO:359 (pCA 39 L27V02A 102-169 FRB)

Atggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacgg
caaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgccgatca
accccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggctgtgcgaa
cgcatcttgggcgggaggaggtggctcaggtggaggagctccgtggccatcctctggcatgagat
gtggcatgaaggcctggaagaggcatctcgtttgtactttggggaaaggaacgtgaaaggcatgt
ttgaggtgctggagcccttgcatgctatgatggaacggggccccagactctgaaggaaacatcc
tttaatcaggcctatggtcgagatttaattgaggcccaagagtgggtgcaggaagtacatgaaatc
aggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:360 (pCA 39 L27V02A 102-169 FRB)

MVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCE
RILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETS
FNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:361 (pCA 40 FKBP L27V02A 1-101)

atgggagtgacaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgcggccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaaattgggacagatcgaaaaa
atthtttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacggg

SEQ ID NO:362 (pCA 40 FKBP L27V02A 1-101)

MGVQVETISPGDGRTFPKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDG

SEQ ID NO:363 (pCA 41 L27V02A 143-169 FRB)

atgatcaaccccgacggctccctgctgttccgagtaacctcaacggagtgaccggctggcggct
gtgcaacgcattctggcgggaggaggtggctcaggtggaggagctccgtggccatcctctggc
atgagatgtggcatgaaggcctggaagaggcatctcgtttgactttggggaaaggaacgtgaaa
ggcatgtttgaggtgctggagcccttgcatgctatgatggaacggggccccagactctgaagga
aacatcctttaatcaggcctatggctcgagatttaatggaggcccaagagtgggtgcaggaagtaca
tgaaatcaggaatgtcaaggacctcaccgaagcctgggacctctattatcatgtgttccgacga
atctca

SEQ ID NO:364 (pCA 41 L27V02A 143-169 FRB)

MINPDGSLFRVTINGVTGWRLCERILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVK
GMFEVLEPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFR
IS

SEQ ID NO:365 (pCA 42 FKBP 1-142 L27V02A)

atgggagtgcaggtggaacatctccccaggagacgggcgcaccttccccaaagcgcgccagac
ctgctgtgtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggtgccc
cagatgagtgtgggtcagagagccaaactgactatatctccagattatgcctatgggtgccactgg
gcaccagcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggaggagctccggtggaggcagcggatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacaggaggtgtgtccagtttggttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccgaatgggcccagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccg
tgctcgacggcaaaaagatcactgtaacagggacctgtggaacggcaacaaaattatcgacgag
cgctg

SEQ ID NO:366 (pCA 42 FKBP 1-142 L27V02A)

MGVQVETISPGDGRTFPKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RL

SEQ ID NO:367 (pCA 43 L27V02A 145-169 FRB)

atgcccagcggctccctgctgttccgagtaacctcaacggagtgaccggctggcggctgtgca
acgcattctggcgggaggaggtggctcaggtggaggagctccgtggccatcctctggcatgaga
tgtggcatgaaggcctggaagaggcatctcgtttgactttggggaaaggaacgtgaaaggcatg
tttgaggtgctggagcccttgcatgctatgatggaacggggccccagactctgaaggaaacatc
ctttaatcaggcctatggctcgagatttaatggaggcccaagagtgggtgcaggaagtacatgaaat
caggaatgtcaaggacctcaccgaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:368 (pCA 43 L27V02A 145-169 FRB)

MPDGSLFRVTINGVTGWRLCERILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGM
FEVLEPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFR
IS

SEQ ID NO:369 (pCA 44 FKBP 1-144 L27V02A)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttcccccaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctccccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggtgcc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaatagggacagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatctcgacggccggtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaac

SEQ ID NO:370 (pCA 44 FKBP 1-144 L27V02A)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTIISPDYAYGATGHPGIIIPPHATLVFDVLELLKLEGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLIN

SEQ ID NO:371 (pCA 45 L27V02A 147-169 FRB)

atgggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtgccaacgcat
tctggcgaggaggtggctcaggtggaggagctccgtggccatcctctggcatgagatgtggc
atgaaggcctggaagaggcatctcgtttgtactttggggaaaggaaacgtgaaaggcatgtttgag
gtgctggagcccttgcatgctatgatggaacggggcccccagactctgaaggaaacatcctttaa
tcaggcctatggtcgagatttaattggaggcccaagagtggtgcaggaagtacatgaaatcaggga
atgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:372 (pCA 45 L27V02A 147-169 FRB)

MGSLLFRVTINGVTGWRLCERILAGGGSSGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFE
VLEPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:373 (pCA 46 FKBP- L27V02A 1-146)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttcccccaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctccccgggacagaa
acaagcactttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggtgcc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaatagggacagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatctcgacggccggtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaacccccgac

SEQ ID NO:374 (pCA 46 L27V02A-FKBP 1-146)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKHFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTIISPDYAYGATGHPGIIIPPHATLVFDVLELLKLEGGSSGGGSGMVFTLEDFVGDW

RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPD

SEQ ID NO:375 (pCA 47 L27V02A 148-169 FRB)

atgtccctgctgttccgagtaaccatcaacggagtgaccggctggcggctgtgccaacgcattct
ggcgggaggaggtggctcaggtggagggagctccgtggccatcctctggcatgagatgtggcatg
aaggcctggaagaggcatctcgtttgtactttggggaaaggaacgtgaaaggcatgtttgaggtg
ctggagcccttgcatgctatgatggaacggggcccccagactctgaaggaaacatcctttaatca
ggcctatggctcgagatttaatggaggcccaagagtgggtgcaggaagtacatgaaatcagggaatg
tcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:376 (pCA 47 L27V02A 148-169 FRB)

MSLLFRVTINGVTGWRLCERILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEV
LEPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:377 (pCA 48 FKBP- L27V02A 1-147)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggtgcc
cagatgagtggtgagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttgtttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggacagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacggggttacgccgaacatgatcgactatctcgacggccgtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaaaaaattatcgacgag
cgctgatcaaccccgacggc

SEQ ID NO:378 (pCA 48 FKBP- L27V02A 1-147)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDIAYGATGHPGIIIPPHATLVFDVELLKLEGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDG

SEQ ID NO:379 (pCA 49 L27V02A 156-169 FRB)

atgaacggagtgaccggctggcggctgtgccaacgcattctggcgggaggaggtggctcaggtgg
aggagagctccgtggccatcctctggcatgagatgtggcatgaaggcctggaagaggcatctcgtt
tgtactttggggaaaggaacgtgaaaggcatgtttgaggtgctggagcccttgcatgctatgatg
gaacggggcccccagactctgaaggaaacatcctttaatcaggcctatggtcgagatttaatgga
ggcccaagagtgggtgcaggaagtacatgaaatcagggaatgtcaaggacctcacccaagcctggg
acctctattatcatgtgttccgacgaatctca

SEQ ID NO:380 (pCA 49 L27V02A 156-169 FRB)

MNGVTGWRLCERILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMM
ERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:381 (pCA 50 FKBP-L27V02A 1-155)

atgggagtgaggtggaaccatctccccaggagacgggcgacacctcccccaagcgcgccagac
ctgcggtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccgggtacaaacctggaccaagtccttgaacagggaggtgtgtccagtttgtttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggcccagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaacccccgacggctccctgctgttccgagtaaccatc

SEQ ID NO:382 (pCA 50 FKBP-L27V02A 1-155)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTI SPDYAYGATGHPGII PPHATLVFDVELLKLEGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVII PYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTN MIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI IDE
RLINPDGSLLFRVTI

SEQ ID NO:383 (pCA 51 L27V02A 158-169 FRB)

atggtgaccggctggcggtgtgctgaacgcattctggcgggaggaggtggctcaggtggaggag
ctccgtggccatcctctggcatgagatgtggcatgaaggcctggaagaggcatctcgtttgtact
ttggggaaaggaacgtgaaaggcatgtttgaggtgctggagcccttgcattgatggaacgg
ggccccagactctgaaggaaacatcctttaatcaggcctatggtcgagatttaattggaggccca
agagtgggtgcaggaagtacatgaaatcagggaatgtcaaggacctcaccaagcctgggacctct
attatcatgtgttccgacgaatctca

SEQ ID NO:384 (pCA 51 L27V02A 158-169 FRB)

MVTGWRLCERILAGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMER
GPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:385 (pCA 52 FKBP 1-157 L27V02A)

atgggagtgaggtggaaccatctccccaggagacgggcgacacctcccccaagcgcgccagac
ctgcggtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccgggtacaaacctggaccaagtccttgaacagggaggtgtgtccagtttgtttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggcccagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaacccccgacggctccctgctgttccgagtaaccatcaacgga

SEQ ID NO:386 (pCA 52 FKBP 1-157 L27V02A)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTI SPDYAYGATGHPGII PPHATLVFDVELLKLEGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVII PYEGLSGDQMGQIEK

IFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLLFRVTING

SEQ ID NO:387 (pCA 53 L27V02A 166-169 FRB)

atgcgcatctctggcgggaggaggtggctcaggtggaggagctccgtggccatcctctggcatga
gatgtggcatgaaggcctggaagaggcatctcgtttgtactttggggaaaggaacgtgaaaggca
tgtttgaggtgctggagcccttgcattgctatgatggaacggggcccccagactctgaaggaaaca
tcctttaatcaggcctatggtcgagatttaattggaggcccaagagtgggtgcaggaagtacatgaa
atcagggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatct
ca

SEQ ID NO:388 (pCA 53 L27V02A 166-169 FRB)

MRILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKET
SFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:389 (pCA 54 FKBP L27V02A 1-165)

atgggagtgaggtggaaaccatctccccaggagacgggagcgaccttcccccaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccgggtacaaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcgggcgaccaaattgggacagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatctcgacggccggtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggacctgtggaacggcaacaaaattatcgacgag
cgctgatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcg
gctgtgcgaa

SEQ ID NO:390 (pCA 54 FKBP L27V02A 1-165)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVLELLKLEGGSSGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLLFRVTINGVTGWRLCE

SEQ ID NO:391 (pCA 55 FKBP L27V02A 1-47)

atgggagtgaggtggaaaccatctccccaggagacgggagcgaccttcccccaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccgggtacaaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagc

SEQ ID NO:392 (pCA 55 FKBP L27V02A 1-47)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVLELLKLEGGSSGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLS

SEQ ID NO:393 (pCA 56 L27V02A 48-169-FRB)

Atgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgga
ccaaatgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaagg
tgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgga
cggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtggaa
cggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgagtaacca
tcaacggagtgaccggctggcggtgtgtgcgaacgcattctggcgaggagggtggctcaggtgga
gggagctccgtggccatcctctggcatgagatgtggcatgaaggcctggaagaggcatctcgttt
gtactttggggaaaggaacgtgaaaggcatgtttgaggtgctggagcccttgcatgctatgatgg
aacggggcccccagactctgaaggaaacatcctttaatcaggcctatggctcgagatttaatggag
gcccaagagtgggtgcaggaagtacatgaaatcaggaatgtcaaggacctcacccaagcctggga
cctctattatcatgtgttccgacgaatctca

SEQ ID NO:394 (pCA 56 L27V02A 48-169-FRB)

MGENGLKIDIHVIIIPYGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFG
RPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGGGSSGG
GSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSFNQAYGRDLME
AQEWCRKYMKSGNVKDLTQAWDLYYHVFRRI

SEQ ID NO:395 (pCA 57 FKBP L27V02A 1-49)

atgggagtgaggtggaaaccatctccccaggagacgggcgcaccttccccaaagcgcggccagac
ctgctgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatgggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatgggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacaggaggtgtgtccagtttggttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaa

SEQ ID NO:396 (pCA 57 FKBP L27V02A 1-49)

MGVQVETISPGDGRTFPRKGQTCVVHYTGMLLEDGKKFDSSSRDRNKPFFMLGKQEVIRGWEEGVA
QMSVGQRAKLTIISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGSGSMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGE

SEQ ID NO:397 (pCA 58 pCA L27V02A 50-169 FRB)

atgaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaa
gggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcc
tgactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccg
tatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaa
caaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgagtaaccatcaacg
gagtgaaccggctggcggtgtgtgcgaacgcattctggcgaggagggtggctcaggtggaggggagc
tccgtggccatcctctggcatgagatgtggcatgaaggcctggaagaggcatctcgtttgtactt
tggggaaaggaacgtgaaaggcatgtttgaggtgctggagcccttgcatgctatgatggaacggg
gccccagactctgaaggaaacatcctttaatcaggcctatggctcgagatttaatggaggcccaa
gagtggtgcaggaagtacatgaaatcaggaatgtcaaggacctcacccaagcctgggacctcta
ttatcatgtgttccgacgaatctca

SEQ ID NO:398 (pCA 58 pCA L27V02A 50-169 FRB)

MNGLKIDIHVIIIPYGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRP
YEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGGGSSGGGS
SVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSFNQAYGRDLMEAQ
EWCRKYMKSGNVKDLTQAWDLYYHVFRRI

SEQ ID NO:399 (pCA 59 FKBP L27V02A 1-82)

atgggagtgacaggtggaaaccatctccccaggagacgggcgcaccttcccccaagcgcgccagac
ctgcggtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaaattgggccagatcgaaaaa
atttttaaggtggtgtaccct

SEQ ID NO:400 (pCA 59 FKBP L27V02A 1-82)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTI SPDYAYGATGHPGII PPATLTVFDVELLKLEGGSSGGSGSMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVII PYEGLSGDQMGQIEK
IFKVVP

SEQ ID NO:401 (pCA 60 L27V02A 83-169-FRB)

atggtggatgatcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttac
gccgaacatgatcgactatctcgacggccgtatgaaggcatcgccgtgttcgacggcaaaaaga
tactgtaacagggaccctgtggaacggcaaaaaattatcgacgagcgcctgatcaaccccgac
ggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggctgtgcaacgcattct
ggcgggaggaggtggctcaggtggaggagctccgtggccatcctctggcatgagatgtggcatg
aaggcctggaagaggcatctcgtttgtactttggggaaaggaacgtgaaaggcatgtttgaggtg
ctggagcccttgcatgctatgatggaacggggcccccagactctgaaggaaacatcctttaatca
ggcctatggtcgagatttaattggaggcccaagagtgggtgcaggaagtacatgaaatcagggaatg
tcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:402 (pCA 60 L27V02A 83-16-FRB)

MVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPD
GSLFRVTINGVTGWRLCERILAGGGSSGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEV
LEPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:403 (pCA 61 FKBP L27V02A 1-84)

Atgggagtgacaggtggaaaccatctccccaggagacgggcgcaccttcccccaagcgcgccagac
ctgcggtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaaattgggccagatcgaaaaa
atttttaaggtggtgtaccctgtggat

SEQ ID NO:404 (pCA 61 FKBP L27V02A 1-84)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTI SPDYAYGATGHPGII PPATLTVFDVELLKLEGGSSGGSGSMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVII PYEGLSGDQMGQIEK
IFKVVPVD

SEQ ID NO:405 (pCA 62 L27V02A 85-169-FRB)

atggatcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaa
catgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactg
taacagggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaaccccgacggctcc
ctgctgttccgagtaaccatcaacggagtgaccggctggcggctgtgcaacgcattctggcggg
aggaggtggctcaggtggaggagctccgtggccatcctctggcatgagatgtggcatgaaggcc
tggaagaggcatctcgtttgtactttggggaaaggaacgtgaaaggcatgtttgaggtgctggag
cccttgcatgctatgatggaacggggccccccagactctgaaggaaacatcctttaatcaggccta
tggtcgagatttaatggaggcccaagagtgggtgcaggaagtacatgaaatcagggaatgtcaagg
acctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:406 (pCA 62 L27V02A 85-169-FRB)

MDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGS
LLFRVTINGVTGWRLCERILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLE
PLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIIS

SEQ ID NO:407 (pCA 63 FKBP L27V02A 1-122)

atgggagtgacaggtggaaccatctccccaggagacgggcgcaccttcccccaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctccccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcgggtatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttggttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggccagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccg
tgttcgacggc

SEQ ID NO:408 (pCA 63 FKBP L27V02A 1-122)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTIISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGGSGMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDG

SEQ ID NO:409 (pCA 64 L27V02A 123-169-FRB)

atgaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgctgat
caaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggctgtgcg
aacgcattctggcgggaggaggtggctcaggtggaggagctccgtggccatcctctggcatgag
atgtggcatgaaggcctggaagaggcatctcgtttgtactttggggaaaggaacgtgaaaggcat
gtttgaggtgctggagcccttgcatgctatgatggaacggggccccccagactctgaaggaaacat
cctttaatcaggcctatggtcgagatttaatggaggcccaagagtgggtgcaggaagtacatgaa
tcagggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctc
a

SEQ ID NO:410 (pCA 64 L27V02A 123-169-FRB)

MKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGGGGSGGGSSVAILWHE
MWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYM
SGNVKDLTQAWDLYYHVFRRIIS

SEQ ID NO:411 (pCA 65 FKBP L27V02A 1-123)

atgggagtgacaggtggaaccatctccccaggagacgggcgcaccttcccccaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctccccgggacagaa

acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaaacagggaggtgtgtccagtttgtttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaaattgggccagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccg
tgttcgacggcaaa

SEQ ID NO:412 (pCA 65 FKBP L27V02A 1-123)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIPPHATLVFDVELLKLEGGGSSGGSGMVFTLEDVFGDW
RQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPIYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGK

SEQ ID NO:413 (pCA 66 L27V02A 124-169 FRB)

atgaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaa
ccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtgccaac
gcattctggcgaggaggtggctcaggtggaggagctccgtggccatcctctggcatgagatg
tggcatgaaggcctggaagaggcatctcgtttgtactttggggaaaggaacgtgaaaggcatgtt
tgaggtgctggagcccttgcatgctatgatggaacggggcccccagactctgaaggaaacatcct
ttaatcaggcctatggtcgagatttaattggaggcccaagagtgggtgcaggaagtacatgaaatca
gggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:414 (pCA 66 L27V02A 124-169 FRB)

MKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILAGGGSGGGSSVAILWHEM
WHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSFNQAYGRDLMEAQEWCRKYMKS
GNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:415 (pCA 67 L27V02A 1-168)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgcgccagac
ctgctggtgactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaaacagggaggtgtgtccagtttgtttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaaattgggccagatcgaaaaa
atttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggacctgtggaacggcaacaaaattatcgacgag
cgctgatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcg
gctgtgcgaacgcattctg

SEQ ID NO:416 (pCA 67 L27V02A 1-168)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgcgccagac
ctgctggtgactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgcc
cagatgagtggtggtcagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag

gaggagggagctccggtggaggcagcggatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccgggtacaaacctggaccaagtccttgaacagggaggtgtgtccagtttgtttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcggcgaccaaattgggccagatcgaaaaa
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggccagatcgaaaaa
atthtttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccggtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcg
gctgtgcgaacgcattctg

SEQ ID NO:417 (pCA 67 L27V02A 1-168)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGSGMVFTLEDVFGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLLFRVTINGVTGWRLCERIL

SEQ ID NO:418 (*pCA 68 L27V02A 169 FRB)

Atggcgggaggaggtggctcaggtggaggagctccgtggccatcctctggcatgagatgtggca
tgaaggcctggaagaggcatctcgtttgactttggggaaaggaacgtgaaaggcatgtttgagg
tgctggagcccttgcatgctatgatggaacggggcccccagactctgaaggaaacatcctttaat
caggcctatggtcgagatttaattggaggcccaagagtgggtgcaggaagtacatgaaatcaggga
tgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:419 (*pCA 68 L27V02A 169 FRB)

MAGGGGSSGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETSFN
QAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:420 (pCA 69 FKBP L27V02A 1-166)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgcgccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccggaacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggtgcc
cagatgagtggtgagagagccaaactgactatatctccagattatgcctatggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccgggtacaaacctggaccaagtccttgaacagggaggtgtgtccagtttgtttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggccagatcgaaaaa
atthtttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccggtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcg
gctgtgcgaacgc

SEQ ID NO:421 (pCA 69 FKBP L27V02A 1-166)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFKMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGSGMVFTLEDVFGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLLFRVTINGVTGWRLCER

SEQ ID NO:422 (*pCA 70 L27V02A 167-169 FRB)

Atgattctggcgggaggaggtggctcaggtggagggagctccgtggccatcctctggcatgagat
gtggcatgaaggcctggaagaggcatctcgtttgactttggggaaaggaacgtgaaaggcatgt
ttgaggtgctggagcccttgcatgctatgatggaacggggcccccagactctgaaggaaacatcc
tttaatcaggcctatggtcgagatttaatggaggcccaagagtgggtgcaggaagtacatgaaatc
agggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaatctca

SEQ ID NO:423 (*pCA 70 L27V02A 167-169 FRB)

MILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKETS
FNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:424 (pCA 71 FKBP L27V02A 1-164)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgccggccagac
ctgctgtgtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatgggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggaggagctccggtggaggcagcggatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaaacagggaggtgtgtccagtttgtttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaaattgggccagatcgaaaaa
atthtttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatthtcggacggccgtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggacctgtggaacggcaacaaaattatcgacgag
cgctgatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcg
gctgtgc

SEQ ID NO:425 (pCA 71 FKBP L27V02A 1-164)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGGSSGGSGMVFTLEDVFGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLLFRVTINGVTGWRLC

SEQ ID NO:426 (pCA 72 L27V02A 165-169 FRB)

atggaacgcattctggcgggaggaggtggctcaggtggagggagctccgtggccatcctctggca
tgagatgtggcatgaaggcctggaagaggcatctcgtttgactttggggaaaggaacgtgaaag
gcatgtttgaggtgctggagcccttgcatgctatgatggaacggggcccccagactctgaaggaa
acatcctttaatcaggcctatggtcgagatttaatggaggcccaagagtgggtgcaggaagtacat
gaaatcagggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttccgacgaa
tctca

SEQ ID NO:427 (pattern sequence)

GSAIVK

SEQ ID NO:428 (pCA 72 L27V02A 165-169 FRB)

MERILAGGGGSGGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTLKE
TSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:429 (pCA 73 FKBP L27V02A 1-162)

atgggagtgaggtggaaccatctccccaggagacgggcgcaccttccccaaagcgccggccagac
ctgctgtgtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatgggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag

gaggagggagctccggtggaggcagcggatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccgggtacaacctggaccaagtccttgaaacagggaggtgtgtccagtttgtttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggccagatcgaaaaa
atttttaagggtggtgtaccctgtggatgatcatcactttaaggatgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccggtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaacccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcg
g

SEQ ID NO:430 (pCA 73 FKBP L27V02A 1-162)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSRDNRNPKFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTI SPDYAYGATGHPGII PPATLVFDVELLKLEGGGSSGGGSGMVFTLEDVFGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLLFRVTINGVTGWR

SEQ ID NO:431 (pCA 74 L27V02A 163-169 FRB)

atgctgtgcgaacgcattctggcgggaggaggtggctcaggtggaggagctccgtggccatcct
ctggcatgagatgtggcatgaaggcctggaagaggcatctcgtttgactttggggaaaggaacg
tgaaaggcatgtttgaggtgctggagcccttgcatgctatgatggaacggggcccccagactctg
aaggaaacatcctttaatcaggcctatggtcgagatttaattggaggcccaagagtgggtgcaggaa
gtacatgaaatcagggaatgtcaaggacctcacccaagcctgggacctctattatcatgtgttcc
gacgaatctca

SEQ ID NO:432 (pCA 74 L27V02A 163-169 FRB)

MLCERILAGGGGSSGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQTL
KETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:433 (pCA 75 FKBP L27V02A 1-160)

atgggagtgaggtggaaaccatctccccaggagacgggcgcaccttccccaaagcgcggccagac
ctgctggtgtgactacaccgggatgcttgaaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggttgc
cagatgagtggtgggtcagagagccaaactgactatatctccagattatgcctatgggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgtcttcgatgtggagcttctaaaactggaag
gaggagggagctccggtggaggcagcggatggtcttcacactcgaagatttcggtggggactgg
cgacagacagccgggtacaacctggaccaagtccttgaaacagggaggtgtgtccagtttgtttca
gaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggccagatcgaaaaa
atttttaagggtggtgtaccctgtggatgatcatcactttaaggatgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccggtatgaaggcatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaacccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggc

SEQ ID NO:434 (pCA 75 FKBP L27V02A 1-160)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSRDNRNPKFKFMLGKQEVIRGWEEGVA
QMSVGQRAKLTI SPDYAYGATGHPGII PPATLVFDVELLKLEGGGSSGGGSGMVFTLEDVFGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLLFRVTINGVTG

SEQ ID NO:435 (pCA 76 L27V02A 161-169 FRB)

atgtggcggctgtgcaacgcattctggcgggaggaggtggctcaggtggagggagctccgtggc
catcctctggcatgagatgtggcatgaaggcctggaagaggcatctcgtttgactttggggaaa
ggaacgtgaaaggcatgtttgaggtgctggagcccttgcatgctatgatggaacggggcccccag
actctgaaggaaacatcctttaatcaggcctatggctcgagatttaatggaggcccaagagtggg
caggaagtacatgaaatcaggaatgtcaaggacctcacccaagcctgggacctctattatcatg
tggtccgacgaatctca

SEQ ID NO:436 (pCA 76 L27V02A 161-169 FRB)

MWRLCERILAGGGSSGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERGPQ
TLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:437 (pCA 77 FKBP L27V02A 1-158)

atgggagtgaggtggaaaccatctccccaggagacgggcgcaccttccccaaagcgcggccagac
ctgcgtggtgcactacaccgggatgcttgaagatggaaagaaatttgattcctcccgggacagaa
acaagccctttaagtttatgctaggcaagcaggaggtgatccgaggctgggaagaaggggtgccc
cagatgagtggtgagagagccaaactgactatatctccagattatgcctatgggtgccactgg
gcacccaggcatcatcccaccacatgccactctcgctcttcgatgtggagcttctaaaactggaag
gaggaggagctccggtggaggcagcgggtatggctcttcacactcgaagatttcggtggggactgg
cgacagacagccggctacaacctggaccaagtccttgaaacagggaggtgtgtccagtttgtttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggcccagatcgaaaaa
atthtttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacgggggttacgccgaacatgatcgactatthtcggacggccgtatgaaggcatcgccg
tgctcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgctgatcaacccccgacggctccctgctgttccgagtaaccatcaacggagtg

SEQ ID NO:438 (pCA 77 FKBP L27V02A 1-158)

MGVQVETISPGDGRTPFKRGQTCVVHYTGMLEDGKKFDSSSRDRNKPFFMLGKQEVIRGWEEGVA
QMSVGQRAKLTISPDYAYGATGHPGIIIPPHATLVFDVELLKLEGGSSGGSGSMVFTLEDVFGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLLFRVTINGV

SEQ ID NO:439 (pCA 78 L27V02A 159-169 FRB)

Atgaccggctggcggctgtgcaacgcattctggcgggaggaggtggctcaggtggagggagctc
cgtggccatcctctggcatgagatgtggcatgaaggcctggaagaggcatctcgtttgactttg
gggaaaggaacgtgaaaggcatgtttgaggtgctggagcccttgcatgctatgatggaacggggc
ccccagactctgaaggaaacatcctttaatcaggcctatggctcgagatttaatggaggcccaaga
gtggtgcaggaagtacatgaaatcaggaatgtcaaggacctcacccaagcctgggacctctatt
atcatgtgttccgacgaatctca

SEQ ID NO:440 (pCA 78 L27V02A 159-169 FRB)

MTGWRLCERILAGGGSSGGSSVAILWHEMWHEGLEEASRLYFGERNVKGMFEVLEPLHAMMERG
PQTLKETSFNQAYGRDLMEAQEWCRKYMKSGNVKDLTQAWDLYYHVFRRIS

SEQ ID NO:441 RIIB (nt seq)

ATGTATGAAAGCTTTATTGAGTCACTGCCATTCCTTAAATCTTTGGAGTTTCTGCACGCCTGAA
AGTAGTAGATGTGATAGGCACCAAAGTATACAAACGATGGAGAACAAATCATTGCTCAGGGAGATT
CGGCTGATTCTTTTTTCATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAA
TCAGAAAGTGGAAGAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGA
GCTTGCCCTGGTAACTAACAAACCTCGAGCAGCTTCTGCCACGCCATTGGGACTGTCAAATGTT

TAGCAATGGATGTGCAAGCATTTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAAC
ATCGCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTA

SEQ ID NO:442 RIIBB (aa seq)

MYESFIESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRK GK
SEVEENGAVEIARCSRQYFGELALVTNKPRAASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRN
IATYEEQLVALYGTNMDIV

SEQ ID NO:443 (L27V CP 13 TEV)

atgacagccggctacaacctggaccaagtccttgagcagggcggtgtgtccagtttgtttcagaa
tctcgggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaacggcctgaagatcg
acatccatgtcatcatcccgatgaaggtctgagcggcgatcagatggggccagatcgaaaaaatt
tttaaggtggtgtacctgtggatgatcatcactttaaggtgattctgcactatggcacactggg
aatcgacgggggttacgccgaacatgatcgactatttcggacggccgatgaaggcatcgccgtgt
tcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgc
ctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggct
gtgcgagcgcattttggcgggaagttctggtggaggaagttctggtggagagcctactactgaga
acttgacttccagagcgataacggaagttctggtggaggaagttctggtggaatggtgtttaca
ctcgaagatttcgtaggggactggcggcag

SEQ ID NO:444 (L27V CP 13 TEV)

MTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKI
FKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI IDER
LINPDGSLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTENLYFQSDNGSSGGGSSGMVFT
LEDFVGDWRQ

SEQ ID NO:445 (L27V CP 57 TEV)

Atgcatgtcatcatcccgatgaaggtctgagcggcgatcagatggggccagatcgaaaaaatttt
taaggtggtgtacctgtggatgatcatcactttaaggtgattctgcactatggcacactggtaa
tcgacgggggttacgccgaacatgatcgactatttcggacggccgatgaaggcatcgccgtgttc
gacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacgagcgcct
gatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctggcggctgt
gcgagcgcattttggcgggaagttctggtggaggaagttctggtggagagcctactactgagaac
ttgtacttccagagcgataacggaagttctggtggaggaagttctggtggaatggtgtttacact
cgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtccttgagcagg
gcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctg
agcggtgaaaacggcctgaagatcgacatc

SEQ ID NO:446 (L27V CP 57 TEV)

MHV IIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAV
DGKKITVTGTLWNGNKI IDERLINPDGSLFRVTINGVTGWRLCERILAGSSGGGSSGGEPTTEN
LYFQSDNGSSGGGSSGMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVL
SGENGLKIDI

SEQ ID NO:447 (L27V CP 98 TEV)

atggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccgatgaaggcatcgc
cgtgttcgacggcaaaaagatcactgtaaccgggaccctgtggaacggcaaaaaattatcgacg
agcgctgatcaaccccgacggctccctgctgttccgcgtaaccatcaacggagtgaccggctgg
cggctgtgcgagcgcattttggcgggaagttctggtggaggaagttctggtggagagcctactac
tgagaacttgacttccagagcgataacggaagttctggtggaggaagttctggtggaatggtgt
ttacactcgaagatttcgtaggggactggcggcagacagccggctacaacctggaccaagtcctt
gagcagggcggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggat
tgtcctgagcggtgaaaacggcctgaagatcgacatccatgtcatcatcccgatgaaggtctga

gcggcgatcagatgggccagatcgaaaaaatTTTTaaggtggtgtaccctgtggatgatcatcac
TTTaaggtgattctgcactatggcacactg

SEQ ID NO:448 (L27V CP 98 TEV)

MVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGW
RLCERILAGSSGGSSSGGEPTTENLYFQSDNGSSGGSSSGGMVFTLEDVFGDWRQTAGYNLDQVL
EQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHH
FKVILHYGTL

SEQ ID NO:449 (Human Protein Kinase C alpha (PKCa) (nt sequence)

ATGGCTGACGTTTTCCCGGGCAACGACTCCACGGCGTCTCAGGACGTGGCCAACCGCTTCGCCCG
CAAAGGGGCGCTGAGGCAGAAGAACGTGCACGAGGTGAAGGACCACAAATTCATCGCGCGCTTCT
TCAAGCAGCCCACCTTCTGCAGCCACTGCACCGACTTCATCTGGGGGTTTGGGAAACAAGGCTTC
CAGTGCCAAGTTTGTCTTTTTGTGGTCCACAAGAGGTGCCATGAATTTGTTACTTTTTCTTGTC
GGGTGCGGATAAGGGACCCGACACTGATGACCCAGGAGCAAGCACAAGTTCAAAATCCACACTT
ACGGAAGCCCCACCTTCTGCGATCACTGTGGGTCACTGCTCTATGGACTTATCCATCAAGGGATG
AAATGTGACACCTGCGATATGAACGTTTACAAGCAATGCGTCATCAATGTCCCAGCCTCTGCGG
AATGGATCACACTGAGAAGAGGGGGCGGATTTACCTAAAGGCTGAGGTTGCTGATGAAAAGCTCC
ATGTCACAGTACGAGATGCAAAAAATCTAATCCCTATGGATCCAAACGGGCTTTCAGATCCTTAT
GTGAAGCTGAACTTATTCCTGATCCCAAGAATGAAAGCAAGCAAAAAACCAAAACCATCCGCTC
CACACTAAATCCGCAGTGGAATGAGTCCTTTACATTCAAATTGAAACCTTCAGACAAAGACCGAC
GACTGTCTGTAGAAATCTGGGACTGGGATCGAACAACAAGGAATGACTTCATGGGATCCCTTTCC
TTTGAGTTTTCGGAGCTGATGAAGATGCCGGCCAGTGGATGGTACAAAGTTgCTTAACCAAGAAGA
AGGTGAGTACTACAACGTACCCATTCCGGAAGGGGACGAGGAAGGAAACATGGAACCTCAGGCAGA
AATTCGAGAAAGCCAAACTTGGCCCTGCTGGCAACAAAGTCATCAGTCCCTCTGAAGACAGGAAA
CAACCTTCCAACAACCTTGACCGAGTGAACTCACGGACTTCAATTTCTCATGGTGTGGGAAA
GGGGAGTTTTGAAAGGTGATGCTTGCCGACAGGAAGGGCACAGAAGAACTGTATGCAATCAAAA
TCCTGAAGAAGGATGTGGTGATTCAGGATGATGACGTGGAGTGCACCATGGTAGAAAAGCGAGTC
TTGGCCCTGCTTGACAAACCCCCGTTCTTGACGCAGCTGCACTCCTGCTTCCAGACAGTGGATCG
GCTGTACTTCGTTCATGGAATATGTCAACGGTGGGGACCTCATGTACCACATTCAGCAAGTAGGAA
AATTTAAGGAACCACAAGCAGTATTCTATGCGGCAGAGATTTCCATCGGATTGTTCTTTCTTCAT
AAAAGAGGAATCATTTATAGGGATCTGAAGTTAGATAACGTCATGTTGGATTGAGAAGGACATAT
CAAAATTGCTGACTTTGGGATGTGCAAGGAACACATGATGGATGGAGTCACGACCAGGACCTTCT
GTGGGACTCCAGATTATATCGCCCCAGAGATAATCGCTTATCAGCCGTATGGAAAATCTGTGGAC
TGGTGGGCCTATGGCGTCTGTGTATGAAATGCTTGCCGGGCAGCCTCCATTTGATGGTGAAGA
TGAAGACGAGCTATTTCAAGTCTATCATGGAGCACAACGTTTCCTATCCAAAATCCTTGTCCAAGG
AGGCTGTTTCTATCTGCAAAGGACTGATGACCAAACACCCAGCCAAGCGGCTGGGCTGTGGGCCT
GAGGGGGAGAGGGACGTGAGAGAGCATGCCTTCTTCCGGAGGATCGACTGGGAAAACTGGAGAA
CAGGGAGATCCAGCCACCATTCAAGCCCAAAGTGTGTGGCAAAGGAGCAGAGAAGCTTTGACAAGT
TCTTCACACGAGGACAGCCCGTCTTAACACCACCTGATCAGCTGGTTATTGCTAACATAGACCAG
TCTGATTTTGAAGGGTTCTCGTATGTCAACCCCCAGTTTGTGCACCCCATCTTACAGAGTGCAGT
AGTT

SEQ ID NO:450 (Human Protein Kinase C alpha (PKCa) (aa sequence)

MADVFPNDSTASQDVANRFARKGALRQKNVHEVKDHFIAFFKQPTFCSHCTDFIWGFGKQGF
QCQVCCFVVKRCHEFVTFSCPGADKGPDTDDPRSKHKFKIHTYGSPTFCDHCGSLLYGLIHQGM
KCDTCDMNVHKQCVINVPSLCGMDHTEKRGRIYLKAEVADEKLHVTVRDAKNLIPMDPNGLSDPY
VKLKLIPDPKNESKQKTKTIRSTLNPQWNESTFKLKPSDKDRRLSVEIWDWDRTRNDFMGSL
FGVSELMKMPASGWYKLLNQEEGEYYNVPIPEGDEEGNMELRQKFEKAKLGPAGNKVISPSEDRK
QPSNNLDRVKLTDFNFLMVLGKGSFGKVMLADRKGTEELYAIKILKKDVVIQDDDVECTMVEKRV
LALLDKPPFLTQLHSCFQTVDRLYFVMEYVNGDLMYHIQQVGKFKEPQAVFYAAEISIGLFFLH
KRGIIYRDLKLDNVMLDSEGHIKIADFGMCKEHMMDGVTTRTFCTPDYIAPEIIAYQPYGKSVD
WWAYGVLLYEMLAGQPPFDGEDEDELFQSIMEHNVSYPKSLSKAEAVSICKGLMTKHPAKRLGCGP

EGERDVREHAFFRRIDWEKLENREIQPPFKPKVCGKGAENFDKFFTRGQPVLTTPDQLVIANIDQ
SDFEGFSYVNPQFVHPILQSAVV

SEQ ID NO:451 (Human Glucocorticoid receptor (GR) (nt sequence)

ATGGACTCCAAAGAATCATTAACCTCCTGGTAGAGAAGAAAACCCCAGCAGTGTGCTTGCTCAGGA
GAGGGGAGATGTGATGGACTTCTATAAAACCCTAAGAGGAGGAGCTACTGTGAAGGTTTCTGCGT
CTTCACCCCTCACTGGCTGTGCTTCTCAATCAGACTCCAAGCAGCGAAGACTTTTGGTTGATTTT
CCAAAAGGCTCAGTAAGCAATGCGCAGCAGCCAGATCTGTCCAAAGCAGTTTCACTCTCAATGGG
ACTGTATATGGGAGAGACAGAAACAAAAGTGATGGGAAATGACCTGGGATTCCCACAGCAGGGCC
AAATCAGCCTTTCTCGGGGGAAACAGACTTAAAGCTTTTGAAGAAAGCATTGCAAACCTCAAT
AGGTCGACCAGTGTTCAGAGAACCCCAAGAGTTCAGCATCCACTGCTGTGTCTGCTGCCCCAC
AGAGAAGGAGTTTCCAAAACCTCACTCTGATGTATCTTCAGAACAGCAACATTTGAAGGGCCAGA
CTGGCACCAACGGTGGCAATGTGAAATTGTATACCACAGACCAAAGCACCTTTGACATTTTGCAG
GATTTGGAGTTTTCTTCTGGGTCCCCAGGTAAAGAGACGAATGAGAGTCCTTGAGATCAGACCT
GTTGATAGATGAAAACCTGTTTGCTTTCTCCTCTGGCGGGAGAAGACGATTTCATTCCTTTTGAAG
GAAACTCGAATGAGGACTGCAAGCCTCTCATTTTACCGGACACTAAACCCAAAATTAAGGATAAT
GGAGATCTGGTTTTGTCAAGCCCCAGTAATGTAACACTGCCCCAAGTGAAAACAGAAAAAGA
TTTCATCGAACTCTGCACCCCTGGGGTAATTAAGCAAGAGAACTGGGCACAGTTTACTGTCAGG
CAAGCTTTCCTGGAGCAAATATAATTGGTAATAAAATGTCTGCCATTTCTGTTTCATGGTGTGAGT
ACCTCTGGAGGACAGATGTACCACTATGACATGAATACAGCATCCCTTTCTCAACAGCAGGATCA
GAAGCCTATTTTAAATGTCATTCCACCAATTCCCCTGGTTCGAAAATTGGAATAGGTGCCAAG
GATCTGGAGATGACAACTTGACTTCTCTGGGGACTCTGAACTTCCCTGGTTCGAACAGTTTTTCT
AATGGCTATTCAAGCCCCAGCATGAGACCAGATGTAAGCTCTCCTCCATCCAGCTCCTCAACAGC
AACAACAGGACCACCTCCCAAACCTCTGCCTGGTGTGCTCTGATGAAGCTTCAGGATGTCATTATG
GAGTCTTAACCTGTGGAAGCTGTAAAGTTTCTTCAAAAGAGCAGTGGAAGGACAGCACAAATTAC
CTATGTGCTGGAAGGAATGATTGCATCATCGATAAAATTCGAAGAAAAAACTGCCCAGCATGCCG
CTATCGAAAATGTCTTCAGGCTGGAATGAACCTGGAAGCTCGAAAAACAAAGAAAAAAATAAAAG
GAATTCAGCAGGCCACTACAGGAGTCTCACAAGAAACCTCTGAAAATCCTGGTAACAAAACAATA
GTTCTCTGCAACGTTACCACAACCTACCCCTACCCTGGTGTCACTGTTGGAGGTTATTGAACCTGA
AGTGTTATATGCAGGATATGATAGCTCTGTTCCAGACTCAACTTGGAGGATCATGACTACGCTCA
ACATGTTAGGAGGGCGGCAAGTGATTGCAGCAGTGAAATGGGCAAAGGCAATACCAGTTTTCAGG
AACTTACACCTGGATGACCAAATGACCCTACTGCAGTACTCCTGGATGTTTCTTATGGCATTTCG
TCTGGGGTGGAGATCATATAGACAATCAAGTGCAAACCTGCTGTGTTTTGCTCCTGATCTGATTA
TTAATGAGCAGAGAATGACTCTACCCTGCATGTACGACCAATGTAAACACATGCTGTATGTTTCC
TCTGAGTTACACAGGCTTCAGGTATCTTATGAAGAGTATCTCTGTATGAAAACCTTACTGCTTCT
CTCTTCAGTTCCTAAGGACGGTCTGAAGAGCCAAGAGCTATTTGATGAAATTAGAATGACCTACA
TCAAAGAGCTAGGAAAAGCCATTGTCAAGAGGGAAGGAACTCCAGCCAGAAGTGGCAGCGGTTT
TATCAACTGACAAAACCTCTTGATTCTATGCATGAAGTGTTGAAAATCTCCTTAACCTATTGCTT
CCAAACATTTTTGGATAAGACCATGAGTATTGAATTCCTCGAGATGTTAGCTGAAATCATCACCA
ATCAGATACCAAATATTCAAATGGAAATATCAAAAACTTCTGTTTCATCAAAAGGTT

SEQ ID NO:452 (Human Glucocorticoid receptor (GR) (aa sequence)

MDSKESLTPGREENPSSVLAQERGDVMDFYKTLRGGATVKVSASSPSLAVASQSDSKQRRLLVDF
PKGSVSNAAQPDLSKAVSLSMGLYMGETETKVMGNDLGFPQQGQISLSSGETDLKLLEESIANLN
RSTSVPENPKSSASTAVSAAPEKEFPKTHSDVSSEQQHLKGQTGTNGGNVKLYTTDQSTFDILQ
DLEFSSGSPGKETNESPWRSLLIDENCLLSPLAGEDDSFLEGNSEDCKPLILPDTKPKIKDN
GDLVLSSPSNVTLTPQVKTEKEDFIELCTPGVIKQEKLGTVYCQASFPGANIIGNKMSAISVHGVS
TSGGQMYHYDMNTASLSQQQDQKPIFNVIPIPVGSENNWRCQSGDDNLTSLGTLNFPGRTVFS
NGYSSPSMRPDVSSPPSSSTATTGPPPKLCLVCSDEASGCHYGVLTCGSCKVFFKRAVEGQHNY
LCAGRNDICIIDKIRRNCPACRYRKCLQAGMNLARKTKKKIKGIQQATTGVSQETSENPNGKTI
VPATLPQLTPTLVSLLEVIEPEVLYAGYDSSVPDSTWRIMTTLNMLGGRQVIAAVKWAKAIPGFR
NLHLDDQMTLLQYSWMFLMAFALGWSYRQSSANLLCFAPDLIINEQRMTLPCMVDQCKHMLYVS

SELHRLQVSYEEYLCMKTLTLLSSVPKDLKSQELFDEIRMTYIKELGKAIVKREGNSSQNWQRF
YQLTKLLDSMHEVVENLLNYCFQTFLDKTMSIEFPEMLAEIITNQIPKYSNGNIKKLLFHQKV

SEQ ID NO:453 (L27V02-GR/L27V02-PKCa linker (nt sequence))

GGTGGTTCAGGTGGTGGCGGGAGCGGTGGAGGGAGCAGCGGTGGAGCGATCGCC

SEQ ID NO:454 (L27V02-GR/L27V02-PKCa linker (aa sequence))

GGSGGGSGGGSSGAIA

SEQ ID NO:455 (GR-L27V02/PKCa-L27V02 linker (nt sequence))

TCTCTCGGTGGTTCAGGTGGTGGCGGGAGCGGTGGAGGGAGCAGCGGTGGA

SEQ ID NO:456 (GR-L27V02/PKCa-L27V02 linker (aa sequence))

SLGGSGGGSGGGSSGG

SEQ ID NO:457 (GSSG linker (nt sequence))

GCTCGAGCGGA

SEQ ID NO:458 (GSSG linker (aa sequence))

GSSG

SEQ ID NO:459 (AT1R (nt sequence))

ATGATTCTCAACTCTTCTACTGAAGATGGTATTTAAAAGAATCCAAGATGATTGTCCCAAAGCTGG
AAGGCATAATTACATATTTGTCATGATTCTTCTACTTTTATACAGTATCATCTTTGTGGTGGGAATAT
TTGGAAACAGCTTGGTGGTGATAGTCATTTACTTTTATATGAAGCTGAAGACTGTGGCCAGTGTT
TTTCTTTTGAATTTAGCACTGGCTGACTTATGCTTTTTTACTGACTTTGCCACTATGGGCTGTCTA
CACAGCTATGGAATACCGCTGGCCCTTTGGCAATTACCTATGTAAGATTGCTTCAGCCAGCGTCA
GTTTCAACCTGTACGCTAGTGTGTTTCTACTCACGTGTCTCAGCATTGATCGATACCTGGCTATT
GTTACCCCAATGAAGTCCCGCCTTCGACGCACAATGCTTGTAGCCAAAGTCACCTGCATCATCAT
TTGGCTGCTGGCAGGCTTGGCCAGTTTGCCAGCTATAATCCATCGAAATGTATTTTTCATTGAGA
ACACCAATATTACAGTTTGTGCTTTCCATTATGAGTCCCAAAATTCAACCCTTCGATAGGGCTG
GGCCTGACCAAAAATATACTGGGTTTCCTGTTTCCTTTTCTGATCATTCTTACAAGTTATACTCT
TATTTGGAAGGCCCTAAAGAAGGCTTATGAAATTCAGAAGAACAAACCAAGAAATGATGATATTT
TTAAGATAATTATGGCAATTGTGCTTTTCTTTTCTTTTCTTCTGGATTCCCCACCAAATATTCCT
TTTCTGGATGTATTGATTCAACTAGGCATCATACGTGACTGTAGAATTGCAGATATTGTGGACAC
GGCCATGCCTATCACCATTGTATAGCTTATTTTAAACAATTGCCTGAATCCTCTTTTTTATGGCT
TTCTGGGGAAAAAATTTAAAAGATATTTTCTCCAGCTTCTAAAATATATTCCCCAAAAGCCAAA
TCCCACTCAAACCTTTCAACAAAAATGAGCACGCTTTCCTACCGCCCCTCAGATAATGTAAGCTC
ATCCACCAAGAAGCCTGCACCATGTTTTGAGGTTGAGTGA

SEQ ID NO:460 (AT1R (aa sequence))

MILNSSTEDGIKRIQDDCPKAGRHNHIFVMIPTLYSIIFVVGIFGNSLVVIVIVYFYMKLKTVASV
FLLNLALADLCFLTLPLWAVYTAMEYRWPFGNYLCKIASASVSFNLYASVFLTLCLSIDRYLAI
VHPMKSRRLRRTMLVAKVTCIIIWLLAGLASLPALIHNRNVFFIENTNITVCAFHYESQNSTLPIGL
GLTKNILGFLFPFLIILTSYTLIWKALKKAYEIQKNKPRNDDIFKIIMAIVLFFFWSWIPHQIFT
FLDVLIQLGIIRDCRIADIVDTAMPITICIAFYFNCLNPLFYGFLGKKFKRYFLQLLKYIPPKAK
SHSNLSTKMSTLSYRPSDNVSSSTKKPAPCFEVE

SEQ ID NO:461 (IL6-00 signal peptide (nt sequence))

ATGAACCTCCTTCTCCACAAGCGCCTTCGGTCCAGTTGCCTTCTCCCTGGGGCTGCTCCTGGTGT
GCCTGCTGCCTTCCCTGCCCA

SEQ ID NO:462 (IL6-00 signal peptide (aa sequence))

MNSFSTSAFGPVAFLGLLLVLPAAFPAP

SEQ ID NO:463 (IL6-00 L27V-00 (nt sequence))

ATGAACCTCCTTCTCCACAAGCGCCTTCGGTCCAGTTGCCTTCTCCCTGGGGCTGCTCCTGGTGT
GCCTGCTGCCTTCCCTGCCCCAGTGTTCACACTCGAAGATTTCTAGGGGACTGGCGGCAGACAG
CCGGCTACAACCTGGACCAAGTCCTTGAGCAGGGCGGTGTGTCCAGTTTGTTCAGAATCTCGGG
GTGTCCGTAACCTCCGATCCAAAGGATTGTCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCA
TGTCATCATCCCGTATGAAGGTCTGAGCGGCGATCAGATGGGCCAGATCGAAAAAATTTTAAAGG
TGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATTCTGCACTATGGCACACTGGTAATCGAC
GGGGTTACGCCGAACATGATCGACTATTTCCGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGG
CAAAAAGATCACTGTAACCGGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCA
ACCCCGACGGCTCCCTGCTGTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAG
CGCATTTTGGCG

SEQ ID NO:464 (IL6-00 L27V-00 (aa sequence))

MNSFSTSAFGPVAFLGLLLVLPAAFPAPVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLG
VSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVID
GVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI I DERLINPDGSLLFRVTINGVTGWRLCE
RILA

SEQ ID NO:465 (Native secretion signal + L27V (nt sequence))

atggcttactccacactgttcatcattgctctcacagccgtcgtaacacaagcctcctccacaca
gaaaagcaacctgacaGTGTTTACACTCGAAGATTTCTAGGGGACTGGCGGCAGACAGCCGGCT
ACAACCTGGACCAAGTCCTTGAGCAGGGCGGTGTGTCCAGTTTGTTCAGAATCTCGGGGTGTCC
GTAACCTCCGATCCAAAGGATTGTCTGAGCGGTGAAAACGGCCTGAAGATCGACATCCATGTCAT
CATCCCGTATGAAGGTCTGAGCGGCGATCAGATGGGCCAGATCGAAAAAATTTTAAAGGTGGTGT
ACCCTGTGGATGATCATCACTTTAAGGTGATTCTGCACTATGGCACACTGGTAATCGACGGGGTT
ACGCCGAACATGATCGACTATTTCCGACGGCCGTATGAAGGCATCGCCGTGTTTCGACGGCAAAA
GATCACTGTAACCGGGACCCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCG
ACGGCTCCCTGCTGTTCCGCGTAACCATCAACGGAGTGACCGGCTGGCGGCTGTGCGAGCGCATT
TTGGCG

SEQ ID NO:466 (Native secretion signal + L27V (aa sequence))

MAYSTLFIIALTAVVTQASSTQKSNLTVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVS
VTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGV
TPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKI I DERLINPDGSLLFRVTINGVTGWRLCER
LA

SEQ ID NO:467 (CP 6 L27V (RIIbB) (nt sequence) (nt sequence))

Atgttcgttggggactggcgacagacagccggtacaaacctggaccaagtccttgaacagggagg
tgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcg
gtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaa
atggggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgat
cctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactatttcggacggc
cgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggc

aacaaaattatcgacgagcgccctgatcaaccccgacggctccctgctgttccgagtaaccatcaa
cggagtgaccggctggcggctgtGCGAACGCATTCTGGCTAGCTCAAGCGGAGGTTTCAGGCGGTT
CCGGAATGTATGAAAGCTTTATTGAGTCACTGCCATTCTTAAATCTTTGGAGTTTTCTGCACGC
CTGAAAGTAGTAGATGTGATAGGCACCAAAGTATACAACGATGGAGAACAAATCATTGCTCAGGG
AGATTGGCTGATTCTTTTTTTCATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGG
GTAAATCAGAAGTGGAAGAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTT
GGAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAA
ATGTTTAGCAATGGATGTGCAAGCATTTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAA
GGAACATCGCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGG
TCAGGTGGATCTGGAGGTAGCTCTTCTatggtcttcacactcgaagat

SEQ ID NO:468 (CP 6 L27V (RIIbB) (aa seq)

MFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQ
MGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNG
NKIIDERLINPDGSLFRVTINGVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSAR
LKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYF
GELALVTNKPRAASAHAIQTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVG
SGSGSGSSSMVFTLED

SEQ ID NO:469 (CP 12 L27V (RIIbB) (nt sequence) (nt sequence)

ATGcagacagccggctacaacctggaccaagtccttgaaacagggaggtgtgtccagtttggttca
gaatctcggggtgtccgtaactccgatccaaaggattgtcctgagcggtgaaaatgggctgaaga
tcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaaattgggccagatcgaaaaa
atthtttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcctgcactatggcacact
ggtaatcgacggggttacgccgaacatgatcgactatthtcggacggccgtatgaagggatcgccg
tgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgag
cgccctgatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcg
gctgtGCGAACGCATTCTGGCTAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCT
TTATTGAGTCACTGCCATTCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTG
ATAGGCACCAAAGTATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTTCGGCTGATTCTTT
TTTCATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAG
AGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTA
ACTAACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGT
GCAAGCATTTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATG
AAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGT
AGCTCTTCTatggtcttcacactcgaagatttcggttggggactggcga

SEQ ID NO:470 (CP 12 L27V (RIIbB) (aa seq)

MQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLFRVTINGVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVVDV
IGTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALV
TNKPRAASAHAIQTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGG
SSSMVFTLEDFVGDWR

SEQ ID NO:471 (CP 48 L27V (RIIbB) (nt sequence)

ATGgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcga
ccaaatgggccagatcgaaaaaattthtttaaggtggtgtaccctgtggatgatcatcactthtaagg
tgatcctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactatthtcgga
cggccgtatgaagggatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtggaa
cggcaacaaaattatcgacgagcgccctgatcaaccccgacggctccctgctgttccgagtaacca

tcaacggagtgaccggctggcggctgtGCGAACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGC
GGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTGCCATTCTTAAATCTTTGGAGTTTTCTGC
ACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTATACAACGATGGAGAACAAATCATTGCTC
AGGGAGATTTCGGCTGATTCTTTTTTTCATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGA
AAGGGTAAATCAGAAAGTGAAGAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTA
CTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTG
TCAAATGTTTAGCAATGGATGTGCAAGCATTTGAAAGGCTTCTGGGACCTTGCATGGAAATTATG
AAAAGGAACATCGCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGT
AGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatgggtcttcacactcgaagatttcgttggggact
ggcgacagacagccggctacaacctggaccaagtccttgaacagggaggtgtgtccagtttgttt
cagaatctcggggtgtccgtaactccgatccaaaggattgtcctgagc

SEQ ID NO:472 (CP 48 L27V (RIIbB) (aa seq)

MGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFG
RPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILASSSGSGS
GSGMYESFIESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKR
KKGSEVEENGAVEIARCSRQYFGELALVTNKPRASAHAIGTVKCLAMDVQAFERLLGPCMEIM
KRNIATYEEQLVALYGTNMDIVSGSGSGSSSMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLF
QNLGVSVTPIQRIVLS

SEQ ID NO:473 (CP 52 L27V (RIIbB) (nt sequence)

ATGCTGAAGATCGACATCCATGTCATCATCCCGTATGAAGGTCTGAGCGGCGACCAAATGGGCCA
GATCGAAAAAATTTTTTAAGGTGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATCCTGCACT
ATGGCACACTGGTAATCGACGGGGTTACGCCGAACATGATCGACTATTTTCGGACGGCCGTATGAA
GGCATCGCCGTGTTTCGACGGCAAAAAGATCACTGTAAACAGGGACCCTGTGGAACGGCAACAAAAT
TATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCTGTTCCGAGTAACCATCAACGGAGTGA
CCGGCTGGCGGCTGTGCGAACGCATTCTGGCTAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATG
TATGAAAGCTTTATTGAGTCACTGCCATTCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGT
AGTAGATGTGATAGGCACCAAAGTATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTTCGG
CTGATTCTTTTTTTCATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCA
GAAGTGGAAGAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCT
TGCCCTGGTAACATAACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAG
CAATGGATGTGCAAGCATTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATC
GCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGG
ATCTGGAGGTAGCTCTTCTATGGTCTTCACACTCGAAGATTTTCGTTGGGGACTGGCGACAGACAG
CCGGCTACAACCTGGACCAAGTCCTTGAACAGGGAGGTGTGTCCAGTTTGTTCAGAAATCTCGGG
GTGTCCGTAACCTCCGATCCAAAGGATTGTCTGAGCGGTGAAAATGGG

SEQ ID NO:474 (CP 52 L27V (RIIbB) (aa seq)

MLKIDIHV IIPYEGLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYE
GIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILASSSGSGSGSGM
YESFIESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRKGKS
EVEENGAVEIARCSRQYFGELALVTNKPRASAHAIGTVKCLAMDVQAFERLLGPCMEIMKRNI
ATYEEQLVALYGTNMDIVSGSGSGSSSMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLG
VSVTPIQRIVLSGENG

SEQ ID NO:475 (CP 55 L27V (RIIbB) (nt sequence)

Atggacatccatgtcatcatcccgatgaaggtctgagcggcgaccaaattgggccagatcgaaaa
aatTTTTAAGGTGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATCCTGCACTATGGCACAC
tggtaatcgacggggttacgccgaacatgatcgactatTTTCGGACGGCCGTATGAAGGCATCGCC
gtgttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacga

gcgccctgatcaacccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggc
ggctgtGCGAACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGC
TTTATTGAGTCACTGCCATTCTTAAATCTTTGGAGTTTCTGCACGCCTGAAAGTAGTAGATGT
GATAGGCACCAAAGTATACAACGATGGAGAACAATCATTGCTCAGGGAGATTTCGGCTGATTCTT
TTTTATTATTGAATCTGGAGAAGTAAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAA
GAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGT
AACTAACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATG
TGCAAGCATTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTAT
GAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGG
TAGCTCTTCTatggtcttcacactcgaagatttcggtggggactggcgacagacagccggctaca
acctggaccaagtccttgaacagggaggtgtgtccagtttgtttcagaatctcgggggtgtccgta
actccgatccaaaggattgtcctgagcggtgaaaatgggctgaagatc

SEQ ID NO:476 (CP 55 L27V (RIIbB) (aa seq)

MDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIA
VFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILASSSGSGSGSMYES
FIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVE
ENGAVEIARCSRGQYFGELALVTNKPRASAHAIGTVKCLAMDVQAFERLLGPCMEIMKRNIATY
EEQLVALYGTNMDIVGSGSGSGSSMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSV
TPIQRIVLSGENGLKI

SEQ ID NO:477 (CP 83 L27V (RIIbB) (nt sequence)

ATGgtgatgatcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttac
gccgaacatgatcgactatctcgacggccgtatgaaggcatcgccgtgttcgacggcaaaaaga
tactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaacccccgac
ggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtGCGAACGCATTCT
GGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTGCCAT
TCCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTATAC
AACGATGGAGAACAATCATTGCTCAGGGAGATTTCGGCTGATTCTTTTTTTCATTATTGAATCTGG
AGAAGTGAATAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCAGTAGAAA
TCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCA
GCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTGAAAGGCT
TCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTTAGTTGCC
TGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatggtcttc
acactcgaagatttcggtggggactggcgacagacagccggctacaacctggaccaagtccttga
acagggaggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattg
tcctgagcggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagc
ggcgaccaaatgggacgatcgaaaaatttttaaggtggtgtaccct

SEQ ID NO:478 (CP 83 L27V (RIIbB) (aa seq)

MVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPD
GSLFRVTINGVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVVDVIGTKVY
NDGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPR
ASAHAIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSMV
FTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLS
GDQMGQIEKIFKVVP

SEQ ID NO:479 (CP 84 L27V (RIIbB) (nt sequence)

atggatgatcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgcc
gaacatgatcgactatctcgacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatca
ctgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaacccccgacggc

tccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGC
tAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTGCCATTCC
TTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTATACAAC
GATGGAGAACAAATCATTGCTCAGGGAGATTCGGCTGATTCTTTTTTCATTATTGAATCTGGAGA
AGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCAGTAGAAATCG
CTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCAGCT
TCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTGAAAGGCTTCT
GGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTTAGTTGCCCTGT
ATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatggtcttcaca
ctcgaagatttcggttggggactggcgacagacagccggctacaacctggaccaagtccttgaaca
gggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcc
tgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggc
gaccaaattgggcccagatcgaaaaaatttttaagggtggtgtaccctgtg

SEQ ID NO:480 (CP 84 L27V (RIIbB) (aa seq)

MDDHHFKVILHYGTLVIDGVTNMIIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDG
SLLFRVTINGVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVDVIGTKVYN
DGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAA
SAHAIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSSMVFT
LEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSG
DQMGQIEKIFKVVPV

SEQ ID NO:481 (CP 103 L27V (RIIbB) (nt sequence)

ATGacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaa
aaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaacc
ccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtGCGAACGC
ATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACT
GCCATTCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAG
TATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTCGGCTGATTCTTTTTTCATTATTGAA
TCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCAGT
AGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTC
GAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTGAA
AGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTTAGT
TGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatgg
tcttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggaccaagtc
cttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaag
gattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctc
tgagcggcgaccaaattgggcccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcat
cactttaagggtgatcctgcactatggcacactggtaatcgacggggtt

SEQ ID NO:482 (CP 103 L27V (RIIbB) (aa seq)

MTPNMIIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCER
ILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIIE
SGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHHAIGTVKCLAMDVQAFE
RLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSSMVFTLEDFVGDWRQTAGYNLDQV
LEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDH
HFKVILHYGTLVIDGV

SEQ ID NO:483 (CP 120 L27V (RIIbB) (nt sequence)

ATGttcgacggcaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacga
gcgcctgatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggc
ggctgtGCGAACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGC

TTTATTGAGTCACTGCCATTCCCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGT
 GATAGGCACCAAAGTATACAACGATGGAGAACAATCATTGCTCAGGGAGATTCGGCTGATTCTT
 TTTTCATTATTGAATCTGGAGAAGTAAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAA
 GAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGT
 AACTAACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATG
 TGCAAGCATTGAAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTAT
 GAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGG
 TAGCTCTTCTatggtcttcacactcgaagatttcggttggggactggcgacagacagccggctaca
 acctggaccaagtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgta
 actccgatccaaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcat
 cccgtatgaaggtctgagcggcgaccaaattgggcccagatcgaaaaaatttttaaggtggtgtacc
 ctgtggatgatcatcactttaaggtgatcctgcactatggcacactggtaatcgacggggttacg
 ccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtg

SEQ ID NO:484 (CP 120 L27V (RIIbB) (aa seq)

MFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILASSSGSGSGSMYES
 FIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVE
 ENGAVEIARCSRQYFGELALVTNKPRAASAHAGTVKCLAMDVQAFERLLGPCMEIMKRNIATY
 EEQLVALYGTNMDIVGSGSGSGSSMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSV
 TPIQRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVT
 PNMIDYFGRPYEGIAV

SEQ ID NO:485 (CP 123 L27V (RIIbB) (nt sequence)

ATGaaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgccctgat
 caaccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtGCG
 AACGCATTCTGGCTAGCTCAAGCGGAGGTTTCCGGAATGTATGAAAGCTTTATTGAG
 TCACTGCCATTCCCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCAC
 CAAAGTATACAACGATGGAGAACAATCATTGCTCAGGGAGATTCGGCTGATTCTTTTTTTCATTA
 TTGAATCTGGAGAAGTAAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGAAGAGAATGGT
 GCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACAA
 ACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCAT
 TTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAG
 TTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTC
 Tatggtcttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggacc
 aagtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatc
 caaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatga
 aggtctgagcggcgaccaaattgggcccagatcgaaaaaatttttaaggtggtgtaccctgtggatg
 atcatcactttaaggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacatg
 atcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggc

SEQ ID NO:486 (CP 123 L27V (RIIbB) (aa seq)

MKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILASSSGSGSGSMYESFIE
 SLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVEENG
 AVEIARCSRQYFGELALVTNKPRAASAHAGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQ
 LVALYGTNMDIVGSGSGSGSSMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTP
 QRIVLSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVT
 PNMIDYFGRPYEGIAVFDG

SEQ ID NO:487 (CP 124 L27V (RIIbB) (nt sequence)

ATGaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaa
 ccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtGCGAAC

GCATTCTGGCtAGCTCAAGCGGAGGTTcAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTCA
CTGCCATTTCCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCAA
AGTATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTcGGCTGATTCTTTTTTTCATTATTG
AATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCA
GTAGAAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAACC
TCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTG
AAAGGCTTCTGGGACCTTGCAATGGAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTTA
GTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTat
ggtcttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggaccaag
tccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaa
aggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaagg
tctgagcggcgaccaaattgggcccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatc
atcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatc
gactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaa

SEQ ID NO:488 (CP 124 L27V (RIIbB) (aa seq)

MKITVTGTLWNGNKIIDERLINPDGSLLFRTVINGVTGWRLCERILASSSGSGSGSMYESFIES
LPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKKGKSEVEENGA
VEIARCSRQYFYGELALVTNKPRAASAHAIgTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQL
VALYGTNMDIVGSGSGSGSSSMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVPPIQ
RIVLSGENGLKIDIHVIIPEYGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNMI
DYFGRPYEGIAVFDGK

SEQ ID NO:489 (CP 125 L27V (RIIbB) (nt sequence)

ATGatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgcctgatcaaccc
cgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggctgtGCGAACGCA
TTCTGGCtAGCTCAAGCGGAGGTTcAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTG
CCATTTCCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGT
ATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTcGGCTGATTCTTTTTTTCATTATTGAAT
CTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCAGTA
GAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTCG
AGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTGAAA
GGCTTCTGGGACCTTGCAATGGAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTTAGTT
GCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatggt
cttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggaccaagtcc
ttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaagg
attgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctc
gagcggcgaccaaattgggcccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatc
actttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgac
tatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaag

SEQ ID NO:490 (CP 125 L27V (RIIbB) (aa seq)

MITVTGTLWNGNKIIDERLINPDGSLLFRTVINGVTGWRLCERILASSSGSGSGSMYESFIESL
PFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKKGKSEVEENGAV
EIARCSRQYFYGELALVTNKPRAASAHAIgTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLV
ALYGTNMDIVGSGSGSGSSSMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVPPIQR
IVLSGENGLKIDIHVIIPEYGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNMI
YFGRPYEGIAVFDGKK

SEQ ID NO:491 (CP 130 L27V (RIIbB) (nt sequence)

ATGaccctgtggaacggcaacaaaaattatcgacgagcgctgatcaaccccgacggctccctgct
gttccgagtaaccatcaacggagtgaccggctggcggctgtGCGAACGCATTCTGGCtAGCTCAA
GCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTGCCATTCTTAAATCT
TTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTATACAACGATGGAGA
ACAAATCATTGCTCAGGGAGATTCCGGCTGATTCTTTTTTTCATTATTGAATCTGGAGAAGTGAAAA
TTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCAGTAGAAATCGCTCGATGC
TCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCAGCTTCTGCCCA
CGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTGAAAGGCTTCTGGGACCTT
GCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACG
AACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatggtcttcacactcgaaga
tttcggttggggactggcgacagacagccggctacaacctggaccaagtccttgaacagggaggtg
tgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcggg
gaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggtctgagcggcgaccaa
gggcccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaaggtgatcc
tgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcggacggccg
tatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagg

SEQ ID NO:492 (CP 130 L27V (RIIbB) (aa seq)

MTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILASSSSGGSGSGMYESFIESLPFLKS
LEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVEENGAVEIARC
SRGQYFGELALVTNKPRAASAHAIQTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGT
NMDIVGSGSGSGSSSMVFTLEDVFGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVL
ENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGR
YEGIAVFDGKKITVTG

SEQ ID NO:493 (CP 145 L27V (RIIbB) (nt sequence)

ATGccccgacggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggctgtGCGA
ACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGT
CACTGCCATTCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACC
AAAGTATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTCCGGCTGATTCTTTTTTTCATTAT
TGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGTAAATCAGAAGTGGAAGAGAATGGTG
CAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAA
CCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATT
TGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGT
TAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCT
atggtcttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaattgggcccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaaattatcgacgagcgctgatcaac

SEQ ID NO:494 (CP 145 L27V (RIIbB) (aa seq)

MPDGSLFRVTINGVTGWRLCERILASSSSGGSGSGMYESFIESLPFLKSLEFSARLKVVVDVIGT
KVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNK
PRAASAHAIQTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSS
MVFTLEDVFGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLIN

SEQ ID NO:495 (CP 148 L27V (RIIbB) (nt sequence)

ATGtccctgctgttccgagtaaccatcaacggagtgaccggctggcggtgtGCGAACGCATTCT
GGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTGCCAT
TCCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTATAC
AACGATGGAGAACAAATCATTGCTCAGGGAGATTCGGCTGATTCTTTTTTTCATTATTGAATCTGG
AGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAAGTGGAAGAGAATGGTGCAGTAGAAA
TCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCA
GCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTGTGAAAGGCT
TCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTTAGTTGCCC
TGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatggtcttc
acactcgaagatttctggttggggactggcgacagacagccggctacaacctggaccaagtccttga
acagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattg
tcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaaggtctgagc
ggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtacctgtggatgatcatcactt
taagggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgactatt
tcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctg
tggaacggcaacaaaattatcgacgagcgcctgatcaacccccgacggc

SEQ ID NO:496 (CP 148 L27V (RIIbB) (aa seq)

MSLLFRVTINGVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVVDVIGTKVY
NDGEQIIAQGDSADSFFIIIESGEVKITMKRKKGKSEVEENGAVEIARCSRQYFGELALVTNKPRA
ASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSSSMVF
TLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVII PYEGLS
GDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTL
WNGNKIIDERLINPDG

SEQ ID NO:497 (CP 157 L27V (RIIbB) (nt sequence)

AtGGGAGTGACCGGCTGGCGGCTGTGCGAACGCATTCTGGCTAGCTCAAGCGGAGGTTTCAGGCGG
TTCCGGAATGTATGAAAGCTTTATTGAGTCACTGCCATTCTTAAATCTTTGGAGTTTTCTGCAC
GCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTATACAAACGATGGAGAACAAATCATTGCTCAG
GGAGATTCGGCTGATTCTTTTTTTCATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAA
GGGTAAATCAGAAGTGGAAGAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACT
TTGGAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCAGCTTCTGCCACGCCATTGGGACTGTC
AAATGTTTAGCAATGGATGTGCAAGCATTTGAAAGGCTTCTGGGACCTTGCATGGAATTTATGAA
AAGGAACATCGCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAG
GGTCAGGTGGATCTGGAGGTAGCTCTTCTATGGTCTTCACACTCGAAGATTTCTGTTGGGGACTGG
CGACAGACAGCCGGCTACAACCTGGACCAAGTCCTTGAACAGGGAGGTGTGTCCAGTTTGTTC
GAATCTCGGGGTGTCCGTAACCTCCGATCCAAAGGATTGTCCTGAGCGGTGAAAATGGGCTGAAGA
TCGACATCCATGTCATCATCCCGTATGAAGGTCTGAGCGGCGACCAAATGGGCCAGATCGAAAAA
ATTTTTAAGGTGGTGTACCCTGTGGATGATCATCACTTTAAGGTGATCCTGCACTATGGCACACT
GGTAATCGACGGGGTTACGCCGAACATGATCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCG
TGTTTCGACGGCAAAAAGATCACTGTAACAGGGACCCTGTGGAACGGCAACAAAATTATCGACGAG
CGCCTGATCAACCCCGACGGCTCCCTGCTGTTCCGAGTAACCATCAAC

SEQ ID NO:498 (CP 157 L27V (RIIbB) (aa seq)

MGVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQ
GDSADSFFIIIESGEVKITMKRKKGKSEVEENGAVEIARCSRQYFGELALVTNKPRAASAHAI GTV
KCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSSSMVFTLEDFVGDW
RQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVII PYEGLSGDQMGQIEK
IFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDE
RLINPDGSLLFRVTIN

SEQ ID NO:499 (SS 6 L27V (RIIbB) (nt sequence)

ATGgtctttcacactcgaagatAGCgctAGCGGAGGTTTCAGGCGGTTCGGAatgtatgaaagctt
tattgagtcactgccattccttaaattctttggagttttctgcacgcctgaaagtagtagatgtga
taggcaccaaagtatacaacgatggagaacaaatcattgctcagggagattcggctgattctttt
ttcattattgaatctggagaagtgaaaattactatgaaaagaaagggtaaatacagaagtggaaga
gaatgggtgcagtagaaaatcgctcgatgctcgcggggacagtactttggagagcttgccctggtaa
ctaacaacactcgagcagcttctgcccacgccattgggactgtcaaatgttttagcaatggatgtg
caagcatttgaaaggcttctgggaccttgcatggaaattatgaaaaggaacatcgctacctatga
agaacagttagttgccctgTATggaacgaacatggatattgtaggGTCAGGTGGATCTGGAGGtA
GCTCttcTttcgttggggactggcgacagacagccggctacaacctggaccaagtccttgaacag
ggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcct
gagcggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcg
accaaattgggcccagatcgaaaaaatttttaaggtgggtgtaccctgtggatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgccgtgatcaaccccagcggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:500 (SS 6 L27V (RIIbB) (aa seq)

MVFTLEDSASGGSGGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSF
FIIESGEVKITMKRKKGKSEVEENGAVEIARCSRQYFGELALVTNKPRASAHAIGTVKCLAMDV
QAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSSSFVGDWRQTAGYNLDQVLEQ
GGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:501 (SS 12 L27V (RIIbB) (nt sequence)

ATGgtctttcacactcgaagatttctgttggggactggcgaAGCgctAGCGGAGGTTTCAGGCGGTTC
CGGAatgtatgaaagctttattgagtcactgccattccttaaattctttggagttttctgcacgcc
tgaaagtagtagatgtgataggaccaaagtatacaacgatggagaacaaatcattgctcagggga
gattcggctgattcttttttctattattgaatctggagaagtgaaaattactatgaaaagaaaggg
taaatacagaagtggaagagaatggtgcagtagaaaatcgctcgatgctcgcggggacagtactttg
gagagcttgccctggtaactaacaacactcgagcagcttctgcccacgccattgggactgtcaaa
tgtttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaattatgaaaag
gaacatcgctacctatgaagaacagttagttgccctgTATggaacgaacatggatattgtaggGT
CAGGTGGATCTGGAGGtAGCTCttcTcagacagccggctacaacctggaccaagtccttgaacag
ggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaaggattgtcct
gagcggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcg
accaaattgggcccagatcgaaaaaatttttaaggtgggtgtaccctgtggatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgccgtgatcaaccccagcggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:502 (SS 12 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRSASGGSGGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQG
DSADSF FIIESGEVKITMKRKKGKSEVEENGAVEIARCSRQYFGELALVTNKPRASAHAIGTVK
CLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSSSQTAGYNLDQVLEQ
GGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:503 (SS 26 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacaggggaAGCgctAGCGGAGGTTTCAGGCGGTTCGGGAatgtatgaaagctttattg
agtcactgccattccttaaatctttggagttttctgcacgcctgaaagtagtagatgtgataggc
accaaagtatacaacgatggagaacaaatcattgctcagggagattcggctgattcttttttcat
tattgaatctggagaagtgaaaattactatgaaaagaaagggtaaatacagaagtggaagagaatg
gtgcagtagaaatcgctcgatgctcgcggggacagtactttggagagcttgccctggtaactaac
aaacctcgagcagcttctgcccacgccattgggactgtcaaagttagcaatggatgtgcaagc
atttgaaaggcttctgggaccttgcatggaaattatgaaaaggaacatcgctacctatgaagaac
agttagttgccctgTATggaacgaacatggatattgtaggGTCAGGTGGATCTGGAGGtAGCTCt
tTggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcct
gagcggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcg
accaaattgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:504 (SS 26 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGSASGGSGSGMYESFIESLPFLKSLEFSARLKVVVDVIG
TKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKKGKSEVEENGAVEIARCSRGQYFGELALVTN
KPRAASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSS
SGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVT
INGVTGWRLCERILA

SEQ ID NO:505 (SS 45 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattAGCgctAGCGGAGGTTTCAGGCGGTTCGGGAatgtatgaaagctttattgagtcactg
ccattccttaaatctttggagttttctgcacgcctgaaagtagtagatgtgataggcaccaaagt
atacaacgatggagaacaaatcattgctcagggagattcggctgattcttttttcattattgaat
ctggagaagtgaaaattactatgaaaagaaagggtaaatacagaagtggaagagaatggtgcagta
gaaatcgctcgatgctcgcggggacagtactttggagagcttgccctggtaactaacaacctcg
agcagcttctgcccacgccattgggactgtcaaagttagcaatggatgtgcaagcatttgaaa
ggcttctgggaccttgcatggaaattatgaaaaggaacatcgctacctatgaagaacagttagtt
gccctgTATggaacgaacatggatattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTgtcct
gagcggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcg
accaaattgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:506 (SS 45 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRISASGGSGSGMYESFIESL
PFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKKGKSEVEENGAV
EIARCSRGQYFGELALVTNKPRAASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLV
ALYGTNMDIVSGSGSGSSSVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFK

VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:507 (SS 48 L27V (RIIbB) (nt sequence)

atggtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcAGCgctAGCGGAGGTTTCAGGCGGTTCCGGAatgtatgaaagctttatt
gagtcactgccatttccttaaattcttggagttttctgcacgcctgaaagtagtagatgtgatagg
caccaaagtatacaacgatggagaacaaatcattgctcagggagattcggctgattcttttttca
ttattgaatctggagaagtgaaaattactatgaaaagaaagggtaaatcagaagtggaagagaat
ggtgcagtagaaatcgctcgatgctcgcggggacagtactttggagagcttgccctggtaactaa
caaacctcgagcagcttctgcccacgccattgggactgtcaaattgttagcaatggatgtgcaag
catttgaaaggcttctgggaccttgcatggaaattatgaaaaggaacatcgctacctatgaagaa
cagttagttgccctgTATggaacgaacatggatattgtaggGTCAGGTGGATCTGGAGGtAGCTC
ttcTggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcg
accaaattgggcccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggacctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctcctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCCTGGCt

SEQ ID NO:508 (SS 48 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSSASGGSGGSGMYESFI
ESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVEEN
GAVEIARCSRGQYFGELALVTNKPRAASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEE
QLVALYGTNMDIVGSGSGGSSSGENGLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:509 (SS 52 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggAGCgctAGCGGAGGTTTCAGGCGGTTCCGGAatgtat
gaaagctttattgagtcactgccatttccttaaattcttggagttttctgcacgcctgaaagtagt
agatgtgataggcaccaaagtatacaacgatggagaacaaatcattgctcagggagattcggctg
attctttttttcattattgaatctggagaagtgaaaattactatgaaaagaaagggtaaatcagaa
gtggaagagaatggtgcagtagaaatcgctcgatgctcgcggggacagtactttggagagcttg
cctggtaactaacaacacctcgagcagcttctgcccacgccattgggactgtcaaattgttagcaa
tggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaattatgaaaaggaacatcgct
acctatgaagaacagtttagttgccctgTATggaacgaacatggatattgtaggGTCAGGTGGATC
TGGAGGtAGCTCttcTctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcg
accaaattgggcccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggacctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctcctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCCTGGCt

SEQ ID NO:510 (SS 52 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGSASGGSGGSGMY
ESFIESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSE
VEENGAVEIARCSRGQYFGELALVTNKPRAASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIA

TYEEQLVALYGTNMDIVGSGGSGSSSLKIDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:511 (SS 55 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcAGCgctAGCGGAGGTTTCAGGCGGTTC
GGAatgtatgaaagctttattgagtcactgccattccttaaattcttggagttttctgcacgcct
gaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaaatcattgctcagggag
attcggctgattcttttttatttgaatctggagaagtgaaaattactatgaaaagaaaggt
aaatcagaagtggaagagaatggtgcagtagaaatcgctcgatgctcgcggggacagtactttgg
agagcttgccctggtaactaacaacacctcgagcagcttctgcccacgccattgggactgtcaa
gttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaattatgaaaagg
aacatcgctacctatgaagaacagttagttgccctgTATggaacgaacatggatattgtaggGTC
AGGTGGATCTGGAGGtAGCTCttcTgacatccatgtcatcatcccgtatgaaggctctgagcggcg
accaaattgggccgatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggacctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCCTGGCt

SEQ ID NO:512 (SS 55 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSGENGLKISASGGSGGS
GMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFIIIESGEVKITMKRKG
KSEVEENGAVEIARCSRGQYFGELALVTNKPRASAHAIGTVKCLAMDVQAFERLLGPCMEIMKR
NIATYEEQLVALYGTNMDIVGSGGSGSSSDIHVIIPYEGLSGDQMGQIEKIFKVVPVDDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:513 (SS 83 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaaatttttaaggtggtgtaccctAGCgctAG
CGGAGGTTTCAGGCGGTTCGGAatgtatgaaagctttattgagtcactgccattccttaaattctt
tggagttttctgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaa
caaatcattgctcagggagattcggctgattcttttttatttgaatctggagaagtgaaaat
tactatgaaaagaaaggtaaatcagaagtggaagagaatggtgcagtagaaatcgctcgatgct
cgcggggacagtactttggagagcttgccctggtaactaacaacacctcgagcagcttctgcccac
gccattgggactgtcaaattgtagcaatggatgtgcaagcatttgaaaggcttctgggaccttg
catggaaattatgaaaaggaacatcgctacctatgaagaacagttagttgccctgTATggaacga
acatggatattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTgtggatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggacctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCCTGGCt

SEQ ID NO:514 (SS 83 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVPSPASGGSGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGE

QIIAQGDSADSFFIIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAH
AIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSVDDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:515 (SS 84 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtaccctgtgAGCgc
tAGCGGAGGTTTCAGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaa
ctttggagttttctgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatgga
gaacaaatcattgctcagggagattcggctgattccttttttattattgaatctggagaagtga
aattactatgaaaagaaagggtaaatcagaagtggaaagagaatgggtgcagtagaaatcgctcgat
gctcgcggggacagtactttggagagcttgccctggtaactaacaacctcgagcagcttctgcc
cacgccattgggactgtcaaatgttttagcaatggatgtgcaagcatttgaaaggcttctgggacc
ttgcatggaaattatgaaaaggaacatcgctacctatgaagaacagttagttgccctgTATggaa
cgaacatggatattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTgatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:516 (SS 84 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHV IIPYE
GLSGDQMGQIEKIFKVVPVSASGSGSGSGMYESFIESLPFLKSLEFSARLKVVDVIGTKVYNDG
EQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASA
HAIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSDDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:517 (SS 85 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatAG
CgctAGCGGAGGTTTCAGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattcctta
aatctttggagttttctgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgat
ggagaacaaatcattgctcagggagattcggctgattccttttttattattgaatctggagaagt
gaaaattactatgaaaagaaagggtaaatcagaagtggaaagagaatgggtgcagtagaaatcgctc
gatgctcgcggggacagtactttggagagcttgccctggtaactaacaacctcgagcagcttct
gcccacgccattgggactgtcaaatgttttagcaatggatgtgcaagcatttgaaaggcttctggg
accttgcatggaaattatgaaaaggaacatcgctacctatgaagaacagttagttgccctgTATg
gaacgaacatggatattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:518 (SS 85 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHV IIPYE
GLSGDQMGQIEKIFKVVPVDSASGSGSGSGMYESFIESLPFLKSLEFSARLKVVDVIGTKVYND

GEQIIAQGDSADSFFIIIESGEVKITMKRKKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAAS
AHAIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSSSDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:519 (SS 100 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcAGCgctAGCGGAGGTTCAAGCG
GTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatccttggagttttctgca
cgctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaaatcattgctca
gggagattcggctgattcttttttcattattgaatctggagaagtgaaaattactatgaaaagaa
agggtaaatcagaagtggaagagaatgggtgcagtagaaaatcgctcgatgctcgcggggacagtac
tttgagagacttgccttggttaactaacaacctcgagcagcttctgcccacgccattgggactgt
caaatgtttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaattatga
aaaggaacatcgctacctatgaagaacagttagttgccctgTATggaacgaacatggatattgta
ggGTCAGGTGGATCTGGAGGtAGCTCttcTgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:520 (SS 100 L27V (RIIbB) (aa seq)

MVFTLEDVFGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVISASGGSGSGSMYESFIESLPFLKSLEFSA
RLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKKGKSEVEENGAVEIARCSRGQY
FGELALVTNKPRAASAHHAIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIV
GSGSGSGSSSDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:521 (SS 101 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacAGCgctAGCGGAGGTTCAAG
GCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatccttggagttttct
gcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaaatcattgc
tcaggagattcggctgattcttttttcattattgaatctggagaagtgaaaattactatgaaaa
gaaagggtaaatcagaagtggaagagaatgggtgcagtagaaaatcgctcgatgctcgcggggacag
tactttggagagacttgccttggttaactaacaacctcgagcagcttctgcccacgccattgggac
tgtcaaatgttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaatta
tgaaaaggaacatcgctacctatgaagaacagttagttgccctgTATggaacgaacatggatatt
gtaggGTCAGGTGGATCTGGAGGtAGCTCttcTgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:522 (SS 101 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPIYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDSASGGSGGSGMYESFIESLPFLKSLEFS
ARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRK GKSEVEENGAVEIARCSRGO
YFGELALVTNKPRASAHAIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDI
VGSGGSGGSSSVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:523 (SS 102 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggctctgagcggcgaccaaattgggcccagatcgaaaaaatttttaagggtgggtgtacctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacgggAGCgctAGCGGAGGTT
CAGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatctttggagttt
tctgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaaatcat
tgctcagggagattcggctgattcttttttattattgaatctggagaagtgaaaattactatga
aaagaaagggtaaatcagaagtgaagagaatgggtgcagtagaaatcgctcgatgtctcgcgggga
cagtactttggagagcttgccctggtaactaacaacctcgagcagcttctgccacgccattgg
gactgtcaaatgttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaa
ttatgaaaaggaacatcgctacctatgaagaacagtttagttgccctgTATggaacgaacatggat
attgttaggGTCAGGTGGATCTGGAGGtAGCTCttcTgttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggacctgtgga
acggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:524 (SS 102 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPIYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGSASGGSGGSGMYESFIESLPFLKSLEF
SARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRK GKSEVEENGAVEIARCSR
GYFGELALVTNKPRASAHAIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMD
IVGSGGSGGSSSVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:525 (SS 103 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggctctgagcggcgaccaaattgggcccagatcgaaaaaatttttaagggtgggtgtacctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacgggggtTAGCgctAGCGGAG
GTTTACAGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatctttggag
ttttctgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaaat
cattgtcagggagattcggctgattcttttttattattgaatctggagaagtgaaaattacta
tgaaaagaaagggtaaatcagaagtgaagagaatgggtgcagtagaaatcgctcgatgtctcgcg
ggacagtactttggagagcttgccctggtaactaacaacctcgagcagcttctgccacgccat
tgggactgtcaaatgttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatgg
aaattatgaaaaggaacatcgctacctatgaagaacagtttagttgccctgTATggaacgaacatg
gatattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTaccgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggacctgtgga
acggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:526 (SS 103 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVSASGGSGGSGMYESFIESLPFLKSLE
FSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKGKSEVEENGAVEIARCSR
GQYFGELALVTNKPRASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNM
DIVSGSGSGSSSTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSL LFRVT
INGVTGWRLCERILA

SEQ ID NO:527 (SS 120 L27V (RIIbB) (nt sequence)

ATGgtctttcacactcgaagattttcggttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggctctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtacctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgAGCgctAGCGGAGGTTCAAGCGGTTCC
GGAatgtatgaaagctttattgagtcactgccattccttaaatctttggagttttctgcacgcct
gaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaaatcattgctcaggag
attcggctgattcttttttattattgaatctggagaagtgaaaattactatgaaaagaaagggt
aatcagaagtggaagagaatggtgcagtagaaatcgctcgatgctcgcggggacagtactttgg
agagcttgccctggtaactaacaacacctcgagcagcttctgcccacgccattgggactgtcaa
atgttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaattatgaaaag
aacatcgctacctatgaagaacagtttagttgccctgTATggaacgaacatggatattgtaggGTC
AGGTGGATCTGGAGGtAGCTCttcTttcgacggcaaaaagatcactgtaacagggacctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctcctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:528 (SS 120 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTN MIDYFGRPYEGIAVSASGGSGGS
GMYESFIESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFIIIESGEVKITMKRKG
KSEVEENGAVEIARCSRGQYFGELALVTNKPRASAHAI GTVKCLAMDVQAFERLLGPCMEIMKR
NIATYEEQLVALYGTNMDIVSGSGSGSSSFDGKKITVTGTLWNGNKIIDERLINPDGSL LFRVT
INGVTGWRLCERILA

SEQ ID NO:529 (SS 123 L27V (RIIbB) (nt sequence)

ATGgtctttcacactcgaagattttcggttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggctctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtacctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcAGCgctAGCGGAGGTTCA
GGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatctttggagttttc
tgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaaatcattg
ctcaggagattcggctgattcttttttattattgaatctggagaagtgaaaattactatgaaa
agaaagggtaaatcagaagtggaagagaatggtgcagtagaaatcgctcgatgctcgcggggaca
gtactttggagagcttgccctggtaactaacaacacctcgagcagcttctgcccacgccattggga
ctgtcaaattgttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaatt
atgaaaaggaacatcgctacctatgaagaacagtttagttgccctgTATggaacgaacatggatat
tgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTaaaaagatcactgtaacagggacctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctcctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:530 (SS 123 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGSASGGS
GGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIESGEVKITMK
RKGKSEVEENGAVEIARCSRQYFGELALVTNKPRAASAHAI GTVKCLAMDVQAFERLLGPCMEI
MKRNIATYEEQLVALYGTNMDIVSGSGSGSSSKKITVTGTLWNGNKIIDERLINPDGSL LFRVT
INGVTGWRLCERILA

SEQ ID NO:531 (SS 124 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttctgttggggactggcgacagacagccggctacaacctggacca
agtccttgaaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaa
ggctctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtacctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacatga
tcgactatttcggacggccggtatgaaggcatcgccgtgttcgacggcaaaaAGCgctAGCGGAGGT
TCAGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatctttggagtt
ttctgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaaatca
ttgctcaggagattcggctgattcttttttcattattgaatctggagaagtgaaaattactatg
aaaagaaaagggtaaaatcagaagtggaagagaatgggtgcagtagaaatcgctcgatgctcgcgggg
acagtactttggagagcttgccctggtaactaacaacacctcgagcagcttctgcccacgccattg
ggactgtcaaattgttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaa
attatgaaaaggaacatcgctacctatgaagaacagttagttgccctgTATggaacgaacatgga
tattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctcctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:532 (SS 124 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKSASGG
SGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIESGEVKITM
KRKGKSEVEENGAVEIARCSRQYFGELALVTNKPRAASAHAI GTVKCLAMDVQAFERLLGPCMEI
IMKRNIATYEEQLVALYGTNMDIVSGSGSGSSSKKITVTGTLWNGNKIIDERLINPDGSL LFRVT
INGVTGWRLCERILA

SEQ ID NO:533 (SS 125 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttctgttggggactggcgacagacagccggctacaacctggacca
agtccttgaaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaa
ggctctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtacctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacatga
tcgactatttcggacggccggtatgaaggcatcgccgtgttcgacggcaaaaagAGCgctAGCGGA
GGTTCAGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatctttgga
gttttctgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaaa
tcattgctcaggagattcggctgattcttttttcattattgaatctggagaagtgaaaattact
atgaaaagaaagggtaaaatcagaagtggaagagaatgggtgcagtagaaatcgctcgatgctcgcg
gggacagtactttggagagcttgccctggtaactaacaacacctcgagcagcttctgcccacgccca
ttgggactgtcaaattgttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatg
gaaattatgaaaaggaacatcgctacctatgaagaacagttagttgccctgTATggaacgaacat
ggatattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTatcactgtaacagggaccctgtgga

acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCCTGGCt

SEQ ID NO:534 (SS 125 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKSASG
GSGGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIESGEVKIT
MKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAI GTVKCLAMDVQAFERLLGPCM
EIMKRNIATYEEQLVALYGTNMDIVGSGGSGSSSITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:535 (SS 130 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaatttttaaggtggtgtaccctgtggatga
tcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggAGCgctAGCGGAGGTTTCAGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccatt
ccttaaattctttggagttttctgcacgcctgaaagtagtagatgtgataggcaccaaagtataca
acgatggagaacaaatcattgctcagggagattcggctgattcttttttattattgaatctgga
gaagtgaaaattactatgaaaagaaagggtaaatcagaagtggaagagaatgggtgcagtagaaat
cgctcgatgctcgcggggacagtactttggagagcttgccctggtaactaacaacacctcgagcag
cttctgccacgccattgggactgtcaaatgttagcaatggatgtgcaagcatttgaaaggctt
ctgggaccttgcatggaaattatgaaaaggaacatcgctacctatgaagaacagttagttgccct
gTATggaacgaacatggatattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTaccctgtgga
acggcaacaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCCTGGCt

SEQ ID NO:536 (SS 130 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GSASGSGGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIESG
EVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAI GTVKCLAMDVQAFERL
LGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGGSGSSSTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:537 (SS 136 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaatttttaaggtggtgtaccctgtggatga
tcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggacctgtggaacggcaacAGCgctAGCGGAGGTTTCAGGCGGTTCCGGAatgtatgaaagctt
tattgagtcactgccattccttaaattctttggagttttctgcacgcctgaaagtagtagatgtga
taggcaccaaagtatacaacgatggagaacaaatcattgctcagggagattcggctgattctttt
ttcattattgaatctggagaagtgaaaattactatgaaaagaaagggtaaatcagaagtggaaga
gaatgggtgcagtagaaatcgctcgatgctcgcggggacagtactttggagagcttgccctggtaa
ctaacaacacctcgagcagcttctgccacgccattgggactgtcaaatgttagcaatggatgtg
caagcatttgaaaggcttctgggaccttgcatggaaattatgaaaaggaacatcgctacctatga

agaacagttagttgccctgTATggaacgaacatggatatattgtaggGTCAGGTGGATCTGGAGGtA
GCTCttcTaaaattatcgacgagcgctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:538 (SS 136 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNSASGGSGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSF
FIIIESGEVKITMKRKKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAIQTVKCLAMDV
QAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSSKIIDERLINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:539 (SS 143 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggctctgagcggcgaccaaattgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaattatcgacgagcgctgAGCgctAGCGGAGGTTTCAGGCGG
TTCGGGAatgtatgaaagctttattgagtcactgccattccttaaattctttggagttttctgcac
gcctgaaagtagtagatgtgatagggaccaaagtatacaacgatggagaacaaatcattgctcag
ggagattcggctgattcttttttattattgaatctggagaagtgaaaattactatgaaaagaaa
gggtaaatcagaagtggaagagaatggtgcagtagaaatcgctcgatgctcgcggggacagtact
ttggagagcttgccctggtaactaacaacctcgagcagcttctgcccacgccattgggactgtc
aatgttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaattatgaa
aaggacatcgctacctatgaagaacagttagttgccctgTATggaacgaacatggatatattgtag
gGTCAGGTGGATCTGGAGGtAGCTCttcTatcaaccccgacggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggtgtGCGAACGCATTCTGGCt

SEQ ID NO:540 (SS 143 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLSASGGSGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQ
GDSADSFIIIESGEVKITMKRKKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAIQTV
KCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSINPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:541 (SS 145 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggctctgagcggcgaccaaattgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatga
tcatcactttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaattatcgacgagcgctgatcaacAGCgctAGCGGAGGTTTC
AGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaattctttggagtttt
ctgcacgcctgaaagtagtagatgtgatagggaccaaagtatacaacgatggagaacaaatcatt
gctcaggagattcggctgattcttttttattattgaatctggagaagtgaaaattactatgaa
aagaaagggtaaatcagaagtggaagagaatggtgcagtagaaatcgctcgatgctcgcggggac
agtactttggagagcttgccctggtaactaacaacctcgagcagcttctgcccacgccattggg

actgtcaaatgttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaat
tatgaaaaggaacatcgctacctatgaagaacagttagttgccctgTATggaacgaacatggata
ttgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTcccgcggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggctgtGCGAACGCATTCTGGCt

SEQ ID NO:542 (SS 145 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINSASGGSGGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQII
AQGDSADSFFIIIESGEVKITMKRKGKSEVEENGAVEIARCSRQYFGELALVTNKPRAASAHAI
GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGGSSSPDGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:543 (SS 147 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgaccaaattgggcccagatcgaaaaaatttttaagggtggtgtaccctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaattatcgacgagcgccgatcaaccccgacAGCgctAGCGG
AGGTTTCAGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatctttgg
agttttctgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaacaa
atcattgctcagggagattcggctgattcttttttcattattgaatctggagaagtgaaaattac
tatgaaaagaaagggtaaatacagaagtggaagagaatggtgcagtagaaatcgctcgatgctcgc
ggggacagtactttggagagcttgccctggtaactaacaacctcgagcagcttctgcccacgcc
attgggactgtcaaatgttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcat
ggaaattatgaaaaggaacatcgctacctatgaagaacagtttagttgccctgTATggaacgaaca
tggaattattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTggctccctgctgttccgagtaacc
atcaacggagtgaccggctggcggctgtGCGAACGCATTCTGGCt

SEQ ID NO:544 (SS 147 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDSASGGSGGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQ
IIAQGDSADSFFIIIESGEVKITMKRKGKSEVEENGAVEIARCSRQYFGELALVTNKPRAASAHAI
IGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGGSSSGSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:545 (SS 148 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgaccaaattgggcccagatcgaaaaaatttttaagggtggtgtaccctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaattatcgacgagcgccgatcaaccccgacggcAGCgctAG
CGGAGGTTTCAGGCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatctt
tggaagttttctgcacgcctgaaagtagtagatgtgataggcaccaaagtatacaacgatggagaa
caaatacttgcctcagggagattcggctgattcttttttcattattgaatctggagaagtgaaaat
tactatgaaaagaaagggtaaatacagaagtggaagagaatggtgcagtagaaatcgctcgatgct

cgcggggacagtactttggagagcttgccctggtaactaacaacacctcgagcagcttctgcccac
gccattgggactgtcaaagtgttagcaatggatgtgcaagcatttgaaaggcttctgggaccttg
catggaaattatgaaaaggaacatcgctacctatgaagaacagttagttgccctgTATggaacga
acatggatattgtaggGTCAGGTGGATCTGGAGGtAGCTCttcTtccctgctgttccgagtaacc
atcaacggagtgaccggctggcggctgtGCGAACGCATTCTGGCt

SEQ ID NO:546 (SS 148 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSASGGSGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGE
QIIAQGDSADSFFIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAH
AIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSSSSLLFRVT
INGVTGWRLCERILA

SEQ ID NO:547 (SS 156 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacggctccctgct
gttccgagtaaccatcAGCgctAGCGGAGGTTTCAGGCGGTTCCGGAatgtatgaaagctttattg
agtcactgccattccttaaattctttggagttttctgcacgcctgaaagtagtagatgtgataggc
accaaagtatacaacgatggagaacaaatcattgctcaggagattcggctgattcttttttcat
tattgaatctggagaagtgaaaattactatgaaaagaaagggtaaatacagaagtgaagagaatg
gtgcagtagaaatcgctcgatgctcgcggggacagtactttggagagcttgccctggtaactaac
aaacctcgagcagcttctgcccacgccattgggactgtcaaagtgttagcaatggatgtgcaagc
atgtgaaaggcttctgggaccttgcatggaaattatgaaaaggaacatcgctacctatgaagaac
agttagttgccctgTATggaacgaacatggatattgtaggGTCAGGTGGATCTGGAGGtAGCTCt
tcTaacggagtgaccggctggcggctgtGCGAACGCATTCTGGCt

SEQ ID NO:548 (SS 156 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTISASGGSGSGMYESFIESLPFLKSLEFSARLKVVVDVIG
TKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTN
KPRAASAH AIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSS
SNGVTGWRLCERILA

SEQ ID NO:549 (SS 157 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaa
ggtctgagcggcgaccaaattgggccagatcgaaaaaatttttaagggtggtgtaccctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacggctccctgct
gttccgagtaaccatcaacAGCgctAGCGGAGGTTTCAGGCGGTTCCGGAatgtatgaaagcttta
ttgagtcactgccattccttaaattctttggagttttctgcacgcctgaaagtagtagatgtgata
ggcaccaaagtatacaacgatggagaacaaatcattgctcaggagattcggctgattctttttt

cattattgaatctggagaagtgaaaattactatgaaaagaaagggtaaatacagaagtggaagaga
atggtgcagtagaaatcgctcgatgctcgcggggacagtactttggagagcttgccctggtaact
aacaacctcgagcagcttctgcccacgccattgggactgtcaaagtgttagcaatggatgtgca
agcatttgaaaggcttctgggaccttgcattggaattatgaaaaggaacatcgctacctatgaag
aacagttagttgccctgTATggaacgaacatggatattgtaggGTCAGGTGGATCTGGAGGtAGC
TcttTggagtgaccggctggcggtgtGCGAACGCATtCTGGCt

SEQ ID NO:550 (SS 157 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLFRVTINSASGGSGGSGMYESFIESLPFLKSLEFSARLKVVDDVI
GTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVT
NKPRAASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGGS
SSGVTGWRLCERILA

SEQ ID NO:551 (SS 158 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgaccaaattgggacagatcgaaaaatttttaagggtggtgtacctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacggctccctgct
gttccgagtaaccatcaacggaAGCgctAGCGGAGGTTTCAGGCGGTTCCGGAatgtatgaaagct
ttattgagtcactgccattccttaaatctttggagttttctgcacgcctgaaagtagtagatgtg
ataggcaccaaagtatacaacgatggagaacaaatcattgctcaggagattcggctgattcttt
tttcattattgaatctggagaagtgaaaattactatgaaaagaaagggtaaatacagaagtggaag
agaatggtgcagtagaaatcgctcgatgctcgcggggacagtactttggagagcttgccctggta
actaacaacctcgagcagcttctgcccacgccattgggactgtcaaagtgttagcaatggatgt
gcaagcatttgaaaggcttctgggaccttgcattggaattatgaaaaggaacatcgctacctatg
aagaacagtttagttgccctgTATggaacgaacatggatattgtaggGTCAGGTGGATCTGGAGGt
AGTCtcttTgtgaccggctggcggtgtGCGAACGCATtCTGGCt

SEQ ID NO:552 (SS 158 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYE
GLSGDQMGQIEKIFKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLFRVTINGSASGGSGGSGMYESFIESLPFLKSLEFSARLKVVDDVI
IGTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALV
TNKPRAASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGG
SSSVTGWRLCERILA

SEQ ID NO:553 (SS 166 L27V (RIIbB) (nt sequence)

ATGgtcttcacactcgaagatttcgttggggactggcgacagacagccggctacaacctggacca
agtccttgaaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcc
aaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatgaa
ggtctgagcggcgaccaaattgggacagatcgaaaaatttttaagggtggtgtacctgtggatga
tcatcactttaagggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatga
tcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaaca
gggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacggctccctgct
gttccgagtaaccatcaacggagtgaccggctggcggtgtGCGAAAGCgctAGCGGAGGTTTCAG
GCGGTTCCGGAatgtatgaaagctttattgagtcactgccattccttaaatctttggagttttct

gcacgcctgaaagtagtagatgtgatagggacacaaagtataacaacgatggagaacaaatcattgc
tcagggagattcggctgattcttttttattgaatctggagaagtgaaaattactatgaaaa
gaaagggtaaatacagaagtggaagagaatggtgcagtagaaatcgctcgatgctcgcggggacag
tactttggagagcttgccctggtaactaacaacctcgagcagcttctgcccacgccattgggac
tgtcaaatgttttagcaatggatgtgcaagcatttgaaaggcttctgggaccttgcatggaaatta
tgaaaaggaacatcgctacctatgaagaacagttagttgccctgTATggaacgaacatggatatt
gtaggGTCAGGTGGATCTGGAGGtAGCTCttcTCGCATTCTGGCt

SEQ ID NO:554 (SS 166 L27V (RIIbB) (aa seq)

MVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYE
GLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVT
GTLWNGNKIIDERLINPDGSLLFRVTINGVTGWRLCESASGGSGSGMYESFIESLPFLKSLEFS
ARLKVVVDVIGTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRKKGSEVEENGAVEIARCSRGQ
YFGELALVTNKPRASAHAIGTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDI
VGSGSGSGSSSRILA

SEQ ID NO:555 (CP 26 L27V (RIIbB) (nt sequence)

ATGgggtgtgtccagtttgtttcagaatctcgggggtgtccgtaactccgatccaaaggattgtcct
gagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctctgagcggcg
accaaattgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatcactttaag
gtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgactatttcgg
acggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggaccctgtgga
acggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttccgagtaacc
atcaacgggagtgaaccggctggcggctgtGCGAACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGG
CGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTGCCATTCTTAAATCTTTGGAGTTTTCTG
CACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTATACAACGATGGAGAACAAATCATTGCT
CAGGGAGATTCCGCTGATTCTTTTTTTCATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAG
AAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGT
ACTTTGGAGAGCTTGCCCTGGTAACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACT
GTCAAATGTTTAGCAATGGATGTGCAAGCATTGAAAGGCTTCTGGGACCTTGCATGGAAATTAT
GAAAAGGAACATCGCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTG
TAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatgggtcttcacactcgaagatttcgttggggac
tggcgacagacagccggctacaacctggaccaagtccttgaacagga

SEQ ID NO:556 (CP 26 L27V (RIIbB) (aa seq)

MGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVDDHHFK
VILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRVT
INGVTGWRLCERILASSSGSGSGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIA
QGDSADSFFIIESGEVKITMKRKKGSEVEENGAVEIARCSRGQYFGELALVTNKPRASAHAIGT
VKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSSMVFTLEDFVGD
WRQTAGYNLDQVLEQG

SEQ ID NO:557 (CP 45 L27V (RIIbB) (nt sequence)

ATGgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctc
gagcggcgaccaaattgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgatcatc
actttaaggtgatcctgcactatggcacactggtaatcgacgggggttacgccgaacatgatcgac
tatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacaggggac
cctgtggaacggcaacaaaattatcgacgagcgcctgatcaaccccgacggctccctgctgttcc
gagtaaccatcaacggagtgaaccggctggcggctgtGCGAACGCATTCTGGCtAGCTCAAGCGGA
GGTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTGCCATTCTTAAATCTTTGGA
GTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTATACAACGATGGAGAACAAA

TCATTGCTCAGGGAGATTTCGGCTGATTCTTTTTTCATTATTGAATCTGGAGAAGTGAAAATTACT
ATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCG
GGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCAGCTTCTGCCCACGCCA
TTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTGAAAGGCTTCTGGGACCTTGCATG
GAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACGAACAT
GGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatggtcttcacactcgaagatttcg
ttggggactggcgacagacagccggctacaacctggaccaagtccttgaacaggagggtgtgtcc
agtttgtttcagaatctcggggtgtccgtaactccgatccaaaggatt

SEQ ID NO:558 (CP 45 L27V (RIIbB) (aa seq)

MVLSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMID
YFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRLCERILASSSG
GSGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSFIIIESGEVKIT
MKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAIIGTVKCLAMDVQAFERLLGPCM
EIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSSMVFTLEDFVGDWRQTAGYNLDQVLEQGGVS
SLFQNLGVSVTPIQRI

SEQ ID NO:559 (CP 100(+1) L27V (RIIbB) (nt sequence)

ATGgacgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgtt
cgacggcaaaaagatcactgtaacagggaacctgtggaacggcaacaaaattatcgacgagcgcc
tgatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaacggctggcggtgtg
tGCGAACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTAT
TGAGTCACTGCCATTCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAG
GCACCAAAGTATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTTCGGCTGATTCTTTTTTC
ATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAA
TGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTA
ACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAA
GCATTTGAAAGGCTTCTGGGACCTTGCATGGAATTATGAAAAGGAACATCGCTACCTATGAAGA
ACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCT
CTTCTatggtcttcacactcgaagatttcggtggggactggcgacagacagccggctacaacctg
gaccaagtccttgaacaggagggtgtgtccagtttgtttcagaatctcggggtgtccgtaactcc
gatccaaaggattgtcctgagcggtgaaaatgggctgaagatcgacatccatgtcatcatcccgt
atgaaggtctgagcggcgaccaaattgggcccagatcgaaaaatttttaagggtggtgtaccctgtg
gatgatcatcactttaagggtgatcctgcactatggcacactggtaatcGAC

SEQ ID NO:560 (CP 100(+1) L27V (RIIbB) (aa seq)

MDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVTINGVTGWRL
CERILASSSGSGSGSGMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQGDSADSF
IIIESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAIIGTVKCLAMDVQ
AFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSSMVFTLEDFVGDWRQTAGYNL
DQVLEQGGVSSSLFQNLGVSVTPIQRIVLVSGENGLKIDIHVIIIPYEGLSGDQMGQIEKIFKVVPV
DDHHFKVILHYGTLVID

SEQ ID NO:561 (CP 101(+1) L27V (RIIbB) (nt sequence)

ATGgggggttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcga
cggcaaaaagatcactgtaacagggaacctgtggaacggcaacaaaattatcgacgagcgccctga
tcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaacggctggcggtgtgC
GAACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGA
GTCACCTGCCATTCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCA
CCAAAGTATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTTCGGCTGATTCTTTTTTCATT
ATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGG

TGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACA
AACCTCGAGCAGCTTCTGCCCCAGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCA
TTTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACA
GTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTT
CTatggtcttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggac
caagtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgat
ccaaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatg
aaggtctgagcggcgaccaaattgggccagatcgaaaaaatttttaaggtggtgtaccctgtggat
gatcatcactttaaggtgatcctgcactatggcacactggtaatcgacGGG

SEQ ID NO:562 (CP 101(+1) L27V (RIIbB) (aa seq)

MGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRTVINGVTGWRLC
ERILASSSSGGSGGSGMYESFIESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFI
IESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAI GTVKCLAMDVQA
FERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSSSMVFTLEDFVGDWRQTAGYNLD
QVLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVII PYEGLSGDQMGQIEKIFKVVPVD
DHHFKVILHYGTLVIDG

SEQ ID NO:563 (CP 102(+1) L27V (RIIbB) (nt sequence)

ATGgtttacgccgaacatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacgg
caaaaagatcactgtaacagggaccctgtggaacggcaacaaaattatcgacgagcgcctgatca
accccgacggctccctgctgttccgagtaaccatcaacggagtgaaccggctggcggctgtGCGAA
CGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTC
ACTGCCATTCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCA
AAGTATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTTCGGCTGATTCTTTTTTTCATTATT
GAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGGTGC
AGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAC
CTCGAGCAGCTTCTGCCCCAGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTT
GAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTT
AGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTa
tggctcttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggaccaa
gtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatcca
aaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaag
gtctgagcggcgaccaaattgggccagatcgaaaaaatttttaaggtggtgtaccctgtggatgat
catcactttaaggtgatcctgcactatggcacactggtaatcgacgggGTT

SEQ ID NO:564 (CP 102(+1) L27V (RIIbB) (aa seq)

MVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLLFRTVINGVTGWRLCE
RILASSSSGGSGGSGMYESFIESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSFFII
ESGEVKITMKRKGKSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAI GTVKCLAMDVQAF
ERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSSSMVFTLEDFVGDWRQTAGYNLDQ
VLEQGGVSSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVII PYEGLSGDQMGQIEKIFKVVPVDD
HHEFKVILHYGTLVIDGV

SEQ ID NO:565 (CP 143(+1) L27V (RIIbB) (nt sequence)

ATGatcaaccccgacggctccctgctgttccgagtaaccatcaacggagtgaaccggctggcggct
gtGCGAACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTA
TTGAGTCACTGCCATTCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATA
GGCACCAAAGTATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTTCGGCTGATTCTTTTTT
CATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGA
ATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACT

AACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCA
AGCATTTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAG
AACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGC
TCTTCTatggtcttcacactcgaagatttcggttggggactggcgacagacagccggctacaacct
ggaccaagtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactc
cgatccaaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatccc
tatgaaggctctgagcggcgaccaaattgggcccagatcgaaaaaatttttaagggtggtgtaccctgt
ggatgatcatcactttaagggtgatcctgcactatggcacactggtaatcgacggggttacgccga
acatgatcgactatttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcact
gtaacagggaccctgtggaacggcaacaaaattatcgacgagcgctgATC

SEQ ID NO:566 (CP 143(+1) L27V (RIIbB) (aa seq)

MINPDGSLFRVTINGVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVDVI
GTKVYNDGEQIIAQGDSADSFFIIESGEVKITMKRKGKSEVEENGAVEIARCSRQYFGELALVT
NKPRAASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGS
SSMVFTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIP
YEGLSGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKIT
VTGTLWNGNKIIDERLI

SEQ ID NO:567 (CP 147(+1) L27V (RIIbB) (nt sequence)

ATGggctccctgctgttccgagtaaccatcaacggagtgaccggctggcggctgtGCGAACGCAT
TCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTGC
CATTCCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTA
TACAACGATGGAGAACAAATCATTGCTCAGGGAGATTTCGGCTGATTCTTTTTTTCATTATTGAATC
TGGAGAAGTGAAAATTACTATGAAAAGAAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCAGTAG
AAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTCGA
GCAGCTTCTGCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCATTTGAAAG
GCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACAGTTAGTTG
CCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatggtc
ttcacactcgaagatttcggttggggactggcgacagacagccggctacaacctggaccaagtcct
tgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgatccaaagga
ttgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgtatgaaggctg
agcggcgaccaaattgggcccagatcgaaaaaatttttaagggtggtgtaccctgtggatgatcatca
ctttaagggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacatgatcgact
atttcggacggccgtatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaacagggacc
ctgtggaacggcaacaaaattatcgacgagcgctgatcaacccccgacGGC

SEQ ID NO:568 (CP 147(+1) L27V (RIIbB) (aa seq)

MGSLFRVTINGVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVDVIGTKV
YNDGEQIIAQGDSADSFFIIESGEVKITMKRKGKSEVEENGAVEIARCSRQYFGELALVTNKP
AASAHAI GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSSMV
FTLEDFVGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQRIVLSGENGLKIDIHVIIPYEG
SGDQMGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVTGT
LWNGNKIIDERLINPDG

SEQ ID NO:569 (CP 156(+1) L27V (RIIbB) (nt sequence)

ATGaacggagtgaccggctggcggctgtGCGAACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGG
CGGTTCCGGAATGTATGAAAGCTTTATTGAGTCACTGCCATTCCCTTAAATCTTTGGAGTTTTCTG
CACGCCTGAAAGTAGTAGATGTGATAGGCACCAAAGTATACAACGATGGAGAACAAATCATTGCT
CAGGGAGATTTCGGCTGATTCTTTTTTTCATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAG
AAAGGGTAAATCAGAAGTGGAAGAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGT

ACTTTGGAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACT
GTCAAATGTTTAGCAATGGATGTGCAAGCATTTGAAAGGCTTCTGGGACCTTGCATGGAAATTAT
GAAAAGGAACATCGCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTG
TAGGGTCAGGTGGATCTGGAGGTAGCTCTTCTatggtcttcacactcgaagatttcggttggggac
tggcgacagacagccggtacaacctggaccaagtccttgaaacaggagggtgtgtccagtttgtt
tcagaatctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctga
agatcgacatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggccagatcgaa
aaaatttttaagggtggtgtaccctgtggatgatcatcactttaagggtgatcctgcactatggcac
actggtaatcgacggggttacgccgaacatgatcgactatctcgacggccgtatgaaggcatcg
ccgtgttcgacggcaaaaagatcactgtaacaggggaccctgtggaacggcaacaaaattatcgac
gagcgcctgatcaacccccgacgggtccctgctgttccgagtaaccatcAAC

SEQ ID NO:570 (CP 156(+1) L27V (RIIbB) (aa seq)

MNGVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIA
QGDSADSFIIIESGEVKITMKRKKGSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAI
GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSSMVFTLEDFV
GDRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIIPYEGLSGDQ
MGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNG
NKIIDERLINPDGSLLFRVTIN

SEQ ID NO:571 (CP 158(+1) L27V (RIIbB) (nt sequence)

ATGgtgaccggctggtggtggtGCGAACGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTC
CGGAATGTATGAAAGCTTTATTGAGTCACTGCCATTCCCTTAAATCTTTGGAGTTTTCTGCACGCC
TGAAAGTAGTAGATGTGATAGGCACCAAAGTATACAACGATGGAGAACAAATCATTGCTCAGGGA
GATTCGGCTGATTCTTTTTTCATTATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGG
TAAATCAGAAGTGGAAGAGAATGGTGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTG
GAGAGCTTGCCCTGGTAACTAACAAACCTCGAGCAGCTTCTGCCCACGCCATTGGGACTGTCAA
TGTTTAGCAATGGATGTGCAAGCATTTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAG
GAACATCGCTACCTATGAAGAACAGTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGT
CAGGTGGATCTGGAGGTAGCTCTTCTatggtcttcacactcgaagatttcggttggggactggcga
cagacagccggtacaacctggaccaagtccttgaaacaggagggtgtgtccagtttgtttcagaa
tctcgggggtgtccgtaactccgatccaaaggattgtcctgagcgggtgaaaatgggctgaagatcg
acatccatgtcatcatcccgtatgaaggctctgagcggcgaccaaattgggccagatcgaaaaaatt
tttaagggtggtgtaccctgtggatgatcatcactttaagggtgatcctgcactatggcacactggt
aatcgacgggggttacgccgaacatgatcgactatctcgacggccgtatgaaggcatcgccgtgt
tcgacggcaaaaagatcactgtaacaggggaccctgtggaacggcaacaaaattatcgacgagcgc
ctgatcaacccccgacgggtccctgctgttccgagtaaccatcaacggaGTG

SEQ ID NO:572 (CP 158(+1) L27V (RIIbB) (aa seq)

MVTGWRLCERILASSSGSGSGSMYESFIESLPFLKSLEFSARLKVVVDVIGTKVYNDGEQIIAQG
DSADSFIIIESGEVKITMKRKKGSEVEENGAVEIARCSRGQYFGELALVTNKPRAASAHAI
GTVKCLAMDVQAFERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVGSGSGSGSSSMVFTLEDFV
GDRQTAGYNLDQVLEQGGVSSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVIIIPYEGLSGDQ
MGQIEKIFKVVPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNG
NKIIDERLINPDGSLLFRVTINGV

SEQ ID NO:573 (CP 166(+1) L27V (RIIbB) (nt sequence)

ATGCGCATTCTGGCtAGCTCAAGCGGAGGTTTCAGGCGGTTCCGGAATGTATGAAAGCTTTATTGA
GTCACCTGCCATTCCCTTAAATCTTTGGAGTTTTCTGCACGCCTGAAAGTAGTAGATGTGATAGGCA
CCAAAGTATACAACGATGGAGAACAAATCATTGCTCAGGGAGATTCGGCTGATTCTTTTTTCATT
ATTGAATCTGGAGAAGTGAAAATTACTATGAAAAGAAAGGTAAATCAGAAGTGGAAGAGAATGG

TGCAGTAGAAATCGCTCGATGCTCGCGGGGACAGTACTTTGGAGAGCTTGCCCTGGTAACTAACA
AACCTCGAGCAGCTTCTGCCCCACGCCATTGGGACTGTCAAATGTTTAGCAATGGATGTGCAAGCA
TTTGAAAGGCTTCTGGGACCTTGCATGGAAATTATGAAAAGGAACATCGCTACCTATGAAGAACA
GTTAGTTGCCCTGTATGGAACGAACATGGATATTGTAGGGTCAGGTGGATCTGGAGGTAGCTCTT
CTatggtcttccactcgaagatttcggtggggaactggcgacagacagccgggtacaacctggac
caagtccttgaacagggaggtgtgtccagtttgtttcagaatctcggggtgtccgtaactccgat
ccaaaggattgtcctgagcgggtgaaaatgggctgaagatcgacatccatgtcatcatcccgatg
aaggtctgagcggcgaccaaattgggcccagatcgaaaaaatttttaaggtggtgtaccctgtggat
gatcatcactttaaggtgatcctgcactatggcacactggtaatcgacggggttacgccgaacat
gatcgactatttcggacggccgatgaaggcatcgccgtgttcgacggcaaaaagatcactgtaa
cagggaccctgtggaacggcaacaaaattatcgacgagcgccctgatcaaccccgacgggtccctg
ctgttccgagtaaccatcaacggagtgaccgggtggtggtggtGCGAACGC

SEQ ID NO:574 (CP 166(+1) L27V (RIIbB) (aa seq)

MRILASSSGSGSGSMYEFIESLPFLKSLEFSARLKVVDVIGTKVYNDGEQIIAQGDSADSF
IESGEVKITMKRKKGSEVEENGAVEIARCSRQYFYGELALVTNKPRAASAHAI GTVKCLAMDVQA
FERLLGPCMEIMKRNIATYEEQLVALYGTNMDIVSGSGSGSSSMVFTLEDFVGDWRQTAGYNLD
QVLEQGGVSSSLFQNLGVSVPPIQRIVLSGENGLKIDIHV IIPYEGLSGDQMGQIEKIFKVVPVD
DHHFKVILHYGTLVIDGVTNPMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSL
LFRVTINGVTGWRLCER

SEQ ID NO:575 (linker)

GGGTCAGGTGGATCTGGAGGTAGCTCTTCT

SEQ ID NO:576 (linker)

AGCTCAAGCGGAGGTTTCAGGCGGTTCCGGA

SEQ ID NO:577 (LC3 (nt sequence))

ATGCCGTCCGAGAAGACCTTCAAACAGCGCCGGAGCTTCGAACAAAGAGTGGAAGATGTCCGGCT
CATCCGGGAGCAGCACCCACCAAGATCCAGTGATTATAGAGCGATACAAGGGTGAGAAGCAGC
TGCCCGTCCTGGACAAGACCAGTTCCTTGTACCTGATCACGTGAATATGAGCGAACTCATCAAGA
TAATTAGAAGGCGCCTGCAGCTCAATGCTAACCAAGCCTTCTTCCTCCTGGTGAATGGGCACAGC
ATGGTGAGTGTGTCCACACCCATCTCTGAAGTGTACGAGAGCGAGAGAGATGAAGACGGCTTCCT
GTACATGGTCTATGCCTCCCAGGAGACGTTTCGGGACAGCACTGGCTGTGTAA

SEQ ID NO:578 (LC3 (aa sequence))

MPSEKTFKQRRSFEQRVEDVRLIREQHPTKIPV I IERYKGEKQLPVLDKTKFLVPDHVNMSELIK
I IRRRLQLNANQAFLLVNGHSMVSVSTPISEVYESERDEDGFLYMYASQETFGTALAV

SEQ ID NO:579 (pattern sequence)

GSAIVK

SEQ ID NO:580 (pattern sequence)

NHGK

SEQ ID NO:581 (pattern sequence)

SILM

SEQ ID NO:582 (pattern sequence)

AVTK

SEQ ID NO:583 (pattern sequence)

LIVMFY

SEQ ID NO:584 (pattern sequence)

LIVMFY

SEQ ID NO:585 (pattern sequence)

LIVM

SEQ ID NO:586 (pattern sequence)

LIVMWF

SEQ ID NO:587 (pattern sequence)

EKTQ

SEQ ID NO:588 (pattern sequence)

LIVMAKR

SEQ ID NO:589 (pattern sequence)

LIVMAKRG

SEQ ID NO:590 (pattern sequence)

LIVMF

SEQ ID NO:591 (pattern sequence)

LIVMFSYQ

SEQ ID NO: 592 OgLuc L27V-LC3 fusions proteins (Nt seq)


ATGGTGTTTACTACTCGAAGATTTTCGTAGGGGACTGGCGGCAGACAGCCGGCTACAACCTGGACCAAGTCCTTGAGCAG
GGCGGTGTGTCCAGTTTGTTCAGAATCTCGGGGTGTCCGTAACCTCCGATCCAAAGGATTGTCTTGAGCGGTGAAAAC
GGCCTGAAGATCGACATCCATGTCATCATCCCCTATGAAGGTCTGAGCGGCGATCAGATGGGCCAGATCGAAAAAATT
TTTAAGGTGGTGTACCTGTGGATGATCATCACTTTAAGGTGATTCTGCACTATGGCACACTGGTAATCGACGGGGTT
ACGCCGAACATGATCGACTATTTTCGGACGGCCGTATGAAGGCATCGCCGTGTTCGACGGCAAAAAGATCACTGTAACC
GGGACCTGTGGAACGGCAACAAAATTATCGACGAGCGCCTGATCAACCCCGACGGCTCCCTGCTGTTCCGCGTAACC
ATCAACGGAGTGACCGGCTGGCGGCTGTGCGAGAGAATTTTGGCGGGCTCGAGCGGAGGTGGAGGTTTCAAGTGGTGGC
GGGAGCGGTGGAATGCCGTCCGAGAAGACCTTCAAACAGCGCCGAGCTTCGAACAAAGAGTGGAAGATGTCCGGCTC
ATCCGGGAGCAGCACCCACCAAGATCCAGTGATTATAGAGCGATACAAGGGTGAGAAGCAGCTGCCCGTCTTGAC
AAGACCAAGTTCCTTGATCCTGATCACGTGAATATGAGCGAACTCATCAAGATAATTAGAAGCGCCTGCAGCTCAAT
GCTAACCAAGCCTTCTTCTCCTGGTGAATGGGCACAGCATGGTGAGTGTGTCCACACCCATCTCTGAAGTGTACGAG
AGCGAGAGAGATGAAGACGGCTTCTGTACATGGTCTATGCCTCCCAGGAGACGTTCGGGACAGCACTGGCTGTGTAA

SEQ ID NO: 593 OgLuc L27V-LC3 fusions proteins (aa seq)


MVFTLEDVFGDWRQTAGYNLDQVLEQGGVSSLFQNLGVSVTPIQIRIVLSGENGLKIDIHVPIPYEGLSGDQMGQIEKI
FKVVYPVDDHHFKVILHYGTLVIDGVTPNMIDYFGRPYEGIAVFDGKKITVTGTLWNGNKIIDERLINPDGSLFRVT
INGVTGWRLCERILAGSSGGGSGGGSGGMPSEKTFKQRRSFEQRVEDVRLIREQHPTKIPVIIERYKGEKQLPVLD
KTKFLVPDHVMSELIKIIRRRRLQLNANQAFFLLVNGHSMVSVSTPISEVYESERDEDGFLYIMVYASQETFGTALAV

What is claimed:


1. A compound of formula (Ia) or (Ib):



or




wherein R^2 is selected from the group consisting of



R^6 is selected from the group consisting of -H, -OH, -NH₂, -OC(O)R or -OCH₂OC(O)R;

R^8 is selected from the group consisting of



wherein R^3 and R^4 are both H or both C_{1-2} alkyl;

W is -NH₂, halo, -OH, -NHC(O)R, -CO₂R;

X is -S-, -O- or -NR²²-;

Y is -H, -OH, or -OR¹¹;

Z is -CH- or -N-;



each R¹¹ is independently -C(O)R'' or -CH₂OC(O)R'';



R²² is H, CH₃ or CH₂CH₃;



each R is independently C₁₋₇ straight-chain alkyl or C₁₋₇ branched alkyl;


R'' is C₁₋₇ straight-chain alkyl or C₁₋₇ branched alkyl;


the dashed bonds indicate the presence of an optional ring, which may be saturated or unsaturated;

with the proviso that when R² is , , or


, R⁸ is not ;

with the proviso that when R² is , R⁸ is  or lower cycloalkyl; and


with the proviso that when R⁶ is NH₂, R² is , or C₂₋₅ alkyl;


or R⁸ is not .


2. A compound according to claim 1,

wherein R² is ; and
X is O or S.


3. A compound according to claim 1, wherein R² is C₂₋₅ straight-chain alkyl.

4. A compound according to any of the preceding claims, wherein R^8 is , lower cycloalkyl or H.


5. A compound according to any one of claims 1-3, wherein R^8 is .
6. A compound according to any one of the preceding claims, wherein R_{11} is $-\text{CH}_2\text{OC}(\text{O})\text{C}(\text{CH}_3)_3$.
7. A compound according to any one of claims 1-5, wherein R'' is $-\text{C}(\text{CH}_3)_3$, $-\text{CH}(\text{CH}_3)_2$, $-\text{CH}_2\text{C}(\text{CH}_3)_3$, or $-\text{CH}_2\text{CH}(\text{CH}_3)_2$.
8. A compound selected from



9. A compound of formula



or



10. A kit comprising a compound according to any one of claims 1-9.
11. The kit of claim 10 further comprising a luciferase.
12. The kit of claim 11, wherein the luciferase is an *Oplophorus* or *Renilla* luciferase.
13. A kit of any one of claims 10-12, further comprising a buffer reagent.
14. A method for detecting luminescence in a sample comprising
contacting a sample with a compound according to any one of claims 1-9;
contacting the sample with a coelenterazine-utilizing luciferase, if it is not present in the sample; and
detecting luminescence.
15. The method of claim 14, wherein the sample contains live cells.
16. The method of claim 14, wherein the sample contains a coelenterazine-utilizing luciferase.
17. A method for detecting luminescence in a transgenic animal comprising
administering a compound according to any one of claims 1-9 to a transgenic animal; and
detecting luminescence;
wherein the transgenic animal expresses a coelenterazine-utilizing luciferase.