
CLAIMS:

1. Use of a compound in the manufacture of a medicament for the treatment of acute myeloid leukemia (AML) characterized by a mutation in FLT-3 kinase, ~~associated with a mutation in FLT-3 kinase,~~ wherein the compound is represented by formula II:



(II)

or a pharmaceutically acceptable salt thereof;

wherein

X_1 is CH and X_2 is N or X_1 is N and X_2 is CR_2;

A is O or S;

Y is $-CH_2-$ or O;

Z is ~~a heterocyclyl comprising a nitrogen~~oxazolyl, pyridyl, furanyl, or thienyl;

R_1 is an optionally substituted heterocyclyl comprising a nitrogen; wherein the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl, hydroxyalkyl or $-NR_aR_b$;

R_2 is hydrogen, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted heterocyclyl or $-NR_aR_b$; wherein the substituent is alkyl, amino, halo or hydroxyl;

R_a and R_b are independently hydrogen, alkyl, acyl or heterocyclyl; and

n is 1.

2. The use of claim 1, wherein

A is O or S;

Y is $-CH_2-$ or O;

Z is oxazolyl, pyridyl, furanyl, or thienyl~~a heterocyclyl comprising a nitrogen~~;

R_1 is an optionally substituted heterocyclyl comprising a nitrogen, wherein the substituent is alkyl, aminoalkyl, halo, or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl;

R_2 is hydrogen, cycloalkyl, heterocyclyl or -NR_aR_b; and

n is 1.

3. The use of claim 1, wherein

A is O or S;





Y is -CH_2- or O;

Z is oxazolyl, pyridyl, furanyl, or thienyl~~a heterocyclyl comprising a nitrogen~~;

R_1 is a optionally substituted heterocyclyl comprising a nitrogen; wherein the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl;

R_2 is hydrogen, cycloalkyl, optionally substituted heterocyclyl or -NR_aR_b, where the substituent is selected from amino, halo or hydroxyl; and

n is 1.


4. The use of claim 1, wherein  is , , or .

~~5. The use of any one of claims 1-4, wherein Z is a 5- or 6-membered heterocyclyl comprising a nitrogen.~~

~~6. The use of any one of claims 1-4, wherein Z is an optionally substituted heterocyclyl comprising a nitrogen selected from pyrrolyl, pyrazolyl, imidazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, 1H-tetrazolyl, oxadiazolyl, triazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, azetidinyl, imidazolidinyl, pyrrolidinyl, oxazolidinyl, thiazolidinyl,~~

~~pyrazolidinyl, piperidinyl, piperazinyl, morpholinyl, thiomorpholinyl, dioxidothiomorpholinyl, oxapiperazinyl, oxapiperidinyl, and azabicyclo[3.2.1]octanyl; each of which is optionally substituted with alkyl, alkoxy, halo, hydroxyl, hydroxyalkyl or -NR_aR_b; and R_a and R_b are independently hydrogen, alkyl or acyl.~~

~~7~~5. The use of claim 1, wherein the compound represented by formula II is represented by formula (IIA):



(IIA)

or a pharmaceutically acceptable salt thereof.

~~8~~6. The use of claim ~~7~~5, wherein

A is O or S;

Y is $-CH_2-$ or O;

R_1 is an optionally substituted heterocyclyl comprising a nitrogen, wherein the substituent is alkyl, aminoalkyl, halo, or $-NR_aR_b$; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl;

R_2 is hydrogen, cycloalkyl, heterocyclyl or $-NR_aR_b$;

~~'m' is 0;~~ and

'n' is 1.

~~9~~7. The use of claim ~~7~~5, wherein

A is O or S;


Y is $-CH_2-$ or O;

R_1 is an optionally substituted heterocyclyl comprising a nitrogen ; wherein the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl;

R_2 is hydrogen, cycloalkyl, optionally substituted heterocyclyl or -NR_aR_b, where the substituent is selected from amino, halo or hydroxyl; and

n is 1.

~~10~~8. The use of claim 1, wherein the compound represented by formula II is represented by formula (IIB):



(IIB)

or a pharmaceutically acceptable salt thereof.

~~11~~9. The use of claim ~~10~~8, wherein

A is O or S;

Y is -CH_2- or O;

R_1 is an optionally substituted heterocyclyl comprising a nitrogen, wherein the substituent is alkyl, aminoalkyl, halo, or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl;

R_2 is hydrogen, cycloalkyl, heterocyclyl or -NR_aR_b; and

'n' is 1.

~~12~~10. The use of claim ~~10~~8, wherein

A is O or S;


Y is -CH_2- or O;

R_1, at each occurrence, is independently halo or optionally substituted heterocyclyl; wherein the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl;

R_2 is hydrogen, cycloalkyl, optionally substituted heterocyclyl or -NR_aR_b, where the substituent is selected from amino, halo or hydroxyl; and

~~'m' and~~ 'n' ~~are~~ is ~~independently~~ 0, 1 or 2.

~~13~~11. The use of claim 1, wherein the compound represented by formula II is represented by formula (IIC)



(IIC)

or a pharmaceutically acceptable salt thereof.

~~14~~12. The use of any one of claims 1-~~13~~11, wherein R_1 is optionally substituted heterocyclyl comprising a nitrogen; wherein the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl, hydroxyalkyl or -NR_aR_b; and R_a and R_b are independently hydrogen or acyl.

~~15~~13. The use of any one of claims 1-~~13~~11, wherein R_1 is optionally substituted heterocyclyl comprising a nitrogen; wherein the substituent is alkyl, aminoalkyl, halo, or -NR_aR_b; and R_a and R_b are independently hydrogen or acyl.

~~16~~14. The use of any one of claims 1-~~13~~11, wherein R_1 is optionally substituted heterocyclyl comprising a nitrogen; and the substituent is alkyl, aminoalkyl, halo, or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl.

~~17~~15. The use of any one of claims 1-~~13~~11, wherein R_1 is optionally substituted heterocyclyl comprising a nitrogen; and the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl.

~~18~~16. The use of any one of claims ~~14~~12-~~17~~15, wherein R_1 is pyridyl, pyrazolyl, pyrrolidinyl or piperidinyl.

~~19~~17. The use of any one of claims ~~14~~12-~~17~~15, wherein R_1 is optionally substituted pyrazolyl, wherein the substituent is alkyl, hydroxyl or -NR_aR_b.

~~20~~18. The use of claim ~~13~~11, wherein R_2 is hydrogen, cycloalkyl, heterocyclyl or -NR_aR_b.

~~21~~19. The use of any one of claims 1-~~20~~18, wherein R_2 is hydrogen, cycloalkyl, optionally substituted heterocyclyl or -NR_aR_b, where the substituent is selected from amino, halo or hydroxyl.

~~22~~20. The use of any one of claims 1-~~20~~18, wherein R_2 is optionally substituted heterocyclyl selected from piperidinyl, pyrrolidinyl, morpholinyl, piperazinyl, azetidinyl, pyrazolyl, furanyl or azabicyclo[3.2.1]octanyl; wherein the substituent is hydroxyl, halo, alkyl or amino.

~~23~~21. The use of any one of claims 1-~~20~~18, wherein R_2 is piperidinyl, pyrrolidinyl, morpholinyl, or piperazinyl.

~~24~~22. The use of any one of claims 1-~~20~~18, wherein R_2 is hydrogen.


~~25~~23. The use of any one of claims 1-~~20~~18, wherein R_2 is cycloalkyl.


~~26~~24. The use of claim ~~25~~23, wherein R_2 is cyclopropyl.


~~27. The use of any one of claims 1-26, wherein R_3 is alkyl.~~


~~28. The use of any one of claims 1-27, wherein m is 0 and p is 1.~~


~~29~~25. The use of claim 1, wherein the compound represented by formula (II) is selected from:



.HCl ,



.HCl ,



,



,



,



,



,














,


,


,



.HCl ,


,


,

,

,

,

,

,

,

,

,

,

, and

;


or a pharmaceutically acceptable salt thereof.

~~30~~26. The use of claim 1, wherein the compound represented by formula (II) is




or a pharmaceutically acceptable salt thereof.

~~31~~27. The use of claim 1, wherein the compound represented by formula (II) is




.

~~32~~28. The use of claim 1, wherein the compound represented by formula (II) is




or a pharmaceutically acceptable salt thereof.

~~33~~29. The use of claim 1, wherein the compound represented by formula (II) is




.

~~34~~30. The use of claim 1, wherein the compound represented by formula (II) is




or a pharmaceutically acceptable salt thereof.

~~35~~31. The use of claim 1, wherein the compound represented by formula (II) is




.

~~36~~32. The use of claim 1, wherein the compound represented by formula (II) is




or a pharmaceutically acceptable salt thereof.

~~37~~33. The use of claim 1, wherein the compound represented by formula (II) is




.

~~38~~34. The use of claim 1, wherein the compound represented by formula (II) is



or a pharmaceutically acceptable salt thereof.

~~39~~35. The use of claim 1, wherein the compound represented by formula (II) is



.

~~40~~36. The use of any one of claims 1-~~39~~35, wherein the mutation is an internal tandem duplication (ITD).

~~41~~37. The use of any one of claims 1-~~39~~36, wherein the mutation is selected from D835H, D835V, D835Y, K663Q, N841I, ITD and D835V, and ITD and F691L.

~~42~~38. The use of any one of claims 1-~~41~~37, wherein the AML is resistant to an FLT-3 inhibitor.