





[51]

Number	Name	Structure
1	N-(2-((5-chloro-2-((2-methoxy-4-(4-methylpiperazin-1-yl)piperidin-1-yl)phenyl)amino)pyrimidin-4-yl)amino)phenyl)-N-cyclopropylmethanesulfonamide	 Chemical formula: $C_{31}H_{40}ClN_6O_3S$ Exact Mass: 640.27 Molecular Weight: 641.23 tPSA: 105.11 CLogP: 4.21298 LogS: -8.292
2	N-(2-((5-chloro-2-((4-(4-(dimethylamino)piperidin-1-yl)-2-methoxyphenyl)amino)pyrimidin-4-yl)amino)phenyl)-N-cyclopropylmethanesulfonamide	 Chemical formula: $C_{28}H_{36}ClN_6O_3S$ Exact Mass: 585.23 Molecular Weight: 586.15 tPSA: 101.87 CLogP: 5.08298 LogS: -8.115



[도2]




[圖3]




[圖4]




[55]




[56a]





[도6b]



[Figure 7a]




[도7b]




One-way ANOVA, followed by Dunnett's multiple comparisons test
ns = not significant ($P > 0.05$), * $P < 0.05$, ** $P < 0.01$, *** $P < 0.001$, **** $P < 0.0001$ vs. Control group


[도8a]




[도8b]





[도9a]





[도9b]




[도9c]




[도9d]



[도10a]




[圖10b]




[511]

Compound ID: Target A




[도12]

Compound ID: Target B



[도13]

Compound ID: Target C



[도14]

Compound ID: Target D

