

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H01L 21/322, 29/12, 29/36		A1	(11) International Publication Number: WO 98/38675
			(43) International Publication Date: 3 September 1998 (03.09.98)
(21) International Application Number: PCT/US98/03686		(81) Designated States: CN, JP, KR, SG, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 25 February 1998 (25.02.98)		Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(30) Priority Data: 08/806,436, 26 February 1997 (26.02.97) US			
(71) Applicant: MEMC, ELECTRONIC, MATERIALS, INC., [US/US]; 501 Pearl Drive, P.O. Box 8, St. Peters, MO 63376 (US).			
(72) Inventors: FALSTER, Robert; Via Caradosso, 11, I-20123 Milan (IT). CORNARA, Marco; Via Roma, 117/B, I-28066 Galliate (IT). GAMBARDI, Daniela; Via Roma, 117/B, I-28066 Galliate (IT). OLMO, Massimiliano; Viale Verdi, 11, I-28100 Novara (IT).			
(74) Agents: HEJLEK, Edward, J. et al.; Senniger, Powers, Leavitt & Roedel, 16th floor, One Metropolitan Square, St. Louis, MO 63102 (US).			

(54) Title: IDEAL OXYGEN PRECIPITATING SILICON WAFERS AND OXYGEN OUT-DIFFUSION-LESS PROCESS THEREFOR

(57) Abstract

A process for heat-treating a single crystal silicon wafer (1) to influence the precipitation behavior of oxygen in the wafer in a subsequent thermal processing step. The wafer has a front surface (3), a back surface (5), and a central plane (7) between the front and back surfaces. In the process, the wafer is subjected to a heat-treatment (S2) to form crystal lattice vacancies (13), the vacancies being formed in the bulk of the silicon. The wafer is then cooled from the temperature of the heat treatment at a rate which allows some, but not all, of the crystal lattice vacancies to diffuse to the front surface to produce a wafer having a vacancy concentration profile in which the peak density is at or near the central plane with the concentration generally decreasing in the direction of the front surface of the wafer.

