




FIG.1




FIG.2




FIG.3




FIG.4





solvent N°	N° 1 (G1)	N° 13 (G2)	N° 15 (G5)	N° 12 (G3)
				
	200 $\mu\text{C.cm}^{-2}$	1000 $\mu\text{C.cm}^{-2}$	1000 $\mu\text{C.cm}^{-2}$	200 $\mu\text{C.cm}^{-2}$

FIG.5












solvent N°	N° 18 (G4)	N° 13 (G2)	N° 35 (G5)	N° 1 (G1)
Hydrogen E~3kev $\sim 2.10^{15}\text{cm}^{-2}$				
Hydrogen E~3kev $\sim 1-2.10^{14}\text{cm}^{-2}$				
Oxygen E~8kev $\sim 3.10^{12}-10^{13}\text{cm}^{-2}$				

FIG.6



Solvent	N°13 (G2)	N°13 (G2)
		
UV	400mJ/cm ²	1000 mJ/cm ²

FIG.7







Solvent UV	N°2 (G4)	N°18 (G4)	N°14 (G4)
500mJ/cm ²			
300mJ/cm ²			

FIG.8





Solvent UV	N°19 (G5)	N°35 (G5)
1000mJ/cm ²		
500mJ/cm ²		

FIG.9




FIG.10


Solvent	N°3 (G1)	N°3 (G1)
T°C	25°C	40°C
		

FIG.11



Solvent	N°20 (G3)	N°20 (G3)
T°C	25°C	40°C
		

FIG.12



Solvent	N°18 (G4)	N°18 (G4)
UV	300mJ/cm ²	300mJ/cm ²
T°C	25°C	15°C
		

FIG.13