[Title of the Document] CLAIMS

[Claim 1]

A coordinates information providing system comprising:

a purchaser terminal operated by a commodity purchaser, the purchaser terminal reading ~~that reads~~ a commodity code from a commodity code recording medium recording thereon the commodity code identifying ~~a~~ the commodity; ~~and~~

a management server connected to the purchaser terminal via a network, the management server managing coordinates information indicative of a coordinates example and information of a ~~commodity~~ plurality of commodities used in the coordinates example in such a way as to correlate ~~such that~~ both pieces of information ~~are correlated~~ with each other, ~~whereinand~~

an information provider terminal operated by an information provider, the information provider terminal transmitting the coordinates example to the management server to register the coordinates example therewith, wherein

the management server manages coordinates examples provided by the same information provider in such a way as to correlate the coordinates examples with each other, wherein

when receiving ~~the management server receives~~ the read commodity code from the purchaser terminal, the management server transmits the coordinates information indicative of one

or more ~~a~~ coordinates examples in which ~~including~~ a commodity corresponding to the received commodity code and a different commodity are used, to the purchaser terminal, wherein

when receiving information from the purchaser terminal, the information identifying a coordinates example selected by the purchaser out of the one or more coordinates examples, the management server transmits the selected coordinates example as well as coordinates information indicative of a different coordinates example provided by the information provider who has provided the selected coordinates example, to the purchaser terminal, and wherein

when receiving information from the purchaser terminal, the information indicating the purchaser's will to purchase the commodity corresponding to the commodity code, the management server executes an account-settling process for purchasing the commodity on an EC site, and when receiving information from the purchaser terminal, the information indicating the purchaser's will to purchase the different commodity used in a coordinate example selected by the purchaser, using the purchaser terminal, out of the one or more coordinates examples, the management server also executes an account-settling process for purchasing the different commodity on the EC site.

~~[Claim 2]~~

~~The coordinates information providing system according to claim 1, wherein~~

~~when the management server receives the commodity code from the purchaser terminal, the management server transmits commodity information~~

~~corresponding to the received commodity code to the purchaser terminal, and wherein~~

~~when the purchaser terminal receives the commodity information from the management server, the purchaser terminal displays the received commodity information.~~

[Claim ~~3~~2]

The coordinates information providing system according to claim 1~~ or 2~~, wherein

the purchaser terminal transmits the commodity code and information informing of a purchaser's planning to purchase or having purchased a commodity corresponding to the commodity code, to the management server, and wherein

when the management server receives the commodity code and the information informing of the purchaser's planning to purchase or having purchased the commodity, the commodity code and information being sent from the purchaser terminal, the management server extracts the commodity information based on the commodity code, create a list of the commodities the purchaser plans to purchase or a list of the commodities the purchaser has purchased based on the extracted commodity information, and transmits the created list in response to a request from the purchaser terminal.

[Claim ~~43~~ 43]

The coordinates information providing system according to claim ~~32~~ 32, wherein

the management server stores therein the commodity information and the information informing of the purchaser's planning to purchase or having purchased the commodity such that both pieces of information are correlated with each other, and transmits the stored information in response to a request from purchaser terminal.

[Claim ~~54~~ 54]

The coordinates information providing system according to claim ~~32~~ 32, wherein

when the management server receives information informing of allowing sales of a commodity listed in a list of the commodities the purchaser has purchased, the information being sent from the ~~from the~~ purchaser terminal, the management server creates a page for selling the commodity the sales of which is allowed, and renders the created page accessible via a network.

[Claim ~~65~~ 65]

The coordinates information providing system according to any one of claims 1 to ~~43~~ 43, wherein

the management server browses around a Web page of a commodity manufacture or commodity sales agent and extracts and stores the commodity information.

~~[Claim 7]~~

~~The coordinates information providing system according to any one of claims 1 to 5, further comprising an information provider terminal that transmits the coordinates information to the management server to register the coordinates information therewith.~~

~~[Claim 8]~~

~~The coordinates information providing system of claim 7, wherein~~

~~the management server stores therein two or more pieces of the coordinates information provided by an information provider who operates the information provider terminal such that the pieces of the coordinates information are correlated with each other, and transmits the stored information in response to a request from the purchaser terminal.~~

[Claim ~~9~~6]

The coordinates information providing system according to any one of claims 1 to ~~8~~5, wherein

the purchaser terminal reads information peculiar to a store from a recording medium placed in the store and transmits the read information together with the commodity code, to the management server, and wherein

the management server stores therein the information peculiar to the store and the commodity code, the information and the commodity code being sent from the purchaser terminal, such that the information and the commodity code are correlated with each other.

[Claim ~~10~~7]

The coordinates information providing system according to claim ~~9~~6, wherein

when the management server receives a commodity code for a purchased commodity from the purchaser terminal when the purchaser has purchased the commodity on an EC site, the management server extracts a store specific code correlated with the received commodity code, from store specific codes already stored in the management server, and carries out settlement transactions such that part of payment for the purchased commodity is transferred to a bank account of a store identified by the extracted store specific code.

[Claim ~~11~~8]

A read information management system comprising:

a purchaser terminal operated by a commodity purchaser, the purchaser terminal reading a commodity code from a commodity code recording medium recording thereon the commodity code identifying a commodity; and

a management server connected to the purchaser terminal via a network, the management server managing information of commodity purchase by the purchaser, and the management server managing coordinates information indicative of a coordinates example and information of a plurality of commodities used in the coordinates example in such a way as to correlate both pieces of information with each other, and wherein

the purchaser terminal reads information peculiar to a store from a recording medium placed in the store and transmits the read information together with the commodity code, to the management server, and wherein

the management server stores therein the information peculiar to the store and the commodity code, the information and the commodity code being sent from the purchaser terminal, such that the information and the commodity code are correlated with each other.

[Claim 9]

The read information management system according to claim 8, wherein

when receiving the read commodity code from the purchaser terminal, the management server is capable of transmitting the coordinates information indicative of one or more coordinates examples in which a commodity corresponding to the received commodity code and a different commodity are used, to the purchaser terminal, wherein

when receiving information from the purchaser terminal, the information identifying a coordinates example selected by the purchaser out of the one or more coordinates examples, the management server is capable of transmitting the selected coordinates example as well as coordinates information indicative of a different coordinates example provided by an information provider who has provided the selected coordinates example, to the purchaser terminal, and wherein

when receiving information from the purchaser terminal, the information indicating the purchaser's will to purchase the commodity corresponding to the commodity code, the management server is capable of executing an account-settling process for purchasing the commodity on an EC site, and when receiving information from the purchaser terminal, the information indicating the purchaser's will to purchase the different commodity used in a coordinate example selected by the purchaser, using the purchaser terminal, out of the one or

more coordinates examples, the management server is also capable of executing an account-settling process for purchasing the different commodity on the EC site.

[Claim ~~12~~10]

The read information management system according to any one of claims ~~11~~8 or 9, wherein

when the management server receives a commodity code for a purchased commodity from the purchaser terminal when the purchaser has purchased the commodity on an or the EC site, the management server extracts the store specific code correlated with the received commodity code, from the store specific codes already stored in the management server, and carries out settlement transactions such that part of payment for the purchased commodity is transferred to a bank account of a store identified by the extracted store specific code.