

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

CL 1488

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C08G 63/42, B32B 3/00, G11B 3/70, 5/84	A1	(11) International Publication Number: WO 99/54378 (43) International Publication Date: 28 October 1999 (28.10.99)
(21) International Application Number: PCT/US99/07012 (22) International Filing Date: 22 April 1999 (22.04.99) (30) Priority Data: 09/064,846 23 April 1998 (23.04.98) US (71) Applicant (for all designated States except US): HNA HOLDINGS, INC. [US/US]; 30 Independence Boulevard, Warren, NJ 07059 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): KHANARIAN, Garo [US/US]; 141 Cornell Avenue, Berkeley Heights, NJ 07922 (US). CHARBONNEAU, Larry, F. [US/US]; 64 Mountain-side Road, Mendham, NJ 07945 (US). WITTELER, Helmut, B. [DE/DE]; Birkenstrasse 9, D-67259 Beindersheim (DE). (74) Agents: DUFFETT, Benton, S., Jr. et al.; Burns, Doane, Swecker & Mathis, L.L.P., P.O. Box 1404, Alexandria, VA 22313-1404 (US).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: OPTICAL ARTICLES COMPRISING ISOSORBIDE POLYESTERS AND METHOD FOR MAKING SAME (57) Abstract An optical article made of a transparent polymer which includes terephthaloyl moieties, optionally, other aromatic diacid moieties; ethylene glycol moieties; isosorbide moieties; and, optionally, one or more other diol moieties, wherein the polymer has an inherent viscosity of at least about 0.35 dL/g as measured on a 1 % solution (weight/volume) in o-chlorophenol at 25 °C.  *162162*  *G00001*		