PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 :
C08F 10/00, 2/40, B01J 8/24

A1

(11) International Publication Number: **WO 99/60037**

(43) International Publication Date: 25 November 1999 (25.11.99)

(21) International Application Number: PCT/GB99/01577

(22) International Filing Date: 18 May 1999 (18.05.99)

(30) Priority Data:
98430013.7 19 May 1998 (19.05.98) EP

(71) Applicant *(for all designated States except US)*: BP CHEMICALS LIMITED [GB/GB]; Britannic House, 1 Finsbury Circus, London EC2M 7BA (GB).

(71) Applicant *(for FR only)*: BP CHEMICALS S.N.C. [FR/FR]; Tour Neptune, La Défense 1, 20, place de Seine, F–92400 Courbevoie (FR).

(72) Inventor; and
(75) Inventor/Applicant *(for US only)*: LEANEY, Patrick [FR/FR]; 4, lotissement La Grappe, Avenue Beau Soleil, F–13320 Bouc Bel Air (FR).

(74) Agent: PREECE, Michael; BP International Limited, Group Patents and Agreements, Chertsey Road, Sunbury–On–Thames, Middlesex TW16 7LN (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With international search report.
Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: POLYMERISATION PROCESS

(57) Abstract

A process for the gas phase polymerisation of one or more alpha–olefins in the presence of a polymerisation catalyst system under reactive conditions in a fluidised bed reactor which process comprises introducing into the reactor a deactivating agent characterised in that the deactivating agent is introduced close to the reactor wall and that said introduction does not terminate the polymerisation reaction.



