




FIG. 1B




FIG. 1A




FIG. 1C

3/24




FIG. 2A







FIG. 2B

**FIG. 2C****FIG. 2D**



Promega : CHO-PD-L1/PD-L2





[Ab] nM



FIG. 3

6/24



7/24

Promega CHO-PD-L1**FIG. 4C****Promega CHO-PD-L2****FIG. 4D**

Promega Assay: CHO-PD-L1**FIG. 4E****Promega Assay: CHO-PD-L2****FIG. 4F**

9/24




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6

	BIPDL3-1 ₁	BIPDL3-1 ₃	BIPDL4-1 ₁	BIPDL4-1 ₂	BIPDL4-2 ₂	BIPDL4-1 ₃
Ec50 (nM, 10 ⁻⁹)	P.F.	0.08	0.038	0.014	0.43	0.014
% Killing	20%	33%	36%	35%	40%	40%

FIG. 6
(Cont'd)






FIG. 7A

14/24

U2940 SCID Xenograft





FIG. 8A



17/24




FIG. 9A




FIG. 9B




FIG. 9C

19/24





FIG. 10A






FIG. 11A




FIG. 11B







FIG. 12



B16-F10-PDL2 - Survival

FIG. 13



SUBSTITUTE SHEET (RULE 26)




FIG. 13
(Cont'd)