
CLAIMS

1. A compound according to formula (I)



(I)

or pharmaceutically acceptable salts, hydrates, solvates, polymorphs, stereoisomers, and tautomers thereof, wherein

$Y_1$, $Y_2$, $Y_3$, and $Y_4$ are independently of each other selected from the group consisting of N or C;

$Y_5$ is selected from C or O;

$X_1$, $X_2$, $X_3$, $X_4$, and $X_5$ are independently of each other selected from the group consisting of N, O, S or C;

n is an integer selected from 0 or 1;

R is absent or selected from the group of hydrogen, unsubstituted or substituted $C_{1-4}$ alkyl;

$R_1$ is absent, or selected from the group consisting of hydrogen, unsubstituted or substituted $C_{1-4}$ alkyl;

$R_{2a}$, $R_{2b}$, $R_{3a}$, and $R_{3b}$ are independently of each other either absent or selected from the group consisting of hydrogen, halogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl, unsubstituted or substituted $C_{1-6}$ alkynyl, unsubstituted or substituted $C_{1-6}$ alkoxy, -OH, -CN, unsubstituted or substituted $C_{3-8}$

cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, $-OR_{31}$, or $R_{2a}$ and $R_{2b}$ taken together with $Y_4$, and/or $R_{3a}$ and $R_{3b}$ taken together with $Y_5$ form a ring selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl;

$R_4$, $R_5$, $R_6$, $R_{8a}$, $R_{8b}$ $R_{9a}$, $R_{9b}$, $R_{10a}$, $R_{10b}$, $R_{11a}$, $R_{11b}$ and $R_{32}$ are independently of each other absent or selected from the group consisting of hydrogen, halogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl, unsubstituted or substituted $C_{1-6}$ alkynyl, unsubstituted or substituted $C_{1-6}$ alkoxy, -OH, -CN, $-NO_2$, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, $-NR_{12}R_{13}$, $-NR_{14}C(=O)R_{15}$, $-NR_{16}C(=O)NR_{17}R_{18}$, $-NR_{28}C(=O)OR_{19}$, $-C(=O)R_{20}$, $-C(=O)OR_{21}$, $-OC(=O)R_{21}$, $-C(=O)NR_{22}R_{23}$, $-S(=O)R_{24}$, $-SO_2R_{25}$, $-SO_2NR_{26}R_{27}$, and $-OR_{31}$; or

$R_5$, $R_6$, $R_{8a}$, $R_{8b}$ $R_{9a}$, $R_{9b}$, $R_{10a}$, $R_{10b}$, $R_{11a}$, $R_{11b}$ are taken together with an adjacent $R_5$, $R_6$, $R_{8a}$, $R_{8b}$, $R_{9a}$, $R_{9b}$, $R_{10a}$, $R_{10b}$, $R_{11a}$, $R_{11b}$ group to form a ring system selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl; or

$R_{8a}$, $R_{8b}$ and $X_1$; $R_{9a}$, $R_{9b}$ and $X_4$; $R_{10a}$, $R_{10b}$ and $X_3$; $R_{11a}$, $R_{11b}$ and $X_2$ are taken together to form a ring system selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl;

$R_7$ is selected from the group consisting of hydrogen, -OH, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl;

$R_{12}$, $R_{13}$, $R_{16}$, $R_{17}$, $R_{18}$, $R_{22}$, $R_{23}$, $R_{26}$, and $R_{27}$ are independently of each other absent or selected from hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl , unsubstituted or substituted $C_{1-6}$ alkynyl, unsubstituted or substituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, or

$R_{12}$ and $R_{13}$, $R_{16}$ and $R_{17}$, $R_{17}$ and $R_{18}$, $R_{22}$ and $R_{23}$, $R_{26}$ and $R_{27}$ are taken together with the atom to which they are attached form a ring selected from the group consisting of unsubstituted or substituted $C_{2-9}$ heteroalicyclyl and unsubstituted or substituted heteroaryl;

$R_{14}$, $R_{15}$, $R_{19}$, $R_{20}$, $R_{21}$, $R_{24}$, $R_{25}$, $R_{28}$, $R_{29}$, $R_{30}$, and $R_{31}$ are independently of each other absent or selected from hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl , unsubstituted or substituted $C_{1-6}$ alkynyl, unsubstituted or substituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl;

A is selected from $CR_{32}$ or N;

$R_x$ and $R_y$ are independently of each other selected from hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl, substituted or unsubstituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, $-C(=O)R_{20}$ and $-SO_2R_{25}$; or

$R_x$ and $R_y$ are both taken together with A to form a ring system selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, and unsubstituted or substituted $C_{2-9}$ heteroalicyclyl or unsubstituted or substituted heteroaryl, unsubstituted or substituted aryl; or





one of $R_x$ or $R_y$ is taken together with A to form a ring system selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or


substituted $C_{3-8}$ cycloalkenyl, and unsubstituted or substituted $C_{2-9}$ heteroalicyclyl or unsubstituted or substituted heteroaryl, unsubstituted or substituted aryl; and

whenever $R_x$ and $R_y$ independently of each other are selected from hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl, substituted or unsubstituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, and , unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, $-C(=O)R_{20}$ and $-SO_2R_{25}$, then both $R_{11a}$ and $R_{11b}$ cannot be hydrogen;


whenever one or more heteroatom(s) is/are present it is/they are selected from O, N and S; and

with the proviso that the compound of Formula (I) is not



,

,

,

,




,



,



, or



.

2. A compound according to claim 1 wherein $Y_1$, $Y_2$, $Y_3$ are C and $Y_4$ is selected from C or N.

3. A compound according to claim 1 or 2, wherein $Y_4$ is C.

4. A compound according to any one of the claims 1-3, wherein R is selected from the group consisting of hydrogen or methyl.

5. A compound according to any one of the claims 1-4, wherein $R_1$ is absent or hydrogen.

6. A compound according to any one of the claims 1-5, wherein $R_{2a}$ and $R_{2b}$ independently of each other are absent or independently of each other are selected from the group consisting of hydrogen, halogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{3-6}$ cycloalkyl and unsubstituted or substituted $C_{1-6}$ alkoxy.

7. A compound according to any one of the claims 1-6, wherein $R_{2a}$ is selected from hydrogen or methyl, ethyl, isopropyl, cyclopropyl, $-CF_3$, $-CHF_2$, $-CH_2F$, $-CH_2CH_2F$, $-CH_2CHF_2$, $-CH_2CF_3$, methoxy, ethoxy, isopropoxy, cyclopropoxy, $-OCF_3$, $-OCHF_2$, $-OCH_2F$, $-OCHFCF_3$, and halogen and $R_{2b}$ and $R_{3b}$ are absent.

8. A compound according to any one of the claims 1-7, wherein $R_{3a}$ and $R_{3b}$ independently of each other are absent or independently of each other are selected from the group consisting of hydrogen, halogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{3-6}$ cycloalkyl and unsubstituted or substituted $C_{1-6}$ alkoxy.

9. A compound according to any one of the claims 1-8, wherein $R_{3a}$ is selected from hydrogen or methyl, ethyl, isopropyl, cyclopropyl, $-CF_3$, $-CHF_2$, $-CH_2F$, $-CH_2CH_2F$, $-CH_2CHF_2$, $-CH_2CF_3$, methoxy, ethoxy, isopropoxy, cyclopropoxy, $-OCF_3$, $-OCHF_2$, $-OCH_2F$, $-OCHFCF_3$, and halogen and $R_{3b}$ is absent.

10. A compound according to any one of the claims 1-9, wherein $R_4$, $R_5$ and $R_6$ independently of each other are selected from the group consisting of hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkoxy, -CN, $-OR_{31}$, halogen, $-NR_{12}R_{13}$, $-NR_{14}(C=O)R_{15}$, $-NR_{16}(C(=O)NR_{17}R_{18}$, $-NR_{28}C(=O)OR_{19}$, $-NR_{33}(CR_{34}R_{35})_mC(=O)NR_{36}R_{37}$, $-(CR_{38}R_{39})_mNR_{40}R_{41}$, $-(CR_{42}R_{43})_mC(=O)NR_{44}R_{45}$, and $-O(C=O)R_{21}$;

wherein $R_{12}$, $R_{13}$, $R_{14}$, $R_{15}$, $R_{16}$, $R_{17}$, $R_{18}$, $R_{19}$, $R_{21}$, $R_{28}$, $R_{30}$, $R_{33}$, $R_{34}$, $R_{35}$, $R_{36}$, $R_{37}$, $R_{38}$, $R_{39}$, $R_{40}$, $R_{41}$, $R_{42}$, $R_{43}$, $R_{44}$, and $R_{45}$ independently of each other are absent or selected from the group consisting of hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl , unsubstituted or substituted $C_{1-6}$ alkynyl, unsubstituted or substituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$


heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, or

$R_{12}$ and $R_{13}$, $R_{17}$ and $R_{18}$, $R_{36}$ and $R_{37}$, $R_{40}$ and $R_{41}$, and $R_{44}$, $R_{45}$ are taken together with the nitrogen atom to which they are attached form a ring selected from the group consisting of unsubstituted or substituted $C_{2-9}$ heteroalicyclyl and unsubstituted or substituted heteroaryl;


m is an integer selected from the group consisting of 0, 1, 2, 3 and 4.

11. A compound according to any one of the claims 1-10, wherein $Y_1$, $Y_2$, and $Y_3$ are C.


12. A compound according to any one of the claims 1-11, wherein $Y_1$, $Y_2$, $Y_3$, $Y_4$ and $Y_5$ are selected according to Formulas (II)-(VI)




(II),




(III),



(IV),



(V), or



(VI)

wherein R is absent or selected from the group of hydrogen, methyl;

$R_{2a}$, $R_{2b}$, $R_{3a}$, and $R_{3b}$ are independently of each other absent or selected from the group consisting of hydrogen, halogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkoxy;

$R_4$, $R_5$, $R_6$ are independently of each other selected from the group consisting of hydrogen, halogen, unsubstituted or substituted $C_{1-6}$ alkyl, and unsubstituted or

substituted $C_{1-6}$ alkoxy, $-OR_{31}$, $-NR_{12}R_{13}$, $-NR_{14}(C=O)R_{15}$, $-NR_{16}(C(=O)NR_{17}R_{18}$, $-NR_{28}C(=O)OR_{19}$, $-NR_{33}(CR_{34}R_{35})_mC(=O)NR_{36}R_{37}$, $-(CR_{38}R_{39})_mNR_{40}R_{41}$, $-(CR_{42}R_{43})_mC(=O)NR_{44}R_{45}$, and $-O(C=O)R_{21}$;

wherein $R_{12}$, $R_{13}$, $R_{14}$, $R_{15}$, $R_{16}$, $R_{17}$, $R_{18}$, $R_{19}$, $R_{21}$, $R_{28}$, $R_{30}$, $R_{33}$, $R_{34}$, $R_{35}$, $R_{36}$, $R_{37}$, $R_{38}$, $R_{39}$, $R_{40}$, $R_{41}$, $R_{42}$, $R_{43}$, $R_{44}$, and $R_{45}$ independently of each other are absent or selected from the group consisting of hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl , unsubstituted or substituted $C_{1-6}$ alkynyl, unsubstituted or substituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, or

$R_{12}$ and $R_{13}$, $R_{17}$ and $R_{18}$, $R_{36}$ and $R_{37}$, $R_{40}$ and $R_{41}$, $R_{44}$ and $R_{45}$ are taken together with the nitrogen atom to which they are attached form a ring selected from the group consisting of unsubstituted or substituted $C_{2-9}$ heteroalicyclyl and unsubstituted or substituted heteroaryl;

m is an integer selected from the group consisting of 0, 1, 2, 3 and 4.

13. A compound according to claim 12 wherein the compound is selected from a compound according to any one of formulae (II), (III) or (IV).

14. A compound according to any one of the claims 10, 12, and 13 wherein $R_{14}$, $R_{15}$, $R_{16}$, $R_{17}$, $R_{18}$, $R_{19}$, $R_{21}$ and $R_{28}$ independently of each other are selected from the group consisting of methyl, ethyl, iso-propyl, $-CF_3$, tert-butyl, and cyclopropyl.

15. A compound according to any one of the claims 1-14, wherein $R_7$ is hydrogen.

16. A compound according to any one of the claims 1-15, wherein $R_{8a}$, $R_{9a}$, $R_{10a}$, and $R_{11a}$ are absent and the ring comprising $X_1$, $X_2$, $X_3$, $X_4$ and $X_5$ is a substituted aryl or substituted heteroaryl ring.

17. A compound according to any one of the claims 1-16 wherein $R_{8b}$, $R_{11b}$, $X_1$ and $X_2$; $R_{10b}$, $R_{11b}$, $X_2$ and $X_3$; and/or $R_{9b}$, $R_{10b}$, $X_3$ and $X_4$ are taken together to form a ring system selected from the group consisting of unsubstituted or substituted aryl,

unsubstituted or substituted heteroaryl, unsubstituted or substituted heteroalicyclyl, unsubstituted or substituted cycloalkyl, and unsubstituted or substituted cycloalkenyl.

18. A compound according to any one of the claims 1-17, wherein A is N.

19. A compound according to any one of the claims 1-18, wherein n is 1.

20. A compound according to any one of the claims 1-19, wherein the compound is a compound according to any one of the formulae II to VI in claim 12, wherein $X_1$, $X_2$, $X_3$ and $X_4$ independently of each other are selected from the group consisting of N or C, and $X_5$ is C.

21. A compound according to any one of the claims 1-20, wherein the compound is a compound according to any one of the formula II to VI in claim 12, wherein n is 1 and one of $X_2$, $X_3$, and $X_4$ is N, the two of $X_2$, $X_3$, and $X_4$ not being N are C; and $X_1$ and $X_5$ are C.

22. A compound according to any one of the claims 1-21 wherein the compound is a compound according to any one of the formulae II to VI in claim 12, wherein $R_{8a}$, $R_{8b}$, $R_{9a}$, $R_{9b}$, $R_{10a}$ and $R_{10b}$ independently of each other are absent or selected from the group consisting of hydrogen, halogen, $C_{1-4}$ alkyl, $C_{1-4}$ alkoxy, $C_{3-5}$ cycloalkyl, -CN, -OH, $-CF_3$, and $-OCF_3$, or $R_{8b}$, $R_{11b}$, $X_1$ and $X_2$; $R_{10b}$, $R_{11b}$, $X_2$ and $X_3$; and/or $R_{9b}$, $R_{10b}$, $X_3$ and $X_4$ are taken together to form a ring system selected from the group consisting of unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, unsubstituted or substituted heteroalicyclyl, unsubstituted or substituted cycloalkyl, and unsubstituted or substituted cycloalkenyl.

23. A compound according to claim 22 wherein said $C_{1-4}$ alkyl is methyl or ethyl and, said $C_{1-4}$ alkoxy is methoxy.

24. A compound according to any one of the claims 1-23, wherein $R_{8a}$, $R_{9a}$, $R_{10a}$, and $R_{11a}$ are absent and $R_{11b}$ is selected from the group consisting of halogen, unsubstituted or substituted $C_{1-6}$ haloalkyl, unsubstituted or substituted $C_{1-6}$ hydroxyalkyl, unsubstituted or substituted $C_{1-6}$ aminoalkyl, unsubstituted or substituted $C_{1-6}$ cyanoalkyl, unsubstituted or substituted $C_{1-6}$ alkoxy-$C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{1-6}$ haloalkoxy, -OH, -CN, $-NO_2$,


unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, $-NR_{12}R_{13}$ , $-C(=O)NR_{22}R_{23}$, $-SO_2R_{25}$, $-SO_2NR_{26}R_{27}$, $-NR_{33}(CR_{34}R_{35})_mC(=O)NR_{36}R_{37}$, $-(CR_{38}R_{39})_mNR_{40}R_{41}$, and $-(CR_{42}R_{43})_mC(=O)NR_{44}R_{45}$,

wherein $R_{12}$, $R_{13}$, $R_{22}$, $R_{23}$, $R_{25}$, $R_{26}$, $R_{27}$, $R_{36}$, $R_{37}$, $R_{40}$, $R_{41}$, $R_{44}$, $R_{45}$ independently of each other are selected from the group consisting of hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl; or $R_{12}$ and $R_{13}$, $R_{22}$ and $R_{23}$, $R_{26}$ and $R_{27}$, $R_{36}$ and $R_{37}$, $R_{40}$ and $R_{41}$; $R_{44}$ and $R_{45}$ taken together with the nitrogen atom to which they are attached form a ring selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl,

$R_{33}$, $R_{34}$, $R_{35}$, $R_{38}$, $R_{39}$, $R_{42}$, and $R_{43}$ independently are selected from the group consisting of hydrogen and $C_{1-6}$ alkyl, and

m is an integer selected from the group consisting of 0, 1, 2, 3 and 4.

25. A compound according to the claim 1, having the general Formula (XI):




(XI),

wherein $R_{2a}$ is hydrogen or methyl;

$R_{3a}$ is hydrogen or methyl;

$R_7$ is hydrogen;

$R_4$, $R_5$, $R_6$ and $R_{8b}$ independently of each other are selected from the group consisting of hydrogen, halogen, $C_{1-4}$ alkyl, $C_{1-4}$ alkoxy, $C_{3-5}$ cycloalkyl, -CN, -OH, -$CF_3$, and -$OCF_3$;

$X_3$ and $X_4$ independently of each other are selected from the group consisting of N and C;

when $X_4$ is N, $R_{9b}$ is absent, when $X_4$ is C, $R_{9b}$ is selected from the group consisting of hydrogen, halogen, $C_{1-4}$ alkyl, $C_{1-4}$ alkoxy, $C_{3-5}$ cycloalkyl, -CN, -OH, -$CF_3$, and -$OCF_3$;

when $X_3$ is N, $R_{10b}$ is absent, when $X_3$ is C, $R_{10b}$ is selected from the group consisting of hydrogen, halogen, $C_{1-4}$ alkyl, $C_{1-4}$ alkoxy, $C_{3-5}$ cycloalkyl, -CN, -OH, -$CF_3$, and -$OCF_3$; $R_{11b}$ is selected from the group consisting of hydrogen, halogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl, unsubstituted or substituted $C_{1-6}$ alkynyl, unsubstituted or substituted $C_{1-6}$ alkoxy, -OH, -CN, -$NO_2$, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, -$NR_{12}R_{13}$, -$NR_{14}C(=O)R_{15}$, -$NR_{16}C(=O)NR_{17}R_{18}$, -$NR_{28}C(=O)OR_{19}$, -$C(=O)R_{20}$, -$C(=O)OR_{21}$, -$OC(=O)R_{21}$, -$C(=O)NR_{22}R_{23}$, -$S(=O)R_{24}$, -$SO_2R_{25}$, -$SO_2NR_{26}R_{27}$, and -$OR_{31}$;

A is selected from $CR_{32}$ or N;

$R_x$ and $R_y$ are independently of each other selected from hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl, substituted or unsubstituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, -$C(=O)R_{20}$ and -$SO_2R_{25}$; or

$R_x$ and $R_y$ are both taken together with A to form a ring system selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted heteroaryl, and unsubstituted or substituted aryl; or


one of $R_x$ or $R_y$ is taken together with A to form a ring system selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted heteroaryl, and unsubstituted or substituted aryl; and


whenever $R_x$ and $R_y$ independently of each other are selected from hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkenyl, substituted or unsubstituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, $-C(=O)R_{20}$ and $-SO_2R_{25}$, then $R_{11b}$ cannot be hydrogen;

whenever one or more heteroatom(s) is/are present it is/they are selected from O, N and S.

26. A compound according to claims 24 or 25, wherein $R_{11b}$ is selected from the group consisting of unsubstituted or substituted $C_{2-9}$ heteroalicyclyl and unsubstituted or substituted heteroaryl.

27. A compound according to claims 24-25, wherein $R_{11b}$ is selected from the group consisting of:





, and halogen

wherein $R_{83a}$ and $R_{83b}$ are independently of each other selected from the group consisting of hydrogen, fluoro, $C_{1-6}$ alkyl, or $R_{83a}$ and $R_{83b}$ taken together with the carbon atom to which they are attached form a $C_{3-8}$ cycloalkyl;

$R_{80}$ and $R_{81}$ independently of each other are selected from the group consisting of hydrogen, halogen, -CN, -OH, $C_{1-4}$ alkyl, $C_{1-4}$ haloalkyl, $C_{1-4}$ hydroxyalkyl, $C_{1-4}$ aminoalkyl, $-CF_3$, $C_{1-4}$ alkoxy, $C_{1-4}$ alkoxy-$C_{1-4}$ alkyl, $-OCF_3$, $-NR_{52}R_{53}$, $-C(=O)NR_{52}R_{53}$, $-C(=O)OR_{52}$;

r and s are integers selected from 0, 1 or 2;

$R_{47}$, $R_{48}$, $R_{49}$, and $R_{50}$ independently of each other are selected from the group consisting of hydrogen, $C_{1-6}$ alkyl, $C_{1-6}$ alkoxy-$C_{1-6}$ alkyl, $-NR_{52}R_{53}$, $C_{1-6}$ aminoalkyl, -OH , $-C(=O)NR_{55}R_{56}$;

$R_{82}$ is selected from the group consisting of $C_{1-6}$ alkyl, $C_{1-6}$ alkoxy, $-NR_{85}R_{86}$, and -OH;

$R_{52}$, $R_{53}$, and $R_{54}$ independently of each other are selected from the group consisting of hydrogen, $C_{1-6}$ alkyl, $C_{1-6}$ haloalkyl, $C_{1-6}$ hydroxyalkyl, $C_{1-6}$ aminoalkyl, $C_{1-6}$ alkoxy, $C_{1-4}$ alkoxy-$C_{1-4}$ alkyl, $C_{3-8}$ cycloalkyl, and $-C(=O)R_{82}$;

$R_{55}$ and $R_{56}$ independently of each other are selected from the group consisting of $C_{1-6}$ alkyl, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, and

$R_{85}$ and $R_{86}$ independently of each other are selected from the group consisting of hydrogen, $C_{1-6}$ alkyl, and $C_{3-8}$ cycloalkyl or $R_{85}$ and $R_{86}$ taken together with the nitrogen atom form a ring system selected from unsubstituted or substituted heteroalicyclyl.

28. A compound according to claim 27, wherein $R_{80}$ and $R_{81}$ are hydrogen.

29. A compound according to any one of the claims 24-27, wherein

said $C_{1-6}$ haloalkyl is selected from the group consisting of $-CF_3$, $-CHF_2$, $-CH_2F$, $-CH_2CH_2F$, $-CH_2CHF_2$, $-CHFCF_3$,$-CH_2CF_3$;

said $C_{1-6}$ haloalkoxy is selected from the group consisting of $-OCF_3$, $-OCHF_2$, $-OCH_2F$, $-OCH_2CH_2F$, $-OCH_2CHF2$, $-OCH_2CF_3$;

said unsubstituted or substituted $C_{3-8}$ cycloalkyl is selected from unsubstituted or substituted cyclopropyl, unsubstituted or substituted cyclobutyl and unsubstituted or substituted cyclopentyl;

said unsubstituted or substituted $C_{2-9}$ heteroalicyclyl is selected from unsubstituted or substituted morpholinyl, unsubstituted or substituted pyrrolidinyl, unsubstituted or substituted pyrrolidinonyl, unsubstituted or substituted piperidinyl, unsubstituted or substituted piperazinyl, unsubstituted or substituted azetidinyl, unsubstituted or substituted oxazepanyl, and unsubstituted or substituted diazepanyl;

said unsubstituted or substituted aryl is unsubstituted or substituted phenyl; and

said unsubstituted or substituted heteroaryl is selected from the group consisting of unsubstituted or substituted pyridinyl, unsubstituted or substituted imidazolyl, unsubstituted or substituted isoxazolyl, unsubstituted or substituted pyrazolyl, unsubstituted or substituted furanyl and unsubstituted or substituted tetrazolyl,

30. A compound according to any one of the claims 25-28, wherein said substituted $C_{3-8}$ cycloalkyl, substituted $C_{2-9}$ heteroalicyclyl , substituted aryl and substituted heteroaryl is substituted by a substituent selected from the group consisting of halogen, -CN, -OH, oxo, $C_{1-4}$ alkyl, $C_{1-4}$ haloalkyl, $C_{1-4}$ hydroxyalkyl, $C_{1-4}$ alkoxy, $C_{1-4}$ haloalkoxy-$C_{1-4}$ alkyl, $C_{1-4}$ alkoxy-$C_{1-4}$ alkyl, $-NR_{52}R_{53}$, $-C(=O)NR_{52}R_{53}$, $-C(=O)OR_{52}$, $-C(=O)R_{82}$, and $C_{1-4}$ aminoalkyl.


31. A compound according to any one of the claims 1-30, wherein $R_x$ and $R_y$ independently of each other are selected from the group consisting of hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, $-C(=O)-C_{1-6}$ alkyl, and wherein at least one of $R_x$ an $R_y$ is not hydrogen.

32. A compound according to claim 31, wherein $C_{1-6}$ alkyl is substituted by a substituent selected from the group consisting of -OH, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl.

33. A compound according to any one of the claims 1-30, wherein $R_x$ and $R_y$ taken together with A form a ring system selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, and unsubstituted or substituted $C_{2-9}$ heteroalicyclyl or unsubstituted or substituted heteroaryl.

34. A compound according to claim 33, wherein $R_x$ and $R_y$ taken together with A form a ring selected from the group consisting of unsubstituted or substituted $C_{2-9}$ heteroalicyclyl and unsubstituted or substituted heteroaryl.

35. A compound according to claim 34, wherein $R_x$ and $R_y$ taken together with A form a ring system selected from the group consisting of:



which ring system is unsubstituted or substituted with 1, 2, 3 or 4 substituents selected from the group consisting of unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{1-6}$ haloalkyl, unsubstituted or substituted $C_{1-6}$ hydroxyalkyl, unsubstituted or substituted $C_{1-6}$ aminoalkyl, halogen, -OH, -CN, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl-$C_{1-6}$ alkyl, unsubstituted or substituted heteroaryl, unsubstituted or substituted heteroaryl-$C_{1-6}$ alkyl, $-(CR_{64}R_{65})_tNR_{62}R_{63}$, $-NR_{64}C(=O)NR_{65}R_{66}$, $-C(=O)NR_{67}R_{68}$, and $-C(=O)OR_{69}$;

wherein $R_{60}$, $R_{61}$, $R_{62}$, $R_{63}$, $R_{64}$, $R_{65}$, $R_{66}$, $R_{67}$, $R_{68}$ and $R_{69}$ are independently of each other selected from the group consisting of hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl; or

the ring system is part of a bicyclic ring system; and t is selected from an integer selected from 0, 1, 2 and 3.

36. A compound according to claim 35, wherein said unsubstituted or substituted $C_{1-6}$ alkyl is selected from the group consisting of methyl, ethyl, propyl, isopropyl, butyl, tert-butyl, $C_{1-6}$ haloalkyl, $C_{1-6}$ aminoalkyl,-$CH_2NR_{70}R_{71}$, $C_{1-6}$ hydroxyalkyl, $C_{1-6}$ alkoxy-$C_{1-6}$ alkyl, aryl-$C_{1-6}$ alkyl, wherein $R_{70}$ and $R_{71}$ independently of each other are selected from hydrogen or $C_{1-4}$ alkyl, and;

said unsubstituted or substituted $C_{2-9}$ heteroalicyclyl is selected from unsubstituted or substituted pyrrolidinyl, and unsubstituted or substituted pyrrolidinyl-2-one;

said unsubstituted or substituted heteroaryl is selected from unsubstituted or substituted imidazolyl, unsubstituted or substituted pyrrolyl, unsubstituted or substituted pyrazolyl, unsubstituted or substituted tetrazolyl,and unsubstituted or substituted pyridyl; and

said unsubstituted or substituted aryl is selected from unsubstituted or substituted phenyl.

37. A compound according to any one of the claims 1-24, wherein $R_{8a}$, $R_{9a}$, $R_{10a}$, and $R_{11a}$ are absent and $R_{11b}$ is selected from the group consisting of halogen, unsubstituted or substituted $C_{1-6}$ haloalkyl, unsubstituted or substituted $C_{1-6}$ hydroxyalkyl, unsubstituted or substituted $C_{1-6}$ aminoalkyl, unsubstituted or substituted $C_{1-6}$ cyanoalkyl, unsubstituted or substituted $C_{1-6}$ alkoxy-$C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{1-6}$ haloalkoxy, -OH, -CN, -$NO_2$, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, -$NR_{12}R_{13}$ , -$C(=O)NR_{22}R_{23}$, -$SO_2R_{25}$, -$SO_2NR_{26}R_{27}$, -$NR_{33}(CR_{34}R_{35})_mC(=O)NR_{36}R_{37}$, -$(CR_{38}R_{39})_mNR_{40}R_{41}$, and -$(CR_{42}R_{43})_mC(=O)NR_{44}R_{45}$,

wherein $R_{12}$, $R_{13}$, $R_{22}$, $R_{23}$, $R_{25}$, $R_{26}$, $R_{27}$, $R_{36}$, $R_{37}$, $R_{40}$, $R_{41}$, $R_{44}$, $R_{45}$ independently of each other are selected from the group consisting of hydrogen, unsubstituted or substituted $C_{1-6}$ alkyl, unsubstituted or substituted $C_{1-6}$ alkoxy, unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl; or $R_{12}$ and $R_{13}$, $R_{22}$ and $R_{23}$, $R_{26}$ and $R_{27}$, $R_{36}$ and $R_{37}$, $R_{40}$ and $R_{41}$, $R_{44}$ and $R_{45}$ taken together with the atom to which they are simultaneously attached form a ring selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{2-9}$ heteroalicyclyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl,

$R_{33}$, $R_{34}$, $R_{35}$, $R_{36}$, $R_{38}$, $R_{39}$, $R_{42}$, and $R_{43}$ independently are selected from the group consisting of hydrogen and $C_{1-6}$ alkyl, and

m is an integer selected from the group consisting of 0, 1, 2, 3 or 4; and

A is N; and

Rx and Ry taken together with A form a ring system selected from the group consisting of unsubstituted or substituted $C_{3-8}$ cycloalkyl, unsubstituted or substituted $C_{3-8}$ cycloalkenyl, and unsubstituted or substituted $C_{2-9}$ heteroalicyclyl or unsubstituted or substituted heteroaryl.

38. A compound according to claim 1, wherein the compound is selected from the group consisting of

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[(4-methylpiperazin-1-yl)methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(piperazin-1-ylmethyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-pyrrolidin-1-yl-benzamide,

5-[(4-acetylpiperazin-1-yl)methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(4-methylpiperazin-1-yl)sulfonyl-2-morpholino-benzamide,

5-[3-(dimethylamino)pyrrolidin-1-yl]sulfonyl-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

5-[3-(dimethylamino)azetidin-1-yl]sulfonyl-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

5-(3-aminoazetidin-1-yl)sulfonyl-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

N3-(2-hydroxy-4-methyl-6-quinolyl)-N1,N1-dimethyl-4-morpholino-benzene-1,3-dicarboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(4-methylpiperazine-1-carbonyl)-2-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholine-4-carbonyl)-2-morpholino-benzamide,

N3-(2-hydroxy-4-methyl-6-quinolyl)-4-morpholino-benzene-1,3-dicarboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(methoxymethyl)-2-pyrrolidin-1-yl-benzamide,

5-(hydroxymethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(4-methylpiperazin-1-yl)benzamide,

2-[3-(dimethylamino)pyrrolidin-1-yl]-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-hydroxypyrrolidin-1-yl)benzamide,

2-(2-dimethylaminoethylamino)-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-2-(2-hydroxyethylamino)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

2-[3-(dimethylamino)azetidin-1-yl]-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-N-methyl-2-(4-methylpiperazin-1-yl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-N-methyl-5-morpholinosulfonyl-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-nitro-2-pyrrolidin-1-yl-pyridine-3-carboxamide,

5-amino-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-pyridine-3-carboxamide,

5-[(2-amino-2-oxo-ethyl)amino]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(methoxymethyl)pyrrolidin-1-yl]-5-(morpholinomethyl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-[2-(1H-pyrazol-3-yl)pyrrolidin-1-yl]benzamide,

N-[2-hydroxy-4-(trifluoromethyl)-6-quinolyl]-5-(morpholinomethyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-5-(morpholinomethyl)-2-pyrrolidin-1-yl-benzamide,

2-[2-(hydroxymethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-hydroxypyrrolidin-1-yl)-5-(morpholinomethyl)benzamide,

2-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-3-pyrrolidin-1-yl-6-(1H-tetrazol-5-yl)pyridine-2-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-(2-oxopyrrolidin-1-yl)benzamide,

6-cyano-N-(2-hydroxy-4-methyl-6-quinolyl)-3-pyrrolidin-1-yl-pyridine-2-carboxamide,

6-(aminomethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-3-pyrrolidin-1-yl-pyridine-2-carboxamide,

6-(dimethylaminomethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-3-pyrrolidin-1-yl-pyridine-2-carboxamide,

6-acetyl-N-(2-hydroxy-4-methyl-6-quinolyl)-3-pyrrolidin-1-yl-pyridine-2-carboxamide,

6-(1-hydroxyethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-3-pyrrolidin-1-yl-pyridine-2-carboxamide,

N2-(2-hydroxy-4-methyl-6-quinolyl)-3-pyrrolidin-1-yl-pyridine-2,6-dicarboxamide,

2-cyano-N-(2-hydroxy-4-methyl-6-quinolyl)-5-pyrrolidin-1-yl-pyridine-4-carboxamide,

2-acetyl-N-(2-hydroxy-4-methyl-6-quinolyl)-5-pyrrolidin-1-yl-pyridine-4-carboxamide,

2-(1-hydroxyethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-pyrrolidin-1-yl-pyridine-4-carboxamide,

N4-(2-hydroxy-4-methyl-6-quinolyl)-5-pyrrolidin-1-yl-pyridine-2,4-dicarboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-pyrrolidin-1-yl-2-(1H-tetrazol-5-yl)pyridine-4-carboxamide,

5-(1-hydroxyethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(1-methoxyethyl)-2-pyrrolidin-1-yl-benzamide,

2-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(methoxymethyl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(methoxymethyl)-2-[2-(1H-pyrazol-3-yl)pyrrolidin-1-yl]benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(isopropoxymethyl)-2-pyrrolidin-1-yl-benzamide,

2-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(trifluoromethoxy)benzamide,

3-(dimethylaminomethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-1H-indole-7-carboxamide,

3-(dimethylaminomethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-1H-indole-4-carboxamide,

5-amino-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

5-[(2-amino-2-oxo-ethyl)amino]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

5-fluoro-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-(1-piperidylsulfonyl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-morpholinosulfonyl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-methoxy-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-sulfamoyl-benzamide,

5-acetamido-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-morpholinosulfonyl-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-methoxy-benzenesulfonamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-nitro-benzenesulfonamide,

5-amino-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzenesulfonamide,

2-cyano-N-(2-hydroxy-4-methyl-6-quinolyl)-5-morpholinosulfonyl-benzamide,

5-(dimethylsulfamoyl)-2-morpholino-N-[2-oxo-4-(trifluoromethyl)-1H-quinolin-6-yl]benzamide,

N3-(2-hydroxy-4-methyl-6-quinolyl)-4-morpholino-benzene-1,3-disulfonamide,

5-(dimethylsulfamoyl)-N-(4-hydroxy-2-oxo-1H-quinolin-6-yl)-2-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-nitro-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-1-(oxazol-2-ylmethyl)-5-pyrrolidin-1-yl-indole-6-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-1-(oxazolidin-2-ylmethyl)-5-pyrrolidin-1-yl-indole-6-carboxamide,

3-(dimethylaminomethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-pyrrolidin-1-yl-1H-indole-6-carboxamide,

1-(2-amino-2-oxo-ethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-pyrrolidin-1-yl-indole-6-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-pyrrolidin-1-yl-pyridine-3-carboxamide,

2-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-hydroxypyrrolidin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(4-chloro-2-hydroxy-6-quinolyl)-2-morpholino-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(4-methyl-2-oxo-pyrido[1,2-a]pyrimidin-7-yl)-5-(morpholinomethyl)-2-pyrrolidin-1-yl-pyridine-3-carboxamide,

N-(8-methyl-6-oxo-5H-1,5-naphthyridin-2-yl)-5-(morpholinomethyl)-2-pyrrolidin-1-yl-pyridine-3-carboxamide,

N-(8-methyl-6-oxo-5H-1,5-naphthyridin-2-yl)-5-morpholinosulfonyl-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-3-pyrrolidin-1-yl-pyridine-4-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-pyridine-3-carboxamide,

2-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

N-(4-methoxy-2-oxo-1H-quinolin-6-yl)-5-[(4-methylpiperazin-1-yl)methyl]-2-pyrrolidin-1-yl-benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-2-morpholino-benzamide,

5-morpholinosulfonyl-N-(2-oxo-3,4-dihydro-1H-quinolin-6-yl)-2-pyrrolidin-1-yl-benzamide,

N-(4-methyl-2-oxo-3,4-dihydro-1H-quinolin-6-yl)-5-(morpholinomethyl)-2-pyrrolidin-1-yl-benzamide,

5-(dimethylsulfamoyl)-N-(4-methyl-2-oxo-3,4-dihydro-1H-quinolin-6-yl)-2-pyrrolidin-1-yl-benzamide,

N-(4,4-dimethyl-2-oxo-1,3-dihydroquinolin-6-yl)-5-(morpholinomethyl)-2-pyrrolidin-1-yl-benzamide,

N-(4,4-dimethyl-2-oxo-1,3-dihydroquinolin-6-yl)-5-(dimethylsulfamoyl)-2-pyrrolidin-1-yl-benzamide,

5-amino-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrazol-1-yl-benzamide,

5-(dimethylsulfamoyl)-N-(8-fluoro-4,4-dimethyl-2-oxo-1,3-dihydroquinolin-6-yl)-2-pyrrolidin-1-yl-benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4,8-dimethyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-8-methoxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-5-(trifluoromethyl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-hydroxypyrrolidin-1-yl)-5-morpholinosulfonyl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-methoxypyrrolidin-1-yl)-5-morpholinosulfonyl-benzamide,

5-(cyanomethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(1-morpholinocyclopropyl)-2-pyrrolidin-1-yl-benzamide,

2-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(1-morpholinocyclopropyl)benzamide,

2-cyano-5-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-4-carboxamide,

2-cyano-N-(2-hydroxy-4-methyl-6-quinolyl)-5-morpholino-pyridine-4-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-4-pyrrolidin-1-yl-pyridine-3-carboxamide,

N-(4-methoxy-2-oxo-1H-quinolin-6-yl)-5-[(4-methylpiperazin-1-yl)methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-methylmorpholin-4-yl)pyridine-3-carboxamide,

2-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-2-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-4-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-4-pyrrolidin-1-yl-pyridine-3-carboxamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

2-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4,7-dimethyl-6-quinolyl)pyridine-3-carboxamide,

2-(3,3-difluoropyrrolidin-1-yl)-N-(2-hydroxy-4,7-dimethyl-6-quinolyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4-isopropyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

N-(3-methyl-2-oxo-1,4-dihydroquinazolin-6-yl)-2-morpholino-pyridine-3-carboxamide,

N-(1-methyl-2-oxo-3,4-dihydroquinolin-6-yl)-2-morpholino-pyridine-3-carboxamide,

2-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

2-(3,3-difluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-6-(trifluoromethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-6-(trifluoromethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4,8-dimethyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-4-methyl-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-4-methyl-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-(trifluoromethyl)pyridine-3-carboxamide,

5-chloro-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

2-(3,4a,5,6,7,7a-hexahydro-2H-pyrrolo[3,4-b][1,4]oxazin-4-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

2-(2,3,4a,5,7,7a-hexahydrofuro[3,4-b][1,4]oxazin-4-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)pyridine-3-carboxamide,

2-[3-(hydroxymethyl)morpholin-4-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

2-(4,4-difluoro-1-piperidyl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

2-(6,8-dihydro-5H-imidazo[1,2-a]pyrazin-7-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-oxopiperazin-1-yl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methoxy-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-iodo-2-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-isoxazol-4-yl-2-morpholino-benzamide,

5-(3,5-dimethylisoxazol-4-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-5-iodo-2-morpholino-benzamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-5-(1-methylpyrazol-4-yl)-2-morpholino-benzamide,

5-(3,5-dimethylisoxazol-4-yl)-N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-2-morpholino-benzamide,

N-(2-hydroxy-4,8-dimethyl-6-quinolyl)-5-iodo-2-morpholino-benzamide,

5-(3-furyl)-N-(2-hydroxy-4,8-dimethyl-6-quinolyl)-2-morpholino-benzamide,

N-(2-hydroxy-7-methoxy-4-methyl-6-quinolyl)-5-iodo-2-morpholino-benzamide,

N-(2-hydroxy-7-methoxy-4-methyl-6-quinolyl)-5-(1-methylpyrazol-4-yl)-2-morpholino-benzamide,

5-(3-furyl)-N-(2-hydroxy-7-methoxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

5-(3,5-dimethylisoxazol-4-yl)-N-(2-hydroxy-7-methoxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

2-(3-fluoropyrrolidin-1-yl)-5-(3-furyl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-5-isoxazol-4-yl-2-morpholino-benzamide,

2-cyano-N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-5-morpholino-pyridine-4-carboxamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-isopropyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(1-methylpyrazol-4-yl)-2-morpholino-benzamide,

5-(3-furyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

5-(1-hydroxyethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

N-(2-hydroxy-8-methoxy-4-methyl-6-quinolyl)-5-(1-methylpyrazol-4-yl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-7-methoxy-4-methyl-6-quinolyl)-5-(1-methylpyrazol-4-yl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-5-(1-methylpyrazol-4-yl)-2-morpholino-pyridine-3-carboxamide,

5-(dimethylsulfamoyl)-2-[(3R)-3-fluoropyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-2-[(3S)-3-fluoropyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(3-furyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(1-methylpyrazol-4-yl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-isoxazol-4-yl-2-morpholino-pyridine-3-carboxamide,

5-(3,5-dimethylisoxazol-4-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

5-(3-furyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(6-oxa-2-azaspiro[3.3]heptan-2-yl)pyridine-3-carboxamide,

5-(3-furyl)-N-(2-hydroxy-4,8-dimethyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(5-methyl-1,3,4-oxadiazol-2-yl)-2-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-(1H-tetrazol-5-yl)benzamide,

3-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]-4-morpholino-benzoic acid,

5-cyano-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

5-bromo-2-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(4-methylpiperazin-1-yl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2,5-dimorpholino-pyridine-3-carboxamide,

5-[4-(dimethylamino)-1-piperidyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

5-(3,5-dimethylisoxazol-4-yl)-N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

5-(3-furyl)-N-(2-hydroxy-8-methoxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

5-(3-furyl)-N-(2-hydroxy-7-methoxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

5-(3-furyl)-N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

5-(azetidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

5-[(3S)-3-fluoropyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

5-[(3R)-3-fluoropyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-5-(2-methyltetrazol-5-yl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-5-(1-methyltetrazol-5-yl)-2-morpholino-pyridine-3-carboxamide,

2-cyano-5-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-4-carboxamide,

2-cyano-N-(2-hydroxy-4-methyl-6-quinolyl)-5-morpholino-pyridine-4-carboxamide,

5-(dimethylsulfamoyl)-2-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-3-carboxamide,

N-(2-hydroxy-4,7-dimethyl-6-quinolyl)-5-(3-methylisoxazol-5-yl)-2-morpholino-pyridine-3-carboxamide,

N-(2-hydroxy-7-methoxy-4-methyl-6-quinolyl)-5-(5-methyl-1,3,4-oxadiazol-2-yl)-2-morpholino-benzamide,

N4-(2-hydroxy-4-methyl-6-quinolyl)-5-pyrrolidin-1-yl-pyridine-2,4-dicarboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-pyrrolidin-1-yl-2-(1H-tetrazol-5-yl)pyridine-4-carboxamide,

5-(cyanomethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(1-morpholinocyclopropyl)-2-pyrrolidin-1-yl-benzamide,

5-(1-hydroxyethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(2-pyridyl)pyrrolidin-1-yl]benzamide,

2-acetyl-N-(2-hydroxy-4-methyl-6-quinolyl)-5-morpholino-pyridine-4-carboxamide,

2-(1-hydroxyethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-morpholino-pyridine-4-carboxamide,

2-acetyl-5-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-4-carboxamide,

5-(3-fluoropyrrolidin-1-yl)-2-(1-hydroxyethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-4-carboxamide,

2-cyano-5-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-4-carboxamide,

2-acetyl-5-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-4-carboxamide,

5-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-2-(1-hydroxyethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)pyridine-4-carboxamide,

N-(1-methyl-2-oxo-3,4-dihydroquinolin-6-yl)-2-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

3-(cyclopentylsulfamoyl)-4-methyl-N-(1-methyl-2-oxo-3,4-dihydroquinolin-6-yl)benzamide,

N-(1-methyl-2-oxo-3,4-dihydroquinolin-6-yl)-2-morpholino-pyridine-3-carboxamide,

2-(4-methylpiperazin-1-yl)-N-(3-oxo-4H-1,4-benzoxazin-7-yl)benzamide,

N-(1-methyl-2-oxo-3,4-dihydroquinolin-6-yl)-2-(4-methylpiperazin-1-yl)benzamide,

N-(4-methyl-3-oxo-1,4-benzoxazin-7-yl)-2-(4-methylpiperazin-1-yl)benzamide,

N-(1-methyl-2-oxo-3,4-dihydroquinolin-6-yl)-2-(4-pyrazin-2-ylpiperazin-1-yl)benzamide,

N-(1-methyl-2-oxo-3,4-dihydroquinolin-6-yl)-2-morpholino-5-nitro-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(4-methylpiperazin-1-yl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(4-pyrazin-2-ylpiperazin-1-yl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-sulfamoyl-benzamide,

N-(1-methyl-2-oxo-3,4-dihydroquinolin-6-yl)-2-morpholino-5-sulfamoyl-benzamide,

5-(2,5-dioxopyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

5-(benzenesulfonamido)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(4-methylpiperazin-1-yl)benzamide,

5-(ethylsulfonylamino)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(4-methylpiperazin-1-yl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-nitro-benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-(1-piperidylsulfonyl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-morpholinosulfonyl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-3-(piperazin-1-ylmethyl)benzamide,

2-(dimethylamino)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-nitro-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-3-(methylsulfamoyl)benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-3-[(2-oxopyrrolidin-1-yl)methyl]benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-nitro-2-pyrrolidin-1-yl-benzamide,

3-[(2-amino-2-oxo-ethyl)sulfamoyl]-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(methanesulfonamido)-5-morpholino-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-3-pyrrolidin-1-yl-benzamide,

4-amino-N-(2-hydroxy-4-methyl-6-quinolyl)-3-nitro-benzamide,

3-(dimethylaminomethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-1H-indole-6-carboxamide,

2-morpholino-N-[2-oxo-4-(trifluoromethyl)-1H-quinolin-6-yl]-5-sulfamoyl-benzamide,

5-(dimethylsulfamoyl)-2-fluoro-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

2-bromo-N-(2-hydroxy-4-methyl-6-quinolyl)-5-morpholinosulfonyl-benzamide,

N-(4-hydroxy-2-oxo-1H-quinolin-6-yl)-2-morpholino-5-morpholinosulfonyl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-3-(4-methylpiperazin-1-yl)sulfonyl-benzamide,

5-(dimethylsulfamoyl)-N-(2,4-dioxo-1H-quinazolin-6-yl)-2-morpholino-benzamide,

5-(dimethylsulfamoyl)-N-(2,4-dioxo-1H-quinazolin-6-yl)-2-pyrrolidin-1-yl-benzamide,

5-(dimethylsulfamoyl)-N-(3-methyl-2-oxo-1,4-dihydroquinazolin-6-yl)-2-morpholino-benzamide,

5-(dimethylsulfamoyl)-N-(3-methyl-2-oxo-1,4-dihydroquinazolin-6-yl)-2-pyrrolidin-1-yl-benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-methylpyrrolidin-1-yl)benzamide,

5-(dimethylsulfamoyl)-2-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-methoxypyrrolidin-1-yl)benzamide,

1-[4-(dimethylsulfamoyl)-2-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]phenyl]pyrrolidine-3-carboxamide,

2-[3-(dimethylamino)pyrrolidin-1-yl]-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-isobutylpyrrolidin-1-yl)benzamide,

2-[3-(dimethylaminomethyl)pyrrolidin-1-yl]-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-ureidopyrrolidin-1-yl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-pyrrolidin-1-ylpyrrolidin-1-yl)benzamide,

2-[3-(2-amino-2-oxo-ethoxy)pyrrolidin-1-yl]-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-phenylpyrrolidin-1-yl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(2-methylpyrrolidin-1-yl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(methoxymethyl)pyrrolidin-1-yl]benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(5-methyl-2,3,3a,4,6,6a-hexahydropyrrolo[3,4-b]pyrrol-1-yl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(2-isobutylpyrrolidin-1-yl)benzamide,

2-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-2-[2-(1-hydroxy-1-methyl-ethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(1H-imidazol-2-yl)pyrrolidin-1-yl]benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(1H-pyrazol-3-yl)pyrrolidin-1-yl]benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(1H-tetrazol-5-yl)pyrrolidin-1-yl]benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(4-methyl-3,3a,5,6,7,7a-hexahydro-2H-pyrrolo[3,2-b]pyridin-1-yl)benzamide,

1-[4-(dimethylsulfamoyl)-2-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]phenyl]-N,N-dimethyl-pyrrolidine-2-carboxamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(3-pyridyl)pyrrolidin-1-yl]benzamide,

1-[4-(dimethylsulfamoyl)-2-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]phenyl]-4-hydroxy-pyrrolidine-2-carboxamide,

5-(dimethylsulfamoyl)-2-(3-hydroxy-3-methyl-8-azabicyclo[3.2.1]octan-8-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-2-(4-hydroxy-2,5-dimethyl-1-piperidyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(2-phenyl-1-piperidyl)benzamide,

2-(2,3,4,4a,5,7,8,8a-octahydropyrano[4,3-b]pyridin-1-yl)-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(5-oxopyrrolidin-3-yl)-1-piperidyl]benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-1H-indole-6-carboxamide,

5-(diethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

5-(diethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(1-piperidyl)benzamide,

4-chloro-N-(2-hydroxy-4-methyl-6-quinolyl)-3-nitro-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(2-methyl-1-piperidyl)-5-nitro-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-4-(4-piperidyl)pyrimidine-5-carboxamide,

5-nitro-N-(2-oxo-3,4-dihydro-1H-quinolin-6-yl)-2-pyrrolidin-1-yl-benzamide,

N-(4-methyl-3-oxo-1,4-benzoxazin-7-yl)-5-nitro-2-pyrrolidin-1-yl-benzamide,

5-morpholinosulfonyl-N-(2-oxo-3,4-dihydro-1H-quinolin-6-yl)-2-pyrrolidin-1-yl-benzamide,

N-(4-methyl-3-oxo-1,4-benzoxazin-7-yl)-5-morpholinosulfonyl-2-pyrrolidin-1-yl-benzamide,

5-[(4-methylpiperazin-1-yl)methyl]-N-(2-oxo-3,4-dihydro-1H-quinolin-6-yl)-2-pyrrolidin-1-yl-benzamide,

5-[[2-hydroxyethyl(methyl)amino]methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-5-[(tetrahydrofuran-2-ylmethylamino)methyl]benzamide,

5-[[3-(dimethylamino)pyrrolidin-1-yl]methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[(3-hydroxypyrrolidin-1-yl)methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]methyl]-2-pyrrolidin-1-yl-benzamide,

5-[[4-(2-hydroxyethyl)piperazin-1-yl]methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[(4-methyl-1,4-diazepan-1-yl)methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[(3-methoxypyrrolidin-1-yl)methyl]-2-pyrrolidin-1-yl-benzamide,

5-[(3-hydroxyazetidin-1-yl)methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[[3-(methoxymethyl)azetidin-1-yl]methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[[3-(methoxymethyl)-1-piperidyl]methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-pyrrolidin-1-yl-pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-methylpyrrolidin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(2-methylpyrrolidin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-hydroxypyrrolidin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-methoxypyrrolidin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-(3-fluoro-3-methyl-pyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-(3-carbamoylpyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[3-(methoxymethyl)pyrrolidin-1-yl]-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(2-isobutylpyrrolidin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-isobutylpyrrolidin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[2-(dimethylaminomethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[1-[3-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]-5-(morpholinomethyl)-2-pyridyl]pyrrolidin-2-yl]acetic acid,

2-(2-carbamoyl-4-hydroxy-pyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-[2-(1H-pyrazol-3-yl)pyrrolidin-1-yl]pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-[2-(1H-tetrazol-5-yl)pyrrolidin-1-yl]pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-(3-pyrrolidin-1-ylpyrrolidin-1-yl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(4-methyl-3,3a,5,6,7,7a-hexahydro-2H-pyrrolo[3,2-b]pyridin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[2-(dimethylcarbamoyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(4-methyl-2,3,4a,5,7,7a-hexahydropyrrolo[3,4-b][1,4]oxazin-6-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-[3-(4-pyridyl)pyrrolidin-1-yl]pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(imidazol-1-ylmethyl)pyrrolidin-1-yl]-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-[2-(pyrazol-1-ylmethyl)pyrrolidin-1-yl]pyridine-3-carboxamide,

2-[2-(hydroxymethyl)morpholin-4-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[2-(hydroxymethyl)-5-methyl-morpholin-4-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(methoxymethyl)morpholin-4-yl]-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[2-(dimethylaminomethyl)morpholin-4-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[3-(hydroxymethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[methyl-(2-oxopyrrolidin-3-yl)amino]benzamide,

1-[4-(dimethylsulfamoyl)-2-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]phenyl]pyrrolidine-3-carboxylic acid,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(7-oxo-2,3,3a,4,5,7a-hexahydropyrano[3,4-b]pyrrol-1-yl)benzamide,

5-(dimethylsulfamoyl)-2-[2-(hydroxymethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

1-[4-(dimethylsulfamoyl)-2-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]phenyl]pyrrolidine-2-carboxamide,

(2S)-1-[4-(dimethylsulfamoyl)-2-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]phenyl]pyrrolidine-2-carboxylic acid,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-(8-oxa-4-azaspiro[4.5]decan-4-yl)benzamide,

2-(2,5-dimethyl-4-oxo-1-piperidyl)-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(2H-tetrazol-5-yl)-1-piperidyl]benzamide,

5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(2-methoxyphenyl)-1-piperidyl]benzamide,

1-[4-(dimethylsulfamoyl)-2-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]phenyl]-6-methyl-piperidine-3-carboxamide,

2-(2,5-dimethylmorpholin-4-yl)-5-(dimethylsulfamoyl)-N-(2-hydroxy-4-methyl-6-quinolyl)benzamide,

5-[(2-furylmethylamino)methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[(isobutylamino)methyl]-2-pyrrolidin-1-yl-benzamide,

5-[(cyclopropylamino)methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[(3-pyridylmethylamino)methyl]-2-pyrrolidin-1-yl-benzamide,

5-[(cyanomethylamino)methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[[isopropyl(methyl)amino]methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-5-[(2,2,2-trifluoroethylamino)methyl]benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[(3-methoxy-1-piperidyl)methyl]-2-pyrrolidin-1-yl-benzamide,

5-[[3-(dimethylamino)azetidin-1-yl]methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[(1H-imidazol-2-ylmethylamino)methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-5-[[1-(1H-tetrazol-5-yl)ethylamino]methyl]benzamide,

5-(dimethylaminomethyl)-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[[(2-methoxy-4-pyridyl)methylamino]methyl]-2-pyrrolidin-1-yl-benzamide,

5-[(3-cyano-1-piperidyl)methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

1-[[3-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]-4-pyrrolidin-1-yl-phenyl]methyl]-N-methyl-pyrrolidine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[[1-(1H-imidazol-2-yl)ethylamino]methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-5-[(tetrahydrofuran-3-ylamino)methyl]benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[(isoxazol-4-ylamino)methyl]-2-pyrrolidin-1-yl-benzamide,

5-[(3-fluoropyrrolidin-1-yl)methyl]-N-(2-hydroxy-4-methyl-6-quinolyl)-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-[[(1-methylpyrazol-4-yl)amino]methyl]-2-pyrrolidin-1-yl-benzamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(1,4-oxazepan-4-ylmethyl)-2-pyrrolidin-1-yl-benzamide,

2-(3-fluoropyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[2-(hydroxymethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-(2-carbamoylpyrrolidin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[3-(dimethylamino)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

(2S)-1-[3-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]-5-(morpholinomethyl)-2-pyridyl]pyrrolidine-2-carboxylic acid,

(2R)-1-[3-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]-5-(morpholinomethyl)-2-pyridyl]pyrrolidine-2-carboxylic acid,

2-[(2S)-2-(difluoromethyl)pyrrolidin-1-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

1-[3-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]-5-(morpholinomethyl)-2-pyridyl]pyrrolidine-3-carboxylic acid,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(1H-imidazol-2-yl)pyrrolidin-1-yl]-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-(8-oxa-4-azaspiro[4.5]decan-4-yl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-[2-(4-pyridyl)pyrrolidin-1-yl]pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-[2-(3-pyridyl)pyrrolidin-1-yl]pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-morpholino-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-(3-oxopiperazin-1-yl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(4-methylpiperazin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-(2,5-dimethylmorpholin-4-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[3-(hydroxymethyl)morpholin-4-yl]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

2-(2-cyano-4-methyl-piperazin-1-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

4-[3-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]-5-(morpholinomethyl)-2-pyridyl]morpholine-3-carboxamide,

4-[3-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]-5-(morpholinomethyl)-2-pyridyl]morpholine-2-carboxamide,

4-[3-[(2-hydroxy-4-methyl-6-quinolyl)carbamoyl]-5-(morpholinomethyl)-2-pyridyl]morpholine-3-carboxylic acid,

2-(3,4a,5,7,8,8a-hexahydro-2H-pyrano[4,3-b][1,4]oxazin-4-yl)-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[2-(1-methylpyrazol-4-yl)morpholin-4-yl]-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(3-methyl-4-oxo-imidazolidin-1-yl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[methyl(tetrahydrofuran-3-yl)amino]-5-(morpholinomethyl)pyridine-3-carboxamide,

2-[(1-cyanocyclobutyl)-methyl-amino]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[methyl(1H-pyrazol-4-ylmethyl)amino]-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[methyl(1,2,4-oxadiazol-5-ylmethyl)amino]-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[methyl-(2-oxopyrrolidin-3-yl)amino]-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-[methyl(tetrahydrofuran-2-ylmethyl)amino]-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(isoxazol-4-ylamino)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-2-(1H-imidazol-2-ylmethylamino)-5-(morpholinomethyl)pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-[(5-oxopyrrolidin-3-yl)amino]pyridine-3-carboxamide,

N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)-2-[(5-oxopyrrolidin-2-yl)methylamino]pyridine-3-carboxamide,

2-[[2-(hydroxymethyl)cyclopentyl]amino]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide, and

2-[(2-hydroxycyclopentyl)methylamino]-N-(2-hydroxy-4-methyl-6-quinolyl)-5-(morpholinomethyl)pyridine-3-carboxamide.

39. A pharmaceutical composition comprising a compound according to any one of the preceding claims and at least one pharmaceutical acceptable excipient.

40. A compound according to any one of the claims 1-38 or a composition according to claim 39 for use in treating diseases or conditions related to systemic or tissue inflammation, inflammatory responses to infection or hypoxia, cellular activation and proliferation, lipid metabolism, fibrosis and in the prevention and treatment of viral infections.

41. A compound according to any one of the claims 1-38 or a composition according to claim 39 for use in treating diseases or conditions such as rheumatoid arthritis, osteoarthritis, acute gout, psoriasis, psoriatric arthritis, systemic lupus erythematosus, multiple sclerosis, inflammatory bowel disease, inflammatory bowel syndrome, Crohn's disease, ulcerative colitis, colitis, asthma, chronic obstructive airways disease, pneumonitis, myocarditis, pericarditis, myositis, eczema, dermatitis, atopic dermatitis, allergy, ankylosing spondylitis, lupus erythematosus, Hashimoto's disease, pancreatitis, autoimmune ocular disease, Sjögren's disease, optic neuritis, neuromyelitis optica, Myasthenia Gravis, Guillain Barre syndrome, Graves' disease,

alopecia, vitiligo, bullous skin diseases, nephritis, vasculitis, atherosclerosis, Alzheimer's disease, depression, retinitis, uveitis, scleritis, hepatitis, pancreatitis, primary biliary cirrhosis, sclerosing cholangitis, hypophysitis, thyroiditis, Addison's disease, type I diabetes and acute rejection of transplanted organs; or

treating an acute inflammatory diseases or conditions such as acute gout, giant cell arteritis, nephritis including lupus nephritis, vasculitis with organ involvement such as glomerulonephritis, vasculitis including giant cell arteritis, Polyarteritis nodosa, Behcet's disease, Wegener's granulomatosis, Kawasaki disease, Takayasu's Arteritis, vasculitis with organ involvement and acute rejection of transplanted organs; or

treating inflammatory responses to infections caused by bacteria, viruses, fungi, parasites or their toxins, such as sepsis, sepsis syndrome, septic shock, endotoxaemia, systemic inflammatory response syndrome (SIRS), multi-organ dysfunction syndrome, toxic shock syndrome, acute lung injury, ARDS (adult respiratory distress syndrome), acute renal failure, fulminant hepatitis, burns, acute pancreatitis, post-surgical syndromes, sarcoidosis, Herxheimer reactions, encephalitis, myelitis, meningitis, malaria and SIRS associated with viral infections such as influenza, herpes zoster, herpes simplex and coronavirus; or

treating ischaemia-reperfusion injury such as myocardial infarction, cerebrovascular ischaemia (stroke), acute coronary syndromes, renal reperfusion injury, organ transplantation, coronary artery bypass grafting, cardio-pulmonary bypass procedures, pulmonary, renal, hepatic, gastro-intestinal or peripheral limb embolism; or

treating disorders or conditions of lipid metabolism such as hypercholesterolemia, atherosclerosis and Alzheimer's disease; or

treating fibrotic disorders or conditions such as idiopathic pulmonary fibrosis, renal fibrosis, post-operative stricture, keloid formation, scleroderma and cardiac fibrosis; or

treating or preventing viral infections such as herpes virus, human papilloma virus, human immunodeficiency virus (HIV), adenovirus and poxvirus; or

treating cancer, including hematological, epithelial including lung, breast and colon carcinomas, midline carcinomas, sarcomas, mesenchymal, hepatic, renal and neurological tumours; such as adenocarcinoma, acute lymphoblastic leukemia, acute myelogenous leukemia, adult T-cell leukemia/lymphoma, bladder cancer, blastoma, bone cancer, breast cancer, brain cancer, burkitts lymphoma, carcinoma, myeloid sarcoma, cervical cancer, chronic lymphocytic leukemia, chronic myelogenous leukemia, colorectal cancer, diffuse large B-cell lymphoma, endometrial cancer, esophageal cancer, follicular lymphoma, gastrointestinal cancer, glioblastoma multiforme, glioma, gallbladder cancer, gastric cancer, head and neck cancer, Hodgkin's lymphoma, non-Hodgkin's lymphoma, intestinal cancer, kidney cancer, laryngeal cancer, leukemia, lung cancer, lymphoma, liver cancer, small cell lung cancer, non-small cell lung cancer, melanoma, mesothelioma, multiple myeloma, ocular cancer, optic nerve tumor, oral cancer, ovarian cancer, pituitary tumor, primary central nervous system lymphoma, prostate cancer, pancreatic cancer, pharyngeal cancer, renal cell carcinoma, rectal cancer, sarcoma, skin cancer, spinal tumor, small intestine cancer, stomach cancer, T-cell lymphoma, testicular cancer, thyroid cancer, throat cancer, urogenital cancer, urothelial carcinoma, uterine cancer, vaginal cancer, or Wilms' tumor; or

treating obesity, such as obesity associated with cancer treatment or obesity associated with diabetes and cardiac hypertrophy.

42. A compound according to any one of the claims 1-38 or pharmaceutical composition according to the claim 37 for use in modulating the activity of at least one bromodomain.

43. A compound or pharmaceutical composition according claim 42, wherein modulating the activity comprises inhibiting the bromodomain.

44. A compound or pharmaceutical composition according claim 42 or claim 42, wherein the bromodomain is a member of the BET (bromodomain and extraterminal) family.

45. A compound or pharmaceutical composition according any one of the claims 41-44 wherein the bromodomain is contained in a human protein.