



(A)
Conjugate
Polysaccharide
CRM
5 hours
Intensity (MW)
Retention time (mins)
(B)
Conjugate
Polysaccharide
CRM
5 hours
Intensity (MW)
Retention time (mins)
(C)
Conjugate
CRM
Polysaccharide
5 hours
Intensity (MW)
Reetention time (mins)

FIG. 1

(D)



(E)



(F)




FIG. 1 (contd.)





(A)
Polysaccharide
PsaA
5 hours Conjugate
Intensity (MV)
Retention time (mins)
(B)
Conjugate
Polysaccharide
PsaA
5 hours
Intensity (MV)
Retention time (mins)
(C)
Polysaccharide
PsaA
Conjugate
5 hours
Intensity (MV)
Retention time (mins)

FIG. 2

(D)



(E)



(F)




FIG. 2 (contd.)



PsaA with 2.2 mcg of ST3, 6A and 6B
Day15
Day36
131000
32000
8000
2000
500
ST1
ST3
ST4
ST5
ST6A
ST6B
7F
ST9V
ST14
ST18C
ST19A
ST19F
ST22F
ST23F
ST33F

FIG. 3



128000
32000
8000
2000
500
Day12
Day40
1
3
4
5
6A
6B
7F
9V
14
18C
19A
19F
23F

FIG. 4



PsaA with 4.4 mcg of ST3, 6A and 6B
Day15
Day36
128000
32000
8000
2000
500
ST1
ST3
ST4
ST5
ST6A
ST6B
7F
ST9V
ST14
ST18C
ST19A
ST19F
ST22F
ST23F
ST33F

FIG. 5