

1/29

FIG. 1




FIG. 2




FIG. 3(a)




FIG. 3(b)




FIG. 4(a)




FIG. 4(b)




FIG. 5(a)




FIG. 5(b)




FIG. 6(a)





FIG. 6(b)




7/29

FIG. 7




8/29

FIG. 8



9/29

FIG. 9



10/29

FIG. 10





FIG. 11



12 / 29

FIG. 12





FIG. 13

14 / 29

FIG. 14





FIG. 15



16 / 29

FIG. 16







FIG. 20





20 / 29

FIG. 21

FORMAT OF ADDITIONAL REGISTRATION COMPLETION SIGNAL

FIG. 22

FORMAT OF REGISTERED FLOOR LIGHT-OFF SIGNAL

FIG. 23(a)*FIG. 23(b)*

21 / 29

FIG. 24




FIG. 25






FIG. 26**FIG. 27**

DATA FORMAT RECEIVED BY INDICATOR

FIG. 28





FIG. 29



FORMAT FOR CAR ILLUMINATION CONTROL SIGNAL

FIG. 30(a)




FIG. 30(b)





FIG. 31



27 / 29

FIG. 32




FIG. 33





FIG. 34

FORMAT FOR REPLY REQUEST SIGNAL

FIG. 35