




FIG. 1




FIG. 2




FIG. 3




FIG. 4

Configuration interface

Name	Type	Mandatory or not	Parameter value	Description
Virtual machine network interface identifier	Character string	Yes	fa:16:3e:9e:dc:31	Unique identifier of a virtual machine and a network interface of the virtual machine
Subnet information	Character string	Yes	255.255.255.128	Private network to which a sub-interface belongs
Virtual local area network identifier	Integer	Yes	1-4094	Identifier of a sub-interface in a VLAN space of a main interface
Private network address of a sub-interface	Character string	No	196.168.1.1	IP address of a sub-interface

:

MAC address of a sub-interface	Character string	No	8:00:20:0A:8C:6D	MAC address of a sub-interface
--------------------------------	------------------	----	------------------	--------------------------------

OK

FIG. 5





FIG. 6



Packet 1:	6 bits		6 bits		4 bits		2 bits	
	Destination address	Source address	Virtual local area network identifier		Type	Valid payload		
Packet 2:	8 bits		8 bits		6 bits		2 bits	
	Tunnel endpoint	User datagram protocol	Destination interface	Destination address	Source address	Virtual local area network identifier	Type	Valid payload
Packet 3:	6 bits		4 bits		2 bits			
	Destination address	Source address	Virtual local area network identifier		Type	Valid payload		

FIG. 7




FIG. 8




FIG. 9




FIG. 10