

X20637PCTSequenceListingFinalST25.txt
SEQUENCE LISTING

<110> Eli Lilly and Company

<120> Glucagon and GLP-1 co-agonist compounds

<130> X-20637

<150> 62/182847

<151> 2015-06-22

<160> 11

<170> PatentIn version 3.5

<210> 1

<211> 37

<212> PRT

<213> Homo sapien

<400> 1

His Ser Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Ser
1 5 10 15

Arg Arg Ala Gln Asp Phe Val Gln Trp Leu Met Asn Thr Lys Arg Asn
20 25 30

Arg Asn Asn Ile Ala
35

<210> 2

<211> 34

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa at position 2 is nonnaturally occurring amino acid
2-Aminoisobutyric Acid

<220>

<221> MOD_RES

<222> (2)..(2)

<223> Aib

<220>

<221> MOD_RES

<222> (20)..(20)

<223> Lys at position 20 is chemically modified by conjugation of the
epsilon-amino group of the Lys side chain with a C14-C24 fatty
acid via (i) a direct bond or (ii) a linker between the Lys at
position 20 and the C14-C24 fatty acid

<220>

<221> MISC_FEATURE

<222> (28)..(28)

<223> Xaa at position 28 is Glu or Ser

<220>

X20637PCTSequenceListingFinalST25.txt

<221> MOD_RES
<222> (34)..(34)
<223> Gly at position 34 is optionally amidated

<400> 2

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Xaa Gly Gly Pro Ser
20 25 30

Ser Gly

<210> 3
<211> 34
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is nonnaturally occurring amino acid
2-Aminoisobutyric Acid

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Aib

<220>
<221> MOD_RES
<222> (20)..(20)
<223> Lys at position 20 is chemically modified by conjugation of the
epsilon-amino group of the Lys side chain with a C14-C24 fatty
acid via (i) a direct bond or (ii) a linker between the Lys at
position 20 and the C14-C24 fatty acid

<220>
<221> MOD_RES
<222> (34)..(34)
<223> Gly at position 34 is optionally amidated

<400> 3

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Glu Gly Gly Pro Ser
20 25 30

Ser Gly

<210> 4
<211> 34
<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa at position 2 is nonnaturally occurring amino acid
2-Aminoisobutyric Acid

<220>

<221> MOD_RES

<222> (2)..(2)

<223> Aib

<220>

<221> MOD_RES

<222> (20)..(20)

<223> Lys at position 20 is chemically modified by conjugation of the
epsilon-amino group of the Lys side chain with a C14-C24 fatty
acid via (i) a direct bond or (ii) a linker between the Lys at
position 20 and the C14-C24 fatty acid

<220>

<221> MOD_RES

<222> (34)..(34)

<223> Gly at position 34 is optionally amidated

<400> 4

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Ser Gly Gly Pro Ser
20 25 30

Ser Gly

<210> 5

<211> 34

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa at position 2 is nonnaturally occurring amino acid
2-Aminoisobutyric Acid

<220>

<221> MOD_RES

<222> (2)..(2)

<223> Aib

<220>

<221> MOD_RES

<222> (20)..(20)

<223> Lys at position 20 is chemically modified by conjugation of the

X20637PCTSequenceListingFinalST25.txt
epsilon-amino group of the Lys side chain with
([2-(2-aminoethoxy)-ethoxy]-acetyl)2-(gamma-Glu)-CO-(CH2)16CO2H

<220>
<221> MOD_RES
<222> (34)..(34)
<223> Gly at position 34 is amidated

<400> 5

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Glu Gly Gly Pro Ser
20 25 30

Ser Gly

<210> 6
<211> 34
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is a nonnaturally occurring amino acid
2-Aminoisobutyric Acid

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Aib

<220>
<221> MOD_RES
<222> (20)..(20)
<223> Lys at position 20 is chemically modified by conjugation of the
epsilon-amino group of the Lys side chain with
([2-(2-aminoethoxy)-ethoxy]-acetyl)2-(gamma-Glu)-CO-(CH2)18CO2H

<220>
<221> MOD_RES
<222> (34)..(34)
<223> Gly at position 34 is amidated

<400> 6

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Glu Gly Gly Pro Ser
20 25 30

Ser Gly

X20637PCTSequenceListingFinalST25.txt

<210> 7
 <211> 34
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic Construct

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa at position 2 is nonnaturally occurring amino acid
 2-Aminoisobutyric Acid

<220>
 <221> MOD_RES
 <222> (2)..(2)
 <223> Aib

<220>
 <221> MOD_RES
 <222> (20)..(20)
 <223> Lys at position 20 is chemically modified by conjugation of the
 epsilon-amino group of the Lys side chain with
 ([2-(2-aminoethoxy)-ethoxy]-acetyl)2-(gamma-Glu)2-CO-(CH2)16CO2H

<220>
 <221> MOD_RES
 <222> (34)..(34)
 <223> Gly at position 34 is amidated

<400> 7

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Ser Gly Gly Pro Ser
 20 25 30

Ser Gly

<210> 8
 <211> 34
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic Construct

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa at position 2 is nonnaturally occurring amino acid
 2-aminoisobutyric Acid

<220>
 <221> MOD_RES
 <222> (2)..(2)
 <223> Aib

<220>
 <221> MOD_RES

X20637PCTSequenceListingFinalST25.txt

<222> (20)..(20)
 <223> Lys at position 20 is chemically modified by conjugation of the
 epsilon-amino group of the Lys side chain with
 ([2-(2-aminoethoxy)-ethoxy]-acetyl)2-(gamma-Glu)2-CO-(CH2)18CO2H

<220>
 <221> MOD_RES
 <222> (34)..(34)
 <223> Gly at position 34 is amidated

<400> 8

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Ser Gly Gly Pro Ser
 20 25 30

Ser Gly

<210> 9
 <211> 34
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa at position 2 is nonnaturally occurring amino acid
 2-aminoisobutyric Acid

<220>
 <221> MOD_RES
 <222> (2)..(2)
 <223> Aib

<220>
 <221> MISC_FEATURE
 <222> (28)..(28)
 <223> Xaa at position 28 is Glu or Ser

<220>
 <221> MOD_RES
 <222> (34)..(34)
 <223> Gly at position 34 is optionally amidated

<400> 9

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Xaa Gly Gly Pro Ser
 20 25 30

Ser Gly

X20637PCTSequenceListingFinalST25.txt

```

<210> 10
<211> 34
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is nonnaturally occurring amino acid
      2-aminoisobutyric Acid

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Aib

<220>
<221> MOD_RES
<222> (34)..(34)
<223> Gly at position 34 is optionally amidated

<400> 10
His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1      5      10      15

```

```

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Glu Gly Gly Pro Ser
      20      25      30

```

Ser Gly

```

<210> 11
<211> 34
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is nonnaturally occurring amino acid
      2-aminoisobutyric Acid

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Aib

<220>
<221> MOD_RES
<222> (34)..(34)
<223> Gly at position 34 is optionally amidated

<400> 11
His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1      5      10      15

```

x20637PCTSequenceListingFinalST25.txt

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Ser Gly Gly Pro Ser
20 25 30

Ser Gly