


CLAIMS

1. A compound of Formula (I):



(I)

or a pharmaceutically acceptable salt, solvate, or solvate of the salt ~~or prodrug~~ thereof wherein:

R¹ is selected from the group consisting of:

- (a) –aryl and
- (b) –heteroaryl;

wherein the aryl and heteroaryl of choices (a) and (b) are each optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (i) –halogen,
- (ii) –CN,
- (iii) –C₁₋₆alkyl,
- (iv) –C₂₋₆alkenyl,
- (v) –C₂₋₆alkynyl,
- (vi) –C(O)R⁸,
- (vii) –CO₂R⁸,
- (viii) –CONR⁵R⁶,
- (ix) –OH,
- (x) –O-C₁₋₆alkyl,
- (xi) –SH,
- (xii) –S(O)_p-C₁₋₆alkyl,
- (xiii) –S(O)₂NR⁵R⁶,
- (xiv) –NO₂,
- (xv) –NR⁵R⁶,

- (xvi) $-\text{NHC(O)}\text{R}^8$,
- (xvii) $-\text{NHC(O)}\text{OR}^8$,
- (xviii) $-\text{NHC(O)}\text{NR}^5\text{R}^6$, and
- (xix) $-\text{NHSO}_2\text{C}_{1-6}\text{alkyl}$,

wherein each of the alkyl group of choices (iii), (x), (xii) and (xix) is optionally substituted with 1 to 5 substituents independently selected from $-\text{halogen}$, $-\text{haloC}_{1-4}\text{alkyl}$, $-\text{COR}^8$, $-\text{CO}_2\text{R}^8$, $-\text{CONR}^5\text{R}^6$, $-\text{NR}^5\text{R}^6$, $-\text{OH}$, $-\text{O}-\text{C}_{1-4}\text{alkyl}$, $-\text{SH}$ and $-\text{S}-\text{C}_{1-4}\text{alkyl}$;

R^2 is selected from the group consisting of:



- (a) $-\text{C}_{3-8}\text{alkyl}$,
- (b) $-\text{C}_{0-6}\text{alkyl}-\text{R}^7$, and
- (c) $-(\text{CH}_2)_{1-6}-\text{N}(\text{R}^{13})(\text{R}^{13})$,

wherein each of the alkyl group of choices (a) and (b) is optionally substituted with 1 to 5 substituents independently selected from:

- (i) $-\text{halogen}$,
- (ii) $-\text{C}_{1-4}\text{alkyl}$,
- (iii) $-\text{haloC}_{1-4}\text{alkyl}$,
- (iv) $-\text{OH}$,
- (v) $-\text{O}-\text{C}_{1-4}\text{alkyl}$,
- (vi) $-\text{SH}$, and
- (vii) $-\text{S}-\text{C}_{1-4}\text{alkyl}$;

R^{3b} and R^{3c} together represent $-(\text{CH}_2)_{2-3}-$, and R^{3a} is H; or

R^{3b} and R^{3c} are each H, and R^{3a} is selected from the group consisting of:

- (a) $-\text{H}$,
- (b) $-\text{aryl}$,
- (c) , and
- (d) ,

wherein HAr is heteroaryl and Hcyl is heterocycle, wherein each of the aryl of choice (b), HAr and Hcyl is optionally substituted with 1 to 3 groups independently selected from the group consisting of:

- (i) –halogen,
- (ii) –OH,
- (iii) –CR¹⁰R¹¹R¹²,
- (iv) –(CH₂)₀₋₃-NHSO₂-C₁₋₄alkyl, and
- (v) –(CH₂)₀₋₃-SO₂-C₁₋₄alkyl;

R⁴ is selected from the group consisting of:

- (a) –C₁₋₆alkyl,
- (b) –haloC₁₋₆alkyl,
- (c) –C₂₋₆alkenyl,
- (d) –C₂₋₆alkynyl,
- (e) –C₁₋₆alkyl-C₃₋₆cycloalkyl,
- (f) –C₁₋₆alkyl-aryl, wherein aryl is optionally substituted with nitro or -N(R¹³)(R¹³),
- (g) –C₁₋₆alkyl-R⁹, and
- (h) –haloC₁₋₆alkyl-R⁹;

each R⁵ and each R⁶ are independently selected from the group consisting of:

- (a) –H,
- (b) –C₁₋₆alkyl,
- (c) –C₀₋₆alkyl-C₃₋₁₂cycloalkyl,
- (d) –C₀₋₆alkyl-heterocyclyl,
- (e) –C₀₋₆alkyl-heteroaryl, and
- (f) –C₀₋₆alkyl-aryl,

wherein the alkyl group of choices (b) – (f) is optionally substituted with 1 to 3 groups independently selected from:

- (i) –halogen,
- (ii) –C(O)C₁₋₄alkyl,
- (iii) –C(O)OC₁₋₄alkyl,
- (iv) –OH,
- (v) –OC₁₋₄alkyl,
- (vi) –SH,
- (vii) –SC₁₋₄alkyl,
- (viii) –NH₂,

- (ix) $-\text{NH}(\text{C}_{1-4}\text{alkyl})$, and
- (x) $-\text{N}(\text{C}_{1-4}\text{alkyl})(\text{C}_{1-4}\text{alkyl})$; or

R^5 , R^6 and the nitrogen atom to which they are attached together form a 3- to 7-membered monocyclic or 6- to 11-membered bicyclic heterocycle optionally having an additional heteroatomic moiety selected from $-\text{O}-$, $-\text{S}(\text{O})_p-$, and $-\text{NR}^{13}-$, and wherein said heterocycle is optionally substituted with 1 to 2 groups independently selected from halogen, $-\text{haloC}_{1-4}\text{alkyl}$, $-\text{OH}$, $-\text{O}-\text{C}_{1-4}\text{alkyl}$, $-\text{SH}$ and $-\text{S}-\text{C}_{1-4}\text{alkyl}$;

R^7 is selected from the group consisting of:

- (a) $-\text{C}_{3-10}\text{cycloalkyl}$, and
- (b) $-\text{C}_{4-10}\text{heterocyclyl}$,

wherein each of choices (a) and (b) is optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (i) $-\text{C}_{1-4}\text{alkyl}$,
- (ii) $-\text{halogen}$,
- (iii) $-\text{OH}$,
- (iv) $-\text{O}-\text{C}_{1-4}\text{alkyl}$,
- (v) $-\text{SH}$, and
- (vi) $-\text{S}-\text{C}_{1-4}\text{alkyl}$;

R^8 is selected from the group consisting of:

- (a) $-\text{C}_{1-6}\text{alkyl}$,
- (b) $-\text{C}_{0-6}\text{alkyl}-\text{C}_{3-12}\text{cycloalkyl}$,
- (c) $-\text{C}_{0-6}\text{alkyl}-\text{heterocyclyl}$,
- (d) $-\text{C}_{0-6}\text{alkyl}-\text{heteroaryl}$, and
- (e) $-\text{C}_{0-6}\text{alkyl}-\text{aryl}$,

wherein each of the alkyl group of choices (a) – (e) is optionally substituted with 1 to 3 groups independently selected from:

- (i) $-\text{halogen}$,
- (ii) $-\text{OH}$,
- (iii) $-\text{OC}_{1-4}\text{alkyl}$,
- (iv) $-\text{SH}$, and
- (v) $-\text{SC}_{1-4}\text{alkyl}$;

R⁹ is selected from the group consisting of:

- (a) -NH₂,
- (b) -NH-C₁₋₄alkyl,
- (c) -N(C₁₋₄alkyl)₂,
- (d) -NH-C(=O)-NH₂,
- (e) -NH-C(=O)-NH-C₁₋₄alkyl,
- (f) -NH-C(=O)-N(C₁₋₄alkyl)₂,
- (g) -NH-C(=O)-NH-C₃₋₅alkenyl,
- (h) -NH-C(=O)-NH-C₃₋₅alkynyl,
- (i) -NH-C(=O)-NH-C₃₋₆cycloalkyl,
- (j) -NH-C(=O)-NH-aryl,
- (k) -NH-C(=O)-NH-heterocycle,
- (l) -NH-C(=O)-NH-heteroaryl,
- (m) -NH-C(=O)-NH-SO₂-C₁₋₄alkyl,
- (n) -NH-C(=O)-NH-SO₂-C₃₋₆cycloalkyl,
- (o) -NH-C(=O)-O-C₁₋₄alkyl,
- (p) -NH-C(=O)-O-C₁₋₄alkylaryl,
- (q) -NH-C(=O)-C₁₋₄alkyl,
- (r) -NH-C(=O)-C₃₋₆cycloalkyl,
- (s) -NH-C(=O)-aryl,
- (t) -NH-C(=O)-heterocycle,
- (u) -NH-C(=O)-heteroaryl, and
- (v) -NH-SO₂-C₁₋₄alkyl,

wherein each of choices (b) to (v) is optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (i) -C₁₋₄alkyl,
- (ii) -halogen,
- (iii) -OH,
- (iv) -O-C₁₋₄alkyl,
- (v) -SH,
- (vi) -S-C₁₋₄alkyl;

(vii) $-\text{NO}_2$, and

(viii) $-\text{CN}$;

R^{10} , R^{11} , and R^{12} are independently selected from the group consisting of: H, halogen, $-\text{OH}$ and $-\text{C}_{1-6}$ alkyl; or

R^{10} , R^{11} and the carbon atom to which they are attached together form a C_{3-12} cycloalkyl or a heterocyclcyl group;

R^{13} is selected from the group consisting of:

(a) $-\text{H}$,

(b) $-\text{C}_{1-4}$ alkyl,

(c) $-\text{C}(\text{O})-\text{C}_{1-4}$ alkyl,

(d) $-\text{C}(\text{O})\text{NH}_2$,

(e) $-\text{C}(\text{O})-\text{NH}(\text{C}_{1-4}$ alkyl),

(f) $-\text{C}(\text{O})-\text{NH}(\text{C}_{3-6}$ cycloalkyl),

(g) $-\text{C}(\text{O})-\text{N}(\text{C}_{1-4}$ alkyl) $_2$,

(h) $-\text{C}(\text{O})\text{O}-\text{C}_{1-4}$ alkyl, and

(i) $-\text{C}(\text{O})\text{O}-\text{C}_{1-4}$ alkylaryl;

p is 0, 1 or 2.

2. A compound of Claim 1 wherein R^1 is selected from the group consisting of:

(a) $-\text{aryl}$ and

(b) $-\text{heteroaryl}$;

wherein the aryl and heteroaryl of choices (a) and (b) are each optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

(i) $-\text{halogen}$,

(ii) $-\text{CN}$,

(iii) $-\text{C}(\text{O})\text{R}^8$,

(iv) $-\text{CONR}^5\text{R}^6$,

(v) $-\text{OH}$,

(vi) $-\text{O}-\text{C}_{1-6}$ alkyl,

(vii) $-\text{S}(\text{O})_p-\text{C}_{1-6}$ alkyl,

(viii) $-\text{S}(\text{O})_2\text{NR}^5\text{R}^6$,

- (ix) $-\text{NHC(O)}\text{R}^8$,
- (x) $-\text{NHC(O)}\text{OR}^8$,
- (xi) $-\text{NHSO}_2\text{C}_{1-6}\text{alkyl}$,

wherein each of the alkyl group of choices (iii), (x), (xii) and (xix) is optionally substituted with 1 to 5 substituents independently selected from $-\text{halogen}$, $-\text{haloC}_{1-4}\text{alkyl}$, $-\text{COR}^8$, $-\text{CO}_2\text{R}^8$, $-\text{CONR}^5\text{R}^6$, $-\text{NR}^5\text{R}^6$, $-\text{OH}$, $-\text{O}-\text{C}_{1-4}\text{alkyl}$, $-\text{SH}$ and $-\text{S}-\text{C}_{1-4}\text{alkyl}$.



3. A compound of Claim 1 wherein R^2 is selected from the group consisting of:
 - (a) $-\text{C}_{1-6}\text{alkyl}-\text{R}^7$, and
 - (b) $-(\text{CH}_2)_{1-6}-\text{N}(\text{R}^{13})(\text{R}^{13})$,

wherein the alkyl group of choice (a) is optionally substituted with 1 to 5 substituents independently selected from:

- (i) $-\text{halogen}$,
- (ii) $-\text{C}_{1-4}\text{alkyl}$,
- (iii) $-\text{haloC}_{1-4}\text{alkyl}$,
- (iv) $-\text{OH}$,
- (v) $-\text{O}-\text{C}_{1-4}\text{alkyl}$,
- (vi) $-\text{SH}$, and
- (vii) $-\text{S}-\text{C}_{1-4}\text{alkyl}$.

4. A compound of Claim 1 wherein R^2 is selected from the group consisting of:
 - (a) $-(\text{CH}_2)_{1-6}-\text{R}^7$, and
 - (b) $-(\text{CH}_2)_{1-6}-\text{N}(\text{R}^{13})(\text{R}^{13})$.

5. A compound of Claim 1 wherein R^{3b} and R^{3c} are each H, and R^{3a} is selected from the group consisting of:

- (a) , and
- (b) ,

wherein HAr is heteroaryl and Hcyl is heterocycle, wherein each of HAr and Hcyl is optionally substituted with 1 to 3 groups independently selected from the group consisting of:


- (i) -halogen,
- (ii) -OH,
- (iii) $-\text{CR}^{10}\text{R}^{11}\text{R}^{12}$,
- (iv) $-(\text{CH}_2)_{0-3}-\text{NHSO}_2-\text{C}_{1-4}\text{alkyl}$, and
- (v) $-(\text{CH}_2)_{0-3}-\text{SO}_2-\text{C}_{1-4}\text{alkyl}$.

6. A compound of Claim 1 wherein R⁴ is selected from the group consisting of:

- (a) $-C_{1-6}alkyl$,
- (b) $-C_{2-6}alkenyl$,
- (c) $-C_{1-6}alkyl-C_{3-6}cycloalkyl$,
- (d) $-C_{1-6}alkyl-aryl$, wherein aryl is optionally substituted with nitro or $-N(R^{13})(R^{13})$,
and
- (e) $-C_{1-6}alkyl-R^9$.

7. A compound of Claim 1 wherein R⁴ is -C₁₋₆alkyl-R⁹.

8. A compound of Claim 1 having the Formula (Ia):



(Ia)

or a pharmaceutically acceptable salt, solvate, or solvate of the salt ~~or prodrug~~ thereof; wherein R¹ is selected from the group consisting of:

- (a) –aryl and

(b) –heteroaryl;

wherein the aryl and heteroaryl of choices (a) and (b) are each optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (i) –halogen,
- (ii) –CN,
- (iii) –C₁₋₆alkyl,
- (iv) –C₂₋₆alkenyl,
- (v) –C₂₋₆alkynyl,
- (vi) –C(O)R⁸,
- (vii) –CO₂R⁸,
- (viii) –CONR⁵R⁶,
- (ix) –OH,
- (x) –O-C₁₋₆alkyl,
- (xi) –SH,
- (xii) –S(O)_p-C₁₋₆alkyl,
- (xiii) –S(O)₂NR⁵R⁶,
- (xiv) –NO₂,
- (xv) –NR⁵R⁶,
- (xvi) –NHC(O)R⁸,
- (xvii) –NHC(O)OR⁸,
- (xviii) –NHC(O)NR⁵R⁶, and
- (xix) –NHSO₂C₁₋₆alkyl,

wherein each of the alkyl group of choices (iii), (x), (xii) and (xix) is optionally substituted with 1 to 5 substituents independently selected from –halogen, –haloC₁₋₄alkyl, –COR⁸, –CO₂R⁸, –CONR⁵R⁶, –NR⁵R⁶, –OH, –O-C₁₋₄alkyl, –SH and –S-C₁₋₄alkyl;

each R⁵ and each R⁶ are independently selected from the group consisting of:

- (a) –H,
- (b) –C₁₋₆alkyl,
- (c) –C₀₋₆alkyl-C₃₋₁₂cycloalkyl,
- (d) –C₀₋₆alkyl-heterocyclyl,
- (e) –C₀₋₆alkyl-heteroaryl, and

(f) $-\text{C}_{0-6}\text{alkyl-aryl}$,

wherein each of the alkyl groups of choices (b) – (f) is optionally substituted with 1 to 3 groups independently selected from:

- (i) $-\text{halogen}$,
- (ii) $-\text{C}(\text{O})\text{C}_{1-4}\text{alkyl}$,
- (iii) $-\text{C}(\text{O})\text{OC}_{1-4}\text{alkyl}$,
- (iv) $-\text{OH}$,
- (v) $-\text{OC}_{1-4}\text{alkyl}$,
- (vi) $-\text{SH}$,
- (vii) $-\text{SC}_{1-4}\text{alkyl}$,
- (viii) $-\text{NH}_2$,
- (ix) $-\text{NH}(\text{C}_{1-4}\text{alkyl})$, and
- (x) $-\text{N}(\text{C}_{1-4}\text{alkyl})(\text{C}_{1-4}\text{alkyl})$; or

R^5 , R^6 and the nitrogen atom to which they are attached together form a 3- to 7-membered monocyclic or 6- to 11-membered bicyclic heterocycle optionally having an additional heteroatomic moiety selected from $-\text{O}-$, $-\text{S}(\text{O})_p-$, and $-\text{NR}^{13}-$, and wherein said heterocycle is optionally substituted with 1 to 2 groups independently selected from halogen, $-\text{haloC}_{1-4}\text{alkyl}$, $-\text{OH}$, $-\text{O}-\text{C}_{1-4}\text{alkyl}$, $-\text{SH}$ and $-\text{S}-\text{C}_{1-4}\text{alkyl}$;

R^7 is selected from the group consisting of:

- (a) $-\text{C}_{3-10}\text{cycloalkyl}$, and
- (b) $-\text{heterocyclyl}$,

wherein each of choices (a) and (b) is optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (i) $-\text{C}_{1-4}\text{alkyl}$,
- (ii) $-\text{halogen}$,
- (iii) $-\text{OH}$,
- (iv) $-\text{O}-\text{C}_{1-4}\text{alkyl}$,
- (v) $-\text{SH}$, and
- (vi) $-\text{S}-\text{C}_{1-4}\text{alkyl}$;

R^8 is selected from the group consisting of:

- (a) $-\text{C}_{1-6}\text{alkyl}$,

- (b) $-C_{0-6}alkyl-C_{3-12}cycloalkyl$,
- (c) $-C_{0-6}alkyl-heterocyclyl$,
- (d) $-C_{0-6}alkyl-heteroaryl$, and
- (e) $-C_{0-6}alkyl-aryl$,

wherein the alkyl group of choices (a) – (e) is optionally substituted with 1 to 3 groups independently selected from:

- (i) $-halogen$,
- (ii) $-OH$,
- (iii) $-OC_{1-4}alkyl$,
- (iv) $-SH$, and
- (v) $-SC_{1-4}alkyl$;

R^9 is selected from the group consisting of:

- (a) $-NH_2$,
- (b) $-NH-C_{1-4}alkyl$,
- (c) $-N(C_{1-4}alkyl)_2$,
- (d) $-NH-C(=O)-NH_2$,
- (e) $-NH-C(=O)-NH-C_{1-4}alkyl$,
- (f) $-NH-C(=O)-N(C_{1-4}alkyl)_2$,
- (g) $-NH-C(=O)-NH-C_{3-5}alkenyl$,
- (h) $-NH-C(=O)-NH-C_{3-5}alkynyl$,
- (i) $-NH-C(=O)-NH-C_{3-6}cycloalkyl$,
- (j) $-NH-C(=O)-NH-aryl$,
- (k) $-NH-C(=O)-NH-heterocycle$,
- (l) $-NH-C(=O)-NH-heteroaryl$,
- (m) $-NH-C(=O)-NH-SO_2-C_{1-4}alkyl$,
- (n) $-NH-C(=O)-NH-SO_2-C_{3-6}cycloalkyl$,
- (o) $-NH-C(=O)-O-C_{1-4}alkyl$,
- (p) $-NH-C(=O)-O-C_{1-4}alkylaryl$,
- (q) $-NH-C(=O)-C_{1-4}alkyl$,
- (r) $-NH-C(=O)-C_{3-6}cycloalkyl$,
- (s) $-NH-C(=O)-aryl$,

- (t) $\text{-NH-C(=O)-heterocycle}$,
- (u) $\text{-NH-C(=O)-heteroaryl}$, and
- (v) $\text{-NH-SO}_2\text{-C}_{1-4}\text{alkyl}$,

wherein each of choices (b) to (v) is optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (i) $\text{-C}_{1-4}\text{alkyl}$,
- (ii) -halogen ,
- (iii) -OH ,
- (iv) $\text{-O-C}_{1-4}\text{alkyl}$,
- (v) -SH ,
- (vi) $\text{-S-C}_{1-4}\text{alkyl}$;
- (vii) -NO_2 , and
- (viii) -CN ;

R^{10} , R^{11} , and R^{12} are independently selected from the group consisting of: H, halogen, -OH and $\text{-C}_{1-6}\text{alkyl}$; or

R^{10} , R^{11} and the carbon atom to which they are attached together form a $\text{C}_{3-12}\text{cycloalkyl}$ or a heterocyclyl group;

R^{13} is selected from the group consisting of:

- (a) -H ,
- (b) $\text{-C}_{1-4}\text{alkyl}$,
- (c) $\text{-C(O)-C}_{1-4}\text{alkyl}$,
- (d) -C(O)NH_2 ,
- (e) $\text{-C(O)-NH(C}_{1-4}\text{alkyl)}$,
- (f) $\text{-C(O)-NH(C}_{3-6}\text{cycloalkyl)}$,
- (g) $\text{-C(O)-N(C}_{1-4}\text{alkyl})_2$,
- (h) $\text{-C(O)O-C}_{1-4}\text{alkyl}$, and
- (i) $\text{-C(O)O-C}_{1-4}\text{alkylaryl}$; and

p is 0, 1 or 2.

9. A compound of Claim 8 wherein R^1 is selected from the group consisting of:

- (a) -aryl , and

(b) –heteroaryl;

wherein the aryl and heteroaryl of choices (a) and (b) are each optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (i) –halogen,
- (ii) –CN,
- (iii) –C(O)R⁸,
- (iv) –CONR⁵R⁶,
- (v) –OH,
- (vi) –O-C₁₋₆alkyl,
- (vii) –S(O)_p-C₁₋₆alkyl,
- (viii) –S(O)₂NR⁵R⁶,
- (ix) –NHC(O)R⁸,
- (x) –NHC(O)OR⁸, and
- (xi) –NHSO₂C₁₋₆alkyl,

wherein each of the alkyl group of choices (vi), (vii), and (xi) is optionally substituted with 1 to 5 substituents independently selected from –halogen, –haloC₁₋₄alkyl, –COR⁸, –CO₂R⁸, –CONR⁵R⁶, –NR⁵R⁶, –OH, –O-C₁₋₄alkyl, –SH and –S-C₁₋₄alkyl;

R⁷ is –C₃₋₁₀cycloalkyl;

R⁹ is selected from the group consisting of:

- (a) –NH-C(=O)-NH-C₁₋₄alkyl,
- (b) –NH-C(=O)-N(C₁₋₄alkyl)₂,
- (c) –NH-C(=O)-NH-C₃₋₅alkenyl,
- (d) –NH-C(=O)-NH-C₃₋₅alkynyl,
- (e) –NH-C(=O)-NH-C₃₋₆cycloalkyl,
- (f) –NH-C(=O)-NH-aryl,
- (g) –NH-C(=O)-NH-heterocycle,
- (h) –NH-C(=O)-NH-heteroaryl,
- (i) –NH-C(=O)-NH-SO₂-C₁₋₄alkyl,
- (j) –NH-C(=O)-NH-SO₂-C₃₋₆cycloalkyl,
- (k) –NH-C(=O)-O-C₁₋₄alkyl, and
- (l) –NH-C(=O)-O-C₁₋₄alkylaryl,

wherein each of choices (a) to (l) is optionally substituted with 1 to 3 substituents independently selected from the group consisting of:


- (i) $-\text{C}_{1-4}\text{alkyl}$,
- (ii) $-\text{halogen}$,
- (iii) $-\text{OH}$,
- (iv) $-\text{O}-\text{C}_{1-4}\text{alkyl}$,
- (v) $-\text{SH}$, and
- (vi) $-\text{S}-\text{C}_{1-4}\text{alkyl}$;

R^{10} and R^{11} are each $-\text{C}_{1-4}\text{alkyl}$, or

R^{10} , R^{11} and the carbon atom to which they are attached together form a C_{3-6} cycloalkyl or a 4- to 6-membered heterocycle, and

R^{12} is $-\text{OH}$.

10. A compound of Claim 1 having the formula (Ib):



(Ib)

or a pharmaceutically acceptable salt, solvate, or solvate of the salt ~~or prodrug~~ thereof, wherein R^1 is selected from the group consisting of:

- (a) $-\text{aryl}$, and
- (b) $-\text{heteroaryl}$;

wherein the aryl and heteroaryl of choices (a) and (b) are each optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (i) $-\text{halogen}$,
- (ii) $-\text{CN}$,
- (iii) $-\text{C}(\text{O})\text{R}^8$,

- (iv) $-\text{CONR}^5\text{R}^6$,
- (v) $-\text{OH}$,
- (vi) $-\text{O}-\text{C}_{1-6}\text{alkyl}$,
- (vii) $-\text{S}(\text{O})_p-\text{C}_{1-6}\text{alkyl}$,
- (viii) $-\text{S}(\text{O})_2\text{NR}^5\text{R}^6$,
- (ix) $-\text{NHC}(\text{O})\text{R}^8$,
- (x) $-\text{NHC}(\text{O})\text{OR}^8$,
- (xi) $-\text{NHSO}_2\text{C}_{1-6}\text{alkyl}$, and
- (xii) $\text{C}_{1-4}\text{alkyl}$;

wherein each of the alkyl group of choices (vi), (vii), and (xi) is optionally substituted with 1 to 5 substituents independently selected from $-\text{halogen}$, $-\text{haloC}_{1-4}\text{alkyl}$, $-\text{COR}^8$, $-\text{CO}_2\text{R}^8$, $-\text{CONR}^5\text{R}^6$, $-\text{NR}^5\text{R}^6$, $-\text{OH}$, $-\text{O}-\text{C}_{1-4}\text{alkyl}$, $-\text{SH}$ and $-\text{S}-\text{C}_{1-4}\text{alkyl}$;

R^9 is selected from the group consisting of:

- (m) $-\text{NH}-\text{C}(=\text{O})-\text{NH}-\text{C}_{1-4}\text{alkyl}$,
- (n) $-\text{NH}-\text{C}(=\text{O})-\text{N}(\text{C}_{1-4}\text{alkyl})_2$,
- (o) $-\text{NH}-\text{C}(=\text{O})-\text{NH}-\text{C}_{3-5}\text{alkenyl}$,
- (p) $-\text{NH}-\text{C}(=\text{O})-\text{NH}-\text{C}_{3-5}\text{alkynyl}$,
- (q) $-\text{NH}-\text{C}(=\text{O})-\text{NH}-\text{C}_{3-6}\text{cycloalkyl}$,
- (r) $-\text{NH}-\text{C}(=\text{O})-\text{NH}-\text{aryl}$,
- (s) $-\text{NH}-\text{C}(=\text{O})-\text{NH}-\text{heterocycle}$,
- (t) $-\text{NH}-\text{C}(=\text{O})-\text{NH}-\text{heteroaryl}$,
- (u) $-\text{NH}-\text{C}(=\text{O})-\text{NH}-\text{SO}_2-\text{C}_{1-4}\text{alkyl}$,
- (v) $-\text{NH}-\text{C}(=\text{O})-\text{NH}-\text{SO}_2-\text{C}_{3-6}\text{cycloalkyl}$,
- (w) $-\text{NH}-\text{C}(=\text{O})-\text{O}-\text{C}_{1-4}\text{alkyl}$, and
- (x) $-\text{NH}-\text{C}(=\text{O})-\text{O}-\text{C}_{1-4}\text{alkylaryl}$,

wherein each of choices (a) to (l) is optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (vii) $-\text{C}_{1-4}\text{alkyl}$,
- (viii) $-\text{halogen}$,
- (ix) $-\text{OH}$,
- (x) $-\text{O}-\text{C}_{1-4}\text{alkyl}$,

- (xi) –SH, and
- (xii) –S-C₁₋₄alkyl; and

n is 1 to 5.

11. A compound of Claim 10 wherein n is 4.

12. A compound of Claim 10 wherein R¹ is phenyl optionally substituted with 1 to 3 substituents independently selected from the group consisting of:

- (i) –halogen,
- (ii) –CN,
- (iii) –C(O)R⁸,
- (iv) –CONR⁵R⁶,
- (v) –OH,
- (vi) –O-C₁₋₆alkyl,
- (vii) –S(O)_p-C₁₋₆alkyl, and
- (viii) –S(O)₂NR⁵R⁶;

wherein each of the alkyl group of choices (vi) and (vii) is optionally substituted with 1 to 5 substituents independently selected from –halogen, –haloC₁₋₄alkyl, –COR⁸, –CO₂R⁸, –CONH₂, –OH, and –O-C₁₋₄alkyl.

13. A compound of Claim 10 wherein R¹ is naphthyl.

14. A compound of Claim 10 wherein R¹ is selected from the group consisting of:

- (a) 5- or 6-membered monocyclic heteroaryl ring having a heteroatom selected from N, O and S, and optionally 1, 2 or 3 additional N atoms; and
- (b) 8-, 9-, or 10-membered fused bicyclic heteroaryl ring having a heteroatom selected from N, O and S, and optionally 1, 2 or 3 additional N atoms;

wherein each of choices (a) and (b) is optionally substituted with a group selected from: OH and C₁₋₄alkyl.

15. A compound of Claim 1 selected from the group consisting of:

(2*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-4-methyl-1,2-dioxopentan-3-yl)pyrrolidine-2-carboxamide;

methyl (3-((*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)pyrrolidine-2-carboxamido)-4-methyl-2-oxopentanoyl)glycinate;

(2*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-((2-methoxyethyl)amino)-4-methyl-1,2-dioxopentan-3-yl)pyrrolidine-2-carboxamide;

(2*S*,4*R*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-4-methyl-1,2-dioxopentan-3-yl)-4-phenylpyrrolidine-2-carboxamide;

(2*S*,4*R*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-4-methyl-1,2-dioxopentan-3-yl)-4-(piperidin-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*R*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-cyclohexylureido)-2-hydroxy-1-oxoheptan-3-yl)-4-(piperidin-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*R*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(4-amino-1-cyclobutyl-3,4-dioxobutan-2-yl)-4-(piperidin-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*R*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-4-methyl-1,2-dioxohexan-3-yl)-4-(piperidin-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*R*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(4-amino-3,4-dioxo-1-phenylbutan-2-yl)-4-(piperidin-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(4-amino-1-cyclobutyl-3,4-dioxobutan-2-yl)-4-(piperidin-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-cyclopropylureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-isobutylureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-cyclohexylureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-1,2-dioxo-7-(3-(pyridin-

4-yl)ureido)heptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-ethylureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-(1-methyl-1*H*-pyrazol-3-yl)ureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-(isoxazol-3-yl)ureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-1,2-dioxo-7-(3-(tetrahydro-2*H*-pyran-4-yl)ureido)heptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-1,2-dioxo-7-(3-(pyrimidin-5-yl)ureido)heptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-(1-oxidotetrahydro-2*H*-thiopyran-4-yl)ureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-1,2-dioxo-7-(3-(tetrahydro-2*H*-thiopyran-4-yl)ureido)heptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-1,2-dioxo-7-(3-(pyridin-3-yl)ureido)heptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-1,2-dioxo-7-(3-(pyridin-2-yl)ureido)heptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-1,2-dioxo-7-(3-(prop-2-yn-1-yl)ureido)heptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-

carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-(5-(tert-butyl)isoxazol-3-yl)ureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(7-(3-allylureido)-1-amino-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-(cyanomethyl)ureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-cyclobutylureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-1,2-dioxo-7-((trifluoromethyl)sulfonamido)heptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-(cyclopropylsulfonyl)ureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

benzyl (5-((2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-4-(4-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*R*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*R*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-4-(4-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-1,2-dioxohex-5-en-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

N-((2*R*)-1-((2*S*,4*S*)-2-((7-(3-propargylureido)-1-amino-1,2-dioxoheptan-3-yl)carbonyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidin-1-yl)-3-cyclohexyl-1-oxopropan-2-

yl)isonicotinamide;

(2*S*,4*S*)-*N*-(7-(3-propargylureido)-1-amino-1,2-dioxoheptan-3-yl)-1-((*R*)-3-cyclohexyl-2-(4-(methylsulfonyl)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-*N*-(1-amino-1,2-dioxo-7-(3-(prop-2-yn-1-yl)ureido)heptan-3-yl)-1-((*R*)-3-cyclohexyl-2-(4-(2,2,2-trifluoro-1,1-dihydroxyethyl)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

benzyl (5-((2*S*,4*S*)-1-((*R*)-2-(1*H*-benzo[*d*]imidazole-2-carboxamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(4-(methylsulfonyl)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*S*)-1-((*R*)-2-(1*H*-benzo[*d*]imidazole-4-carboxamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*S*)-1-((*R*)-2-(1*H*-benzo[*d*]imidazole-6-carboxamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1,6-naphthyridine-5-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1,6-naphthyridine-8-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1,8-naphthyridine-4-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinoxaline-5-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinazoline-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinoxaline-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1,5-naphthyridine-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1,6-naphthyridine-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1,8-naphthyridine-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1,7-naphthyridine-3-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1,5-naphthyridine-3-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinoxaline-6-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(4-oxo-3,4-dihydroquinazoline-7-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1,5-naphthyridine-4-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1-methyl-1*H*-imidazole-5-

carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1-methyl-1*H*-imidazole-4-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1-methyl-1*H*-imidazole-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1*H*-pyrrolo[3,2-*c*]pyridine-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1*H*-indole-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1*H*-indole-5-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1*H*-indole-6-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1*H*-indazole-4-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1*H*-indazole-5-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1*H*-indazole-6-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1*H*-indazole-7-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*S*)-1-((*R*)-2-(1-naphthamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(isoxazole-4-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(oxazole-4-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(oxazole-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-2-(3-carbamoylbenzamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-2-(4-carbamoylbenzamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-2-(2-cyanobenzamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-2-(3-cyanobenzamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-2-(4-cyanobenzamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(2-fluorobenzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(4-fluorobenzamido)propanoyl)-4-(5-(2-

hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(2-methoxybenzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(3-methoxybenzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(4-methoxybenzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(2-((methylperoxy)thio)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(3-((methylperoxy)thio)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(4-((difluoromethyl)sulfonyl)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(4-((2-methoxyethyl)sulfonyl)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-2-(4-((2-amino-2-oxoethyl)sulfonyl)benzamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(4-(isopropylsulfonyl)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(nicotinamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(picolinamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(isonicotinamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(pyrimidine-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(isoquinoline-1-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinoline-4-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinoline-5-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(isoquinoline-5-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(isoquinoline-8-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinoline-8-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinoline-2-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-

dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1-oxo-1,2-dihydroisoquinoline-3-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(isoquinoline-3-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinoline-3-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(2-oxo-1,2-dihydroquinoline-6-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(isoquinoline-6-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(isoquinoline-7-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(imidazo[1,2-*a*]pyridine-6-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(quinoline-7-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(pyrido[2,3-*b*]pyrazine-8-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(pyrido[2,3-*b*]pyrazine-6-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(pyrido[2,3-*b*]pyrazine-7-

carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1*H*-1,2,3-triazole-4-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (7-amino-5-((2*S*,4*S*)-1-((*R*)-3-cyclohexyl-2-(1-methyl-1*H*-1,2,3-triazole-4-carboxamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-6,7-dioxoheptyl)carbamate;

(2*S*,4*S*)-*N*-(1-amino-7-(3-cyclopropylureido)-1,2-dioxoheptan-3-yl)-1-((*R*)-3-cyclohexyl-2-(4-(methylsulfonyl)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-*N*-(1-amino-7-(3-cyclopropylureido)-1,2-dioxoheptan-3-yl)-1-((*R*)-2-(4-cyanobenzamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

N-((2*R*)-1-((2*S*,4*S*)-2-((1-amino-7-(3-cyclopropylureido)-1,2-dioxoheptan-3-yl)carbonyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidin-1-yl)-3-cyclohexyl-1-oxopropan-2-yl)imidazo[1,2-*a*]pyridine-6-carboxamide;

N-((2*R*)-1-((2*S*,4*S*)-2-((1-amino-7-(3-cyclopropylureido)-1,2-dioxoheptan-3-yl)carbonyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidin-1-yl)-3-cyclohexyl-1-oxopropan-2-yl)quinoline-3-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(4-((2-amino-2-oxoethyl)sulfonyl)benzamido)-3-cyclohexylpropanoyl)-*N*-(1-amino-7-(3-cyclopropylureido)-1,2-dioxoheptan-3-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-*N*-(1-amino-7-(3-cyclopropylureido)-1,2-dioxoheptan-3-yl)-1-((*R*)-3-cyclohexyl-2-(4-((difluoromethyl)sulfonyl)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

N-((2*R*)-1-((2*S*,4*S*)-2-((1-amino-7-(3-cyclopropylureido)-1,2-dioxoheptan-3-yl)carbonyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidin-1-yl)-3-cyclohexyl-1-oxopropan-2-yl)-1*H*-indazole-7-carboxamide;

(2*S*,4*S*)-*N*-(1-amino-7-(3-cyclopropylureido)-1,2-dioxoheptan-3-yl)-1-((*R*)-3-cyclohexyl-2-(4-((2-methoxyethyl)sulfonyl)benzamido)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-

1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(4-amino-1-(4-nitrophenyl)-3,4-dioxobutan-2-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(1-(4-acetamidophenyl)-4-amino-3,4-dioxobutan-2-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

(2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-*N*-(4-amino-1-(4-(3-cyclohexylureido)phenyl)-3,4-dioxobutan-2-yl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamide;

benzyl (2-((2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-cyclohexylpropanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-4-amino-3,4-dioxobutyl)carbamate;

benzyl (7-amino-5-((3*S*)-2-((*R*)-3-cyclohexyl-2-(4-(methylsulfonyl)benzamido)propanoyl)-2-azabicyclo[2.2.1]heptane-3-carboxamido)-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*S*)-1-(2-(2-naphthamido)-4-((1*S*,4*R*)-bicyclo[2.2.1]heptan-2-yl)butanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*S*)-1-((*R*)-2-(2-naphthamido)-3-(((benzyloxy)carbonyl)amino)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*S*)-1-(2-(2-naphthamido)-3-(tetrahydro-2*H*-pyran-4-yl)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*S*)-1-(2-(2-naphthamido)-3-((3*S*,5*S*,7*S*)-adamantan-1-yl)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

benzyl (5-((2*S*,4*S*)-1-(2-(2-naphthamido)-3-((1*S*,2*R*,5*S*)-6,6-dimethylbicyclo[3.1.1]heptan-2-yl)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate; and

benzyl (5-((2*S*,4*S*)-1-(2-(2-naphthamido)-3-(3-methyloxetan-3-yl)propanoyl)-4-(5-(2-hydroxypropan-2-yl)-1*H*-1,2,3-triazol-1-yl)pyrrolidine-2-carboxamido)-7-amino-6,7-dioxoheptyl)carbamate;

or a pharmaceutically acceptable salt, solvate, or salt of the solvate ~~or prodrug~~ thereof.

16. A pharmaceutical composition comprising a compound of Claim 1 and a pharmaceutically acceptable carrier.