

140
Database
110
152
Mobile Computing Device
115
One or More Networks
154
Desktop Computer
100
Logistics Server

FIG. 1



120
202
PROCESSOR
PROCESSING LOGIC
226
204
MAIN MEMORY
Instructions
222
206
STATIC MEMORY
208
NETWORK INTERFACE DEVICE
115
NETWORK
232
BUS
210
VIDEO DISPLAY
212
ALPHA-NUMERIC INPUT DEVICE
214
CURSOR CONTROL DEVICE
216
SIGNAL GENERATION DEVICE
218
DATA STORAGE DEVICE
MACHINE-ACCESSIBLE STORAGE MEDIUM
230
Instructions
222

FIG. 2



Parcel Delivery Module
300
Provide one or more alternate delivery locations to a user.
310
Receive a request from the user to deliver a parcel to one of the one or more alternate delivery locations.
320
Facilitate delivery of the parcel from an origin location to the alternate delivery location.
330
End

FIG. 3



Parcel Re-routing Module
400
Receive an indication that one or more parcels are scheduled for delivery at a first attended delivery/pickup location and have an intended recipient.
410
Determine whether the first attended delivery/pickup location has an ability to accept delivery of the one or more parcels.
420
Receive one or more parcel handling preferences for the intended recipient.
430
At least partially in response to determining that the first attended delivery/pickup location does not have the ability to accept delivery of the one or more parcels, re-route the one or more parcels to a second location.
440
Notify the intended recipient of the re-routing.
450
End

FIG. 4




FIG. 5