


Claims

What is claimed is:

1. A compound of formula (I) or a pharmaceutically acceptable salt thereof,


5



wherein


- A is a saturated 3-6 membered carbocyclic ring and such ring may be substituted by one or more C₁₋₄alkyl group;
- B is a saturated 4-6 membered heterocyclic ring, in which one or two carbon atoms may be replaced by an heteroatom selected from at least one Nitrogen or an Oxygen and the linking atom is always a Nitrogen atom; such ring may be also substituted at the carbon atoms or, possibly, at a different Nitrogen atom, by one or more C₁₋₄alkyl group;
- G is phenyl or pyridyl optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from the group consisting of: halogen, cyano, hydroxyl, amino, C₁₋₄alkylamino, C₁₋₄alkyl, C₁₋₄alkoxy, haloC₁₋₄alkyl, haloC₁₋₄alkoxy, C(=O)NH₂ and C(=O)(O)_zR₃;
- W is S, SO₂, O, CHR₂ or NR₃;
- n is 0 or 1;
- m is 1 or 2;
- p is 1 or 2;
- z is each independently 0 or 1;
- R is hydrogen or C₁₋₄alkyl; C₁₋₄alkoxy;
- R₁ is each independently hydrogen or F, C₁₋₄alkyl; OH, C₁₋₄alkoxy;
- R₂ is each independently hydrogen or F, C₁₋₄alkyl; OH, C₁₋₄alkoxy;
- R₃ is each independently hydrogen or C₁₋₄alkyl;

- R₄ is each independently hydrogen or C₁₋₄alkyl; or -C(=O)C₁₋₄alkyl; -C(=O)C₁₋₄alkoxyC₁₋₄alkyl; -C(=O)C₃₋₆cycloalkyl;
- R₅ is each independently hydrogen or C₁₋₄alkyl;
- R₆ is each independently hydrogen or C₁₋₄alkyl;
- 5 R₇ is each independently halogen, C₁₋₄alkyl; OH, C₁₋₄alkoxy;
- G₁ is a 5-6-membered heteroaromatic group containing at least one ring nitrogen; which may be optionally substituted by 1, 2, 3 or 4 substituents selected from the group consisting of: halogen, cyano, hydroxyl, amino, C₁₋₄alkylamino, C₁₋₄alkyl, haloC₁₋₄alkyl, haloC₁₋₄alkoxy, C₁₋₄alkoxy, SF₅, C(=O)NH₂ and C(=O)(O)_zR₃;
- 10 Y is phenyl or a moiety selected from the group consisting of: 5-6 membered heteroaromatic group, a 8-11 membered heteroaromatic group, a saturated mono 3-7 membered carbocyclic group and a 8-11 membered bicyclic carbocyclic group, and for any of such groups one or more ring carbons may be replaced by N(R₄)_z, O, S; any of which groups may be optionally substituted by 1, 2 or 3
- 15 substituents selected from: halogen, cyano, hydroxyl, C₁₋₄alkylamino, C₁₋₄alkyl, C₁₋₄alkoxy, haloC₁₋₄alkyl, haloC₁₋₄alkoxy, oxo, -NHC(=O)C₁₋₄alkyl, -NR₅R₆, SF₅, -(CH₂)_zC(=O)NR₅R₆, -C(=O)(O)_zR₃, -C₁₋₄alkylCN, -SO₂NR₅R₆, Y or OY
- Y is phenyl, or a 5-6-membered heteroaromatic group optionally substituted by 1 or 2 R₇ groups; provided that Y, Y and G₁ are not simultaneously phenyl.
- 20 2. A compound or a pharmaceutically acceptable salt thereof, according to claim 1, of formula (IA) in which A and B of compounds of formula (I) are selected from the following:




and wherein G, G₁, W, Y, n, m, p, z, R, R₁ and R₂ are as defined in claim 1.

3. A compound or a pharmaceutically acceptable salt thereof, according to claim 1, of formula (IB) in which A and B of compounds of formula (I) are selected from the following:



and wherein G, G₁, W, Y, n, m, p, z, R, R₁ and R₂ are as defined in claim 1.


4. A compound or a pharmaceutically acceptable salt thereof, according to claim 1, of formula (IIA)



(IIA)

wherein G, G₁, W, Y, n, m, p, z, R, R₁ and R₂ are as defined in claim 1.


5. A compound or a pharmaceutically acceptable salt thereof, according to claim 1, of formula (IIB)




(IIB)

wherein G, G₁, W, Y, n, m, p, z, R, R₁ and R₂ are as defined in claim 1.


6. A compound or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 5, wherein W is S and R, R₁ and R₂ are hydrogen.
7. A compound or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 6, wherein G is phenyl or pyridyl, optionally substituted by 1, 2 or 3 groups independently selected from halo, C₁₋₄alkyl and haloC₁₋₄alkyl.
8. A compound or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 7, wherein G is phenyl, 4-trifluoromethyl-phenyl, 2-fluoro-4-trifluoromethyl-phenyl, 2,4-difluorophenyl, 4-fluorophenyl, 2-trifluoromethyl-phenyl, 2-trifluoromethyl-4-fluorophenyl, or 3,5-dichlorophenyl.
9. A compound or a pharmaceutically acceptable salt thereof, according to any one of



claims 1 to 8, wherein G₁ is , wherein R_a is H or C₁₋₄alkyl; optionally wherein R_a is C₁₋₄alkyl, for example methyl.

10. A compound or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 9, wherein Y is selected from the group consisting of:
- phenyl optionally substituted by one or two substituents selected from: cyano, -C(=O)NH₂, sulphonamide, acetyl, -CH₂CN, -CH₂C(=O)NH₂ and Y¹
 - 5 • a saturated mono 3-7 membered carbocyclic group in which 0 or 1 or 2 carbon atoms are replaced by a heteroatom independently selected from O or NR₃;
 - a 8-11 membered bicyclic carbocyclic group, optionally substituted by one or more C₁₋₄alkyl;
 - a 5-6 membered heteroaromatic group optionally substituted by one or two substituents selected from: halogen, cyano, hydroxyl, C₁₋₄alkyl, haloC₁₋₄alkyl, C₁₋₄alkoxy, -(CH₂)_zC(=O)N(R₄R₅), Y² and OY²
 - 10 • a 8-11 membered heteroaromatic group in which 1 or 2 or 3 atom carbons may be replaced by N, optionally substituted by one or more C₁₋₄alkyl.
11. A compound or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 10, wherein Y is phenyl substituted by 1 or 2 substituents selected from cyano, -CH₂CN, -C(=O)R₃, -(CH₂)_zC(=O)NR₅R₆, -SO₂NH₂ and Y³ wherein Y³ is selected from oxadiazolyl, tetrazolyl, triazolyl and oxazolyl, which Y³ is optionally substituted by C₁₋₄alkyl; optionally Y is phenyl substituted by 1 substituent selected from cyano, CH₂CN, acetyl, -CH₂C(=O)NH₂, -C(=O)NH₂, -SO₂NH₂ and Y⁴ wherein Y⁴ is selected from oxadiazolyl, tetrazolyl, triazolyl and oxazolyl, which Y⁴ is optionally substituted by methyl;
- 20 and wherein R₃, R₅, R₆ and z are as defined in claim 1.
12. A compound or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 11, wherein Y is selected from pyridyl, pyrimidinyl and pyrazinyl any of which groups may be optionally substituted by 1 or 2 substituents selected from: fluoro, cyano, C₁₋₄alkyl, C₁₋₄alkoxy, haloC₁₋₄alkyl, and -C(=O)NR₅R₆; optionally wherein Y is pyridyl optionally substituted by 1 or 2 substituents selected from: C₁₋₄alkyl and -C(=O)NH₂;
- 25 wherein R₅ and R₆ are as defined in claim 1.

13. A compound or a pharmaceutically acceptable salt thereof, according to any one of claims 1 to 12, wherein group $-(\text{CHR})_n(\text{CR}_1\text{R}_2)_m(\text{CR}_1\text{R}_2)_p\text{W}-$ is



14. A compound, according to claim 1, selected from:

- 5 (1R,3R or 1S,3S)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (Enantiomer 1);
 (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
 10 (1R,3S)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (Enantiomer 1);
 (1R,3S)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-phenyl-5-azaspiro[2.4]heptane (Enantiomer 2);
 (1R,3S)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-phenyl-5-azaspiro[2.4]heptane (Enantiomer 2);
 15 (1R,3S/1S,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (TRANS);
 (1S,3R or 1R,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane
 20 (Enantiomer 1);
 (1R,3S or 1S,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane
 (Enantiomer 2);
 (1S,3S/1R,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);
 25 (1S,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane
 (Enantiomer 2);
 (1S,3S/1R,3R)-1-(2,4-difluorophenyl)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-
 30 4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);

- (1S,3S)-1-(2,4-difluorophenyl)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);
- (1R,3S/1S,3R)-1-(4-fluorophenyl)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);
- 5 (1R,3S)-1-(4-fluorophenyl)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);
- (1S,3S/1R,3R)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]-sulfanyl}propyl)-1-[2-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS);
- (1S,3S or 1R,3R)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[2-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS, Enantiomer 2);
- 10 (1S,3R or 1R,3S)-1-[4-fluoro-2-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);
- (1S,3S or 1R,3R)-1-[4-fluoro-2-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (TRANS, Enantiomer 1);
- 15 (1S,3S/1R,3R)-1-(3,5-dichlorophenyl)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (TRANS);
- (1R,3S/1S,3R)-1-(3,5-dichlorophenyl)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);
- 20 (1S,3S/1R,3R)-5-(3-{[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]-sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS);
- (1R,3R or 1S,3S)-5-(3-{[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (Enantiomer 1);
- 25 (1S,3S or 1R,3R)-5-(3-{[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (Enantiomer 2);
- (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]-sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
- 30 (1R,3S)-5-(3-{[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]-sulfanyl}-propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (Enantiomer 1);

(1R,3S/1S,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (TRANS);

(1S,3R or 1R,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (Enantiomer 1);

5 (1S,3S/1R,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);

(1S,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (Enantiomer 2);

(1R,3S/1S,3R)-5-{3-[(4-methyl-5-{8-oxabicyclo[3.2.1]octan-3-yl}-4H-1,2,4-triazol-3-yl)sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

10 (1R,3S)-5-{3-[(4-methyl-5-{8-oxabicyclo[3.2.1]octan-3-yl}-4H-1,2,4-triazol-3-yl)sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (Enantiomer 1);

(1S,3S/1R,3R)-5-{3-[(5-cyclohexyl-4-methyl-4H-1,2,4-triazol-3-yl)sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS);

15 (1R,3R or 1S,3S)-5-{3-[(5-cyclohexyl-4-methyl-4H-1,2,4-triazol-3-yl)sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (Enantiomer 1);

(1S,3S or 1R,3R)-5-{3-[(5-cyclohexyl-4-methyl-4H-1,2,4-triazol-3-yl)sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (Enantiomer 2);

(1R,3S/1S,3R)-5-{3-[(5-cyclohexyl-4-methyl-4H-1,2,4-triazol-3-yl)sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

20 (1R,3S)-5-{3-[(5-cyclohexyl-4-methyl-4H-1,2,4-triazol-3-yl)sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (Enantiomer 1);

1-{4-[4-methyl-5-({3-[(1R,3S/ 1S,3R)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]piperidin-1-yl}ethan-1-one (CIS);

25 1-{4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]piperidin-1-yl}ethan-1-one (CIS, Enantiomer 1);

1-{4-[5-({3-[(1S,3S/1R,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4-methyl-4H-1,2,4-triazol-3-yl]piperidin-1-yl}ethan-1-one (CIS);

30

1-{4-[5-({3-[(1S,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4-methyl-4H-1,2,4-triazol-3-yl]piperidin-1-yl}ethan-1-one (CIS);
3-methoxy-1-{4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]piperidin-1-yl}propan-1-one
5 (CIS, Enantiomer 1);
(1R,3S)-5-(3-{[5-(1-cyclopropanecarbonylpiperidin-4-yl)-4-methyl-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
N-{4-[4-methyl-5-({3-[(1R,3S/1S,3R)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]cyclohexyl}acetamide
10 (CIS);
N-{4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]cyclohexyl}acetamide (CIS, Enantiomer 1);
(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(morpholin-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
15 (1R,3S)-5-(3-{[4-methyl-5-(morpholin-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]piperidin-2-one (CIS, Enantiomer 1);
20 5-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]piperidin-2-one (CIS, Enantiomer 1);
6-[4-methyl-5-({3-[(1R,3S/1S,3R)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (CIS);
5-[4-methyl-5-({3-[(1R,3S/1S,3R)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (CIS);
25 5-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (CIS, Enantiomer 1);
5-[5-({3-[(1S,3S/1R,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4-methyl-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (CIS);
30 5-[5-({3-[(1S,3S/1R,3R)-1-(2,4-difluorophenyl)-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4-methyl-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (CIS);

- 5-[5-(3-[(1R,3S/1S,3R)-1-(4-fluorophenyl)-5-azaspiro[2.4]heptan-5-yl]propyl)sulfanyl]-4-methyl-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (CIS);
- 5-[4-methyl-5-(3-[(1S,3S/1R,3R)-1-[2-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl)sulfanyl]-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (TRANS);
- 5 1-methyl-5-[4-methyl-5-(3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]-heptan-5-yl]propyl)sulfanyl]-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (CIS, Enantiomer 1);
- 4-[4-methyl-5-(3-[(1R,3S/1S,3R)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl)sulfanyl]-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (CIS);
- 10 4-[4-methyl-5-(3-[(1S,3S/1R,3R)-1-[2-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl)sulfanyl]-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (TRANS);
- 1-methyl-4-[4-methyl-5-(3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]-heptan-5-yl]propyl)sulfanyl]-4H-1,2,4-triazol-3-yl]-1,2-dihydropyridin-2-one (CIS, Enantiomer 1);
- 15 4-[5-(3-[(1S,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]-propyl)sulfanyl]-4-methyl-4H-1,2,4-triazol-3-yl]-1-methyl-1,2-dihydropyridin-2-one (CIS, Enantiomer 1);
- (1S,3S/1R,3S)-5-(3-{[4-methyl-5-(pyridin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS);
- 20 (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(pyridin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
- (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
- (1R,3S)-5-(3-{[4-methyl-5-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);
- 25 (1S,3S/1R,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);
- (1S,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);
- 30 (1S,3S/1R,3R)-1-(2,4-difluorophenyl)-5-(3-{[4-methyl-5-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);

- (1S,3S)-1-(2,4-difluorophenyl)-5-(3-{[4-methyl-5-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);
- (1R,3S/1S,3R)-1-(4-fluorophenyl)-5-(3-{[4-methyl-5-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);
- 5 (1R,3S)-1-(4-fluorophenyl)-5-(3-{[4-methyl-5-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl]-sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);
- (1S,3S/1R,3R)-5-(3-{[4-methyl-5-(pyridin-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS);
- (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(pyridin-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-10 1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
- (1R,3S/1S,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(pyridin-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (TRANS);
- (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(2-methylpyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
- 15 (1R,3S)-5-(3-{[4-methyl-5-(2-methylpyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- (1S,3S/1R,3R)-5-(3-{[4-methyl-5-(2-methylpyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[2-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS);
- 20 (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(6-methylpyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
- (1R,3S)-5-(3-{[4-methyl-5-(3-methylpyridin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- 25 (1R,3S)-5-(3-{[5-(2,6-dimethylpyridin-3-yl)-4-methyl-4H-1,2,4-triazol-3-yl]-sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- (1R,3S/1S,3R)-5-(3-{[5-(2-fluoropyridin-3-yl)-4-methyl-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
- 30 (1R,3S)-5-[3-({4-methyl-5-[2-(trifluoromethyl)pyridin-3-yl]-4H-1,2,4-triazol-3-yl]-sulfanyl)propyl]-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);

(1R,3S)-5-(3-{{5-(2-methoxypyridin-3-yl)-4-methyl-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);

5 (1R,3S)-5-(3-{{5-(2-methoxypyridin-3-yl)-4-methyl-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);

5-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carbonitrile (CIS, Enantiomer 1);

10 4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carbonitrile (CIS, Enantiomer 1);

5-[4-methyl-5-({3-[(1S,3S/1R,3R)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carboxamide (TRANS);

5-[4-methyl-5-({3-[(1S,3S or 1R,3R)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-

15 carboxamide (TRANS, Enantiomer 1);

5-[4-methyl-5-({3-[(1R,3R or 1S,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carboxamide (TRANS, Enantiomer 2);

5-[4-methyl-5-({3-[(1R,3S/1S,3R)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carboxamide (CIS);

20 5-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carboxamide (CIS, Enantiomer 1);

5-[5-({3-[(1S,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4-methyl-4H-1,2,4-triazol-3-yl]pyridine-2-carboxamide (CIS,

25 Enantiomer 1);

6-methyl-5-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carboxamide (CIS, Enantiomer 1);

6-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-3-carboxamide (CIS, Enantiomer 1);

30

- 6-[5-({3-[(1S,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4-methyl-4H-1,2,4-triazol-3-yl]pyridine-3-carboxamide (CIS, Enantiomer 1);
- 5 4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carboxamide (CIS, Enantiomer 1);
- 5-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-3-carboxamide (CIS, Enantiomer 1);
- 6-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carboxamide (CIS, Enantiomer 1);
- 10 N-methyl-6-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl}propyl)sulfanyl)-4H-1,2,4-triazol-3-yl]pyridine-2-carboxamide (CIS, Enantiomer 1);
- (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(pyridazin-4-yl)-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
- 15 (1R,3S)-5-(3-{[4-methyl-5-(pyridazin-4-yl)-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- (1S,3S/1R,3R)-5-(3-{[4-methyl-5-(pyrimidin-4-yl)-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS);
- (1S,3S or 1R,3R)-5-(3-{[4-methyl-5-(pyrimidin-4-yl)-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS, Enantiomer 1);
- 20 (1R,3R or 1S,3R)-5-(3-{[4-methyl-5-(pyrimidin-4-yl)-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS, Enantiomer 2);
- 25 (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(pyrimidin-4-yl)-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);
- (1S,3S/1R,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(pyrimidin-4-yl)-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);
- (1S,3S or 1R,3R)-5-(3-{[4-methyl-5-(pyrazin-2-yl)-4H-1,2,4-triazol-3-yl}sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS, Enantiomer 1);
- 30

(1R,3R or 1S,3R)-5-(3-{[4-methyl-5-(pyrazin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS, Enantiomer 2);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(pyrazin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S)-5-(3-{[4-methyl-5-(pyrazin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);

(1S,3S/1R,3R)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-(3-{[4-methyl-5-(pyrazin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-5-azaspiro[2.4]heptane (CIS);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(6-methylpyrazin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(5-methylpyrazin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(3-methylpyrazin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S)-5-(3-{[4-methyl-5-(3-methylpyrazin-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);

5-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]pyrazine-2-carboxamide (CIS);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(3-methyl-1,2-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S)-5-(3-{[4-methyl-5-(3-methyl-1,2-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(4-methyl-1,3-thiazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S)-5-(3-{[4-methyl-5-(4-methyl-1,3-thiazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(1,3-thiazol-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S)-5-(3-{[4-methyl-5-(1,3-thiazol-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(1-methyl-1H-pyrazol-4-yl)-4H-1,2,4-triazol-3-yl]-sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S)-5-(3-{[4-methyl-5-(1-methyl-1H-pyrazol-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}-propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);

5 (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(1-methyl-1H-pyrazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S)-5-(3-{[4-methyl-5-(1-methyl-1H-pyrazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}-propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 2);

(1R,3S/1S,3R)-5-(3-{[5-(furan-2-yl)-4-methyl-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-

10 [4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S/1S,3R)-5-(3-{[5-(furan-3-yl)-4-methyl-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(thiophen-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

15 (1R,3S/1S,3R)-5-(3-{[4-methyl-5-(thiophen-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(1-methyl-1H-pyrrol-2-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1S,3S/1R,3R)-5-(3-{[4-methyl-5-(1,2,3-thiadiazol-4-yl)-4H-1,2,4-triazol-3-

20 yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (TRANS);

(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(1,2,3-thiadiazol-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS);

(1R,3S)-5-(3-{[4-methyl-5-(1,2,3-thiadiazol-4-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS,

25 Enantiomer 1);

(1R,3S)-5-(3-{[4-methyl-5-(4-methyl-1,2,3-thiadiazol-5-yl)-4H-1,2,4-triazol-3-yl]-sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS,

Enantiomer 1);

(1R,3S)-5-[3-({4-methyl-5-[2-(pyridin-3-yl)-1,3-oxazol-5-yl]-4H-1,2,4-triazol-3-yl}-sulfanyl)propyl]-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS,

30 Enantiomer 1);

- (1R,3S)-5-(3-{[4-methyl-5-(6-phenoxy pyridin-3-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- 5 (1R,3S)-5-{3-[(4-methyl-5-{[1,2,4]triazolo[4,3-a]pyridin-6-yl}-4H-1,2,4-triazol-3-yl)-sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- (1R,3S)-5-{3-[(4-methyl-5-{[1,2,4]triazolo[4,3-a]pyridin-7-yl}-4H-1,2,4-triazol-3-yl)-sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- 10 (1S,3S)-1-[2-fluoro-4-(trifluoromethyl)phenyl]-5-{3-[(4-methyl-5-{[1,2,4]triazolo[4,3-a]pyridin-7-yl}-4H-1,2,4-triazol-3-yl)sulfanyl]propyl}-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- (1R,3S)-5-{3-[(4-methyl-5-{3-methyl-[1,2,4]triazolo[4,3-a]pyridin-6-yl}-4H-1,2,4-triazol-3-yl)sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- 15 (1R,3S)-5-{3-[(5-{1H-imidazo[4,5-b]pyridin-5-yl}-4-methyl-4H-1,2,4-triazol-3-yl)-sulfanyl]propyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- (1R,3S)-5-[3-({4-methyl-5-[4-(1H-1,2,3,4-tetrazol-5-yl)phenyl]-4H-1,2,4-triazol-3-yl}-sulfanyl)propyl]-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- 20 (1R,3S)-5-[3-({4-methyl-5-[4-(1,3,4-oxadiazol-2-yl)phenyl]-4H-1,2,4-triazol-3-yl}-sulfanyl)propyl]-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- (1R,3S)-5-[3-({4-methyl-5-[4-(5-methyl-1,2,4-oxadiazol-3-yl)phenyl]-4H-1,2,4-triazol-3-yl}sulfanyl)propyl]-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- 25 (1R,3S)-5-[3-({4-methyl-5-[4-(4H-1,2,4-triazol-4-yl)phenyl]-4H-1,2,4-triazol-3-yl}sulfanyl)propyl]-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);
- 30 (1R,3S)-5-[3-({4-methyl-5-[4-(1,3-oxazol-2-yl)phenyl]-4H-1,2,4-triazol-3-yl}sulfanyl)propyl]-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);

(1R,3S)-5-[3-({4-methyl-5-[3-(1,3-oxazol-2-yl)phenyl]-4H-1,2,4-triazol-3-yl}-sulfanyl)propyl]-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);

4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]-propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]benzamide (CIS, Enantiomer 1);

4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]-propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]benzonitrile (CIS, Enantiomer 1);

1-{4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]phenyl}ethan-1-one (CIS, Enantiomer 1);

4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]-propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]benzene-1-sulfonamide (CIS, Enantiomer 1);

2-{4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]phenyl}acetonitrile (CIS, Enantiomer 1);

2-{4-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]phenyl}acetamide (CIS, Enantiomer 1);

3-[4-methyl-5-({3-[(1R,3S)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptan-5-yl]-propyl}sulfanyl)-4H-1,2,4-triazol-3-yl]benzamide (CIS, Enantiomer 1);

(1S,3S)-1-[2-fluoro-4-(trifluoromethyl)-phenyl]-5-{4-[4-methyl-5-(oxan-4-yl)-4H-1,2,4-triazol-3-yl]butyl}-5-azaspiro[2.4]-heptane (Enantiomer 2);

(1R,3S)-5-{4-[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]butyl}-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.4]heptane (CIS, Enantiomer 1);


(1R,3S/1S,3R)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.5]octane (TRANS);

(1S,3R or 1R,3S)-5-(3-{[4-methyl-5-(4-methyl-1,3-oxazol-5-yl)-4H-1,2,4-triazol-3-yl]-sulfanyl}propyl)-1-[4-(trifluoromethyl)phenyl]-5-azaspiro[2.5]octane (TRANS,


Enantiomer 2); or



a pharmaceutically acceptable salt thereof.

15. A compound of claim 1 having the formula:



5 16. A compound of claim 1 having the formula:





17. A compound according to any one of claims 1-16 for use as a medicament.
18. A pharmaceutical composition comprising a compound as claimed in any one of
5 claims 1-16 and a pharmaceutically acceptable carrier.
19. Use of a compound of any of claims 1 to 18 in the manufacture of a medicament for treating a condition for which modulation of dopamine D₃ receptors is beneficial.
20. The use of claim 19 wherein the condition is psychosis or a psychotic condition, or is substance abuse.
- 10 21. The use of claim 20, wherein the condition is substance abuse.
22. The use of claim 20, wherein the psychotic condition is schizophrenia.