
cell typically has ways of dealing with and resolving replication stress in order to continue growing. One example is by bypassing mechanisms of DNA damage repair, for example the loss of p53, the mutation of ATM, and defects in the homologous recombination repair pathway (such as via mutation to BRCA1, BRCA2, and PALB2). *See* Forment and O'Connor, Pharmacology & Therapeutics, 188 (2018) 155–167. Together, these compensatory mechanisms can result in increased genomic instability, which in turn lead to further replication stress. In general, in tumors where DNA damage response elements are bypassed or impaired, the cancer cells may become more dependent on the remaining active components of the DNA damage response and cell cycle checkpoints such as Wee1.

**[0006]** Inhibition of Wee1 kinase activity enhances CDK activity, and cells in S phase can be induced to enter mitosis prematurely even if DNA replication is defective or incomplete. The increased CDK activity driven by Wee1 inhibition can also rapidly increase replication initiation, leading to a shortage of nucleotides that are required for DNA replication. Wee1 inhibitors can thus be effective to enhance replicative stress and drive cancer cells undergoing a high level of this stress into premature mitosis and subsequent death from mitotic catastrophe. However, currently there are no marketed therapeutic Wee1 inhibitors.

## SUMMARY

**[0006a]** In an aspect, there is provided a compound of Formula (I):



(I)

or a pharmaceutically acceptable salt thereof, wherein:

each $R^1$ is independently C1-C6 alkyl;

m is 0, 1, or 2;

$R^2$ is hydrogen, C1-C6 alkyl, phenyl, 5-10 membered heteroaryl containing one or more ring atom selected from N, O, or S, or 5-10 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, wherein each of phenyl, 5-10 membered

heteroaryl, and 5-10 membered heterocyclyl is optionally substituted with 1-3 substituents each independently selected from $R^A$;

each $R^A$ is independently selected from: halogen; C1-C6 haloalkyl, optionally substituted with $NR^BR^C$; hydroxyl; cyano; $NR^BR^C$; $C(=O)NR^BR^C$; $N=S(O)(R^J)_2$, wherein each $R^J$ is methyl or both taken together with the S atom to which they are attached form a 5 membered ring; $S(O)_2$C1-C6 alkyl; $S(O)(=NR^B)$C1-C6 alkyl; $P(O)$(C1-C6 alkyl)$_2$; C1-C6 alkyl, optionally substituted with hydroxyl,or $NR^BR^C$; C1-C6 alkoxy; C3-C6 cycloalkyl, optionally substituted with hydroxyl or $NR^BR^C$; and 4-6 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1-2 substituents independently selected from halogen, hydroxyl, and C1-C6 alkyl;

each $R^B$ and $R^C$ are independently hydrogen or C1-C6 alkyl;

$R^3$ is hydrogen or C1-C6 alkyl;

$R^4$ is

(i) hydrogen;

(ii) phenyl, optionally substituted with 1 or 2 substituents each independently selected from the group consisting of:

halogen; cyano; $SO_2$(C1-C6 alkyl); C1-C6 haloalkyl; C1-C6 deuteroalkyl; C1-C6 alkyl, optionally substituted with 1 or 2 substituents each independently selected from: $–NR^BR^C$ and $–CO_2H$; (C1-C6 alkyl)$_n$-$C(=O)NR^ER^F$; C3-C6 cycloalkyl, optionally substituted with C1-C6 alkyl; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with C1-C6 alkyl; 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$; and 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1, 2, or 3 independently selected $R^G$;

(iii) 9-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1-4 independently selected C1-C6 alkyl, or halogen;

(iv) 5-10 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with 1 or 2 substituents independently selected from the group consisting of

C1-C6 alkyl; cyano; halogen; C1-C6 haloalkyl; C1-C6 deuteroalkyl; C1-C6 alkoxy; C3-C6 cycloalkyl; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with C1-C6 alkyl; 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$; and 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 C1-C6 alkyl, C1-C6 alkoxy, amino, or 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$;

(v) C3-C6 cycloalkyl; or

(vi) C(O)-$R^I$;

n is 0 or 1;

each $R^E$ and $R^F$ are independently hydrogen or C1-C6 alkyl; or

$R^E$ and $R^F$, together with the nitrogen atom to which they are attached, form a 4-8 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with C1-C6 alkyl;

each $R^G$ is independently halogen, cyano; C1-C6 alkyl, C1-C6 deuteroalkyl, $NR^BR^C$ , or $=NR^H$;

$R^H$ is hydrogen or C1-C6 alkyl;

$R^I$ is selected from the group consisting of C1-C6 alkyl; phenyl, optionally substituted with 1 to 3 halogen; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with 1 to 3 C1-C6 alkyl; C3-C6 cycloalkyl, optionally substituted with 1 substituent selected from the group consisting of: halogen, phenyl, 5-6 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ and optionally substituted with 1 to 3 C1-C6 alkyl, and 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with 1 to 3 C1-C6 alkyl; and 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 C1-C6 alkyl;

$R^5$ is hydrogen, halogen, or C1-C6 alkyl; and

$R^6$ is hydrogen or C1-C6 alkyl.

**[0006b]** In another aspect, there is provided a compound, wherein the compound is selected from the group consisting of:

| |
|---|
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 2-(6-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 2-(6-(4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((6-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| (4S)-4-methyl-3-(6-((8aR)-4b,7,7-trimethyl-2-((4-(5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 2-(6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| N-(4-(4,4-difluoropiperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(tetrahydro-2H-pyran-4-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| dimethyl((6-(4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 1-methyl-5-(4-((4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |

| |
|---|
| dimethyl((6-(4b,7,7-trimethyl-2-((2,4,4-trimethyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 1-methyl-5-(5-((4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((6-(1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-(1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-((1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((6-(4b,7,7-trimethyl-2-((6-(1-methylazetidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-(4b,7,7-trimethyl-2-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-(4b,7,7-trimethyl-2-((1-(1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-(4b,7,7-trimethyl-2-((6-(1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-(4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-((methylamino)methyl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| ((6-(2-((4-(2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,7- trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-(2-((4-((S)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-(4b,7,7-trimethyl-2-(pyridin-4-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4b,7,7-trimethyl-9-(1-methyl-1H-pyrazol-3-yl)-N-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 4b,7,7-trimethyl-9-((R)-7-methyl-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4b-methyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| N-(4-(2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-(1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 3-(6-(4b,7,7-trimethyl-2-((4-(pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| 1-(6-(4b,7,7-trimethyl-2-((4-((1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-(4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-4-methyl-3-(6-(4b-methyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-(4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((3-(4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-(4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| 9-(1-isopropyl-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-(4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-7-ethyl-2-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (S)-7-ethyl-2-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| 5,5-dimethyl-1-(6-(4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| dimethyl((6-(4b,7,7-trimethyl-2-(pyrimidin-5-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(piperidin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(piperidin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| (4bS,8aS)-N-(3-chloro-4-morpholinophenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(3-chloro-4-morpholinophenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-N-(4-(4,4-difluoropiperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(4,4-difluoropiperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(1,4-oxazepan-4-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(1,4-oxazepan-4-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((2S,6R)-2,6-dimethylmorpholino)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((2S,6R)-2,6-dimethylmorpholino)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(3,3-difluoropyrrolidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(3,3-difluoropyrrolidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| morpholino(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)methanone, |
| morpholino(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)methanone, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-5-methyl-1-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-5-methyl-1-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| 2-methyl-6-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)isoindolin-1-one, |
| 2-methyl-6-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)isoindolin-1-one, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(methylsulfonyl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(methylsulfonyl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(tetrahydro-2H-pyran-4-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(tetrahydro-2H-pyran-4-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-phenyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-phenyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(1-(tert-butyl)-1H-pyrazol-4-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(1-(tert-butyl)-1H-pyrazol-4-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 1-imino-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-1l6-thiomorpholine 1-oxide, |

| |
|---|
| 1-imino-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-1l6-thiomorpholine 1-oxide, |
| (S)-1-methyl-5-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-1-methyl-5-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1-methyl-5-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1-methyl-5-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(6-(tetrahydro-2H-pyran-4-yl)pyridin-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(6-(tetrahydro-2H-pyran-4-yl)pyridin-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-tetrahydrofuran-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-tetrahydrofuran-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-tetrahydrofuran-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-tetrahydrofuran-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |

| |
|---|
| (R)-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| 1-(methylimino)-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-1l6-thiomorpholine 1-oxide, |
| 1-(methylimino)-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-1l6-thiomorpholine 1-oxide, |
| (R)-1-methyl-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1-methyl-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-1-methyl-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-1-methyl-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methylpiperidin-4-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methylpiperidin-4-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(tert-butyl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(tert-butyl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| N,N,2-trimethyl-2-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propenamide, |
| N,N,2-trimethyl-2-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propenamide, |
| (S)-1,3-dimethyl-3-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-1,3-dimethyl-3-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1,3-dimethyl-3-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1,3-dimethyl-3-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(3-methyloxetan-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(3-methyloxetan-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(3-methyloxetan-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(3-methyloxetan-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-3-methylphenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-3-methylphenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bR,8aR)-N-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(bicyclo[1.1.1]pentan-1-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(bicyclo[1.1.1]pentan-1-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 2,4,4-trimethyl-7-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-3,4-dihydroisoquinolin-1(2H)-one, |
| 2,4,4-trimethyl-7-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-3,4-dihydroisoquinolin-1(2H)-one, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-1-methyl-5-(5-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-1-methyl-5-(5-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-1-methyl-5-(5-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-1-methyl-5-(5-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)- l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2'-methyl-2',3'-dihydro-1'H-spiro[cyclopropane-1,4'-isoquinolin]-7'-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((2'-methyl-2',3'-dihydro-1'H-spiro[cyclopropane-1,4'-isoquinolin]-7'-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-methyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((2-methyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-morpholin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-morpholin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-morpholin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-morpholin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4-(((4bS,8aS)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-N-methylbenzamide, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-N-methylbenzamide, |
| 4-(((4bS,8aS)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-2-fluoro-N-methylbenzamide, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-2-fluoro-N-methylbenzamide, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2,4,4-trimethyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((2,4,4-trimethyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-N,N-dimethylbenzamide, |
| 4-(((4bS,8aS)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-N,N-dimethylbenzamide, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4-(((4bS,8aS)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-(methyl-d3)piperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-(methyl-d3)piperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((4-((R)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((R)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |

| |
|---|
| ((6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((3-fluoro-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-fluoro-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((3-chloro-4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-chloro-4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(azetidin-3-yl)-3-fluorophenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((4-(azetidin-3-yl)-3-fluorophenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((3-fluoro-4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-fluoro-4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-methyl-6,7-dihydro-5H-pyrrolo[3,4-b]pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-methyl-6,7-dihydro-5H-pyrrolo[3,4-b]pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((6-(azetidin-3-yl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((6-(azetidin-3-yl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(1-methylazetidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(1-methylazetidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-((R)-1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((R)-1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-((S)-1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((S)-1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((S)-1-methylpiperidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-((S)-1-methylpiperidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((R)-1-methylpiperidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-((R)-1-methylpiperidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-(1-methylpiperidin-4-yl)isoxazol-5-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-(1-methylpiperidin-4-yl)isoxazol-5-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-imidazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-imidazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylazetidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylazetidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((R)-1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((R)-1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((R)-pyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((R)-pyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-pyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-pyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-(1-methylpiperidin-4-yl)thiazol-5-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(oxetan-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((S)-1-methylpyrrolidin-3-yl)-1H-pyrazol-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone , |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((R)-1-methylpyrrolidin-3-yl)-1H-pyrazol-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(oxetan-3-yl)-1H-imidazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(tetrahydro-2H-pyran-4-yl)pyridin-2(1H)-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridazin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridazin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(piperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(piperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((R)-pyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((R)-pyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-pyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-pyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((R)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((R)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methyl-2-oxopiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methyl-2-oxopiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((1R,4R)-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((1S,4S)-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(((S)-1-methylpyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(((S)-1-methylpyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(((R)-1-methylpyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(((R)-1-methylpyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(((S)-pyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(((S)-pyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(((R)-pyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(((R)-pyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |

| |
|---|
| (S)-3-(6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methyl-1,4-diazepan-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methyl-1,4-diazepan-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((6-(tert-butyl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((6-(tert-butyl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(3-methyloxetan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(3-methyloxetan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((R)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-((R)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |

| |
|---|
| (S)-3-(6-((4bS,8aS)-2-((4-((S)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-((S)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-3-(methylamino)pyrrolidin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-3-(methylamino)pyrrolidin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-3-(methylamino)pyrrolidin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-3-(methylamino)pyrrolidin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-2-(methylamino)-3-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-4-methyl-2-oxooxazolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| (S)-2-(methylamino)-3-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-4-methyl-2-oxooxazolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| (R)-2-(methylamino)-3-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-4-methyl-2-oxooxazolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| (R)-2-(methylamino)-3-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-4-methyl-2-oxooxazolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(piperidin-4-yloxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(piperidin-4-yloxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-methyl-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-methyl-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((6-(azetidin-3-yloxy)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((6-(azetidin-3-yloxy)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((R)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-((R)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-amino-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-amino-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((methylamino)methyl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((methylamino)methyl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| ((6-((4bR,8aR)-2-(imidazo[1,2-b]pyridazin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-([1,2,3]triazolo[1,5-a]pyridin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-methylpyridin-2(1H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-methylpyridazin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 6-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-2-methylpyridazin-3(2H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(pyrazin-2-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-methylpyridin-2-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((3-fluoropyridin-2-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((5-fluoropyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-methylpyridazin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-methylpyrazin-2-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((6-methoxypyridazin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-methylpyrimidin-5-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 1-(difluoromethyl)-4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((R)-tetrahydrofuran-3-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((S)-tetrahydrofuran-3-yl)pyridin-2(1H)-one, |
| ((6-((4bR,8aR)-2-((6-(difluoromethyl)pyridazin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(methyl-d3)pyridin-2(1H)-one, |
| ((6-((4bR,8aR)-2-(imidazo[1,2-a]pyridin-7-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 1-cyclopropyl-4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| ((6-((4bR,8aR)-2-(benzo[d]isoxazol-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |

| |
|---|
| ((6-((4bR,8aR)-2-(imidazo[1,2-a]pyrazin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-methyl-5H-pyrrolo[2,3-b]pyrazin-2-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-([1,2,4]triazolo[1,5-a]pyridin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-([1,2,4]triazolo[1,5-a]pyridin-7-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(tetrahydro-2H-pyran-4-yl)pyridin-2(1H)-one, |
| 1-((R)-tetrahydrofuran-3-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-((S)-tetrahydrofuran-3-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |

| |
|---|
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-1-methylpyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-1-methylpyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| (1R,2R)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-phenylcyclopropane-1-carboxamide, |
| (1S,2S)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-phenylcyclopropane-1-carboxamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)acetamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropanecarboxamide, |
| N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((1-oxidotetrahydro-1l6-thiophen-1-ylidene)amino)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropanecarboxamide, |
| (1R,2R)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(pyridin-3-yl)cyclopropane-1-carboxamide, |
| (1S,2S)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(pyridin-3-yl)cyclopropane-1-carboxamide, |
| (1R,2R)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(1-methyl-1H-pyrazol-4-yl)cyclopropane-1-carboxamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)benzamide, |

| |
|---|
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)nicotinamide, |
| (1S,2S)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(1-methyl-1H-pyrazol-4-yl)cyclopropane-1-carboxamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)picolinamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-1-methyl-1H-pyrazole-4-carboxamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-fluorobenzamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-1-fluorocyclopropane-1-carboxamide, |
| (1S,2R)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(tetrahydro-2H-pyran-4-yl)cyclopropane-1-carboxamide, |
| (1R,2S)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(tetrahydro-2H-pyran-4-yl)cyclopropane-1-carboxamide, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |

| |
|---|
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |

| |
|---|
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-2-((3-chloro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-2-((3-chloro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-2-((3-chloro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-2-((3-chloro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |

| |
|---|
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-(4-methylpiperazin-1-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-(4-methylpiperazin-1-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 1-methyl-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)piperazin-2-one, |
| 1-methyl-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)piperazin-2-one, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-pyrrolidin-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-pyrrolidin-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-pyrrolidin-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-pyrrolidin-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 1-methyl-4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-methyl-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 2-methyl-2-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| 2-methyl-2-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(6-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(6-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 1-methyl-5-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-methyl-5-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-N-(3-fluoro-4-(1H-imidazol-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(3-fluoro-4-(1H-imidazol-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(6-(1H-imidazol-1-yl)pyridin-3-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(6-(1H-imidazol-1-yl)pyridin-3-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(3-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(3-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(1-methyl-1H-pyrazol-4-yl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(1-methyl-1H-pyrazol-4-yl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-3-methylmorpholino)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-3-methylmorpholino)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-3-methylmorpholino)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-3-methylmorpholino)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(6-methylpyridazin-4-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(6-methylpyridazin-4-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,5S)-3-oxa-6-azabicyclo[3.1.1]heptan-6-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1R,5S)-3-oxa-6-azabicyclo[3.1.1]heptan-6-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,5S)-6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1R,5S)-6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-(4-methylpiperazin-1-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-methyl-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((1-(difluoromethyl)-1H-pyrazol-4-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(trifluoromethyl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| ((6-((4bR,8aR)-2-((5-fluoro-1-methyl-1H-pyrazol-4-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-methylpyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-methylpyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-morpholinopyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 5-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-methylpyridin-2(1H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-morpholinophenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((R)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((S)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methyl-1,4-diazepan-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-(imidazo[1,2-a]pyridin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((R)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((S)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(2-oxa-6-azaspiro[3.3]heptan-6-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-(4-methylpiperazin-1-yl)pyridin-2-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(1,4-diazabicyclo[3.2.1]octan-4-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(pyridin-4-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-methyl-1H-pyrazol-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-methyl-1H-1,2,3-triazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-methyl-2H-1,2,3-triazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((1-ethyl-1H-1,2,3-triazol-4-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxetan-3-ol, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxetan-3-ol, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(1-methyl-1H-pyrazol-3-yl)-N-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(1-methyl-1H-pyrazol-3-yl)-N-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-(piperidin-4-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-(piperidin-4-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-(1-methylpiperidin-4-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-(1-methylpiperidin-4-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-(4-methylpiperazin-1-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-(4-methylpiperazin-1-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((S)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((S)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-(1-(methylamino)cyclopropyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-(1-(methylamino)cyclopropyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(6-(3-fluoroazetidin-3-yl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-9-(6-(3-fluoroazetidin-3-yl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(4-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(4-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((R)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-((S)-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-((S)-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-((R)-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-9-((R)-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-methyl-4-((R)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-methyl-4-((R)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-methyl-4-((S)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-methyl-4-((S)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(5,6,7,8-tetrahydro-1,6-naphthyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(5,6,7,8-tetrahydro-1,6-naphthyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-9-((R)-7-amino-7-methyl-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-((R)-7-amino-7-methyl-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-((S)-7-amino-7-methyl-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-9-((S)-7-amino-7-methyl-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(6-(2-aminopropan-2-yl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-9-(6-(2-aminopropan-2-yl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-((R)-7-methyl-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-((R)-7-methyl-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-((S)-7-methyl-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b-methyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b-methyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methylpiperidin-4-yl)phenyl)-9-(6-(1-(methylamino)cyclopropyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methylpiperidin-4-yl)phenyl)-9-(6-(1-(methylamino)cyclopropyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (4bS,8aS)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| N,N-dimethyl-6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)picolinamide, |
| N,N-dimethyl-6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)picolinamide, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (R)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-5-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-5-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(piperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(piperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 2-(4-(((4bS,8aS)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-2-methylpropanoic acid, |
| 2-(4-(((4bR,8aR)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-2-methylpropanoic acid, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)cyclopropan-1-ol, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)cyclopropan-1-ol, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)cyclopropan-1-ol, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)cyclopropan-1-ol, |
| (S)-5-methyl-1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-5-methyl-1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-((4bS,8aS)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-((3S,4S)-4-fluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((3S,4S)-4-fluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((3R,4R)-4-fluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| 3-(6-((4bR,8aR)-2-((4-((3R,4R)-4-fluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-((R)-4,4-difluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((R)-4,4-difluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-((S)-4,4-difluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((S)-4,4-difluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b-methyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((3-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((3-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(1-methyl-1H-pyrazol-3-yl)-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(1-(trifluoromethyl)-1H-pyrazol-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(1-(difluoromethyl)-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(1-isopropyl-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(methylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone , |

| |
|---|
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(thiazol-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 4,4-dimethyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 5,5-dimethyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((methylamino)methyl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-morpholin-3-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-morpholin-3-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((R)-morpholin-3-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-morpholin-3-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-morpholin-2-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-morpholin-2-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-morpholin-2-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((R)-morpholin-2-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(1-cyclopropyl-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(1-(oxetan-3-yl)-1H-pyrazol-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(1-ethyl-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| ((6-((4bR,8aR)-2-amino-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone , |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(6-(methylsulfonyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (R)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| (S)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| dimethyl(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)phosphine oxide, |
| 1-((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)tetrahydro-1H-1l6-thiophene 1-oxide, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(6-((R)-2,2,2-trifluoro-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(6-((S)-2,2,2-trifluoro-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(1-methylpiperidin-4-yl)phenyl)-9-(6-(methylsulfonyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(6-methoxypyridin-2-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(6-methylpyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (1R,2R)-2-phenyl-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| (1S,2S)-2-phenyl-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropanecarboxamide, |
| (1S,2S)-2-(1-methyl-1H-pyrazol-4-yl)-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| (1R,2R)-2-(1-methyl-1H-pyrazol-4-yl)-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| (S)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| (R)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| (4bR,8aR)-N-(4-(2H-1,2,3-triazol-2-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (1R,2R)-2-(pyridin-3-yl)-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |

| |
|---|
| (1S,2S)-2-(pyridin-3-yl)-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| (R)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| (S)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| tetrahydro-2H-pyran-4-yl ((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)carbamate, |
| (S)-1-methylpyrrolidin-3-yl ((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)carbamate, |
| (4bR,8aR)-9-(6-cyclopropylpyridin-2-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| dimethyl(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)phosphine oxide, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b-methyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| dimethyl(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)phosphine oxide, |
| dimethyl(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)phosphine oxide, |
| 4-(((4bR,8aR)-9-(6-(dimethylphosphoryl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-methylpyridin-2(1H)-one, |

| |
|---|
| 4-(((4bR,8aR)-9-(6-(dimethylphosphoryl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(tetrahydro-2H-pyran-4-yl)pyridin-2(1H)-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-oxo-1-(tetrahydro-2H-pyran-4-yl)-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 4-(((4bR,8aR)-9-(6-(dimethylphosphoryl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((S)-tetrahydrofuran-3-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-(dimethylphosphoryl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((R)-tetrahydrofuran-3-yl)pyridin-2(1H)-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b-methyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 4,4-dimethyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 5,5-dimethyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (S)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (S)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (R)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |

| |
|---|
| (S)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (R)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b-methyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b-methyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 4,4-dimethyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 4,4-dimethyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 5,5-dimethyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 5,5-dimethyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(pyridazin-4-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |


| |
|---|
| 1-cyclobutyl-4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((R)-1-methylpyrrolidin-3-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((S)-1-methylpyrrolidin-3-yl)pyridin-2(1H)-one, |
| 1-(1-methylpiperidin-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| (4bR,8aR)-9-(6-(difluoromethyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((5R)-1,4-diazabicyclo[3.2.1]octan-4-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((5S)-1,4-diazabicyclo[3.2.1]octan-4-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4-(((4bR,8aR)-9-(6-(2-hydroxypropan-2-yl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-((S)-7-ethyl-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-((R)-7-ethyl-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |
| (4bR,8aR)-9-(6-(difluoromethyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bR,8aR)-9-(6-(difluoromethyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| ((6-((4bR,8aR)-2-((5-(difluoromethyl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1,6-dimethylpyridin-2(1H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(pyrimidin-5-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 5-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)nicotinonitrile, |
| (4bR,8aR)-N-(4-(4-(dimethylamino)piperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((S)-3-(dimethylamino)pyrrolidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((R)-3-(dimethylamino)pyrrolidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(4-(dimethylamino)-4-methylpiperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(1-methyl-1,8-diazaspiro[4.5]decan-8-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-(oxetan-3-yl)piperidin-4-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-(2-methoxyethyl)piperidin-4-yl)pyridin-2(1H)-one, |
| 2-methyl-6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridazin-3(2H)-one, |

| |
|---|
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(pyrazin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(pyridazin-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 2-isopropyl-6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridazin-3(2H)-one, |
| ((6-((4bR,8aR)-2-((1-ethyl-1H-pyrazol-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((1-cyclopropyl-1H-pyrazol-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, and |
| ((6-((4bR,8aR)-2-((1-isopropyl-1H-pyrazol-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |


or a pharmaceutically acceptable salt thereof.

**[0006c]** In another aspect, there is provided a compound, wherein the compound is:




or a pharmaceutically acceptable salt thereof.

**[0006d]** In another aspect, there is provided a compound, wherein the compound is:




or a pharmaceutically acceptable salt thereof.

**[0006e]** In another aspect, there is provided a compound, wherein the compound is:




or a pharmaceutically acceptable salt thereof.

**[0006f]** In another aspect, there is provided a compound, wherein the compound is:




or a pharmaceutically acceptable salt thereof.

**[0006g]** In another aspect, there is provided a compound, wherein the compound is:



or a pharmaceutically acceptable salt thereof.

**[0006h]** In another aspect, there is provided a compound, wherein the compound is:



or a pharmaceutically acceptable salt thereof.

**[0006i]** In another aspect, there is provided a pharmaceutical composition comprising a compound as defined above, or a pharmaceutically acceptable salt thereof, and at least one pharmaceutically acceptable excipient.

**[0006j]** In another aspect, there is provided the use of a compound as defined above, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as defined above in the manufacture of a medicament for treating cancer in a patient in need thereof.


**[0006k]** In another aspect, there is provided the compound as defined above, or a pharmaceutically acceptable salt thereof, or the pharmaceutical composition as defined above

for use in the treatment of cancer.

**[0006l]** In another aspect, there is provided the compound as defined above, or a pharmaceutically acceptable salt thereof, or the pharmaceutical composition as defined above for use as a medicament.

**[0006m]** In another aspect, there is provided the use of a compound as defined above, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition as defined above in the manufacture of a medicament.

**[0007]** Accordingly, provided herein is are compounds of Formula (I):





(I)

or a pharmaceutically acceptable salt thereof, wherein $(R^1)_m$, $R^2$, $R^3$, $R^4$, $R^5$, $R^6$, $R^A$, $R^B$, $R^C$, $R^D$, $R^E$, $R^F$, $R^G$, $R^H$, $R^I$, m, and n, are as defined herein.

**[0008]** Also provided herein is a pharmaceutical composition comprising a compound of Formula (I), or a pharmaceutically acceptable salt thereof, and at least one pharmaceutically acceptable excipient.

**WHAT IS CLAIMED IS:**

1. A compound of Formula (I):




(I)

or a pharmaceutically acceptable salt thereof, wherein:

each $R^1$ is independently C1-C6 alkyl;

m is 0, 1, or 2;

$R^2$ is hydrogen, C1-C6 alkyl, phenyl, 5-10 membered heteroaryl containing one or more ring atom selected from N, O, or S, or 5-10 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, wherein each of phenyl, 5-10 membered heteroaryl, and 5-10 membered heterocyclyl is optionally substituted with 1-3 substituents each independently selected from $R^A$;

each $R^A$ is independently selected from: halogen; C1-C6 haloalkyl, optionally substituted with $NR^BR^C$; hydroxyl; cyano; $NR^BR^C$; $C(=O)NR^BR^C$; $N=S(O)(R^J)_2$, wherein each $R^J$ is methyl or both taken together with the S atom to which they are attached form a 5 membered ring; $S(O)_2$C1-C6 alkyl; $S(O)(=NR^B)$C1-C6 alkyl; $P(O)$(C1-C6 alkyl)$_2$; C1-C6 alkyl, optionally substituted with hydroxyl,or $NR^BR^C$; C1-C6 alkoxy; C3-C6 cycloalkyl, optionally substituted with hydroxyl or $NR^BR^C$; and 4-6 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1-2 substituents independently selected from halogen, hydroxyl, and C1-C6 alkyl;

each $R^B$ and $R^C$ are independently hydrogen or C1-C6 alkyl;

$R^3$ is hydrogen or C1-C6 alkyl;

$R^4$ is

(i) hydrogen;

(ii) phenyl, optionally substituted with 1 or 2 substituents each independently selected from the group consisting of:

halogen; cyano; $SO_2$(C1-C6 alkyl); C1-C6 haloalkyl; C1-C6 deuteroalkyl; C1-C6 alkyl, optionally substituted with 1 or 2 substituents each independently selected from: $–NR^BR^C$ and $–CO_2H$; $(C1\text{-}C6\ alkyl)_n\text{-}C(=O)NR^ER^F$; C3-C6 cycloalkyl, optionally substituted with C1-C6 alkyl; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with C1-C6 alkyl; 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$; and 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1, 2, or 3 independently selected $R^G$;

(iii) 9-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1-4 independently selected C1-C6 alkyl, or halogen;

(iv) 5-10 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with 1 or 2 substituents independently selected from the group consisting of C1-C6 alkyl; cyano; halogen; C1-C6 haloalkyl; C1-C6 deuteroalkyl; C1-C6 alkoxy; C3-C6 cycloalkyl; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with C1-C6 alkyl; 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$; and 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 C1-C6 alkyl, C1-C6 alkoxy, amino, or 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$;

(v) C3-C6 cycloalkyl; or

(vi) C(O)-$R^I$;

n is 0 or 1;

each $R^E$ and $R^F$ are independently hydrogen or C1-C6 alkyl; or

$R^E$ and $R^F$, together with the nitrogen atom to which they are attached, form a 4-8 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with C1-C6 alkyl;

each $R^G$ is independently halogen, cyano; C1-C6 alkyl, C1-C6 deuteroalkyl, $NR^BR^C$, or $=NR^H$;


$R^H$ is hydrogen or C1-C6 alkyl;

$R^I$ is selected from the group consisting of C1-C6 alkyl; phenyl, optionally substituted with 1 to 3 halogen; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with 1 to 3 C1-C6 alkyl; C3-C6 cycloalkyl, optionally substituted with 1 substituent selected from the group consisting of: halogen, phenyl, 5-6 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ and optionally substituted with 1 to 3 C1-C6 alkyl, and 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with 1 to 3 C1-C6 alkyl; and 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 C1-C6 alkyl;

$R^5$ is hydrogen, halogen, or C1-C6 alkyl; and

$R^6$ is hydrogen or C1-C6 alkyl.

2. A compound of Formula (I):




(I)

or a pharmaceutically acceptable salt thereof, wherein:

each $R^1$ is independently C1-C6 alkyl;

m is 0, 1, or 2;

$R^2$ is hydrogen, C1-C6 alkyl, phenyl, 5-10 membered heteroaryl containing one or more ring atom selected from N, O, or S, or 5-10 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, wherein the phenyl, 5-10 membered heteroaryl, and 5-10 membered heterocyclyl are each optionally substituted with 1-3 substituents each independently selected from $R^A$;

each $R^A$ is independently selected from: halogen, cyano, $–NR^BR^C$, $–C(=O)NR^BR^C$, $–N=S(O)Me)_2$, C1-C6 alkyl optionally substituted with hydroxyl or $–NR^BR^C$; C3-C6 cycloalkyl optionally substituted with $–NR^BR^C$; and 4-6 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ optionally substituted with 1-2 substituents independently selected from halogen and C1-C6 alkyl;

each $R^B$ and $R^C$ are independently hydrogen or C1-C6 alkyl;

$R^3$ is hydrogen or C1-C6 alkyl;

$R^4$ is

(i) phenyl optionally substituted with 1 or 2 substituents each independently selected from the group consisting of: halogen, cyano, -$SO_2$(C1-C6 alkyl), C1-C6 haloalkyl, C1-C6 deuteroalkyl, C1-C6 alkyl optionally substituted with 1 or 2 substituents each independently selected from: –$NR^BR^C$ and –$CO_2H$; -(C1-C6 alkyl)$_n$-$C(=O)NR^ER^F$, C3-C6 cycloalkyl optionally substituted with C1-C6 alkyl; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S optionally substituted with C1-C6 alkyl; 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ optionally substituted with 1 or 2 independently selected $R^G$; and 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ optionally substituted with 1 or 2 independently selected $R^G$;

(ii) 9-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ optionally substituted with 1-3 independently selected C1-C6 alkyl;

(iii) 5-10 membered heteroaryl containing one or more ring atom selected from N, O, or S optionally substituted with 1 or 2 substituents independently selected from the group consisting of C1-C6 alkyl, C1-C6 haloalkyl, C1-C6 deuteroalkyl, C3-C6 cycloalkyl, 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S optionally substituted with C1-C6 alkyl; 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ optionally substituted with 1 or 2 independently selected $R^G$; and 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ optionally substituted with 1 or 2 C1-C6 alkyl or amino;

(iv) C3-C6 cycloalkyl; or

(v) C(O)-$R^I$;

n is 0 or 1;

each $R^E$ and $R^F$ are independently hydrogen or C1-C6 alkyl; or

$R^E$ and $R^F$, together with the nitrogen atom to which they are attached, form a 4-8 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ optionally substituted with C1-C6 alkyl;

each $R^G$ is independently halogen, C1-C6 alkyl, C1-C6 deuteroalkyl, –$NR^BR^C$ , or =$NR^H$;

$R^H$ is hydrogen or C1-C6 alkyl;

$R^I$ is C1-C6 alkyl, phenyl optionally substituted with 1 to 3 halogen; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S optionally substituted

with 1 to 3 C1-C6 alkyl; C3-C6 cycloalkyl optionally substituted with 1 substituent selected from the group consisting of: halogen, phenyl, and 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S optionally substituted with 1 to 3 C1-C6 alkyl;

$R^5$ is hydrogen, halogen, or C1-C6 alkyl; and

$R^6$ is hydrogen or C1-C6 alkyl.


3. The compound of claim 1 or 2, wherein m is 2, optionally wherein two independently selected $R^1$ groups are geminal, and the carbon atom to which they are attached is adjacent to the ring oxygen.

4. The compound of any one of claims 1 to 3, wherein each $R^1$ is methyl.

5. The compound according to any one of claims 1-4, wherein $R^5$ is hydrogen.

6. The compound according to any one of claims 1-5, wherein $R^6$ is methyl.

7. The compound according to any one of claims 1-6 having the following structure:





.


8. The compound of any one of claims 1-7, wherein $R^2$ is phenyl optionally substituted with 1-3 independently selected $R^A$.


9. The compound of any one of claims 1-7, wherein $R^2$ is a 5-10 membered heteroaryl containing one or more ring atom selected from N, O, or S optionally substituted with 1-3 independently selected $R^A$; optionally wherein the $R^2$ 5-10 membered heteroaryl containing one or more ring atom selected from N, O, or S is a 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S.


10. The compound of any one of claims 1-7 and 9, wherein the $R^2$ is pyridyl, pyrazinyl, or pyrimidinyl; optionally wherein $R^2$ is pyridyl or $R^2$ is 2-pyridyl.


11. The compound of claim 10, wherein $R^2$ is .

12. The compound of claim 11, wherein $R^2$ is selected from:

(a) ;

(b) ;

(c) ; or

(d) .

13. The compound of any one of claims 1-7, wherein $R^2$ is a 5-10 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ optionally substituted with 1-3 independently selected $R^A$.

14. The compound of any one of claims 1-11 and 13, wherein each $R^A$ is independently selected from the group consisting of fluoro; chloro; hydroxyl; cyano; $NR^BR^C$; $C(=O)NR^BR^C$; C1-C6 alkyl, optionally substituted with hydroxyl, $NR^BR^C$,, or C3-C6 cycloalkyl; C1-C6 alkoxy; C1-C6 haloalkyl, optionally substituted with $NR^BR^C$; C3-C6 cycloalkyl, optionally substituted with $NR^BR^C$; N=S(O)(Me)2; N=S(O)($R^J$)2, where each $R^J$ combines with the S atom to which it is attached to form a 5 membered ring; $S(O)_2$C1-C6 alkyl; $S(O)(=NR^B)$C1-C6 alkyl; $P(O)(C1\text{-}C6\ alkyl)_2$; and 4-6 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$ optionally substituted with halogen, hydroxyl, or C1-C6 alkyl.

15. The compound of any one of claims 1-11, 13 and 14, wherein one or more $R^A$ is an independently selected $NR^BR^C$, $C(=O)NR^BR^C$, or C1-C6 alkyl optionally substituted with hydroxyl or $NR^BR^C$.

16. The compound of any one of claims 1-16 and 18-22, wherein:

(i) $R^B$ and $R^C$ are each hydrogen; or

(ii) $R^B$ is hydrogen and $R^C$ is C1-C6 alkyl; or

(iii) $R^B$ and $R^C$ are each independently selected C1-C6 alkyl.

17. The compound of any one of claims 1-16, wherein $R^3$ is hydrogen.

18. The compound of any one of claims 1-16, wherein $R^3$ is C1-C6 alkyl, optionally wherein $R^3$ is methyl.

19. The compound of any one of claims 1-18, wherein $R^4$ is phenyl, optionally substituted with 1 or 2 substituents each independently selected from the group consisting of: halogen; cyano; $SO_2$(C1-C6 alkyl); C1-C6 haloalkyl; C1-C6 deuteroalkyl; C1-C6 alkyl, optionally substituted with 1 or 2 substituents each independently selected from: $NR^BR^C$ and $CO_2H$; $(C1\text{-}C6\ alkyl)_n$-$C(=O)NR^ER^F$; C3-C6 cycloalkyl optionally substituted with C1-C6 alkyl; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S optionally substituted with C1-C6 alkyl; 4-12 membered heterocyclyloxy containing one or

more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$; and 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$

optionally wherein $R^4$ is phenyl substituted with 1 or 2 substituents independently selected from the group consisting of halogen; C1-C6 alkyl; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S optionally substituted with C1-C6 alkyl; 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$; and 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$.


20. The compound of claim 19, wherein:


(i) $R^4$ is phenyl is substituted with imidazolyl or pyrazolyl, each optionally substituted with 1 or 2 independently selected $R^G$; or

(ii) $R^4$ is phenyl substituted with piperidinyl, piperazinyl, morpholinyl, pyrrolidinyl, pyrrolidinonyl, tetrahydrofuranyl, tetrahydropyranyl, oxetanyl, azetidinyl, 1,4-oxazepan-4-yl, 3-oxa-8-azabicyclo[3.2.1]octanyl, 2,5-diazabicyclo[2.2.1]heptanyl, 2-oxa-5-azabicyclo[2.2.1]heptanyl, 1,4-diazepanyl, 2-oxopiperazinyl, 3-oxopiperazinyl, thiomorpholinyl, thiomorpholinyl-1-oxide, octahydropyrrolo[3,4-c]pyrrolyl, or 2,6-diazaspiro[3.3]heptanyl, wherein each of which is optionally substituted with 1 or 2 independently selected $R^G$.

21. The compound of any one of claims 1-20, wherein each $R^G$ is independently selected from halogen, C1-C6 alkyl, C1-C6 deuteroalkyl, and $NR^BR^C$ ; optionally wherein each $R^G$ is independently selected from fluoro, chloro, methyl, $CD_3$, and $NCH_3R^C$, wherein $R^C$ is selected from hydrogen and methyl.

22. The compound of any one of claims 1-18, wherein $R^4$ is a 9-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1-3 independently selected C1-C6 alkyl.

23. The compound of any one of claims 1-18 and 22, wherein $R^4$ is selected from 

, and 

; wherein each of Ring B1 and Ring B2 is independently selected 5-6 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$.

24. The compound of any one of claims 1-18, wherein $R^4$ is a 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with 1 or 2 substituents independently selected from the group consisting of C1-C6 alkyl; 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, optionally substituted with C1-C6 alkyl; 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$; and 4-12 membered heterocyclyl containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with C1-C6 alkyl or amino;

optionally wherein wherein:

$R^4$ is a 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, substituted with 1 or 2 substituents independently selected from the group consisting of piperidinyl, piperazinyl, and tetrahydropyranyl, each optionally substituted with methyl or amino; or

$R^4$ is a 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, substituted with 1 or 2 independently selected C1-C6 alkyl; or

$R^4$ is a 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, substituted with 1 or 2 substituents independently selected from 4-12 membered heterocyclyloxy containing one or more ring atom selected from N, O, S, C(O), N(O), S(O), or $S(O)_2$, optionally substituted with 1 or 2 independently selected $R^G$; or

$R^4$ is a 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, substituted with 1 or 2 substituents independently selected from the group consisting of azetidinyloxy, piperidinyloxy, and pyrrolidinyloxy, each optionally substituted with 1 or 2 independently selected $R^G$; or

$R^4$ is a 5-6 membered heteroaryl containing one or more ring atom selected from N, O, or S, selected from the group consisting of pyrazol-4-yl, pyrazol-3-yl, imidazolyl, isoxazolyl, thiazolyl, 1,2,3-triazol-4-yl, pyridin-3-yl, pyazinyl, pyrimidinyl, and pyridazinyl.

25. The compound of any one of claims 1-18, wherein $R^4$ is C3-C6 cycloalkyl.

26. The compound according to any one of claims 1-18, wherein $R^4$ is C(O)-$R^I$.

27. A compound, wherein the compound is selected from the group consisting of:

| |
|---|
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 2-(6-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 2-(6-(4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((6-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| (4S)-4-methyl-3-(6-((8aR)-4b,7,7-trimethyl-2-((4-(5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 2-(6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| N-(4-(4,4-difluoropiperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(tetrahydro-2H-pyran-4-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| 4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| dimethyl((6-(4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 1-methyl-5-(4-((4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| dimethyl((6-(4b,7,7-trimethyl-2-((2,4,4-trimethyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 1-methyl-5-(5-((4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((6-(1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-(1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-((1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((6-(4b,7,7-trimethyl-2-((6-(1-methylazetidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-(4b,7,7-trimethyl-2-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-(4b,7,7-trimethyl-2-((1-(1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-(4b,7,7-trimethyl-2-((6-(1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-(4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| (4S)-4-methyl-3-(6-(4b,7,7-trimethyl-2-((4-((methylamino)methyl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| ((6-(2-((4-(2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,7- trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-(2-((4-((S)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-(4b,7,7-trimethyl-2-(pyridin-4-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4b,7,7-trimethyl-9-(1-methyl-1H-pyrazol-3-yl)-N-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-(4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 4b,7,7-trimethyl-9-((R)-7-methyl-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4b-methyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| N-(4-(2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-(1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 3-(6-(4b,7,7-trimethyl-2-((4-(pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-(4b,7,7-trimethyl-2-((4-((1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-(4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-4-methyl-3-(6-(4b-methyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-(4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((3-(4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-(4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| 9-(1-isopropyl-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-(4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-7-ethyl-2-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (S)-7-ethyl-2-(4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| 5,5-dimethyl-1-(6-(4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| dimethyl((6-(4b,7,7-trimethyl-2-(pyrimidin-5-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(piperidin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(piperidin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |

| |
|---|
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| (4bS,8aS)-N-(3-chloro-4-morpholinophenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(3-chloro-4-morpholinophenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(4,4-difluoropiperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(4,4-difluoropiperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(1,4-oxazepan-4-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(1,4-oxazepan-4-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-N-(4-((2S,6R)-2,6-dimethylmorpholino)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((2S,6R)-2,6-dimethylmorpholino)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(3,3-difluoropyrrolidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(3,3-difluoropyrrolidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| morpholino(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)methanone, |
| morpholino(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)methanone, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-5-methyl-1-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-5-methyl-1-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| 2-methyl-6-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)isoindolin-1-one, |

| |
|---|
| 2-methyl-6-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)isoindolin-1-one, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(methylsulfonyl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(methylsulfonyl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(tetrahydro-2H-pyran-4-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(tetrahydro-2H-pyran-4-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-tetrahydrofuran-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-phenyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-phenyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-N-(1-(tert-butyl)-1H-pyrazol-4-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(1-(tert-butyl)-1H-pyrazol-4-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 1-imino-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-1l6-thiomorpholine 1-oxide, |
| 1-imino-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-1l6-thiomorpholine 1-oxide, |
| (S)-1-methyl-5-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-1-methyl-5-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1-methyl-5-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1-methyl-5-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(6-(tetrahydro-2H-pyran-4-yl)pyridin-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(6-(tetrahydro-2H-pyran-4-yl)pyridin-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-tetrahydrofuran-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-tetrahydrofuran-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-tetrahydrofuran-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-tetrahydrofuran-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (S)-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| 1-(methylimino)-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-1l6-thiomorpholine 1-oxide, |
| 1-(methylimino)-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-1l6-thiomorpholine 1-oxide, |
| (R)-1-methyl-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1-methyl-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-1-methyl-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-1-methyl-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methylpiperidin-4-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methylpiperidin-4-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(tert-butyl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(tert-butyl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| N,N,2-trimethyl-2-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propenamide, |
| N,N,2-trimethyl-2-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propenamide, |
| (S)-1,3-dimethyl-3-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (S)-1,3-dimethyl-3-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1,3-dimethyl-3-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (R)-1,3-dimethyl-3-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(3-methyloxetan-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(3-methyloxetan-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(3-methyloxetan-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(3-methyloxetan-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-3-methylphenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-3-methylphenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-N-(4-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(bicyclo[1.1.1]pentan-1-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(bicyclo[1.1.1]pentan-1-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 2,4,4-trimethyl-7-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-3,4-dihydroisoquinolin-1(2H)-one, |
| 2,4,4-trimethyl-7-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-3,4-dihydroisoquinolin-1(2H)-one, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-1-methyl-5-(5-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-1-methyl-5-(5-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-1-methyl-5-(5-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-1-methyl-5-(5-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2-yl)pyrrolidin-2-one, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)- l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2'-methyl-2',3'-dihydro-1'H-spiro[cyclopropane-1,4'-isoquinolin]-7'-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((2'-methyl-2',3'-dihydro-1'H-spiro[cyclopropane-1,4'-isoquinolin]-7'-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-methyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((2-methyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-morpholin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-morpholin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-morpholin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-morpholin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4-(((4bS,8aS)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-N-methylbenzamide, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-N-methylbenzamide, |
| 4-(((4bS,8aS)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-2-fluoro-N-methylbenzamide, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-2-fluoro-N-methylbenzamide, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2,4,4-trimethyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((2,4,4-trimethyl-1,2,3,4-tetrahydroisoquinolin-7-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-N,N-dimethylbenzamide, |
| 4-(((4bS,8aS)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-N,N-dimethylbenzamide, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4-(((4bS,8aS)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |

| |
|---|
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-(methyl-d3)piperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-(methyl-d3)piperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |

| |
|---|
| ((6-((4bS,8aS)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((4-((R)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((R)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |

| |
|---|
| ((6-((4bR,8aR)-2-((3-fluoro-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-fluoro-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((3-chloro-4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-chloro-4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(azetidin-3-yl)-3-fluorophenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((4-(azetidin-3-yl)-3-fluorophenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((3-fluoro-4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((3-fluoro-4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(tetrahydro-2H-pyran-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-methyl-6,7-dihydro-5H-pyrrolo[3,4-b]pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-methyl-6,7-dihydro-5H-pyrrolo[3,4-b]pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((6-(azetidin-3-yl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bS,8aS)-2-((6-(azetidin-3-yl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(1-methylazetidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(1-methylazetidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-((R)-1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((R)-1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-((S)-1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((S)-1-methylpyrrolidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((S)-1-methylpiperidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-((S)-1-methylpiperidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((R)-1-methylpiperidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-((R)-1-methylpiperidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-(1-methylpiperidin-4-yl)isoxazol-5-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-(1-methylpiperidin-4-yl)isoxazol-5-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-imidazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-imidazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylazetidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylazetidin-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((R)-1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((R)-1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((R)-pyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((R)-pyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-pyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-pyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-2-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-(1-methylpiperidin-4-yl)thiazol-5-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(oxetan-3-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((S)-1-methylpyrrolidin-3-yl)-1H-pyrazol-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone , |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-((R)-1-methylpyrrolidin-3-yl)-1H-pyrazol-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(oxetan-3-yl)-1H-imidazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(tetrahydro-2H-pyran-4-yl)pyridin-2(1H)-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridazin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridazin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(piperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(piperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((R)-pyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((R)-pyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-pyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-pyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((S)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((R)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((R)-1-methylpyrrolidin-3-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methyl-2-oxopiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methyl-2-oxopiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((1R,4R)-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((1S,4S)-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(((S)-1-methylpyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(((S)-1-methylpyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(((R)-1-methylpyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(((R)-1-methylpyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(((S)-pyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(((S)-pyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(((R)-pyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(((R)-pyrrolidin-3-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |

| |
|---|
| (S)-3-(6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methyl-1,4-diazepan-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methyl-1,4-diazepan-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((6-(tert-butyl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((6-(tert-butyl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(3-methyloxetan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(3-methyloxetan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((R)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-((R)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((S)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-((S)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-3-(methylamino)pyrrolidin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-3-(methylamino)pyrrolidin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-3-(methylamino)pyrrolidin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-3-(methylamino)pyrrolidin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-2-(methylamino)-3-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-4-methyl-2-oxooxazolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| (S)-2-(methylamino)-3-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-4-methyl-2-oxooxazolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| (R)-2-(methylamino)-3-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-4-methyl-2-oxooxazolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| (R)-2-(methylamino)-3-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-4-methyl-2-oxooxazolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(piperidin-4-yloxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(piperidin-4-yloxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-((1-methylpiperidin-4-yl)oxy)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-methyl-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-methyl-2-oxo-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((6-(azetidin-3-yloxy)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((6-(azetidin-3-yloxy)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((R)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-((R)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-3-(6-((4bR,8aR)-2-amino-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-3-(6-((4bS,8aS)-2-amino-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-4-methyloxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((methylamino)methyl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((methylamino)methyl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| ((6-((4bR,8aR)-2-(imidazo[1,2-b]pyridazin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-([1,2,3]triazolo[1,5-a]pyridin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-methylpyridin-2(1H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-methylpyridazin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 6-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-2-methylpyridazin-3(2H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(pyrazin-2-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-methylpyridin-2-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| ((6-((4bR,8aR)-2-((3-fluoropyridin-2-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((5-fluoropyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-methylpyridazin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-methylpyrazin-2-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((6-methoxypyridazin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-methylpyrimidin-5-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 1-(difluoromethyl)-4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((R)-tetrahydrofuran-3-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((S)-tetrahydrofuran-3-yl)pyridin-2(1H)-one, |
| ((6-((4bR,8aR)-2-((6-(difluoromethyl)pyridazin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(methyl-d3)pyridin-2(1H)-one, |
| ((6-((4bR,8aR)-2-(imidazo[1,2-a]pyridin-7-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 1-cyclopropyl-4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |

| |
|---|
| ((6-((4bR,8aR)-2-(benzo[d]isoxazol-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-(imidazo[1,2-a]pyrazin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-methyl-5H-pyrrolo[2,3-b]pyrazin-2-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-([1,2,4]triazolo[1,5-a]pyridin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-([1,2,4]triazolo[1,5-a]pyridin-7-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(tetrahydro-2H-pyran-4-yl)pyridin-2(1H)-one, |
| 1-((R)-tetrahydrofuran-3-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-((S)-tetrahydrofuran-3-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |

| |
|---|
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-1-methylpyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-(tetrahydro-2H-pyran-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-1-methylpyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| (1R,2R)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-phenylcyclopropane-1-carboxamide, |
| (1S,2S)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-phenylcyclopropane-1-carboxamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)acetamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropanecarboxamide, |
| N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((1-oxidotetrahydro-1l6-thiophen-1-ylidene)amino)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropanecarboxamide, |
| (1R,2R)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(pyridin-3-yl)cyclopropane-1-carboxamide, |
| (1S,2S)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(pyridin-3-yl)cyclopropane-1-carboxamide, |
| (1R,2R)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(1-methyl-1H-pyrazol-4-yl)cyclopropane-1-carboxamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)benzamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)nicotinamide, |

| |
|---|
| (1S,2S)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(1-methyl-1H-pyrazol-4-yl)cyclopropane-1-carboxamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)picolinamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-1-methyl-1H-pyrazole-4-carboxamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-fluorobenzamide, |
| N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-1-fluorocyclopropane-1-carboxamide, |
| (1S,2R)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(tetrahydro-2H-pyran-4-yl)cyclopropane-1-carboxamide, |
| (1R,2S)-N-((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)-2-(tetrahydro-2H-pyran-4-yl)cyclopropane-1-carboxamide, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |

| |
|---|
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-2-((3-chloro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |

| |
|---|
| 2-(6-((4bS,8aS)-2-((3-chloro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-2-((3-chloro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-2-((3-chloro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |
| 2-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)propan-2-ol, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-(4-methylpiperazin-1-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-(4-methylpiperazin-1-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 1-methyl-4-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)piperazin-2-one, |
| 1-methyl-4-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)piperazin-2-one, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-pyrrolidin-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-pyrrolidin-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-pyrrolidin-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-pyrrolidin-3-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 1-methyl-4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-methyl-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 2-methyl-2-(4-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| 2-methyl-2-(4-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)propanoic acid, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(6-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(6-(1-methyl-1H-pyrazol-4-yl)pyridin-3-yl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| 1-methyl-5-(((4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| 1-methyl-5-(((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(3-fluoro-4-(1H-imidazol-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(3-fluoro-4-(1H-imidazol-1-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(6-(1H-imidazol-1-yl)pyridin-3-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(6-(1H-imidazol-1-yl)pyridin-3-yl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(3-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(3-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(1-methyl-1H-pyrazol-4-yl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(1-methyl-1H-pyrazol-4-yl)-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-3-methylmorpholino)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((R)-3-methylmorpholino)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-3-methylmorpholino)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-((S)-3-methylmorpholino)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(6-methylpyridazin-4-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(6-methylpyridazin-4-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,5S)-3-oxa-6-azabicyclo[3.1.1]heptan-6-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1R,5S)-3-oxa-6-azabicyclo[3.1.1]heptan-6-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,5S)-6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1R,5S)-6-oxa-3-azabicyclo[3.1.1]heptan-3-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-(4-methylpiperazin-1-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-methyl-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((1-(difluoromethyl)-1H-pyrazol-4-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(trifluoromethyl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((5-fluoro-1-methyl-1H-pyrazol-4-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-methylpyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-methylpyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-morpholinopyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 5-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-methylpyridin-2(1H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-morpholinophenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((R)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((S)-3,4-dimethylpiperazin-1-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methyl-1,4-diazepan-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-(imidazo[1,2-a]pyridin-6-ylamino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((R)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-((S)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(2-oxa-6-azaspiro[3.3]heptan-6-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(4-methylpiperazin-1-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((5-(4-methylpiperazin-1-yl)pyridin-2-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((4-(1,4-diazabicyclo[3.2.1]octan-4-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(pyridin-4-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-methyl-1H-pyrazol-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-methyl-1H-1,2,3-triazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-methyl-2H-1,2,3-triazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((1-ethyl-1H-1,2,3-triazol-4-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxetan-3-ol, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxetan-3-ol, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(1-methyl-1H-pyrazol-3-yl)-N-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(1-methyl-1H-pyrazol-3-yl)-N-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-morpholinophenyl)-9-(6-((S)-pyrrolidin-2-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-(piperidin-4-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-(piperidin-4-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-(1-methylpiperidin-4-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-(1-methylpiperidin-4-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-(4-methylpiperazin-1-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-(4-methylpiperazin-1-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((R)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((S)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(6-((S)-pyrrolidin-3-yl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-(1-(methylamino)cyclopropyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-(1-(methylamino)cyclopropyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(6-(3-fluoroazetidin-3-yl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-9-(6-(3-fluoroazetidin-3-yl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bR,8aR)-4b,7,7-trimethyl-9-(4-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(4-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((R)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-((S)-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-((S)-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-((R)-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-((R)-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-methyl-4-((R)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-methyl-4-((R)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-methyl-4-((S)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-methyl-4-((S)-1-(methylamino)ethyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(5,6,7,8-tetrahydro-1,6-naphthyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-9-(5,6,7,8-tetrahydro-1,6-naphthyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-9-((R)-7-amino-7-methyl-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-((R)-7-amino-7-methyl-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-((S)-7-amino-7-methyl-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-9-((S)-7-amino-7-methyl-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(6-(2-aminopropan-2-yl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-9-(6-(2-aminopropan-2-yl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-((R)-7-methyl-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-((R)-7-methyl-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-((S)-7-methyl-7-(methylamino)-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b-methyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b-methyl-9-(6-((methylamino)methyl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methylpiperidin-4-yl)phenyl)-9-(6-(1-(methylamino)cyclopropyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(3-methyl-4-(1-methylpiperidin-4-yl)phenyl)-9-(6-(1-(methylamino)cyclopropyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (4bS,8aS)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-N-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)phenyl)-4b,7,7-trimethyl-9-(6-((S)-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| N,N-dimethyl-6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)picolinamide, |
| N,N-dimethyl-6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)picolinamide, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-4-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| (R)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-5-methyl-3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-5-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(piperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(piperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 2-(4-(((4bS,8aS)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-2-methylpropanoic acid, |
| 2-(4-(((4bR,8aR)-9-(6-((dimethylamino)methyl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)phenyl)-2-methylpropanoic acid, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((S)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-pyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(((R)-1-methylpyrrolidin-3-yl)oxy)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((R)-pyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)cyclopropan-1-ol, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)cyclopropan-1-ol, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)cyclopropan-1-ol, |

| |
|---|
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)cyclopropan-1-ol, |
| (S)-5-methyl-1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-5-methyl-1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((3-methyl-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((S)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((S)-3-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-(azetidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((3-fluoro-4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((S)-1,3-dimethylpyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-((3S,4S)-4-fluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((3S,4S)-4-fluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((3R,4R)-4-fluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |

| |
|---|
| 3-(6-((4bR,8aR)-2-((4-((3R,4R)-4-fluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((3-fluoro-4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-((R)-4,4-difluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((R)-4,4-difluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-2-((4-((S)-4,4-difluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-2-((4-((S)-4,4-difluoropyrrolidin-3-yl)phenyl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aS,6aS)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b-methyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |

| |
|---|
| 1-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 3-(6-((4bS,8aS)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| dimethyl((3-((4bS,8aS)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bR,8aR)-4b,7,7-trimethyl-2-((6-(1-methylpiperidin-4-yl)pyridin-3-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bS,8aS)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| dimethyl((3-((4bS,8aS)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |

| |
|---|
| dimethyl((3-((4bR,8aR)-4b,7,7-trimethyl-2-((1-(1-methylpiperidin-4-yl)-1H-pyrazol-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)phenyl)imino)-l6-sulfanone, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(1-methyl-1H-pyrazol-3-yl)-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(1-(trifluoromethyl)-1H-pyrazol-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(1-(difluoromethyl)-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(1-isopropyl-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(methylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone , |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(thiazol-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 4,4-dimethyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 5,5-dimethyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((methylamino)methyl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-morpholin-3-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-morpholin-3-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((R)-morpholin-3-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-morpholin-3-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((S)-morpholin-2-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((S)-morpholin-2-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-9-(6-((R)-morpholin-2-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bS,8aS)-4b,7,7-trimethyl-9-(6-((R)-morpholin-2-yl)pyridin-2-yl)-N-(4-morpholinophenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(1-cyclopropyl-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(1-(oxetan-3-yl)-1H-pyrazol-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(1-ethyl-1H-pyrazol-3-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| ((6-((4bR,8aR)-2-amino-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone , |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,5S)-6-methyl-3,6-diazabicyclo[3.1.1]heptan-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(6-(methylsulfonyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (R)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| (S)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylpiperidin-4-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| dimethyl(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)phosphine oxide, |
| 1-((6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(1-methylazetidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)tetrahydro-1H-1l6-thiophene 1-oxide, |

| |
|---|
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(6-((R)-2,2,2-trifluoro-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(6-((S)-2,2,2-trifluoro-1-(methylamino)ethyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(1-methylpiperidin-4-yl)phenyl)-9-(6-(methylsulfonyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(6-methoxypyridin-2-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(6-methylpyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (1R,2R)-2-phenyl-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| (1S,2S)-2-phenyl-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropanecarboxamide, |
| (1S,2S)-2-(1-methyl-1H-pyrazol-4-yl)-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| (1R,2R)-2-(1-methyl-1H-pyrazol-4-yl)-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| (S)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| (R)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| (4bR,8aR)-N-(4-(2H-1,2,3-triazol-2-yl)phenyl)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (1R,2R)-2-(pyridin-3-yl)-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| (1S,2S)-2-(pyridin-3-yl)-N-((4bR,8aR)-4b,7,7-trimethyl-9-(6-((methylamino)methyl)pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)cyclopropane-1-carboxamide, |
| (R)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| (S)-methyl(methylimino)(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)-l6-sulfanone, |
| tetrahydro-2H-pyran-4-yl ((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)carbamate, |
| (S)-1-methylpyrrolidin-3-yl ((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)carbamate, |
| (4bR,8aR)-9-(6-cyclopropylpyridin-2-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| dimethyl(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)phosphine oxide, |
| (S)-5-methyl-1-(6-((4bR,8aR)-4b-methyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| dimethyl(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)phosphine oxide, |
| dimethyl(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)phosphine oxide, |
| 4-(((4bR,8aR)-9-(6-(dimethylphosphoryl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-methylpyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-(dimethylphosphoryl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(tetrahydro-2H-pyran-4-yl)pyridin-2(1H)-one, |

| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((2-oxo-1-(tetrahydro-2H-pyran-4-yl)-1,2-dihydropyridin-4-yl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 4-(((4bR,8aR)-9-(6-(dimethylphosphoryl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((S)-tetrahydrofuran-3-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-(dimethylphosphoryl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((R)-tetrahydrofuran-3-yl)pyridin-2(1H)-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b-methyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 4,4-dimethyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 5,5-dimethyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(6-methyl-2,6-diazaspiro[3.3]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| (R)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (S)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (S)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (R)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (S)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |
| (R)-7-ethyl-2-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)-6,7-dihydro-5H-cyclopenta[b]pyridin-7-ol, |


| |
|---|
| (S)-4-methyl-3-(6-((4bR,8aR)-4b-methyl-2-((4-((R)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| (S)-4-methyl-3-(6-((4bR,8aR)-4b-methyl-2-((4-((S)-1-methylpyrrolidin-3-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 4,4-dimethyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 4,4-dimethyl-3-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)oxazolidin-2-one, |
| 5,5-dimethyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| 5,5-dimethyl-1-(6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)pyrrolidin-2-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(pyridazin-4-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 1-cyclobutyl-4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((R)-1-methylpyrrolidin-3-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-((S)-1-methylpyrrolidin-3-yl)pyridin-2(1H)-one, |

| |
|---|
| 1-(1-methylpiperidin-4-yl)-4-(((4bR,8aR)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)pyridin-2(1H)-one, |
| (4bR,8aR)-9-(6-(difluoromethyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((5R)-1,4-diazabicyclo[3.2.1]octan-4-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((5S)-1,4-diazabicyclo[3.2.1]octan-4-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4-(((4bR,8aR)-9-(6-(2-hydroxypropan-2-yl)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-((S)-7-ethyl-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-((R)-7-ethyl-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-methylpiperidin-4-yl)pyridin-2(1H)-one, |
| (4bR,8aR)-9-(6-(difluoromethyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-9-(6-(difluoromethyl)pyridin-2-yl)-4b,7,7-trimethyl-N-(4-((1R,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)phenyl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| ((6-((4bR,8aR)-2-((5-(difluoromethyl)pyridin-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1,6-dimethylpyridin-2(1H)-one, |
| dimethyl((6-((4bR,8aR)-4b,7,7-trimethyl-2-(pyrimidin-5-ylamino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)-l6-sulfanone, |
| 5-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)nicotinonitrile, |
| (4bR,8aR)-N-(4-(4-(dimethylamino)piperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |

| |
|---|
| (4bR,8aR)-N-(4-((S)-3-(dimethylamino)pyrrolidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-((R)-3-(dimethylamino)pyrrolidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-N-(4-(4-(dimethylamino)-4-methylpiperidin-1-yl)phenyl)-4b,7,7-trimethyl-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(1-methyl-1,8-diazaspiro[4.5]decan-8-yl)phenyl)-9-(pyridin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-(oxetan-3-yl)piperidin-4-yl)pyridin-2(1H)-one, |
| 4-(((4bR,8aR)-9-(6-((dimethyl(oxo)-l6-sulfaneylidene)amino)pyridin-2-yl)-4b,7,7-trimethyl-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-yl)amino)-1-(1-(2-methoxyethyl)piperidin-4-yl)pyridin-2(1H)-one, |
| 2-methyl-6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridazin-3(2H)-one, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(pyrazin-2-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| (4bR,8aR)-4b,7,7-trimethyl-N-(4-(4-methylpiperazin-1-yl)phenyl)-9-(pyridazin-3-yl)-4b,5,7,8,8a,9-hexahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-2-amine, |
| 2-isopropyl-6-((4bR,8aR)-4b,7,7-trimethyl-2-((4-(4-methylpiperazin-1-yl)phenyl)amino)-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridazin-3(2H)-one, |
| ((6-((4bR,8aR)-2-((1-ethyl-1H-pyrazol-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |
| ((6-((4bR,8aR)-2-((1-cyclopropyl-1H-pyrazol-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, and |
| ((6-((4bR,8aR)-2-((1-isopropyl-1H-pyrazol-3-yl)amino)-4b,7,7-trimethyl-4b,7,8,8a-tetrahydropyrano[3',4':4,5]pyrrolo[2,3-d]pyrimidin-9(5H)-yl)pyridin-2-yl)imino)dimethyl-l6-sulfanone, |


or a pharmaceutically acceptable salt thereof.

28. A compound, wherein the compound is:




or a pharmaceutically acceptable salt thereof.

29. A compound, wherein the compound is:




or a pharmaceutically acceptable salt thereof.

30. A compound, wherein the compound is:




or a pharmaceutically acceptable salt thereof.

31. A compound, wherein the compound is:




or a pharmaceutically acceptable salt thereof.

32. A compound, wherein the compound is:



or a pharmaceutically acceptable salt thereof.

33. A compound, wherein the compound is:



or a pharmaceutically acceptable salt thereof.

34. A pharmaceutical composition comprising a compound of any one of Claims 1-33, or a pharmaceutically acceptable salt thereof, and at least one pharmaceutically acceptable excipient.

35. Use of a compound of any one of claims 1 – 33, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition according to claim 34 in the manufacture of a medicament for treating cancer in a patient in need thereof.

36. The use of claim 35, wherein the cancer is selected from one or more of uterine, ovarian, breast, gastric, colorectal, and non-small cell lung.

37. The compound of any one of claims 1-33, or a pharmaceutically acceptable salt thereof, or the pharmaceutical composition according to claim 34 for use in the treatment of cancer.

38. The compound, pharmaceutically acceptable salt, or pharmaceutical composition for use according to claim 37, wherein the cancer is selected from one or more of uterine, ovarian, breast, gastric, colorectal, and non-small cell lung.

39. The compound of any one of claims 1-33, or a pharmaceutically acceptable salt thereof, or the pharmaceutical composition according to claim 34 for use as a medicament.

40. Use of a compound of any one of claims 1-33, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition according to claim 34 in the manufacture of a medicament.