

1/23




FIG 1A





FIG 1B






FIG 2B

4/23

- 1st resolution (high resolution) for „envelope“ of the 1st set (line-wise coding);
- 2nd resolution (low resolution) for „envelope“ of the 2nd set (scale factor per SCB);




FIG 3A

SCB1	SCB2	SCB3	SCB4	SCB5	SCB6	SCB7
SF1	SF2	SF3	SF4	SF5	SF6	SF7
			E ₁	E ₂	E ₃	E ₄
	NF ₂					

308

310

312

FIG 3B

6/23




FIG 4A

7/23




FIG 4B
(QUANTIZER PROCESSOR)

8/23




FIG 5A
(OTHER SPECTRAL PORTIONS)




FIG 5B

9/23




FIG 5C

10/23




FIG 6A




FIG 6B

11/23




FIG 7A




FIG 7B

12/23




FIG 8A




FIG 8B

13/23




FIG 9A





FIG 9B

14/23



e.g.

- | | |
|---|--|
| e.g. | |
| • surviving energy: | 5 units |
| • energy value for reconstr. band: | 10 units (covers 1 st and 2 nd spectral portions in the reconstruction band) |
| • energy of source range data or raw target range data: | 8 units |
| • missing energy: | 5 units |

- gain factor: $g := \sqrt{\frac{mE_k}{pE_k}} = 0.79$

→ only spectral values for the 2nd spectral portions are adjusted

→ 1st spectral portion is not influenced by the envelope adjustment

FIG 9C




FIG 9D

16/23




FIG 10A




FIG 10B

17/23

control info from core encoder




FIG 10C





FIG 10D

18/23

1100




FIG 11A



Spectrogram of a transient after applying BWE.
The x-axis represents time, the y-axis frequency.

FIG 11B



Spectrogram of a transient after applying BWE. The x-axis represents time,
the y-axis frequency. Through the application of filter ringing reduction,
the filter ringing is reduced by approx. 20dB.

FIG 11C

19/23




FIG 12A





FIG 12B



example cross-fade functions, $N = 21$, $X_{bias} = 8$.

FIG 12C

22/23




FIG 13A
(PRIOR ART)




FIG 13B
(PRIOR ART)




FIG 14A




FIG 14B