PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : A61K 31/00 | A2

(11) International Publication Number: **WO 00/04894**

(43) International Publication Date: 3 February 2000 (03.02.00)

(21) International Application Number: PCT/US99/15017

(22) International Filing Date: 2 July 1999 (02.07.99)

(30) Priority Data:
09/121,567 23 July 1998 (23.07.98) US

(71)(72) Applicant and Inventor: BURZYNSKI, Stanislaw, R. [US/US]; 20 West Rivercrest, Houston, TX 77042 (US).

(74) Agent: KAMMERER, Patricia, A.; Arnold White & Durkee, P.O. Box 4433, Houston, TX 77210 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
Without international search report and to be republished upon receipt of that report.

(54) Title: TREATMENT REGIMEN FOR ADMINISTRATION OF PHENYLACETYLGLUTAMINE, PHENYLACETYLISOGLUTAMINE, AND/OR PHENYLACETATE

(57) Abstract

Herein is disclosed a method of treating neoplastic disease, including cancer, comprising administering a pharmaceutical composition, the pharmaceutical composition comprising a highly concentrated aqueous solution of phenylacetylglutamine and phenylacetylisoglutamine in a 4:1 ratio, at an infusion rate of from 100 mL/hr to 400 mL/hr. In a further embodiment, herein is also disclosed a method of treating neoplastic disease, including cancer, comprising administering a pharmaceutical composition, the pharmaceutical composition comprising a highly concentrated aqueous solution of phenylacetate and (phenylacetylglutamine or phenylacetylisoglutamine) in a 4:1 ratio, at an infusion rate of from 100 mL/hr to 400 mL/hr. Herein are also disclosed the pharmaceutical compositions used in the above methods.

This Sheet Has Been Replaced

