FIG. 1




FIG. 2




FIG. 3







FIG. 4




PHOTOGRAPH 1




PHOTOGRAPH 2




PHOTOGRAPH 3



PHOTOGRAPH 4




PHOTOGRAPH 5




PHOTOGRAPH 6

SUBSTITUTE PHOTOGRAPH FOR DRAWING


FIG. 5




PHOTOGRAPH 7




PHOTOGRAPH 8




PHOTOGRAPH 9



PHOTOGRAPH 10




PHOTOGRAPH 11




PHOTOGRAPH 12

SUBSTITUTE PHOTOGRAPH FOR DRAWING


FIG. 6




PHOTOGRAPH 13




PHOTOGRAPH 14



PHOTOGRAPH 15



PHOTOGRAPH 16



PHOTOGRAPH 17

SUBSTITUTE PHOTOGRAPH FOR DRAWING

FIG. 7



25
20
15
10
5
0
EFFECTIVE POWER DENSITY (a.u.) 10E12
CONVENTIONAL LASER ANNEALING
RANGE IN THE PRESENT INVENTION
XECL EXCIMER LASER
THE THIRD HARMONIC OF YAG LASER
THE SECOND HARMONIC OF YAG LASER
WAVELENGTH OF PULSED LASER BEAM

FIG. 8

