Fig. 1



Weekly schedule
Fortnightly schedule
Change from baseline (%)
50
40
30
20
10
0
-10
-20
-30
-40
-50
-60
-70
-80
α-FR

Fig. 2



6mg/m2 weekly schedule
4mg/m2 weekly schedule
2mg/m2 weekly schedule
1mg/m2 weekly schedule
12mg/m2 fortnightly schedule
8mg/m2 fortnightly schedule
4mg/m2 fortnightly schedule
2mg/m2 fortnightly schedule
Change from baseline (%)
100
80
60
40
20
0
-20
-40
-60
-80
-100
Endometrium adeno.
Endometrium adeno.
Ovarian
Ovarian
Ovarian
Peritoneal
Ovarian Endometrial/
Peritoneal mesothelioma
Ovarian
Ovarian
Ovarian
Fallopian tube ca.
Peritoneal adeno.
Ovarian
Ovarian
Ovarian
Peritoneal adeno.
Ovarian
α-FR
– – – U + + + – – + U + – + + + – +
– – – U – – – – – – U – – – – – – –

Fig. 3



Change from baseline (%)
40
30
20
10
0
-10
-20
-30
-40
-50
-60
-70
-80
-90
-100
α-FR
+ U + + + + + + + + + +
– – U – – – – – – – – –

Fig. 4




Change from baseline (%)
160
140
120
100
80
60
40
20
0
-20
-40
-60
-80
-100
α-FR
+ U + + + + + + + + + +
– U – – – – – – – – – –

Fig. 5


1, q1 week
4, q1 week
8, q2 week
2, q1 week
4, q2 week
12, q2 week
2, q2 week
6, q1 week
Mean Concentration (µM)
10
1
0.1
0.0
1
0
10
20
30
40
50
60
70
80
Time (h)