

CENTRAL COLLECTION FACILITY
22
PSTN
20
BROADCAST SIGNAL PROVIDER
12
BROADCAST SIGNAL PROVIDER
12
BROADCAST SIGNAL PROVIDER
12
BROADCAST SIGNAL PROVIDER
12
16
14
18
16
14
18
16
14
18

FIGURE 1




FIGURE 2

13 MAY 2008



40
44
42
46
36
read times (tr)
Δtr
time codes (tc)
Δtc
1:03:50
128
0B7BFFEA
128
1:03:20
98
0B7BFFCC
98
1:02:35
53
0B7BE49E
-6860
1:02:08
26
0B7BFF84
26
1:01:53
11
0B7BFF76
12
1:01:42
0B7BFF6A
38
38

FIGURE 3



50
52
CREATE STACK
54
EXTRACT EARLIEST TIME CODE, tc_{test}, FROM STACK
56
SET COUNTER1 = NUMBER OF ITEMS IN STACK
58
COUNTER2 = 0
60
COUNTER2 = COUNTER2 + 1
62
IS COUNTER2 > COUNTER1 ?
Y
B
N
64
OBTAIN TIME CODE LOCATED AT STACK POSITION = COUNTER2
66
DOES THE SID_{test} = $SID_{COUNTER2}$?
N
Y
A
C
D

FIGURE 4A

3 MAY 2006

FIGURE 4B 5/5

