

(51) International Patent Classification:
H04N 7/26 (2006.01)(21) International Application Number:
PCT/US2012/067355(22) International Filing Date:
30 November 2012 (30.11.2012)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/566,359 2 December 2011 (02.12.2011) US
61/589,295 20 January 2012 (20.01.2012) US
61/624,933 16 April 2012 (16.04.2012) US
13/689,547 29 November 2012 (29.11.2012) US(71) Applicant: **QUALCOMM INCORPORATED** [US/US];
ATTN: International IP Administration, 5775 Morehouse
Drive, San Diego, California 92121-1714 (US).(72) Inventors: **WANG, Ye-Kui**; 5775 Morehouse Drive, San
Diego, California 92121 (US). **RAMASUBRAMONIAN,**
Adarsh Krishnan; 5775 Morehouse Drive, San Diego,California 92121 (US). **CHEN, Ying**; 5775 Morehouse
Drive, San Diego, California 92121 (US).(74) Agent: **GAGE, Matthew**; Shumaker & Sieffert, P.A.,
1625 Radio Drive, Suite 300, Woodbury, Minnesota 55125
(US).(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,
BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD,
ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI,
NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU,
RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ,
TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA,
ZM, ZW.(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,

[Continued on next page]

(54) Title: CODING LEAST SIGNIFICANT BITS OF PICTURE ORDER COUNT VALUES IDENTIFYING LONG-TERM REFERENCE PICTURES




FIG. 4

(57) Abstract: In general, techniques are described for coding picture order count values identifying long-term reference pictures. A video decoding device comprising a processor may perform the techniques. The processor may be configured to determine a number of bits used to represent least significant bits of the picture order count value that identifies a long-term reference picture to be used when decoding at least a portion of a current picture and parse the determined number of bits from a bitstream representative of the encoded video data. The parsed bits represent the least significant bits of the picture order count value. The processor retrieves the long-term reference picture from a decoded picture buffer based on the least significant bits, and decodes at least the portion of the current picture using the retrieved long-term reference picture.



EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, **Published:**

LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,

SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,

GW, ML, MR, NE, SN, TD, TG).

— *with international search report (Art. 21(3))*