N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-oxo-1,2,3,4-tetrahydroquinoline-6-carboxamide;

6-amino-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)nicotinamide;

2-amino-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)isonicotinamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-6-(1H-pyrazol-1-yl)nicotinamide;

N-(3-(4-(1H-pyrazol-1-yl)benzamido)-4-methylphenyl)-2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamide;

N-(4-methyl-3-(6-methyl-2-naphthamido)phenyl)-2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-3-methyl-4-oxo-3,4-dihydroquinazoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-4-(2-(dimethylamino)ethylamino)-2-methylquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-4-(3-(dimethylamino)propylamino)-2-methylquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-methyl-4-(methyl(1-methylpyrrolidin-3-yl)amino)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)benzo[d]thiazole-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-(methylamino)benzo[d]thiazole-6-carboxamide;

2-amino-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)benzo[d]thiazole-7-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-methyl-4-(2-(pyrrolidin-1-yl)ethylamino)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-methyl-4-(2-morpholinoethylamino)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-4-((2-(dimethylamino)ethyl)(methyl)amino)-2-methylquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-methyl-4-(2-(pyrrolidin-1-yl)ethoxy)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-6-(3-(1-methylpiperidin-4-yloxy)phenylamino)nicotinamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-6-(3-(4-methylpiperazin-1-yl)propylamino)nicotinamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-6-(3-((4-methylpiperazin-1-yl)methyl)phenylamino)nicotinamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-6-(3-((dimethylamino)methyl)phenylamino)nicotinamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-6-(3-(3-(dimethylamino)pyrrolidin-1-yl)phenylamino)nicotinamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-1H-pyrrolo[2,3-b]pyridine-5-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-methylquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-(trifluoromethyl)phenyl)-2-methylquinoline-6-carboxamide;

N-(5-(7-fluoro-2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-methylquinoline-6-carboxamide;

N-(5-(benzo[d][1,3]dioxole-5-carboxamido)-2-methylphenyl)quinoline-6-carboxamide;

N-(5-(3,4-dihydro-2H-benzo[b][1,4]dioxepine-7-carboxamido)-2-methylphenyl)-2-methylquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-ethylphenyl)quinoline-6-carboxamide;

N-(4-methyl-3-(2-(2-(pyrrolidin-1-yl)ethoxy)quinoline-6-carboxamido)phenyl)-2,3-dihydro-[1,4]dioxino[2,3-b]pyridine-7-carboxamide;

N-(4-methyl-3-(2-methylquinoline-6-carboxamido)phenyl)-2,3-dihydro-[1,4]dioxino[2,3-b]pyridine-7-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-8-fluoroquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-(methoxymethyl)quinoline-6-carboxamide;

N-(2-bromo-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)quinoline-6-carboxamide;

N-(2-bromo-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-(2-(pyrrolidin-1-yl)ethoxy)quinoline-6-carboxamide;

N-(2-cyano-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-5,6,7,8-tetrahydroquinoline-3-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-(1-hydroxyethyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-1-methyl-1,2,3,4-tetrahydroquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-(2-morpholinoethyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-(isopropoxymethyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-(((tetrahydrofuran-2-yl)methoxy)methyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-((2-(pyrrolidin-1-yl)ethoxy)methyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-5-((2-(pyrrolidin-1-yl)ethyl)amino)quinoline-3-carboxamide;

N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-3-((2-methoxyethyl)amino)-2-(2-(pyrrolidin-1-yl)ethoxy)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-(isobutoxymethyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-methyl-1,2,3,4-tetrahydroquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-(1-methoxyethyl)quinoline-6-carboxamide;

(S)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-methyl-1,2,3,4-tetrahydroquinoline-6-carboxamide;

(R)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-methyl-1,2,3,4-tetrahydroquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-3-(2-(pyrrolidin-1-yl)ethoxy)isoquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-5-(2-hydroxyethyl)quinoline-3-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-5-(2-(pyrrolidin-1-yl)ethyl)quinoline-3-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-1,2-dimethyl-1,2,3,4-tetrahydroquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-8-(2-methoxyethoxy)quinoline-6-carboxamide;

5-allyl-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)quinoline-3-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-8-((2-(dimethylamino)ethyl)(methyl)amino)quinoline-6-carboxamide;

3-((6-((5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)carbamoyl)quinolin-2-yl)(methyl)amino)propanoic acid;

tert-butyl (4-((6-((5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)carbamoyl)quinolin-2-yl)oxy)butyl)carbamate;

N-(5-(2,3-dihydrobenzo[*b*][1,4]dioxine-6-carboxamido)-2-(dimethylamino)methyl)phenyl)-2-methylquinoline-6-carboxamide

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-(methoxymethyl)phenyl)-2-methylquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-(hydroxymethyl)phenyl)-2-methylquinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-1-methyl-1,3-dihydrobenzo[c]isothiazole-5-carboxamide 2,2-dioxide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((4-ethylpiperazin-1-yl)methyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-(pyrrolidin-1-ylmethyl)quinoline-6-carboxamide;

2-(azetidin-1-ylmethyl)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-(piperidin-1-ylmethyl)quinoline-6-carboxamide

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((4-methylpiperazin-1-yl)methyl)quinoline-6-carboxamide;

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-(piperazin-1-ylmethyl)quinoline-6-carboxamide;

(S)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((2-methylpyrrolidin-1-yl)methyl)quinoline-6-carboxamide;

(R)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((2-methylpyrrolidin-1-yl)methyl)quinoline-6-carboxamide;

2-((4-(tert-butyl)piperazin-1-yl)methyl)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)quinoline-6-carboxamide;

2-((4-cyclopropylpiperazin-1-yl)methyl)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)quinoline-6-carboxamide;
2-((4-(sec-butyl)piperazin-1-yl)methyl)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-(((1S,4S)-5-ethyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)methyl)quinoline-6-carboxamide;
2-(2-azaspiro[3.3]heptan-2-ylmethyl)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((3-methylazetidin-1-yl)methyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((3,3-dimethylazetidin-1-yl)methyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((4-ethyl-1,4-diazepan-1-yl)methyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((4-isopropylpiperazin-1-yl)methyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-(3-(piperidin-1-yl)propoxy)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-(3-(pyrrolidin-1-yl)propoxy)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-(2-(pyrrolidin-1-yl)ethoxy)quinoline-6-carboxamide;
N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-(3-(piperidin-1-yl)propoxy)quinoline-6-carboxamide;
(rac)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((2-methylpyrrolidin-1-yl)methyl)quinoline-6-carboxamide;
2-((4-(tert-butyl)piperazin-1-yl)methyl)-N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)quinoline-6-carboxamide;
N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-(piperazin-1-ylmethyl)quinoline-6-carboxamide;
2-((4-(sec-butyl)piperazin-1-yl)methyl)-N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)quinoline-6-carboxamide;
N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-((4-cyclopropylpiperazin-1-yl)methyl)quinoline-6-carboxamide;
N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-((4-methylpiperazin-1-yl)methyl)quinoline-6-carboxamide;

N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-((4-ethylpiperazin-1-yl)methyl)quinoline-6-carboxamide;
N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-((4-isopropylpiperazin-1-yl)methyl)quinoline-6-carboxamide;
N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-(pyrrolidin-1-ylmethyl)quinoline-6-carboxamide;
2-(azetidin-1-ylmethyl)-N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)quinoline-6-carboxamide;
N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-((3-methylazetidin-1-yl)methyl)quinoline-6-carboxamide;
N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-((3,3-dimethylazetidin-1-yl)methyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-((4-isopropylpiperazin-1-yl)methyl)quinoline-6-carboxamide;
2-(azetidin-1-ylmethyl)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-((4-ethylpiperazin-1-yl)methyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-((2-methylpyrrolidin-1-yl)methyl)quinoline-6-carboxamide;
(R)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-((3-fluoropyrrolidin-1-yl)methyl)quinoline-6-carboxamide;
(S)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-((3-fluoropyrrolidin-1-yl)methyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-((3-methoxypyrrolidin-1-yl)methyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-methylphenyl)-2-(piperidin-1-ylmethyl)quinoline-6-carboxamide;
N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-vinylphenyl)-2-methylquinoline-6-carboxamide;
N-(2-chloro-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-(2-(pyrrolidin-1-yl)ethoxy)quinoline-6-carboxamide;
(R)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((4-ethyl-2-methylpiperazin-1-yl)methyl)quinoline-6-carboxamide;
(S)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((4-ethyl-2-methylpiperazin-1-yl)methyl)quinoline-6-carboxamide

N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-(1-(4-ethylpiperazin-1-yl)ethyl)quinoline-6-carboxamide;
N-(2-bromo-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)-2-((4-ethylpiperazin-1-yl)methyl)quinoline-6-carboxamide;
2-(azetidin-1-ylmethyl)-N-(2-bromo-5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)phenyl)quinoline-6-carboxamide;
(S)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((4-isopropyl-2-methylpiperazin-1-yl)methyl)quinoline-6-carboxamide; and
(R)-N-(5-(2,3-dihydrobenzo[b][1,4]dioxine-6-carboxamido)-2-fluorophenyl)-2-((4-isopropyl-2-methylpiperazin-1-yl)methyl)quinoline-6-carboxamide;
or a pharmaceutically acceptable salt or solvate thereof.

23. A pharmaceutical composition comprising a compound according to claims 1 to 22, or a pharmaceutically acceptable salt or solvate thereof, in admixture with a pharmaceutically acceptable diluent or carrier.

24. A compound as defined in any one of claims 1 to 22, or a pharmaceutically acceptable salt or solvate thereof, for use in therapy.

25. A compound as defined in any one of claims 1 to 22, or a pharmaceutically acceptable salt or solvate thereof, for use in the treatment of cancer, autoimmune diseases or viral diseases.

26. A compound as defined in any one of claims 1 to 22, or a pharmaceutically acceptable salt or solvate thereof, for use in the treatment of cancer.

27. Use of a therapeutically effective amount of a compound according to claims 1 to 22, or a pharmaceutically acceptable salt or solvate thereof in the manufacture of a medicament for treating cancer, autoimmune diseases or viral diseases in a patient in need of such treatment.

28. The use of claim 27, wherein the condition is cancer.