




[도1]



[도2]



[圖3]



[도4]

cs: BLOCK BAD(OR DANGEROUS) USERS AUTOMATICALLY

Bad (or dangerous) users can be registered and blocking.
Enter the MAC address of bad (or dangerous) user and click 'BLOCK' button to block.
To unblock, click 'Release Block' in the List of blocked users


MAC ADDRESS : 38:A4:ED:BE:FF:02

15


day(s) block

BLOCK


[도5]




[도6]



[도7]



[도8]



[도9]

LIAPP PROTECTION RESULT

PROTECTION OPTIONS

CODE_ENC_YUNO

STRING ENCRYPTION

ANTI-REPACK

ANTI-DEBUG

ANTI-TAMPER

MEMORY PROTECTION

ROOTING

Protection is now complete. Click the button below to save your file.

You can check the history and information of your apps protection for the last 3 days and downloadable links in the HISTORY page

After your app protected by LIAPP you must add the signing certificate and zipalign that is used for publishing.

[Make sign and zipalign run commands]

1. jarsigner -verbose -sigalg SHA1withRSA -digestalg SHA1 -keystore [keystore File Path][APP Path][alias_name made when you created key]

C:\>jarsigner -verbose -sigalg SHA1withRSA -digestalg SHA1 -keystore C:\my-release-key.keystore C:\LIAPP.apk LOCKINCOMPANY

2. Enter password

3. zipalign -f -v 4 'target.apk' 'target_zipalign.apk'

[zipalign File][zipalign Option][zipalign Target File Path][zipalign Output File Path]

DOWNLOAD