
CLAIMS

1. A compound of formula (I)



(I),

in which

R^1 represents a group selected from

a C_5-C_8-alkyl group,

a C_2-C_8-haloalkyl group,

a C_4-C_8-cycloalkyl group,

which is optionally partially unsaturated and which is optionally substituted, one or two times, each substituent independently selected from a halogen atom or a group selected from

hydroxy, phenyl and -N(R^7)(R^8),

and wherein said phenyl substituent is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl, C_1-C_4-haloalkyl, C_1-C_3-alkoxy and hydroxy,

a C_1-C_6-alkyl group which is substituted with a C_3-C_8-cycloalkyl group,

a C_2-C_6-alkyl group which is substituted with a cyano group, a hydroxy group, a phenyl group or a C_3-C_8-heterocycloalkyl group,

a C_3-C_6-alkyl group which is substituted with a monocyclic - or bicyclic heteroaryl group,

a (C_2-C_6-hydroxyalkyl)-O-(C_2-C_6-alky)- group,

a -(C_3-C_6-alkyl)-N(R^7)(R^8) group,

a -(C_3-C_8-cycloalkyl)-N(R^7)(R^8) group,

a -(C_3-C_6-alkyl)-C(=O)N(R^7)(R^8) group,

a 4-7-membered heterocycloalkyl group, a 5- to 7-membered heterocycloalkenyl group,

wherein said 4-7-membered heterocycloalkyl group and said 5- to 7-membered heterocycloalkenyl group are connected to the rest of the molecule via a carbon atom, and which is optionally substituted one or two times, each substituent independently selected from a group selected from C_1-C_3-alkyl, 5- to 6-membered heteroaryl, -C(=O)O(C_1-C_4-alkyl), -C(=O)(C_1-C_6-alkyl), -C(=O)(C_3-C_6-cycloalkyl), -S(=O)$_2$(C_1-C_6-alkyl) and oxo (=O),

wherein said 5- to 6-membered heteroaryl substituent is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl, C_1-C_4-haloalkyl, C_1-C_3-alkoxy and hydroxy,

a phenyl group,

which is optionally substituted, one, two, three, four or five times, each substituent independently selected from a halogen atom or a group selected from

C_1-C_6-alkyl, C_3-C_8-cycloalkyl, C_1-C_6-haloalkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, aryl, -(C_1-C_6-alkyl)-aryl, -aryl-(C_1-C_6-alkyl), hydroxy, cyano, C_1-C_6-hydroxyalkyl,

C_1-C_6-alkoxy, -O(C_2-C_6-alkenyl), C_1-C_6-haloalkoxy, C_3-C_8-cycloalkoxy, aryl, -O-aryl, cyano, -C(=O)OR^6, -C(=O)N(R^7)(R^8), -N(R^7)(R^8), -(C_1-C_6-alkyl))-N(R^7)(R^8), -(C_1-C_6-alkyl)-C(=O)OR^6, -(C_1-C_6-alkyl)-C(=O)N(R^7)(R^8), -O-C(=O)-(C_1-C_6-alkyl), -SH, -S-(C_1-C_6-alkyl), -S-(C_2-C_6-alkenyl), -S(=O)$_2$N(R^7)(R^8), -S(=O)$_2$(C_1-C_6-alkyl), -S(=O)$_2$-(C_2-C_6-alkenyl), -S(=O)(=NR^{11})(C_1-C_3-alkyl), -N(O)$_2$, -P(=O)(C_1-C_3-alkyl)$_2$ and SF_5,

or

wherein two vicinal substituents may form together a 5- or 6-membered, optionally heterocyclic, aromatic or non-aromatic ring, having optionally 1-3 heteroatoms independently selected from -N=, -NH-, -N(R^7)-, -O-, -S-, and optionally containing a C(=O) group, and wherein the so formed ring is optionally substituted one or two times, each substituent independently selected from a halogen atom or a group selected from C_1-C_6-alkyl, C_1-C_6-haloalkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, aryl, -(C_1-C_6-alkyl)-aryl, -aryl-(C_1-C_6-alkyl), C_3-C_8-cycloalkyl, C_1-C_6-alkoxy, -O(C_2-C_6-alkenyl), C_1-C_6-haloalkoxy, C_3-C_8-cycloalkoxy, aryl, -O-aryl, cyano,

-C(O)OH, hydroxy, -SH, -S-(C_1-C_6-alkyl), -S-(C_2-C_6-alkenyl), -S(=O)$_2$(C_1-C_6-alkyl), -N(O)$_2$, and -N(R^7)(R^8)

a bicyclic aryl group,

a partially saturated mono- or bicyclic aryl- or heteroaryl group, and

a monocyclic- or bicyclic heteroaryl group,

which is optionally substituted one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_6-alkyl, C_1-C_6-haloalkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, -(C_1-C_6-alkyl)-aryl, -aryl-(C_1-C_6-alkyl), C_3-C_8-cycloalkyl, C_1-C_6-alkoxy, C_1-C_6-haloalkoxy, -O(C_2-C_6-alkenyl), C_3-C_8-cycloalkoxy, aryl, -O-aryl, cyano, C(=O)OR^6, hydroxy, -SH, -S-(C_1-C_6-alkyl), -S-(C_2-C_6-alkenyl), -S(=O)$_2$(C_1-C_6-alkyl), -S(=O)$_2$-(C_2-C_6-alkenyl), -N(O)$_2$, and -N(R^7)(R^8),

R^2 represents a hydrogen atom or a halogen atom,

R^3 represents a group selected from,

a C_1-C_6-alkyl group,

which is optionally substituted with a C_3-C_8-cycloalkyl group,

a C_3-C_8-cycloalkyl group,

a C_1-C_6-haloalkyl group,

a C_1-C_6-hydroxyalkyl group,

a C_2-C_6-alkenyl group,

a C_2-C_6-alkynyl group,

a C_4-C_8-cycloalkenyl group,

a (C_1-C_6-alkyl)-N(R^7)R^8 group,

a -(C_1-C_6-alkyl)-(4- to 7-membered nitrogen containing heterocycloalkyl) group,

wherein said 4- to 7-membered nitrogen containing heterocycloalkyl group is connected to the alkyl group via a carbon atom of the heterocycloalkyl group

and which is optionally substituted with a C_1-C_3-alkyl group, and

a phenyl group,

which is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_6-alkyl, C_1-C_6-haloalkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, aryl, -(C_1-C_6-alkyl)-aryl, -aryl-(C_1-C_6-alkyl), C_3-C_8-cycloalkyl, C_1-C_6-alkoxy, -O(C_2-C_6-alkenyl), C_1-C_6-haloalkoxy, C_3-C_8-cycloalkoxy, aryl, -O-aryl, cyano, -

C(O)OH, hydroxy, -SH, -S-(C_1-C_6-alkyl), -S-(C_2-C_6-alkenyl), -S(=O)$_2$(C_1-C_6-alkyl), -S(=O)$_2$-(C_2-C_6-alkenyl),-N(O)$_2$, and -N(R^7)(R^8)

R^4 represents a group selected from,

a C_1-C_6-alkyl group,

which is optionally substituted with a group selected from

C_3-C_8-cycloalkyl and phenyl,

wherein said phenyl group is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from

C_1-C_6-alkyl, C_1-C_6-haloalkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, aryl, -(C_1-C_6-alkyl)-aryl, -aryl-(C_1-C_6-alkyl), C_3-C_8-cycloalkyl, C_1-C_6-alkoxy, -O(C_2-C_6-alkenyl), C_1-C_6-haloalkoxy, C_3-C_8-cycloalkoxy, aryl, -O-aryl, cyano, -C(=O)OR^6, hydroxy, -SH, -S-(C_1-C_6-alkyl), -S-(C_2-C_6-alkenyl), S(=O)$_2$(C_1-C_6-alkyl), -S(=O)$_2$-(C_2-C_6-alkenyl),-N(O)$_2$, and -N(R^7)(R^8)

a C_2-C_6-alkenyl group,

a C_3-C_8-cycloalkyl group,

a C_2-C_6-haloalkyl group,

a C_2-C_6-hydroxyalkyl group, and

a-(C_2-C_6-alkyl)-N(R^7)(R^8) group,

R^5 represents a halogen atom or a group selected from

a C_1-C_6-alkyl group,

a C_3-C_8-cycloalkyl group,

a C_1-C_6-haloalkyl group, which is optionally substituted with a hydroxy group,

a C_1-C_6-hydroxyalkyl group,

a -(C_1-C_6-alkyl)-N(R^7)(R^8) group,

a -(C_1-C_6-alkyl)-O-(C_1-C_6-alkyl) group,

a C_2-C_6-alkenyl group,

a C_2-C_6-alkynyl group,

a C_1-C_6-alkoxy group,

a C_1-C_6-alkylsulfanyl group, and

a -N(R^7)(R^8) group,

a -C(=O)OR^6 group,

a -C(=O)N(R^7)(R^8) group,

a -S(=O)(=NR^{11})(C_1-C_3-alkyl) group, and

a phenyl group

which is optionally substituted one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_6-alkyl, C_1-C_6-haloalkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl, aryl, -(C_1-C_6-alkyl)-aryl, -aryl-(C_1-C_6-alkyl), C_3-C_8-cycloalkyl, C_1-C_6-alkoxy, -O(C_2-C_6-alkenyl), C_1-C_6-haloalkoxy, C_3-C_8-cycloalkoxy, aryl, -O-aryl, cyano, -C(=O)OR^6, hydroxy, -SH, -S-(C_1-C_6-alkyl), -S-(C_2-C_6-alkenyl), S(=O)$_2$(C_1-C_6-alkyl), -S(=O)$_2$-(C_2-C_6-alkenyl),-N(O)$_2$, and -N(R^7)(R^8)

R^6 represents a hydrogen atom or a group selected from

a C_1-C_6-alkyl group and a benzyl group,

R^7 and R^8 represent, independently for each occurrence, a hydrogen atom or a group selected from

a C_1-C_6-alkyl group, a C_2-C_6-hydroxyalkyl group, a C_3-C_6-cycloalkyl group, and a -(C_2-C_6-alkyl)-N(R^9)(R^{10}) group,

or

R^7 and R^8 together with the nitrogen to which they are attached represent a nitrogen containing 4- to 7-membered heterocycloalkyl group,

which is optionally substituted with a group selected from C_1-C_3-alkyl, -S(=O)$_2$(C_1-C_3-alkyl) and -C(=O)O(C_1-C_4-alkyl),

R^9 and R^{10} represent, independently for each occurrence, a hydrogen atom or a C_1-C_3-alkyl group,

or

R^9 and R^{10} together with the nitrogen to which they are attached represent a nitrogen containing 4- to 7-membered heterocycloalkyl group,

R^{11} represents a hydrogen atom or a group selected from

a cyano group and a -C(=O)(C_1-C_3-haloalkyl) group,

or a tautomer, an N-oxide, a salt, a salt of a tautomer or a salt of an N-oxide thereof.

2. The compound of formula (I) according to claim 1,
in which

R^1 represents a group selected from
a C_5-C_8-alkyl group,
a C_2-C_8-haloalkyl group,
a C_4-C_8-cycloalkyl group,
wherein said cycloalkyl groups are optionally substituted, one or two times, each substituent independently selected from a halogen atom or a group selected from
hydroxy, phenyl and -N(R^7)(R^8),
wherein said phenyl substituent is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from
C_1-C_3-alkyl, C_1-C_4-haloalkyl, C_1-C_3-alkoxy and hydroxy,
a C_1-C_6-alkyl group which is substituted with a C_3-C_8-cycloalkyl group,
a C_2-C_6-alkyl group which is substituted with a cyano group, a hydroxy group or a phenyl group,
a C_3-C_6-alkyl group which is substituted with a monocyclic - or bicyclic heteroaryl group,
a (C_2-C_6-hydroxyalkyl)-O-(C_2-C_6-alky)- group,
a -(C_3-C_6-alkyl)-N(R^7)(R^8) group,
a -(C_3-C_8-cycloalkyl)-N(R^7)(R^8) group,
a -(C_3-C_6-alkyl)-C(=O)N(R^7)(R^8) group,
a 4- to 7-membered heterocycloalkyl group,
which is optionally substituted one or two times, each substituent independently selected from a group selected from
C_1-C_3-alkyl, 5- to 6-membered heteroaryl, -C(=O)O(C_1-C_4-alkyl), -C(=O)(C_1-C_6-alkyl), -C(=O)(C_3-C_6-cycloalkyl), -S(=O)$_2$(C_1-C_6-alkyl) and oxo (=O),
wherein said 5- to 6-membered heteroaryl substituent is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from
C_1-C_3-alkyl, C_1-C_4-haloalkyl, C_1-C_3-alkoxy and hydroxy,

and wherein said 4- to 7-membered heterocycloalkyl group is connected to the rest of the molecule via a carbon atom of the said heterocycloalkyl group,

a 5- to 7-membered heterocycloalkenyl group,

which is optionally substituted one or two times, each substituent independently selected from a group selected from

C_1-C_3-alkyl, 5- to 6-membered heteroaryl, -C(=O)O(C_1-C_4-alkyl), -C(=O)(C_1-C_6-alkyl), -C(=O)(C_3-C_6-cycloalkyl), -S(=O)$_2$(C_1-C_6-alkyl) and oxo (=O),

wherein said 5- to 6-membered heteroaryl substituent is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from

C_1-C_3-alkyl, C_1-C_4-haloalkyl, C_1-C_3-alkoxy and hydroxy,

and wherein said 5- to 7-membered heterocycloalkenyl group is connected to the rest of the molecule via a carbon atom of the said heterocycloalkenyl group,

a phenyl group,

wherein said phenyl group is optionally substituted, one, two, three, four or five times, each substituent independently selected from a halogen atom or a group selected from

C_1-C_6-alkyl, C_3-C_8-cycloalkyl, C_1-C_6-haloalkyl, C_1-C_6-hydroxyalkyl, C_1-C_6-alkoxy, C_1-C_6-haloalkoxy, C_3-C_8-cycloalkoxy, hydroxy, cyano, -C(=O)OR^6, -C(=O)N(R^7)(R^8), -N(R^7)(R^8), -(C_1-C_6-alkyl)-N(R^7)(R^8), -(C_1-C_6-alkyl)-C(=O)OR^6, -(C_1-C_6-alkyl)-C(=O)N(R^7)(R^8), -S(=O)$_2$N(R^7)(R^8), -S(=O)$_2$(C_1-C_3-alkyl),

-S(=O)(=NR^{11})(C_1-C_3-alkyl), -P(=O)(C_1-C_3-alkyl)$_2$ and SF_5,

or in which two substituents of said phenyl groups, when they are attached to adjacent ring atoms, are optionally linked to one another in such a way that they jointly form a group selected from

-CH_2-N(R^7)-CH_2-, -CH_2-O-CH_2-, -O-CH_2-C(=O)-NH- and -NH-C(=O)-NH-,

an indanyl group, a tetralinyl group

wherein said indanyl or tetralinyl group is optionally substituted one or two times, each substituent independently selected from a halogen atom or a group selected from

C_1-C_6-alkyl, C_1-C_6-haloalkyl, C_3-C_8-cycloalkyl, C_1-C_6-alkoxy, C_1-C_6-haloalkoxy, C_3-C_8-cycloalkoxy, cyano, hydroxy and -N(R^7)(R^8),

and

a monocyclic - or bicyclic heteroaryl group,

which is optionally substituted one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_6-alkyl, C_1-C_6-haloalkyl, C_3-C_8-cycloalkyl, C_1-C_6-alkoxy, C_1-C_6-haloalkoxy, C_3-C_8-cycloalkoxy, cyano, hydroxy and -N(R^7)(R^8),

R^2 represents a hydrogen atom or a halogen atom,

R^3 represents a group selected from

a C_1-C_6-alkyl group,

which is optionally substituted with a C_3-C_8-cycloalkyl group,

a C_3-C_8-cycloalkyl group,

a C_1-C_6-haloalkyl group,

a C_1-C_6-hydroxyalkyl group,

a C_2-C_6-alkenyl group,

a C_2-C_6-alkynyl group,

a C_4-C_8-cycloalkenyl group,

a (C_1-C_6-alkyl)-N(R^7)R^8 group,

a -(C_1-C_6-alkyl)-(4- to 7-membered nitrogen containing heterocycloalkyl) group and

wherein said 4- to 7-membered nitrogen containing heterocycloalkyl group is optionally substituted with a C_1-C_3-alkyl group,

and

wherein said 4- to 7-membered nitrogen containing heterocycloalkyl group is connected to the alkyl group via a carbon atom of the heterocycloalkyl group,

and

a phenyl group,

wherein said phenyl group is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from

C_1-C_3-alkyl, C_1-C_4-haloalkyl, C_1-C_3-alkoxy and hydroxy,

R^4 represents a group selected from

a C_2-C_6-alkylenyl group, a C_3-C_8-cycloalkyl group, a C_2-C_6-haloalkyl group,

a C_2-C_6-hydroxyalkyl group and a-(C_2-C_6-alkyl)-N(R^7)(R^8) group, and

a C_1-C_6-alkyl group,

which is optionally substituted with a group selected from

C_3-C_8-cycloalkyl and phenyl,

wherein said phenyl group is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from

C_1-C_3-alkyl, C_1-C_4-haloalkyl, C_1-C_3-alkoxy and hydroxy,

R^5 represents a halogen atom or a group selected from

a C_1-C_6-alkyl group,

a C_3-C_8-cycloalkyl group,

a C_1-C_6-haloalkyl group, which is optionally substituted with a hydroxy group,

a C_1-C_6-hydroxyalkyl group,

a (C_1-C_3-alkoxy)-(C_1-C_6-alkyl)- group,

a C_2-C_6-alkenyl group, a C_2-C_6-alkynyl group,

a C_1-C_6-alkoxy group,

a C_1-C_6-alkylsulfanyl group,

a -(C_1-C_6-alkyl)-N(R^7)(R^8) group,

a -N(R^7)(R^8) group,

a -C(=O)OR^6 group,

a -C(=O)N(R^7)(R^8) group, and a -S(=O)(=NR^{11})(C_1-C_3-alkyl) group,

R^6 represents a hydrogen atom or a group selected from

a C_1-C_6-alkyl group and a benzyl group,

R^7 and R^8 represent, independently for each occurrence, a hydrogen atom or a group selected from

a C_1-C_6-alkyl group, a C_2-C_6-hydroxyalkyl group, a -(C_2-C_6-alkyl)-N(R^9)(R^{10}) group, and C_3-C_6-cycloalkyl group

or

R^7 and R^8 together with the nitrogen to which they are attached represent a nitrogen containing 4- to 7-membered heterocycloalkyl group,

wherein said 4- to 7-membered nitrogen containing heterocycloalkyl group is optionally substituted with a group selected from

C_1-C_3-alkyl, -S(=O)$_2$(C_1-C_3-alkyl) and -C(=O)O(C_1-C_4-alkyl),

R^9 and R^{10} represent, independently for each occurrence, a hydrogen atom or
a C_1-C_3-alkyl group,

or

R^9 and R^{10} together with the nitrogen to which they are attached represent a
nitrogen containing 4- to 7-membered heterocycloalkyl group,

R^{11} represents a hydrogen atom or a group selected from
a cyano group and a -C(=O)(C_1-C_3-haloalkyl) group,

or a tautomer, an N-oxide, a salt, a salt of a tautomer or a salt of an N-oxide thereof.

3. The compound according to claim 1, wherein

R^1 represents a group selected from
a C_5-C_8-alkyl group,
a C_2-C_8-haloalkyl group,
a C_4-C_8-cycloalkyl group,
which is optionally substituted, one or two times, each substituent independently selected from a halogen atom or a group selected from hydroxy, phenyl and -N(R^7)(R^8),
wherein said phenyl substituent is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from
C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_1-C_3-alkoxy and hydroxy,
a C_1-C_3-alkyl group which is substituted with a C_3-C_6-cycloalkyl group,
a C_2-C_6-alkyl group which is substituted with a cyano group, a hydroxy group or a phenyl group,
a C_3-C_6-alkyl group which is substituted with a monocyclic or bicyclic heteroaryl group, a (C_2-C_3-hydroxyalkyl)-O-(C_2-C_6-alky)- group,
a -(C_3-C_6-alkyl)-N(R^7)(R^8) group,
a -(C_3-C_6-cycloalkyl)-N(R^7)(R^8) group,
a -(C_3-C_6-alkyl)-C(=O)N(R^7)(R^8) group,
a 4- to 6-membered heterocycloalkyl group,

which is optionally substituted one or two times, each substituent independently selected from a group selected from C_1-C_3-alkyl, 5- to 6-membered heteroaryl, -C(=O)O(C_1-C_4-alkyl), -C(=O)(C_1-C_3-alkyl), -C(=O)(C_3-C_6-cycloalkyl), -S(=O)$_2$(C_1-C_3-alkyl) and oxo (=O),

wherein said 5- to 6-membered heteroaryl group is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_1-C_3-alkoxy and hydroxy,

wherein said 4- to 6-membered heterocycloalkyl group is connected to the rest of the molecule via a carbon atom or nitrogen atom of the said heterocycloalkyl group,

a 5- to 6-membered heterocycloalkenyl group,

which is optionally substituted one or two times, each substituent independently selected from a group selected from C_1-C_3-alkyl, 5- to 6-membered heteroaryl, -C(=O)O(C_1-C_4-alkyl), -C(=O)(C_1-C_3-alkyl), -C(=O)(C_3-C_6-cycloalkyl), -S(=O)$_2$(C_1-C_3-alkyl) and oxo (=O),

wherein said 5- to 6-membered heteroaryl group is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_1-C_3-alkoxy and hydroxy,

wherein said 5- to 6-membered heterocycloalkenyl group is connected to the rest of the molecule via a carbon atom or nitrogen atom of the said heterocycloalkenyl group,

a phenyl group,

which is optionally substituted, one, two, three, four or five times, each substituent independently selected from a halogen atom or a group selected from C_1-C_4-alkyl, C_3-C_6-cycloalkyl, C_1-C_3-haloalkyl, C_1-C_3-hydroxyalkyl, C_1-C_3-alkoxy, C_1-C_3-haloalkoxy, C_3-C_6-cycloalkoxy, hydroxy, cyano, -C(=O)OR^6, -C(=O)N(R^7)(R^8), -N(R^7)(R^8), -(C_1-C_3-alkyl)-N(R^7)(R^8), -(C_1-C_3-alkyl)-C(=O)OR^6, -(C_1-C_3-alkyl)-C(=O)N(R^7)(R^8), -S(=O)$_2$N(R^7)(R^8), -S(=O)$_2$(C_1-C_3-alkyl), -S(=O)(=NR^{11})(C_1-C_3-alkyl), -P(=O)(C_1-C_3-alkyl)$_2$ and SF_5,

or in which two substituents of said phenyl groups, when they are attached to adjacent ring atoms, are optionally linked to one another in such a way that they jointly form a group selected from

$-CH_2-N(R^7)-CH_2-$, $-CH_2-O-CH_2-$, $-O-CH_2-C(=O)-NH-$ and $-NH-C(=O)-NH-$,

an indanyl group,

which is optionally substituted one or two times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_3-C_6-cycloalkyl, C_1-C_3-alkoxy, C_1-C_3-haloalkoxy, C_3-C_6-cycloalkoxy, cyano, hydroxy and $-N(R^7)(R^8)$,

a tetralinyl group

which is optionally substituted one or two times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_3-C_6-cycloalkyl, C_1-C_3-alkoxy, C_1-C_3-haloalkoxy, C_3-C_6-cycloalkoxy, cyano, hydroxy and $-N(R^7)(R^8)$,

and

a monocyclic- or bicyclic heteroaryl group,

which is optionally substituted one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_3-C_6-cycloalkyl, C_1-C_3-alkoxy, C_1-C_3-haloalkoxy, C_3-C_6-cycloalkoxy, cyano, hydroxy and $-N(R^7)(R^8)$,

R^2 represents a hydrogen atom or a halogen atom,

R^3 represents a group selected from

a C_1-C_6-alkyl group,

a C_3-C_8-cycloalkyl group,

a C_1-C_6-haloalkyl group,

a C_1-C_6-hydroxyalkyl group,

a C_2-C_6-alkenyl group,

a C_2-C_6-alkynyl group,

a C_4-C_6-cycloalkenyl group,

a (C_1-C_6-alkyl)-$N(R^7)R^8$ group,

a -(C_1-C_6-alkyl)-(4- to 6-membered nitrogen containing heterocycloalkyl) group and

a phenyl group,

wherein said C_1-C_6-alkyl group is optionally substituted with a C_3-C_6-cycloalkyl group or a NR^7R^8 group,

and

wherein said 4- to 6-membered nitrogen containing heterocycloalkyl group is optionally substituted with a C_1-C_3-alkyl group,

and

wherein said 4- to 6-membered nitrogen containing heterocycloalkyl group is connected to the alkyl group via a carbon atom of the heterocycloalkyl group,

and

wherein said phenyl group is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from

C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_1-C_3-alkoxy and hydroxy,

R^4 represents a group selected from

a C_2-C_6-alkylenyl group,

a C_3-C_6-cycloalkyl group,

a C_2-C_6-haloalkyl group,

a C_2-C_6-hydroxyalkyl group,

a -(C_2-C_6-alkyl)-N(R^7)(R^8) group, and

a C_1-C_6-alkyl group,

which is optionally substituted with a group selected from

C_3-C_6-cycloalkyl and phenyl,

wherein said phenyl substituent is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from

C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_1-C_3-alkoxy and hydroxy,

R^5 represents a halogen atom or a group selected from

a C_1-C_6-alkyl group,

a C_3-C_6-cycloalkyl group,

a C_1-C_6-haloalkyl group, which is optionally substituted with a hydroxy group,

a C_1-C_6-hydroxyalkyl group,

a (C_1-C_3-alkoxy)-(C_1-C_6-alkyl)- group,

a C_2-C_6-alkenyl group,

a C_2-C_6-alkynyl group,

a C_1-C_6-alkoxy group,
a C_1-C_6-alkylsulfanyl group,
a -(C_1-C_6-alkyl)-N(R^7)(R^8) group,
a -N(R^7)(R^8) group,
a -C(=O)OR^6 group,
a -C(=O)N(R^7)(R^8) group, and a -S(=O)(=NR^{11})(C_1-C_3-alkyl) group

R^6 represents a hydrogen atom or a group selected from
a C_1-C_4-alkyl group and a benzyl group,

R^7 and R^8 represent, independently for each occurrence, a hydrogen atom or a group selected from
a C_1-C_3-alkyl group, a C_2-C_3-hydroxyalkyl group, a -(C_2-C_3-alkyl)-N(R^9)(R^{10}) group and C_3-C_6-cycloalkyl group,
or
R^7 and R^8 together with the nitrogen to which they are attached represent a nitrogen containing 4- to 6-membered heterocycloalkyl group,
wherein said 4- to 6-membered nitrogen containing heterocycloalkyl group is optionally substituted with a group selected from
C_1-C_3-alkyl, -S(=O)$_2$(C_1-C_3-alkyl) and -C(=O)O(C_1-C_4-alkyl),

R^9 and R^{10} represent, identically or differently, a hydrogen atom or a C_1-C_3-alkyl group,
or
R^9 and R^{10} together with the nitrogen to which they are attached represent a nitrogen containing 4- to 6-membered heterocycloalkyl group,

R^{11} represents a hydrogen atom or a group selected from
a cyano group and a -C(=O)(C_1-C_3-haloalkyl) group,
or a tautomer, an N-oxide, a salt, a salt of a tautomer or a salt of an N-oxide thereof.

4. The compound according to claim 1, wherein
R^1 represents a group selected from
a C_5-C_8-alkyl group,
a C_4-C_8-cycloalkyl group,
which is optionally substituted, one or two times, with a phenyl group,

wherein said phenyl substituent is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom,

a C_1-C_3-alkyl group which is substituted with a C_3-C_6-cycloalkyl group,
a C_2-C_6-alkyl group which is substituted with a hydroxy group or a phenyl group,
a C_3-C_6-alkyl group which is substituted with a monocyclic or bicyclic heteroaryl group, a -(C_3-C_6-alkyl)-N(R^7)(R^8) group,
a -(C_3-C_6-alkyl)-C(=O)N(R^7)(R^8) group,
a 4- to 6-membered heterocycloalkyl group,
which is optionally substituted one or two times, each substituent independently selected from a C_1-C_3-alkyl group,
and
which is connected to the rest of the molecule via a carbon atom of the said heterocycloalkyl group,
a phenyl group,
which is optionally substituted, one, two, three or four times, each substituent independently selected from a halogen atom or a group selected from
C_1-C_4-alkyl, C_1-C_3-haloalkyl, C_1-C_3-hydroxyalkyl, C_1-C_3-alkoxy, hydroxy, -C(=O)OR^6, -_-C(=O)N(R^7)(R^8), N(R^7)(R^8), -(C_1-C_3-alkyl)-N(R^7)(R^8), -O-C(=O)-(C_1-C_4-alkyl), -S-C_1-C_3-alkyl, -S(=O)$_2$(C_1-C_3-alkyl), -S(=O)(=NR^{11})(C_1-C_3-alkyl) and -P(=O)(C_1-C_3-alkyl)$_2$,
an indanyl group and
a monocyclic- or bicyclic heteroaryl group,
which are optionally substituted one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl and C_1-C_3-alkoxy,

R^2 represents a hydrogen atom or a halogen atom,

R^3 represents a group selected from
a C_1-C_6-alkyl group,
a C_3-C_8-cycloalkyl group,
a C_1-C_6-haloalkyl group,
a C_2-C_6-alkenyl group, and
a phenyl group,

wherein said C_1-C_6-alkyl group is optionally substituted with a C_3-C_6-cycloalkyl group or a NR^7R^8 group

R^4 represents a group selected from
a C_2-C_6-alkenyl group,
a C_3-C_6-cycloalkyl group,
a C_2-C_6-hydroxyalkyl group, and
a C_1-C_6-alkyl group,
which is optionally substituted with a group selected from C_3-C_6-cycloalkyl and phenyl,

R^5 represents a halogen atom or a group selected from
a C_1-C_6-alkyl group,
a C_3-C_6-cycloalkyl group,
a C_1-C_6-haloalkyl group, which is optionally substituted with a hydroxy group,
a C_1-C_6-hydroxyalkyl group,
a (C_1-C_3-alkoxy)-(C_1-C_6-alkyl)- group,
a C_1-C_6-alkoxy group,
C_1-C_6-alkylsulfanyl group,
-(C_1-C_6-alkyl)-$N(R^7)(R^8)$ group,
a $-N(R^7)(R^8)$ group,
a $-C(=O)OR^6$ group,
a $-C(=O)N(R^7)(R^8)$ group, and
a $-S(=O)(=NR^{11})$(C_1-C_3-alkyl) group

R^6 represents a hydrogen atom or a C_1-C_4-alkyl group,

R^7 and R^8 represent, independently for each occurrence, a hydrogen atom or
a C_1-C_3-alkyl group or a cyclopropyl group, and

R^{11} represents a hydrogen atom,
or a tautomer, an N-oxide, a salt, a salt of a tautomer or a salt of an N-oxide thereof.

5. The compound according to claim 1, wherein
R^1 represents a group selected from

a C_5-C_7-alkyl group,
a C_5-C_7-cycloalkyl group,
a C_1-C_2-alkyl group which is substituted with a C_5-C_7-cycloalkyl group,
a C_2-C_6-alkyl group which is substituted with a phenyl group,
a C_2-C_5-hydroxyalkyl group,
a -(C_3-C_5-alkyl)-N(R^7)(R^8) group,
a -(C_3-C_5-alkyl)-C(=O)N(R^7)(R^8) group,
a 5- to 6-membered heterocycloalkyl group,
which is optionally substituted one or two times, with a C_1-C_3-alkyl group, and
which is connected to the rest of the molecule via a carbon atom,
a phenyl group,
which is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_1-C_3-alkoxy, hydroxy, -C(=O)OR^6, _-C(=O)N(R^7)(R^8), -N(R^7)(R^8), -(C_1-C_3-alkyl)-N(R^7)(R^8), -O-C(=O)-(C_1-C_4-alkyl), -S-C_1-C_3-alkyl, -S(=O)$_2$-C_1-C_3-alkyl, and -S(=O)(=NH)(C_1-C_3-alkyl)
an indanyl group, and
a monocyclic heteroaryl group,
which is optionally substituted one or two times, each substituent independently selected from a group selected from
C_1-C_3-alkyl and C_1-C_3-alkoxy,

R^2 represents a hydrogen atom or a halogen atom,

R^3 represents a group selected from
a C_1-C_6-alkyl group,
a C_3-C_6-cycloalkyl group,
a C_1-C_6-haloalkyl group,
a C_2-C_6-alkenyl group and
a phenyl group,
wherein said C_1-C_6-alkyl group is optionally substituted with a cyclopropyl group or a NR^7R^8 group,

R^4 represents a group selected from
a C_2-C_4-alkenyl group,

a C_3-C_6-cycloalkyl group,
a C_1-C_3-hydroxyalkyl group, and
a C_1-C_5-alkyl group,
which is optionally substituted with a group selected from cyclopropyl and phenyl,

R^5 represents a halogen atom or a group selected from
a C_1-C_4-alkyl group,
a C_3-C_6-cycloalkyl group,
a C_1-C_3-haloalkyl group, which is optionally substituted with a hydroxy group,
a C_1-C_3-hydroxyalkyl group,
(C_1-C_3-alkyl)-O-(C_1-C_3-alkyl)- group,
a C_1-C_4-alkoxy group,
a C_1-C_3-alkylsulfanyl group,
a -(C_1-C_3-alkyl)-N(R^7)(R^8) group,
a -N(R^7)(R^8) group,
a -C(=O)OR^6 group,
a -C(=O)N(R^7)(R^8) group, and
a -S(=O)(=NR^{11})(C_1-C_3-alkyl) group

R^6 represents a hydrogen atom or a C_1-C_3-alkyl group,

R^7 and R^8 represent, independently for each occurrence, a hydrogen atom or a C_1-C_3-alkyl group or a cyclopropyl group,
R^{11} represents a hydrogen atom,
or a tautomer, an N-oxide, a salt, a salt of a tautomer or a salt of an N-oxide thereof.

6. The compound according to claim 1, wherein
R^1 represents a group selected from
a C_5-C_7-alkyl group,
a C_5-C_7-cycloalkyl group,
a C_1-C_2-alkyl group which is substituted with a C_5-C_6-cycloalkyl group,
a C_2-C_6-alkyl group which is substituted with a phenyl group,
a C_3-C_4-hydroxyalkyl group,
a -(C_3-C_4-alkyl)-N(R^7)(R^8) group,

a CH_3CH_2CH-$C(=O)NH_2$ group,

a 5- to 6-membered heterocycloalkyl group,

which is optionally substituted one or two times, with a C_1-C_3-alkyl group, and

which is connected to the rest of the molecule via a carbon atom,

a phenyl group,

which is optionally substituted, one, two or three times, each substituent independently selected from a halogen atom or a group selected from C_1-C_3-alkyl, C_1-C_3-haloalkyl, C_1-C_3-alkoxy, hydroxy, $-C(=O)OR^6$, _-$C(=O)N(R^7)(R^8)$, $-N(R^7)(R^8)$, -O-C(=O)-(C_1-C_4-alkyl), -S-C_1-C_3-alkyl, $-S(=O)_2$-C_1-C_3-alkyl, -S(=O)(=NH)(C_1-C_3-alkyl) and $-(C_1$-C_3-alkyl)-$N(R^7)(R^8)$,

an indanyl group, and

a monocyclic heteroaryl group,

which is optionally substituted one or two times, each substituent independently selected from a group selected from C_1-C_3-alkyl and C_1-C_3-alkoxy,

R^2 represents a hydrogen atom or a halogen atom,

R^3 represents a group selected from

a C_1-C_6-alkyl group,

a C_3-C_6-cycloalkyl group,

a C_1-C_3-haloalkyl group,

a C_2-C_6-alkenyl group and

a phenyl group,

wherein said C_1-C_6-alkyl group is optionally substituted with a cyclopropyl group or a $N(R^7)(R^8)$ group,

R^4 represents a group selected from

a C_2-C_4-alkenyl group,

a C_3-C_5-cycloalkyl group,

a C_1-C_3-hydroxyalkyl group, and

a C_1-C_4-alkyl group,

which is optionally substituted with a group selected from cyclopropyl and phenyl,

R^5 represents a halogen atom or a group selected from
a C_1-C_4-alkyl group,
a C_3-C_5-cycloalkyl group,
a C_1-C_3-haloalkyl group, which is optionally substituted with a hydroxy group,
a C_1-C_3-hydroxyalkyl group,
a CH_3O-(C_1-C_2-alkyl)- group,
a C_1-C_3-alkoxy group,
a methylsulfanyl group,
a -(C_1-C_2-alkyl)-$N(R^7)(R^8)$ group,
a $-N(R^7)(R^8)$ group,
a $-C(=O)OR^6$ group,
a $-C(=O)N(R^7)(R^8)$ group, and
a $-S(=O)(=NR^{11})$(C_1-C_3-alkyl) group

R^6 represents a hydrogen atom or a methyl group,

R^7 and R^8 represent, independently for each occurrence, a hydrogen atom or a C_1-C_3-alkyl group or a cyclopropyl group,
R^{11} represents a hydrogen atom,

or a tautomer, an N-oxide, a salt, a salt of a tautomer or a salt of an N-oxide thereof.

7. The compound according to claim 1, wherein

R^1 represents a group selected from
3-pentyl, 2,2-dimethylpropyl, 4-heptyl, 4-fluorophenylcyclopropyl, cyclopentyl, cyclohexyl, cycloheptyl, cyclopentylmethyl, cyclohexylmethyl, 1-cyclohexylethyl, 1-hydroxypropan-2-yl,
2-hydroxypropyl, 1-hydroxybutan-2-yl, 1-cyanobutan-2-yl, 1-phenylbutan-2-yl, 1-amino-2-propyl, 1-amino-2-butyl, 1-amino-1-oxobutan-2-yl, indan-2-yl,
a 5- to 6-membered heterocycloalkyl group, which is selected from
tetrahydrofuran-3-yl, tetrahydro-2H-pyran-4-yl and piperidin-4-yl,
and which is optionally substituted one or two times with a methyl group,
a phenyl group, which is optionally substituted, one, two or three times, each substituent independently selected from a fluorine atom or a chlorine atom

or a group selected from
methyl, ethyl, propyl, isopropyl, difluoromethyl, trifluoromethyl,
methoxy, -O-C(=O)-1,1-dimethylethyl, hydroxy, -C(=O)OCH_3,-C(=O)NH-
cyclopropyl, amino, methylamino, aminomethyl, -S-CH_3, -S(=O)$_2CH_3$,
and -S(=O)(NH)CH_3, and
a monocyclic heteroaryl group, which is selected from
oxazol-2-yl, pyrazol-3-yl, pyrazol-5-yl, pyridin-2-yl, pyridin-3-yl, pyridin-4-yl,
pyrimidin-2-yl, pyrimidin-4-yl, chinolin-5-yl, and indazol-5-yl,
and which is optionally substituted one or two times, each substituent
independently selected from methyl and methoxy,

R^2 represents a hydrogen atom or a fluorine or chlorine atom,

R^3 represents a group selected from
propyl, 2-methylpropyl, 3-pentyl, cyclopropylmethyl, cyclopropyl, cyclopropylmethyl,
cyclobutyl, cyclopentyl, cyclohexyl, difluoromethyl, trifluoromethyl, 1,1-difluoroethyl,
prop-2-en-1-yl, 2-methyl-prop-1-en-1-yl, N,N-dimethylaminoethyl, and phenyl,

R^4 represents a group selected from
methyl, ethyl, propyl, isopropyl, 2-butyl, prop-2-en-1-yl, cyclopropylmethyl, benzyl,
cyclopropyl, cyclobutyl, cyclopentyl, and 2-hydroxyethyl,

R^5 represents a chlorine atom or a group selected from
methyl, ethyl, propyl, isopropyl, 2-butyl, isobutyl, *tert*-butyl, cyclopropyl, cyclobutyl,
cyclopentyl, trifluoromethyl, hydroxymethyl, 1-hydroxyethyl, 2-hydroxypropan-2-yl,
1-chloroethyl, 1-hydroxy-2,2,2-trifluoroethyl, 1-methoxyethyl, methoxy, isopropoxy,
methylsulfanyl, aminomethyl, (methylamino)methyl, (dimethylamino)methyl, 1-
aminoethyl, 2-aminoethyl, methylamino and ethyl(methyl)amino, -C(=O)OH,
-C(=O)OCH_3, -C(=O)NH_2, -C(=O)$NHCH_3$, -C(=O)NHcyclopropyl, -C(=O)$N(CH_3)_2$,
and -S(=O)(=NH)CH_3,

or a tautomer, an N-oxide, a salt, a salt of a tautomer or a salt of an N-oxide thereof.

8. The compound according to claim 1 which is selected from the group consisting of:

5-fluoro-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2-methyl-

phenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluorophenyl)-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-[3-(trifluoromethyl)phenyl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluorophenyl)-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(1S)-1-phenylethoxy]benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(1S)-1-phenylethoxy]benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(1S)-1-phenylethoxy]benzamide,

5-fluoro-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(1S)-1-phenylethoxy]-N-[3-(trifluoromethyl)phenyl]benzamide,

5-fluoro-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2-methylphenyl)-2-[(1S)-1-phenylethoxy]benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2-methylphenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]-N-[3-(trifluoromethyl)phenyl]benzamide,

5-fluoro-N-(2-fluorophenyl)-4-[3-methyl-5-oxo-4-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methylphenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-6-methyl-phenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

N-(2,6-difluorophenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluorophenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]-N-[3-(trifluoromethyl)phenyl]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(4-methoxyphenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]-N-[4-(trifluoromethyl)phenyl]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]-N-[2-(trifluoromethyl)phenyl]benzamide,

N-(3-amino-2-methylphenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

N-(2-cyano-6-methylphenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methylphenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

N-(2,2-dimethylpropyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

N-cycloheptyl-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-hydroxyphenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

N-(cyclohexylmethyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

N-(1-cyclohexylethyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide, mixture of stereoisomers,

N-(2,4-dimethylphenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-

[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-[2-(methylamino)-phenyl]-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methoxyphenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(3-methoxyphenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2-ethylphenyl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]-N-[2-(propan-2-yl)phenyl]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]-N-(2-propylphenyl)benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(4-ethylphenyl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]-N-[4-(propan-2-yl)phenyl]benzamide,

N-(2,3-dihydro-1H-inden-2-yl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

N-(cyclopentylmethyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(4-methylphenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

N-(4-amino-2,6-dimethylphenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

N-(2-amino-4,6-dimethylphenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

N-[4-(aminomethyl)-3-methylphenyl]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-(pentan-2-yloxy)benzamide,

4-(3-cyclopropyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-cyclopropyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-6-methylphenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-cyclopropyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluorophenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-cyclobutyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-cyclobutyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-6-methylphenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-cyclobutyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluorophenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-cyclopropyl-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-cyclopropyl-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-6-methyl-phenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-cyclopropyl-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluorophenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(4-cyclopropyl-3-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(4-cyclopropyl-3-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-6-methylphenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(4-cyclopropyl-3-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluorophenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[4-methyl-5-oxo-3-(trifluoromethyl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-[4-methyl-5-oxo-3-(trifluoromethyl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluorophenyl)-4-[4-methyl-5-oxo-3-(trifluoromethyl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(4-cyclopropyl-3-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-6-methyl-phenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(4-cyclopropyl-3-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-

fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(4-cyclopropyl-3-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluorophenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihyro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluorophenyl)-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-6-methylphenyl)-2-[(1S)-1-phenylethoxy]benzamide,

N-(2,6-difluorophenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(1S)-1-phenylethoxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluorophenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-6-methylphenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(4-fluoro-2-methylphenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-4-{3-[(1S)-1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-N-(2-methylphenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-[(2R)-1-hydroxypropan-2-yl]-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-N-[(2R)-1-hydroxybutan-2-yl]-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

N-[(2R)-1-amino-1-oxobutan-2-yl]-5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-N-(heptan-4-yl)-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

2-(1-cyclohexylethoxy)-N-(2,4-dimethylphenyl)-5-fluoro-4-[3-(1-hydroxyethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]benzamide, mixture of stereoisomers,

N-(2-amino-6-methylphenyl)-2-(1-cyclohexylethoxy)-5-fluoro-4-[3- (1-hydroxyethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]benzamide, mixture of stereoisomers,

N-(4-amino-2-methylphenyl)-2-(1-cyclohexylethoxy)-5-fluoro-4-[3-(1-hydroxyethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]benzamide, mixture of stereoisomers,

2-(1-cyclohexylethoxy)-N-(2,6-dimethylphenyl)-5-fluoro-4-[3-(1-hydroxyethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]benzamide, mixture of stereoisomers,

5-fluoro-4-{3-[(1S)-1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-N-(2-methylphenyl)-2-(pentan-2-yloxy)benzamide, mixture of stereoisomers,

N-(2-amino-6-methylphenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-(pent-4-en-2-yloxy)benzamide, mixture of stereoisomers,

N-(2,6-dimethylphenyl)-5-fluoro-4-{3-[(1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-2-[(2R)-pentan-2-yloxy]benzamide, mixture of stereoisomers,

N-(4-amino-2-methylphenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[pent-4-en-2-yloxy]benzamide, mixture of stereoisomers,

5-fluoro-4-{4-methyl-3-[(methylamino)methyl]-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-N-(pentan-3-yl)-2-[(2S)-pentan-2-yloxy]benzamide,

2-(1-cyclohexylethoxy)-N-(2,6-dimethylphenyl)-5-fluoro-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]benzamide, mixture of stereoisomers,

4-[3-(aminomethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-N-(2-methylphenyl)-2-[(2S)-pentan-2-yloxy]benzamide,

N-[4-amino-2-(trifluoromethyl)phenyl]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

N-[2-(aminomethyl)-6-methylphenyl]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(2S)-pentan-2-yloxy]benzamide,

4-{3-[(1R)-1-aminoethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-N-(4-amino-2-methylphenyl)- 2-(1-cyclohexylethoxy)-5-fluorobenzamide, mixture of stereoisomers,

4-(4-cyclopentyl-3-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-4-{3-[ethyl(methyl)amino]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-

{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[3-(1-hydroxyethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide, single stereomer,

N-(2,6-difluorophenyl)-5-fluoro-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-4-{3-[(dimethylamino)methyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-(4-methyl-5-oxo-3-propyl-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[4-methyl-3-(methylsulfanyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-[3-(2-aminoethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[4-methyl-3-(methylamino)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-tert-butyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-chloro-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-[4-(cyclopropylmethyl)-3-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-(3-methyl-5-oxo-4-propyl-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-4-[3-ethyl-4-(2-hydroxyethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3,4-diethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(4-cyclopropyl-3-methoxy-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-chloro-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(3-cyclopentyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-[4-(butan-2-yl)-3-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide, mixture of stereoisomers,

4-[3-(butan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide, mixture of stereoisomers,

N-(2,6-difluorophenyl)-4-[4-ethyl-3-(methylsulfanyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-5-fluoro-4-[3-(1-methoxyethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide, mixture of stereoisomers,

N-(2,6-difluorophenyl)-4-[4-ethyl-5-oxo-3-(propan-2-yloxy)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-(4-benzyl-3-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-N-(2,6-difluorophenyl)-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-5-fluoro-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-5-fluoro-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-5-fluoro-4-{3-[(1S)-1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2-methoxy-4-methylpyridin-3-yl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-N-(2-methoxy-4-methylpyridin-3-yl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2-

methoxy-4-methylpyridin-3-yl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-4-{3-[(1S)-1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-N-(2-methoxy-4-methylpyridin-3-yl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-N-(2-fluoro-6-methylphenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-{3-[(1S)-1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-dichlorophenyl)-5-fluoro-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-dichlorophenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-dichlorophenyl)-5-fluoro-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-dichlorophenyl)-5-fluoro-4-{3-[(1S)-1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-5-fluoro-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

N-(2-chloro-6-fluorophenyl)-5-fluoro-4-{3-[(1S)-1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-2-[(2S)-pentan-2-yloxy]benzamide,

N-(2-chloro-6-fluorophenyl)-5-fluoro-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2-methoxy-4-methylpyridin-3-yl)-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-4-{3-[(1S)-1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-N-(2-methoxy-4-methylpyridin-3-yl)-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2-methoxy-4-methylpyridin-3-yl)-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-{3-[(1S)-1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-N-(2-fluoro-6-methylphenyl)-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-4-[3-(hydroxymethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(pentan-3-yl)-2-[(2S)-pentan-2-yloxy]benzamide,

5-fluoro-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(pentan-3-yl)-2-[(2S)-pentan-2-yloxy]benzamide,

N-(2,6-difluorophenyl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(tetrahydrofuran-3-yl)benzamide, mixture of stereoisomers,

5-fluoro-N-[(2R)-1-hydroxypropan-2-yl]-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}benzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(1H-pyrazol-3-yl)benzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(pyridin-2-yl)benzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(pyridin-4-yl)benzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(1-methylpiperidin-4-yl)benzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(tetrahydro-2H-pyran-4-yl)benzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(pyrimidin-4-yl)benzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(1,3-oxazol-2-yl)benzamide,

5-fluoro-N-[(2R)-1-hydroxybutan-2-yl]-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-

triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}benzamide,

N-cyclopentyl-5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}benzamide,

N-cyclohexyl-5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}benzamide,

5-fluoro-N-(2-hydroxypropyl)-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}benzamide, mixture of stereoisomers,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-phenylbenzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(pyrimidin-2-yl)benzamide,

N-[(2R)-1-aminopropan-2-yl]-5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}benzamide,

N-[(2R)-1-aminobutan-2-yl]-5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}benzamide,

5-fluoro-4-[4-methyl-5-oxo-3-(propan-2-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-4-methylpentan-2-yl]oxy}-N-(piperidin-4-yl)benzamide,

2-(1-cyclohexylethoxy)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(pentan-3-yl)benzamide, mixture of stereoisomers,

2-[(1-cyclopropylpropan-2-yl)oxy]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(pentan-3-yl)benzamide, mixture of stereoisomers,

2-(1-cyclopentylethoxy)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(pentan-3-yl)benzamide, mixture of stereoisomers,

2-(1-cyclopropylethoxy)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(pentan-3-yl)benzamide, mixture of stereoisomers,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(pentan-3-yl)-2-(1-phenylethoxy)benzamide, mixture of stereoisomers,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-2-[(3-ethylpentan-2-yl)oxy]-5-fluoro-N-(pentan-3-yl)benzamide, mixture of stereoisomers,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(4-methylpent-3-en-2-yl)oxy]-N-(pentan-3-yl)benzamide, mixture of stereoisomers,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(pentan-3-yl)-2-(pent-4-en-2-yloxy)benzamide, mixture of stereoisomers,

2-(1-cyclobutylethoxy)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(pentan-3-yl)benzamide, mixture of stereoisomers,

5-fluoro-4-[3-(1-hydroxyethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(pentan-3-yl)-2-[(2S)-pentan-2-yloxy]benzamide, mixture of stereoisomers, and

5-fluoro-4-[3-(1-hydroxyethyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2-methylphenyl)-2-(pentan-2-yloxy)benzamide, mixture of stereoisomers,

N-(2-chloro-6-fluorophenyl)-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2,6-difluorophenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-2-{[1,1-difluoropropan-2-yl]oxy}-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]benzamide (Racemic)

N-(2-chloro-6-fluorophenyl)-2-{[1,1-difluoropropan-2-yl]oxy}-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]benzamide (Racemic)

N-(2-chloro-6-fluorophenyl)-4-[4-cyclopropyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide

N-(2-chloro-6-fluorophenyl)-5-fluoro-4-[3-(hydroxymethyl)-5-oxo-4-propyl-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-4-[4-cyclobutyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-5-fluoro-4-[3-(hydroxymethyl)-5-oxo-4-(prop-2-en-1-yl)-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-2-{[3,3-difluorobutan-2-yl]oxy}-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluorobenzamide (Racemic),

5-fluoro-4-[3-(hydroxymethyl)-5-oxo-4-propyl-4,5-dihydro-1H-1,2,4-triazol-1-yl]-N-(2-methoxy-4-methylpyridin-3-yl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluorophenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-

yl]-3-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide

N-(2-chloro-6-fluorophenyl)-3-fluoro-4-[3-(2-hydroxypropan-2-yl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide

N-(6-chloro-2-fluoro-3-methoxyphenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(6-chloro-2-fluoro-3-hydroxyphenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide

N-(6-chloro-2-fluoro-3-hydroxyphenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

3-chloro-4-(4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamido)-5-fluorophenyl 2,2-dimethylpropanoate,

N-(2-chloro-6-fluoro-4-hydroxyphenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluoro-3-methoxyphenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

N-(2-chloro-6-fluoro-3-hydroxyphenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

2-[(1S)-1-cyclohexylethoxy]-N-(1,4-dimethyl-1H-pyrazol-3-yl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluorobenzamide,

2-[(1S)-1-cyclohexylethoxy]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-[1-(4-fluorophenyl)cyclopropyl]benzamide

2-[(1S)-1-cyclohexylethoxy]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(oxan-4-yl)benzamide

2-[(1S)-1-cyclohexylethoxy]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(1-phenylbutan-2-yl)benzamide

2-[(1S)-1-cyclohexylethoxy]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-[3-(methanesulfonyl)phenyl]benzamide,

2-[(1S)-1-cyclohexylethoxy]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(1-methyl-1H-pyrazol-5-yl)benzamide,

2-[(1S)-1-cyclohexylethoxy]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-[4-(methylsulfanyl)phenyl]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(4-methylpyridin-3-yl)-2-[(1S)-1-phenylethoxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-methylquinolin-5-yl)-2-[(1S)-1-phenylethoxy]benzamide,

N-[3-(cyclopropylcarbamoyl)phenyl]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(1S)-1-phenylethoxy]benzamide,

N-[2-(difluoromethyl)phenyl]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(1S)-1-phenylethoxy]benzamide,

4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(6-methyl-1H-indazol-5-yl)-2-[(1S)-1-phenylethoxy]benzamide,

N-(1-cyanobutan-2-yl)-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-2-[(1S)-1-phenylethoxy]benzamide,

2-{[(2S)-1-(dimethylamino)propan-2-yl]oxy}-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-(2-fluoro-6-methylphenyl)benzamide,

2-[(1S)-1-cyclohexylethoxy]-4-(3-ethyl-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl)-5-fluoro-N-[4-(S-methanesulfonimidoyl)phenyl]benzamide (mixture of stereoisomers),

N-(2,6-difluorophenyl)-4-[4-ethyl-3-(S-methanesulfonimidoyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide (Mixture of stereoisomers),

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-3-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2,6-difluorophenyl)carbamoyl]-3-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

4-ethyl-1-(2-fluoro-4-[(2-fluoro-6-methylphenyl)carbamoyl]-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2,6-dichlorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-2-fluoro-3-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-3-{[1,1-difluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid (Racemic),

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(2-fluoro-4-[(2-fluoro-6-methylphenyl)carbamoyl]-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2,6-difluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-5-oxo-4-propyl-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-5-{[3,3-difluorobutan-2-yl]oxy}-2-fluorophenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid (racemic),

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-cyclopropyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2,6-difluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-5-oxo-4-(prop-2-en-1-yl)-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-cyclobutyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylic acid,

1-(4-[(2,6-difluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxamide,

1-(4-[(2-chloro-6-fluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxamide,

N-cyclopropyl-1-(4-[(2,6-difluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxamide,

1-(4-[(2,6-difluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-N,4-dimethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxamide

1-(4-[(2,6-difluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxamide

1-(4-[(2,6-difluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-

ethyl-N,N-dimethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxamide

Methyl-1-(4-[(2,6-difluorophenyl)carbamoyl]-2-fluoro-5-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}phenyl)-4-ethyl-5-oxo-4,5-dihydro-1H-1,2,4-triazole-3-carboxylate,

5-fluoro-4-{3-[1-hydroxyethyl]-4-methyl-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl}-N-(2-methylphenyl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide (Mixture of stereoisomers) and

4-{4-ethyl-5-oxo-3-[(1S)-2,2,2-trifluoro-1-hydroxyethyl]-4,5-dihydro-1H-1,2,4-triazol-1-yl}-5-fluoro-N-(2-methoxy-4-methylpyridin-3-yl)-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide (mixture of stereoisomers)


or a tautomer, an N-oxide, a salt, a salt of a tautomer or a salt of an N-oxide thereof.

9. The compound according to claim 8 which is N-(2-chloro-6-fluorophenyl)-4-[4-ethyl-3-(hydroxymethyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl]-5-fluoro-2-{[(2S)-1,1,1-trifluoropropan-2-yl]oxy}benzamide,

or a tautomer, an N-oxide, a salt, a salt of a tautomer or a salt of an N-oxide thereof.

10. A method of preparing a compound of general formula (I) according to claim 1,


comprising the step of allowing an intermediate compound of general formula (VIII) :



(VIII),

in which R^2, R^3, R^4 and R^5 are as defined for the compound of general formula (I) as defined in any one of claims 1 to 9,


to react with a compound of general formula (X) :



(X),

in which R^1 is as defined for the compound of general formula (I) in any one of claims 1 to 9,

thereby giving a compound of general formula (I) :




(I),

in which R^1, R^2, R^3, R^4 and R^5 are as defined in any one of claims 1 to 9,

then optionally converting said compound into solvates, salts and/or solvates of such salts using the corresponding (i) solvents and/or (ii) bases or acids.


11. An intermediate compound of formula (VIII)



(VIII)

in which R^2, R^3, R^4 and R^5 are as defined for the compound of general formula (I) in any one of claims 1 to 9.


12. A method of preparing a compound of general formula (I) according to any one of claims 1 to 9, said method comprising the step of allowing an intermediate compound of general formula (XV) :



(XV),

in which R^1, R^2 and R^3 are as defined for the compound of general formula (I) according to any one of claims 1 to 9, and A represents a chlorine, bromine or iodine atom,


to react with a compound of general formula (IV) :



(IV),

in which R^4 and R^5 are as defined for the compound of general formula (I) according to any one of claims 1 to 9,

thereby giving a compound of general formula (I) :



(I),

in which R^1, R^2, R^3, R^4 and R^5 are as defined for the compound of general formula (I) according to any one of claims 1 to 9,

then optionally converting said compound into solvates, salts and/or solvates of such salts using the corresponding (i) solvents and/or (ii) bases or acids.

13. A compound of general formula (I) according to any one of claims 1 to 9 for use in the treatment or prophylaxis of a disease.

14. A pharmaceutical composition comprising a compound of general formula (I) according to any one of claims 1 to 9 and one or more pharmaceutically acceptable excipients.

15. A pharmaceutical combination comprising:


- one or more first active ingredients of general formula (I) according to any one of claims 1 to 9, and
- one or more further active ingredients, in particular anti-cancer agents.

16. Use of a compound of general formula (I) according to any one of claims 1 to 9 in the manufacture of a medicament for the treatment or prophylaxis of a disease, wherein the disease is a hyperproliferative or an inflammatory disorder, or cancer.

17. The use according to claim 16, wherein the hyperproliferative disease is selected from psoriasis, keloids, and other hyperplasias affecting the skin, benign prostate hyperplasia (BPH), solid tumours, such as cancers of the breast, respiratory tract, brain, reproductive organs, digestive tract, urinary tract, eye, liver, skin, head and neck, thyroid, parathyroid and their distant metastases, including sarcomas and haematological malignancies including leukemias, lymphomas, multiple myelomas.

18. The use according to claim 16, wherein the cancer disease is selected from acute myeloid leukemia, breast cancer, colorectal carcinoma, gastric cancer, gliosarcoma, head & neck cancer, hepatocellular carcinoma, leukemia, lung cancer, lymphoma, multiple myeloma, neuroblastoma, ovarian cancer, pancreatic cancer, prostate cancer, renal cell carcinoma, and sarcoma.

19. Use of a compound of general formula (IV) :



(IV),


in which R^4 and R^5 are as defined for the compound of general formula (I) according to any one of claims 1 to 9,

for the preparation of a compound of general formula (I) according to any one of claims 1 to 9.

20. Use of a compound according to claim 9 in the manufacture of a medicament for the treatment of lung cancer.

21. The use according to claim 20, wherein the lung cancer is small cell lung cancer.

22. An intermediate compound of formula (XV)



(XV)

in which R^1, R^2 and R^3 are as defined for the compound of general formula (I) according to any one of claims 1 to 9, and A represents a chlorine, bromine or iodine atom.

23. Use of a compound of any one of claims 1-9 in the manufacture of a medicament for use in a method for inhibiting cell proliferation or viability in a cancer cell, the method comprising contacting the cell with the compound, thereby inhibiting cell proliferation or viability.

24. Use of a compound of any one of claims 1-9 in the manufacture of a medicament for use in a method for inhibiting Dihydroorotate Dehydrogenase (DHODH) enzymatic activity, the method comprising contacting DHODH with the compound, thereby inhibiting DHODH enzymatic activity.

25. Use of a compound of any one of claims 1-9 in the manufacture of a medicament for use in a method for treating lymphoma in a subject, the method comprising administering to the subject an effective amount of the compound, thereby treating the lymphoma.

26. The use of claim 25, wherein the lymphoma is selected from the group AIDS-related lymphoma, chronic lymphocytic lymphoma (CLL), non-Hodgkin's lymphoma (NHL), T-non-Hodgkin lymphoma (T-NHL), subtypes of NHL such as Diffuse Large Cell Lymphoma (DLBCL), activated B-cell DLBCL, germinal center B-cell DLBCL, double-hit lymphoma and double-expressor lymphoma; anaplastic large cell lymphoma, B-cell lymphoma, cutaneous T-cell lymphoma, Burkitt lymphoma, follicular lymphoma, hairy cell lymphoma, Hodgkin's disease, mantle cell lymphoma (MCL), lymphoma of the central nervous system, small lymphocytic lymphoma and chronic lymphocytic lymphoma.

27. Use of a compound of any one of claims 1-9 in the manufacture of a medicament for use in a method for treating leukemia in a subject, the method comprising administering to the subject an effective amount of the compound, thereby treating the leukemia.

28. The use of claim 27, wherein the leukemia is selected from the group acute lymphoblastic leukemia, acute myeloid leukemia, (acute) T-cell leukemia, acute lymphoblastic leukemia, acute lymphocytic leukemia, acute monocytic leukemia, acute promyelocytic leukemia, bisphenotypic B myelomonocytic leukemia, chronic lymphocytic leukemia, chronic myelogenous leukemia, chronic myeloid leukemia, chronic myelomonocytic leukemia, large granular lymphocytic leukemia, plasma cell leukemia, and also myelodysplastic syndrome, which can develop into an acute myeloid leukemia.