Figure 1: Simulated total drug exposure for three different dosing regimens in pediatrics (Non-Asian, Age 1–12 year olds)




Figure 2: Simulated peak drug exposure for three different dosing regimens in pediatrics (Non-Asian, Age 1–12 year olds)




Figure 3: Simulated drug exposure at 24 hours after dosing for three different dosing regimens in pediatrics (Non-Asian, Age: 1–12 year olds)




Figure 4: Simulated drug exposure at 72 hours after dosing for three different dosing regimens in pediatrics (Non-Asian, Age: 1–12 year olds)




Figure 5: Simulated total drug exposure for three different dosing regimens in pediatrics (Non-Asian, Age: < 1 year old)




Figure 6: Simulated peak drug exposure for three different dosing regimens in pediatrics (Non-Asian, Age: < 1 year olds)




Figure 7: Simulated drug exposure at 24 hours after dosing for three different dosing regimens in pediatrics (Non-Asian, Age: < 1 year olds)




Figure 8: Simulated drug exposure at 72 hours after dosing for three different dosing regimens in pediatrics (Non-Asian, Age: < 1 year olds)




Figure 9.

Canadian Acute Respiratory Illness and Flu Scale (CARIFS) Questionnaire

Item	No Problem	Minor Problem	Moderate Problem	Major Problem	Don't Know/Not Applicable
1. Poor appetite	☐	☐	☐	☐	☐
2. Not sleeping well	☐	☐	☐	☐	☐
3. Irritable, cranky, fussy	☐	☐	☐	☐	☐
4. Feels unwell	☐	☐	☐	☐	☐
5. Low energy, tired	☐	☐	☐	☐	☐
6. Not playing well	☐	☐	☐	☐	☐
7. Crying more than usual	☐	☐	☐	☐	☐
8. Needing extra care	☐	☐	☐	☐	☐
9. Clinginess	☐	☐	☐	☐	☐
10. Headache	☐	☐	☐	☐	☐
11. Sore throat	☐	☐	☐	☐	☐
12. Muscle aches or pains	☐	☐	☐	☐	☐
13. Fever	☐	☐	☐	☐	☐
14. Cough	☐	☐	☐	☐	☐
15. Nasal congestion, runny nose	☐	☐	☐	☐	☐
16. Vomiting	☐	☐	☐	☐	☐
17. Not interested in what's going on	☐	☐	☐	☐	☐
18. Unable to get out of bed	☐	☐	☐	☐	☐

Since the last assessment has the subject been able to return to day care/school, or resume their normal daily activity in the same way as performed prior to developing the flu? ☐ Yes ☐ No

This form was filled out by:

☐ Parent

☐ Carer

☐ Other

Note: The term "Carer" in this questionnaire corresponds to the term "caregiver" used throughout the protocol.

Figure 10.

Powder X-ray diffraction pattern of the crystal of compound I

