What Is Claimed Is:

~~1. A medicament comprising a combination of bupropion and dextromethorphan for rapidly relieving the symptoms of depression in a human being in need thereof, wherein the medicament is to be administered once daily or twice daily to the human being, and wherein the human being experiences a therapeutic effect within 2 weeks of the first day that the medicament is to be administered.~~

~~2. A medicament comprising a combination of bupropion and dextromethorphan for use in the treatment of depression in a human being in need thereof, wherein the medicament is to be administered once daily or twice daily to the human being, and wherein the human being is of Asian descent.~~

~~3.~~1. Use of ~~a combination of~~ bupropion and dextromethorphan in the manufacture of a medicament for a combination therapy to rapidly ~~relieving~~ relieve the symptoms of depression in a human being in need thereof, wherein the medicament is to be administered once daily or twice daily to the human being to achieve a therapeutic effect within 2 weeks of the first day that the medicament is to be administered, and wherein the human being is of Asian descent.

~~4.~~2. Use of ~~a combination of~~ bupropion and dextromethorphan in the manufacture of a medicament for a combination therapy to treat~~the treatment of a~~ depression in a human being in need thereof, wherein the medicament is to be administered once daily or twice daily to the human being, and wherein the human being is of Asian descent.

~~5.~~3. The ~~medicament of claim 1 or 2, or the~~ use of claim ~~3~~ 1 or ~~4~~2, wherein the human being is of Japanese descent.

~~6.~~4. The ~~medicament of claim 1 or 2, or the~~ use of claim ~~3~~ 1 or ~~4~~2, wherein the human being is of Chinese descent.

~~7.~~5. The ~~medicament of claim 1 or 2, or the~~ use of claim ~~3~~ 1 or ~~4~~2, wherein the human being is of Korean descent.

~~8.~~6. The ~~medicament of any one of claims 1, 2, or 5-7, or the~~ use of any one of claims ~~3-7~~1-5, wherein the medicament comprises:

about 105 mg of bupropion hydrochloride, or a molar equivalent amount of: 1) another salt form of bupropion or ~~a~~ 2) the free base form of bupropion, and

is to be orally administered once daily or twice daily.

~~9.~~7. The ~~medicament of any one of claims 1, 2, or 5-8, or the~~ use of any one of claims ~~3-8~~1-6, wherein the medicament comprises:

~~about~~ 44 mg to ~~about~~ 46 mg of dextromethorphan hydrobromide, or a molar equivalent amount of: 1) another salt form of dextromethorphan or ~~a~~ 2) the free base form of dextromethorphan, and

is to be orally administered once daily or twice daily.

~~10.~~8. The ~~medicament of any one of claims 1, 2, or 5-9, or the~~ use of any one of claims ~~3-9~~1-7, wherein the human being has previously had an inadequate response to at least one antidepressant therapy.

~~11.~~9. The ~~medicament of any one of claims 1, 2, or 5-10, or the~~ use of any one of claims ~~3-10~~1-8, wherein the depression is major depressive disorder.

~~12.~~10. The ~~medicament of any one of claims 1, 2, or 5-11, or the~~ use of any one of claims ~~3-11~~1-9, wherein the depression is treatment resistant depression.

~~13.~~11. The ~~medicament of any one of claims 1, 2, or 5-12, or the~~ use of any one of claims ~~3-12~~1-10, wherein the medicament is to be administered once daily or twice daily for at least 30 days.

~~14.~~12. The ~~medicament of any one of claims 1, 2, or 5-12, or the~~ use of any one of claims ~~3-12~~1-11, wherein the medicament is to be administered once daily or twice daily for at least 42 days.

~~15.~~13. The ~~medicament of any one of claims 1, 2, or 5-14, or the~~ use of any one of claims ~~3-14~~1-12, wherein the combination of the bupropion and the dextromethorphan results in the MADRS score reduced by at least 10% as compared with baseline.

~~16.~~14. The ~~medicament of any one of claims 1, 2, or 5-14, or the~~ use of any one of claims ~~3-14~~1-12, wherein the combination of the bupropion and the dextromethorphan results in the MADRS score reduced by at least 10% as compared with placebo.

~~17.~~15. The ~~medicament of claim 1 or 2, or the~~ use of claim ~~3~~ 1 or ~~4~~2, wherein the medicament comprises ~~about~~ 40 mg to ~~about~~ 100 mg of the dextromethorphan and ~~about~~ 100 mg to ~~about~~ 200 mg of the bupropion.

~~18.~~16. The ~~medicament or the~~ use of claim ~~17~~15, wherein the medicament is to be orally administered to the human being one daily or twice daily.

~~19.~~17. The ~~medicament of claim 1 or 2, or the~~ use of claim ~~3~~ 1 or ~~4~~2, wherein the medicament comprises: ~~about~~ 60 mg to ~~about~~ 100 mg of the dextromethorphan, and is to be administered once per day.

~~20.~~18. The ~~medicament of claim 1 or 2, or the~~ use of claim ~~3~~ 1 or ~~4~~2, wherein the medicament comprises: ~~about~~ 200 mg to ~~about~~ 250 mg of the bupropion, and is to be administered once per day.

~~21.~~19. The ~~medicament or the~~ use of claim ~~8~~6, wherein the medicament comprises: about 105 mg of bupropion hydrochloride, and is to be orally administered once daily or twice daily.

~~22.~~20. The ~~medicament or the~~ use of claim ~~9~~7, wherein the medicament comprises: about 45 mg of dextromethorphan hydrobromide, and is to be orally administered once daily or twice daily.

~~23.~~21. The ~~medicament of claim 1 or 2, or the~~ use of claim ~~3~~ 1 or ~~4~~2, wherein the ~~combination of~~medicament comprising the bupropion and the dextromethorphan provides greater efficacy in the human being than bupropion alone.