NAMPT AND ROCK INHIBITORS

RELATED APPLICATION INFORMATION

This claims the benefit of U.S. Provisional Patent Application No. 61/413,722, filed on November 15, 2010, U.S. Provisional Patent Application Ser. No. 61/474,015, filed on April 11, 2011, and U.S. Provisional Patent Application Ser. No. 61/525,405, filed on August 19, 2011, the contents of each of which are herein incorporated by reference.


FIELD OF THE INVENTION

This invention pertains to compounds which inhibit the activity of NAMPT, compositions containing the compounds, and methods of treating diseases during which NAMPT is expressed. This invention also pertains to compounds which inhibit the activity of ROCK, compositions containing the compounds, and methods of treating diseases during which ROCK is expressed.

BACKGROUND OF THE INVENTION

NAD+ (nicotinamide adenine dinucleotide) is a coenzyme that plays a critical role in many physiologically essential processes (Ziegkel, M. *Eur. J. Biochem.* **267**,1550-1564, 2000). NAD is necessary for several signaling pathways including among others poly ADP-ribosylation in DNA repair, mono-ADP-ribosylation in both the immune system and G-protein-coupled signaling, and NAD is also required by sirtuins for their deacetylase activity (Garten, A. et al *Trends in Endocrinology and Metabolism*, **20**, 130-138, 2008).

NAMPT (also known as pre-B-cell-colony-enhancing factor (PBEF) and visfatin) is an enzyme that catalyzes the phosphoribosylation of nicotinamide and is the rate-limiting enzyme in one of two pathways that salvage NAD.



Increasing evidence suggests that NAMPT inhibitors have potential as anticancer agents. Cancer cells have a higher basal turnover of NAD and also display higher energy

requirements compared with normal cells. Additionally, increased NAMPT expression has been reported in colorectal cancer (Van Beijnum, J.R. et al *Int. J. Cancer* **101**, 118-127, 2002) and NAMPT is involved in angiogenesis (Kim, S.R. et al. *Biochem. Biophys. Res. Commun.* **357**, 150-156, 2007). Small-molecule inhibitors of NAMPT have been shown to cause depletion of intracellular NAD+ levels and ultimately induce tumor cell death (Hansen, CM et al. *Anticancer Res.* **20**, 42111-4220, 2000) as well as inhibit tumor growth in xenograft models (Olese, U.H. et al. *Mol Cancer Ther.* **9**, 1609-1617, 2010).

NAMPT inhibitors also have potential as therapeutic agents in inflammatory and metabolic disorders (Galli, M. et al *Cancer Res.* **70**, 8-11, 2010). For example, NAMPT is the predominant enzyme in T and B lymphocytes. Selective inhibition of NAMPT leads to NAD+ depletion in lymphocytes blocking the expansion that accompanies autoimmune disease progression whereas cell types expressing the other NAD+ generating pathways might be spared. A small molecule NAMPT inhibitor (FK866) has been shown to selectively block proliferation and induce apoptosis of activated T cells and was efficacious in animal models of arthritis (collagen –induced arthritis) (Busso, N.et al. *Plos One* **3**, e2267, 2008). FK866 ameliorated the manifestations of experimental autoimmune encephalomyelitis (EAE), a model of T-cell mediated autoimmune disorders. (Bruzzone, Set al. *Plos One* **4**, e7897, 2009). NaMPT activity increases NF-kB transcriptional activity in human vascular endothelial cell, resulting in MMP-2 and MMP-9 activation, suggesting a role for NAMPT inhibitors in the prevention of inflammatory mediated complications of obesity and type 2 diabetes (Adya, R. et. Al. *Diabetes Care*, **31**, 758-760, 2008).


Rho kinases (ROCKs), the first Rho effectors to be described, are serine/threonine kinases that are important in fundamental processes of cell migration, cell proliferation and cell survival. Abnormal activation of the Rho/ROCK pathway has been observed in various disorders. Examples of disease states in which compounds with ROCK inhibition have potentially beneficial therapeutic effects due to their anti vasospasm activity includes cardiovascular diseases such as hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension and atherosclerosis. This muscle relaxing property is also beneficial for treating asthma, male erectile dysfunctions, female sexual dysfunction, and over-active bladder syndrome. Injury to the adult vertebrate brain and spinal cord activates ROCKs, thereby inhibiting neurite growth and sprouting. Inhibition of ROCKs results in induction of new axonal growth, axonal rewiring across lesions within the CNS, accelerated regeneration and enhanced functional recovery after acute neuronal injury in mammals (spinal-cord injury, traumatic brain injury). Inhibition of the Rho/ROCK pathway has also proved to be efficacious in other animal models of neurodegeneration like stroke, inflammatory and demyelinating diseases, Alzheimer's disease as well as for the treatment of

pain. Rho/ROCK pathway inhibitors therefore have potential for preventing neurodegeneration and stimulating neuroregeneration in various neurological disorders, including spinal-cord injury, Alzheimer`s disease, stroke, multiple sclerosis, amyotrophic lateral sclerosis, as well as for the treatment of pain. ROCK inhibitors have been shown to possess anti-inflammatory properties. Thus, compounds of the invention can be used as treatment for neuroinflammatory diseases such as stroke, multiple sclerosis, Alzheimer's disease, Huntington's disease, Parkinson's disease, amyotrophic lateral sclerosis, and inflammatory pain, as well as other diseases such as rheumatoid arthritis, osteoarthritis, asthma, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, Lupus, and inflammatory bowel disease. Since ROCK inhibitors reduce cell proliferation and cell migration, they could be useful in treating cancer and tumor metastasis. Further more, there is evidence suggesting that ROCK inhibitors suppress cytoskeletal rearrangement upon virus invasion, thus they also have potential therapeutic value in anti-viral and anti-bacterial applications. ROCK inhibitors are also useful for the treatment of insulin resistance and diabetes. Further, ROCK inhibitors have been shown to ameliorate progression of cystic fibrosis (Abstract S02.3, 8th World Congress on Inflammation, Copenhagen, Denmark, June 16-20, 2007).

In addition, Rho-associated coiled-coil forming protein kinases (ROCK)-1 and -2, have been shown to enhance myosin light chain (MLC) phosphorylation by inhibiting MLC phosphatase as well as phosphorylating MLC. This results in the regulation of actin-myosin contraction. Recent reports have demonstrated that inhibition of ROCK results in disruption of inflammatory cell chemotaxis as well as inhibition of smooth muscle contraction in models of pulmonary inflammation associated with asthma. Therefore, the inhibitors of the Rho/ROCK pathway may be useful for the treatment of asthma.

SUMMARY OF THE INVENTION

One embodiment of this invention, therefore, pertains to compounds and pharmaceutically acceptable salts thereof, which are useful as inhibitors of NAMPT or ROCK, the compounds having Formula (Ic)



Formula (Ic);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is alkyl, alkenyl, alkynyl, phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^4, OR^4, SR^4, $S(O)R^4$, SO_2R^4, $C(O)R^4$, $CO(O)R^4$, $OC(O)R^4$, $OC(O)OR^4$, $NHC(O)R^4$, $NR^4C(O)R^4$, $NHS(O)_2R^4$, $NR^4S(O)_2R^4$, $NHC(O)OR^4$, $NR^4C(O)OR^4$, $NHC(O)NH_2$, $NHC(O)NHR^4$, $NHC(O)N(R^4)_2$, $NR^4C(O)NHR^4$, $NR^4C(O)N(R^4)_2$, $C(O)NH_2$, $C(O)NHR^4$, $C(O)N(R^4)_2$, C(O)NHOH, $C(O)NHOR^4$, $C(O)NHSO_2R^4$, $C(O)NR^4SO_2R^4$, SO_2NH_2, SO_2NHR^4, $SO_2N(R^4)_2$, C(O)H, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, $C(O)NHOH$, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, $C(O)H$, $C(O)OH$, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^4, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^7, OR^7, SR^7, $S(O)R^7$, SO_2R^7, $C(O)R^7$, $OC(O)R^7$, $OC(O)OR^7$, NH_2, NHR^7, $NHC(O)R^7$, $NR^7C(O)R^7$, $NHS(O)_2R^7$, $NR^7S(O)_2R^7$, $NHC(O)OR^7$, $NR^7C(O)OR^7$, $NHC(O)NH_2$, $NHC(O)NHR^7$, $NHC(O)N(R^7)_2$, $NR^7C(O)NHR^7$, $NR^7C(O)N(R^7)_2$, $C(O)NH_2$, $C(O)NHR^7$, $C(O)N(R^7)_2$, $C(O)NHOH$, $C(O)NHOR^7$, $C(O)NHSO_2R^7$, $C(O)NR^7SO_2R^7$, SO_2NH_2, SO_2NHR^7, $SO_2N(R^7)_2$, $C(O)H$, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^4 aryl and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, OR^8, SR^8, $S(O)R^8$, SO_2R^8, $C(O)R^8$, $CO(O)R^8$, $OC(O)R^8$, $OC(O)OR^8$, NH_2, NHR^8, $NHC(O)R^8$, $NR^8C(O)R^8$, $NHS(O)_2R^8$, $NR^8S(O)_2R^8$, $NHC(O)OR^8$, $NR^8C(O)OR^8$, $NHC(O)NH_2$, $NHC(O)NHR^8$, $NHC(O)N(R^8)_2$, $NR^8C(O)NHR^8$, $NR^8C(O)N(R^8)_2$, $C(O)NH_2$, $C(O)NHR^8$, $C(O)N(R^8)_2$, $C(O)NHOH$, $C(O)NHOR^8$, $C(O)NHSO_2R^8$, $C(O)NR^8SO_2R^8$, SO_2NH_2, SO_2NHR^8, $SO_2N(R^8)_2$, $C(O)H$, $C(O)OH$, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, $C(O)NHOH$, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, $C(O)H$, $C(O)OH$, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$,

$NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^7, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^7 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{11}, OR^{11}, SR^{11}, $S(O)R^{11}$, SO_2R^{11}, NHR^{11}, $N(R^{11})_2$, $C(O)R^{11}$, $C(O)NH_2$, $C(O)NHR^{11}$, $C(O)N(R^{11})_2$, $NHC(O)R^{11}$, $NR^{11}C(O)R^{11}$, $NHSO_2R^{11}$, $NHC(O)OR^{11}$, SO_2NH_2, SO_2NHR^{11}, $SO_2N(R^{11})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{11}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{11}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl,

oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I; wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;


with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

Another embodiment pertains to compounds having Formula (Vc), and pharmaceutically acceptable salts thereof



(Vc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is

optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, $C(O)NHOH$, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, $C(O)NHOH$, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$,

$C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

Another embodiment pertains to compounds having Formula (Ic) or Formula (Vc), and pharmaceutically acceptable salts thereof; wherein X^1, X^2, and X^3 are CH, or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1.

Another embodiment pertains to compounds having Formula (Ic) or Formula (Vc), and pharmaceutically acceptable salts thereof; wherein X^1 and X^3 are CH; and X^2 is N; or X^2 is CH; and X^1 and X^3 are N; X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N.

Another embodiment pertains to compounds having Formula (Ic), and pharmaceutically acceptable salts thereof, wherein R^2 is phenyl which is substituted at the para position with R^5; and R^5 is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one, or isoindolin-1-onyl.

Still another embodiment pertains to compounds of Formula (Ic), which are

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(furo[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(thieno[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-acetylphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(5-chloropyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-fluorobenzoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,4-dioxa-8-azaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-fluorophenyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiomorpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(2-hydroxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,4-dihydroisoquinolin-2(1H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1H-indol-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-phenylethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}piperidin-4-yl)carbamate;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(cyclohexylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(diethylcarbamoyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-hydroxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydro[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylmethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3,4,9-tetrahydro-2H-beta-carbolin-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-difluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-carbamoylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dioxolan-2-ylmethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(ethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isobutyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-carbamoylphenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(trifluoromethyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,6-dimethylmorpholin-4-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyanoethyl)(cyclopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(isopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-N-isopropyl-beta-alanine;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4,4,4-trifluorobutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpentanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(benzyloxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[N-(2-furoyl)glycyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-thienyl)butanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-oxo-4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(N-benzoylglycyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenoxybutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propionylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(heptanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pent-4-enoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-methylpiperazin-1-yl)propanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate;

2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyclopentylethyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-methyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1E)-5-phenylpent-1-en-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(1-propyl-1H-pyrazol-4-yl)pyridin-3-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[1-(3-methylbutyl)-1H-pyrazol-4-yl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-phenylpentyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-fluoro-4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{2-fluoro-4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(isopropylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-benzoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(isopropylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(butyrylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperazine-1-carboxylate;

N-[4-(4-propionylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopropylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-butyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-isobutyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-benzoyl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-(3-methylbutyl)-2,3-dihydro-1H-isoindol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexyloxy)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(4-chlorophenoxy)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N,N'-hexane-1,6-diylbis(1,3-dihydro-2H-isoindole-2-carboxamide);

N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

ethyl 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoate;

N-hexyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-octyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-methyl-1H-pyrazol-4-yl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(methylamino)-6-oxohexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-oxo-6-[(3-phenylpropyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4,5,6,7,8-hexahydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(8-fluoro-4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(morpholin-4-ylmethyl)-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-4,5-dihydro-3H-2,3-benzodiazepin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(1-methylpiperidin-4-yl)oxy]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3R)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3S)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(azetidin-1-ylmethyl)-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(5-propyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[5-(3-methylbutyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-benzyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]-1H-benzimidazol-2-yl}piperazine-1-carboxylate;

N-[2-(piperazin-1-yl)-1H-benzimidazol-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-benzoylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(tetrahydrofuran-3-yl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(tetrahydrofuran-3-ylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-methoxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-(4-cyanophenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(trifluoromethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-pyridin-2-ylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-butyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide; and

N-[2-(4-acetylpiperazin-1-yl)-1H-benzimidazol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-furoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-L-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-D-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(1-acetylpiperidin-4-yl)carbonyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-acetamidobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(methylsulfonyl)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-butyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isobutyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methylbutanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,3,3-trifluoropropanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(methoxyacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopentylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclohexylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[3-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,4-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,5-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(3,4-dimethoxyphenyl)acetyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrrol-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrazol-5-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isonicotinoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridazin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrazin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrimidin-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(N,N-dimethyl-beta-alanyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-acetylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1,3-thiazol-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(morpholin-4-ylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxo-2,3-dihydro-1H-isoindol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1-(2-phenylethyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{benzyl[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 4-{[(5-cyano-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoate;

N-(4-{(E)-[(benzyloxy)imino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-aminopyrrolidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-phenylpropyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({benzyl[3-(morpholin-4-yl)propyl]amino}methyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-methoxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-hydroxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(aminomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methoxy-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyrazin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-acetamidohexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(1E)-3-[benzyl(methyl)amino]prop-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-phenoxypiperidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-phenoxyazetidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[benzyl(methyl)amino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1-benzylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-phenylpropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(morpholin-4-yl)benzyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxypropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-3-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[4-(methylsulfonyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(ethoxyacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[4-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[4-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(trifluoromethoxy)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,3-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,4-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,5-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(phenylacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3-fluorophenyl)acetyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(morpholin-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

4-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-2-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-oxo-7-{[(3R)-tetrahydrofuran-3-ylmethyl]amino}heptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{7-oxo-7-[(tetrahydro-2H-pyran-4-ylmethyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(azetidin-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(morpholin-4-ylmethyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methylpiperazin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(3-methylbutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-hydroxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-aminoethyl)-1H-imidazol-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}-2-oxoethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-{benzyl[3-(morpholin-4-yl)propyl]amino}-3-oxopropyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-bromo-2-oxoquinolin-1(2H)-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(2-{(4-fluorobenzyl)[4-(pyridin-3-yl)benzyl]amino}-1,3-thiazol-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-benzyl-1,3-thiazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-{benzyl[3-(morpholin-4-yl)propyl]amino}-7-oxoheptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(ethylsulfonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.3]hept-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.4]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,9-diazaspiro[5.5]undec-3-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{benzyl[3-(morpholin-4-yl)propyl]amino}-4-oxobutyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-phenylbutyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetyl-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-hydroxyethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butyrylamino)phenyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methoxybenzyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(2-oxa-7-azaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-4-(3-hydroxypropyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-(acetamidomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[2-(2-chlorobenzyl)-1,3-thiazol-4-yl]-2-thienyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-fluorophenyl)butyl]-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(2-hydroxypropan-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl {4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzyl}carbamate;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(methoxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(tetrahydrofuran-2-ylmethyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methoxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[4-(2-methoxyethyl)piperazin-1-yl]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-pentanoylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butyrylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(1-acetylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-isobutyrylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(methoxyacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (2-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}ethyl)carbamate;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-phenylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxyphenyl)acetyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-benzoylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-ethoxypropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(1-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl [(1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}azetidin-3-yl)methyl]carbamate;

N-(4-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(morpholin-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2-methoxyethoxy)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(2,3-dimethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tricyclo[3.3.1.1~3,7~]dec-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxycyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[4-(acetylamino)phenyl]sulfonyl}amino)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-propylphenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(butylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[({[(1S,4R)-7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl]methyl}sulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(benzylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-fluorophenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(thiophen-2-ylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(4,4-difluorocyclohexyl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(piperidin-1-ylsulfonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate;

N-(4-{3-[(3-methylbutyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydrofuran-2-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(benzylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(cyclopentylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(cyclopentylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(2-methoxyethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)(3-methylbutanoyl)amino]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6H-furo[2',3':2,3]cyclobuta[1,2-c]quinolin-6-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[7-chloro-1-(2-hydroxyethyl)-3-oxo-1,3-dihydrocyclobuta[c]quinolin-4(2H)-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butanoylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-acetylpiperidin-4-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{7-oxo-7-[(3-phenylpropyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(bicyclo[2.2.1]hept-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1,3-thiazol-5-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{2-[(3-methylbutanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(4-methylpentanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(ethoxyacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{[(2-methoxyethoxy)acetyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-2-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[2-(benzoylamino)ethyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-3-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-propanoylazetidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pent-4-ynoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethylglycyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethyl-beta-alanyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrrolidin-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(pyrrolidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methylpiperazin-1-yl)acetyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopropylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopentylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(butylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-fluorophenyl)sulfonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propan-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(benzylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-2-methylbutanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4,4-difluorocyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-D-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpentanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1,2-oxazol-5-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridazin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrazin-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

benzyl trans-3-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]cyclobutanecarboxylate;

N-[4-(4-{[(4-methylpiperazin-1-yl)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(benzoylamino)cyclohex-1-en-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1-methylpiperidin-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3R)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3S)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-2-methylbutanoyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(3-methylbutanoyl)amino]oxetan-3-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

tert-butyl 4-({4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}sulfonyl)piperidine-1-carboxylate;

N-{4-[4-(propylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methoxyethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclopentylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(1,4-dioxan-2-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopentylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(morpholin-4-ylcarbonyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopropylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(butan-2-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{(4R)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(4S)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[trans-3-(benzylcarbamoyl)cyclobutyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(2-phenylethyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(3-phenylpropyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(bicyclo[2.2.1]hept-2-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopentylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

Still another embodiment pertains to compounds of Formula (Ic), which are

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

Still another embodiment pertains to compounds of Formula (Ic), which are

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

Another embodiment pertains to a composition for treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, said composition comprising an excipient and a therapeutically effective amount of a compound of Formula (Ic), or pharmaceutically acceptable salts thereof.

Another embodiment pertains to a composition for treating inflammatory and tissue repair disorders; particularly rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis,

psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, atherscleros is, restenosis, diabetes, glomerulonephritis, cancer, particularly wherein the cancer is selected from breast, prostate, lung, colon, cervix, ovary, skin, CNS, bladder, pancreas, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia, said composition comprising an excipient and a therapeutically effective amount of a compound of Formula (Ic), or pharmaceutically acceptable salts thereof.

Another embodiment pertains to a method of treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, in a patient, said method comprising administering to the patient a therapeutically effective amount of a compound of Formula (Ic), or pharmaceutically acceptable salts thereof.

Another embodiment pertains to a method of treating inflammatory and tissue repair disorders; particularly rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, atherscleros is, restenosis, diabetes, glomerulonephritis, cancer, particularly wherein the cancer is selected from breast, prostate, lung, colon, cervix, ovary, skin, CNS, bladder, pancreas, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia in a patient, said

method comprising administering to the patient a therapeutically effective amount of a compound of Formula (Ic), or pharmaceutically acceptable salts thereof.

Another embodiment pertains to a method of treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis in a patient, said method comprising administering to the patient therapeutically effective amount of the compound of Formula (Ic), or pharmaceutically acceptable salts thereof; and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

Another embodiment pertains to a method of treating inflammatory and tissue repair disorders; particularly rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, atherosclerosis, restenosis, diabetes, glomerulonephritis, cancer, particularly wherein the cancer is selected from breast, prostate, lung, colon, cervix, ovary, skin, CNS, bladder, pancreas, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia or spleen cancer in a patient, said method comprising administering to the patient therapeutically effective amount of the compound of Formula (Ic), or pharmaceutically acceptable salts thereof; and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

DETAILED DESCRIPTION OF THE INVENTION

This detailed description is intended only to acquaint others skilled in the art with Applicants' invention, its principles, and its practical application so that others skilled in the art may adapt and apply the invention in its numerous forms, as they may be best suited to the requirements of a particular use. This description and its specific examples are intended for purposes of illustration only. This invention, therefore, is not limited to the embodiments described in this patent application, and may be variously modified.

Abbreviations and Definitions

Unless otherwise defined herein, scientific and technical terms used in connection with the present invention shall have the meanings that are commonly understood by those of ordinary skill in the art. The meaning and scope of the terms should be clear, however, in the event of any latent ambiguity, definitions provided herein take precedent over any dictionary or extrinsic definition. In this application, the use of "or" means "and/or" unless stated otherwise. Furthermore, the use of the term "including", as well as other forms, such as "includes" and "included", is not limiting. With reference to the use of the words "comprise" or "comprises" or "comprising" in this patent application (including the claims), Applicants note that unless the context requires otherwise, those words are used on the basis and clear understanding that they are to be interpreted inclusively, rather than exclusively, and that Applicants intend each of those words to be so interpreted in construing this patent application, including the claims below. For a variable that occurs more than one time in any substituent or in the compound of the invention or any other formulae herein, its definition on each occurrence is independent of its definition at every other occurrence. Combinations of substituents are permissible only if such combinations result in stable compounds. Stable compounds are compounds which can be isolated in a useful degree of purity from a reaction mixture.

It is meant to be understood that proper valences are maintained for all combinations herein, that monovalent moieties having more than one atom are attached through their left ends, and that divalent moieties are drawn from left to right.

As used in the specification and the appended claims, unless specified to the contrary, the following terms have the meaning indicated:

The term "alkyl" (alone or in combination with another term(s)) means a straight-or branched-chain saturated hydrocarbyl substituent typically containing from 1 to about 10 carbon atoms; or in another embodiment, from 1 to about 8 carbon atoms; in another embodiment, from 1 to about 6 carbon atoms; and in another embodiment, from 1 to about 4 carbon atoms. Examples of such substituents include methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, pentyl, iso-amyl, and hexyl and the like.

The term "alkenyl" (alone or in combination with another term(s)) means a straight- or branched-chain hydrocarbyl substituent containing one or more double bonds and typically from 2 to about 10 carbon atoms; or in another embodiment, from 2 to about 8 carbon atoms; in another embodiment, from 2 to about 6 carbon atoms; and in another embodiment, from 2 to about 4 carbon atoms. Examples of such substituents include ethenyl (vinyl), 2-propenyl, 3-propenyl, 1,4-pentadienyl, 1,4-butadienyl, 1-butenyl, 2-butenyl, and 3-butenyl and the like.

The term "alkynyl" (alone or in combination with another term(s)) means a straight- or branched-chain hydrocarbyl substituent containing one or more triple bonds and typically from 2 to about 10 carbon atoms; or in another embodiment, from 2 to about 8 carbon atoms; in another embodiment, from 2 to about 6 carbon atoms; and in another embodiment, from 2 to about 4 carbon atoms. Examples of such substituents include ethynyl, 2-propynyl, 3-propynyl, 2-butynyl, and 3-butynyl and the like.

The term "carbocyclyl" (alone or in combination with another term(s)) means a saturated cyclic (*i.e.*, "cycloalkyl"), partially saturated cyclic (*i.e.*, "cycloalkenyl"), or completely unsaturated (*i.e.*, "aryl") hydrocarbyl substituent containing from 3 to 14 carbon ring atoms ("ring atoms" are the atoms bound together to form the ring or rings of a cyclic substituent). A carbocyclyl may be a single-ring (monocyclic) or polycyclic ring structure.

A carbocyclyl may be a single ring structure, which typically contains from 3 to 8 ring atoms, more typically from 3 to 6 ring atoms, and even more typically 5 to 6 ring atoms. Examples of such single-ring carbocyclyls include cyclopropyl (cyclopropanyl), cyclobutyl (cyclobutanyl), cyclopentyl (cyclopentanyl), cyclopentenyl, cyclopentadienyl, cyclohexyl (cyclohexanyl), cyclohexenyl, cyclohexadienyl, and phenyl. A carbocyclyl may alternatively be polycyclic (i.e., may contain more than one ring). Examples of polycyclic carbocyclyls include bridged, fused, and spirocyclic carbocyclyls. In a spirocyclic carbocyclyl, one atom is common to two different rings. An example of a spirocyclic carbocyclyl is spiropentanyl. In a bridged carbocyclyl, the rings share at least two common non-adjacent atoms. Examples of bridged carbocyclyls include bicyclo[2.2.1]heptanyl, bicyclo[2.2.1]hept-2-enyl, and adamantanyl. In a fused-ring carbocyclyl system, two or more rings may be fused together, such that two rings share one common bond. Examples of two- or three-fused ring carbocyclyls include naphthalenyl, tetrahydronaphthalenyl (tetralinyl), indenyl, indanyl (dihydroindenyl), anthracenyl, phenanthrenyl, and decalinyl.

The term "cycloalkyl" (alone or in combination with another term(s)) means a saturated cyclic hydrocarbyl substituent containing from 3 to 14 carbon ring atoms. A cycloalkyl may be a single carbon ring, which typically contains from 3 to 8 carbon ring atoms and more typically from 3 to 6 ring atoms. Examples of single-ring cycloalkyls include cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl. A cycloalkyl may alternatively be polycyclic or contain more than one ring. Examples of polycyclic cycloalkyls include

bridged, fused, and spirocyclic carbocyclyls. In a bridged cycloalkyl, the rings share at least two common non-adjacent atoms. Examples of bridged cycloalkyls include bicyclo[2.2.1]heptanyl and adamantanyl.

The term "aryl" (alone or in combination with another term(s)) means an aromatic carbocyclyl containing from 6 to 14 carbon ring atoms. An aryl may be monocyclic or polycyclic (i.e., may contain more than one ring). In the case of polycyclic aromatic rings, only one ring in the polycyclic system is required to be unsaturated while the remaining ring(s) may be saturated, partially saturated or unsaturated. Examples of aryls include phenyl, naphthalenyl, indenyl, 2,3-dihydroindenyl, indanyl, and tetrahydronapthyl.

In some instances, the number of carbon atoms in a hydrocarbyl substituent (e.g., alkyl, alkenyl, alkynyl, or cycloalkyl) is indicated by the prefix "C_x-C_y-", wherein x is the minimum and y is the maximum number of carbon atoms in the substituent. Thus, for example, "C_1-C_6-alkyl" refers to an alkyl substituent containing from 1 to 6 carbon atoms. Illustrating further, C_3-C_8-cycloalkyl means a saturated hydrocarbyl ring containing from 3 to 8 carbon ring atoms.

The term "hydrogen" (alone or in combination with another term(s)) means a hydrogen radical, and may be depicted as -H.

The term "hydroxy" (alone or in combination with another term(s)) means -OH.

The term "carboxy" (alone or in combination with another term(s)) means -C(O)-OH.

The term "amino" (alone or in combination with another term(s)) means $-NH_2$.

The term "halogen" or "halo" (alone or in combination with another term(s)) means a fluorine radical (which may be depicted as -F), chlorine radical (which may be depicted as -Cl), bromine radical (which may be depicted as -Br), or iodine radical (which may be depicted as -I).

If a substituent is described as being "substituted", a non-hydrogen radical is in the place of hydrogen radical on a carbon or nitrogen of the substituent. Thus, for example, a substituted alkyl substituent is an alkyl substituent in which at least one non-hydrogen radical is in the place of a hydrogen radical on the alkyl substituent. To illustrate, monofluoroalkyl is alkyl substituted with a fluoro radical, and difluoroalkyl is alkyl substituted with two fluoro radicals. It should be recognized that if there are more than one substitution on a substituent, each non-hydrogen radical may be identical or different (unless otherwise stated).

If a substituent is described as being "optionally substituted", the substituent may be either (1) not substituted or (2) substituted. If a substituent is described as being optionally substituted with up to a particular number of non-hydrogen radicals, that substituent may be either (1) not substituted; or (2) substituted by up to that particular number of non-hydrogen radicals or by up to the maximum number of substitutable positions on the substituent, whichever is less. Thus, for example, if a substituent is described as a heteroaryl optionally

substituted with up to 3 non-hydrogen radicals, then any heteroaryl with less than 3 substitutable positions would be optionally substituted by up to only as many non-hydrogen radicals as the heteroaryl has substitutable positions. To illustrate, tetrazolyl (which has only one substitutable position) would be optionally substituted with up to one non-hydrogen radical. To illustrate further, if an amino nitrogen is described as being optionally substituted with up to 2 non-hydrogen radicals, then a primary amino nitrogen will be optionally substituted with up to 2 non-hydrogen radicals, whereas a secondary amino nitrogen will be optionally substituted with up to only 1 non-hydrogen radical.

This patent application uses the terms "substituent" and "radical" interchangeably.

The prefix "halo" indicates that the substituent to which the prefix is attached is substituted with one or more independently selected halogen radicals. For example, haloalkyl means an alkyl substituent in which at least one hydrogen radical is replaced with a halogen radical. Examples of haloalkyls include chloromethyl, 1-bromoethyl, fluoromethyl, difluoromethyl, trifluoromethyl, and 1,1,1-trifluoroethyl. It should be recognized that if a substituent is substituted by more than one halogen radical, those halogen radicals may be identical or different (unless otherwise stated).

The prefix "perhalo" indicates that every hydrogen radical on the substituent to which the prefix is attached is replaced with independently selected halogen radicals, *i.e.*, each hydrogen radical on the substituent is replaced with a halogen radical. If all the halogen radicals are identical, the prefix typically will identify the halogen radical. Thus, for example, the term "perfluoro" means that every hydrogen radical on the substituent to which the prefix is attached is substituted with a fluorine radical. To illustrate, the term "perfluoroalkyl" means an alkyl substituent wherein a fluorine radical is in the place of each hydrogen radical.

The term "carbonyl" (alone or in combination with another term(s)) means -C(O)-.

The term "aminocarbonyl" (alone or in combination with another term(s)) means -C(O)-NH_2.

The term "oxo" (alone or in combination with another term(s)) means (=O).

The term "oxy" (alone or in combination with another term(s)) means an ether substituent, and may be depicted as -O-.

The term "alkylhydroxy" (alone or in combination with another term(s)) means –alkyl-OH.

The term "alkylamino" (alone or in combination with another term(s)) means –alkyl-NH_2.

The term "alkyloxy" (alone or in combination with another term(s)) means an alkylether substituent, i.e., -O-alkyl. Examples of such a substituent include methoxy (-O-CH_3), ethoxy, n-propoxy, isopropoxy, n-butoxy, iso-butoxy, sec-butoxy, and tert-butoxy.

The term "alkylcarbonyl" (alone or in combination with another term(s)) means -C(O)-alkyl.

The term "aminoalkylcarbonyl" (alone or in combination with another term(s)) means -C(O)-alkyl-NH_2.

The term "alkyloxycarbonyl" (alone or in combination with another term(s)) means -C(O)-O-alkyl.

The term "carbocyclylcarbonyl" (alone or in combination with another term(s)) means -C(O)-carbocyclyl.

Similarly, the term "heterocyclylcarbonyl" (alone or in combination with another term(s)) means -C(O)-heterocyclyl.

The term "carbocyclylalkylcarbonyl" (alone or in combination with another term(s)) means -C(O)-alkyl-carbocyclyl.

Similarly, the term "heterocyclylalkylcarbonyl" (alone or in combination with another term(s)) means -C(O)-alkyl-heterocyclyl.

The term "carbocyclyloxycarbonyl" (alone or in combination with another term(s)) means -C(O)-O-carbocyclyl.

The term "carbocyclylalkyloxycarbonyl" (alone or in combination with another term(s)) means -C(O)-O-alkyl-carbocyclyl.

The term "thio" or "thia" (alone or in combination with another term(s)) means a thiaether substituent, *i.e.*, an ether substituent wherein a divalent sulfur atom is in the place of the ether oxygen atom. Such a substituent may be depicted as -S-. This, for example, "alkyl-thio-alkyl" means alkyl-S-alkyl (alkyl-sulfanyl-alkyl).

The term "thiol" or "sulfhydryl" (alone or in combination with another term(s)) means a sulfhydryl substituent, and may be depicted as -SH.

The term "(thiocarbonyl)" (alone or in combination with another term(s)) means a carbonyl wherein the oxygen atom has been replaced with a sulfur. Such a substituent may be depicted as -C(S)-.

The term "sulfonyl" (alone or in combination with another term(s)) means -$S(O)_2$-.

The term "aminosulfonyl" (alone or in combination with another term(s)) means -$S(O)_2$-NH_2.

The term "sulfinyl" or "sulfoxido" (alone or in combination with another term(s)) means -S(O)-.

The term "heterocyclyl" (alone or in combination with another term(s)) means a saturated (*i.e.*, "heterocycloalkyl"), partially saturated (*i.e.*, "heterocycloalkenyl"), or completely unsaturated (*i.e.*, "heteroaryl") ring structure containing a total of 3 to 20 ring atoms. At least one of the ring atoms is a heteroatom (*i.e.*, oxygen, nitrogen, or sulfur), with the remaining ring atoms being independently selected from the group consisting of carbon,

oxygen, nitrogen, and sulfur. A heterocyclyl may be a single-ring (monocyclic) or polycyclic ring structure.

A heterocyclyl may be a single ring, which typically contains from 3 to 7 ring atoms, more typically from 3 to 6 ring atoms, and even more typically 5 to 6 ring atoms. Examples of single-ring heterocyclyls include 1,2,3,6-tetrahydropyridine, thiomorpholinyl, tetrahydropyranyl, furanyl, dihydrofuranyl, tetrahydrofuranyl, thiophenyl (thiofuranyl), dihydrothiophenyl, tetrahydrothiophenyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, pyrrolidin-2-onyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, oxazolyl, oxazolidinyl, isoxazolidinyl, isoxazolyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxadiazolyl (including 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl (furazanyl), or 1,3,4-oxadiazolyl), oxatriazolyl (including 1,2,3,4-oxatriazolyl or 1,2,3,5-oxatriazolyl), dioxazolyl (including 1,2,3-dioxazolyl, 1,2,4-dioxazolyl, 1,3,2-dioxazolyl, or 1,3,4-dioxazolyl), oxathiazolyl, oxathiolyl, oxathiolanyl, pyranyl, dihydropyranyl, thiopyranyl, tetrahydrothiopyranyl, pyridinyl (azinyl), piperidinyl, diazinyl (including pyridazinyl (1,2-diazinyl), pyrimidinyl (1,3-diazinyl), or pyrazinyl (1,4-diazinyl)), piperazinyl, pyrrolidin-2-only, triazinyl (including 1,3,5-triazinyl, 1,2,4-triazinyl, and 1,2,3-triazinyl)), oxazinyl (including 1,2-oxazinyl, 1,3-oxazinyl, or 1,4-oxazinyl)), oxathiazinyl (including 1,2,3-oxathiazinyl, 1,2,4-oxathiazinyl, 1,2,5-oxathiazinyl, or 1,2,6-oxathiazinyl)), oxadiazinyl (including 1,2,3-oxadiazinyl, 1,2,4-oxadiazinyl, 1,4,2-oxadiazinyl, or 1,3,5-oxadiazinyl)), morpholinyl, azepinyl, oxepinyl, thiepinyl, diazepinyl, thiomorpholinyl, tetrahydrothiophenyl 1,1-dioxidyl, tetrahydro-2*H*-thiopyranyl, 1,1-dioxidyl, oxetanyl, azetidinyl, thiazolyl, azepanyl, azepan-2-onyl, and dioxolayl (including 1,3-dioxolanyl).

A heterocyclyl may alternatively be polycyclic (i.e., may contain more than one ring). Examples of polycyclic heterocyclyls include bridged, fused, and spirocyclic heterocyclyls. In a spirocyclic heterocyclyl, one atom is common to two different rings. In a bridged heterocyclyl, the rings share at least two common non-adjacent atoms. In a fused-ring heterocyclyl, two or more rings may be fused together, such that two rings share one common bond. Examples of fused ring heterocyclyls containing two, three or four rings include hexahydro-furo[3,4-c]pyrrole, hexahydro-furo[3,4-b]pyrrole, octahydro-pyrrolo[3,4-b]pyridine, octahydro-pyrrolo[3,4-c]pyridine, (3aR,6aR)-5-methyl-octahydro-pyrrolo[3,4-b]pyrrole, (3aR,6aR)-octahydro-pyrrolo[3,4-b]pyrrole, 6-methyl-2,6-diaza-bicyclo[3.2.0]heptane, (3aS,6aR)-2-methyl-octahydro-pyrrolo[3,4-c]pyrrole, decahydro-[1,5]naphthyridine, 2,3-dihydrobenzofuranyl, 2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indolyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, isoindolin-1-onyl, phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl,

(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-onyl, 1,2,3,4-tetrahydroisoquinolinyl, 2,3-dihydrobenzo[b][1,4]dioxinyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrazinyl, 5,6,7,8-tetrahydroimidazo[1,5-a]pyrazinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, indolizinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl (including pyrido[3,4-b]-pyridinyl, pyrido[3,2-b]-pyridinyl, or pyrido[4,3-b]-pyridinyl), pteridinyl, 4,5,6,7-tetrahydro-indolyl, 5,6,7,8-tetrahydroimidazo[1,5-a]pyrazinyl, 6,7-dihydropyrrolo[3,4-d]pyrimidinyl, 6,7-dihydropyrrolo[3,4-b]pyridinyl, 2,3-dihydropyrrolo[3,4-c]pyridinyl, 6,7-dihydrobenzofuran-4(5H)-onyl, indolinyl, benzo[d][1,3]dioxolyl, isoquinolinyl, indolyl, quinolin-2(1H)-onyl, benzo[d]imidazolyl, 1,2,3,4-tetrahydrocyclobuta[c]quinolinyl, 1,2-dihydrocyclobuta[c]quinolin-3(4H)-onyl, and 3,3a,4,4a-tetrahydro-2*H*-furo[2',3':2,3]cyclobuta[1,2-*c*]quinolin-5(6*H*)-onyl. Other examples of fused-ring heterocyclyls include benzo-fused heterocyclyls, such as benzimidazolyl, benzo[d][1,3]dioxolyl, indolyl, isoindolyl (isobenzazolyl, pseudoisoindolyl), indoleninyl (pseudoindolyl), isoindazolyl (benzpyrazolyl), benzazinyl (including quinolinyl (1-benzazinyl) or isoquinolinyl (2-benzazinyl)), phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl (including cinnolinyl (1,2-benzodiazinyl) or quinazolinyl (1,3-benzodiazinyl)), benzopyranyl (including chromanyl or isochromanyl), benzoxazinyl (including 1,3,2-benzoxazinyl, 1,4,2-benzoxazinyl, 2,3,1-benzoxazinyl, or 3,1,4-benzoxazinyl), benzisoxazinyl (including 1,2-benzisoxazinyl or 1,4-benzisoxazinyl), isoindolin-1-onyl, 2,3-dihydrobenzo[b][1,4]dioxinyl, 1,2,3,4-tetrahydroisoquinolinyl, quinolin-2(1H)-onyl, benzo[d]imidazolyl, 2,3,4,9-tetrahydro-pyrido[3,4-b]indolyl, 1,2,3,4-tetrahydrocyclobuta[c]quinolinyl, 1,2-dihydrocyclobuta[c]quinolin-3(4H)-onyl, and 3,3a,4,4a-tetrahydro-2*H*-furo[2',3':2,3]cyclobuta[1,2-*c*]quinolin-5(6*H*)-onyl. Examples of spirocyclic heterocyclyls include 1,4-dioxa-8-azaspiro[4.5]decanyl, 2-oxa-6-aza-spiro[3.3]heptanyl, bicyclo[2.2.1]heptan-2-only, 6-oxa-1-aza-spiro[3.3]heptanyl, 2-oxa-7-aza-spiro[3.5]nonanyl, 2-oxa-6-aza-spiro[3.5]nonanyl, 2-oxa-5-aza-spiro[3.5]nonanyl, 2-oxa-6-aza-spiro[3.4]octanyl, 2-oxa-5-aza-spiro[3.4]octanyl, 2,7-diazaspiro[3.5]nonane, 1,4-dioxa-8-azaspiro[4.5]decanyl, 2-oxa-9-azaspiro[5.5]undecanyl, 2,9-diazaspiro[5.5]undecanyl, 2,8-diazaspiro[5.5]undecanyl, 1-oxa-8-azaspiro[5.5]undecanyl, 1,8-diazaspiro[5.5]undecanyl, 3,9-diazaspiro[5.5]undecanyl, 1-oxa-4,8-diazaspiro[5.5]undecanyl, 1,8-diazaspiro[4.6]undecanyl, 1-oxa-8-azaspiro[4.5]decanyl, 2,7-diazaspiro[4.5]decanyl, 1,8-diazaspiro[4.5]decanyl, 2,8-diazaspiro[4.5]decanyl, 2,6-diazaspiro[4.5]decanyl, 1,4-dioxaspiro[4.5]decanyl, 1,7-diazaspiro[4.4]nonanyl, 2,7-diazaspiro[4.4]nonanyl, 2,5-diazaspiro[3.5]nonanyl, 2,6-diazaspiro[3.5]nonanyl, 1,7-diazaspiro[3.5]nonanyl, 6-oxa-2-azaspiro[3.5]nonanyl, 1,6-diazaspiro[3.5]nonanyl, 2,6-diazaspiro[3.4]octanyl, 6-oxa-2-azaspiro[3.4]octanyl, 5-oxa-2-azaspiro[3.4]octanyl, and 2,6-diazaspiro[3.3]heptanyl.

The term "heterocycloalkyl" (alone or in combination with another term(s)) means a saturated heterocyclyl. Examples of heterocycloalkyls include piperidine, tetrahydropyranyl, piperazinyl, morpholinyl, azepan-2-oneyl, pyrrolidinyl, 1,3-dioxolanyl, tetrahydrofuranyl, pyrrolidin-2-onyl, oxetanyl, azetidinyl, 2-oxa-9-azaspiro[5.5]undecanyl, 2,9-diazaspiro[5.5]undecanyl, 2,8-diazaspiro[5.5]undecanyl, 1-oxa-8-azaspiro[5.5]undecanyl, 1,8-diazaspiro[5.5]undecanyl, 3,9-diazaspiro[5.5]undecanyl, 1-oxa-4,8-diazaspiro[5.5]undecanyl, 1,8-diazaspiro[4.6]undecanyl, 1-oxa-8-azaspiro[4.5]decanyl, 2,7-diazaspiro[4.5]decanyl, 1,8-diazaspiro[4.5]decanyl, 2,8-diazaspiro[4.5]decanyl, 2,6-diazaspiro[4.5]decanyl, 1,4-dioxaspiro[4.5]decanyl, 1,7-diazaspiro[4.4]nonanyl, 2,7-diazaspiro[4.4]nonanyl, 2,5-diazaspiro[3.5]nonanyl, 2,6-diazaspiro[3.5]nonanyl, 1,7-diazaspiro[3.5]nonanyl, 6-oxa-2-azaspiro[3.5]nonanyl, 1,6-diazaspiro[3.5]nonanyl, 2,6-diazaspiro[3.4]octanyl, 6-oxa-2-azaspiro[3.4]octanyl, 5-oxa-2-azaspiro[3.4]octanyl, bicyclo[2.2.1]heptan-2-onyl, 1,4-dioxa-8-azaspiro[4.5]decanyl, 2,7-diazaspiro[3.5]nonanyl and 2,6-diazaspiro[3.3]heptanyl.

The term "heteroaryl" (alone or in combination with another term(s)) means an aromatic heterocyclyl containing from 5 to 14 ring atoms. A heteroaryl may be monocyclic or polycyclic (i.e., may contain more than one ring). In the case of a polycyclic heteroaryl, only one heterocyclyl ring in the polycyclic system is required to be unsaturated while the remaining ring(s) may be saturated, partially saturated or unsaturated. Examples of heteroaryl substituents include: 6-membered ring substituents such as pyridyl, pyrazyl, pyrrolyl, isoxazolyl, 1,2,3-triazolyl, pyrimidinyl, pyridazinyl, and 1,3,5-, 1,2,4- or 1,2,3-triazinyl; 5-membered ring substituents such as imidazyl, furanyl, thiophenyl, pyrazolyl, oxazolyl, isoxazolyl, thiazolyl, 1,2,3-, 1,2,4-, 1,2,5-, and 1,3,4-, oxadiazolyl and isothiazolyl; 6/5-membered fused ring substituents such as indolyl, benzothiofuranyl, benzisoxazolyl, benzoxazolyl, purinyl, 4,5,6,7-tetrahydro-indolyl, furo[3,2-c]pyridinyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-onyl, thieno[3,2-c]pyridinyl, 5,6,7,8-tetrahydroimidazo[1,5-a]pyrazinyl, benzo[d]imidazolyl, 6,7-dihydro-pyrrolo[3,4-d]pyrimidinyl, 6,7-dihydro-pyrrolo[3,4-b]pyridinyl, 2,3-dihydro-pyrrolo[3,4-c]pyridinyl, 5,6,7,8-tetrahydroimidazo[1,5-a]pyrazinyl, 6,7-dihydrobenzofuran-4(5H)-onyl, 6,7-dihydrobenzofuran-4(5H)-onyl, and indolyl; 6/6-membered fused rings such as benzopyranyl, quinolinyl, isoquinolinyl, cinnolinyl, quinazolinyl, benzoxazinyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, phthalazin-1(2H)-onyl, isoquinolin-1(2H)-onyl, and quinolin-2(1H)-onyl; 6/5/6 membered rings such as 2,3,4,9-tetrahydro-1H-pyrido[3,4-b]indolyl, and 1,2-dihydrocyclobuta[c]quinolin-3(4H)-onyl; and 6/6/4/5 membered rings such as 2,3,4,9-tetrahydro-pyrido[3,4-b]indolyl.

A prefix attached to a multi-component substituent only applies to the first component. To illustrate, the term "alkylcycloalkyl" contains two components: alkyl and cycloalkyl. Thus, the C_1-C_6- prefix on C_1-C_6-alkylcycloalkyl means that the alkyl component of the alkylcycloalkyl contains from 1 to 6 carbon atoms; the C_1-C_6-prefix does not describe

the cycloalkyl component. To illustrate further, the prefix "halo" on haloalkyloxyalkyl indicates that only the alkyloxy component of the alkyloxyalkyl substituent is substituted with one or more halogen radicals. If halogen substitution may alternatively or additionally occur on the alkyl component, the substituent would instead be described as "halogen-substituted alkyloxyalkyl" rather than "haloalkyloxyalkyl." And finally, if the halogen substitution may only occur on the alkyl component, the substituent would instead be described as "alkyloxyhaloalkyl."

The terms "treat", "treating" and "treatment" refer to a method of alleviating or abrogating a disease and/or its attendant symptoms.

The terms "prevent", "preventing" and "prevention" refer to a method of preventing the onset of a disease and/or its attendant symptoms or barring a subject from acquiring a disease. As used herein, "prevent", "preventing" and "prevention" also include delaying the onset of a disease and/or its attendant symptoms and reducing a subject's risk of acquiring a disease.

The term "therapeutically effective amount" refers to that amount of the compound being administered sufficient to prevent development of or alleviate to some extent one or more of the symptoms of the condition or disorder being treated.

The term "modulate" refers to the ability of a compound to increase or decrease the function, or activity, of a kinase. "Modulation", as used herein in its various forms, is intended to encompass antagonism, agonism, partial antagonism and/or partial agonism of the activity associated with kinase. Kinase inhibitors are compounds that, e.g., bind to, partially or totally block stimulation, decrease, prevent, delay activation, inactivate, desensitize, or down regulate signal transduction. Kinase activators are compounds that, e.g., bind to, stimulate, increase, open, activate, facilitate, enhance activation, sensitize or up regulate signal transduction.

The term "composition" as used herein is intended to encompass a product comprising the specified ingredients in the specified amounts, as well as any product which results, directly or indirectly, from combination of the specified ingredients in the specified amounts. By "pharmaceutically acceptable" it is meant the carrier, diluent or excipient must be compatible with the other ingredients of the formulation and not deleterious to the recipient thereof.

The "subject" is defined herein to include animals such as mammals, including, but not limited to, primates (e.g., humans), cows, sheep, goats, horses, dogs, cats, rabbits, rats, mice and the like. In preferred embodiments, the subject is a human.

Isotope Enriched or Labeled Compounds

Compounds of the invention can exist in isotope-labeled or -enriched form containing one or more atoms having an atomic mass or mass number different from the atomic mass or

mass number most abundantly found in nature. Isotopes can be radioactive or non-radioactive isotopes. Isotopes of atoms such as hydrogen, carbon, phosphorous, sulfur, fluorine, chlorine, and iodine include, but are not limited to, ^{2}H, ^{3}H, ^{13}C, ^{14}C, ^{15}N, ^{18}O, ^{32}P, ^{35}S, ^{18}F, ^{36}Cl, and ^{125}I. Compounds that contain other isotopes of these and/or other atoms are within the scope of this invention.

In another embodiment, the isotope-labeled compounds contain deuterium (^{2}H), tritium (^{3}H) or ^{14}C isotopes. Isotope-labeled compounds of this invention can be prepared by the general methods well known to persons having ordinary skill in the art. Such isotope-labeled compounds can be conveniently prepared by carrying out the procedures disclosed in the Examples disclosed herein and Schemes by substituting a readily available isotope-labeled reagent for a non-labeled reagent. In some instances, compounds may be treated with isotope-labeled reagents to exchange a normal atom with its isotope, for example, hydrogen for deuterium can be exchanged by the action of a deuteric acid such as D_2SO_4/D_2O. In addition to the above, relevant procedures and intermediates are disclosed, for instance, in Lizondo, J et al., *Drugs Fut*, 21(11), 1116 (1996); Brickner, S J *et al., J Med Chem*, 39(3), 673 (1996); Mallesham, B et al., *Org Lett*, 5(7), 963 (2003); PCT publications WO1997010223, WO2005099353, WO1995007271, WO2006008754; US Patent Nos. 7538189; 7534814; 7531685; 7528131; 7521421; 7514068; 7511013; and US Patent Application Publication Nos. 20090137457; 20090131485; 20090131363; 20090118238; 20090111840; 20090105338; 20090105307; 20090105147; 20090093422; 20090088416; and 20090082471, the methods are hereby incorporated by reference.

The isotope-labeled compounds of the invention may be used as standards to determine the effectiveness of Bcl-2 inhibitors in binding assays. Isotope containing compounds have been used in pharmaceutical research to investigate the in vivo metabolic fate of the compounds by evaluation of the mechanism of action and metabolic pathway of the nonisotope-labeled parent compound (Blake et al. *J. Pharm. Sci.* 64, 3, 367-391 (1975)). Such metabolic studies are important in the design of safe, effective therapeutic drugs, either because the *in vivo* active compound administered to the patient or because the metabolites produced from the parent compound prove to be toxic or carcinogenic (Foster et al., Advances in Drug Research Vol. 14, pp. 2-36, Academic press, London, 1985; Kato et al., J. *Labelled Comp. Radiopharmaceut.*, 36(10):927-932 (1995); Kushner et al., *Can. J. Physiol. Pharmacol.*, 77, 79-88 (1999).

In addition, non-radio active isotope containing drugs, such as deuterated drugs called "heavy drugs," can be used for the treatment of diseases and conditions related to Bcl-2 activity. Increasing the amount of an isotope present in a compound above its natural abundance is called enrichment. Examples of the amount of enrichment include from about 0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 16, 21, 25, 29, 33, 37, 42, 46, 50, 54, 58, 63, 67, 71, 75, 79,

84, 88, 92, 96, to about 100 mol %. Replacement of up to about 15% of normal atom with a heavy isotope has been effected and maintained for a period of days to weeks in mammals, including rodents and dogs, with minimal observed adverse effects (Czajka D M and Finkel A J, Ann. N.Y. Acad. Sci. 1960 84: 770; Thomson J F, Ann. New York Acad. Sci 1960 84: 736; Czakja D M et al., Am. J. Physiol. 1961 201: 357). Acute replacement of as high as 15%-23% in human fluids with deuterium was found not to cause toxicity (Blagojevic N et al. in "Dosimetry & Treatment Planning for Neutron Capture Therapy", Zamenhof R, Solares G and Harling O Eds. 1994. Advanced Medical Publishing, Madison Wis. pp.125-134; Diabetes Metab. 23: 251 (1997)).


Stable isotope labeling of a drug can alter its physico-chemical properties such as pKa and lipid solubility. These effects and alterations can affect the pharmacodynamic response of the drug molecule if the isotopic substitution affects a region involved in a ligand-receptor interaction. While some of the physical properties of a stable isotope-labeled molecule are different from those of the unlabeled one, the chemical and biological properties are the same, with one important exception: because of the increased mass of the heavy isotope, any bond involving the heavy isotope and another atom will be stronger than the same bond between the light isotope and that atom. Accordingly, the incorporation of an isotope at a site of metabolism or enzymatic transformation will slow said reactions potentially altering the pharmacokinetic profile or efficacy relative to the non-isotopic compound.

Compounds

Suitable groups for X^1, X^2, X^3, and R^2 in compounds of Formula (I) are independently selected. The described embodiments of the present invention may be combined. Such combination is contemplated and within the scope of the present invention. For example, it is contemplated that embodiments for any of X^1, X^2, X^3, and R^2 can be combined with embodiments defined for any other of X^1, X^2, X^3, and R^2.

Embodiments of Formula (I)

One embodiment of this invention, therefore, pertains to compounds or pharmaceutically acceptable salts, which are useful as inhibitors of NAMPT, the compounds having Formula (I)



Formula (I),

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is alkyl, alkenyl, alkynyl, phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^4, OR^4, SR^4, $S(O)R^4$, SO_2R^4, $C(O)R^4$, $CO(O)R^4$, $OC(O)R^4$, $OC(O)OR^4$, NH_2, NHR^4, $N(R^4)_2$, $NHC(O)R^4$, $NR^4C(O)R^4$, $NHS(O)_2R^4$, $NR^4S(O)_2R^4$, $NHC(O)OR^4$, $NR^4C(O)OR^4$, $NHC(O)NH_2$, $NHC(O)NHR^4$, $NHC(O)N(R^4)_2$, $NR^4C(O)NHR^4$, $NR^4C(O)N(R^4)_2$, $C(O)NH_2$, $C(O)NHR^4$, $C(O)N(R^4)_2$, C(O)NHOH, $C(O)NHOR^4$, $C(O)NHSO_2R^4$, $C(O)NR^4SO_2R^4$, SO_2NH_2, SO_2NHR^4, $SO_2N(R^4)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each phenyl is optionally substituted at the para position with one independently selected R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each phenyl is optionally substituted with one F; wherein each heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein R^2 is not 4-methylphenyl;

R^3 is alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$,

$NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^4 is alkyl, alkenyl, alkynyl, aryl or heterocyclyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^7, OR^7, SR^7, $S(O)R^7$, SO_2R^7, $C(O)R^7$, $CO(O)R^7$, $OC(O)R^7$, $OC(O)OR^7$, NH_2, NHR^7, $N(R^7)_2$, $NHC(O)R^7$, $NR^7C(O)R^7$, $NHS(O)_2R^7$, $NR^7S(O)_2R^7$, $NHC(O)OR^7$, $NR^7C(O)OR^7$, $NHC(O)NH_2$, $NHC(O)NHR^7$, $NHC(O)N(R^7)_2$, $NR^7C(O)NHR^7$, $NR^7C(O)N(R^7)_2$, $C(O)NH_2$, $C(O)NHR^7$, $C(O)N(R^7)_2$, C(O)NHOH, $C(O)NHOR^7$, $C(O)NHSO_2R^7$, $C(O)NR^7SO_2R^7$, SO_2NH_2, SO_2NHR^7, $SO_2N(R^7)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each aryl and heterocycyl is optionally substituted with one or more independently selected R^8, OR^8, SR^8, $S(O)R^8$, SO_2R^8, $C(O)R^8$, $CO(O)R^8$, $OC(O)R^8$, $OC(O)OR^8$, NH_2, NHR^8, $N(R^8)_2$, $NHC(O)R^8$, $NR^8C(O)R^8$, $NHS(O)_2R^8$, $NR^8S(O)_2R^8$, $NHC(O)OR^8$, $NR^8C(O)OR^8$, $NHC(O)NH_2$, $NHC(O)NHR^8$, $NHC(O)N(R^8)_2$, $NR^8C(O)NHR^8$, $NR^8C(O)N(R^8)_2$, $C(O)NH_2$, $C(O)NHR^8$, $C(O)N(R^8)_2$, C(O)NHOH, $C(O)NHOR^8$, $C(O)NHSO_2R^8$, $C(O)NR^8SO_2R^8$, SO_2NH_2, SO_2NHR^8, $SO_2N(R^8)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^7 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{11}, OR^{11}, SR^{11}, $S(O)R^{11}$, SO_2R^{11}, NHR^{11}, $N(R^{11})_2$, $C(O)R^{11}$, $C(O)NH_2$, $C(O)NHR^{11}$, $C(O)N(R^{11})_2$, $NHC(O)R^{11}$, $NR^{11}C(O)R^{11}$, $NHSO_2R^{11}$, $NHC(O)OR^{11}$, SO_2NH_2, SO_2NHR^{11},

$SO_2N(R^{11})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{11}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, or aryl;

R^{10} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{11} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one or more independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, cycloalkyl, or cycloalkenyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $CO(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$,

$C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; and

R^{15} is alkyl.

In one embodiment of Formula (I), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (I), X^1, X^2, and X^3 are CH. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (I), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is N.

In another embodiment of Formula (I), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (I), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula

(I), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), R^1 is $C(O)NH_2$. In another embodiment of Formula (I), R^1 is F. In another embodiment of Formula (I), R^1 is Cl. In another embodiment of Formula (I), R^1 is Br. In another embodiment of Formula (I), R^1 is CN. In another embodiment of Formula (I), $R^1$is NH_2. In another embodiment of Formula (I), R^1 is NO_2. In another embodiment of Formula (I), R^1 is CF_3. In another embodiment of Formula (I), R^1 is C(O)OH.

In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another

embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (I), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another

embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (I), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (I), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH.

In one embodiment of Formula (I),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N;

R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^2 is alkyl, phenyl, heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^4, OR^4, $C(O)R^4$, $CO(O)R^4$, $NHC(O)R^4$, $C(O)NHR^4$, F, Cl, Br or I; each phenyl is optionally substituted at the para position with one independently selected R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, $C(O)R^5$, NHR^5, $NHC(O)R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, or CF_3; wherein each phenyl is optionally substituted with one F; wherein each heterocyclyl is optionally substituted with one or more independently selected R^5, $C(O)R^5$, $NHC(O)R^5$, $C(O)NHR^5$, F, Cl, Br or I; wherein R^2 is not 4-methylphenyl;

R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, OH, F, Cl, Br or I;

R^4 is alkyl, aryl or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^7, F, Cl, Br or I; wherein each aryl and heterocycyl is optionally substituted with one or more independently selected R^8, $C(O)R^8$, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $C(O)NH_2$, C(O)OH, OH, CN, CF_3, F, Cl, Br or I;

R^6 is alkyl or heterocyclyl;

R^7 is aryl;

R^8 is alkyl, aryl, or heterocyclyl;

R^9 is alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OCH_3, or aryl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, and R^9 are optionally substituted with one or more independently selected R^{13}, $OR^{13}SO_2R^{13}$, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, or pyrrolidin-2-onyl, wherein each alkyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, NH_2, OH, F, Cl, Br

or I; wherein each aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, $C(O)R^{15}$, CN, CF_3, F, Cl, Br or I;


R^{14} is alkyl, aryl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OH, F, Cl, Br or I; and

R^{15} is alkyl.

Still another embodiment pertains to compounds having Formula (I), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (II)

In another aspect, the present invention provides compounds of Formula (II)



(II);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, are as described herein for Formula (I); and R^2 is phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein the phenyl, heterocyclyl, cycloalkyl, and cycloalkenyl are optionally substituted as described herein for Formula (I).

In one embodiment of Formula (II), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (II), X^1, X^2, and X^3 are CH. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (II), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is N.

In another embodiment of Formula (II), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (II), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In

another embodiment of Formula (II), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), R^1 is $C(O)NH_2$. In another embodiment of Formula (II), R^1 is F. In another embodiment of Formula (II), R^1 is Cl. In another embodiment of Formula (II), R^1 is Br. In another embodiment of Formula (II), R^1 is CN. In another embodiment of Formula (II), $R^1$is NH_2. In another embodiment of Formula (II), R^1 is NO_2. In another embodiment of Formula (II), R^1 is CF_3. In another embodiment of Formula (II), R^1 is C(O)OH.

In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is

CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (II), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (II), X^2 and X^3 are

CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (II), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and

R^1 is CN. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (II), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH.

In one embodiment of Formula (II),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N;

R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^2 is phenyl, or heterocyclyl; wherein each phenyl is optionally substituted at the para position with one independently selected R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, $C(O)R^5$, NHR^5, $NHC(O)R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, or CF_3; wherein each phenyl is optionally substituted with one F; wherein each heterocyclyl is optionally substituted with one or more independently selected R^5, $C(O)R^5$, $NHC(O)R^5$, $C(O)NHR^5$, F, Cl, Br or I; wherein R^2 is not 4-methylphenyl;

R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, OH, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $C(O)NH_2$, C(O)OH, OH, CN, CF_3, F, Cl, Br or I;

R^6 is alkyl or heterocyclyl;

R^9 is alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OCH_3, or aryl;

wherein the cyclic moieties represented by R^3, R^5, R^6, and R^9 are optionally substituted with one or more independently selected R^{13}, $OR^{13}SO_2R^{13}$, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, or pyrrolidin-2-onyl, wherein each alkyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, NH_2, OH, F, Cl, Br

or I; wherein each aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, $C(O)R^{15}$, CN, CF_3, F, Cl, Br or I;


R^{14} is alkyl, aryl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OH, F, Cl, Br or I; and

R^{15} is alkyl.

Still another embodiment pertains to compounds having Formula (II), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 452, 453, 454, 455, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (III)

In another aspect, the present invention provides compounds of Formula (III)



(III);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, are as described herein for Formula (I); and R^X is as described herein for Formula (I) when R^2 is phenyl.

In one embodiment of Formula (III), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (III), X^1, X^2, and X^3 are CH. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (III), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is N.

In another embodiment of Formula (III), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (III), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another

embodiment of Formula (III), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), R^1 is $C(O)NH_2$. In another embodiment of Formula (III), R^1 is F. In another embodiment of Formula (III), R^1 is Cl. In another embodiment of Formula (III), R^1 is Br. In another embodiment of Formula (III), R^1 is CN. In another embodiment of Formula (III), $R^1$is NH_2. In another embodiment of Formula (III), R^1 is NO_2. In another embodiment of Formula (III), R^1 is CF_3. In another embodiment of Formula (III), R^1 is C(O)OH.

In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1;

and R^1 is Br. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (III), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1

is CR^1; and $R^1$is NH_2. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (III), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are

CR^1; and R^1 is CF_3. In another embodiment of Formula (III), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (III), R^x is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, or pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one.

In one embodiment of Formula (III),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N;

R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^X is R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, $C(O)R^5$, NHR^5, $NHC(O)R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, CF_3 or F;

R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, OH, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $C(O)NH_2$, C(O)OH, OH, CN, CF_3, F, Cl, Br or I;

R^6 is alkyl or heterocyclyl;

R^9 is alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OCH_3, or aryl;

wherein the cyclic moieties represented by R^3, R^5, R^6, and R^9 are optionally substituted with one or more independently selected R^{13}, $OR^{13}SO_2R^{13}$, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, or pyrrolidin-2-onyl, wherein each alkyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, NH_2, OH, F, Cl, Br or I; wherein each aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, cycloalkyl, and cycloalkenyl is

optionally substituted with one or more independently selected R^{15}, OR^{15}, $C(O)R^{15}$, CN, CF_3, F, Cl, Br or I;


R^{14} is alkyl, aryl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OH, F, Cl, Br or I; and

R^{15} is alkyl.

Still another embodiment pertains to compounds having Formula (III), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 330, 331, 332, 333, 336, 337, 338, 339, 340, 341, 342, 343, 348, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, , 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 547, 548, 549, 550, 551, 552, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (IV)

In another aspect, the present invention provides compounds of Formula (IV)



(IV);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^5 are as described herein for Formula (I).

In one embodiment of Formula (IV), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IV), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (IV), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is N.

In another embodiment of Formula (IV), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IV), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), R^1 is $C(O)NH_2$. In another embodiment of Formula (IV), R^1 is F. In another embodiment of Formula (IV), R^1 is Cl. In another embodiment of Formula (IV), R^1 is Br. In another embodiment of Formula (IV), R^1 is CN. In another embodiment of Formula (IV),

$R^1$is NH_2. In another embodiment of Formula (IV), R^1 is NO_2. In another embodiment of Formula (IV), R^1 is CF_3. In another embodiment of Formula (IV), R^1 is C(O)OH.

In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IV), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IV), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2,

CF_3, or C(O)OH. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IV), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH.

In one embodiment of Formula (IV),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N;

R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, OH, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $C(O)NH_2$, C(O)OH, OH, CN, CF_3, F, Cl, Br or I;

R^6 is alkyl or heterocyclyl;

R^9 is alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OCH_3, or aryl;

wherein the cyclic moieties represented by R^3, R^5, R^6, and R^9 are optionally substituted with one or more independently selected R^{13}, $OR^{13}SO_2R^{13}$, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, or pyrrolidin-2-onyl, wherein each alkyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, NH_2, OH, F, Cl, Br or I; wherein each aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, $C(O)R^{15}$, CN, CF_3, F, Cl, Br or I;


R^{14} is alkyl, aryl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OH, F, Cl, Br or I; and

R^{15} is alkyl.

Still another embodiment pertains to compounds having Formula (IV), which include Examples 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (V)

In another aspect, the present invention provides compounds of Formula (V)



(V);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^5 are as described herein for Formula (I).

In one embodiment of Formula (V), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (V), X^1, X^2, and X^3 are CH. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (V), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is N.

In another embodiment of Formula (V), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (V), R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently

selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), R^1 is $C(O)NH_2$. In another embodiment of Formula (V), R^1 is F. In another embodiment of Formula (V), R^1 is Cl. In another embodiment of Formula (V), R^1 is Br. In another embodiment of Formula (V), R^1 is CN. In another embodiment of Formula (V), $R^1$is NH_2. In another embodiment of Formula (V), R^1 is NO_2. In another embodiment of Formula (V), R^1 is CF_3. In another embodiment of Formula (V), R^1 is C(O)OH.

In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is

CR^1; and R^1 is Cl. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (V), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (V), X^2 and X^3 are CH; and

X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (V), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH.

In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is

NO_2. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (V), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH.

In one embodiment of Formula (V),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N;

R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, OH, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $C(O)NH_2$, C(O)OH, OH, CN, CF_3, F, Cl, Br or I;

R^6 is alkyl or heterocyclyl;

R^9 is alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OCH_3, or aryl;

wherein the cyclic moieties represented by R^3, R^5, R^6, and R^9 are optionally substituted with one or more independently selected R^{13}, $OR^{13}SO_2R^{13}$, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, or pyrrolidin-2-onyl, wherein each alkyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, NH_2, OH, F, Cl, Br or I; wherein each aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, $C(O)R^{15}$, CN, CF_3, F, Cl, Br or I;


R^{14} is alkyl, aryl, or cycloalkyl; wherein each alkyl is optionally substituted with one or more independently selected OH, F, Cl, Br or I; and

R^{15} is alkyl.

Still another embodiment pertains to compounds having Formula (V), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 176, 177, 178, 179, 180, 181, 182, 184, 185, 186, 187, 188, 189, 190, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 209, 210, 211, 213, 214, 215, 216, 217, 218, 219, 220, 221, 223, 224, 225, 226, 227, 228, 230, 231, 232, 234, 235, 236, 237, 239, 240, 243, 245, 246, 248, 249, 250, 251, 252, 253, 254, 256, 257, 258, 259, 260, 265, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 373, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 424, 425, 426, 427, 430, 431, 434, 435, 436, 437, 438, 439, 440, 441, 442, 445, 449, 450, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (Ia)

One embodiment of this invention, therefore, pertains to compounds or pharmaceutically acceptable salts, which are useful as inhibitors of NAMPT, the compounds having Formula (Ia)



Formula (Ia);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is alkyl, alkenyl, alkynyl, phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^4, OR^4, SR^4, $S(O)R^4$, SO_2R^4, $C(O)R^4$, $CO(O)R^4$, $OC(O)R^4$, $OC(O)OR^4$, $NHC(O)R^4$, $NR^4C(O)R^4$, $NHS(O)_2R^4$, $NR^4S(O)_2R^4$, $NHC(O)OR^4$, $NR^4C(O)OR^4$, $NHC(O)NH_2$, $NHC(O)NHR^4$, $NHC(O)N(R^4)_2$, $NR^4C(O)NHR^4$, $NR^4C(O)N(R^4)_2$, $C(O)NH_2$, $C(O)NHR^4$, $C(O)N(R^4)_2$, C(O)NHOH, $C(O)NHOR^4$, $C(O)NHSO_2R^4$, $C(O)NR^4SO_2R^4$, SO_2NH_2, SO_2NHR^4, $SO_2N(R^4)_2$, C(O)H, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein R^2 is not 4-methylphenyl;

R^3 is alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^4 is alkyl, alkenyl, alkynyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^7, OR^7, SR^7, $S(O)R^7$, SO_2R^7, $C(O)R^7$, $OC(O)R^7$, $OC(O)OR^7$, NH_2, NHR^7, $NHC(O)R^7$, $NR^7C(O)R^7$, $NHS(O)_2R^7$, $NR^7S(O)_2R^7$, $NHC(O)OR^7$, $NR^7C(O)OR^7$, $NHC(O)NH_2$, $NHC(O)NHR^7$, $NHC(O)N(R^7)_2$, $NR^7C(O)NHR^7$, $NR^7C(O)N(R^7)_2$, $C(O)NH_2$, $C(O)NHR^7$, $C(O)N(R^7)_2$, C(O)NHOH, $C(O)NHOR^7$, $C(O)NHSO_2R^7$, $C(O)NR^7SO_2R^7$, SO_2NH_2, SO_2NHR^7, $SO_2N(R^7)_2$, C(O)H, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^4 aryl and heterocycyl is optionally substituted with one or more independently selected R^8, OR^8, SR^8, $S(O)R^8$, SO_2R^8, $C(O)R^8$, $CO(O)R^8$, $OC(O)R^8$, $OC(O)OR^8$, NH_2, NHR^8, $NHC(O)R^8$, $NR^8C(O)R^8$, $NHS(O)_2R^8$, $NR^8S(O)_2R^8$, $NHC(O)OR^8$, $NR^8C(O)OR^8$, $NHC(O)NH_2$, $NHC(O)NHR^8$, $NHC(O)N(R^8)_2$, $NR^8C(O)NHR^8$, $NR^8C(O)N(R^8)_2$, $C(O)NH_2$, $C(O)NHR^8$, $C(O)N(R^8)_2$, C(O)NHOH, $C(O)NHOR^8$, $C(O)NHSO_2R^8$, $C(O)NR^8SO_2R^8$, SO_2NH_2, SO_2NHR^8, $SO_2N(R^8)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^7 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^7 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{11}, OR^{11}, SR^{11}, $S(O)R^{11}$, SO_2R^{11}, NHR^{11}, $N(R^{11})_2$, $C(O)R^{11}$, $C(O)NH_2$, $C(O)NHR^{11}$, $C(O)N(R^{11})_2$, $NHC(O)R^{11}$, $NR^{11}C(O)R^{11}$, $NHSO_2R^{11}$, $NHC(O)OR^{11}$, SO_2NH_2, SO_2NHR^{11}, $SO_2N(R^{11})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{11}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$,

$C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, OH, aryl, or heterocyclyl;

R^{10} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{11} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one or more independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$,

$C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, or cycloalkenyl is optionally substituted with one or more independently selected alkyl, or OCH_3; and

R^{15} is alkyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl.

In one embodiment of Formula (Ia), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (Ia), X^1, X^2, and X^3 are CH. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (Ia), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (Ia), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (Ia), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (Ia), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (Ia), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (Ia), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ia), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or

more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), R^1 is $C(O)NH_2$. In another embodiment of Formula (Ia), R^1 is F. In another embodiment of Formula (Ia), R^1 is Cl. In another embodiment of Formula (Ia), R^1 is Br. In another embodiment of Formula (Ia), R^1 is CN. In another embodiment of Formula (Ia), $R^1$is NH_2. In another embodiment of Formula (Ia), R^1 is NO_2. In another embodiment of Formula (Ia), R^1 is CF_3. In another embodiment of Formula (Ia), R^1 is C(O)OH. In another embodiment of Formula (Ia), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another

embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Ia), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or

more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Ia), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3

is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Ia), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In one embodiment of Formula (Ia),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N;

R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^2 is alkyl, phenyl, heterocyclyl, wherein each R^2 alkyl is optionally substituted with one or more independently selected R^4, OR^4, $C(O)R^4$, $CO(O)R^4$, $NHC(O)R^4$, $C(O)NHR^4$, or F, Cl, Br or I; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, $C(O)R^5$, $CO(O)R^5$, NHR^5, $NHC(O)R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOR^5$, CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2

heterocyclyl is optionally substituted with one or more independently selected R^5, $C(O)R^5$, $NHC(O)R^5$, $C(O)NHR^5$, F, Cl, Br or I; wherein R^2 is not 4-methylphenyl;

R^3 is alkyl, alkenyl, or heterocyclyl; wherein each R^3 alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, OH, F, Cl, Br or I;

R^4 is alkyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl is optionally substituted with one or more independently selected R^7, F, Cl, Br or I; wherein each R^4 aryl and heterocycyl is optionally substituted with one or more independently selected R^8, $C(O)R^8$, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $C(O)NH_2$, C(O)OH, OH, CN, CF_3, F, Cl, Br or I;

R^6 is alkyl, or heterocyclyl;

R^7 is aryl;

R^8 is alkyl, aryl, or heterocyclyl;

R^9 is alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^9 alkyl is optionally substituted with one or more independently selected OCH_3, OH, aryl, or heterocyclyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, and R^9, are optionally substituted with one or more independently selected R^{13}, OR^{13}, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, or cycloalkyl; wherein each R^{13} alkyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, NH_2, $N(R^{14})_2$, $NHC(O)R^{14}$, OH, CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, and cycloalkyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, SO_2R^{15}, $C(O)R^{15}$, $N(R^{15})_2$, $NHC(O)R^{15}$, CN, CF_3, F, Cl, Br or I;

R^{14} is alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^{14} alkyl is optionally substituted with one or more independently selected OCH_3, OH, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, or cycloalkenyl is optionally substituted with one or more independently selected alkyl, or OCH_3; and

R^{15} is alkyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl.

In another embodiment of Formula (Ia),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N;

R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^2 is alkyl, phenyl, heterocyclyl, wherein each R^2 alkyl is optionally substituted with one or more independently selected R^4, OR^4, $C(O)R^4$, $CO(O)R^4$, $NHC(O)R^4$, $C(O)NHR^4$, or F, Cl, Br or I; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, $C(O)R^5$, $CO(O)R^5$, NHR^5, $NHC(O)R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOR^5$, or CF_3; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl is optionally substituted with one or more independently selected R^5, $C(O)R^5$, $NHC(O)R^5$, or $C(O)NHR^5$; wherein R^2 is not 4-methylphenyl;

R^3 is alkyl, alkenyl, or heterocyclyl; wherein each R^3 alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH;

R^4 is alkyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl is optionally substituted with one or more R^7; wherein each R^4 aryl and heterocycyl is optionally substituted with one or more independently selected R^8, $C(O)R^8$, or Cl;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $C(O)NH_2$, C(O)OH, OH, CN, or CF_3;

R^6 is alkyl, or heterocyclyl;

R^7 is aryl;

R^8 is alkyl, aryl, or heterocyclyl;

R^9 is alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^9 alkyl is optionally substituted with one or more independently selected OCH_3, OH, aryl, or heterocyclyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, and R^9, are optionally substituted with one or more independently selected R^{13}, OR^{13}, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, or Cl;

R^{13} is alkyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, or cycloalkyl; wherein each R^{13} alkyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, NH_2, $N(R^{14})_2$, $NHC(O)R^{14}$, OH, or CF_3; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, and cycloalkyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, SO_2R^{15}, $C(O)R^{15}$, $N(R^{15})_2$, $NHC(O)R^{15}$, CN, CF_3, F, or Cl;

R^{14} is alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^{14} alkyl is optionally substituted with one or more independently selected OCH_3, or OH; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, or cycloalkenyl is optionally substituted with one or more independently selected alkyl, or OCH_3; and

R^{15} is alkyl;


with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl.

Still another embodiment pertains to compounds having Formula (Ia), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 358, 359, 360, 361, 362, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391,

392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (IIa)

In another aspect, the present invention provides compounds of Formula (IIa)



(IIa);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, are as described herein for Formula (Ia); and R^2 is phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein the R^2 phenyl, heterocyclyl, cycloalkyl, and cycloalkenyl are optionally substituted as described herein for substituents on R^2 in Formula (Ia).

In one embodiment of formula (IIa),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOH$, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $C(O)NHOH$, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein R^2 is not 4-methylphenyl;

R^3 is alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, $C(O)NHOH$, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently

selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, OH, aryl, or heterocyclyl;

R^{10} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10}, are optionally substituted with one or more independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl,

pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, or cycloalkenyl is optionally substituted with one or more independently selected alkyl, or OCH_3; and

R^{15} is alkyl.

In one embodiment of Formula (IIa), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (IIa), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (IIa), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IIa), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (IIa), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (IIa), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (IIa), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (IIa), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIa), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula

(IIa), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), R^1 is $C(O)NH_2$. In another embodiment of Formula (IIa), R^1 is F. In another embodiment of Formula (IIa), R^1 is Cl. In another embodiment of Formula (IIa), R^1 is Br. In another embodiment of Formula (IIa), R^1 is CN. In another embodiment of Formula (IIa), $R^1$is NH_2. In another embodiment of Formula (IIa), R^1 is NO_2. In another embodiment of Formula (IIa), R^1 is CF_3. In another embodiment of Formula (IIa), R^1 is C(O)OH. In another embodiment of Formula (IIa), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6,

NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or

heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa),


X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (IIa), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233,

234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 607, 608, 613, 614, 615, 617, 618, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 682, 683, 684, 685, 686, 687, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (IIIa)

In another aspect, the present invention provides compounds of Formula (IIIa)



(IIIa);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, are as described herein for Formula (Ia); and R^X is as described herein for substituents at the para position in Formula (Ia) when R^2 is phenyl.

In one embodiment of formula (IIIa),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^x is R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein R^x is not 4-methyl;

R^3 is alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, OH, aryl, or heterocyclyl;

R^{10} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10}, are optionally substituted with one or more independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$,

$C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, or cycloalkenyl is optionally substituted with one or more independently selected alkyl, or OCH_3; and

R^{15} is alkyl.

In one embodiment of Formula (IIIa), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (IIIa), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (IIIa), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IIIa), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (IIIa), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (IIIa), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (IIIa), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (IIIa), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIa), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), R^1 is

$C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIa), R^1 is F. In another embodiment of Formula (IIIa), R^1 is Cl. In another embodiment of Formula (IIIa), R^1 is Br. In another embodiment of Formula (IIIa), R^1 is CN. In another embodiment of Formula (IIIa), $R^1$is NH_2. In another embodiment of Formula (IIIa), R^1 is NO_2. In another embodiment of Formula (IIIa), R^1 is CF_3. In another embodiment of Formula (IIIa), R^1 is C(O)OH. In another embodiment of Formula (IIIa), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1

is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIIa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or

heterocyclyl. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIIa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or

more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIIa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In one embodiment of formula (IIIa), R^x is R^5, $OCH_2CH_2CH_2CH_2CH_2CH_3$, $C(O)R^5$, $CO(O)R^5$, NHR^5, $NHC(O)R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOR^5$, or CF_3; wherein R^x is not 4-methyl. In another embodiment of formula (IIIa), R^x is R^5, $NHC(O)R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, or $C(O)NHOR^5$; wherein R^x is not 4-methyl. In another embodiment of formula (IIIa), R^x is R^5, and R^5 is heterocyclyl, which is optionally substituted as described in embodiments herein.


In another embodiment of Formula (III), R^x is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one, isoindolin-1-onyl, or 1,2,3,6-tetrahydropyridinyl. In another embodiment of Formula (III), R^x is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, isoindolin-1-onyl, or pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one; which are optionally substituted as defined herein. In another embodiment of Formula (III), R^x is ,2,3,6-tetrahydropyridinyl; which is optionally substituted as defined herein..

Still another embodiment pertains to compounds having Formula (IIIa), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 327, 330, 331, 332, 333, 336, 337, 338, 339, 340, 341, 342, 343, 348, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 543, 544, 545, 546, 547, 548, 549, 553, 554, 555, 556, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 607, 608, 613, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 649, 650, 682, 683, 684, 685, 686, 687, 705, 706, 707, 708, 709, 710, 716, 717, and pharmaceutically acceptable salts thereof.

Still another embodiment pertains to compounds having Formula (IIIa), which include Examples 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 547, 548, 549, 550, 551, 552, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (IVa)

In another aspect, the present invention provides compounds of Formula (IVa)



(IVa);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^5 are as described herein for Formula (Ia).

In one embodiment of formula (IVa),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3 is alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently

selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, OH, aryl, or heterocyclyl;

R^{10} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10}, are optionally substituted with one or more independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl,

pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, and cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, or cycloalkenyl is optionally substituted with one or more independently selected alkyl, or OCH_3; and

R^{15} is alkyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl.

In one embodiment of Formula (IVa), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (IVa), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (IVa), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IVa), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (IVa), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (IVa), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (IVa), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (IVa), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVa), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), R^1 is R^3; wherein R^3 is alkyl, alkenyl,

or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), R^1 is $C(O)NH_2$. In another embodiment of Formula (IVa), R^1 is F. In another embodiment of Formula (IVa), R^1 is Cl. In another embodiment of Formula (IVa), R^1 is Br. In another embodiment of Formula (IVa), R^1 is CN. In another embodiment of Formula (IVa), $R^1$is NH_2. In another embodiment of Formula (IVa), R^1 is NO_2. In another embodiment of Formula (IVa), R^1 is CF_3. In another embodiment of Formula (IVa), R^1 is C(O)OH. In another embodiment of Formula (IVa), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2,

$N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IVa), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl;

wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IVa), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.


In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa),

X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IVa), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (IVa), which include Examples 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 563, 564, 577, 579, 580, 581, 582, 583, 584, 596, 607, 649, 650, 682, 683, 684, 685, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (Va)

In another aspect, the present invention provides compounds of Formula (Va)



(Va);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^5 are as described herein for Formula (Ia).

In one embodiment of formula (Va),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3 is alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9,

$N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, $C(O)NHOH$, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, OH, aryl, or heterocyclyl;

R^{10} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10}, are optionally substituted with one or more independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, $C(O)NHOH$, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, $C(O)NHOH$, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, and

cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, $C(O)NHOH$, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, or cycloalkenyl is optionally substituted with one or more independently selected alkyl, or OCH_3; and

R^{15} is alkyl.

In one embodiment of Formula (Va), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (Va), X^1, X^2, and X^3 are CH. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (Va), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (Va), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (Va), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (Va), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (Va), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (Va), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Va), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally

substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), R^1 is $C(O)NH_2$. In another embodiment of Formula (Va), R^1 is F. In another embodiment of Formula (Va), R^1 is Cl. In another embodiment of Formula (Va), R^1 is Br. In another embodiment of Formula (Va), R^1 is CN. In another embodiment of Formula (Va), $R^1$is NH_2. In another embodiment of Formula (Va), R^1 is NO_2. In another embodiment of Formula (Va), R^1 is CF_3. In another embodiment of Formula (Va), R^1 is C(O)OH. In another embodiment of Formula (Va), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula

(Va), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Va), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently

selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Va), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or


heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Va), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (Va), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252,

253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 373, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 424, 425, 426, 427, 430, 431, 434, 435, 436, 437, 438, 439, 440, 441, 442, 445, 446, 447, 448, 449, 450, 496, 497, 553, 554, 555, 556, 559, 560, 561, 562, 565, 567, 568, 569, 570, 571, 572, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 597, 598, 599, 600, 601, 602, 603, 604, 608, 613, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 686, 687, 716, 717, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (VIa)

In another aspect, the present invention provides compounds of Formula (VIa)



(VIa);

or pharmaceutically acceptable salts thereof; wherein R^1 and R^5 are as described herein for Formula (Ia); and n is 0 or 1.

In one embodiment of formula (VIa),

n is 0 or 1;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3 is alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9,

$N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, $C(O)NHOH$, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9 is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, OH, aryl, or heterocyclyl;

R^{10} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10}, are optionally substituted with one or more independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, $C(O)NHOH$, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13} is alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, $C(O)NHOH$, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolyl, thienyl, furanyl, cycloalkyl, and

cycloalkenyl is optionally substituted with one or more independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, $C(O)NHOH$, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14} is alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one or more independently selected OCH_3, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, or cycloalkenyl is optionally substituted with one or more independently selected alkyl, or OCH_3; and

R^{15} is alkyl.


In another embodiment of Formula (VIa), n is 0. In another embodiment of Formula (VIa), n is 1. In another embodiment of Formula (VIa), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIa), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIa), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIa), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIa), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIa), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIa), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIa), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In

another embodiment of Formula (VIa), R^1 is $C(O)NH_2$. In another embodiment of Formula (VIa), R^1 is F. In another embodiment of Formula (VIa), R^1 is Cl. In another embodiment of Formula (VIa), R^1 is Br. In another embodiment of Formula (VIa), R^1 is CN. In another embodiment of Formula (VIa), $R^1$is NH_2. In another embodiment of Formula (VIa), R^1 is NO_2. In another embodiment of Formula (VIa), R^1 is CF_3. In another embodiment of Formula (VIa), R^1 is C(O)OH. In another embodiment of Formula (VIa), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (VIa), which include Examples 285, 286, 287, 288, 289, 290, 426, 427, 437, 445, 553, 554, 555, 556, 599, 627, 628, 629, 630, 631, 632, 633, 634, 635, 686, 687, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (Ib)

One embodiment of this invention, therefore, pertains to compounds or pharmaceutically acceptable salts, which are useful as inhibitors of NAMPT, the compounds having Formula (Ib)



Formula (Ib);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$,

$NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is alkyl, alkenyl, alkynyl, phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^4, OR^4, SR^4, $S(O)R^4$, SO_2R^4, $C(O)R^4$, $CO(O)R^4$, $OC(O)R^4$, $OC(O)OR^4$, $NHC(O)R^4$, $NR^4C(O)R^4$, $NHS(O)_2R^4$, $NR^4S(O)_2R^4$, $NHC(O)OR^4$, $NR^4C(O)OR^4$, $NHC(O)NH_2$, $NHC(O)NHR^4$, $NHC(O)N(R^4)_2$, $NR^4C(O)NHR^4$, $NR^4C(O)N(R^4)_2$, $C(O)NH_2$, $C(O)NHR^4$, $C(O)N(R^4)_2$, C(O)NHOH, $C(O)NHOR^4$, $C(O)NHSO_2R^4$, $C(O)NR^4SO_2R^4$, SO_2NH_2, SO_2NHR^4, $SO_2N(R^4)_2$, C(O)H, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^4, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^7, OR^7, SR^7, $S(O)R^7$, SO_2R^7, $C(O)R^7$, $OC(O)R^7$, $OC(O)OR^7$, NH_2, NHR^7, $NHC(O)R^7$, $NR^7C(O)R^7$, $NHS(O)_2R^7$, $NR^7S(O)_2R^7$, $NHC(O)OR^7$, $NR^7C(O)OR^7$, $NHC(O)NH_2$, $NHC(O)NHR^7$, $NHC(O)N(R^7)_2$,

$NR^7C(O)NHR^7$, $NR^7C(O)N(R^7)_2$, $C(O)NH_2$, $C(O)NHR^7$, $C(O)N(R^7)_2$, C(O)NHOH, $C(O)NHOR^7$, $C(O)NHSO_2R^7$, $C(O)NR^7SO_2R^7$, SO_2NH_2, SO_2NHR^7, $SO_2N(R^7)_2$, C(O)H, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^4 aryl and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, OR^8, SR^8, $S(O)R^8$, SO_2R^8, $C(O)R^8$, $CO(O)R^8$, $OC(O)R^8$, $OC(O)OR^8$, NH_2, NHR^8, $NHC(O)R^8$, $NR^8C(O)R^8$, $NHS(O)_2R^8$, $NR^8S(O)_2R^8$, $NHC(O)OR^8$, $NR^8C(O)OR^8$, $NHC(O)NH_2$, $NHC(O)NHR^8$, $NHC(O)N(R^8)_2$, $NR^8C(O)NHR^8$, $NR^8C(O)N(R^8)_2$, $C(O)NH_2$, $C(O)NHR^8$, $C(O)N(R^8)_2$, C(O)NHOH, $C(O)NHOR^8$, $C(O)NHSO_2R^8$, $C(O)NR^8SO_2R^8$, SO_2NH_2, SO_2NHR^8, $SO_2N(R^8)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^7, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^7 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{11}, OR^{11}, SR^{11}, $S(O)R^{11}$, SO_2R^{11}, NHR^{11}, $N(R^{11})_2$, $C(O)R^{11}$, $C(O)NH_2$, $C(O)NHR^{11}$, $C(O)N(R^{11})_2$, $NHC(O)R^{11}$, $NR^{11}C(O)R^{11}$, $NHSO_2R^{11}$, $NHC(O)OR^{11}$, SO_2NH_2, SO_2NHR^{11}, $SO_2N(R^{11})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{11}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{11}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15},

$C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (Ib), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (Ib), X^1, X^2, and X^3 are CH. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (Ib), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (Ib), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (Ib), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (Ib), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (Ib), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (Ib), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ib), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), R^1 is $C(O)NH_2$. In another embodiment of Formula (Ib), R^1 is F. In another embodiment of Formula (Ib), R^1 is Cl. In another embodiment of Formula (Ib), R^1 is Br. In another embodiment of Formula (Ib), R^1 is CN. In another embodiment of Formula (Ib), $R^1$is NH_2. In another embodiment of Formula (Ib), R^1 is NO_2. In another embodiment of Formula (Ib), R^1 is CF_3. In another embodiment of Formula (Ib), R^1 is C(O)OH. In another embodiment of Formula (Ib), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is

optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Ib), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1;

and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Ib), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Ib), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally

substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In one embodiment of Formula (Ib), R^2 is phenyl which is substituted at the para position with R^5; and R^5 is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one, or isoindolin-1-onyl.

In one embodiment of Formula (Ib),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^2 is alkyl, phenyl, heterocyclyl; wherein each R^2 alkyl is optionally substituted with one, two, three or four independently selected R^4, OR^4, $C(O)R^4$, $CO(O)R^4NHC(O)R^4$, $NR^4C(O)R^4$, $C(O)NHR^4$, or $C(O)N(R^4)_2$; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, NHR^5, $NHC(O)R^5$, $NHS(O)_2R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOR^5$, SO_2NHR^5, CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl is optionally substituted with one, two, three or four independently selected R^5, OR^5, $C(O)R^5$, $N(R^5)_2$, $NHC(O)R^5$, $C(O)NHR^5$, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, or heterocyclyl; wherein each R^3 alkyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, OH, F, Cl, Br or I;

R^4, at each occurrence, is independently selected alkyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl is optionally substituted with one, two, three or four independently selected R^7, F, Cl, Br or I; wherein each R^4 aryl cycloalkyl, and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, $C(O)R^8$, $CO(O)R^8$, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9,

$C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)OR^9$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)OH, OH, CN, CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl or heterocyclyl; wherein each R^6 alkyl is optionally substituted with one, two, three or four independently selected F, Cl, Br or I;

R^7, at each occurrence, is independently selected aryl, or heterocyclyl;

R^8, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^8 alkyl is optionally substituted with one, two, three or four independently selected R^{12}, $OR^{12}OH$, CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^9 alkyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{12}, at each occurrence, is independently selected alkyl, heterocyclyl, or cycloalkyl; wherein each R^{12} alkyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, or cycloalkyl; wherein each R^{13} alkyl and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NHC(O)OR^{14}$, OH, CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, and cycloalkyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SO_2R^{15}, $C(O)R^{15}$, $N(R^{15})_2$, $NHC(O)R^{15}$, CN, CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^{14} alkyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, OH, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, and cycloalkyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In another embodiment of Formula (Ib),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^2 is alkyl, phenyl, heterocyclyl; wherein each R^2 alkyl is optionally substituted with one, two, three or four independently selected R^4, OR^4, $C(O)R^4$, $CO(O)R^4NHC(O)R^4$, $NR^4C(O)R^4$, $C(O)NHR^4$, or $C(O)N(R^4)_2$; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, NHR^5, $NHC(O)R^5$, $NHS(O)_2R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOR^5$, SO_2NHR^5, or CF_3; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl is optionally substituted with one, two, three or four independently selected R^5, OR^5, $C(O)R^5$, $N(R^5)_2$, $NHC(O)R^5$, or $C(O)NHR^5$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, or heterocyclyl; wherein each R^3 alkyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH;

R^4, at each occurrence, is independently selected alkyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl is optionally substituted with one, two, three or four independently selected R^7; wherein each R^4 aryl cycloalkyl, and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, $C(O)R^8$, $CO(O)R^8$, F, Cl, or Br;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)OR^9$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)OH, OH, CN, CF_3, or F;

R^6, at each occurrence, is independently selected alkyl or heterocyclyl;

R^7, at each occurrence, is independently selected aryl, or heterocyclyl;

R^8, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^8 alkyl is optionally substituted with one, two, three or four independently selected R^{12}, $OR^{12}OH$, or CF_3;

R^9, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^9 alkyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{12}, at each occurrence, is independently selected alkyl, heterocyclyl, or cycloalkyl; wherein each R^{12} alkyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, or Cl;

R^{13}, at each occurrence, is independently selected alkyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, or cycloalkyl; wherein each R^{13} alkyl and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NHC(O)OR^{14}$, OH, or CF_3; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, and cycloalkyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SO_2R^{15}, $C(O)R^{15}$, $N(R^{15})_2$, $NHC(O)R^{15}$, CN, CF_3, F, or Cl;

R^{14}, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^{14} alkyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, or OH; wherein each R^{14} aryl, heterocyclyl, and

cycloalkyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, or Cl;

R^{15}, at each occurrence, is independently selected alkyl; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.


Still another embodiment pertains to compounds having Formula (Ib), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 358, 359, 360, 361, 362, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486,

487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 796, 797, 798, 799, 800, 801, 802, 803, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154,

1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356, 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365, 1366, 1367, 1368, 1369, 1370, 1371, 1372, 1373, 1374, 1375, 1376, 1377, 1378, 1379, 1380, 1381, 1382, 1383, 1384, 1385, 1386, 1387, 1388, 1389, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1400, 1401, 1402, 1403, 1404, 1405, 1406, 1407, 1408, 1409, 1410, 1411, 1412, 1413, 1414, 1415, 1416, 1417, 1418, 1419, 1420, 1421, 1422, 1423, 1424, 1425, 1426, or pharmaceutically acceptable salts thereof.

Embodiments of Formula (IIb)

In another aspect, the present invention provides compounds of Formula (IIb)



(IIb);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, are as described herein for Formula (Ib); and R^2 is phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein the R^2 phenyl, heterocyclyl, cycloalkyl, and cycloalkenyl are optionally substituted as described herein for substituents on R^2 in Formula (Ib).

In one embodiment of formula (IIb),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is

optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, $C(O)NHOH$, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, $C(O)NHOH$, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$,

$C(O)NHOH$, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (IIb), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (IIb), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1. In another

embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (IIb), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IIb), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (IIb), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (IIb), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (IIb), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (IIb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), R^1 is $C(O)NH_2$. In another embodiment of Formula (IIb), R^1 is F. In another embodiment of Formula (IIb), R^1 is Cl. In another embodiment of Formula (IIb), R^1 is Br. In another embodiment of Formula (IIb), R^1 is CN. In another embodiment of Formula (IIb), $R^1$is NH_2. In another embodiment of Formula (IIb), R^1 is NO_2. In another embodiment of Formula (IIb), R^1 is CF_3. In another embodiment of Formula (IIb), R^1 is C(O)OH. In another embodiment of Formula (IIb), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more

independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is

CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is

CR^1; and R^1 is NO_2. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are

CR^1; and R^1 is CN. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.


Still another embodiment pertains to compounds having Formula (IIb), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577,

578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 607, 608, 613, 614, 615, 617, 618, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 682, 683, 684, 685, 686, 687, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 796, 799, 800, 801, 802, 803, 805, 806, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1269,

1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1288, 1289, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1363, 1364, 1365, 1366, 1367, 1368, 1370, 1371, 1372, 1373, 1374, 1375, 1376, 1377, 1378, 1379, 1380, 1381, 1382, 1383, 1384, 1385, 1386, 1387, 1388, 1389, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1400, 1401, 1402, 1403, 1404, 1405, 1406, 1407, 1408, 1409, 1410, 1411, 1412, 1413, 1414, 1415, 1416, 1417, 1418, 1419, 1420, 1421, 1422, 1423, 1424, 1425, 1426, or pharmaceutically acceptable salts thereof.

Embodiments of Formula (IIIb)

In another aspect, the present invention provides compounds of Formula (IIIb)



(IIIb);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, are as described herein for Formula (Ib); and R^X is as described herein for substituents at the para position in Formula (Ib) when R^2 is phenyl.

In one embodiment of formula (IIIb),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$,

$NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^x is R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOH$, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, $C(O)NHOH$, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, $C(O)NHOH$, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is

optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH; R^x is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH; R^x is not methoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (IIIb), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (IIIb), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (IIIb), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IIIb), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (IIIb), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (IIIb), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (IIIb), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (IIIb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently

selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIb), R^1 is F. In another embodiment of Formula (IIIb), R^1 is Cl. In another embodiment of Formula (IIIb), R^1 is Br. In another embodiment of Formula (IIIb), R^1 is CN. In another embodiment of Formula (IIIb), $R^1$is NH_2. In another embodiment of Formula (IIIb), R^1 is NO_2. In another embodiment of Formula (IIIb), R^1 is CF_3. In another embodiment of Formula (IIIb), R^1 is C(O)OH. In another embodiment of Formula (IIIb), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is

optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or

OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1

is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In one embodiment of formula (IIIb), R^x is R^5, OR^5, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, NHR^5, $NHC(O)R^5$, $NHS(O)_2R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOR^5$, SO_2NHR^5 or CF_3. In another embodiment of formula (IIIb), R^x is R^5, and R^5 is heterocyclyl, which is optionally substituted as described in embodiments herein.

In another embodiment of Formula (IIIb), R^x is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one, isoindolin-1-onyl, or 1,2,3,6-tetrahydropyridinyl. In another embodiment of Formula (IIIb), R^x is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, isoindolin-1-onyl, or pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one; which are optionally substituted

as defined herein. In another embodiment of Formula (IIIb), R^x is ,2,3,6-tetrahydropyridinyl; which is optionally substituted as defined herein..


Still another embodiment pertains to compounds having Formula (IIIb), which include Examples 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 327, 330, 331, 332, 333, 336, 337, 338, 339, 340, 341, 342, 343, 348, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 543, 544, 545, 546, 547, 548, 549, 553, 554, 555, 556, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 607, 608, 613, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 649, 650, 682, 683, 684, 685, 686, 687, 705, 706, 707, 708, 709, 710, 716, 717, 718, 719, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 759, 760, 761, 762, 763, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 796, 799, 802,

803, 806, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1134, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1151, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1159, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1190, 1191, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1200, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1237, 1238, 1239, 1240, 1241, 1242, 1243, 1244, 1245, 1246, 1247, 1248, 1249, 1250, 1251, 1252, 1253, 1254, 1255, 1256, 1257, 1258, 1259, 1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1279, 1280, 1281, 1282, 1283, 1284, 1288, 1289, 1292, 1293, 1294, 1295, 1296, 1297, 1298, 1299, 1300, 1301, 1302, 1303, 1304, 1305, 1306, 1307, 1308, 1309, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1363, 1364, 1365, 1366, 1367, 1368, 1370, 1371, 1372, 1373, 1374, 1375, 1376, 1377, 1378, 1379, 1380, 1381, 1382, 1383, 1384, 1385, 1386, 1387, 1388, 1389, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1397, 1398, 1399, 1400, 1401, 1402, 1403, 1404, 1405, 1406, 1407, 1408, 1409, 1410, 1411, 1412, 1413, 1414, 1415, 1416, 1417, 1418, 1419, 1420, 1421, 1422, 1423, 1424, 1425, 1426, or pharmaceutically acceptable salts thereof.

Still another embodiment pertains to compounds having Formula (IIIb), which include 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 547, 548, 549, 550, 551, 552, and pharmaceutically acceptable salts thereof.

Embodiments of Formula (IVb)

In another aspect, the present invention provides compounds of Formula (IVb)



(IVb);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^5 are as described herein for Formula (Ib).

In one embodiment of formula (IVb),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH,

$C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with

one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, $C(O)NHOH$, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, $C(O)NHOH$, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (IVb), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (IVb), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1. In

another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (IVb), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IVb), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (IVb), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (IVb), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (IVb), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (IVb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), R^1 is $C(O)NH_2$. In another embodiment of Formula (IVb), R^1 is F. In another embodiment of Formula (IVb), R^1 is Cl. In another embodiment of Formula (IVb), R^1 is Br. In another embodiment of Formula (IVb), R^1 is CN. In another embodiment of Formula (IVb), $R^1$is NH_2. In another embodiment of Formula (IVb), R^1 is NO_2. In another embodiment of Formula (IVb), R^1 is CF_3. In another embodiment of Formula (IVb), R^1 is C(O)OH. In another embodiment of Formula (IVb), R^1 is $C(O)R^3$;

wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is

CR^1; and R^1 is CF_3. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IVb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IVb), X^2 and X^3 are

CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IVb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.


In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IVb), X^1 is CH; and

X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IVb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (IVb), which include Examples 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 563, 564, 577, 579, 580, 581, 582, 583, 584, 596, 607, 649, 650, 682, 683, 684, 685, 789, 791, 792, 793, 794, 796, 874, 878, 879, 919, 932, 934, 935, 1363, 1364, 1365, 1366, 1367, 1368, 1370, 1371, 1372, or pharmaceutically acceptable salts thereof.

Embodiments of Formula (Vb)

In another aspect, the present invention provides compounds of Formula (Vb)



(Vb);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^5 are as described herein for Formula (Ib).

In one embodiment of formula (Vb),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13},

$S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (Vb), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (Vb), X^1, X^2, and X^3 are CH. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (Vb), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (Vb), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (Vb), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (Vb), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (Vb), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (Vb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Vb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In

another embodiment of Formula (Vb), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), R^1 is $C(O)NH_2$. In another embodiment of Formula (Vb), R^1 is F. In another embodiment of Formula (Vb), R^1 is Cl. In another embodiment of Formula (Vb), R^1 is Br. In another embodiment of Formula (Vb), R^1 is CN. In another embodiment of Formula (Vb), $R^1$is NH_2. In another embodiment of Formula (Vb), R^1 is NO_2. In another embodiment of Formula (Vb), R^1 is CF_3. In another embodiment of Formula (Vb), R^1 is C(O)OH. In another embodiment of Formula (Vb), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently

selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Vb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb),

X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Vb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is


optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Vb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (Vb), which include Examples 1, 2, 3, 4, 5, 8, 9, 10, 13, 14, 16, 17, 18, 20, 21, 23, 24, 25, 26, 28, 29, 30, 31, 32, 33, 34, 36, 37, 38, 39, 40, 42, 43, 45, 46, 48, 49, 53, 54, 57, 58, 59, 60, 61, 62, 63, 66, 67, 68, 70, 71, 73, 75, 77, 79, 80, 81, 82, 83, 85, 86, 87, 88, 90, 91, 92, 93, 94, 95, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 108, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 139, 140, 141, 142, 143, 144, 145, 146, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 159, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 176, 177, 178, 179, 180, 181, 182, 184, 188, 189, 190, 192, 193, 194, 196, 199, 201, 203, 204, 205, 209, 210, 211, 213, 215, 217, 220, 223, 224, 226, 227, 228, 230, 231, 232, 234, 235, 236, 237, 239, 243, 245, 252, 253, 256, 258, 260, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 288, 289, 290, 373, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 424, 426, 427, 430, 431, 435, 436, 437, 440, 441, 442, 445, 446, 447, 449, 450, 496, 497, 553, 554, 555, 556, 559, 560, 562, 567, 568, 569, 570, 571, 572, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 597, 598, 599, 600, 601, 602, 603, 604, 608, 613, 625, 626, 628, 629, 630, 631, 632, 633, 634, 687, 716, 717, 718, 719, 723, 728, 729, 731, 732, 733, 734, 735, 737, 738, 739, 741, 743, 744, 745, 747,

748, 752, 770, 771, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 790, 802, 803, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 826, 827, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 856, 857, 858, 875, 880, 881, 882, 884, 894, 895, 922, 923, 924, 925, 939, 969, 970, 971, 972, 976, 977, 978, 1063, 1064, 1065, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1100, 1102, 1103, 1104, 1105, 1106, 1108, 1109, 1110, 1111, 1112, 1113, 1114, 1115, 1116, 1117, 1118, 1119, 1120, 1121, 1122, 1123, 1124, 1125, 1127, 1129, 1130, 1132, 1133, 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145, 1146, 1147, 1148, 1149, 1150, 1152, 1153, 1154, 1155, 1156, 1157, 1158, 1160, 1161, 1162, 1163, 1164, 1165, 1166, 1167, 1168, 1169, 1170, 1171, 1172, 1173, 1174, 1175, 1176, 1177, 1178, 1179, 1180, 1181, 1182, 1183, 1184, 1185, 1186, 1187, 1188, 1189, 1192, 1193, 1194, 1195, 1196, 1197, 1198, 1199, 1201, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219, 1220, 1221, 1222, 1223, 1224, 1225, 1226, 1227, 1228, 1229, 1230, 1231, 1232, 1233, 1234, 1235, 1236, 1239, 1240, 1241, 1242, 1243, 1245, 1260, 1261, 1262, 1263, 1264, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, 1278, 1310, 1311, 1312, 1313, 1314, 1315, 1316, 1317, 1318, 1319, 1320, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346, 1348, 1349, or pharmaceutically acceptable salts thereof.

Embodiments of Formula (VIb)

In another aspect, the present invention provides compounds of Formula (VIb)



(VIb);

or pharmaceutically acceptable salts thereof; wherein R^1 and R^5 are as described herein for Formula (Ia); and n is 0 or 1.

In one embodiment of formula (VIb),

n is 0 or 1;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl.

In another embodiment of Formula (VIb), n is 0. In another embodiment of Formula (VIb), n is 1. In another embodiment of Formula (VIb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$,


$C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIb), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIb), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIb), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIb), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIb), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIb), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIb), R^1 is $C(O)NH_2$. In another embodiment of Formula (VIb), R^1 is F. In another embodiment of Formula (VIb), R^1 is Cl. In another embodiment of Formula (VIb), R^1 is Br. In another embodiment of Formula (VIb), R^1 is CN. In another embodiment of Formula (VIb), $R^1$is NH_2. In another embodiment of Formula (VIb), R^1 is NO_2. In another embodiment of Formula (VIb), R^1 is CF_3. In another embodiment of Formula (VIb), R^1 is C(O)OH. In another embodiment of Formula (VIb), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (VIb), which include Examples 285, 286, 288, 289, 290, 426, 427, 437, 445, 553, 554, 555, 556, 599, 627, 628, 629, 630, 631, 632, 633, 634, 635, 686, 687, 718, 723, 725, 726, 727, 728, 729, 731, 732, 733, 734, 735, 737, 738, 739, 741, 743, 744, 745, 747, 748, 749, 750, 751, 752, 770, 771, 773, 774, 775, 776, 777, 778, 779, 780, 803, 875, 880, 881, 882, 884, 922, 923, 924, 925, 939, 969,

970, 971, 972, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, or pharmaceutically acceptable salts thereof.

Embodiments of Formula (VIIb)

In another aspect, the present invention provides compounds of Formula (VIIb)



(VIIb);

or pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^{13} are as described herein for Formula (Ib), and  indicates a single or a double bond.

In one embodiment of formula (VIIb),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH,

$C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^6, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$,

$NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (VIIb), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (VIIb), X^1, X^2, and X^3 are CH. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (VIIb), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (VIIb), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (VIIb), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (VIIb), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (VIIb), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (VIIb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIb), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or

heterocyclyl. In another embodiment of Formula (VIIb), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIb), R^1 is F. In another embodiment of Formula (VIIb), R^1 is Cl. In another embodiment of Formula (VIIb), R^1 is Br. In another embodiment of Formula (VIIb), R^1 is CN. In another embodiment of Formula (VIIb), $R^1$is NH_2. In another embodiment of Formula (VIIb), R^1 is NO_2. In another embodiment of Formula (VIIb), R^1 is CF_3. In another embodiment of Formula (VIIb), R^1 is C(O)OH. In another embodiment of Formula (VIIb), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In

another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (VIIb), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or

heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (VIIb), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2,


$NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (VIIb), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (VIIb), which include Examples 317, 330, 331, 332, 401, 405, 406, 407, 432, 456, 457, 458, 459, 460, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 543, 544, 545, 546, 620, 646, 647,

705, 706, 707, 708, 709, 710, 759, 760, 761, 762, 763, 799, 910, 911, 912, 913, 914, 915, 916, 917, 918, 967, 968, 979, 980, 981, 982, 983, 984, 985, 986, 1014, 1015, 1016, 1017, 1019, 1077, 1078, 1079, 1080, 1254, 1255, 1256, 1257, 1258, 1259, 1279, 1280, 1281, 1282, 1283, 1284, 1384, 1385, or pharmaceutically acceptable salts thereof.

Embodiments of Formula (Ic)

One embodiment of this invention, therefore, pertains to compounds or pharmaceutically acceptable salts, which are useful as inhibitors of NAMPT, the compounds having Formula (Ic)



Formula (Ic);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is alkyl, alkenyl, alkynyl, phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^4, OR^4, SR^4, $S(O)R^4$, SO_2R^4, $C(O)R^4$, $CO(O)R^4$, $OC(O)R^4$, $OC(O)OR^4$, $NHC(O)R^4$, $NR^4C(O)R^4$, $NHS(O)_2R^4$, $NR^4S(O)_2R^4$, $NHC(O)OR^4$, $NR^4C(O)OR^4$, $NHC(O)NH_2$, $NHC(O)NHR^4$, $NHC(O)N(R^4)_2$, $NR^4C(O)NHR^4$, $NR^4C(O)N(R^4)_2$, $C(O)NH_2$, $C(O)NHR^4$, $C(O)N(R^4)_2$, C(O)NHOH, $C(O)NHOR^4$, $C(O)NHSO_2R^4$, $C(O)NR^4SO_2R^4$, SO_2NH_2, SO_2NHR^4, $SO_2N(R^4)_2$, C(O)H, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F,

Cl, Br or I; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOH$, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $C(O)NHOH$, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, $C(O)NHOH$, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^4, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^7, OR^7, SR^7, $S(O)R^7$, SO_2R^7, $C(O)R^7$, $OC(O)R^7$, $OC(O)OR^7$, NH_2, NHR^7, $NHC(O)R^7$, $NR^7C(O)R^7$, $NHS(O)_2R^7$, $NR^7S(O)_2R^7$, $NHC(O)OR^7$, $NR^7C(O)OR^7$, $NHC(O)NH_2$, $NHC(O)NHR^7$, $NHC(O)N(R^7)_2$, $NR^7C(O)NHR^7$, $NR^7C(O)N(R^7)_2$, $C(O)NH_2$, $C(O)NHR^7$, $C(O)N(R^7)_2$, $C(O)NHOH$, $C(O)NHOR^7$, $C(O)NHSO_2R^7$, $C(O)NR^7SO_2R^7$, SO_2NH_2, SO_2NHR^7, $SO_2N(R^7)_2$, C(O)H, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^4 aryl and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, OR^8, SR^8, $S(O)R^8$, SO_2R^8, $C(O)R^8$, $CO(O)R^8$, $OC(O)R^8$, $OC(O)OR^8$, NH_2, NHR^8, $NHC(O)R^8$, $NR^8C(O)R^8$, $NHS(O)_2R^8$, $NR^8S(O)_2R^8$, $NHC(O)OR^8$, $NR^8C(O)OR^8$, $NHC(O)NH_2$, $NHC(O)NHR^8$, $NHC(O)N(R^8)_2$, $NR^8C(O)NHR^8$, $NR^8C(O)N(R^8)_2$, $C(O)NH_2$, $C(O)NHR^8$, $C(O)N(R^8)_2$, $C(O)NHOH$, $C(O)NHOR^8$, $C(O)NHSO_2R^8$, $C(O)NR^8SO_2R^8$, SO_2NH_2,

SO_2NHR^8, $SO_2N(R^8)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^7, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^7 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{11}, OR^{11}, SR^{11}, $S(O)R^{11}$, SO_2R^{11}, NHR^{11}, $N(R^{11})_2$, $C(O)R^{11}$, $C(O)NH_2$, $C(O)NHR^{11}$, $C(O)N(R^{11})_2$, $NHC(O)R^{11}$, $NR^{11}C(O)R^{11}$, $NHSO_2R^{11}$, $NHC(O)OR^{11}$, SO_2NH_2, SO_2NHR^{11}, $SO_2N(R^{11})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{11}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{11}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is

optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I; wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (Ic), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (Ic), X^1, X^2, and X^3 are CH. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (Ic), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (Ic), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (Ic), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (Ic), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (Ic), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (Ic), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ic), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), R^1 is R^3; wherein R^3 is alkyl, alkenyl,

or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), R^1 is $C(O)NH_2$. In another embodiment of Formula (Ic), R^1 is F. In another embodiment of Formula (Ic), R^1 is Cl. In another embodiment of Formula (Ic), R^1 is Br. In another embodiment of Formula (Ic), R^1 is CN. In another embodiment of Formula (Ic), $R^1$is NH_2. In another embodiment of Formula (Ic), R^1 is NO_2. In another embodiment of Formula (Ic), R^1 is CF_3. In another embodiment of Formula (Ic), R^1 is C(O)OH. In another embodiment of Formula (Ic), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently

selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Ic), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment

of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NH_2. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Ic), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl;

wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NH_2. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Ic), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In one embodiment of Formula (Ic), R^2 is phenyl which is substituted at the para position with R^5; and R^5 is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one, or isoindolin-1-onyl.

In one embodiment of Formula (Ic),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^2 is alkyl, phenyl, cycloalkyl, or heterocyclyl; wherein each R^2 alkyl is optionally substituted with one, two, three or four independently selected R^4, OR^4, $C(O)R^4$, $CO(O)R^4NHC(O)R^4$, $NR^4C(O)R^4$, $C(O)NHR^4$, or $C(O)N(R^4)_2$; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, NHR^5, $NHC(O)R^5$, $NHS(O)_2R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOR^5$, SO_2NHR^5, CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl and cycloalkyl are optionally substituted with one, two, three or four independently selected R^5, OR^5, $C(O)R^5$, $C(O)OR^5$, $N(R^5)_2$, $NHC(O)R^5$, $C(O)NHR^5$, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, or heterocyclyl; wherein each R^3 alkyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, OH, F, Cl, Br or I;

R^4, at each occurrence, is independently selected alkyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl is optionally substituted with one, two, three or four independently selected R^7, F, Cl, Br or I; wherein each R^4 aryl cycloalkyl, and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, $C(O)R^8$, $CO(O)R^8$, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)OR^9$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)OH, OH, CN, CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl or heterocyclyl; wherein each R^6 alkyl is optionally substituted with one, two, three or four independently selected F, Cl, Br or I;

R^7, at each occurrence, is independently selected aryl, or heterocyclyl;

R^8, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^8 alkyl is optionally substituted with one, two, three or four independently selected R^{12}, $OR^{12}OH$, CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^9 alkyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{12}, at each occurrence, is independently selected alkyl, heterocyclyl, or cycloalkyl; wherein each R^{12} alkyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SO_2R^{14}, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NHC(O)OR^{14}$, OH, CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SO_2R^{15}, $C(O)R^{15}$, $N(R^{15})_2$, $NHC(O)R^{15}$, OH, CN, CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^{14} alkyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, OH, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, and cycloalkyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In another embodiment of Formula (Ic),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^2 is alkyl, phenyl, cycloalkyl, or heterocyclyl; wherein each R^2 alkyl is optionally substituted with one, two, three or four independently selected R^4, OR^4, $C(O)R^4$, $CO(O)R^4NHC(O)R^4$, $NR^4C(O)R^4$, $C(O)NHR^4$, or $C(O)N(R^4)_2$; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, NHR^5, $NHC(O)R^5$, $NHS(O)_2R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOR^5$, SO_2NHR^5, or CF_3; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl and cycloalkyl are optionally substituted with one, two, three or four independently selected R^5, OR^5, $C(O)R^5$, $C(O)OR^5$, $N(R^5)_2$, $NHC(O)R^5$, or $C(O)NHR^5$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, or heterocyclyl; wherein each R^3 alkyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH;

R^4, at each occurrence, is independently selected alkyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl is optionally substituted with one, two, three or four independently selected R^7; wherein each R^4 aryl cycloalkyl, and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, $C(O)R^8$, $CO(O)R^8$, F, Cl, or Br;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9,

$C(O)R^9$, NH_2, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)OR^9$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)OH, OH, CN, CF_3, or F;

R^6, at each occurrence, is independently selected alkyl or heterocyclyl;

R^7, at each occurrence, is independently selected aryl, or heterocyclyl;

R^8, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^8 alkyl is optionally substituted with one, two, three or four independently selected R^{12}, $OR^{12}OH$, or CF_3;

R^9, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^9 alkyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{12}, at each occurrence, is independently selected alkyl, heterocyclyl, or cycloalkyl; wherein each R^{12} alkyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, or Cl;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SO_2R^{14}, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NHC(O)OR^{14}$, OH, or CF_3; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SO_2R^{15}, $C(O)R^{15}$, $N(R^{15})_2$, $NHC(O)R^{15}$, CN, OH, CF_3, F, or Cl;

R^{14}, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^{14} alkyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, or OH; wherein each R^{14} aryl, heterocyclyl, and cycloalkyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, or Cl;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

Still another embodiment pertains to compounds having Formula (Ic), which include

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(furo[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(thieno[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-acetylphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(5-chloropyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-fluorobenzoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,4-dioxa-8-azaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-fluorophenyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiomorpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(2-hydroxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,4-dihydroisoquinolin-2(1H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1H-indol-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-phenylethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}piperidin-4-yl)carbamate;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(cyclohexylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(diethylcarbamoyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-hydroxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydro[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylmethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3,4,9-tetrahydro-2H-beta-carbolin-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-difluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-carbamoylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dioxolan-2-ylmethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(ethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isobutyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-carbamoylphenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(trifluoromethyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,6-dimethylmorpholin-4-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyanoethyl)(cyclopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(isopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-N-isopropyl-beta-alanine;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4,4,4-trifluorobutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpentanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(benzyloxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[N-(2-furoyl)glycyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-thienyl)butanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-oxo-4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(N-benzoylglycyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenoxybutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propionylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(heptanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pent-4-enoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-methylpiperazin-1-yl)propanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate;

2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyclopentylethyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-methyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1E)-5-phenylpent-1-en-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(1-propyl-1H-pyrazol-4-yl)pyridin-3-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[1-(3-methylbutyl)-1H-pyrazol-4-yl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-phenylpentyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-fluoro-4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{2-fluoro-4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(isopropylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-benzoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(isopropylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(butyrylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperazine-1-carboxylate;

N-[4-(4-propionylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopropylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-butyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-isobutyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-benzoyl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-(3-methylbutyl)-2,3-dihydro-1H-isoindol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexyloxy)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(4-chlorophenoxy)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N,N'-hexane-1,6-diylbis(1,3-dihydro-2H-isoindole-2-carboxamide);

N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

ethyl 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoate;

N-hexyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-octyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-methyl-1H-pyrazol-4-yl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(methylamino)-6-oxohexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-oxo-6-[(3-phenylpropyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4,5,6,7,8-hexahydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(8-fluoro-4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(morpholin-4-ylmethyl)-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-4,5-dihydro-3H-2,3-benzodiazepin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(1-methylpiperidin-4-yl)oxy]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3R)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3S)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(azetidin-1-ylmethyl)-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(5-propyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[5-(3-methylbutyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-benzyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]-1H-benzimidazol-2-yl}piperazine-1-carboxylate;

N-[2-(piperazin-1-yl)-1H-benzimidazol-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-benzoylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(tetrahydrofuran-3-yl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(tetrahydrofuran-3-ylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-methoxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-(4-cyanophenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(trifluoromethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-pyridin-2-ylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-butyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide; and

N-[2-(4-acetylpiperazin-1-yl)-1H-benzimidazol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-furoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-L-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-D-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(1-acetylpiperidin-4-yl)carbonyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-acetamidobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(methylsulfonyl)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-butyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isobutyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methylbutanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,3,3-trifluoropropanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(methoxyacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopentylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclohexylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[3-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,4-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,5-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(3,4-dimethoxyphenyl)acetyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrrol-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrazol-5-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isonicotinoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridazin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrazin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrimidin-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(N,N-dimethyl-beta-alanyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-acetylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1,3-thiazol-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(morpholin-4-ylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxo-2,3-dihydro-1H-isoindol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1-(2-phenylethyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{benzyl[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 4-{[(5-cyano-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoate;

N-(4-{(E)-[(benzyloxy)imino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-aminopyrrolidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-phenylpropyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({benzyl[3-(morpholin-4-yl)propyl]amino}methyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-methoxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-hydroxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(aminomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methoxy-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyrazin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-acetamidohexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(1E)-3-[benzyl(methyl)amino]prop-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-phenoxypiperidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-phenoxyazetidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[benzyl(methyl)amino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1-benzylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-phenylpropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(morpholin-4-yl)benzyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxypropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-3-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[4-(methylsulfonyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(ethoxyacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-{6-[(3-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-{6-[(4-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-{6-[(3-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-{6-[(4-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-(6-{[3-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;
N-(6-{[4-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;
N-(6-{[3-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;
N-(6-{[4-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;
N-(6-{[3-(trifluoromethoxy)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;
N-{6-[(2,3-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-{6-[(2,4-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-{6-[(2,5-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-{6-[(phenylacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-(6-{[(3-fluorophenyl)acetyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;
5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-{4-[(ethoxyacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;
5-(hydroxymethyl)-N-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
5-(hydroxymethyl)-N-{4-[(morpholin-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;
N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;
N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;
N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

4-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-2-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-oxo-7-{[(3R)-tetrahydrofuran-3-ylmethyl]amino}heptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{7-oxo-7-[(tetrahydro-2H-pyran-4-ylmethyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(azetidin-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(morpholin-4-ylmethyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methylpiperazin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(3-methylbutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-hydroxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-aminoethyl)-1H-imidazol-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}-2-oxoethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-{benzyl[3-(morpholin-4-yl)propyl]amino}-3-oxopropyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-bromo-2-oxoquinolin-1(2H)-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(2-{(4-fluorobenzyl)[4-(pyridin-3-yl)benzyl]amino}-1,3-thiazol-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-benzyl-1,3-thiazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-{benzyl[3-(morpholin-4-yl)propyl]amino}-7-oxoheptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(ethylsulfonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.3]hept-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.4]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,9-diazaspiro[5.5]undec-3-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{benzyl[3-(morpholin-4-yl)propyl]amino}-4-oxobutyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-phenylbutyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetyl-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-hydroxyethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butyrylamino)phenyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methoxybenzyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(2-oxa-7-azaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-4-(3-hydroxypropyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-(acetamidomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[2-(2-chlorobenzyl)-1,3-thiazol-4-yl]-2-thienyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-fluorophenyl)butyl]-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(2-hydroxypropan-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl {4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzyl}carbamate;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(methoxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(tetrahydrofuran-2-ylmethyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methoxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[4-(2-methoxyethyl)piperazin-1-yl]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-pentanoylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butyrylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(1-acetylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-isobutyrylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(methoxyacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (2-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}ethyl)carbamate;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-phenylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxyphenyl)acetyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-benzoylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-ethoxypropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(1-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl [(1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}azetidin-3-yl)methyl]carbamate;

N-(4-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(morpholin-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2-methoxyethoxy)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(2,3-dimethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tricyclo[3.3.1.1~3,7~]dec-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxycyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[4-(acetylamino)phenyl]sulfonyl}amino)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-propylphenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(butylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[({[(1S,4R)-7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl]methyl}sulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(benzylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-fluorophenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(thiophen-2-ylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(4,4-difluorocyclohexyl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(piperidin-1-ylsulfonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate;

N-(4-{3-[(3-methylbutyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydrofuran-2-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(benzylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(cyclopentylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(cyclopentylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(2-methoxyethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)(3-methylbutanoyl)amino]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6H-furo[2',3':2,3]cyclobuta[1,2-c]quinolin-6-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[7-chloro-1-(2-hydroxyethyl)-3-oxo-1,3-dihydrocyclobuta[c]quinolin-4(2H)-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butanoylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-acetylpiperidin-4-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{7-oxo-7-[(3-phenylpropyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(bicyclo[2.2.1]hept-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1,3-thiazol-5-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{2-[(3-methylbutanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(4-methylpentanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(ethoxyacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{[(2-methoxyethoxy)acetyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-2-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[2-(benzoylamino)ethyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-3-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-propanoylazetidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pent-4-ynoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethylglycyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethyl-beta-alanyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrrolidin-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(pyrrolidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methylpiperazin-1-yl)acetyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopropylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopentylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(butylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-fluorophenyl)sulfonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propan-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(benzylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-2-methylbutanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4,4-difluorocyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-D-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpentanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1,2-oxazol-5-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridazin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrazin-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

benzyl trans-3-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]cyclobutanecarboxylate;

N-[4-(4-{[(4-methylpiperazin-1-yl)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(benzoylamino)cyclohex-1-en-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1-methylpiperidin-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3R)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3S)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-2-methylbutanoyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(3-methylbutanoyl)amino]oxetan-3-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

tert-butyl 4-({4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}sulfonyl)piperidine-1-carboxylate;

N-{4-[4-(propylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methoxyethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclopentylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(1,4-dioxan-2-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopentylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(morpholin-4-ylcarbonyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopropylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(butan-2-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{(4R)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(4S)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[trans-3-(benzylcarbamoyl)cyclobutyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(2-phenylethyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(3-phenylpropyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(bicyclo[2.2.1]hept-2-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopentylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

Still another embodiment pertains to compounds of Formula (Ic), which are

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

Still another embodiment pertains to compounds of Formula (Ic), which are

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;


N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

Embodiments of Formula (IIc)

In another aspect, the present invention provides compounds of Formula (IIc)



(IIc);

and pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, are as described herein for Formula (Ic); and R^2 is phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein the R^2 phenyl, heterocyclyl, cycloalkyl, and cycloalkenyl are optionally substituted as described herein for substituents on R^2 in Formula (Ic).

In one embodiment of formula (IIc),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$,

$NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3,

OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (IIc), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (IIc), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of

Formula (IIc), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IIc), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (IIc), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (IIc), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (IIc), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (IIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), R^1 is $C(O)NH_2$. In another embodiment of Formula (IIc), R^1 is F. In another embodiment of Formula (IIc), R^1 is Cl. In another embodiment of Formula (IIc), R^1 is Br. In another embodiment of Formula (IIc), R^1 is CN. In another embodiment of Formula (IIc), $R^1$is NH_2. In another embodiment of Formula (IIc), R^1 is NO_2. In another embodiment of Formula (IIc), R^1 is CF_3. In another embodiment of Formula (IIc), R^1 is C(O)OH. In another embodiment of Formula (IIc), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is

optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is

CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are

CR^1; and R^1 is NO_2. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (IIc), which include

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(furo[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(thieno[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-acetylphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(5-chloropyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-fluorobenzoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,4-dioxa-8-azaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-fluorophenyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiomorpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(2-hydroxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,4-dihydroisoquinolin-2(1H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1H-indol-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-phenylethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}piperidin-4-yl)carbamate;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(cyclohexylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(diethylcarbamoyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-hydroxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydro[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylmethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3,4,9-tetrahydro-2H-beta-carbolin-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-difluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-carbamoylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dioxolan-2-ylmethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(ethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isobutyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-carbamoylphenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(trifluoromethyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,6-dimethylmorpholin-4-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyanoethyl)(cyclopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(isopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-N-isopropyl-beta-alanine;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4,4,4-trifluorobutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpentanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(benzyloxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[N-(2-furoyl)glycyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-thienyl)butanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-oxo-4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(N-benzoylglycyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenoxybutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propionylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(heptanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pent-4-enoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-methylpiperazin-1-yl)propanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate;

2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyclopentylethyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-methyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1E)-5-phenylpent-1-en-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(1-propyl-1H-pyrazol-4-yl)pyridin-3-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[1-(3-methylbutyl)-1H-pyrazol-4-yl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-phenylpentyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-fluoro-4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{2-fluoro-4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(isopropylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-benzoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(isopropylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(butyrylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperazine-1-carboxylate;

N-[4-(4-propionylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopropylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-butyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-isobutyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-benzoyl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-(3-methylbutyl)-2,3-dihydro-1H-isoindol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexyloxy)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4,5,6,7,8-hexahydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(8-fluoro-4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(morpholin-4-ylmethyl)-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-4,5-dihydro-3H-2,3-benzodiazepin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(1-methylpiperidin-4-yl)oxy]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3R)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3S)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(azetidin-1-ylmethyl)-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(5-propyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[5-(3-methylbutyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-benzyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]-1H-benzimidazol-2-yl}piperazine-1-carboxylate;

N-[2-(piperazin-1-yl)-1H-benzimidazol-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-benzoylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(tetrahydrofuran-3-yl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(tetrahydrofuran-3-ylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-methoxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-(4-cyanophenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(trifluoromethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-pyridin-2-ylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-butyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide; and

N-[2-(4-acetylpiperazin-1-yl)-1H-benzimidazol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-furoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-L-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-D-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(1-acetylpiperidin-4-yl)carbonyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-acetamidobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(methylsulfonyl)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-butyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isobutyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methylbutanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,3,3-trifluoropropanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(methoxyacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopentylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclohexylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[3-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,4-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,5-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(3,4-dimethoxyphenyl)acetyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrrol-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrazol-5-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isonicotinoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridazin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrazin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrimidin-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(N,N-dimethyl-beta-alanyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-acetylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1,3-thiazol-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(morpholin-4-ylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxo-2,3-dihydro-1H-isoindol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1-(2-phenylethyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{benzyl[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 4-{[(5-cyano-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoate;

N-(4-{(E)-[(benzyloxy)imino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-aminopyrrolidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-phenylpropyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({benzyl[3-(morpholin-4-yl)propyl]amino}methyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-methoxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-hydroxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(aminomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methoxy-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyrazin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(1E)-3-[benzyl(methyl)amino]prop-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-phenoxypiperidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-phenoxyazetidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[benzyl(methyl)amino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1-benzylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-phenylpropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(morpholin-4-yl)benzyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxypropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-3-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(morpholin-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(azetidin-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(morpholin-4-ylmethyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methylpiperazin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(3-methylbutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-hydroxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-aminoethyl)-1H-imidazol-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}-2-oxoethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-{benzyl[3-(morpholin-4-yl)propyl]amino}-3-oxopropyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(2-{(4-fluorobenzyl)[4-(pyridin-3-yl)benzyl]amino}-1,3-thiazol-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-benzyl-1,3-thiazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(ethylsulfonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.3]hept-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.4]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,9-diazaspiro[5.5]undec-3-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{benzyl[3-(morpholin-4-yl)propyl]amino}-4-oxobutyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetyl-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-hydroxyethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butyrylamino)phenyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methoxybenzyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(2-oxa-7-azaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-(acetamidomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[2-(2-chlorobenzyl)-1,3-thiazol-4-yl]-2-thienyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(2-hydroxypropan-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl {4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzyl}carbamate;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(methoxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(tetrahydrofuran-2-ylmethyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methoxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[4-(2-methoxyethyl)piperazin-1-yl]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-pentanoylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butyrylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(1-acetylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-isobutyrylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(methoxyacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (2-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}ethyl)carbamate;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-phenylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxyphenyl)acetyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-benzoylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-ethoxypropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(1-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl [(1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}azetidin-3-yl)methyl]carbamate;

N-(4-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(morpholin-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2-methoxyethoxy)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(2,3-dimethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tricyclo[3.3.1.1~3,7~]dec-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxycyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[4-(acetylamino)phenyl]sulfonyl}amino)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-propylphenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(butylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[({[(1S,4R)-7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl]methyl}sulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(benzylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-fluorophenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(thiophen-2-ylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(4,4-difluorocyclohexyl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(piperidin-1-ylsulfonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate;

N-(4-{3-[(3-methylbutyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydrofuran-2-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(benzylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(cyclopentylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(cyclopentylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(2-methoxyethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butanoylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-acetylpiperidin-4-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(bicyclo[2.2.1]hept-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1,3-thiazol-5-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{2-[(3-methylbutanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(4-methylpentanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(ethoxyacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{[(2-methoxyethoxy)acetyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-2-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[2-(benzoylamino)ethyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-3-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-propanoylazetidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pent-4-ynoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethylglycyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethyl-beta-alanyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrrolidin-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(pyrrolidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methylpiperazin-1-yl)acetyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopropylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopentylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(butylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-fluorophenyl)sulfonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propan-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(benzylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-2-methylbutanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4,4-difluorocyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-D-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpentanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1,2-oxazol-5-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridazin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrazin-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

benzyl trans-3-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]cyclobutanecarboxylate;

N-[4-(4-{[(4-methylpiperazin-1-yl)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(benzoylamino)cyclohex-1-en-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1-methylpiperidin-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3R)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3S)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-2-methylbutanoyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(3-methylbutanoyl)amino]oxetan-3-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

tert-butyl 4-({4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}sulfonyl)piperidine-1-carboxylate;

N-{4-[4-(propylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methoxyethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclopentylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(1,4-dioxan-2-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopentylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(morpholin-4-ylcarbonyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopropylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(butan-2-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{(4R)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(4S)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[trans-3-(benzylcarbamoyl)cyclobutyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(2-phenylethyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(3-phenylpropyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(bicyclo[2.2.1]hept-2-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopentylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;


N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

Embodiments of Formula (IIIc)

In another aspect, the present invention provides compounds of Formula (IIIc)



(IIIc);

and pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, are as described herein for Formula (Ic); and R^X is as described herein for substituents at the para position in Formula (Ic) when R^2 is phenyl.

In one embodiment of formula (IIIc),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^x is R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOH$, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$,

$NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl,

isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH; R^x is not methyl;

with the proviso that when X^1, X^2, and X^3 are CH; R^x is not methoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (IIIc), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1

is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (IIIc), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (IIIc), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IIIc), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (IIIc), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (IIIc), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (IIIc), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (IIIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIc), R^1 is F. In another embodiment of Formula (IIIc), R^1 is Cl. In another embodiment of

Formula (IIIc), R^1 is Br. In another embodiment of Formula (IIIc), R^1 is CN. In another embodiment of Formula (IIIc), $R^1$is NH_2. In another embodiment of Formula (IIIc), R^1 is NO_2. In another embodiment of Formula (IIIc), R^1 is CF_3. In another embodiment of Formula (IIIc), R^1 is C(O)OH. In another embodiment of Formula (IIIc), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is

CR^1; and R^1 is Br. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIc), X^2 and

X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or

OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In one embodiment of formula (IIIc), R^x is R^5, OR^5, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, NHR^5, $NHC(O)R^5$, $NHS(O)_2R^5$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, $C(O)NHOR^5$, SO_2NHR^5 or CF_3. In another embodiment of formula (IIIc), R^x is R^5, and R^5 is heterocyclyl, which is optionally substituted as described in embodiments herein.

In another embodiment of Formula (IIIc), R^x is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one, isoindolin-1-onyl, or 1,2,3,6-tetrahydropyridinyl. In another embodiment of Formula (IIIc), R^x is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, isoindolin-1-onyl, or pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one; which are optionally substituted as defined herein. In another embodiment of Formula (IIIc), R^x is ,2,3,6-tetrahydropyridinyl; which is optionally substituted as defined herein.

Still another embodiment pertains to compounds having Formula (IIIc), which include

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(furo[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(thieno[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-acetylphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(5-chloropyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-fluorobenzoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,4-dioxa-8-azaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-fluorophenyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiomorpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(2-hydroxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,4-dihydroisoquinolin-2(1H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1H-indol-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-phenylethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}piperidin-4-yl)carbamate;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(cyclohexylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(diethylcarbamoyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-hydroxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydro[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylmethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3,4,9-tetrahydro-2H-beta-carbolin-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-difluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-carbamoylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dioxolan-2-ylmethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(ethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isobutyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-carbamoylphenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(trifluoromethyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,6-dimethylmorpholin-4-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyanoethyl)(cyclopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(isopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-N-isopropyl-beta-alanine;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4,4,4-trifluorobutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpentanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(benzyloxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[N-(2-furoyl)glycyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-thienyl)butanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-oxo-4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(N-benzoylglycyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenoxybutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propionylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(heptanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pent-4-enoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-methylpiperazin-1-yl)propanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate;

2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyclopentylethyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-methyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1E)-5-phenylpent-1-en-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-phenylpentyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(isopropylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-benzoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(isopropylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(butyrylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperazine-1-carboxylate;

N-[4-(4-propionylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopropylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexyloxy)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4,5,6,7,8-hexahydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(8-fluoro-4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(morpholin-4-ylmethyl)-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-4,5-dihydro-3H-2,3-benzodiazepin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(1-methylpiperidin-4-yl)oxy]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3R)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3S)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(azetidin-1-ylmethyl)-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(5-propyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[5-(3-methylbutyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-benzyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-benzoylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(tetrahydrofuran-3-yl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(tetrahydrofuran-3-ylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-methoxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-(4-cyanophenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(trifluoromethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-pyridin-2-ylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-furoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-L-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-D-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(1-acetylpiperidin-4-yl)carbonyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-acetamidobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(methylsulfonyl)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-butyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isobutyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methylbutanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,3,3-trifluoropropanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(methoxyacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopentylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclohexylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[3-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,4-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,5-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(3,4-dimethoxyphenyl)acetyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrrol-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrazol-5-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isonicotinoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridazin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrazin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrimidin-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(N,N-dimethyl-beta-alanyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-acetylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1,3-thiazol-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(morpholin-4-ylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxo-2,3-dihydro-1H-isoindol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{benzyl[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 4-{[(5-cyano-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoate;

N-(4-{(E)-[(benzyloxy)imino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-aminopyrrolidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({benzyl[3-(morpholin-4-yl)propyl]amino}methyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-methoxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-hydroxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(aminomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methoxy-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(1E)-3-[benzyl(methyl)amino]prop-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-phenoxypiperidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-phenoxyazetidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[benzyl(methyl)amino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1-benzylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-phenylpropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(morpholin-4-yl)benzyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxypropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-3-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(morpholin-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(azetidin-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(morpholin-4-ylmethyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methylpiperazin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(3-methylbutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-hydroxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-aminoethyl)-1H-imidazol-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}-2-oxoethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-{benzyl[3-(morpholin-4-yl)propyl]amino}-3-oxopropyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-benzyl-1,3-thiazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(ethylsulfonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.3]hept-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.4]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,9-diazaspiro[5.5]undec-3-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{benzyl[3-(morpholin-4-yl)propyl]amino}-4-oxobutyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetyl-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-hydroxyethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butyrylamino)phenyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methoxybenzyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(2-oxa-7-azaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-(acetamidomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(2-hydroxypropan-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl {4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzyl}carbamate;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(methoxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(tetrahydrofuran-2-ylmethyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methoxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[4-(2-methoxyethyl)piperazin-1-yl]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-pentanoylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butyrylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

tert-butyl (2-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}ethyl)carbamate;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-phenylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxyphenyl)acetyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-benzoylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-ethoxypropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(1-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl [(1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}azetidin-3-yl)methyl]carbamate;

N-(4-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(morpholin-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2-methoxyethoxy)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(2,3-dimethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tricyclo[3.3.1.1~3,7~]dec-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxycyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[4-(acetylamino)phenyl]sulfonyl}amino)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-propylphenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(butylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[({[(1S,4R)-7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl]methyl}sulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(benzylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-fluorophenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(thiophen-2-ylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(4,4-difluorocyclohexyl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(piperidin-1-ylsulfonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate;

N-(4-{3-[(3-methylbutyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydrofuran-2-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(benzylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(cyclopentylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(cyclopentylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(2-methoxyethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butanoylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-acetylpiperidin-4-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(bicyclo[2.2.1]hept-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1,3-thiazol-5-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{2-[(3-methylbutanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(4-methylpentanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(ethoxyacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{[(2-methoxyethoxy)acetyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-2-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[2-(benzoylamino)ethyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-3-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-propanoylazetidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pent-4-ynoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethylglycyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethyl-beta-alanyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrrolidin-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(pyrrolidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methylpiperazin-1-yl)acetyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopropylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopentylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(butylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-fluorophenyl)sulfonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propan-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(benzylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-2-methylbutanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4,4-difluorocyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-D-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpentanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1,2-oxazol-5-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridazin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrazin-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(4-methylpiperazin-1-yl)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(benzoylamino)cyclohex-1-en-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1-methylpiperidin-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3R)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3S)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-2-methylbutanoyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(3-methylbutanoyl)amino]oxetan-3-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

tert-butyl 4-({4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}sulfonyl)piperidine-1-carboxylate;

N-{4-[4-(propylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methoxyethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclopentylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(1,4-dioxan-2-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopentylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(morpholin-4-ylcarbonyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopropylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(butan-2-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{(4R)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(4S)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopentylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

Still another embodiment pertains to compounds having Formula (IIIc), which include

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4,5,6,7,8-hexahydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(8-fluoro-4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(morpholin-4-ylmethyl)-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-4,5-dihydro-3H-2,3-benzodiazepin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(1-methylpiperidin-4-yl)oxy]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3R)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3S)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(azetidin-1-ylmethyl)-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide; and

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-2,3-dihydro-1H-isoindol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;


N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

Embodiments of Formula (IVc)

In another aspect, the present invention provides compounds of Formula (IVc)



(IVc);

and pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^5 are as described herein for Formula (Ic).

In one embodiment of formula (IVc),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$,

$NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (IVc), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (IVc), X^1, X^2, and X^3 are CH. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (IVc), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (IVc), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (IVc), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (IVc), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (IVc), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (IVc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently

selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), R^1 is $C(O)NH_2$. In another embodiment of Formula (IVc), R^1 is F. In another embodiment of Formula (IVc), R^1 is Cl. In another embodiment of Formula (IVc), R^1 is Br. In another embodiment of Formula (IVc), R^1 is CN. In another embodiment of Formula (IVc), $R^1$is NH_2. In another embodiment of Formula (IVc), R^1 is NO_2. In another embodiment of Formula (IVc), R^1 is CF_3. In another embodiment of Formula (IVc), R^1 is C(O)OH. In another embodiment of Formula (IVc), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or

heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IVc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6,

NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IVc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 is CH;

and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (IVc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (IVc), which include

N-{4-[(4,4,4-trifluorobutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpentanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(benzyloxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[N-(2-furoyl)glycyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-thienyl)butanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-oxo-4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(N-benzoylglycyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenoxybutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propionylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(heptanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pent-4-enoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-methylpiperazin-1-yl)propanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate;

2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-methoxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-hydroxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(aminomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methoxy-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-3-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(morpholin-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetyl-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-hydroxyethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butyrylamino)phenyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-(acetamidomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(2-hydroxypropan-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(methoxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-acetylpiperidin-4-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;


N-{4-[(bicyclo[2.2.1]hept-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1,3-thiazol-5-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

Embodiments of Formula (Vc)

In another aspect, the present invention provides compounds of Formula (Vc)



(Vc);

and pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^5 are as described herein for Formula (Ic).

In one embodiment of formula (Vc),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally

substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, $C(O)NHOH$, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, $C(O)H$, $C(O)OH$, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, $C(O)H$, $C(O)OH$, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (Vc), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (Vc), X^1, X^2, and X^3 are CH. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (Vc), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (Vc), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (Vc), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (Vc), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (Vc), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (Vc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or $C(O)OH$. In another embodiment of Formula (Vc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$,

$NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), R^1 is $C(O)NH_2$. In another embodiment of Formula (Vc), R^1 is F. In another embodiment of Formula (Vc), R^1 is Cl. In another embodiment of Formula (Vc), R^1 is Br. In another embodiment of Formula (Vc), R^1 is CN. In another embodiment of Formula (Vc), $R^1$is NH_2. In another embodiment of Formula (Vc), R^1 is NO_2. In another embodiment of Formula (Vc), R^1 is CF_3. In another embodiment of Formula (Vc), R^1 is C(O)OH. In another embodiment of Formula (Vc), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc),

X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Vc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl

is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Vc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1;

and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (Vc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (Vc), which include

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;


N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

Embodiments of Formula (VIc)

In another aspect, the present invention provides compounds of Formula (VIc)



(VIc);

and pharmaceutically acceptable salts thereof; wherein R^1 and R^5 are as described herein for Formula (Ic); and n is 0 or 1.

In one embodiment of formula (VIc),

n is 0 or 1;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$,

$NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$,

$C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl.

In another embodiment of Formula (VIc), n is 0. In another embodiment of Formula (VIc), n is 1. In another embodiment of Formula (VIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIc), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIc), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIc), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIc), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIc), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In

another embodiment of Formula (VIc), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIc), R^1 is $C(O)NH_2$. In another embodiment of Formula (VIc), R^1 is F. In another embodiment of Formula (VIc), R^1 is Cl. In another embodiment of Formula (VIc), R^1 is Br. In another embodiment of Formula (VIc), R^1 is CN. In another embodiment of Formula (VIc), $R^1$is NH_2. In another embodiment of Formula (VIc), R^1 is NO_2. In another embodiment of Formula (VIc), R^1 is CF_3. In another embodiment of Formula (VIc), R^1 is C(O)OH. In another embodiment of Formula (VIc), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (VIc), which include

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(azetidin-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;


N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

Embodiments of Formula (VIIc)

In another aspect, the present invention provides compounds of Formula (VIIc)



(VIIc);

and pharmaceutically acceptable salts thereof; wherein X^1, X^2, X^3, and R^{13} are as described herein for Formula (Ic), and  indicates a single or a double bond.

In one embodiment of formula (VIIc),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

 indicates a single or double bond;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^6, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, $C(O)NHOH$, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, $C(O)H$, $C(O)OH$, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, $C(O)NHOH$, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, $C(O)H$, $C(O)OH$, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, $C(O)NHOH$, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, $C(O)H$, $C(O)OH$, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl,

alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (VIIc), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (VIIc), X^1, X^2, and X^3 are CH. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (VIIc), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (VIIc), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (VIIc), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (VIIc), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (VIIc), X^1 is N; X^2 is CR^1; and X^3 is N.

In one embodiment of Formula (VIIc),  is a single bond. In another embodiment of Formula (VIIc),  is a double bond.

In another embodiment of Formula (VIIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or

heterocyclyl. In another embodiment of Formula (VIIc), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIc), R^1 is F. In another embodiment of Formula (VIIc), R^1 is Cl. In another embodiment of Formula (VIIc), R^1 is Br. In another embodiment of Formula (VIIc), R^1 is CN. In another embodiment of Formula (VIIc), $R^1$is NH_2. In another embodiment of Formula (VIIc), R^1 is NO_2. In another embodiment of Formula (VIIc), R^1 is CF_3. In another embodiment of Formula (VIIc), R^1 is C(O)OH. In another embodiment of Formula (VIIc), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or

heterocyclyl. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (VIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein

R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (VIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently

selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (VIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

Still another embodiment pertains to compounds having Formula (VIIc), which include

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;


N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

Embodiments of Formula (VIIIc)

One embodiment of this invention, therefore, pertains to compounds or pharmaceutically acceptable salts thereof, which are useful as inhibitors of NAMPT, the compounds having Formula (VIIIc)



Formula (VIIIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^6, R^8, R^{10}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is

optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I; wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In one embodiment of Formula (VIIIc), X^1, X^2, and X^3 are CH; or X^1 and X^3 are CH; and X^2 is N; or X^1 and X^3 are CH; and X^2 is CR^1; or X^2 and X^3 are CH; and X^1 is CR^1; or X^1 is CH; and X^2 and X^3 are CR^1; or X^2 is CH; and X^1 and X^3 are N; or X^2 and X^3 are CH; and X^1 is N; or X^1 is CH; X^2 is N; and X^3 is CR^1; or X^1 is CR^1; X^2 is N; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is CH; or X^1 is N; X^2 is CR^1; and X^3 is N. In another embodiment of Formula (VIIIc), X^1, X^2, and X^3 are CH. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is N. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1. In another embodiment of Formula (VIIIc), X^2 is CH; and X^1 and X^3 are N. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is N. In another embodiment of Formula (VIIIc), X^1 is CH; X^2 is N; and X^3 is CR^1. In another embodiment of Formula (VIIIc), X^1 is CR^1; X^2 is N; and X^3 is CH. In another embodiment of Formula (VIIIc), X^1 is N; X^2 is CR^1; and X^3 is CH. In another embodiment of Formula (VIIIc), X^1 is N; X^2 is CR^1; and X^3 is N.

In another embodiment of Formula (VIIIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIIc), R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or

heterocyclyl. In another embodiment of Formula (VIIIc), R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIIc), R^1 is F. In another embodiment of Formula (VIIIc), R^1 is Cl. In another embodiment of Formula (VIIIc), R^1 is Br. In another embodiment of Formula (VIIIc), R^1 is CN. In another embodiment of Formula (VIIIc), $R^1$is NH_2. In another embodiment of Formula (VIIIc), R^1 is NO_2. In another embodiment of Formula (VIIIc), R^1 is CF_3. In another embodiment of Formula (VIIIc), R^1 is C(O)OH. In another embodiment of Formula (VIIIc), R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$,

$N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is F. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Cl. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is Br. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CN. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is NO_2. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is CF_3. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (VIIIc), X^1 and X^3 are CH; and X^2 is CR^1; R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is

alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is F. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Cl. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is Br. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CN. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and $R^1$is NH_2. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is NO_2. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is CF_3. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is C(O)OH. In another embodiment of Formula (VIIIc), X^2 and X^3 are CH; and X^1 is CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is R^3, OR^3, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is R^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In

another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is OR^3; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)OR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $C(O)NHR^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHC(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; R^1 is $NHSO_2R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; wherein R^6 is alkyl or heterocyclyl. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)NH_2$. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is F. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Cl. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is Br. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CN. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and $R^1$is NH_2. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is NO_2. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is CF_3. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is C(O)OH. In another embodiment of Formula (VIIIc), X^1 is CH; and X^2 and X^3 are CR^1; and R^1 is $C(O)R^3$; wherein R^3 is alkyl, alkenyl, or heterocyclyl; wherein each alkyl is optionally substituted with one or more independently selected R^6, OR^6, NH_2, $NHC(O)R^6$, $N(R^6)_2$, or OH; and R^6 is alkyl or heterocyclyl.

In one embodiment of Formula (VIIIc),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^3, at each occurrence, is independently selected alkyl, alkenyl, or heterocyclyl; wherein each R^3 alkyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, OH, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl or heterocyclyl; wherein each R^6 alkyl is optionally substituted with one, two, three or four independently selected F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^8 alkyl is optionally substituted with one, two, three or four independently selected R^{12}, $OR^{12}OH$, CF_3, F, Cl, Br or I;

R^{12}, at each occurrence, is independently selected alkyl, heterocyclyl, or cycloalkyl; wherein each R^{12} alkyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^6, R^8, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SO_2R^{14}, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NHC(O)OR^{14}$, OH, CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SO_2R^{15}, $C(O)R^{15}$, $N(R^{15})_2$, $NHC(O)R^{15}$, OH, CN, CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^{14} alkyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, OH, F, Cl, Br or I; wherein each R^{14} aryl,

heterocyclyl, and cycloalkyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

In another embodiment of Formula (VIIIc),

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

R^1 is R^3, OR^3, $C(O)R^3$, $C(O)OR^3$, $C(O)NH_2$, $C(O)NHR^3$, $NHC(O)R^3$, $NHSO_2R^3$, F, Cl, Br, I, CN, NH_2, NO_2, CF_3, or C(O)OH;

R^3, at each occurrence, is independently selected alkyl, alkenyl, or heterocyclyl; wherein each R^3 alkyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, NH_2, $N(R^6)_2$, $NHC(O)R^6$, or OH;

R^6, at each occurrence, is independently selected alkyl or heterocyclyl;

R^8, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^8 alkyl is optionally substituted with one, two, three or four independently selected R^{12}, $OR^{12}OH$, or CF_3;

R^{12}, at each occurrence, is independently selected alkyl, heterocyclyl, or cycloalkyl; wherein each R^{12} alkyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^6, R^8, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, NH_2, $N(R^{13})_2$, $NHC(O)R^{13}$, $NHC(O)OR^{13}$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, OH, CN, CF_3, OCF_3, SCF_3, F, or Cl;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl and alkynyl is optionally

substituted with one, two, three or four independently selected R^{14}, OR^{14}, SO_2R^{14}, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NHC(O)OR^{14}$, OH, or CF_3; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SO_2R^{15}, $C(O)R^{15}$, $N(R^{15})_2$, $NHC(O)R^{15}$, CN, OH, CF_3, F, or Cl;

R^{14}, at each occurrence, is independently selected alkyl, aryl, heterocyclyl, or cycloalkyl; wherein each R^{14} alkyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, or OH; wherein each R^{14} aryl, heterocyclyl, and cycloalkyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, or Cl;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four independently selected alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

Still another embodiment pertains to compounds having Formula (VIIIc), which include

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

Pharmaceutical Compositions, Combination Therapies, Methods of Treatment, and Administration

Another embodiment comprises pharmaceutical compositions comprising a compound having Formula (I) and an excipient.

Still another embodiment comprises methods of treating cancer in a mammal comprising administering thereto a therapeutically acceptable amount of a compound having Formula (I).

Still another embodiment pertains to compositions for treating diseases during which NAMPT is expressed, said compositions comprising an excipient and a therapeutically effective amount of the compound having Formula (I).

Still another embodiment pertains to compositions for treating diseases during which ROCK is expressed, said compositions comprising an excipient and a therapeutically effective amount of the compound having Formula (I).

Still another embodiment pertains to methods of treating disease in a patient during which NAMPT is expressed, said methods comprising administering to the patient a therapeutically effective amount of a compound having Formula (I).

Still another embodiment pertains to methods of treating disease in a patient during which ROCK is expressed, said methods comprising administering to the patient a therapeutically effective amount of a compound having Formula (I).

Still another embodiment pertains to compositions for treating inflammatory and tissue repair disorders; particularly rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, atherosclerosis, restenosis, diabetes, glomerulonephritis, cancer, particularly wherein the cancer is selected from breast, prostate, lung, colon, cervix, ovary, skin, CNS, bladder, pancreas, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia, said compositions comprising an excipient and a therapeutically effective amount of the compound having Formula (I).

Still another embodiment pertains to compositions for treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, said compositions comprising an excipient and a therapeutically effective amount of the compound having Formula (I).

Still another embodiment pertains to methods of treating inflammatory and tissue repair disorders; particularly rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, atherosclerosis, restenosis, diabetes, glomerulonephritis, cancer, particularly wherein the cancer is selected from breast, prostate, lung, colon, cervix, ovary, skin, CNS, bladder, pancreas, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia in a patient, said methods comprising administering to the patient a therapeutically effective amount of a compound having Formula (I).

Still another embodiment pertains to methods of treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, said methods comprising administering to the patient a therapeutically effective amount of a compound having Formula (I).

Still another embodiment pertains to compositions for treating diseases during which NAMPT is expressed, said compositions comprising an excipient and a therapeutically effective amount of the compound having Formula (I) and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

Still another embodiment pertains to compositions for treating diseases during which ROCK is expressed, said compositions comprising an excipient and a therapeutically effective

amount of the compound having Formula (I) and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

Still another embodiment pertains to methods of treating disease in a patient during which NAMPT is expressed, said methods comprising administering to the patient a therapeutically effective amount of a compound having Formula (I) and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

Still another embodiment pertains to methods of treating disease in a patient during which ROCK is expressed, said methods comprising administering to the patient a therapeutically effective amount of a compound having Formula (I) and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

Still another embodiment pertains to compositions for treating inflammatory and tissue repair disorders; particularly rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, atherosclerosis, restenosis, diabetes, glomerulonephritis, cancer, particularly wherein the cancer is selected from breast, prostate, lung, colon, cervix, ovary, skin, CNS, bladder, pancreas, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia, said compositions comprising an excipient and a therapeutically effective amount of the compound having Formula (I) and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

Still another embodiment pertains to compositions for treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or

AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, said compositions comprising an excipient and a therapeutically effective amount of the compound having Formula (I) and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

Still another embodiment pertains to methods of treating inflammatory and tissue repair disorders; particularly rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, particularly wherein the cancer is selected from breast, prostate, lung, colon, cervix, ovary, skin, CNS, bladder, pancreas, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia in a patient, said methods comprising administering to the patient a therapeutically effective amount of the compound having Formula (I) and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

Still another embodiment pertains to methods of treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis in a patient, said methods comprising administering to the patient a therapeutically

effective amount of the compound having Formula (I) and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

Metabolites of compounds having Formula (I), produced by in vitro or in vivo metabolic processes, may also have utility for treating diseases associated with NAMPT.

Metabolites of compounds having Formula (I), produced by in vitro or in vivo metabolic processes, may also have utility for treating diseases associated with ROCK.

Certain precursor compounds which may be metabolized in vitro or in vivo to form compounds having Formula (I) may also have utility for treating diseases associated with NAMPT.

Certain precursor compounds which may be metabolized in vitro or in vivo to form compounds having Formula (I) may also have utility for treating diseases associated with ROCK.

Compounds having Formula (I) may exist as acid addition salts, basic addition salts or zwitterions. Salts of the compounds are prepared during isolation or following purification of the compounds. Acid addition salts of the compounds are those derived from the reaction of the compounds with an acid. For example, the acetate, adipate, alginate, bicarbonate, citrate, aspartate, benzoate, benzenesulfonate, bisulfate, butyrate, camphorate, camphorsufonate, digluconate, formate, fumarate, glycerophosphate, glutamate, hemisulfate, heptanoate, hexanoate, hydrochloride, hydrobromide, hydroiodide, lactobionate, lactate, maleate, mesitylenesulfonate, methanesulfonate, naphthylenesulfonate, nicotinate, oxalate, pamoate, pectinate, persulfate, phosphate, picrate, propionate, succinate, tartrate, thiocyanate, trichloroacetic, trifluoroacetic, para-toluenesulfonate, and undecanoate salts of the compounds are contemplated as being embraced by this invention. Basic addition salts of the compounds are those derived from the reaction of the compounds with the hydroxide, carbonate or bicarbonate of cations such as lithium, sodium, potassium, calcium, and magnesium.

The compounds having Formula (I) may be administered, for example, bucally, ophthalmically, orally, osmotically, parenterally (intramuscularly, intraperitoneally intrasternally, intravenously, subcutaneously), rectally, topically, transdermally or vaginally.

Therapeutically effective amounts of compounds having Formula (I) depend on the recipient of the treatment, the disorder being treated and the severity thereof, the composition containing the compound, the time of administration, the route of administration, the duration of treatment, the compound potency, its rate of clearance and whether or not another drug is co-administered. The amount of a compound of this invention having Formula (I) used to make a composition to be administered daily to a patient in a single dose or in divided doses is from about 0.03 to about 200 mg/kg body weight. Single dose compositions contain these amounts or a combination of submultiples thereof.

Compounds having Formula (I) may be administered with or without an excipient. Excipients include, for example, encapsulating materials or additives such as absorption accelerators, antioxidants, binders, buffers, coating agents, coloring agents, diluents, disintegrating agents, emulsifiers, extenders, fillers, flavoring agents, humectants, lubricants, perfumes, preservatives, propellants, releasing agents, sterilizing agents, sweeteners, solubilizers, wetting agents and mixtures thereof.

Excipients for preparation of compositions comprising a compound having Formula (I) to be administered orally in solid dosage form include, for example, agar, alginic acid, aluminum hydroxide, benzyl alcohol, benzyl benzoate, 1,3-butylene glycol, carbomers, castor oil, cellulose, cellulose acetate, cocoa butter, corn starch, corn oil, cottonseed oil, cross-povidone, diglycerides, ethanol, ethyl cellulose, ethyl laureate, ethyl oleate, fatty acid esters, gelatin, germ oil, glucose, glycerol, groundnut oil, hydroxypropylmethyl cellulose, isopropanol, isotonic saline, lactose, magnesium hydroxide, magnesium stearate, malt, mannitol, monoglycerides, olive oil, peanut oil, potassium phosphate salts, potato starch, povidone, propylene glycol, Ringer's solution, safflower oil, sesame oil, sodium carboxymethyl cellulose, sodium phosphate salts, sodium lauryl sulfate, sodium sorbitol, soybean oil, stearic acids, stearyl fumarate, sucrose, surfactants, talc, tragacanth, tetrahydrofurfuryl alcohol, triglycerides, water, and mixtures thereof. Excipients for preparation of compositions comprising a compound of this invention having Formula (I) to be administered ophthalmically or orally in liquid dosage forms include, for example, 1,3-butylene glycol, castor oil, corn oil, cottonseed oil, ethanol, fatty acid esters of sorbitan, germ oil, groundnut oil, glycerol, isopropanol, olive oil, polyethylene glycols, propylene glycol, sesame oil, water and mixtures thereof. Excipients for preparation of compositions comprising a compound of this invention having Formula (I) to be administered osmotically include, for example, chlorofluorohydrocarbons, ethanol, water and mixtures thereof. Excipients for preparation of compositions comprising a compound of this invention having Formula (I) to be administered parenterally include, for example, 1,3-butanediol, castor oil, corn oil, cottonseed oil, dextrose, germ oil, groundnut oil, liposomes, oleic acid, olive oil, peanut oil, Ringer's solution, safflower oil, sesame oil, soybean oil, U.S.P. or isotonic sodium chloride solution, water and mixtures thereof. Excipients for preparation of compositions comprising a compound of this invention having Formula (I) to be administered rectally or vaginally include, for example, cocoa butter, polyethylene glycol, wax and mixtures thereof.

Compounds having Formula (I) are expected to be useful when used with alkylating agents, angiogenesis inhibitors, antibodies, antimetabolites, antimitotics, antiproliferatives, antivirals, aurora kinase inhibitors, apoptosis promoters (for example, Bcl-xL, Bcl-w and Bfl-1) inhibitors, activators of death receptor pathway, Bcr-Abl kinase inhibitors, BiTE (Bi-Specific T cell Engager) antibodies, antibody drug conjugates, biologic response modifiers,

cyclin-dependent kinase inhibitors, cell cycle inhibitors, cyclooxygenase-2 inhibitors, DVDs, leukemia viral oncogene homolog (ErbB2) receptor inhibitors, growth factor inhibitors, heat shock protein (HSP)-90 inhibitors, histone deacetylase (HDAC) inhibitors, hormonal therapies, immunologicals, inhibitors of inhibitors of apoptosis proteins (IAPs), intercalating antibiotics, kinase inhibitors, kinesin inhibitors, Jak2 inhibitors, mammalian target of rapamycin inhibitors, microRNA's, mitogen-activated extracellular signal-regulated kinase inhibitors, multivalent binding proteins, non-steroidal anti-inflammatory drugs (NSAIDs), poly ADP (adenosine diphosphate)-ribose polymerase (PARP) inhibitors, platinum chemotherapeutics, polo-like kinase (Plk) inhibitors, phosphoinositide-3 kinase (PI3K) inhibitors, proteosome inhibitors, purine analogs, pyrimidine analogs, receptor tyrosine kinase inhibitors, retinoids/deltoids plant alkaloids, small inhibitory ribonucleic acids (siRNAs), topoisomerase inhibitors, ubiquitin ligase inhibitors, and the like, and in combination with one or more of these agents .

BiTE antibodies are bi-specific antibodies that direct T-cells to attack cancer cells by simultaneously binding the two cells. The T-cell then attacks the target cancer cell. Examples of BiTE antibodies include adecatumumab (Micromet MT201), blinatumomab (Micromet MT103) and the like. Without being limited by theory, one of the mechanisms by which T-cells elicit apoptosis of the target cancer cell is by exocytosis of cytolytic granule components, which include perforin and granzyme B. In this regard, Bcl-2 has been shown to attenuate the induction of apoptosis by both perforin and granzyme B. These data suggest that inhibition of Bcl-2 could enhance the cytotoxic effects elicited by T-cells when targeted to cancer cells (V.R. Sutton, D.L. Vaux and J.A. Trapani, *J. of Immunology* **1997**, 158 (12), 5783).

SiRNAs are molecules having endogenous RNA bases or chemically modified nucleotides. The modifications do not abolish cellular activity, but rather impart increased stability and/or increased cellular potency. Examples of chemical modifications include phosphorothioate groups, 2'-deoxynucleotide, 2'-OCH_3-containing ribonucleotides, 2'-F-ribonucleotides, 2'-methoxyethyl ribonucleotides, combinations thereof and the like. The siRNA can have varying lengths (e.g., 10-200 bps) and structures (e.g., hairpins, single/double strands, bulges, nicks/gaps, mismatches) and are processed in cells to provide active gene silencing. A double-stranded siRNA (dsRNA) can have the same number of nucleotides on each strand (blunt ends) or asymmetric ends (overhangs). The overhang of 1-2 nucleotides can be present on the sense and/or the antisense strand, as well as present on the 5'- and/ or the 3'-ends of a given strand.

Multivalent binding proteins are binding proteins comprising two or more antigen binding sites. Multivalent binding proteins are engineered to have the three or more antigen binding sites and are generally not naturally occurring antibodies. The term "multispecific

binding protein" means a binding protein capable of binding two or more related or unrelated targets. Dual variable domain (DVD) binding proteins are tetravalent or multivalent binding proteins binding proteins comprising two or more antigen binding sites. Such DVDs may be monospecific (i.e., capable of binding one antigen) or multispecific (i.e., capable of binding two or more antigens). DVD binding proteins comprising two heavy chain DVD polypeptides and two light chain DVD polypeptides are referred to as DVD Ig's. Each half of a DVD Ig comprises a heavy chain DVD polypeptide, a light chain DVD polypeptide, and two antigen binding sites. Each binding site comprises a heavy chain variable domain and a light chain variable domain with a total of 6 CDRs involved in antigen binding per antigen binding site.

Alkylating agents include altretamine, AMD-473, AP-5280, apaziquone, bendamustine, brostallicin, busulfan, carboquone, carmustine (BCNU), chlorambucil, CLORETAZINE® (laromustine, VNP 40101M), cyclophosphamide, decarbazine, estramustine, fotemustine, glufosfamide, ifosfamide, KW-2170, lomustine (CCNU), mafosfamide, melphalan, mitobronitol, mitolactol, nimustine, nitrogen mustard N-oxide, ranimustine, temozolomide, thiotepa, TREANDA® (bendamustine), treosulfan, trofosfamide and the like.

Angiogenesis inhibitors include endothelial-specific receptor tyrosine kinase (Tie-2) inhibitors, epidermal growth factor receptor (EGFR) inhibitors, insulin growth factor-2 receptor (IGFR-2) inhibitors, matrix metalloproteinase-2 (MMP-2) inhibitors, matrix metalloproteinase-9 (MMP-9) inhibitors, platelet-derived growth factor receptor (PDGFR) inhibitors, thrombospondin analogs, vascular endothelial growth factor receptor tyrosine kinase (VEGFR) inhibitors and the like.

Antimetabolites include ALIMTA® (pemetrexed disodium, LY231514, MTA), 5-azacitidine, XELODA® (capecitabine), carmofur, LEUSTAT® (cladribine), clofarabine, cytarabine, cytarabine ocfosfate, cytosine arabinoside, decitabine, deferoxamine, doxifluridine, eflornithine, EICAR (5-ethynyl-1-β -D-ribofuranosylimidazole-4-carboxamide), enocitabine, ethnylcytidine, fludarabine, 5-fluorouracil alone or in combination with leucovorin, GEMZAR® (gemcitabine), hydroxyurea, ALKERAN®(melphalan), mercaptopurine, 6-mercaptopurine riboside, methotrexate, mycophenolic acid, nelarabine, nolatrexed, ocfosfate, pelitrexol, pentostatin, raltitrexed, Ribavirin, triapine, trimetrexate, S-1, tiazofurin, tegafur, TS-1, vidarabine, UFT and the like.

Antivirals include ritonavir, hydroxychloroquine and the like.

Aurora kinase inhibitors include ABT-348, AZD-1152, MLN-8054, VX-680, Aurora A-specific kinase inhibitors, Aurora B-specific kinase inhibitors and pan-Aurora kinase inhibitors and the like.

Bcl-2 protein inhibitors include AT-101 ((-)gossypol), GENASENSE® (G3139 or oblimersen (Bcl-2-targeting antisense oligonucleotide)), IPI-194, IPI-565, N-(4-(4-((4'-chloro(1,1'-biphenyl)-2-yl)methyl)piperazin-1-yl)benzoyl)-4-(((1R)-3-(dimethylamino)-1-((phenylsulfanyl)methyl)propyl)amino)-3-nitrobenzenesulfonamide) (ABT-737), N-(4-(4-((2-(4-chlorophenyl)-5,5-dimethyl-1-cyclohex-1-en-1-yl)methyl)piperazin-1-yl)benzoyl)-4-(((1R)-3-(morpholin-4-yl)-1-((phenylsulfanyl)methyl)propyl)amino)-3-((trifluoromethyl)sulfonyl)benzenesulfonamide (ABT-263), GX-070 (obatoclax) and the like.

Bcr-Abl kinase inhibitors include DASATINIB® (BMS-354825), GLEEVEC® (imatinib) and the like.

CDK inhibitors include AZD-5438, BMI-1040, BMS-032, BMS-387, CVT-2584, flavopyridol, GPC-286199, MCS-5A, PD0332991, PHA-690509, seliciclib (CYC-202, R-roscovitine), ZK-304709 and the like.

COX-2 inhibitors include ABT-963, ARCOXIA® (etoricoxib), BEXTRA® (valdecoxib), BMS347070, CELEBREX® (celecoxib), COX-189 (lumiracoxib), CT-3, DERAMAXX® (deracoxib), JTE-522, 4-methyl-2-(3,4-dimethylphenyl)-1-(4-sulfamoylphenyl-1H-pyrrole), MK-663 (etoricoxib), NS-398, parecoxib, RS-57067, SC-58125, SD-8381, SVT-2016, S-2474, T-614, VIOXX® (rofecoxib) and the like.

EGFR inhibitors include ABX-EGF, anti-EGFR immunoliposomes, EGF-vaccine, EMD-7200, ERBITUX® (cetuximab), HR3, IgA antibodies, IRESSA® (gefitinib), TARCEVA® (erlotinib or OSI-774), TP-38, EGFR fusion protein, TYKERB® (lapatinib) and the like.

ErbB2 receptor inhibitors include CP-724-714, CI-1033 (canertinib), HERCEPTIN® (trastuzumab), TYKERB® (lapatinib), OMNITARG® (2C4, petuzumab), TAK-165, GW-572016 (ionafarnib), GW-282974, EKB-569, PI-166, dHER2 (HER2 vaccine), APC-8024 (HER-2 vaccine), anti-HER/2neu bispecific antibody, B7.her2IgG3, AS HER2 trifunctional bispecfic antibodies, mAB AR-209, mAB 2B-1 and the like.

Histone deacetylase inhibitors include depsipeptide, LAQ-824, MS-275, trapoxin, suberoylanilide hydroxamic acid (SAHA), TSA, valproic acid and the like.

HSP-90 inhibitors include 17-AAG-nab, 17-AAG, CNF-101, CNF-1010, CNF-2024, 17-DMAG, geldanamycin, IPI-504, KOS-953, MYCOGRAB® (human recombinant antibody to HSP-90), NCS-683664, PU24FCl, PU-3, radicicol, SNX-2112, STA-9090 VER49009 and the like.

Inhibitors of inhibitors of apoptosis proteins include HGS1029, GDC-0145, GDC-0152, LCL-161, LBW-242 and the like.

Antibody drug conjugates include anti-CD22-MC-MMAF, anti-CD22-MC-MMAE, anti-CD22-MCC-DM1, CR-011-vcMMAE, PSMA-ADC, MEDI-547, SGN-19Am SGN-35, SGN-75 and the like

Activators of death receptor pathway include TRAIL, antibodies or other agents that target TRAIL or death receptors (e.g., DR4 and DR5) such as Apomab, conatumumab, ETR2-ST01, GDC0145 (lexatumumab), HGS-1029, LBY-135, PRO-1762 and trastuzumab.

Kinesin inhibitors include Eg5 inhibitors such as AZD4877, ARRY-520; CENPE inhibitors such as GSK923295A and the like.

JAK-2 inhibitors include CEP-701 (lesaurtinib), XL019 and INCB018424 and the like.

MEK inhibitors include ARRY-142886, ARRY-438162 PD-325901, PD-98059 and the like.

mTOR inhibitors include AP-23573, CCI-779, everolimus, RAD-001, rapamycin, temsirolimus, ATP-competitive TORC1/TORC2 inhibitors, including PI-103, PP242, PP30, Torin 1 and the like.

Non-steroidal anti-inflammatory drugs include AMIGESIC® (salsalate), DOLOBID® (diflunisal), MOTRIN® (ibuprofen), ORUDIS® (ketoprofen), RELAFEN® (nabumetone), FELDENE® (piroxicam), ibuprofen cream, ALEVE® (naproxen) and NAPROSYN® (naproxen), VOLTAREN® (diclofenac), INDOCIN® (indomethacin), CLINORIL® (sulindac), TOLECTIN® (tolmetin), LODINE® (etodolac), TORADOL® (ketorolac), DAYPRO® (oxaprozin) and the like.

PDGFR inhibitors include C-451, CP-673, CP-868596 and the like.

Platinum chemotherapeutics include cisplatin, ELOXATIN® (oxaliplatin) eptaplatin, lobaplatin, nedaplatin, PARAPLATIN® (carboplatin), satraplatin, picoplatin and the like.

Polo-like kinase inhibitors include BI-2536 and the like.

Phosphoinositide-3 kinase (PI3K) inhibitors include wortmannin, LY294002, XL-147, CAL-120, ONC-21, AEZS-127, ETP-45658, PX-866, GDC-0941, BGT226, BEZ235, XL765 and the like.

Thrombospondin analogs include ABT-510, ABT-567, ABT-898, TSP-1 and the like.

VEGFR inhibitors include AVASTIN® (bevacizumab), ABT-869, AEE-788, ANGIOZYME™ (a ribozyme that inhibits angiogenesis (Ribozyme Pharmaceuticals (Boulder, CO.) and Chiron, (Emeryville, CA)) , axitinib (AG-13736), AZD-2171, CP-547,632, IM-862, MACUGEN (pegaptamib), NEXAVAR® (sorafenib, BAY43-9006), pazopanib (GW-786034), vatalanib (PTK-787, ZK-222584), SUTENT® (sunitinib, SU-11248), VEGF trap, ZACTIMA™ (vandetanib, ZD-6474) and the like.

Antibiotics include intercalating antibiotics aclarubicin, actinomycin D, amrubicin, annamycin, adriamycin, BLENOXANE® (bleomycin), daunorubicin, CAELYX® or MYOCET® (liposomal doxorubicin), elsamitrucin, epirbucin, glarbuicin, ZAVEDOS®

(idarubicin), mitomycin C, nemorubicin, neocarzinostatin, peplomycin, pirarubicin, rebeccamycin, stimalamer, streptozocin, VALSTAR® (valrubicin), zinostatin and the like.

Topoisomerase inhibitors include aclarubicin, 9-aminocamptothecin, amonafide, amsacrine, becatecarin, belotecan, BN-80915, CAMPTOSAR® (irinotecan hydrochloride), camptothecin, CARDIOXANE® (dexrazoxine), diflomotecan, edotecarin, ELLENCE® or PHARMORUBICIN® (epirubicin), etoposide, exatecan, 10-hydroxycamptothecin, gimatecan, lurtotecan, mitoxantrone, orathecin, pirarbucin, pixantrone, rubitecan, sobuzoxane, SN-38, tafluposide, topotecan and the like.

Antibodies include AVASTIN® (bevacizumab), CD40-specific antibodies, chTNT-1/B, denosumab, ERBITUX® (cetuximab), HUMAX-CD4® (zanolimumab), IGF1R-specific antibodies, lintuzumab, PANOREX® (edrecolomab), RENCAREX® (WX G250), RITUXAN® (rituximab), ticilimumab, trastuzimab, CD20 antibodies types I and II and the like.

Hormonal therapies include ARIMIDEX® (anastrozole), AROMASIN® (exemestane), arzoxifene, CASODEX® (bicalutamide), CETROTIDE® (cetrorelix), degarelix, deslorelin, DESOPAN® (trilostane), dexamethasone, DROGENIL® (flutamide), EVISTA® (raloxifene), AFEMA™ (fadrozole), FARESTON® (toremifene), FASLODEX® (fulvestrant), FEMARA® (letrozole), formestane, glucocorticoids, HECTOROL® (doxercalciferol), RENAGEL® (sevelamer carbonate), lasofoxifene, leuprolide acetate, MEGACE® (megesterol), MIFEPREX® (mifepristone), NILANDRON™ (nilutamide), NOLVADEX® (tamoxifen citrate), PLENAXIS™ (abarelix), prednisone, PROPECIA® (finasteride), rilostane, SUPREFACT® (buserelin), TRELSTAR® (luteinizing hormone releasing hormone (LHRH)), VANTAS® (Histrelin implant), VETORYL® (trilostane or modrastane), ZOLADEX® (fosrelin, goserelin) and the like.

Deltoids and retinoids include seocalcitol (EB1089, CB1093), lexacalcitrol (KH1060), fenretinide, PANRETIN® (aliretinoin), ATRAGEN® (liposomal tretinoin), TARGRETIN® (bexarotene), LGD-1550 and the like.

PARP inhibitors include ABT-888 (veliparib), olaparib, KU-59436, AZD-2281, AG-014699, BSI-201, BGP-15, INO-1001, ONO-2231 and the like.

Plant alkaloids include, but are not limited to, vincristine, vinblastine, vindesine, vinorelbine and the like.

Proteasome inhibitors include VELCADE® (bortezomib), MG132, NPI-0052, PR-171 and the like.

Examples of immunologicals include interferons and other immune-enhancing agents. Interferons include interferon alpha, interferon alpha-2a, interferon alpha-2b, interferon beta, interferon gamma-1a, ACTIMMUNE® (interferon gamma-1b) or interferon gamma-n1, combinations thereof and the like. Other agents include ALFAFERONE® ,(IFN-

α), BAM-002 (oxidized glutathione), BEROMUN® (tasonermin), BEXXAR® (tositumomab), CAMPATH® (alemtuzumab), CTLA4 (cytotoxic lymphocyte antigen 4), decarbazine, denileukin, epratuzumab, GRANOCYTE® (lenograstim), lentinan, leukocyte alpha interferon, imiquimod, MDX-010 (anti-CTLA-4), melanoma vaccine, mitumomab, molgramostim, MYLOTARG™ (gemtuzumab ozogamicin), NEUPOGEN® (filgrastim), OncoVAC-CL, OVAREX® (oregovomab), pemtumomab (Y-muHMFG1), PROVENGE® (sipuleucel-T), sargaramostim, sizofilan, teceleukin, THERACYS® (Bacillus Calmette-Guerin), ubenimex, VIRULIZIN® (immunotherapeutic, Lorus Pharmaceuticals), Z-100 (Specific Substance of Maruyama (SSM)), WF-10 (Tetrachlorodecaoxide (TCDO)), PROLEUKIN® (aldesleukin), ZADAXIN® (thymalfasin), ZENAPAX® (daclizumab), ZEVALIN® (90Y-Ibritumomab tiuxetan) and the like.

Biological response modifiers are agents that modify defense mechanisms of living organisms or biological responses, such as survival, growth or differentiation of tissue cells to direct them to have anti-tumor activity and include krestin, lentinan, sizofiran, picibanil PF-3512676 (CpG-8954), ubenimex and the like.

Pyrimidine analogs include cytarabine (ara C or Arabinoside C), cytosine arabinoside, doxifluridine, FLUDARA® (fludarabine), 5-FU (5-fluorouracil), floxuridine, GEMZAR® (gemcitabine), TOMUDEX® (ratitrexed), TROXATYL™ (triacetyluridine troxacitabine) and the like.

Purine analogs include LANVIS® (thioguanine) and PURI-NETHOL® (mercaptopurine).

Antimitotic agents include batabulin, epothilone D (KOS-862), N-(2-((4-hydroxyphenyl)amino)pyridin-3-yl)-4-methoxybenzenesulfonamide, ixabepilone (BMS 247550), paclitaxel, TAXOTERE® (docetaxel), PNU100940 (109881), patupilone, XRP-9881 (larotaxel), vinflunine, ZK-EPO (synthetic epothilone) and the like.

Ubiquitin ligase inhibitors include MDM2 inhibitors, such as nutlins, NEDD8 inhibitors such as MLN4924 and the like.

Compounds of this invention can also be used as radiosensitizers that enhance the efficacy of radiotherapy. Examples of radiotherapy include external beam radiotherapy, teletherapy, brachytherapy and sealed, unsealed source radiotherapy and the like.

Additionally, compounds having Formula (I) may be combined with other chemotherapeutic agents such as ABRAXANE™ (ABI-007), ABT-100 (farnesyl transferase inhibitor), ADVEXIN® (Ad5CMV-p53 vaccine), ALTOCOR® or MEVACOR® (lovastatin), AMPLIGEN® (poly I:poly C12U, a synthetic RNA), APTOSYN® (exisulind), AREDIA® (pamidronic acid), arglabin, L-asparaginase, atamestane (1-methyl-3,17-dione-androsta-1,4-diene), AVAGE® (tazarotene), AVE-8062 (combreastatin derivative) BEC2 (mitumomab), cachectin or cachexin (tumor necrosis factor), canvaxin (vaccine), CEAVAC® (cancer

vaccine), CELEUK® (celmoleukin), CEPLENE® (histamine dihydrochloride), CERVARIX® (human papillomavirus vaccine), CHOP® (C: CYTOXAN® (cyclophosphamide); H: ADRIAMYCIN® (hydroxydoxorubicin); O: Vincristine (ONCOVIN®); P: prednisone), CYPAT™ (cyproterone acetate), combrestatin A4P, DAB(389)EGF (catalytic and translocation domains of diphtheria toxin fused via a His-Ala linker to human epidermal growth factor) or TransMID-107R™ (diphtheria toxins), dacarbazine, dactinomycin, 5,6-dimethylxanthenone-4-acetic acid (DMXAA), eniluracil, EVIZON™ (squalamine lactate), DIMERICINE® (T4N5 liposome lotion), discodermolide, DX-8951f (exatecan mesylate), enzastaurin, EPO906 (epithilone B), GARDASIL® (quadrivalent human papillomavirus (Types 6, 11, 16, 18) recombinant vaccine), GASTRIMMUNE®, GENASENSE®, GMK (ganglioside conjugate vaccine), GVAX® (prostate cancer vaccine), halofuginone, histerelin, hydroxycarbamide, ibandronic acid, IGN-101, IL-13-PE38, IL-13-PE38QQR (cintredekin besudotox), IL-13-pseudomonas exotoxin, interferon-α, interferon-γ, JUNOVAN™ or MEPACT™ (mifamurtide), lonafarnib, 5,10-methylenetetrahydrofolate, miltefosine (hexadecylphosphocholine), NEOVASTAT®(AE-941), NEUTREXIN® (trimetrexate glucuronate), NIPENT® (pentostatin), ONCONASE® (a ribonuclease enzyme), ONCOPHAGE® (melanoma vaccine treatment), ONCOVAX® (IL-2 Vaccine), ORATHECIN™ (rubitecan), OSIDEM® (antibody-based cell drug), OVAREX® MAb (murine monoclonal antibody), paclitaxel, PANDIMEX™ (aglycone saponins from ginseng comprising 20(S)protopanaxadiol (aPPD) and 20(S)protopanaxatriol (aPPT)), panitumumab, PANVAC®-VF (investigational cancer vaccine), pegaspargase, PEG Interferon A, phenoxodiol, procarbazine, rebimastat, REMOVAB® (catumaxomab), REVLIMID® (lenalidomide), RSR13 (efaproxiral), SOMATULINE® LA (lanreotide), SORIATANE® (acitretin), staurosporine (Streptomyces staurospores), talabostat (PT100), TARGRETIN® (bexarotene), TAXOPREXIN® (DHA-paclitaxel), TELCYTA® (canfosfamide, TLK286), temilifene, TEMODAR® (temozolomide), tesmilifene, thalidomide, THERATOPE® (STn-KLH), thymitaq (2-amino-3,4-dihydro-6-methyl-4-oxo-5-(4-pyridylthio)quinazoline dihydrochloride), TNFERADE™ (adenovector: DNA carrier containing the gene for tumor necrosis factor-α), TRACLEER® or ZAVESCA® (bosentan), tretinoin (Retin-A), tetrandrine, TRISENOX® (arsenic trioxide), VIRULIZIN®, ukrain (derivative of alkaloids from the greater celandine plant), vitaxin (anti-alphavbeta3 antibody), XCYTRIN® (motexafin gadolinium), XINLAY™ (atrasentan), XYOTAX™ (paclitaxel poliglumex), YONDELIS® (trabectedin), ZD-6126, ZINECARD® (dexrazoxane), ZOMETA® (zolendronic acid), zorubicin and the like.

Data

Determination of the utility of compounds having Formula (I) as binders to and inhibitors of NAMPT was performed using a Time-Resolved Fluorescence Resonance Energy Transfer (TR-FRET) binding assay.

Time-Resolved Fluorescence Resonance Energy Transfer (TR-FRET) Binding Assay of NAMPT

The assay was carried out in 18 uL low volume plates (Owens Corning) in reaction buffer (50 mM HEPES (NaOH), pH 7.5, 100 mM NaCl, 10 mM $MgCl_2$, 1 mM DTT, 1% Glycerol) using 6.8 nM recombinant, human, C-terminally-His tagged NAMPT, 1 nM Tb-anti-His antibody (Invitrogen, Cat # PV5895), and 200 nM probe (Oregon Green 488-conjugated APO866; A-1251667.0 (probe 1) or A- 1287128.0 (probe 2)). Plates were covered, and reactions were carried out for 2-3 hours. Plates were read with Envision (Laser Lantha low volume protocol) after 2 to 3 hours. Excitation was carried out at 337 nm, and the ratio of emission of Oregon Green (520 nm) to terbium (492 nm) was determined and used to calculate IC_{50} values of test compounds.

TABLE 1 shows the utility of compounds having Formula I to functionally inhibit NAMPT.

Table 1

Example	TR-FRET Binding IC50(μM) probe 1, probe 2	Example	TR-FRET Binding IC50(μM) probe 1, probe 2
1	0.0125, nd	781	nd, 0.0158
2	0.00278, nd	782	nd, 0.0296
3	0.00309, 0.00252	783	nd, 0.029
4	0.00371, nd	784	nd, 0.0224
5	0.00692, 0.00832	785	nd, 0.0262
6	0.00425, nd	786	nd, 0.0262
7	0.0046, nd	787	nd, 0.13
8	0.00488, nd	788	nd, 0.0785
9	0.00502, nd	789	nd, 0.00318
10	0.00525, nd	790	nd, 0.159
11	0.00618, nd	791	nd, 0.00977
12	0.00656, nd	792	nd, 0.0217
13	0.00807, nd	793	nd, 0.0118
14	0.00888, nd	794	nd, 0.017
15	0.00991, nd	795	nd, 0.991
16	0.0101, nd	796	nd, 0.00322
17	0.0105, nd	797	nd, 0.00295
18	0.011, nd	798	nd, 0.00221
19	0.011, nd	799	nd, 0.00361
20	0.011, nd	800	nd, 0.0821
21	0.0112, nd	801	nd, 0.30
22	0.0116, nd	802	nd, 0.0258
23	0.0119, nd	803	nd, 0.0132
24	0.0123, nd	804	nd, 0.0373
25	0.008, 0.00299	805	nd, 0.0287

26	0.0126, nd	806	nd, 0.286
27	0.0138, nd	807	nd, 0.0417
28	0.0141, nd	808	nd, 0.696
29	0.0145, nd	809	nd, 0.00207
30	0.0146, nd	810	nd, nd
31	0.0149, nd	811	nd, 0.00359
32	0.015, nd	812	nd, 0.00679
33	0.015, nd	813	nd, 0.0446
34	0.0151, nd	814	nd, 0.00713
35	0.0152, nd	815	nd, 0.00287
36	0.0157, nd	816	nd, 0.0243
37	0.0161, nd	817	nd, 0.00251
38	0.0164, nd	818	nd, 0.0128
39	0.0166, nd	819	nd, 0.00428
40	0.0171, nd	820	nd, 0.00631
41	0.0174, nd	821	nd, 0.012
42	0.0174, 0.0173	822	nd, 0.00207
43	0.0178, nd	823	nd, 0.00176
44	0.018, nd	824	nd, 0.0066
45	0.0181, nd	825	nd, 0.0107
46	0.0183, nd	826	nd, 0.00918
47	0.0185, nd	827	nd, 0.00311
48	0.0186, nd	828	nd, 0.00737
49	0.0186, nd	829	nd, 0.00359
50	nd, nd	830	nd, nd
51	0.0191, nd	831	nd, 0.00918
52	0.0197, nd	832	nd, 0.00888
53	0.0197, nd	833	nd, 0.0034
54	0.0201, nd	834	nd, 0.00358
55	0.0202, nd	835	nd, 0.00353
56	0.0203, nd	836	nd, 0.00454
57	0.0211, nd	837	nd, 0.00367
58	0.0212, nd	838	nd, 0.00203
59	0.0229, 0.0154	839	nd, 0.0191
60	0.0224, nd	840	nd, 0.725
61	0.0225, nd	841	nd, 1.61
62	0.0231, nd	842	nd, 0.0746
63	0.0236, nd	843	nd, 0.704
64	0.0237, nd	844	nd, 2.62
65	0.0238, nd	845	nd, 5.64
66	0.024, nd	846	nd, 2.99
67	0.0241, nd	847	nd, 0.24
68	0.0247, nd	848	nd, 1.19
69	0.0248, nd	849	nd, 5.71
70	0.0248, nd	850	nd, 2.1
71	0.0256, nd	851	nd, 0.277
72	0.0258, nd	852	nd, 5.48
73	0.0267, nd	853	nd, 12.5
74	0.0273, nd	854	nd, 5.66
75	0.0274, nd	855	nd, 0.839
76	0.0278, nd	856	nd, 0.00913
77	0.0284, nd	857	nd, 0.061
78	0.0293, nd	858	nd, 0.0082

79	0.0295, nd	859	nd, 2.14
80	0.0299, nd	860	nd, 12.5
81	0.0301, nd	861	nd, 3.15
82	0.0301, nd	862	nd, 0.599
83	0.0306, nd	863	nd, 0.143
84	0.0308, nd	864	nd, 0.122
85	0.0313, nd	865	nd, 1.56
86	0.0319, nd	866	nd, 0.14
87	0.0326, nd	867	nd, 0.0593
88	0.033, nd	868	nd, 0.128
89	0.0334, nd	869	nd, 0.229
90	0.0335, nd	870	nd, 0.12
91	0.0342, nd	871	nd, 0.036
92	0.0346, nd	872	nd, 0.00746
93	0.0351, nd	873	nd, 0.00465
94	0.0354, nd	874	nd, 0.00231
95	nd, nd	875	nd, 0.00419
96	0.0365, nd	876	nd, 0.0022
97	0.037, nd	877	nd, 0.00882
98	0.0381, nd	878	nd, 0.0525
99	0.0382, nd	879	nd, 0.00298
100	nd, nd	880	nd, 0.0517
101	0.0393, nd	881	nd, 0.0463
102	0.0395, nd	882	nd, 0.0377
103	0.0395, nd	883	nd, 0.0156
104	0.0395, nd	884	nd, 0.0154
105	0.0397, nd	885	nd, 0.466
106	0.0263, nd	886	nd, 0.0246
107	0.0408, nd	887	nd, 0.826
108	0.0408, nd	888	nd, 0.0934
109	0.0412, nd	889	nd, 1.47
110	0.0422, nd	890	nd, 1.38
111	0.044, nd	891	nd, 1.72
112	0.0445, nd	892	nd, 1.84
113	0.0445, nd	893	nd, 0.154
114	0.0461, nd	894	nd, 0.00302
115	0.0465, nd	895	nd, 0.0261
116	0.0465, nd	896	nd, 0.444
117	0.0481, nd	897	nd, 0.969
118	0.0481, nd	898	nd, 0.288
119	0.0484, nd	899	nd, 0.19
120	0.049, nd	900	nd, 0.0437
121	0.0493, nd	901	nd, 0.0676
122	0.0511, nd	902	nd, 0.35
123	0.0515, nd	903	nd, 0.0491
124	0.0517, nd	904	nd, 0.0351
125	0.0518, nd	905	nd, 0.0383
126	0.0537, nd	906	nd, 0.0569
127	0.0539, nd	907	nd, 0.0711
128	0.0553, nd	908	nd, 0.0334
129	0.0567, nd	909	nd, 0.0019
130	0.0567, nd	910	nd, 0.00638
131	0.0573, nd	911	nd, 0.0133

132	0.0581, nd	912	nd, 0.00832
133	0.0582, nd	913	nd, 0.0074
134	0.0613, nd	914	nd, 0.00486
135	0.0615, nd	915	nd, 0.0188
136	0.0616, nd	916	nd, 0.0221
137	0.0629, nd	917	nd, 0.00207
138	0.0632, nd	918	nd, 0.0128
139	0.0638, nd	919	nd, 0.00708
140	0.0655, nd	920	nd, 0.548
141	0.0656, nd	921	nd, 0.0602
142	0.0664, nd	922	nd, 0.00567
143	0.0665, nd	923	nd, 0.00395
144	0.0666, nd	924	nd, 0.00277
145	0.0692, nd	925	nd, 0.00683
146	0.0694, nd	926	nd, 0.0508
147	0.0701, nd	927	nd, 0.0406
148	0.0702, nd	928	nd, 0.0725
149	0.0717, nd	929	nd, 0.21
150	0.0728, nd	930	nd, 0.146
151	0.0733, nd	931	nd, 0.0981
152	0.0759, nd	932	nd, 1.31
153	0.0799, nd	933	nd, 0.206
154	0.0813, nd	934	nd, 0.00168
155	0.0834, nd	935	nd, 0.00584
156	0.0836, nd	936	nd, 0.121
157	0.0846, nd	937	nd, 0.0398
158	0.0857, nd	938	nd, 0.0877
159	0.0858, nd	939	nd, 0.0105
160	0.0861, nd	940	nd, 0.0168
161	0.0876, nd	941	nd, 0.136
162	0.0882, nd	942	nd, 0.0238
163	0.0893, nd	943	nd, 0.0090
164	0.0907, nd	944	nd, 0.0328
165	0.0931, nd	945	nd, 0.0433
166	0.0999, nd	946	nd, 0.0172
167	0.101, nd	947	nd, 0.0459
168	0.105, nd	948	nd, 0.0192
169	0.108, nd	949	nd, 0.0309
170	0.108, nd	950	nd, 0.0198
171	0.11, nd	951	nd, 0.00968
172	0.111, nd	952	nd, 0.0128
173	0.115, nd	953	nd, 0.426
174	0.12, nd	954	nd, 0.341
175	0.12, nd	955	nd, 0.222
176	0.12, nd	956	nd, 0.346
177	0.123, nd	957	nd, 0.374
178	nd, nd	958	nd, 0.148
179	0.128, nd	959	nd, 0.307
180	0.131, nd	960	nd, 0.22
181	0.133, nd	961	nd, 0.161
182	0.136, nd	962	nd, 0.201
183	0.14, nd	963	nd, 0.198
184	0.141, nd	964	nd, 0.128

185	0.142, nd	965	nd, 0.17
186	0.145, nd	966	nd, 0.223
187	0.146, nd	967	nd, 0.0047
188	0.148, nd	968	nd, 0.00259
189	0.149, nd	969	nd, 0.0234
190	0.15, nd	970	nd, 0.0213
191	0.154, nd	971	nd, 0.0205
192	0.155, nd	972	nd, 0.00919
193	0.164, nd	973	nd, 0.0435
194	0.164, nd	974	nd, 0.034
195	0.172, nd	975	nd, 0.0115
196	0.176, nd	976	nd, 0.0225
197	0.178, nd	977	nd, 0.0214
198	0.179, nd	978	nd, 0.0236
199	0.179, nd	979	nd, 0.0365
200	0.186, nd	980	nd, 0.0173
201	0.189, nd	981	nd, 0.034
202	0.192, nd	982	nd, 0.0144
203	0.198, nd	983	nd, 0.0296
204	0.20, nd	984	nd, 0.0689
205	0.203, nd	985	nd, 0.00963
206	0.216, nd	986	nd, 0.0407
207	0.219, nd	987	nd, 0.111
208	0.223, nd	988	nd, nd
209	0.146, 0.258	989	nd, 0.0269
210	0.235, Nd	990	nd, 0.031
211	0.241, nd	991	nd, 0.0408
212	0.252, nd	992	nd, 0.0168
213	0.255, nd	993	nd, 0.00941
214	0.265, nd	994	nd, 0.00802
215	0.267, nd	995	nd, 0.0285
216	0.271, nd	996	nd, 0.101
217	0.274, nd	997	nd, 0.175
218	0.279, nd	998	nd, 0.0277
219	0.284, nd	999	nd, 0.0166
220	0.293, nd	1000	nd, 0.0391
221	0.295, nd	1001	nd, 0.00157
222	0.297, nd	1002	nd, 0.0426
223	0.302, nd	1003	nd, 0.0489
224	0.317, nd	1004	nd, 0.0461
225	0.333, nd	1005	nd, 0.0385
226	0.339, nd	1006	nd, 0.0252
227	0.359, nd	1007	nd, 0.0598
228	0.359, nd	1008	nd, 0.0349
229	0.361, nd	1009	nd, 0.0266
230	0.369, nd	1010	nd, 0.114
231	0.414, nd	1011	nd, 0.0264
232	0.42, nd	1012	nd, 0.0923
233	0.43, nd	1013	nd, 0.389
234	0.43, nd	1014	nd, 0.00661
235	0.455, nd	1015	nd, 0.00631
236	0.457, nd	1016	nd, 0.00375
237	0.46, nd	1017	nd, 0.00201

238	0.504, nd	1018	nd, 0.0244
239	0.519, nd	1019	nd, 0.00144
240	0.52, nd	1020	nd, 10.0
241	0.523, nd	1021	nd, 1.17
242	0.524, nd	1022	nd, 0.0135
243	0.543, nd	1023	nd, 0.0127
244	0.574, nd	1024	nd, 0.0921
245	0.585, nd	1025	nd, 0.00795
246	0.618, nd	1026	nd, 0.035
247	0.624, nd	1027	nd, 0.0842
248	0.738, nd	1028	nd, 0.0519
249	0.778, nd	1029	nd, 0.035
250	0.78, nd	1030	nd, 0.0116
251	0.83, nd	1031	nd, 0.0251
252	0.837, nd	1032	nd, 0.156
253	0.852, nd	1033	nd, 0.113
254	0.877, nd	1034	nd, 0.164
255	0.969, nd	1035	nd, 0.376
256	1.23, nd	1036	nd, 0.20
257	1.36, nd	1037	nd, 0.048
258	1.52, nd	1038	nd, 0.0248
259	1.54, nd	1039	nd, 0.105
260	1.57, 0.152	1040	nd, 0.0163
261	1.63, nd	1041	nd, 0.0128
262	1.66, nd	1042	nd, 0.00968
263	1.66, nd	1043	nd, 0.00489
264	1.92, nd	1044	nd, 0.00621
265	2.24, nd	1045	nd, 0.00924
266	2.29, nd	1046	nd, 0.0469
267	2.75, nd	1047	nd, 0.0542
268	2.85, nd	1048	nd, 0.0345
269	3.62, nd	1049	nd, 0.0398
270	4.7, nd	1050	nd, 0.102
271	11.1, nd	1051	nd, 0.0626
272	0.0816, nd	1052	nd, 0.0318
273	1.0, nd	1053	nd, 0.0764
274	1.03, nd	1054	nd, 0.0563
275	0.197, nd	1055	nd, 1.55
276	0.298, nd	1056	nd, 0.335
277	1.02, nd	1057	nd, 2.32
278	0.385, nd	1058	nd, 1.12
279	1.91, nd	1059	nd, 0.394
280	0.04453, 0.0612	1060	nd, 1.57
281	0.0383, nd	1061	nd, 1.78
282	0.14, nd	1062	nd, 0.222
283	0.387, nd	1063	nd, 0.00988
284	0.0333, 0.0344	1064	nd, 0.0621
285	0.00192, 0.00259	1065	nd, 0.00445
286	0.00206, nd	1066	nd, 0.318
287	0.00435, nd	1067	nd, 0.738
288	0.00447, nd	1068	nd, 0.365
289	0.00743, nd	1069	nd, 0.122
290	0.0104, nd	1070	nd, 0.332

291	0.0277, nd	1071	nd, 0.993
292	0.0361, nd	1072	nd, 0.117
293	0.00877, nd	1073	nd, 0.0659
294	0.00814, nd	1074	nd, 0.0674
295	0.0141, nd	1075	nd, 0.0931
296	0.0247, nd	1076	nd, 0.0389
297	0.012, nd	1077	nd, 0.0069
298	0.097, nd	1078	nd, 0.00347
299	0.00673, nd	1079	nd, 0.0259
300	0.0103, nd	1080	nd, 0.00297
301	0.0546, nd	1081	nd, 0.00682
302	0.0157, nd	1082	nd, 0.0195
303	0.251, nd	1083	nd, 0.0117
304	0.0133, nd	1084	nd, 0.0296
305	0.0121, nd	1085	nd, 0.029
306	0.0133, nd	1086	nd, 0.0152
307	0.0254, nd	1087	nd, 0.00733
308	0.0808, nd	1088	nd, 0.0155
309	0.0634, nd	1089	nd, 0.0771
310	0.0368, nd	1090	nd, 0.0493
311	0.00524, nd	1091	nd, 0.0289
312	0.114, nd	1092	nd, 0.0192
313	0.00541, 0.00587	1093	nd, 0.0117
314	0.021, nd	1094	nd, 0.044
315	0.00762, nd	1095	nd, 0.0118
316	0.287, nd	1096	nd, 0.028
317	0.0421, nd	1097	nd, 0.0756
318	0.249, nd	1098	nd, 0.0111
319	0.0319, nd	1099	nd, 0.145
320	0.272, nd	1100	nd, 0.0263
321	0.203, nd	1101	nd, 0.0448
322	0.0255, nd	1102	nd, 0.108
323	0.0988, nd	1103	nd, 0.00784
324	0.333, nd	1104	nd, 1.69
325	0.0987, nd	1105	nd, 0.0619
326	0.0743, nd	1106	nd, 0.364
327	0.223, nd	1107	nd, 0.152
328	0.331, nd	1108	nd, 0.0061
329	2.02, nd	1109	nd, 0.048
330	0.00618, nd	1110	nd, 0.0151
331	0.00611, nd	1111	nd, 0.0139
332	0.0042, nd	1112	nd, 0.0498
333	0.00315, nd	1113	nd, 0.00326
334	0.0223, nd	1114	nd, 0.0281
335	0.00669, nd	1115	nd, 0.0188
336	0.0259, nd	1116	nd, 0.0419
337	0.0261, nd	1117	nd, 0.0332
338	0.0785, nd	1118	nd, 0.00548
339	0.315, nd	1119	nd, 0.0224
340	0.783, nd	1120	nd, 0.0227
341	0.101, nd	1121	nd, 0.0302
342	0.103, nd	1122	nd, 0.162
343	0.0791, nd	1123	nd, 0.0309

344	0.216, nd	1124	nd, 0.0143
345	0.84, nd	1125	nd, 0.0764
346	0.0498, nd	1126	nd, 0.311
347	0.297, nd	1127	nd, 0.00569
348	1.56, nd	1128	nd, 0.199
349	0.0022, nd	1129	nd, 0.546
350	0.00825, nd	1130	nd, 0.0354
351	0.064, nd	1131	nd, 0.0414
352	1.19, nd	1132	nd, 0.201
353	0.00763, nd	1133	nd, 0.703
354	0.0405, nd	1134	nd, 0.175
355	0.124, nd	1135	nd, 0.121
356	0.404, nd	1136	nd, 0.0498
357	9.88, nd	1137	nd, 0.0119
358	0.0711, nd	1138	nd, 0.0874
359	0.0881, nd	1139	nd, 0.333
360	0.239, nd	1140	nd, 0.138
361	0.436, nd	1141	nd, 0.0099
362	0.578, nd	1142	nd, 0.136
363	2.04, nd	1143	nd, 0.328
364	6.48, nd	1144	nd, 0.00515
365	11.2, nd	1145	nd, 0.00619
366	3.34, nd	1146	nd, 0.0148
367	4.84, nd	1147	nd, 0.00824
368	0.00373, nd	1148	nd, 0.0409
369	0.00656, nd	1149	nd, 0.0824
370	0.0075, nd	1150	nd, 0.0132
371	0.0395, nd	1151	nd, 0.048
372	0.0535, nd	1152	nd, 0.233
373	0.0234, nd	1153	nd, 0.00492
374	nd, nd	1154	nd, 0.00962
375	0.595, nd	1155	nd, 0.033
376	nd, nd	1156	nd, 0.216
377	0.105, nd	1157	nd, 0.0725
378	0.492, 0.377	1158	nd, 0.0125
379	0.0511, 0.0404	1159	nd, 0.0179
380	nd, 0.201	1160	nd, 0.237
381	0.547, nd	1161	nd, 0.0044
382	0.257, nd	1162	nd, 0.00954
383	1.99, 1.34	1163	nd, 0.0174
384	0.00974, 0.00889	1164	nd, 0.00544
385	0.040, 0.0484	1165	nd, nd
386	0.0707, nd	1166	nd, 0.0562
387	0.17, nd	1167	nd, 0.0298
388	5.7, 4.55	1168	nd, nd
389	0.266, nd	1169	nd, 0.239
390	0.727, 0.616	1170	nd, 0.0214
391	0.0465, 1.41	1171	nd, 0.0105
392	0.282, 0.288	1172	nd, 0.00867
393	0.415, 0.281	1173	nd, 0.0437
394	2.07, 1.45	1174	nd, 0.0156
395	1.84, 1.67	1175	nd, 0.00662
396	0.474, 0.278	1176	nd, 0.00915

397	0.405, 0.353	1177	nd, 0.0496
398	0.346, 0.272	1178	nd, 0.112
399	0.0903, 0.0736	1179	nd, 0.0791
400	1.89, 2.35	1180	nd, 0.0102
401	0.072, nd	1181	nd, 0.128
402	0.183, nd	1182	nd, nd
403	0.606, nd	1183	nd, 0.0404
404	0.0277, nd	1184	nd, 0.109
405	0.012, nd	1185	nd, 0.0503
406	0.011, nd	1186	nd, 0.0106
407	0.00145, nd	1187	nd, 0.00878
408	0.372, nd	1188	nd, 0.00494
409	1.02, nd	1189	nd, 0.0291
410	0.0295, nd	1190	nd, 0.0843
411	0.0197, nd	1191	nd, 0.0607
412	0.168, 0.109	1192	nd, 0.17
413	2.01, nd	1193	nd, 0.00776
414	0.032, nd	1194	nd, 0.171
415	0.0121, nd	1195	nd, 0.0205
416	0.041, nd	1196	nd, 0.0102
417	4.91, nd	1197	nd, 0.101
418	0.506, 0.0514	1198	nd, nd
419	0.010, nd	1199	nd, 0.165
420	0.0182, nd	1200	nd, nd
421	0.0404, nd	1201	nd, 0.0422
422	3.94, nd	1202	nd, 0.0227
423	12.5, nd	1203	nd, 0.378
424	0.0826, nd	1204	nd, 0.0772
425	0.0814, nd	1205	nd, 0.345
426	0.0104, nd	1206	nd, 0.394
427	0.0154, nd	1207	nd, 0.283
428	0.0327, nd	1208	nd, 0.028
429	0.179, nd	1209	nd, 0.0387
430	0.191, nd	1210	nd, 0.0192
431	0.0607, nd	1211	nd, 0.879
432	0.00874, nd	1212	nd, 0.144
433	0.00807, nd	1213	nd, nd
434	0.0507, nd	1214	nd, 0.035
435	0.00589, nd	1215	nd, 0.133
436	0.00933, nd	1216	nd, 0.054
437	0.0080, nd	1217	nd, 0.0316
438	0.60, nd	1218	nd, 0.158
439	1.69, nd	1219	nd, 0.0613
440	0.0355, nd	1220	nd, 0.0181
441	0.0237, 0.015	1221	nd, 1.13
442	0.0492, nd	1222	nd, 0.0513
443	0.365, nd	1223	nd, 0.0192
444	0.281, nd	1224	nd, 0.497
445	0.0141, nd	1225	nd, 0.0767
446	0.011, nd	1226	nd, 0.0116
447	0.0466, nd	1227	nd, 0.0534
448	0.021, nd	1228	nd, 0.418
449	0.0257, nd	1229	nd, 0.393

450	1.03, nd	1230	nd, 0.0674
451	0.000946, 0.00124	1231	nd, 0.576
452	0.0512, nd	1232	nd, 0.0248
453	0.0527, nd	1233	nd, 0.351
454	0.0803, nd	1234	nd, 0.0174
455	12.2, nd	1235	nd, 0.0668
456	0.0598, 0.0475	1236	nd, 0.078
457	0.0756, nd	1237	nd, 0.561
458	nd, nd	1238	nd, 0.748
459	0.00362, nd	1239	nd, 0.328
460	0.0193, nd	1240	nd, 0.592
461	nd, 0.00815	1241	nd, 0.0122
462	0.00694, nd	1242	nd, 0.0488
463	0.0215, 0.013	1243	nd, 0.142
464	0.0166, 0.0272	1244	nd, 2.23
465	0.00823, 0.0238	1245	nd, 0.0214
466	nd, nd	1246	nd, 0.803
467	0.0165, 0.047	1247	nd, 0.212
468	0.00339, 0.00726	1248	nd, 0.373
469	0.00597, 0.00947	1249	nd, 0.17
470	0.00445, 0.0080	1250	nd, 0.335
471	0.00811, 0.019	1251	nd, 0.111
472	0.0149, 0.0107	1252	nd, 0.125
473	0.00321, 0.00381	1253	nd, 0.669
474	0.00389, 0.00775	1254	nd, 0.00222
475	0.0090, 0.0139	1255	nd, 0.00211
476	0.0125, 0.0468	1256	nd, 0.00328
477	0.00996, nd	1257	nd, 0.00482
478	0.015, 0.386	1258	nd, 0.00831
479	nd, 0.00399	1259	nd, 0.00191
480	0.00571, 0.0676	1260	nd, 0.00491
481	nd, nd	1261	nd, 0.0583
482	0.00511, nd	1262	nd, 0.109
483	0.00479, 0.00937	1263	nd, 0.0116
484	nd, nd	1264	nd, 0.309
485	0.00557, 0.0118	1265	nd, 0.0393
486	0.0047, 0.00497	1266	nd, 0.113
487	0.00884, 0.0573	1267	nd, 0.285
488	0.00825, 0.0211	1268	nd, 0.932
489	0.0123, nd	1269	nd, 0.216
490	0.0212, 0.028	1270	nd, 0.0109
491	0.00455, 0.0113	1271	nd, 0.0627
492	0.0396, 0.0417	1272	nd, 0.0224
493	0.0336, 0.013	1273	nd, 0.132
494	0.016, 0.021	1274	nd, 0.199
495	0.0516, 0.0607	1275	nd, 0.097
496	0.0139, 0.0257	1276	nd, 0.0269
497	0.00331, 0.0048	1277	nd, 0.0429
498	0.307, nd	1278	nd, 0.0136
499	0.806, nd	1279	nd, 0.00784
500	0.182, nd	1280	nd, 0.00438
501	0.0459, 0.018	1281	nd, 0.00122
502	0.157, nd	1282	nd, 0.00134

503	0.0786, nd	1283	nd, 0.00151
504	0.0766, 0.0563	1284	nd, 0.00172
505	0.0204, 0.0182	1285	nd, 0.0432
506	0.0332, 0.0227	1286	nd, 0.00323
507	0.186, nd	1287	nd, 0.00325
508	0.184, nd	1288	nd, 0.0228
509	0.211, nd	1289	nd, 0.0267
510	0.0337, 0.0221	1290	nd, 0.409
511	0.0176, 0.0275	1291	nd, 0.00847
512	0.0436, 0.0443	1292	nd, 0.0252
513	0.0539, 0.0681	1293	nd, 0.0165
514	0.0481, 0.0673	1294	nd, 0.0327
515	0.0723, 0.0666	1295	nd, 0.0607
516	0.0106, 0.00847	1296	nd, 0.0175
517	0.0758, nd	1297	nd, 0.0238
518	0.266, nd	1298	nd, 0.032
519	0.0968, nd	1299	nd, 0.0424
520	0.0488, nd	1300	nd, 0.0111
521	0.0601, 0.0631	1301	nd, 0.0197
522	0.0296, 0.0611	1302	nd, 0.0734
523	0.187, nd	1303	nd, 0.209
524	0.115, nd	1304	nd, 0.204
525	0.0375, 0.060	1305	nd, 0.431
526	0.076, 0.0644	1306	nd, 0.224
527	0.0168, 0.0243	1307	nd, 0.401
528	0.0521, 0.0454	1308	nd, 0.139
529	0.103, nd	1309	nd, 0.0767
530	0.124, nd	1310	nd, nd
531	0.159, nd	1311	nd, 0.0917
532	0.488, nd	1312	nd, 0.0265
533	0.294, nd	1313	nd, 0.0783
534	0.14, nd	1314	nd, 0.0247
535	0.743, nd	1315	nd, 0.214
536	0.187, nd	1316	nd, 0.379
537	0.0132, 0.0106	1317	nd, 0.074
538	0.072, 0.0829	1318	nd, 0.0456
539	0.072, 0.0417	1319	nd, 0.0147
540	0.137, nd	1320	nd, 0.0163
541	0.225, nd	1321	nd, 0.0148
542	0.00277, 0.0026	1322	nd, nd
543	0.00213, 0.00302	1323	nd, nd
544	0.00302, 0.00305	1324	nd, 0.0779
545	0.00278, 0.0020	1325	nd, 0.0903
546	0.00332, 0.00322	1326	nd, 0.0216
547	nd, nd	1327	nd, 1.46
548	nd, nd	1328	nd, 0.147
549	nd, nd	1329	nd, 0.0143
550	nd, nd	1330	nd, 0.0179
551	nd, nd	1331	nd, 0.206
552	nd, nd	1332	nd, 0.0414
553	0.00755, 0.00582	1333	nd, 0.0195
554	0.00401, 0.00519	1334	nd, nd
555	0.0196, 0.0114	1335	nd, 0.0855

556	0.0145, 0.0102	1336	nd, 0.0746
557	0.862, 1.98	1337	nd, 0.105
558	1.84, 5.63	1338	nd, 0.0244
559	1.98, nd	1339	nd, 0.0202
560	5.02, nd	1340	nd, 0.257
561	0.268, nd	1341	nd, 0.195
562	0.0189, 0.0177	1342	nd, 0.0269
563	0.00166, 0.00361	1343	nd, 0.0114
564	0.00196, 0.00159	1344	nd, 0.0821
565	0.0083, 0.00737	1345	nd, 0.183
566	0.193, nd	1346	nd, 0.275
567	0.00675, 0.00624	1347	nd, 0.0292
568	0.00412, 0.00501	1348	nd, 0.0565
569	0.00808, 0.0085	1349	nd, 0.029
570	0.00913, 0.00995	1350	nd, 0.0149
571	0.0138, 0.0104	1351	nd, 0.0184
572	0.00845, 0.00972	1352	nd, 0.0113
573	1.26, nd	1353	nd, 0.00584
574	0.0794, 0.0621	1354	nd, 0.00438
575	0.0538, 0.0378	1355	nd, 0.00307
576	0.0902, 0.0507	1356	nd, 0.00784
577	0.00439, 0.00297	1357	nd, 0.0082
578	0.060, 0.0707	1358	nd, 0.013
579	0.00314, 0.00247	1359	nd, 0.0129
580	0.00239, 0.00201	1360	nd, 0.00654
581	0.0040, 0.00338	1361	nd, 0.00515
582	0.00205, 0.00169	1362	nd, 0.0055
583	0.00282, 0.0027	1363	nd, 0.00534
584	0.0147, 0.0117	1364	nd, 0.0149
585	nd, 0.0271	1365	nd, 0.0119
586	nd, 0.0338	1366	nd, 0.0476
587	nd, 0.444	1367	nd, 0.0291
588	nd, 0.739	1368	nd, 0.0151
589	nd, 0.044	1369	nd, 0.056
590	nd, 0.0428	1370	nd, 0.00237
591	nd, 0.661	1371	nd, 0.0176
592	nd, 0.0884	1372	nd, 0.0106
593	nd, 0.0269	1373	nd, 0.0937
594	nd, 0.021	1374	nd, nd
595	nd, 0.0651	1375	nd, 0.436
596	nd, 0.00448	1376	nd, 0.381
597	nd, 0.0631	1377	nd, 0.275
598	nd, 0.0322	1378	nd, nd
599	nd, 0.0582	1379	nd, 0.0867
600	nd, 0.0385	1380	nd, 0.0936
601	nd, 0.0326	1381	nd, 0.189
602	nd, 0.0392	1382	nd, 0.237
603	nd, 0.056	1383	nd, 0.225
604	nd, 0.0224	1384	nd, 0.0123
605	nd, 0.00759	1385	nd, 0.00676
606	nd, 0.0139	1386	nd, 0.0815
607	nd, 0.00159	1387	nd, 0.0275
608	nd, 0.00985	1388	nd, 0.00403

609	nd, 0.196	1389	nd, 0.00592
610	nd, 1.3	1390	nd, 0.0148
611	nd, 0.328	1391	nd, 0.00956
612	nd, 0.365	1392	nd, nd
613	nd, 0.119	1393	nd, 0.0129
614	nd, 0.0482	1394	nd, nd
615	nd, 0.0842	1395	nd, 0.0176
616	nd, 0.097	1396	nd, 0.00585
617	nd, 1.13	1397	nd, nd
618	nd, 0.00755	1398	nd, 0.0559
619	nd, 0.0827	1399	nd, 0.179
620	nd, 0.00755	1400	nd, 0.0241
621	nd, 0.0118	1401	nd, 0.018
622	nd, 0.0595	1402	nd, 0.0412
623	nd, 1.48	1403	nd, 0.0322
624	nd, 0.046	1404	nd, 0.0561
625	nd, 0.0107	1405	nd, 0.127
626	nd, 0.00759	1406	nd, 0.194
627	nd, 0.164	1407	nd, 0.227
628	nd, 0.0234	1408	nd, 0.222
629	nd, 0.0335	1409	nd, 0.0823
630	nd, 0.0725	1410	nd, 0.0722
631	nd, 0.0506	1411	nd, 0.135
632	nd, 0.104	1412	nd, nd
633	nd, 0.0873	1413	nd, 0.364
634	nd, 0.0361	1414	nd, 0.00826
635	nd, 0.129	1415	nd, 0.0111
636	nd, 1.21	1416	nd, 0.00622
637	nd, 0.0542	1417	nd, 0.0125
638	nd, 0.102	1418	nd, 0.0113
639	nd, 0.0882	1419	nd, 0.0116
640	nd, 0.135	1420	nd, nd
641	nd, 0.163	1421	nd, 0.00753
642	nd, 0.507	1422	nd, 0.0069
643	nd, 0.0633	1423	nd, 0.00831
644	nd, 0.0594	1424	nd, 0.0135
645	nd, 0.125	1425	nd, 0.035
646	nd, 0.00568	1426	nd, 0.0267
647	nd, 0.0385	1427	nd, 0.033
648	nd, 0.845	1428	nd, 0.0184
649	nd, 0.0445	1429	nd, 0.0069
650	nd, 0.106	1430	nd, 0.266
651	nd, 0.0207	1431	nd, 0.011
652	nd, 0.00488	1432	nd, nd
653	nd, 0.0144	1433	nd, 0.0587
654	nd, 0.0256	1434	nd, 0.0574
655	nd, 0.0224	1435	nd, 0.0266
656	nd, 0.116	1436	nd, 0.0484
657	nd, 0.0533	1437	nd, 0.0738
658	nd, 0.00549	1438	nd, 0.0276
659	nd, 0.00585	1439	nd, nd
660	nd, 0.0221	1440	nd, nd
661	nd, 0.00253	1441	nd, 0.032

662	nd, 0.00977	1442	nd, 0.0136
663	nd, 0.0136	1443	nd, 0.0148
664	nd, 0.00412	1444	nd, 0.00577
665	nd, 0.00814	1445	nd, 0.0128
666	nd, 0.0111	1446	nd, 0.0113
667	nd, 0.00905	1447	nd, 0.0105
668	nd, 0.00698	1448	nd, 0.0223
669	nd, 0.0136	1449	nd, 0.0186
670	nd, 0.0183	1450	nd, 0.0154
671	nd, 0.0238	1451	nd, 0.0139
672	nd, 0.011	1452	nd, 0.00765
673	nd, 0.0248	1453	nd, 0.0617
674	nd, 0.00839	1454	nd, 0.0678
675	nd, 0.0414	1455	nd, 0.124
676	nd, 0.0165	1456	nd, 0.0422
677	nd, 0.0126	1457	nd, 0.0715
678	nd, 0.00265	1458	nd, 0.0764
679	nd, 0.00461	1459	nd, 0.0669
680	nd, 0.126	1460	nd, 0.126
681	nd, 0.0603	1461	nd, 0.0487
682	nd, 0.019	1462	nd, 0.0694
683	nd, 0.0669	1463	nd, 0.0779
684	nd, 0.0153	1464	nd, 0.109
685	nd, 0.0205	1465	nd, 0.101
686	nd, 0.653	1466	nd, 0.0125
687	nd, 0.0238	1467	nd, 0.0164
688	nd, 0.00303	1468	nd, 0.00486
689	nd, 0.0123	1469	nd, 0.0138
690	nd, 0.00616	1470	nd, 0.00221
691	nd, 0.0392	1471	nd, 0.0109
692	nd, 0.0247	1472	nd, 0.0125
693	nd, 0.0264	1473	nd, 0.00872
694	nd, 0.0359	1474	nd, 0.00888
695	nd, 0.027	1475	nd, 0.00744
696	nd, 0.00223	1476	nd, 0.21
697	nd, 0.0049	1477	nd, 0.0452
698	nd, 0.0327	1478	nd, 0.0682
699	nd, 0.00558	1479	nd, 0.0015
700	nd, 0.0204	1480	nd, 0.00425
701	nd, 0.0227	1481	nd, 0.00416
702	nd, 0.0232	1482	nd, 0.00488
703	nd, 0.0829	1483	nd, nd
704	nd, 0.0126	1484	nd, 0.00149
705	nd, 0.00742	1485	nd, 0.00323
706	nd, 0.00581	1486	nd, 0.00137
707	nd, 0.00573	1487	nd, 0.00234
708	nd, 0.00997	1488	nd, 0.00844
709	nd, 0.00601	1489	nd, 0.00656
710	nd, 0.00336	1490	nd, nd
711	nd, 0.0462	1491	nd, nd
712	nd, 0.0453	1492	nd, 0.00153
713	nd, 0.0529	1493	nd, 0.00295
714	nd, 0.121	1494	nd, 0.00202

715	nd, 0.136	1495	nd, 0.00877
716	nd, 0.102	1496	nd, 0.00844
717	nd, 0.0718	1497	nd, 0.00135
718	nd, 0.012	1498	nd, 0.00228
719	nd, 0.0347	1499	nd, 0.00152
720	nd, 0.164	1500	nd, 0.00415
721	nd, 0.14	1501	nd, 0.00264
722	nd, 0.00157	1502	nd, 0.0101
723	nd, 0.0209	1503	nd, 0.0067
724	nd, 0.0851	1504	nd, 0.0101
725	nd, 0.477	1505	nd, nd
726	nd, 0.577	1506	nd, 0.00219
727	nd, 1.22	1507	nd, nd
728	nd, 0.00752	1508	nd, 0.00244
729	nd, 0.0445	1509	nd, 0.00397
730	nd, 0.45	1510	nd, 0.00326
731	nd, 0.0183	1511	nd, 0.00664
732	nd, 0.0241	1512	nd, nd
733	nd, 0.0598	1513	nd, 0.0028
734	nd, 0.0845	1514	nd, 0.00183
735	nd, 0.126	1515	nd, 0.00159
736	nd, 0.281	1516	nd, 0.00457
737	nd, 0.186	1517	nd, 0.00103
738	nd, 0.00417	1518	nd, 0.00155
739	nd, 0.0049	1519	nd, 0.00168
740	nd, 0.204	1520	nd, 0.00203
741	nd, 0.0165	1521	nd, 0.0019
742	nd, 0.0331	1522	nd, 0.0316
743	nd, 0.00971	1523	nd, 0.0134
744	nd, 0.00446	1524	nd, 0.00324
745	nd, 0.00868	1525	nd, 0.0063
746	nd, 0.0768	1526	nd, 0.00714
747	nd, 0.00434	1527	nd, 0.0026
748	nd, 0.00455	1528	nd, 0.00881
749	nd, 0.0161	1529	nd, 0.00174
750	nd, 0.0118	1530	nd, 0.00389
751	nd, 0.229	1531	nd, 0.124
752	nd, 0.0108	1532	nd, 0.00541
753	nd, 0.0655	1533	nd, 0.0102
754	nd, 0.0683	1534	nd, 0.0213
755	nd, 0.0407	1535	nd, 0.0201
756	nd, 0.0488	1536	nd, 0.0114
757	nd, 0.00201	1537	nd, 0.0118
758	nd, 0.0293	1538	nd, 0.0257
759	nd, 0.00581	1539	nd, 0.0611
760	nd, 0.00483	1540	nd, 0.0644
761	nd, 0.0131	1541	nd, 0.031
762	nd, 0.0173	1542	nd, 0.762
763	nd, 0.00528	1543	nd, 0.20
764	nd, 0.0581	1544	nd, 0.193
765	nd, 0.0532	1545	nd, 0.774
766	nd, 0.0468	1546	nd, 0.0241
767	nd, 0.169	1547	nd, 0.00501

768	nd, 0.13	1548	nd, 0.000973
769	nd, 0.0695	1549	nd, 0.00471
770	nd, 0.135	1550	nd, 0.0112
771	nd, 0.0893	1551	nd, 0.00472
772	nd, 0.0534	1552	nd, 0.00086
773	nd, 0.297	1553	nd, 0.0216
774	nd, 0.0826	1554	nd, 0.0385
775	nd, 0.0951	1555	nd, 0.0104
776	nd, 0.00746	1556	nd, 0.0488
777	nd, 0.00625	1557	nd, 0.0058
778	nd, 0.0259	1558	nd, 0.0165
779	nd, 0.0385	1559	nd, 0.0447
780	nd, 0.109	1560	nd, 0.0655

nd = not determined

ROCK2 Kinase Activity Assays

[^{33}P]-ATP assay: ROCK2 activity was initially determined using a radioactive FlashPlate-based assay. In a 96-well format, biotinylated peptide substrates (2μM final; S6-short for ROCK2), γ-[^{33}P]-ATP (5 μM, 2 mCi/μmol), compounds (0.1-10000 nM in 2% DMSO), and ROCK2 (0.2nM; Upstate) catalytic domains.

HTRF assay: This assay used the CisBio HTRF KinEASE kit(kit 62ST2PEZ) and the kinase reaction containing 0.2 μM biotinylated substrate peptide (S2, CisBio), 5 μM, 100 μM or 1 mM of ATP, inhibitors (0.1 – 10,000 nM in 2% DMSO) and enzymes as in the ^{33}P-ATP assay above.

TABLE 2 shows the results of the HTRF assay and the utility of compounds having Formula I to functionally inhibit ROCK2.

Table 2

Example	ROCK2 HTRF Binding Ki(μM)	Example	ROCK2 HTRF Binding Ki(μM)
374	0.0036	391	0.00049
375	4.06	392	nd
376	0.00526	393	nd
377	0.0195	394	0.0093
378	0.00237	395	0.0321
379	0.0024	396	0.182

380	0.0023	397	0.138
381	0.00412	398	0.0022
382	0.00614	399	nd
383	0.00361	400	0.0251
384	0.00424	547	0.179
385	0.00651	548	0.014
386	10	549	0.0031
387	0.00139	550	0.0154
388	0.0112	551	0.0184
389	0.00174	552	3.27
390	0.00245		

nd = not determined

Compounds which inhibit NAMPT are useful for treating diseases in which activation of NF-KB is implicated. Such methods are useful in the treatment of a variety of diseases including inflammatory and tissue repair disorders; particularly rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, particularly wherein the cancer is selected from breast, prostate, lung, colon, cervix, ovary, skin, CNS, bladder, pancreas, leukaemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia.

Involvement of NAMPT in the treatment of cancer is described in WO 97/48696. Involvement of NAMPT in immuno-supression is described in WO 97/48397. Involvement of NAMPT for the treatment of diseases involving angiogenesis is described in WO 2003/80054. Involvement of NAMPT for the treatment of rheumatoid arthritis and septic shock is described in WO 2008/025857. Involvement of NAMPT for the prophlaxis and treatment of ischaemia is described in WO 2009/109610.

Cancers include, but are not limited to, hematologic and solid tumor types such as acoustic neuroma, acute leukemia, acute lymphoblastic leukemia, acute myelogenous leukemia (monocytic, myeloblastic, adenocarcinoma, angiosarcoma, astrocytoma, myelomonocytic and promyelocytic), acute t-cell leukemia, basal cell carcinoma, bile duct carcinoma, bladder cancer, brain cancer, breast cancer (including estrogen-receptor positive breast cancer), bronchogenic carcinoma, Burkitt's lymphoma, cervical cancer, chondrosarcoma, chordoma, choriocarcinoma, chronic leukemia, chronic lymphocytic leukemia, chronic myelocytic (granulocytic) leukemia, chronic myelogenous leukemia, colon cancer, colorectal cancer, craniopharyngioma, cystadenocarcinoma, dysproliferative changes (dysplasias and metaplasias), embryonal carcinoma, endometrial cancer, endotheliosarcoma, ependymoma, epithelial carcinoma, erythroleukemia, esophageal cancer, estrogen-receptor positive breast cancer, essential thrombocythemia, Ewing's tumor, fibrosarcoma, gastric carcinoma, germ cell testicular cancer, gestational trophobalstic disease, glioblastoma, head and neck cancer, heavy chain disease, hemangioblastoma, hepatoma, hepatocellular cancer, hormone insensitive prostate cancer, leiomyosarcoma, liposarcoma, lung cancer (including small cell lung cancer and non-small cell lung cancer), lymphangioendothelio-sarcoma, lymphangiosarcoma, lymphoblastic leukemia, lymphoma (lymphoma, including diffuse large B-cell lymphoma, follicular lymphoma, Hodgkin's lymphoma and non-Hodgkin's lymphoma), malignancies and hyperproliferative disorders of the bladder, breast, colon, lung, ovaries, pancreas, prostate, skin and uterus, lymphoid malignancies of T-cell or B-cell origin, leukemia, medullary carcinoma, medulloblastoma, melanoma, meningioma, mesothelioma, multiple myeloma, myelogenous leukemia, myeloma, myxosarcoma, neuroblastoma, oligodendroglioma, oral cancer, osteogenic sarcoma, ovarian cancer, pancreatic cancer, papillary adenocarcinomas, papillary carcinoma, peripheral T-cell lymphoma, pinealoma, polycythemia vera, prostate cancer (including hormone-insensitive (refractory) prostate cancer), rectal cancer, renal cell carcinoma, retinoblastoma, rhabdomyosarcoma, sarcoma, sebaceous gland carcinoma, seminoma, skin cancer, small cell lung carcinoma, solid tumors (carcinomas and sarcomas), stomach cancer, squamous cell carcinoma, synovioma, sweat gland carcinoma, testicular cancer (including germ cell testicular cancer), thyroid cancer, Waldenström's macroglobulinemia, testicular tumors, uterine cancer, Wilms' tumor and the like.

Abnormal activation of the Rho/ROCK pathway has been observed in various disorders (Wettschureck, N., Offermanns, S., Rho/Rho-kinase mediated signaling in physiology and pathophysiology. J. Mol. Med. 80, 2002, 629–638; Müller, B.K., Mack, H., Teusch, N., Rho kinase, a promising drug target for neurological discorders. Nat. Drug Discov. Rev. 4, 2005, 387-398; Hu, E, Lee, D., ROCK inhibitors as potential therapeutic agents for cardiovascular diseases. Curr. Opin. Investig. Drugs. 4, 2003, 1065–1075). As

already mentioned, ROCKs phosphorylate the myosin binding subunit of myosin light chain (MLC) phosphatase (MLCP), resulting in increased myosin phosphorylation and actin-myosin contraction (Somlyo, A.P., Somlyo, A.V., Ca2+ sensitivity of smooth muscle and nonmuscle myosin II: modulated by G proteins, kinases, and myosin phosphatase. Physiol. Rev.83, 2003, 1325–1358). Examples of disease states related with abnormal Rho/ROCK activity, in particular with vasospasm activity, include cardiovascular diseases such as hypertension (Satoh S., Kreutz R., Wilm C., Ganten D., Pfitzer G., Augmented agonist-induced Ca^{2+}-sensitization of coronary artery contraction in genetically hypertensive rats. Evidence for altered signal transduction in the coronary smooth muscle cells. J. Clin. Invest. 94, 1994, 1397–1403; Mukai, Y., Shimokawa, H., Matoba, T., Kandabashi, T., Satoh, S., Hiroki, J., Kaibuchi, K., Takeshita, A., Involvement of Rho-kinase in hypertensive vascular disease: a novel therapeutic target in hypertension. FASEB J. 15, 2001,1062–1064; Uehata, M., Ishizaki, T., Satoh, H., Ono, T., Kawahara, T., Morishita, T., Tamakawa, H., Yamagami, K., Inui, J., Maekawa, M., Narumiya, S., Calcium sensitization of smooth muscle mediated by a Rho-associated protein kinase in hypertension. Nature 389, 1997, 990–994; Masumoto, A., Hirooka, Y., Shimokawa, H., Hironaga, K., Setoguchi, S., Takeshita, A., Possible involvement of Rhokinase in the pathogenesis of hypertension in humans. Hypertension 38, 2001, 1307–1310), chronic and congestive heart failure (Fuster, V., Badimon, L., Badimon, JJ, Chesebro, JH, The pathogenesis of coronary artery disease and the acute coronary syndromes (2). N Engl J Med 326, 1992, 310–318; Shimokawa, H., Cellular and molecular mechanisms of coronary artery spasm: lessons from animal models. Jpn Circ J 64, 2000, 1–12; Shimokawa, H., Morishige, K., Miyata, K., Kandabashi, T., Eto, Y., Ikegaki, I., Asano, T., Kaibuchi, K., Takeshita, A., Longterm inhibition of Rho-kinase induces a regression of arteriosclerotic coronary lesions in a porcine model in vivo. Cardiovasc Res 51, 2001, 169–177; Utsunomiya, T., Satoh, S., Ikegaki, I., Toshima, Y., Asano, T., Shimokawa, H., Antianginal effects of hydroxyfasudil, a Rho-kinase inhibitor, in a canine model of effort angina. Br J Pharmacol 134, 201, 1724–1730), cardiac hypertrophy (Hoshijima, M., Sah, V.P., Wang, Y., Chien, K.R., Brown, J.H., The low molecular weight GTPase Rho regulates myofibril formation and organization in neonatal rat ventricular myocytes. Involvement of Rho kinase. J Biol Chem 273, 1998, 7725–77230; Sah, V.P., Hoshijima, M., Chien, K.R., Brown, J.H., Rho is required for Galphaq and alpha1-adrenergic receptor signal- 637 ing in cardiomyocytes. Dissociation of Ras and Rho pathways.J Biol Chem 271, 1996, 31185–1190; Kuwahara, K., Saito, Y., Nakagawa, O., Kishimoto, I., Harada, M., Ogawa, E., Miyamoto, Y., Hamanaka, I., Kajiyama, N., Takahashi, N., Izumi, T., Kawakami, R., Tamura, N., Ogawa, Y., Nakao, K., The effects of the selective ROCK inhibitor, Y27632, on ET-1-induced hypertrophic response in neonatal rat cardiacmyocytes-possible involvement of Rho/ROCK pathway in cardiac muscle cell hypertrophy. FEBS Lett 452, 1999, 314–318), chronic renal

failure (Sharpe, C.C., Hendry, B., M. Signaling: focus on Rho in renal disease. J. Am. Soc. Nephrol. 14, 2003, 261–264), cerebral vasospasm after subarachnoid bleeding (Shibuya, M., Suzuki, Y., Sugita, K., Saito, I., Sasaki, T., Takakura, K., Okamoto, S., Kikuchi, H., Takemae, T., Hidaka, H., Dose escalation trial of a novel calcium antagonist, AT877, in patients 636 with aneurysmal subarachnoid haemorrhage. Acta Neurochir (Wien) 107, 1990, 11–15; Shibuya, M., Suzuki, Y., Sugita, K., Saito, I., Sasaki, T., Takakura, K., Nagata, I., Kikuchi, H., Takemae, T., Hidaka, H., et. al, Effect of AT877 on cerebral vasospasm after aneurysmal subarachnoid hemorrhage. Results of a prospective placebo-controlled double-blind trial. J Neurosurg 76, 1992, 571–577; Sato, M., Tani, E., Fujikawa, H., Kaibuchi, K., Involvement of Rho-kinase-mediated phosphorylation of myosin light chain in enhancement of cerebral vasospasm. Circ Res 87, 2000, 195–200; Miyagi, Y., Carpenter, R.C., Meguro, T., Parent, A.D., Zhang, J.H., Upregulation of rho A and rho kinase messenger RNAs in the basilar artery of a rat model of subarachnoid hemorrhage. J Neurosurg 93, 2000, 471–476; Tachibana, E., Harada, T., Shibuya, M. Saito, K., Takayasu, M., Suzuki, Y., Yoshida, J., Intra-arterial infusion of fasudil hydrochloride for treating vasospasm following subarachnoid haemorrhage. Acta Neurochir (Wien) 141, 1999, 13–19), pulmonary hypertension (Sylvester, J.T., Am. J. Physiol. Lung Cell. Mol. Physiol. 287, 2004, L624–L630) and ocular hypertension (Honjo, M., Inatani, M., Kido, N., Sawamura, T., Yue, B.Y., Honda, Y., Tanihara ,H., Effects of protein kinase inhibitor, HA1077, on intraocular pressure and outflow facility in rabbit eyes. Arch Ophthalmol 119, 2001, 1171–1178; Rao, P..V, Deng, P.F., Kumar, J. Epstein, D.L., Modulation of aqueous humor outflow facility by the Rho kinase-specific inhibitor Y-27632. Invest Ophthalmol Vis Sci 42, 2001, 1029–1037). Further diseases related to abnormal Rho/ROCK activity are cancer (Aznar, S., Fernandez-Valeron, P., Espina, C., Lacal, J.C., Rho GTPases: potential candidates for anticancer therapy. Cancer Lett. 206, 2004, 181–191; Yin, L. et al., Fasudil inhibits vascular endothelial growth factor-induced angiogenesis in vitro and in vivo. Mol Cancer Ther 5, 2007, 1517-25; Itoh, K., Yoshioka, K., Akedo, H., Uehata, M., Ishizaki, T., Narumiya, S., An essential part for Rho-associated kinase in the transcellular invasion of tumor cells. Nat Med 5, 1999, 221–225; Genda, T. Sakamoto, M., Ichida, T., Asakura, H., Kojiro,M., Narumiya, S., Hirohashi, S., Cell motility mediated by rho and Rho-associated protein kinase plays a critical role inintrahepatic metastasis of human hepatocellular carcinoma. Hepatology 30, 1999, 1027–1036; Somlyo, A.V., Bradshaw, D., Ramos, S., Murphy, C., Myers, C.E., Somlyo, A.P., Rho-kinase inhibitor retards migration and in vivo dissemination of human prostate cancer cells.Biochem Biophys Res Commun 269, 2000, 652–659), asthma (Roberts, J.A., Raeburn, D., Rodger, I.W., Thomson, N.C., Comparison of in vivo airway responsiveness and in vitro smooth muscle sensitivity to methacholine in man. Thorax 39; 1984, 837–843; Chiba, Y., Misawa, M., Characteristics of muscarinic cholinoceptors in airways of antigen-induced airway

hyperresponsive rats. Comp Biochem Physiol C Pharmacol Toxicol Endocrinol 111, 1995, 351–357; Chiba, Y., Takada, Y., Miyamoto, S., MitsuiSaito, M., Karaki, H., Misawa, M., Augmented acetylcholine-induced, Rho mediated Ca^{2+} sensitization of bronchial smooth muscle contraction in antigen-induced airway hyperresponsive rats. Br J Pharmacol 127, 1999, 597–600; Chiba, Y., Sakai, H. Misawa, M., Augmented acetylcholine- induced translocation of RhoA in bronchial smooth muscle from antigen-induced airway hyperresponsive rats. BrJ Pharmacol 133, 2001, 886–890; Iizuka, K., Shimizu, Y., Tsukagoshi, H., Yoshii, A., Harada, T. Dobashi, K., Murozono, T., Nakazawa, T., Mori, M., Evaluation of Y-27632, a rho-kinase inhibitor, as a bronchodilator in guinea pigs. Eur J Pharmacol 406, 2000, 273–279), male erectile dysfunctions (Andersson, K. E., Hedlund, P., New directions for erectile dysfunction therapies. Int. J. Impot. Res. 14 (Suppl. 1), 2002, S82–S92; Chitaley, K., Wingard, C.J., Clinton Webb, R., Branam, H., Stopper, V.S., Lewis, R.W., Mills, T.M., Antagonism of Rho-kinase stimulates rat penile erection via a nitric oxideindependent pathway. Nat Med 7, 2001, 119–122; Mills, T.M., Chitaley, K., Wingard, C.J., Lewis, R.W., Webb, R.C., Effect of Rho-kinase inhibition on vasoconstriction in the penile circulation. J Appl Physiol 91, 2001, 1269–1273), female sexual dysfunction, over-active bladder syndrome (Peters, S.L. et al., Rho kinase: a target for treating urinary bladder dysfunction. Trends Pharmacol Sci. 27, 2006, 492-7) and preterm labor (Niiro, N., Nishimura, J., Sakihara, C., Nakano, H., Kanaide, H., Up-regulation of rho A and rho-kinase mRNAs in the rat myometrium during pregnancy. Biochem Biophys Res Commun 230, 1997, 356–359; Tahara, M., Morishige, K., Sawada, K., Ikebuchi, Y., Kawagishi, R., Tasaka, K., Murata, Y., RhoA/Rho-kinase cascade is involved in oxytocin-induced rat uterine contraction. Endocrinology 143, 2002, 920–929; Kupittayanant, S., Burdyga, T., Wray, S., The effects of inhibiting Rho-associated kinase with Y-27632 on force and intracellular calcium in human myometrium. Pflugers Arch. 443, 2001, 112–114).

Inhibitors of ROCKs have been suggested for use in the treatments of a variety of diseases. They include cardiovascular diseases such as hypertension (Satoh S., Kreutz R., Wilm C., Ganten D., Pfitzer G., Augmented agonist-induced Ca^{2+}-sensitization of coronary artery contraction in genetically hypertensive rats. Evidence for altered signal transduction in the coronary smooth muscle cells. J. Clin. Invest. 94, 1994, 1397–1403; Mukai, Y., Shimokawa, H., Matoba, T., Kandabashi, T., Satoh, S., Hiroki, J., Kaibuchi, K., Takeshita, A., Involvement of Rho-kinase in hypertensive vascular disease: a novel therapeutic target in hypertension. FASEB J. 15, 2001,1062–1064; Uehata, M., Ishizaki, T., Satoh, H., Ono, T., Kawahara, T., Morishita, T., Tamakawa, H., Yamagami, K., Inui, J., Maekawa, M., Narumiya, S., Calcium sensitization of smooth muscle mediated by a Rho-associated protein kinase in hypertension. Nature 389, 1997, 990–994; and Masumoto, A., Hirooka, Y., Shimokawa, H., Hironaga, K., Setoguchi, S., Takeshita, A., Possible involvement of

Rhokinase in the pathogenesis of hypertension in humans. Hypertension 38, 2001, 1307–1310), chronic and congestive heart failure(Fuster, V., Badimon, L., Badimon, JJ, Chesebro, JH, The pathogenesis of coronary artery disease and the acute coronary syndromes (2). N Engl J Med 326, 1992, 310–318; Shimokawa, H., Cellular and molecular mechanisms of coronary artery spasm: lessons from animal models. Jpn Circ J 64, 2000, 1–12; Shimokawa, H., Morishige, K., Miyata, K., Kandabashi, T., Eto, Y., Ikegaki, I., Asano, T., Kaibuchi, K., Takeshita, A., Longterm inhibition of Rho-kinase induces a regression of arteriosclerotic coronary lesions in a porcine model in vivo. Cardiovasc Res 51, 2001, 169–177; Utsunomiya, T., Satoh, S., Ikegaki, I., Toshima, Y., Asano, T., Shimokawa, H., Antianginal effects of hydroxyfasudil, a Rho-kinase inhibitor, in a canine model of effort angina. Br J Pharmacol 134, 201, 1724–1730), cardiac hypertrophy), and cardiac hypertrophy(Hoshijima, M., Sah, V.P., Wang, Y., Chien, K.R., Brown, J.H., The low molecular weight GTPase Rho regulates myofibril formation and organization in neonatal rat ventricular myocytes. Involvement of Rho kinase. J Biol Chem 273, 1998, 7725–77230; Sah, V.P., Hoshijima, M., Chien, K.R., Brown, J.H., Rho is required for Galphaq and alpha1-adrenergic receptor signal- 637 ing in cardiomyocytes. Dissociation of Ras and Rho pathways.J Biol Chem 271, 1996, 31185–1190; Kuwahara, K., Saito, Y., Nakagawa, O., Kishimoto, I., Harada, M., Ogawa, E., Miyamoto, Y., Hamanaka, I., Kajiyama, N., Takahashi, N., Izumi, T., Kawakami, R., Tamura, N., Ogawa, Y., Nakao, K., The effects of the selective ROCK inhibitor, Y27632, on ET-1-induced hypertrophic response in neonatal rat cardiacmyocytes-possible involvement of Rho/ROCK pathway in cardiac muscle cell hypertrophy. FEBS Lett 452, 1999, 314–318), chronic renal failure), chronic renal failure(Sharpe, C.C., Hendry, B., M. Signaling: focus on Rho in renal disease. J. Am. Soc. Nephrol. 14, 2003, 261–264), furthermore cerebral vasospasm after subarachnoid bleeding (Shibuya, M., Suzuki, Y., Sugita, K., Saito, I., Sasaki, T., Takakura, K., Okamoto, S., Kikuchi, H., Takemae, T., Hidaka, H., Dose escalation trial of a novel calcium antagonist, AT877, in patients 636 with aneurysmal subarachnoid haemorrhage. (Acta Neurochir (Wien) 107, 1990, 11–15; Shibuya, M., Suzuki, Y., Sugita, K., Saito, I., Sasaki, T., Takakura, K., Nagata, I., Kikuchi, H., Takemae, T., Hidaka, H., et. al, Effect of AT877 on cerebral vasospasm after aneurysmal subarachnoid hemorrhage. Results of a prospective placebo-controlled double-blind trial. J Neurosurg 76, 1992, 571–577; Sato, M., Tani, E., Fujikawa, H., Kaibuchi, K., Involvement of Rho-kinase-mediated phosphorylation of myosin light chain in enhancement of cerebral vasospasm. Circ Res 87, 2000, 195–200; Miyagi, Y., Carpenter, R.C., Meguro, T., Parent, A.D., Zhang, J.H., Upregulation of rho A and rho kinase messenger RNAs in the basilar artery of a rat model of subarachnoid hemorrhage. J Neurosurg 93, 2000, 471–476; Tachibana, E., Harada, T., Shibuya, M. Saito, K., Takayasu, M., Suzuki, Y., Yoshida, J., Intra-arterial infusion of fasudil hydrochloride for treating vasospasm following subarachnoid haemorrhage. Acta Neurochir (Wien) 141, 1999,

13–19), pulmonary hypertension(Sylvester, J.T., Am. J. Physiol. Lung Cell. Mol. Physiol. 287, 2004, L624–L630) and ocular hypertension(Honjo, M., Inatani, M., Kido, N., Sawamura, T., Yue, B.Y., Honda, Y., Tanihara ,H., Effects of protein kinase inhibitor, HA1077, on intraocular pressure and outflow facility in rabbit eyes. Arch Ophthalmol 119, 2001, 1171–1178; Rao, P..V, Deng, P.F., Kumar, J. Epstein, D.L., Modulation of aqueous humor outflow facility by the Rho kinase-specific inhibitor Y-27632. Invest Ophthalmol Vis Sci 42, 2001, 1029–1037). In addition, because of their muscle relaxing properties, they are also suitable for asthma (Roberts, J.A., Raeburn, D., Rodger, I.W., Thomson, N.C., Comparison of in vivo airway responsiveness and in vitro smooth muscle sensitivity to methacholine in man. Thorax 39; 1984, 837–843; Chiba, Y., Misawa, M., Characteristics of muscarinic cholinoceptors in airways of antigen-induced airway hyperresponsive rats. Comp Biochem Physiol C Pharmacol Toxicol Endocrinol 111, 1995, 351–357; Chiba, Y., Takada, Y., Miyamoto, S., MitsuiSaito, M., Karaki, H., Misawa, M., Augmented acetylcholine-induced, Rho mediated Ca^{2+} sensitization of bronchial smooth muscle contraction in antigen-induced airway hyperresponsive rats. Br J Pharmacol 127, 1999, 597–600; Chiba, Y., Sakai, H. Misawa, M., Augmented acetylcholine- induced translocation of RhoA in bronchial smooth muscle from antigen-induced airway hyperresponsive rats. BrJ Pharmacol 133, 2001, 886–890; Iizuka, K., Shimizu, Y., Tsukagoshi, H., Yoshii, A., Harada, T. Dobashi, K., Murozono, T., Nakazawa, T., Mori, M., Evaluation of Y-27632, a rho-kinase inhibitor, as a bronchodilator in guinea pigs. Eur J Pharmacol 406, 2000, 273–279), male erectile dysfunctions(Andersson, K. E., Hedlund, P., New directions for erectile dysfunction therapies. Int. J. Impot. Res. 14 (Suppl. 1), 2002, S82–S92; Chitaley, K., Wingard, C.J., Clinton Webb, R., Branam, H., Stopper, V.S., Lewis, R.W., Mills, T.M., Antagonism of Rho-kinase stimulates rat penile erection via a nitric oxideindependent pathway. Nat Med 7, 2001, 119–122; Mills, T.M., Chitaley, K., Wingard, C.J., Lewis, R.W., Webb, R.C., Effect of Rho-kinase inhibition on vasoconstriction in the penile circulation. J Appl Physiol 91, 2001, 1269–1273), female sexual dysfunction and over-active bladder syndrome(Peters, S.L. et al., Rho kinase: a target for treating urinary bladder dysfunction. Trends Pharmacol Sci. 27, 2006, 492-7) and preterm labor(Niiro, N., Nishimura, J., Sakihara, C., Nakano, H., Kanaide, H., Up-regulation of rho A and rho-kinase mRNAs in the rat myometrium during pregnancy. Biochem Biophys Res Commun 230, 1997, 356–359; Tahara, M., Morishige, K., Sawada, K., Ikebuchi, Y., Kawagishi, R., Tasaka, K., Murata, Y., RhoA/Rho-kinase cascade is involved in oxytocin-induced rat uterine contraction. Endocrinology 143, 2002, 920–929; Kupittayanant, S., Burdyga, T., Wray, S., The effects of inhibiting Rho-associated kinase with Y-27632 on force and intracellular calcium in human myometrium. Pflugers Arch. 443, 2001, 112–114). Several recent studies have reported the beneficial effects of ROCK inhibitors in ischemia–reperfusion and myocardial infarction. In these studies, the ROCK inhibitors Y-27632 and fasudil were shown to decrease ischemia–

reperfusion injury, myocardial infarct size, and myocardial fibrosis in response to experimental myocardial infarction (MI) and in a rat model of chronic hypertension induced congestive heart failure (see above (Fuster, V., Badimon, L., Badimon, JJ, Chesebro, JH, The pathogenesis of coronary artery disease and the acute coronary syndromes (2). N Engl J Med 326, 1992, 310–318; Shimokawa, H., Cellular and molecular mechanisms of coronary artery spasm: lessons from animal models. Jpn Circ J 64, 2000, 1–12; Shimokawa, H., Morishige, K., Miyata, K., Kandabashi, T., Eto, Y., Ikegaki, I., Asano, T., Kaibuchi, K., Takeshita, A., Longterm inhibition of Rho-kinase induces a regression of arteriosclerotic coronary lesions in a porcine model in vivo. Cardiovasc Res 51, 2001, 169–177; Utsunomiya, T., Satoh, S., Ikegaki, I., Toshima, Y., Asano, T., Shimokawa, H., Antianginal effects of hydroxyfasudil, a Rho-kinase inhibitor, in a canine model of effort angina. Br J Pharmacol 134, 201, 1724–1730), cardiac hypertrophy) and Masumoto, A., Mohri, M., Shimokaw,a H., Urakami, L., Usui, M., Takeshita, A., Suppression of coronary artery spasm by the rho-kinase inhibitor fasudil in patients with vasospastic angina. Circulation 105, 2002, 1545–1547; Shimokawa, H., Iinuma, H., Kishida, H., et al., Antianginal effect of fasudil, a Rho-kinase inhibitor, in patients with stable effort angina: a multicenter study (abstract). Circulation 104[Suppl II], 2001, II691; Morishige K, Shimokawa H, Eto Y, Kandabashi T, Miyata K, Matsumoto Y, Hoshijima M, Kaibuchi K, Takeshita A, Adenovirus-mediated transfer of dominant-negative rho-kinase induces a regression of coronary arteriosclerosis in pigs in vivo. Arterioscler Thromb Vasc Biol 21, 2001, 548–554; Kandabashi T, Shimokawa H, Mukai Y, Matoba T, Kunihiro I, Morikawa K, Ito M, Takahashi S, Kaibuchi K, Takeshita A, Involvement of rho-kinase in agonists-induced contractions of arteriosclerotic human arteries. Arterioscler Thromb Vasc Biol 22, 2002, 243–248; Liu MW, Roubin GS, King SB 3rd, Restenosis after coronary angioplasty. Potential biologic determinants and role of intimal hyperplasia. Circulation 79, 1989, 1374–1387; Shibata R, Kai H, Seki Y, Kato S, Morimatsu M, Kaibuchi K, Imaizumi T, Role of Rho-associated kinase in neointima formation after vascular injury. Circulation 103, 2001, 284–289).

Additionally, ROCKs can interact with other signalling pathways resulting in inhibition of phosphoinositide- 3 kinase (PI-3K), endothelial nitric oxide synthase (eNOS) pathways, and activation of plasminogen activator inhibitor-1 (PAI-1) which may contribute to endothelial dysfunction like restenosis and atherosclerosis. Thus ROCK inhibitors have been suggested for the treatment of restenosis and atherosclerosis(see above (Morishige K, Shimokawa H, Eto Y, Kandabashi T, Miyata K, Matsumoto Y, Hoshijima M, Kaibuchi K, Takeshita A, Adenovirus-mediated transfer of dominant-negative rho-kinase induces a regression of coronary arteriosclerosis in pigs in vivo. Arterioscler Thromb Vasc Biol 21, 2001, 548–554; Kandabashi T, Shimokawa H, Mukai Y, Matoba T, Kunihiro I, Morikawa K, Ito M, Takahashi S, Kaibuchi K, Takeshita A, Involvement of rho-kinase in agonists-induced

contractions of arteriosclerotic human arteries. Arterioscler Thromb Vasc Biol 22, 2002, 243–248; Liu MW, Roubin GS, King SB 3rd, Restenosis after coronary angioplasty. Potential biologic determinants and role of intimal hyperplasia. Circulation 79, 1989, 1374–1387; Shibata R, Kai H, Seki Y, Kato S, Morimatsu M, Kaibuchi K, Imaizumi T, Role of Rho-associated kinase in neointima formation after vascular injury. Circulation 103, 2001, 284–289) and Iwasaki, H. et al., High glucose induces plasminogen activator inhibitor-1 expression through Rho/Rho-kinase-mediated NF-kappaB activation in bovine aortic endothelial cells. Atherosclerosis, 2007, Jan 31).

Vascular intimal thickening in vein grafts after surgery is the major cause of late graft failure. In a study with the ROCK inhibitor fasudil, the intimal thickening and vascular smooth muscle cell (VSMC) proliferation was significantly suppressed, whereas VSMC apoptosis was enhanced in the weeks following the procedure, suggesting that ROCK inhibitors can be used as a therapeutic agent for the prevention of graft (Morishige K, Shimokawa H, Eto Y, Kandabashi T, Miyata K, Matsumoto Y, Hoshijima M, Kaibuchi K, Takeshita A, Adenovirus-mediated transfer of dominant-negative rho-kinase induces a regression of coronary arteriosclerosis in pigs in vivo. Arterioscler Thromb Vasc Biol 21, 2001, 548–554; Kandabashi T, Shimokawa H, Mukai Y, Matoba T, Kunihiro I, Morikawa K, Ito M, Takahashi S, Kaibuchi K, Takeshita A, Involvement of rho-kinase in agonists-induced contractions of arteriosclerotic human arteries. Arterioscler Thromb Vasc Biol 22, 2002, 243–248; Liu MW, Roubin GS, King SB 3rd, Restenosis after coronary angioplasty. Potential biologic determinants and role of intimal hyperplasia. Circulation 79, 1989, 1374–1387; Shibata R, Kai H, Seki Y, Kato S, Morimatsu M, Kaibuchi K, Imaizumi T, Role of Rho-associated kinase in neointima formation after vascular injury. Circulation 103, 2001, 284–289).

Injury to the adult vertebrate brain and spinal cord activates ROCKs, thereby causing neurodegeneration and inhibition of neuroregeneration like neurite growth and sprouting (Bito, H., Furuyashiki, T., Ishihara, H., Shibasaki, Y., Ohashi, K., Mizuno, K., Maekawa, M., Ishizaki, T., Narumiya, S., A critical role for a Rho-associated kinase, p160ROCK, in determining axon outgrowth in mammalian CNS neurons. Neuron 26, 2000, 431–441). Inhibition of ROCKs results in induction of new axonal growth, axonal rewiring across lesions within the CNS, accelerated regeneration and enhanced functional recovery after acute neuronal injury in mammals (spinal-cord injury, traumatic brain injury) (see above (Peters, S.L. et al., Rho kinase: a target for treating urinary bladder dysfunction. Trends Pharmacol Sci. 27, 2006, 492-7) and Hara, M. et al., Protein kinase inhibition by fasudil hydrochloride promotes neurological recovery after spinal cord injury in rats. J. Neurosurg. Spine 93, 94–101; Fournier, A. E., Takizawa, B. T. & Strittmatter, S. M., ROCK inhibition enhances axonal regeneration in the injured CNS. J. Neurosci. 23, 2003, 1416–1423 ; Sung, J. K. et al., A

possible role of RhoA/Rho-kinase in experimental spinal cord injury in rat. Brain Res. 959, 2003, 29–38; Tanaka, H. et al., Cytoplasmic p21(Cip1/WAF1) enhances axonal regeneration and functional recovery after spinal cord injury in rats. Neuroscience 127, 2004, 155–164). ROCK inhibitors are therefore likely to be useful for regenerative (recovery) treatment of CNS disorders such as spinal cord injury, acute neuronal injury (stroke, traumatic brain injury) (Okamura N et al., Vasodilator effects of fasudil, a Rho-kinase inhibitor, on retinal arterioles in stroke-prone spontaneously hypertensive rats. J Ocul Pharmacol Ther. 23, 2007, 207-12; Yagita Y et al., Rho-kinase activation in endothelial cells contributes to expansion of infarction after focal cerebral ischemia. J Neurosci Res. 85, 2007, 2460-9), Parkinson's disease, Alzheimer disease (Pedrini S et al., Modulation of statin-activated shedding of Alzheimer APP ectodomain by ROCK. PLoS Med.2, 2005, 18; Burton A., NSAIDS and Alzheimer's disease: it's only Rock and Rho. Lancet Neurol. 3(1), 2004, 6) and other neurodegenerative disorders. Other neurodegenetarive disorders for which ROCK inhibitors are expected to be useful are Huntington's disease (Shao J, Welch WJ, Diprospero NA, Diamond MI. Phosphorylation of profilin by ROCK1 regulates polyglutamine aggregation.Mol Cell Biol. 2008 Sep;28(17):5196-208; Shao J, Welch WJ, Diamond MI. ROCK and PRK-2 mediate the inhibitory effect of Y-27632 on polyglutamine aggregation. FEBS Lett. 2008 May 28;582(12):1637-42), spinal muscular atrophy (Bowerman M, Shafey D, Kothary R.. Smn depletion alters profilin II expression and leads to upregulation of the RhoA/ROCK pathway and defects in neuronal integrity.J Mol Neurosci. 2007;32(2):120-31) and amyotrophic lateral sclerosis. Inhibition of the Rho/ROCK pathway has also proved to be efficacious in other animal models of neurodegeneration like stroke(Okamura N et al., Vasodilator effects of fasudil, a Rho-kinase inhibitor, on retinal arterioles in stroke-prone spontaneously hypertensive rats. J Ocul Pharmacol Ther. 23, 2007, 207-12; Yagita Y et al., Rho-kinase activation in endothelial cells contributes to expansion of infarction after focal cerebral ischemia. J Neurosci Res. 85, 2007, 2460-9) and in inflammatory and demyelinating diseases like multiple sclerosis (Sun X et al., The selective Rho-kinase inhibitor Fasudil is protective and therapeutic in experimental autoimmune encephalomyelitis. J Neuroimmunol. 180, 2006, 126-34), acute and chronic pain (Inoue, M. et al., Initiation of neuropathic pain requires lysophosphatidic acid receptor signaling. Nature Med. 10, 2004, 712–718; Ramer, L. M., Borisoff, J. F. & Ramer, M. S., Rho-kinase inhibition enhances axonal plasticity and attenuates cold hyperalgesia after dorsal rhizotomy. J Neurosci. 24, 2004, 10796–10805; Tatsumi, S. et al., Involvement of Rho-kinase in inflammatory and neuropathic pain through phosphorylation of myristoylated alanine-rich C-kinase substrate (MARCKS). Neuroscience 131, 2005, 491–498).

ROCK inhibitors have been shown to possess anti-inflammatory properties by decreased cytokine release, e.g.TNFα. Thus they can be used as treatment for

neuroinflammatory diseases such as stroke, multiple sclerosis, Alzheimer's disease, Parkinson's disease, amyotrophic lateral sclerosis and inflammatory pain, as well as other inflammatory diseases such as rheumatoid arthritis, osteoarthritis, osteoporosis, asthma, irritable bowel syndrome, or inflammatory bowel disease (Segain J.P., Rho kinase blockade prevents inflammation via nuclear factor kappa B inhibition: evidence in Crohn's disease and experimental colitis. Gastroenterology. 124(5), 2003, 1180-7). In addition, recent reports have demonstrated that inhibition of ROCK results in disruption of inflammatory cell chemotaxis as well as inhibition of smooth muscle contraction in models of pulmonary inflammation associated with asthma. Therefore, the inhibitors of the Rho/ROCK pathway should be useful for the treatment of asthma (see above (Sun X et al., The selective Rho-kinase inhibitor Fasudil is protective and therapeutic in experimental autoimmune encephalomyelitis. J Neuroimmunol. 180, 2006, 126-34) and Kawaguchi A, Ohmori M, Harada K, Tsuruoka S, Sugimoto K, Fujimura A., The effect of a Rho kinase inhibitor Y- 27632 on superoxide production, aggregation and adhesion inhuman polymorphonuclear leukocytes. Eur J Pharmacol 403, 2000, 203–208 ; Lou Z, Billadeau DD, Savoy DN, Schoon RA, Leibson P.J., A role for a RhoA/ROCK/LIM-kinase pathway in the regulation of cytotoxic lymphocytes. J Immunol 167, 2001, 5749–5757; Vicente-Manzanares M, Cabrero JR, Rey M, Perez-Martinez M, Ursa A, Itoh K, Sanchez-Madrid F., A role for the Rho-p160 Rho coiled-coil kinase axis in the chemokine stromal cell-derived factor-1alpha-induced lymphocyte actomyosinand microtubular organization and chemotaxis. J Immunol 168, 2002, 400–410; Thorlacius K et al., Protective effect of fasudil, a Rho-kinase inhibitor, on chemokine expression, leukocyte recruitment, and hepatocellular apoptosis in septic liver injury. J Leukoc Biol. 79, 2006, 923-31).

Since ROCK inhibitors reduce cell proliferation and cell migration, they could be useful in treating cancer and tumor metastasis(Aznar, S., Fernandez-Valeron, P., Espina, C., Lacal, J.C., Rho GTPases: potential candidates for anticancer therapy. Cancer Lett. 206, 2004, 181–191; Yin, L. et al., Fasudil inhibits vascular endothelial growth factor-induced angiogenesis in vitro and in vivo. Mol Cancer Ther 5, 2007, 1517-25.
Itoh, K., Yoshioka, K., Akedo, H., Uehata, M., Ishizaki, T., Narumiya, S., An essential part for Rho-associated kinase in the transcellular invasion of tumor cells. Nat Med 5, 1999, 221–225; Genda, T. Sakamoto, M., Ichida, T., Asakura, H., Kojiro,M., Narumiya, S., Hirohashi, S., Cell motility mediated by rho and Rho-associated protein kinase plays a critical role inintrahepatic metastasis of human hepatocellular carcinoma. Hepatology 30, 1999, 1027–1036; Somlyo, A.V., Bradshaw, D., Ramos, S., Murphy, C., Myers, C.E., Somlyo, A.P., Rho-kinase inhibitor retards migration and in vivo dissemination of human prostate cancer cells.Biochem Biophys Res Commun 269, 2000, 652–659). ROCK inhibitors can also be beneficial in diseases with impaired blood brain barrier function, e.g. HIV-1 encephalitis

(Persidski Y et al., Rho-mediated regulation of tight junctions during monocyte migration across the blood-brain barrier in HIV-1 encephalitis (HIVE). Blood. 107, 2006, 4770-4780) and Alzheimer's disease (Man S-M et al., Peripheral T cells overexpress MIP-1a to enhance its transendothelial migration in Alzheimer's disease. Neurobiol. Of Aging 28, 2007, 485-496).

Furthermore, there is evidence suggesting that ROCK inhibitors suppress cytoskeletal rearrangement upon virus invasion, thus they also have potential therapeutic value in anti-viral and anti-bacterial applications (Favoreel HW, Cytoskeletal rearrangements and cell extensions induced by the US3 kinase of an alphaherpesvirus are associated with enhanced spread. Proc Natl Acad Sci U S A. 102(25), 2006, 8990-5).

ROCKs have been reported to interfere with insulin signalling through serine phosphorylation of insulin receptor substrate-1 (IRS-1), in cultured VSMC. Activation of RhoA/ROCK was observed in skeletal muscles and aortic tissues of Zucker obese rats. Inhibition of ROCK, by fasudil for 4 weeks, reduced blood pressure, corrected glucose and lipid metabolism, improved insulin signalling and endothelial dysfunction. In another experiment administration of high dose fasudil completely suppressed the development of diabetes, obesity, and dyslipidemia and increased serum adiponectin levels in OLETF rats. ROCK inhibitors may therefore be useful for the treatment of insulin resistance and diabetes (Nakamura Y et al., Marked increase of insulin gene transcription by suppression of the Rho/Rho-kinase pathway. Biochem Biophys Res Commun. 350(1), 2006, 68-73; Kikuchi Y et al., A Rho-kinase inhibitor, fasudil, prevents development of diabetes and nephropathy in insulin-resistant diabetic rats. J Endocrinol. 192(3), 2007, 595-603; Goyo A et al., The Rho-kinase inhibitor, fasudil, attenuates diabetic nephropathy in streptozotocin-induced diabetic rats. Eur J Pharmacol. 568(1-3), 2007, 242-7).

The ROCK inhibitor Fasudil increased cerebral blood flow and was neuroprotective under CNS ischemic conditions. ROCK inhibitors are expected to be useful for the treatment of ischemic CNS disorders and may therefore improve functional outcome in patients suffering from stroke, vascular or AD type dementia (Okamura N et al., Vasodilator effects of fasudil, a Rho-kinase inhibitor, on retinal arterioles in stroke-prone spontaneously hypertensive rats. J Ocul Pharmacol Ther. 23, 2007, 207-12; Yagita Y et al., Rho-kinase activation in endothelial cells contributes to expansion of infarction after focal cerebral ischemia. J Neurosci Res. 85, 2007, 2460-9).

Due to the efficacy of Y-27632 and fasudil in animal models of epileptogenesis, ROCK inhibitors have been suggested for the use in the treatments of epilepsy and seizure disorders (Inan SY, Büyükafsar K. Antiepileptic effects of two Rho-kinase inhibitors, Y-27632 and fasudil, in mice. Br. J. Pharmacol. advance online publication, 9 June 2008; doi:10.1038/bjp.2008.225)

ROCK inhibitors are also expected to be useful for the treatment of glaucoma(Honjo, M., Inatani, M., Kido, N., Sawamura, T., Yue, B.Y., Honda, Y., Tanihara ,H., Effects of protein kinase inhibitor, HA1077, on intraocular pressure and outflow facility in rabbit eyes. Arch Ophthalmol 119, 2001, 1171–1178; Rao, P..V, Deng, P.F., Kumar, J. Epstein, D.L., Modulation of aqueous humor outflow facility by the Rho kinase-specific inhibitor Y-27632. Invest Ophthalmol Vis Sci 42, 2001, 1029–1037), psoriasis, retinopathy and benign prostatic hypertrophy.

Furthermore, there is evidence suggesting that ROCK inhibitors suppress cytoskeletal rearrangement upon virus invasion, thus they also have potential therapeutic value in anti-viral and anti-bacterial applications.

As ROCKs have been implicated in neuronal morphogenesis, connectivity, and plasticity in general, they are expected to be useful for the treatment of psychiatric disorders, e.g. depression, schizophrenia, obsessive compulsive disorder and bipolar disorders.

ROCK inhibitors have been described in e.g. WO 2007/026920, WO 2005/074643, and WO 2004/016597. However, their affinity and selectivity or their pharmacological profile is not yet satisfactory.

Schemes and Experimentals


The following abbreviations have the meanings indicated. ADDP means 1,1'-(azodicarbonyl)dipiperidine; AD-mix-β means a mixture of $(DHQD)_2PHAL$, $K_3Fe(CN)_6$, K_2CO_3, and K_2SO_4; 9-BBN means 9-borabicyclo(3.3.1)nonane; Boc means tert-butoxycarbonyl; $(DHQD)_2PHAL$ means hydroquinidine 1,4-phthalazinediyl diethyl ether; DBU means 1,8-diazabicyclo[5.4.0]undec-7-ene; DIBAL means diisobutylaluminum hydride; DIEA means diisopropylethylamine; DMAP means N,N-dimethylaminopyridine; DMF means N,N-dimethylformamide; dmpe means 1,2-bis(dimethylphosphino)ethane; DMSO means dimethylsulfoxide; dppb means 1,4-bis(diphenylphosphino)-butane; dppe means 1,2-bis(diphenylphosphino)ethane; dppf means 1,1'-bis(diphenylphosphino)ferrocene; dppm means 1,1-bis(diphenylphosphino)methane; EDAC·HCl means 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride; Fmoc means fluorenylmethoxycarbonyl; HATU means O-(7-azabenzotriazol-1-yl)-N,N'N'N'-tetramethyluronium hexafluorophosphate; HMPA means hexamethylphosphoramide; IPA means isopropyl alcohol; MP-BH_3 means macroporous triethylammonium methylpolystyrene cyanoborohydride; TEA means triethylamine; TFA means trifluoroacetic acid; tetrahydrofuran means tetrahydrofuran; NCS means N-chlorosuccinimide; NMM means N-methylmorpholine; NMP means N-methylpyrrolidine; PPh_3 means triphenylphosphine.

The following schemes are presented to provide what is believed to be the most useful and readily understood description of procedures and conceptual aspects of this invention. Compounds of this invention may be made by synthetic chemical processes,

examples of which are shown herein. It is meant to be understood that the order of the steps in the processes may be varied, that reagents, solvents and reaction conditions may be substituted for those specifically mentioned, and that vulnerable moieties may be protected and deprotected, as necessary.


Schemes

Scheme 1



As shown in Scheme 1, compounds of formula (1), wherein X^1, X^2, and X^3 are as described herein, can be reacted with methyl 4-isocyanatobenzoate to provide compounds of formula (2). The reaction is typically performed in a solvent such as but not limited to tetrahydrofuran. The methyl 4-isocyanatobenzoate is typically added at low temperature followed by stirring at room temperature. Compounds of formula (3) can be prepared by reacting compounds of formula (2) with aqueous lithium hydroxide. The reaction is typically performed in a solvent such as but not limited to tetrahydrofuran, methanol, or mixtures thereof. Compounds of formula (3) can be reacted with amine of formula (3A), wherein R^5 is hydrogen or is as described herein, using coupling conditions known to those skilled in the art and readily available in the literature to provide compounds of formula (4), which are representative of the compounds of this invention.


Scheme 2



As shown in Scheme 2, compounds of formula (1), wherein X^1, X^2, and X^3 are as described herein, can be reacted with 4-nitrophenylisocyanate to provide compounds of


formula (5). The reaction is typically performed in a solvent such as but not limited to tetrahydrofuran. Compounds of formula (5) can be treated with a hydrogen balloon in the presence of 10% Pd on carbon to provide compounds of formula (6). The reaction is typically performed at ambient temperature in a solvent such as but not limited to dimethylformamide. Compounds of formula (6) can be reacted with acid of formula (6A), wherein R^5 is as described herein, using coupling conditions known to those skilled in the art and readily available in the literature to provide compounds of formula (7), which are representative of the compounds of this invention.

Scheme 3



As shown in Scheme 3, compounds of formula (1), wherein X^1, X^2, and X^3 are as described herein, can be reacted with 4-bromophenyl isocyanate to provide compounds of formula (8). The reaction is typically performed in a solvent such as but not limited to tetrahydrofuran. Compounds of formula (8) can be reacted with a boronic acid of formula (9A) (or an appropriate boronate ester), wherein R^5 is as described herein, using Suzuki Coupling conditions known to those skilled in the art and readily available in the literature to provide compounds of formula (9), which are representative of the compounds of this invention.

Scheme 4




As shown in Scheme 4, compounds of formula (8), wherein X^1, X^2, and X^3 are as described herein, can be reacted with tert-butyl 4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate under Suzuki coupling conditions known to those skilled in the art and widely available in the literature to provide compounds of formula (10). Compounds of formula (11) can be prepared by treating compounds of formula (10) with an acid such as but not limited to trifluoroacetic acid. The reaction is typically performed at room temperature in a solvent such as but not limited to dichloromethane. Compounds of formula (11) can be reacted with compounds of formula (12A) wherein R^{13} is as described herein, in the presence of a carboxyl activating agent such as but not limited to N-(3-dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride, and a coupling agent such but not limited to 1-hydroxybenzotriazole hydrate, to provide compounds of formula (12). The reaction is typically performed at room temperature in a solvent such as but not limited to N,N-dimethylformamide.

Alternatively, compounds of formula (12) can be treated with hydrogen in the presence of palladium on carbon to provide compounds of formula (13). The reaction is typically performed under pressure in a solvent such as but not limited to tetrahydrofuran or N,N-dimethylformamide. Compounds of formula (13) can be reacted with compounds of formula (12A) wherein R^{13} is as described herein, in the presence of a carboxyl activating agent such as but not limited to N-(3-dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride, and a coupling agent such but not limited to 1-hydroxybenzotriazole hydrate,

to provide compounds of formula (14). The reaction is typically performed at room temperature in a solvent such as but not limited to N,N-dimethylformamide.

Scheme 5



Aqueous potassium hydroxide and a phase transfer catalyst such as but not limited to tetrabutylammonium bromide can be added to a mixture of 4-hydroxy-1-piperidine-1-carboxylic acid tert-butyl ester and 1-fluoro-4-nitrobenzene to provide tert-butyl 4-(4-nitrophenoxy)piperidine-1-carboxylate. tert-Butyl 4-(4-aminophenoxy)piperidine-1-carboxylate can be prepared by reacting tert-butyl 4-(4-nitrophenoxy)piperidine-1-carboxylate with hydrogen in the presence of palladium on carbon. The reaction is typically performed under pressure in a solvent such as but not limited to tetrahydrofuran or N,N-dimethylformamide. tert-Butyl 4-(4-aminophenoxy)piperidine-1-carboxylate can be reacted with bis(2,5-dioxopyrrolidin-1-yl) carbonate and pyridine in acetonitrile, followed by the addition of a base such as but not limited to diisopropylethylamine and compounds of formula (15A) to provide compounds of formula (15). The reaction is typically performed at room temperature. Compounds of formula (16) can be prepared by treating compounds of formula (15) with an acid such as but not limited to trifluoroacetic acid. The reaction is typically performed at room temperature in a solvent such as but not limited to dichloromethane. Compounds of formula (16) can be reacted with compounds of formula (12A) wherein R^{13} is as described herein, in the presence of a carboxyl activating agent such as but not limited to N-(3-dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride, and a coupling agent such but not limited to 1-hydroxybenzotriazole hydrate, to provide compounds of formula (17). The reaction is typically performed at room temperature in a solvent such as but not limited to N,N-dimethylformamide.

The following examples are presented to provide what is believed to be the most useful and readily understood description of procedures and conceptual aspects of this

invention. The exemplified compounds were named using ACD/ChemSketch Version 12.01 (13 May 2009), Advanced Chemistry Development Inc., Toronto, Ontario), or ChemDraw® Ver. 9.0.5 (CambridgeSoft, Cambridge, MA). Intermediates were named using ChemDraw® Ver. 9.0.5 (CambridgeSoft, Cambridge, MA).

Experimentals

Example 1

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 1A

Methyl 4-(isoindoline-2-carboxamido)benzoate

Isoindoline (1.693 ml, 14.47 mmol) was dissolved in tetrahydrofuran (20 ml) and cooled to 0°C; and methyl 4-isocyanatobenzoate (2.18 g, 12.06 mmol) was added by syringe and the resulting mixture was warmed to ambient temperature, and then stirred overnight. The solution was concentrated to a slurry, diluted with ether, and filtered to provide the title compound.

Example 1B

4-(isoindoline-2-carboxamido)benzoic acid

Methyl 4-(isoindoline-2-carboxamido)benzoate (1.65 g, 5.57 mmol) was dissolved in tetrahydrofuran (30 ml) and methanol (15.00 ml) followed by the addition of lithium hydroxide (11.14 ml, 22.27 mmol) and the mixture was allowed to stir at ambient temperature over the weekend. The organic solvent was removed under vacuum, the aqueous layer was adjusted to pH ~3 with 2N aqueous HCl, and the resulting solid was filtered with water washes to provide the title compound after drying.

Example 1C

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

4-(Isoindoline-2-carboxamido)benzoic acid (150 mg, 0.531 mmol) and 1-hydroxybenzotriazole hydrate (122 mg, 0.797 mmol) were dissolved in dimethylformamide (3ml) followed by addition of 3-phenylpropan-1-amine (110 mg, 0.797 mmol) and N-(3-dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride (153 mg, 0.797 mmol). The homogeneous solution was stirred at ambient temperature overnight. The solution was diluted with water to give a precipitate which was filtered, washed with cold ethyl acetate then ether and dried under vacuum to provide the title compound. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.27-8.34 (bs, 1H), 7.93-7.98 (m, 1H), 7.73-7.76 (m, 2H), 7.61-7.64 (m, 2H), 7.32-7.36 (m, 2H), 7.27-7.32 (m, 2H), 7.24-7.28 (m, 2H), 7.19-7.24 (m, 2H), 7.13-7.18 (m, 1H), 4.79 (s, 4H), 3.30 (q, J = 6.5 Hz, 2H), 2.65 (t, J = 7.6 Hz, 2H), 1.86 (p, J = 7.3 Hz, 2H); MS (ESI(+)) m/e 400 $(M+H)^+$.

Example 2

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide

Example 2A

methyl 4-(5-fluoroisoindoline-2-carboxamido)benzoate

The title compound was prepared as described in Example 1A, substituting 5-fluoroisoindoline for isoindoline.

Example 2B

4-(5-fluoroisoindoline-2-carboxamido)benzoic acid

The title compound was prepared as described in Example 1B, substituting methyl 4-(5-fluoroisoindoline-2-carboxamido)benzoate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 2C

tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate

The title compound was prepared as described in Example 1C, substituting 4-(5-fluoroisoindoline-2-carboxamido)benzoic acid for 4-(isoindoline-2-carboxamido)benzoic acid and tert-butyl 4-(aminomethyl)benzylcarbamate for 3-phenylpropan-1-amine.

Example 2D

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide

tert-Butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate (392 mg, 0.756 mmol) was dissolved in dichloromethane, treated with trifluoroacetic acid (582 µl, 7.56 mmol), stirred for 3 hours at ambient temperature and then concentrated to dryness. The resulting solid was triturated with ether, collected and dried under vacuum to provide the title compound. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 4.01 (q, *J*=5.6 Hz, 2 H), 4.46 (d, *J*=6.0 Hz, 2 H), 4.76 (d, *J*=7.9 Hz, 4 H), 7.08 - 7.29 (m, 2 H), 7.32 - 7.44 (m, 5 H), 7.67 (d, *J*=8.7 Hz, 2 H), 7.76 - 7.86 (m, 2 H),8.12 (s, 2 H), 8.63 (s, 1 H), 8.91 (t, *J*=6.2 Hz, 1 H); MS (ESI(+)) m/e 419 $(M+H)^+$.

Table 3.

The following Examples were prepared essentially as described in Example 1, substituting the appropriate substituted isoindoline for isoindoline in Example 1A and the appropriate amine for 3-phenylpropan-1-amine in Example 1C. Some products were purified by flash chromatography while others were purified by reverse-phase HPLC; some compounds also required Boc-deprotection after amide coupling as described in Example 2D. Accordingly, some Examples were isolated as trifluoroacetic acid salts.

Ex		Name	^{1}H NMR	MS
3		5-cyano-N-{4-[(3-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65	(ESI(+))

		phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	(s, 1H), 8.29 (t, *J* = 5.6 Hz, 1H), 7.89 (s, 1H), 7.75-7.81 (m, 3H), 7.63-7.68 (m, 2H), 7.59 (d, *J* = 8.0 Hz, 1H), 7.15-7.32 (m, 5H),4.82-4.86 (m, 4H), 3.22-3.30 (m, 2H), 2.63 (t, *J* = 7.6 Hz, 2H), 1.82 (p, *J* = 7.4 Hz, 2H)	m/e 425 $(M+H)^+$
4		N-{4[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ 1.16 - 1.33 (m, 2 H), 1.41 - 1.75 (m, 6 H), 2.04 - 2.23 (m, 1 H), 3.11 - 3.22 (m, 2 H), 4.76 (d, *J*=7.9 Hz, 4 H), 7.08 - 7.19 (m, 1 H), 7.24 (dd, *J*=9.12, 2.4 Hz, 1 H), 7.39 (dd, *J*=8.3, 5.16 Hz, 1 H), 7.60 - 7.68 (m, 2 H), 7.72 - 7.82 (m, 2 H), 8.27 (t, *J*=5.8 Hz, 1 H), 8.58 (s, 1 H)	(ESI(+)) m/e 382 $(M+H)^+$
5		5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65 (s, 1H), 8.26 (t, *J* = 5.7 Hz, 1H), 7.89 (s, 1H), 7.79 (dd, *J* = 8.0, 1.7 Hz, 1H), 7.74-7.79 (m, 2H), 7.62-7.67 (m, 2H), 7.59 (d, *J* = 7.9 Hz, 1H), 4.84 (d, *J* = 7.5 Hz, 4H), 3.14-3.27 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 349 $(M+H)^+$
6		N-(4-{[4-(furo[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65 (s, 1H), 8.26 (t, *J* = 5.7 Hz, 1H), 7.89 (s, 1H), 7.79 (dd, *J* = 8.0, 1.7 Hz, 1H), 7.74-7.79 (m, 2H), 7.62-7.67 (m, 2H), 7.59 (d, *J* = 7.9 Hz, 1H), 4.84 (d, *J* = 7.5 Hz, 4H), 3.14-3.27 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 468 $(M+H)^+$
7		5-cyano-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.64 (s, 1H), 8.13 (dd, *J* = 5.0, 1.9 Hz, 1H), 7.89 (s, 1H), 7.79 (d, *J* = 8.0 Hz, 1H), 7.64-7.68 (m, 2H), 7.51-7.61 (m, 2H), 7.36-7.40 (m, 2H), 6.85 (d, *J* = 8.6 Hz, 1H), 6.65-6.69 (m, 1H), 4.82-4.85 (bs, 4H), 3.48-3.69 (m, 8H)	(ESI(-)) m/e 451 $(M-H)^-$
8		5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.93 (t, *J* = 6.0 Hz, 1H), 8.63 (s, 1H), 8.51 (ddd, *J* = 4.8, 1.8, 0.9 Hz, 1H), 7.83-7.87 (m, 2H), 7.75 (td, *J* = 7.7, 1.8 Hz, 1H), 7.66-7.70 (m, 2H), 7.40 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.22-7.33 (m, 3H), 7.15 (td, *J* = 8.9, 2.5 Hz, 1H), 4.75-4.80 (m, 4H), 4.55 (d, *J* = 5.8 Hz, 2H)	(ESI(+)) m/e 391 $(M+H)^+$
9		N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.86 (t, *J* = 6.0 Hz, 1H), 8.61 (s, 1H), 7.80-7.85 (m, 2H), 7.64-7.70 (m, 2H), 7.39 (dd, *J* = 8.7, 5.2 Hz, 1H), 7.29-7.35 (m, 4H), 7.20-7.28 (m, 2H), 7.15 (ddd, *J* = 9.4, 8.5, 2.5 Hz, 1H), 4.74-4.79 (m, 4H), 4.47 (d, *J* = 5.9 Hz, 2H)	(ESI(+)) m/e 390 $(M+H)^+$
10		N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.80-7.82 (m, 2H), 7.64-7.67 (m, 2H), 7.36-7.41 (m, 2H), 7.32-7.35 (m, 2H), 6.96 (d, *J* = 1.9 Hz, 1H), 6.91 (d, *J* = 8.2 Hz, 1H), 6.86 (dd, *J* = 8.2, 2.0 Hz, 1H),	(ESI(-)) m/e 430 $(M-H)^-$

		carboxamide	4.79 (s, 4H), 4.39-4.40 (bs, 2H), 3.78 (s, 3H)	
11		5-methyl-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.54 (s, 1H), 8.13 (ddd, *J* = 4.9, 2.0, 0.8 Hz, 1H), 7.65-7.68 (m, 2H), 7.55 (ddd, *J* = 8.6, 7.1, 2.0 Hz, 1H), 7.35-7.39 (m, 2H), 7.25 (d, *J* = 7.7 Hz, 1H), 7.17-7.19 (m, 1H), 7.13 (d, *J* = 7.8 Hz, 1H), 6.85 (dt, *J* = 8.6, 0.8 Hz, 1H), 6.67 (ddd, *J* = 7.1, 4.9, 0.8 Hz, 1H), 4.73-4.75 (bs, 4H), 3.48-3.68 (m, 8H), 2.33 (s, 3H)	(ESI(+)) m/e 442 $(M+H)^+$
12		N-(4-{[4-(thieno[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.03 (d, *J* = 5.6 Hz, 1H), 7.78 (d, *J* = 5.5 Hz, 1H), 7.64-7.71 (m, 2H), 7.58 (t, *J* = 5.3 Hz, 2H), 7.30-7.41 (m, 6H), 4.79 (s, 4H), 3.61-3.94 (m, 4H), 3.39-3.63 (m, 4H)	(ESI(+)) m/e 484 $(M+H)^+$
13		N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.30-8.37 (bs, 1H), 8.27-8.31 (m, 1H), 8.13-8.16 (m, 2H), 7.91-7.93 (m, 2H), 7.19-7.24 (m, 2H), 7.16-7.18 (m, 2H), 7.16-7.17 (m, 1H), 6.98 (t, *J* = 7.8 Hz, 1H), 6.86 (dd, *J* = 8.1, 1.5 Hz, 1H), 4.91 (d, *J* = 5.7 Hz, 2H), 4.83-4.85 (m, 4H), 3.85 (s, 3H), 3.71 (s, 3H)	(ESI(+)) m/e 432 $(M+H)^+$
14		5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.29 (t, *J* = 5.5 Hz, 1H), 7.75-7.78 (m, 2H), 7.63-7.67 (m, 2H), 7.39 (dd, *J* = 8.5, 5.1 Hz, 1H), 7.11-7.32 (m, 7H), 4.74-4.78 (m, 4H), 3.22-3.31 (m, 2H), 2.63 (t, *J* = 7.6 Hz, 2H), 1.82 (p, *J* = 7.4 Hz, 2H)	(ESI(+)) m/e 418 $(M+H)^+$
15		5-fluoro-N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58-8.59 (m, 1H), 8.57-8.60 (m, 1H), 7.65-7.69 (m, 2H), 7.37-7.44 (m, 4H), 7.22-7.29 (m, 2H), 7.15 (td, *J* = 8.9, 2.5 Hz, 1H), 4.77 (d, *J* = 8.3 Hz, 4H), 3.49-3.81 (m, 8H)	(ESI(+)) m/e 447 $(M+H)^+$
16		N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.33 (d, *J* = 1.8 Hz, 1H), 8.28-8.29 (bs, 1H), 8.13-8.16 (m, 2H), 7.91-7.93 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 7.10-7.13 (m, 1H), 6.86 (dd, *J* = 8.1, 1.8 Hz, 1H), 6.80 (dd, *J* = 8.1, 7.4 Hz, 1H), 4.87 (d, *J* = 5.7 Hz, 2H), 4.84 (s, 4H), 4.03-4.10 (m, 4H)	(ESI(+)) m/e 430 $(M+H)^+$
17		5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.22 (s, 1H), 8.65 (s, 1H), 8.03 (s, 1H), 7.85-7.89 (m, 2H), 7.69-7.73 (m, 2H), 7.56 (d, *J* = 0.7 Hz, 1H), 7.40 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.25 (dd, *J* = 9.1, 2.4 Hz, 1H), 7.15 (td, *J* = 8.9, 2.5 Hz, 1H), 4.73-4.85 (m, 4H), 4.06-4.14 (m, 2H), 1.65 (q, *J* = 7.0 Hz, 2H), 1.40-1.54 (m, 1H), 0.90 (d, *J* = 6.6 Hz, 6H)	(ESI(-)) m/e 434 $(M-H)^-$

18		N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.92 (t, J = 5.9 Hz, 1H), 8.67 (s, 1H), 7.81-7.84 (m, 2H), 7.66-7.68 (m, 2H), 7.30-7.40 (m, 6H), 7.18 (d, J = 7.2 Hz, 1H), 7.16-7.20 (m, 1H), 4.79-4.80 (bs, 4H), 4.52 (d, J = 5.2 Hz, 2H)	(APCI+) m/e 390 $(M+H)^+$
19		5-fluoro-N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58 (s, 1H), 8.37-8.40 (m, 2H), 7.64-7.68 (m, 2H), 7.36-7.43 (m, 3H), 7.24 (dd, J = 9.1, 2.4 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 6.67 (t, J = 4.7 Hz, 1H), 4.75-4.79 (m, 4H), 3.70-3.85 (m, 4H), 3.49-3.69 (m, 4H)	(ESI(+)) m/e 447 $(M+H)^+$
20		5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58 (s, 1H), 8.22 (t, J = 5.6 Hz, 1H), 7.73-7.77 (m, 2H), 7.62-7.66 (m, 2H), 7.39 (dd, J = 8.4, 5.2 Hz, 1H), 7.24 (dd, J = 9.1, 2.5 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 4.74-4.78 (m, 4H), 3.21-3.32 (m, 2H), 1.61 (dp, J = 13.3, 6.6 Hz, 1H), 1.37-1.45 (m, 2H), 0.90 (d, J = 6.6 Hz, 6H)	(ESI(+)) m/e 370 $(M+H)^+$
21		N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90 °C) δ ppm 8.27-8.29 (bs, 2H), 8.12-8.14 (m, 2H), 7.90-7.93 (m, 2H), 7.52-7.55 (m, 1H), 7.19-7.24 (m, 2H), 7.14-7.19 (m, 2H), 6.91 (td, J = 7.4, 1.0 Hz, 1H), 6.85 (dd, J = 8.2, 1.1 Hz, 1H), 4.89 (d, J = 5.7 Hz, 2H), 4.83 (s, 4H), 3.65 (s, 3H)	(APCI+) m/e 402 $(M+H)^+$
22		5-fluoro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.10 (dd, J = 5.5, 1.8 Hz, 1H), 7.74-7.81 (m, 1H), 7.65-7.69 (m, 2H), 7.37-7.43 (m, 3H), 7.24 (dd, J = 9.1, 2.4 Hz, 1H), 7.07-7.19 (m, 2H), 6.82 (t, J = 6.2 Hz, 1H), 4.77 (d, J = 7.9 Hz, 4H), 3.61-3.69 (bs, 8H)	(ESI(+)) m/e 446 $(M+H)^+$
23		N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.99 (t, J = 6.0 Hz, 1H), 7.81-7.84 (m, 2H), 7.66-7.69 (m, 2H), 7.36-7.46 (m, 3H), 7.32-7.35 (m, 2H), 7.17 (d, J = 7.7 Hz, 1H), 7.12 (dd, J = 10.3, 2.6 Hz, 1H), 7.07 (td, J = 8.5, 2.8 Hz, 1H), 4.79-4.80 (bs, 4H), 4.48 (d, J = 5.8 Hz, 2H)	(ESI(+)) m/e 390 $(M+H)^+$
24		5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.26 (t, J = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.63-7.67 (m, 2H), 7.39 (dd, J = 8.4, 5.2 Hz, 1H), 7.24 (dd, J = 9.1, 2.8 Hz, 1H), 7.15 (ddd, J = 9.4, 8.5, 2.6 Hz, 1H), 4.74-4.79 (m, 4H), 3.33-3.38 (m, 2H), 3.16-3.27 (m, 4H), 2.22 (t, J = 8.0 Hz, 2H), 1.93 (p, J = 7.5 Hz, 2H), 1.69 (p, J = 7.0 Hz, 2H)	(ESI(+)) m/e 425 $(M+H)^+$
25		5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65 (s, 1H), 8.22 (t, J = 5.6 Hz, 1H), 7.89 (s, 1H), 7.79 (dd, J = 7.9, 1.6 Hz, 1H), 7.73-7.78 (m, 2H), 7.62-7.67 (m, 2H), 7.59 (d, J = 7.9 Hz,	(ESI(+)) m/e 377 $(M+H)^+$

		isoindole-2-carboxamide	1H), 4.77-4.91 (m, 4H), 3.22-3.32 (m, 2H), 1.53-1.70 (m, 1H), 1.37-1.45 (m, 2H), 0.90 (d, J = 6.6 Hz, 6H)	
26		N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.54 (s, 1H), 8.26 (t, J = 5.7 Hz, 1H), 7.73-7.78 (m, 2H), 7.63-7.67 (m, 2H), 7.24 (d, J = 7.7 Hz, 1H), 7.17 (s, 1H), 7.11-7.14 (m, 1H), 4.73-4.74 (bs, 4H), 3.14-3.19 (m, 2H), 2.33 (s, 3H), 2.07-2.21 (m, 1H), 1.42-1.75 (m, 6H), 1.16-1.34 (m, 2H)	(ESI(+)) m/e 378 $(M+H)^+$
27		N-(4-{[4-(4-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.34-8.35 (bs, 1H), 7.93-7.96 (m, 2H), 7.56-7.59 (m, 2H), 7.49-7.52 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 6.84-6.86 (m, 2H), 4.87 (s, 4H), 3.71-3.74 (m, 4H), 3.24-3.29 (m, 4H)	(ESI(+)) m/e 452 $(M+H)^+$
28		N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.95 (t, J = 6.0 Hz, 1H), 7.80-7.82 (m, 2H), 7.65-7.68 (m, 2H), 7.32-7.40 (m, 6H), 7.13-7.17 (m, 2H), 4.79-4.80 (bs, 4H), 4.45 (d, J = 5.7 Hz, 2H)	(ESI(+)) m/e 390 $(M+H)^+$
29		N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.80-7.83 (m, 2H), 7.66-7.69 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 2H), 6.49 (d, J = 2.3 Hz, 2H), 6.38 (t, J = 2.3 Hz, 1H), 4.79-4.80 (bs, 4H), 4.40-4.41 (m, 2H), 3.72 (s, 6H)	(ESI(+)) m/e 492 $(M+H)^+$
30		5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.39 (t, J = 5.7 Hz, 1H), 7.75-7.79 (m, 2H), 7.63-7.68 (m, 2H), 7.40 (dd, J = 8.4, 5.2 Hz, 1H), 7.24 (dd, J = 9.1, 2.5 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 4.75-4.79 (m, 4H), 3.57-3.78 (m, 3H), 3.48 (dd, J = 8.5, 5.2 Hz, 1H), 3.16-3.30 (m, 2H), 2.40-2.51 (m, 1H), 1.87-1.99 (m, 1H), 1.54-1.66 (m, 1H)	(ESI(+)) m/e 383 $(M+H)^+$
31		N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.30 (bs, 1H), 8.08-8.11 (m, 2H), 7.90-7.93 (m, 2H), 7.66-7.71 (bs, 1H), 7.19-7.23 (m, 2H), 7.15-7.18 (m, 2H), 4.84 (s, 4H), 3.41 (d, J = 6.3 Hz, 2H), 0.98 (s, 9H)	(ESI(+)) m/e 352 $(M+H)^+$
32		5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.31-8.34 (m, 1H), 7.71-7.75 (m, 2H), 7.62-7.66 (m, 2H), 7.39 (dd, J = 8.4, 5.1 Hz, 1H), 7.24 (dd, J = 9.0, 2.4 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 4.74-4.79 (m, 4H), 3.34-3.46 (m, 6H), 2.17 (t, J = 8.0 Hz, 2H), 1.91 (p, J = 7.4 Hz, 2H)	(ESI(+)) m/e 411 $(M+H)^+$
33		N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phe	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.81-7.83 (m, 2H), 7.66-7.68 (m, 2H), 7.43-7.47 (m, 2H), 7.37-7.40 (m,	(ESI(+)) m/e 456 $(M+H)^+$

		nyl)-1,3-dihydro-2H-isoindole-2-carboxamide	2H), 7.31-7.35 (m, 4H), 4.79 (s, 4H), 4.49 (s, 2H)	
34		N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 9.07 (t, J = 6.0 Hz, 1H), 7.81-7.83 (m, 2H), 7.67-7.70 (m, 2H), 7.53-7.56 (m, 2H), 7.45-7.48 (m, 1H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 2H), 4.80 (s, 4H), 4.56 (d, J = 5.4 Hz, 2H)	(ESI(+)) m/e 458 $(M+H)^+$
35		5-fluoro-N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.34 (d, J = 1.5 Hz, 1H), 8.10 (dd, J = 2.6, 1.4 Hz, 1H), 7.87 (d, J = 2.6 Hz, 1H), 7.64-7.68 (m, 2H), 7.36-7.43 (m, 3H), 7.24 (dd, J = 9.1, 2.4 Hz, 1H), 7.11-7.19 (m, 1H), 4.75-4.79 (m, 4H), 3.58-3.69 (bs, 8H)	(ESI(+)) m/e 447 $(M+H)^+$
36		N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.31 (s, 1H), 7.86-7.89 (m, 1H), 7.72-7.75 (m, 2H), 7.60-7.64 (m, 2H), 7.28-7.36 (m, 4H), 4.79 (s, 4H), 3.28 (q, J = 6.7 Hz, 2H), 1.58-1.71 (m, 1H), 1.45 (q, J = 7.1 Hz, 2H), 0.92 (d, J = 6.6 Hz, 6H)	(ESI(+)) m/e 352 $(M+H)^+$
37		5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.55 (s, 1H), 8.29 (t, J = 5.6 Hz, 1H), 7.74-7.79 (m, 2H), 7.63-7.67 (m, 2H), 7.15-7.32 (m, 6H), 6.94 (d, J = 2.3 Hz, 1H), 6.88 (dd, J = 8.3, 2.4 Hz, 1H), 4.65-4.79 (m, 4H), 3.77 (s, 3H), 3.22-3.31 (m, 2H), 2.60-2.68 (m, 2H), 1.77-1.88 (m, 2H)	(ESI(+)) m/e 429 $(M+H)^+$
38		N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.97 (t, J = 6.0 Hz, 1H), 8.67 (s, 1H), 7.80-7.83 (m, 2H), 7.66-7.68 (m, 2H), 7.32-7.40 (m, 8H), 4.79-4.80 (bs, 4H), 4.45 (d, J = 5.4 Hz, 2H)	(ESI(+)) m/e 406 $(M+H)^+$
39		N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90 C) δ ppm 8.28-8.29 (bs, 1H), 8.09-8.12 (m, 2H), 7.90-7.94 (m, 2H), 7.84-7.91 (m, 1H), 7.19-7.24 (m, 2H), 7.14-7.18 (m, 2H), 4.84 (s, 4H), 3.51 (dd, J = 7.2, 5.8 Hz, 2H), 2.20-2.32 (m, 1H), 1.67-1.76 (m, 2H), 1.51-1.62 (m, 2H), 1.40-1.51 (m, 2H), 1.27-1.38 (m, 2H)	(ESI(+)) m/e 364 $(M+H)^+$
40		N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.59-8.64 (m, 1H), 8.29-8.32 (m, 1H), 8.17-8.19 (m, 2H), 7.92-7.94 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.18 (m, 2H), 6.82 (s, 2H), 4.84 (s, 4H), 4.77 (d, J = 5.8 Hz, 2H), 3.85 (s, 3H), 3.69 (s, 6H)	(ESI(+)) m/e 462 $(M+H)^+$
41		N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.37-8.40 (m, 2H), 7.66-7.69 (m, 2H), 7.30-7.40 (m, 6H), 6.67 (t, J = 4.7 Hz, 1H), 4.79 (s, 4H), 3.77-3.81 (m, 4H), 3.58 (s,	(ESI(+)) m/e 429 $(M+H)^+$

		isoindole-2-carboxamide	4H)	
42		5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.68 (s, 1H), 8.23-8.30 (m, 2H), 8.21 (dd, J = 8.3, 2.4 Hz, 1H), 7.75-7.79 (m, 2H), 7.63-7.67 (m, 3H), 4.88-4.91 (m, 4H), 3.16-3.23 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 369 $(M+H)^+$
43		5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.54 (s, 1H), 8.21 (t, J = 5.6 Hz, 1H), 7.73-7.77 (m, 2H), 7.63-7.67 (m, 2H), 7.24 (d, J = 7.7 Hz, 1H), 7.17 (s, 1H), 7.11-7.14 (m, 1H), 4.72-4.74 (bs, 4H), 3.22-3.31 (m, 2H), 2.33 (s, 3H), 1.61 (dp, J = 13.3, 6.6 Hz, 1H), 1.37-1.45 (m, 2H), 0.90 (d, J = 6.6 Hz, 6H)	(ESI(+)) m/e 366 $(M+H)^+$
44		N-(4-{[4-(4-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 7.65-7.69 (m, 2H), 7.30-7.39 (m, 6H), 6.96-7.14 (m, 4H), 4.78-4.80 (bs, 4H), 3.52-3.77 (m, 4H), 3.03-3.20 (m, 4H)	(ESI(+)) m/e 445 $(M+H)^+$
45		N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.46-8.51 (bs, 1H), 8.27-8.29 (bs, 1H), 8.14-8.16 (m, 2H), 7.91-7.93 (m, 2H), 7.36-7.39 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.18 (m, 2H), 6.88-6.90 (m, 2H), 4.84 (s, 4H), 4.74 (d, J = 5.8 Hz, 2H), 3.65 (s, 3H)	(ESI(+)) m/e 402 $(M+H)^+$
46		N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.73-8.79 (m, 1H), 8.30 (d, J = 2.1 Hz, 1H), 8.11-8.14 (m, 2H), 7.90-7.93 (m, 2H), 7.19-7.24 (m, 2H), 7.20-7.21 (m, 1H), 7.15-7.18 (m, 2H), 7.05-7.07 (m, 1H), 6.90 (dd, J = 5.0, 3.5 Hz, 1H), 4.94 (d, J = 5.8 Hz, 2H), 4.84 (s, 4H)	(ESI(+)) m/e 378 $(M+H)^+$
47		N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.64 (s, 1H), 8.37-8.40 (m, 2H), 7.77 (s, 1H), 7.66-7.71 (m, 1H), 7.64-7.69 (m, 2H), 7.61 (d, J = 8.1 Hz, 1H), 7.37-7.40 (m, 2H), 6.67 (t, J = 4.7 Hz, 1H), 4.85-4.88 (bs, 4H), 3.73-3.87 (m, 4H), 3.50-3.69 (m, 4H)	(ESI(+)) m/e 497 $(M+H)^+$
48		N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.22 (s, 1H), 8.65 (s, 1H), 8.03 (s, 1H), 7.85-7.89 (m, 2H), 7.68-7.75 (m, 2H), 7.57 (d, J = 0.7 Hz, 1H), 7.40 (dd, J = 8.4, 5.2 Hz, 1H), 7.25 (dd, J = 9.1, 2.5 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 4.71-4.80 (m, 4H), 4.11 (q, J = 7.2 Hz, 2H), 1.36 (t, J = 7.2 Hz, 3H)	(ESI(+)) m/e 394 $(M+H)^+$
49		N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.26 (s, 1H), 8.65 (s, 1H), 8.11 (d, J = 0.7 Hz, 1H), 7.84-7.88 (m, 2H), 7.68-7.73 (m, 2H), 7.61 (d, J = 0.7 Hz, 1H), 7.38-7.43 (m, 1H),	(ESI(+)) m/e 456 $(M+H)^+$

		dihydro-2H-isoindole-2-carboxamide	7.28-7.38 (m, 3H), 7.22-7.27 (m, 3H), 7.11-7.19 (m, 1H), 5.31 (s, 2H), 4.70-4.85 (m, 4H)	
50		N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 8.08 (ddd, J = 5.4, 1.9, 0.8 Hz, 1H), 7.77 (ddd, J = 8.9, 7.0, 1.9 Hz, 1H), 7.65-7.68 (m, 2H), 7.38-7.42 (m, 2H), 7.32-7.39 (m, 4H), 7.03-7.06 (m, 1H), 6.83 (ddd, J = 7.0, 5.4, 0.8 Hz, 1H), 4.82 (s, 4H), 3.64-3.72 (m, 8H)	(ESI(+)) m/e 428 $(M+H)^+$
51		N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.33-8.34 (bs, 1H), 8.13-8.14 (bs, 1H), 7.88-7.89 (bs, 1H), 7.65-7.67 (m, 2H), 7.38-7.42 (m, 2H), 7.37-7.40 (m, 2H), 7.31-7.36 (m, 2H), 4.79-4.80 (bs, 4H), 3.52-3.75 (m, 8H)	(ESI(+)) m/e 429 $(M+H)^+$
52		N-(4-{[4-(2-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.30-8.32 (bs, 1H), 7.92-7.96 (m, 2H), 7.56-7.59 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.97-7.03 (m, 1H), 6.90-6.96 (m, 3H), 4.86 (s, 4H), 3.78-3.81 (m, 4H), 3.75 (s, 3H), 3.04-3.07 (m, 4H)	(ESI(+)) m/e 457 $(M+H)^+$
53		N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.20 (t, J = 5.7 Hz, 1H), 7.74-7.76 (m, 2H), 7.64-7.66 (m, 2H), 7.34-7.40 (m, 2H), 7.29-7.34 (m, 2H), 4.78-4.79 (bs, 4H), 3.24-3.28 (m, 2H), 1.43-1.46 (m, 2H), 0.93 (s, 9H)	(ESI(+)) m/e 366 $(M+H)^+$
54		N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.33 (d, J = 8.7 Hz, 1H), 8.08-8.10 (m, 2H), 7.90-7.96 (bs, 1H), 7.89-7.93 (m, 2H), 7.19-7.24 (m, 2H), 7.14-7.18 (m, 2H), 4.84 (s, 4H), 4.10-4.19 (m, 1H), 3.74-3.83 (m, 2H), 3.56-3.67 (m, 2H), 1.79-1.91 (m, 1H), 1.56-1.80 (m, 3H)	(ESI(+)) m/e 366 $(M+H)^+$
55		N-(4-{[4-(3-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.32-8.33 (bs, 1H), 7.93-7.96 (m, 2H), 7.55-7.58 (m, 2H), 7.15-7.27 (m, 5H), 6.63 (t, J = 2.3 Hz, 1H), 6.60 (ddd, J = 8.2, 2.4, 0.8 Hz, 1H), 6.54 (ddd, J = 8.1, 2.3, 0.8 Hz, 1H), 4.86 (s, 4H), 3.72-3.76 (m, 4H), 3.71 (s, 3H), 3.14-3.17 (m, 4H)	(ESI(+)) m/e 457 $(M+H)^+$
56		N-(4-{[4-(4-acetylphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.34 (d, J = 2.2 Hz, 1H), 7.98-8.02 (m, 2H), 7.93-7.96 (m, 2H), 7.56-7.60 (m, 2H), 7.20-7.26 (m, 2H), 7.15-7.20 (m, 2H), 6.89-6.93 (m, 2H), 4.87 (s, 4H), 3.73-3.76 (m, 4H), 3.26-3.32 (m, 4H), 2.47 (s, 3H)	(ESI(+)) m/e 469 $(M+H)^+$
57		N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.25-8.26 (bs, 1H), 8.08-8.13 (bs, 1H), 8.07-8.11 (m, 2H), 7.89-7.92 (m, 2H), 7.19-7.23 (m, 2H), 7.17-7.19 (m,	(ESI(+)) m/e 446 $(M+H)^+$

		isoindole-2-carboxamide	2H), 6.93-6.97 (m, 1H), 6.91 (dd, *J* = 7.6, 2.0 Hz, 1H), 6.82 (dd, *J* = 7.7, 1.9 Hz, 1H), 4.84 (s, 4H), 3.85-3.89 (m, 2H), 3.83 (s, 3H), 3.70 (s, 3H), 3.11 (t, *J* = 7.2 Hz, 2H)	
58		N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.54-8.60 (m, 1H), 8.27-8.31 (bs, 1H), 8.12-8.14 (m, 2H), 7.90-7.93 (m, 2H), 7.26-7.30 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 3H), 4.84 (s, 4H), 4.77 (d, *J* = 5.8 Hz, 2H)	(ESI(+)) m/e 378 $(M+H)^+$
59		5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.55 (s, 1H), 8.22 (t, *J* = 5.6 Hz, 1H), 7.73-7.78 (m, 2H), 7.62-7.67 (m, 2H), 7.26 (d, *J* = 8.3 Hz, 1H), 6.94 (d, *J* = 2.0 Hz, 1H), 6.89 (dd, *J* = 8.3, 2.4 Hz, 1H), 4.70-4.75 (m, 4H), 3.77 (s, 3H), 3.22-3.30 (m, 2H), 1.53-1.69 (m, 1H), 1.37-1.45 (m, 2H), 0.91 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 382 $(M+H)^+$
60		N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.93 (t, *J* = 6.0 Hz, 1H), 8.61 (s, 1H), 8.51 (ddd, *J* = 4.8, 1.8, 0.9 Hz, 1H), 7.83-7.87 (m, 2H), 7.75 (td, *J* = 7.7, 1.8 Hz, 1H), 7.67-7.72 (m, 2H), 7.29-7.40 (m, 5H), 7.26 (ddd, *J* = 7.5, 4.8, 1.1 Hz, 1H), 4.80 (s, 4H), 4.56 (d, *J* = 5.8 Hz, 2H)	(ESI(+)) m/e 372 $(M+H)^+$
61		5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.45 (t, *J* = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.63-7.67 (m, 2H), 7.40 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.33 (dd, *J* = 5.0, 1.3 Hz, 1H), 7.24 (dd, *J* = 9.1, 2.3 Hz, 1H), 7.10-7.19 (m, 1H), 6.96 (dd, *J* = 5.0, 3.4 Hz, 1H), 6.90-6.93 (m, 1H), 4.71-4.84 (m, 4H), 3.44-3.53 (m, 2H), 3.06 (t, *J* = 7.2 Hz, 2H)	(ESI(+)) m/e 410 $(M+H)^+$
62		N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.31 (bs, 1H), 8.06-8.12 (m, 2H), 7.89-7.93 (m, 2H), 7.89-7.92 (m, 1H), 7.18-7.25 (m, 2H), 7.14-7.19 (m, 2H), 4.84 (s, 4H), 4.14 (qd, *J* = 6.7, 4.5 Hz, 1H), 3.73-3.83 (m, 2H), 3.55-3.68 (m, 2H), 1.80-1.91 (m, 1H), 1.56-1.79 (m, 3H)	(ESI(+)) m/e 366 $(M+H)^+$
63		N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.21 (s, 1H), 8.63 (s, 1H), 8.03 (d, *J* = 0.7 Hz, 1H), 7.85-7.89 (m, 2H), 7.70-7.74 (m, 2H), 7.56 (d, *J* = 0.7 Hz, 1H), 7.30-7.40 (m, 4H), 4.80 (s, 4H), 4.10 (t, *J* = 7.1 Hz, 2H), 1.65 (q, *J* = 7.0 Hz, 2H), 1.40-1.56 (m, 1H), 0.90 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 418 $(M+H)^+$
64		4-chloro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.66 (s, 1H), 8.13 (dd, *J* = 4.9, 1.9 Hz, 1H), 7.64-7.71 (m, 2H), 7.56 (ddd, *J* = 8.7, 7.0, 1.9 Hz, 1H), 7.34-7.41 (m, 5H), 6.85 (d, *J* = 8.6 Hz, 1H), 6.67 (dd, *J* = 6.9, 4.8 Hz, 1H), 4.76-4.92 (m, 4H), 3.45-3.74 (m, 8H)	(ESI(+)) m/e 462 $(M+H)^+$

65		N-{4-[(4-phenylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 7.65-7.69 (m, 2H), 7.29-7.41 (m, 6H), 7.18-7.27 (m, 2H), 6.94-6.98 (m, 2H), 6.81 (t, *J* = 7.3 Hz, 1H), 4.79-4.80 (bs, 4H), 3.58-3.74 (m, 4H), 3.14-3.22 (m, 4H)	(ESI(+)) m/e 427 $(M+H)^+$
66		N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58 (s, 1H), 8.26 (t, *J* = 5.6 Hz, 1H), 7.73-7.80 (m, 2H), 7.64-7.68 (m, 2H), 7.61-7.69 (m, 2H), 7.30-7.39 (m, 4H), 4.79 (s, 4H), 3.21-3.26 (m, 2H), 2.72-2.84 (m, 2H), 1.48-1.57 (m, 4H), 1.31-1.35 (m, 4H)	(ESI(+)) m/e 381 $(M+H)^+$
67		4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.66 (s, 1H), 8.22 (t, *J* = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.63-7.68 (m, 2H), 7.35-7.42 (m, 3H), 4.76-4.92 (m, 4H), 3.22-3.30 (m, 2H), 1.54-1.68 (m, 1H), 1.37-1.45 (m, 2H), 0.91 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 386 $(M+H)^+$
68		N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58 (s, 1H), 8.45 (t, *J* = 5.6 Hz, 1H), 7.75-7.78 (m, 2H), 7.65-7.68 (m, 2H), 7.25-7.44 (m, 5H), 6.96 (dd, *J* = 5.1, 3.4 Hz, 1H), 6.90-6.93 (m, 1H), 4.78-4.79 (bs, 4H), 3.45-3.52 (m, 2H), 3.06 (t, *J* = 7.2 Hz, 2H)	(ESI(+)) m/e 390 $(M+H)^+$
69		5-methoxy-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.10 (dd, *J* = 5.5, 1.8 Hz, 1H), 7.75-7.82 (m, 1H), 7.65-7.69 (m, 2H), 7.37-7.41 (m, 2H), 7.27 (d, *J* = 8.3 Hz, 1H), 7.08-7.12 (m, 1H), 6.95 (d, *J* = 2.3 Hz, 1H), 6.89 (dd, *J* = 8.3, 2.4 Hz, 1H), 6.82 (t, *J* = 6.2 Hz, 1H), 4.71-4.75 (m, 4H), 3.95-4.67 (m, 8H), 3.77 (s, 3H)	(ESI(+)) m/e 458 $(M+H)^+$
70		N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.79-7.81 (m, 2H), 7.65-7.67 (m, 2H), 7.32-7.39 (m, 4H), 6.89 (d, *J* = 1.6 Hz, 1H), 6.86 (d, *J* = 7.9 Hz, 1H), 6.81 (dd, *J* = 8.0, 1.4 Hz, 1H), 5.97 (s, 2H), 4.79 (s, 4H), 4.37 (d, *J* = 5.2 Hz, 2H)	(ESI(+)) m/e 416 $(M+H)^+$
71		N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d$_6$) δ ppm 8.83 (t, *J*=6.0 Hz, 1 H), 8.59 (s, 1 H), 7.77 - 7.87 (m, 2 H), 7.68 (d, *J*=8.7 Hz, 2 H), 7.28 - 7.42 (m, 4 H), 7.24 (t, *J*=8.1 Hz, 1 H), 6.75 - 6.94 (m, 3 H), 4.79 (s, 4 H), 4.43 (d, *J*=6.0 Hz, 2 H), 3.73 (s, 3 H)	(ESI(+)) m/e 402 $(M+H)^+$
72		N-(4-{[4-(pyridin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.33 (d, *J* = 2.9 Hz, 1H), 8.03 (dd, *J* = 4.5, 1.3 Hz, 1H), 7.66-7.69 (m, 2H), 7.30-7.41 (m, 7H), 7.24 (dd, *J* = 8.4, 4.5 Hz, 1H), 4.79 (s, 4H), 3.64-3.67 (m, 4H), 3.21-3.29 (m, 4H)	(ESI(+)) m/e 428 $(M+H)^+$
73		N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.86 (t, *J* = 6.0 Hz, 1H), 8.59 (s, 1H), 7.80-7.84 (m, 2H), 7.66-7.70 (m, 2H), 7.31-7.36 (m, 9H), 4.79 (s, 4H), 4.47 (d, *J* = 5.9 Hz, 2H)	(ESI(+)) m/e 372 $(M+H)^+$

		carboxamide		
74		N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56-8.60 (m, 1H), 8.57-8.58 (m, 1H), 7.64-7.72 (m, 2H), 7.24-7.45 (m, 8H), 4.80 (s, 4H), 3.60-3.70 (m, 8H)	(ESI(-)) m/e 427 $(M-H)^-$
75		N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.21 (d, J = 1.4 Hz, 1H), 8.86-8.90 (m, 1H), 8.61 (d, J = 5.1 Hz, 1H), 8.34-8.36 (bs, 1H), 8.17-8.20 (m, 2H), 7.95-7.97 (m, 2H), 7.41-7.43 (m, 1H), 7.20-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.87 (d, J = 5.8 Hz, 2H), 4.85 (s, 4H)	(ESI(-)) m/e 372 $(M-H)^-$
76		N-(4-{[4-(3-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 7.65-7.69 (m, 2H), 7.15-7.46 (m, 7H), 6.70-6.84 (m, 2H), 6.54-6.61 (m, 1H), 4.79-4.80 (bs, 4H), 3.54-3.75 (m, 4H), 3.12-3.28 (m, 4H)	(ESI(-)) m/e 443 $(M-H)^-$
77		N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.30 (bs, 1H), 8.09-8.12 (m, 2H), 7.90-7.93 (m, 2H), 7.84 (d, J = 6.2 Hz, 1H), 7.16-7.26 (m, 4H), 4.84 (s, 4H), 3.51 (dt, J = 13.2, 6.1 Hz, 1H), 3.39 (ddd, J = 13.2, 7.1, 6.0 Hz, 1H), 1.71-1.83 (m, 1H), 1.42-1.53 (m, 1H), 1.08-1.24 (m, 1H), 0.93 (d, J = 6.7 Hz, 3H), 0.86 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 352 $(M+H)^+$
78		N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65 (s, 1H), 8.10 (dd, J = 5.5, 1.8 Hz, 1H), 7.46-7.82 (m, 6H), 7.38-7.42 (m, 2H), 7.06-7.10 (m, 1H), 6.81 (t, J = 6.2 Hz, 1H), 4.85-4.88 (bs, 4H), 3.56-3.73 (bs, 8H)	(ESI(+)) m/e 496 $(M+H)^+$
79		N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.29 (bs, 1H), 8.07-8.10 (m, 2H), 7.93-7.98 (m, 1H), 7.90-7.94 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.18 (m, 2H), 4.84 (s, 4H), 3.69 (td, J = 6.7, 5.6 Hz, 2H), 3.51 (t, J = 6.1 Hz, 2H), 3.36 (t, J = 6.5 Hz, 2H), 1.95 (p, J = 6.4 Hz, 2H), 1.44-1.60 (m, 2H), 1.25-1.42 (m, 2H), 0.85 (t, J = 7.3 Hz, 3H)	(ESI(-)) m/e 394 $(M-H)^-$
80		N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.30 (bs, 1H), 8.14-8.18 (m, 1H), 8.07-8.11 (m, 2H), 7.87-7.89 (m, 2H), 7.60-7.65 (m, 2H), 7.26-7.32 (m, 2H), 7.20-7.23 (m, 3H), 7.14-7.18 (m, 3H), 5.67-5.73 (m, 1H), 4.83 (s, 4H), 4.21-4.25 (m, 2H)	(ESI(+)) m/e 402 $(M+H)^+$
81		N-(4-{[2-(3,4-dihydroxyphenyl)eth	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.74-7.76 (m, 2H), 7.64-7.67	(ESI(+)) m/e 418

		yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	(m, 2H), 7.32-7.40 (m, 4H), 6.66 (d, *J* = 10.7 Hz, 1H), 6.66 (d, *J* = 2.4 Hz, 1H), 6.51 (dd, *J* = 8.0, 2.1 Hz, 1H), 4.79-4.80 (bs, 4H), 3.39 (t, *J* = 7.5 Hz, 2H), 2.66 (t, *J* = 7.5 Hz, 2H)	$(M+H)^+$
82		N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.30 (bs, 1H), 8.07-8.10 (m, 2H), 7.93-8.00 (m, 1H), 7.90-7.94 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.18 (m, 2H), 4.84 (s, 4H), 3.66-3.71 (m, 2H), 3.51 (t, *J* = 6.1 Hz, 2H), 3.30 (t, *J* = 6.5 Hz, 2H), 1.94 (p, *J* = 6.4 Hz, 2H), 1.48-1.57 (m, 2H), 0.85 (t, *J* = 7.4 Hz, 3H)	(ESI(-)) m/e 380 $(M-H)^-$
83		N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.37-8.53 (m, 1H), 8.28-8.31 (bs, 1H), 8.10-8.13 (m, 2H), 7.90-7.93 (m, 2H), 7.52-7.54 (m, 1H), 7.41 (t, *J* = 1.7 Hz, 1H), 7.19-7.23 (m, 2H), 7.15-7.18 (m, 2H), 6.51-6.53 (m, 1H), 4.84 (s, 4H), 4.60-4.62 (m, 2H)	(ESI(+)) m/e 362 $(M+H)^+$
84		N-(4-{[4-(2-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.32-8.33 (bs, 1H), 7.92-7.95 (m, 2H), 7.55-7.58 (m, 1H), 7.53-7.59 (m, 2H), 7.39-7.44 (m, 1H), 7.20-7.25 (m, 2H), 7.15-7.20 (m, 2H), 6.93-6.99 (m, 2H), 4.80-4.87 (m, 4H), 3.80-3.83 (m, 4H), 3.15-3.17 (m, 4H)	(ESI(+)) m/e 452 $(M+H)^+$
85		N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.89-7.92 (m, 2H), 7.69-7.72 (m, 2H), 7.38-7.41 (m, 2H), 7.33-7.36 (m, 2H), 7.02 (t, *J* = 7.9 Hz, 1H), 6.79 (d, *J* = 7.8 Hz, 1H), 6.74 (d, *J* = 8.0 Hz, 1H), 4.80-4.82 (bs, 4H), 2.02 (s, 3H)	(ESI(-)) m/e 386 $(M-H)^-$
86		N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.64 (s, 1H), 8.21 (t, *J* = 5.6 Hz, 1H), 7.74-7.78 (m, 3H), 7.56-7.70 (m, 4H), 4.85-4.87 (bs, 4H), 3.22-3.30 (m, 2H), 1.51-1.72 (m, 1H), 1.37-1.45 (m, 2H), 0.91 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 420 $(M+H)^+$
87		N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 10.02-10.04 (bs, 1H), 8.41-8.42 (m, 1H), 8.33-8.35 (bs, 1H), 8.23-8.26 (m, 2H), 7.95-7.98 (m, 2H), 7.86 (dd, *J* = 8.8, 1.9 Hz, 1H), 7.48-7.53 (m, 1H), 7.20-7.25 (m, 2H), 7.15-7.19 (m, 2H), 4.86 (s, 4H), 2.58 (s, 3H)	(ESI(+)) m/e 412 $(M+H)^+$
88		N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.28 (bs, 1H), 8.07-8.10 (m, 2H), 7.94-7.99 (m, 1H), 7.89-7.94 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.84 (s, 4H), 3.68 (td, *J* = 6.7, 5.7 Hz, 2H), 3.49 (t, *J* = 6.1 Hz, 2H), 3.38 (q, *J* = 6.9 Hz, 2H), 1.93 (p, *J* = 6.4 Hz, 2H), 1.10 (t, *J* = 6.9 Hz, 3H)	(ESI(+)) m/e 368 $(M+H)^+$

89		N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65 (s, 1H), 8.34 (s, 1H), 8.09-8.12 (bs, 1H), 7.87 (d, J = 2.6 Hz, 1H), 7.76-7.78 (bs, 1H), 7.64-7.73 (m, 3H), 7.58-7.64 (m, 1H), 7.37-7.41 (m, 2H), 4.85-4.88 (bs, 4H), 3.62-3.65 (m, 8H)	(ESI(-)) m/e 495 $(M-H)^-$
90		N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.73-7.75 (m, 2H), 7.62-7.65 (m, 2H), 7.37-7.40 (m, 2H), 7.32-7.35 (m, 2H), 6.90 (d, J = 8.6 Hz, 1H), 6.76-6.78 (m, 2H), 4.78-4.80 (bs, 4H), 3.78 (s, 3H), 3.44 (t, J = 7.3 Hz, 2H), 2.81 (t, J = 7.2 Hz, 2H)	(ESI(-)) m/e 444 $(M-H)^-$
91		N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58 (s, 1H), 8.39 (t, J = 5.7 Hz, 1H), 7.75-7.79 (m, 2H), 7.65-7.68 (m, 2H), 7.30-7.39 (m, 4H), 4.79 (s, 4H), 3.57-3.78 (m, 3H), 3.48 (dd, J = 8.5, 5.2 Hz, 1H), 3.17-3.28 (m, 2H), 2.41-2.51 (m, 1H), 1.93 (dtd, J = 12.2, 8.0, 5.7 Hz, 1H), 1.54-1.66 (m, 1H)	(ESI(+)) m/e 366 $(M+H)^+$
92		N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.25 (s, 1H), 8.63 (s, 1H), 8.11 (s, 1H), 7.84-7.88 (m, 2H), 7.70-7.74 (m, 2H), 7.61 (d, J = 0.7 Hz, 1H), 7.23-7.40 (m, 9H), 5.31 (s, 2H), 4.79-4.80 (bs, 4H)	(ESI(+)) m/e 438 $(M+H)^+$
93		methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 10.25-10.26 (bs, 1H), 8.92 (d, J = 1.9 Hz, 1H), 8.34-8.36 (bs, 1H), 8.23-8.25 (m, 2H), 8.17 (dd, J = 8.9, 2.0 Hz, 1H), 7.95-7.98 (m, 2H), 7.64 (d, J = 8.9 Hz, 1H), 7.20-7.24 (m, 2H), 7.15-7.20 (m, 2H), 4.86 (s, 4H), 3.90 (s, 3H)	(APCI(+)) m/e 456 $(M+H)^+$
94		N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.73-7.75 (m, 2H), 7.62-7.65 (m, 2H), 7.32-7.40 (m, 4H), 4.82 (s, 4H), 3.38-3.47 (m, 6H), 2.23 (t, J = 8.0 Hz, 2H), 1.91-1.99 (m, 2H)	(ESI(+)) m/e 393 $(M+H)^+$
95		N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.81-8.88 (m, 1H), 8.57-8.60 (m, 2H), 8.34-8.37 (bs, 1H), 8.16-8.19 (m, 2H), 7.94-7.98 (m, 2H), 7.30-7.32 (m, 2H), 7.19-7.23 (m, 2H), 7.17-7.19 (m, 2H), 4.85 (s, 4H), 4.74 (d, J = 6.0 Hz, 2H)	(ESI(+)) m/e 373 $(M+H)^+$
96		N-(4-{[4-(5-chloropyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.13 (d, J = 2.7 Hz, 1H), 7.64-7.70 (m, 2H), 7.63 (dd, J = 9.2, 2.7 Hz, 1H), 7.30-7.39 (m, 6H), 6.90 (d, J = 9.1 Hz, 1H), 4.79-4.80 (bs, 4H), 3.47-3.72 (m, 8H)	(ESI(+)) m/e 462 $(M+H)^+$
97		N-(4-{[2-(1H-indol-3-	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.75-7.78 (m,	(ESI(+)) m/e 425

		yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	2H), 7.63-7.66 (m, 2H), 7.59-7.63 (m, 1H), 7.32-7.40 (m, 5H), 7.17 (s, 1H), 7.10 (ddd, *J* = 8.1, 6.9, 1.2 Hz, 1H), 7.01 (ddd, *J* = 7.9, 6.9, 1.0 Hz, 1H), 4.82 (s, 4H), 3.60 (t, *J* = 7.4 Hz, 2H), 3.01 (t, *J* = 7.4 Hz, 2H)	$(M+H)^+$
98		N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 9.05 (t, *J* = 6.0 Hz, 1H), 7.81-7.84 (m, 2H), 7.66-7.71 (m, 4H), 7.53-7.55 (m, 2H), 7.36-7.41 (m, 2H), 7.32-7.36 (m, 2H), 4.79-4.80 (bs, 4H), 4.54-4.56 (m, 2H)	(ESI(+)) m/e 440 $(M+H)^+$
99		N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.88-7.91 (m, 2H), 7.71-7.74 (m, 2H), 7.38-7.41 (m, 2H), 7.33-7.36 (m, 2H), 7.06-7.07 (m, 2H), 6.27 (t, *J* = 2.2 Hz, 1H), 4.80-4.81 (bs, 4H), 3.78 (s, 6H)	(APCI(+)) m/e 418 $(M+H)^+$
100		N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.81 (d, *J* = 2.3 Hz, 1H), 8.75-8.80 (m, 1H), 8.53 (dd, *J* = 4.7, 1.6 Hz, 1H), 8.31-8.33 (bs, 1H), 8.12-8.15 (m, 2H), 7.91-7.94 (m, 2H), 7.71-7.75 (m, 1H), 7.19-7.23 (m, 2H), 7.16-7.18 (m, 2H), 7.10-7.14 (m, 1H), 4.84 (s, 4H), 4.75 (d, *J* = 5.8 Hz, 2H)	(ESI(+)) m/e 373 $(M+H)^+$
101		N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.88-9.89 (bs, 1H), 8.30 (d, *J* = 2.0 Hz, 1H), 8.13-8.16 (m, 2H), 7.89-7.92 (m, 2H), 7.77 (d, *J* = 2.5 Hz, 1H), 7.41 (dd, *J* = 8.6, 2.5 Hz, 1H), 7.19-7.23 (m, 2H), 7.17-7.19 (m, 2H), 6.93 (d, *J* = 8.6 Hz, 1H), 4.84 (s, 4H), 4.07-4.10 (m, 4H)	(ESI(+)) m/e 416 $(M+H)^+$
102		N-(4-{[4-(2-fluorobenzoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.63-7.65 (m, 2H), 7.50-7.57 (m, 1H), 7.42-7.46 (m, 1H), 7.35-7.41 (m, 4H), 7.28-7.35 (m, 4H), 4.78-4.79 (bs, 4H), 3.71-3.76 (m, 2H), 3.51-3.62 (m, 4H), 3.30-3.33 (m, 2H)	(ESI(+)) m/e 473 $(M+H)^+$
103		N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.75-7.78 (m, 2H), 7.62-7.65 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 2H), 7.27 (dd, *J* = 8.7, 0.6 Hz, 1H), 7.14 (q, *J* = 0.7 Hz, 1H), 7.11 (dd, *J* = 2.4, 0.5 Hz, 1H), 6.76 (dd, *J* = 8.6, 2.4 Hz, 1H), 4.82 (s, 4H), 3.78 (s, 3H), 3.58 (t, *J* = 7.3 Hz, 2H), 2.97 (t, *J* = 7.3 Hz, 2H)	(ESI(+)) m/e 455 $(M+H)^+$
104		N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.39-8.43 (m, 1H), 8.30-8.32 (bs, 1H), 8.11-8.14 (m, 2H), 7.90-7.93 (m, 2H), 7.20-7.24 (m, 2H), 7.17-7.19 (m, 2H), 7.09 (t, *J* = 7.7 Hz, 1H), 6.92 (t, *J* = 1.9 Hz, 1H), 6.80 (dd, *J* = 7.5, 1.4 Hz, 1H), 6.67-6.70 (m, 1H), 4.85 (s, 4H), 4.73 (d, *J* = 5.8	(APCI(+)) m/e 387 $(M+H)^+$

			Hz, 2H)	
105		N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.49 (t, J = 5.6 Hz, 1H), 7.73-7.75 (m, 2H), 7.63-7.65 (m, 2H), 7.43 (dd, J = 7.4, 1.9 Hz, 1H), 7.36-7.40 (m, 2H), 7.35-7.37 (m, 1H), 7.32-7.36 (m, 2H), 7.24-7.31 (m, 1H), 4.78-4.80 (bs, 4H), 3.49-3.54 (m, 2H), 2.98 (t, J = 7.2 Hz, 2H)	(ESI(+)) m/e 420 $(M+H)^+$
106		N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) d ppm 8.56 (s, 1 H) 7.71 - 7.86 (m, 3 H) 7.59 - 7.71 (m, 2 H) 7.20 - 7.45 (m, 4 H) 4.79 (s, 4 H) 4.64 (t, J=5.8 Hz, 1 H) 3.90 - 4.16 (m, 1 H) 3.21 - 3.52 (m, 2 H) 1.54 - 1.72 (m, 1 H) 1.28 - 1.53 (m, 2 H) 0.88 (t, J=6.7 Hz, 6 H)	(ESI(+)) m/e 382 $(M+H)^+$
107		N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 8.08-8.11 (m, 2H), 7.99-8.06 (m, 1H), 7.89-7.92 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.18 (m, 2H), 4.84 (s, 4H), 3.77 (q, J = 5.7 Hz, 2H), 3.65 (t, J = 5.7 Hz, 2H), 3.35 (t, J = 6.5 Hz, 2H), 1.43-1.59 (m, 2H), 0.84 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 368 $(M+H)^+$
108		N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.29 (bs, 1H), 8.08-8.10 (m, 2H), 7.92-7.98 (m, 1H), 7.90-7.94 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 2H), 4.84 (s, 4H), 3.66-3.72 (m, 2H), 3.51 (t, J = 6.1 Hz, 2H), 3.13 (d, J = 6.4 Hz, 2H), 1.95 (p, J = 6.4 Hz, 2H), 1.75-1.87 (m, 1H), 0.87 (d, J = 6.7 Hz, 6H)	(ESI(+)) m/e 396 $(M+H)^+$
109		N-(4-{[4-(pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.16-8.20 (m, 2H), 7.65-7.69 (m, 2H), 7.30-7.40 (m, 6H), 6.81-6.85 (m, 2H), 4.79-4.80 (bs, 4H), 3.60-3.64 (m, 4H)	(ESI(+)) m/e 428 $(M+H)^+$
110		N-[4-({4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.42-8.43 (m, 1H), 7.83 (dd, J = 9.1, 2.6 Hz, 1H), 7.65-7.67 (m, 2H), 7.38-7.43 (m, 2H), 7.36-7.41 (m, 2H), 7.32-7.36 (m, 2H), 6.98 (d, J = 9.1 Hz, 1H), 4.79-4.80 (bs, 4H), 3.50-3.74 (m, 8H)	(ESI(-)) m/e 494 $(M-H)^-$
111		N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.91-9.93 (bs, 1H), 8.33-8.35 (bs, 1H), 8.17-8.20 (m, 2H), 7.92-7.95 (m, 2H), 7.43 (s, 2H), 7.20-7.25 (m, 2H), 7.15-7.19 (m, 2H), 4.84 (s, 4H), 3.87 (d, J = 0.4 Hz, 3H), 3.74 (s, 6H)	(ESI(-)) m/e 446 $(M-H)^-$
112		N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 7.90-7.92 (m, 2H), 7.51-7.54 (m, 2H), 7.19-7.25 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H),	(ESI(+)) m/e 364 $(M+H)^+$

		isoindole-2-carboxamide	4.21-4.27 (m, 2H), 2.82 (ddd, *J* = 13.2, 12.1, 2.7 Hz, 2H), 1.44-1.50 (m, 3H), 1.01-1.12 (m, 2H), 0.83 (d, *J* = 6.1 Hz, 3H)	
113		N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.73-7.76 (m, 2H), 7.64-7.66 (m, 2H), 7.36-7.41 (m, 2H), 7.30-7.36 (m, 4H), 7.21-7.25 (m, 2H), 4.78-4.80 (bs, 4H), 3.47 (t, *J* = 7.3 Hz, 2H), 3.05 (s, 6H), 2.83-2.88 (m, 2H)	(APCI(+)) m/e 429 $(M+H)^+$
114		N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 9.03 (t, *J* = 6.0 Hz, 1H), 8.67-8.69 (bs, 1H), 7.81-7.83 (m, 2H), 7.67-7.69 (m, 2H), 7.48 (t, *J* = 7.9 Hz, 1H), 7.36-7.41 (m, 2H), 7.34-7.37 (m, 1H), 7.31-7.35 (m, 2H), 7.28-7.29 (bs, 1H), 7.24 (dd, *J* = 8.2, 2.2 Hz, 1H), 4.79-4.80 (bs, 4H), 4.51 (d, *J* = 5.6 Hz, 2H)	(ESI(+)) m/e 456 $(M+H)^+$
115		N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.45-8.49 (m, 1H), 8.28-8.29 (bs, 1H), 8.08-8.12 (m, 2H), 7.87-7.90 (m, 2H), 7.55-7.59 (m, 2H), 7.26-7.33 (m, 2H), 7.19-7.23 (m, 3H), 7.16-7.18 (m, 2H), 5.79 (td, *J* = 7.9, 5.4 Hz, 1H), 4.82 (s, 4H), 3.88-3.99 (m, 2H), 2.19-2.43 (m, 2H)	(ESI(-)) m/e 414 $(M-H)^-$
116		N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.23 (t, *J* = 1.8 Hz, 1H), 8.04 (ddd, *J* = 8.0, 2.3, 1.5 Hz, 1H), 7.91-7.94 (m, 2H), 7.71-7.78 (m, 2H), 7.59 (t, *J* = 7.9 Hz, 1H), 7.56 (dt, *J* = 7.6, 1.5 Hz, 1H), 7.38-7.41 (m, 2H), 7.33-7.36 (m, 2H), 4.75-4.87 (m, 4H)	(ESI(-)) m/e 381 $(M-H)^-$
117		N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 10.07-10.09 (bs, 1H), 8.33-8.34 (bs, 1H), 8.13-8.16 (m, 2H), 8.01 (dd, *J* = 13.5, 2.5 Hz, 1H), 7.91-7.93 (m, 2H), 7.57-7.60 (m, 1H), 7.20-7.23 (m, 2H), 7.15-7.19 (m, 2H), 6.98 (t, *J* = 9.1 Hz, 1H), 4.84 (s, 4H), 3.73 (s, 3H)	(ESI(-)) m/e 404 $(M-H)^-$
118		N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.11-9.13 (bs, 1H), 8.40-8.44 (m, 1H), 8.37 (dd, *J* = 8.4, 1.3 Hz, 1H), 8.08-8.11 (m, 2H), 7.96-7.99 (m, 2H), 7.21-7.23 (m, 2H), 7.17-7.19 (m, 2H), 7.06 (t, *J* = 8.3 Hz, 1H), 6.74 (dd, *J* = 8.3, 1.3 Hz, 1H), 4.85 (s, 4H), 3.88 (s, 3H), 3.74 (s, 3H)	(ESI(+)) m/e 418 $(M+H)^+$
119		N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.64-8.65 (bs, 1H), 8.48 (t, *J* = 5.7 Hz, 1H), 7.72-7.74 (m, 2H), 7.62-7.66 (m, 2H), 7.36-7.42 (m, 2H), 7.31-7.36 (m, 2H), 7.25-7.32 (m, 2H), 7.12-7.17 (m, 2H), 4.79-4.88 (m, 4H), 3.47-3.51 (m, 2H), 2.89 (t, *J* = 7.2 Hz, 2H)	(ESI(-)) m/e 402 $(M-H)^-$
120		N-[4-(isobutylcarbamoyl)p	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.29 (bs, 1H), 8.09-	(ESI(+)) m/e 338

		henyl]-1,3-dihydro-2H-isoindole-2-carboxamide	8.12 (m, 2H), 7.90-7.93 (m, 2H), 7.84-7.90 (m, 1H), 7.19-7.23 (m, 2H), 7.14-7.19 (m, 2H), 4.84 (s, 4H), 3.39 (dd, *J* = 6.8, 6.0 Hz, 2H), 1.91-2.03 (m, 1H), 0.93 (d, *J* = 6.7 Hz, 6H)	$(M+H)^+$
121		N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.64-8.66 (bs, 1H), 8.42 (t, *J* = 5.6 Hz, 1H), 7.73-7.75 (m, 2H), 7.63-7.67 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 2H), 6.81-6.84 (m, 2H), 6.71 (dd, *J* = 7.8, 1.7 Hz, 1H), 5.95 (s, 2H), 4.78-4.79 (bs, 4H), 3.41-3.46 (m, 2H), 2.73-2.78 (m, 2H)	(ESI(+)) m/e 430 $(M+H)^+$
122		N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.25-8.27 (bs, 1H), 8.05-8.08 (m, 2H), 7.98-8.02 (bs, 1H), 7.89-7.92 (m, 2H), 7.19-7.25 (m, 3H), 7.14-7.19 (m, 3H), 6.83-6.90 (m, 2H), 4.84 (s, 4H), 3.83-3.88 (m, 2H), 3.66 (s, 3H), 3.09 (t, *J* = 7.1 Hz, 2H)	(ESI(+)) m/e 416 $(M+H)^+$
123		N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.28 (bs, 1H), 8.09-8.12 (m, 2H), 7.89-7.93 (m, 2H), 7.86-7.92 (m, 1H), 7.19-7.23 (m, 2H), 7.15-7.18 (m, 2H), 4.84 (s, 4H), 3.48-3.61 (m, 2H), 1.62 (p, *J* = 7.2 Hz, 2H), 1.26-1.44 (m, 2H), 0.85 (t, *J* = 7.3 Hz, 3H)	(ESI(+)) m/e 338 $(M+H)^+$
124		N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.75-7.78 (m, 2H), 7.63-7.66 (m, 2H), 7.26-7.40 (m, 4H), 4.82 (s, 4H), 3.58-3.68 (m, 1H), 3.52-3.56 (m, 2H), 3.42 (t, *J* = 6.2 Hz, 2H), 1.12 (d, *J* = 6.1 Hz, 6H)	(ESI(-)) m/e 366 $(M-H)^-$
125		N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.30 (bs, 1H), 8.07-8.10 (m, 2H), 7.93-7.97 (m, 1H), 7.90-7.94 (m, 2H), 7.19-7.23 (m, 2H), 7.14-7.19 (m, 2H), 4.85 (s, 4H), 3.62-3.74 (m, 2H), 3.42-3.55 (m, 3H), 1.92 (p, *J* = 6.4 Hz, 2H), 1.08 (d, *J* = 6.1 Hz, 6H)	(ESI(+)) m/e 382 $(M+H)^+$
126		4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.66 (s, 1H), 8.29 (t, *J* = 5.6 Hz, 1H), 7.75-7.79 (m, 2H), 7.64-7.68 (m, 2H), 7.33-7.41 (m, 3H), 7.13-7.32 (m, 5H), 4.77-4.89 (m, 4H), 3.19-3.31 (m, 2H), 2.58-2.68 (m, 2H), 1.76-1.89 (m, 2H)	(ESI(+)) m/e 434 $(M+H)^+$
127		N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.64-8.66 (bs, 1H), 8.43 (t, *J* = 5.6 Hz, 1H), 7.73-7.76 (m, 2H), 7.63-7.65 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.35 (m, 2H), 7.16-7.19 (m, 2H), 6.86-6.88 (m, 2H), 4.78-4.80 (bs, 4H), 3.72 (s, 3H), 3.42-3.51 (m, 2H), 2.78 (t, *J* = 7.4 Hz, 2H)	(ESI(+)) m/e 416 $(M+H)^+$
128		N-{4-[(3-methoxypropyl)carba	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.75-7.78 (m, 2H), 7.60-7.69	(ESI(+)) m/e 354

		moyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	(m, 2H), 7.37-7.40 (m, 2H), 7.32-7.35 (m, 2H), 4.79-4.80 (bs, 4H), 3.39 (t, *J* = 6.3 Hz, 2H), 3.30 (t, *J* = 7.0 Hz, 2H), 3.25 (s, 3H), 1.76 (p, *J* = 6.7 Hz, 2H)	$(M+H)^+$
129		N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.64-8.66 (bs, 1H), 8.45 (t, *J* = 5.6 Hz, 1H), 7.73-7.75 (m, 2H), 7.63-7.66 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.35 (m, 2H), 7.27-7.31 (m, 2H), 7.09-7.13 (m, 2H), 4.78-4.80 (bs, 4H), 3.47 (t, *J* = 7.3 Hz, 2H), 2.84 (t, *J* = 7.3 Hz, 2H)	(ESI(+)) m/e 404 $(M+H)^+$
130		N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58 (s, 1H), 8.27 (t, *J* = 5.7 Hz, 1H), 7.74-7.78 (m, 2H), 7.64-7.69 (m, 2H), 7.30-7.39 (m, 4H), 4.78-4.79 (bs, 4H), 3.32-3.39 (m, 2H), 3.17-3.26 (m, 4H), 2.22 (t, *J* = 8.0 Hz, 2H), 1.87-1.97 (m, 2H), 1.69 (p, *J* = 7.0 Hz, 2H)	(ESI(+)) m/e 407 $(M+H)^+$
131		N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.89-8.91 (bs, 1H), 8.53 (d, *J* = 8.7 Hz, 1H), 8.36-8.37 (bs, 1H), 8.10-8.13 (m, 2H), 7.95-7.98 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 6.67 (d, *J* = 2.6 Hz, 1H), 6.61 (dd, *J* = 8.7, 2.7 Hz, 1H), 4.85 (s, 4H), 3.72 (s, 3H), 3.69 (s, 3H)	(ESI(+)) m/e 418 $(M+H)^+$
133		N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.52 (t, *J* = 5.5 Hz, 1H), 7.77-7.81 (m, 2H), 7.65-7.69 (m, 2H), 7.26-7.39 (m, 6H), 6.90-6.99 (m, 3H), 4.79 (s, 4H), 4.10 (t, *J* = 5.9 Hz, 2H), 3.62 (q, *J* = 5.7 Hz, 2H)	(ESI(+)) m/e 402 $(M+H)^+$
134		N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.73-7.76 (m, 2H), 7.63-7.66 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 2H), 7.04-7.07 (m, 2H), 6.69-6.71 (m, 2H), 4.79-4.80 (bs, 4H), 3.41 (dd, *J* = 8.5, 6.5 Hz, 2H), 2.73 (t, *J* = 7.5 Hz, 2H)	(ESI(+)) m/e 402 $(M+H)^+$
135		N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.64-8.66 (bs, 1H), 8.46 (t, *J* = 5.6 Hz, 1H), 7.72-7.75 (m, 2H), 7.63-7.66 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.35 (m, 3H), 7.08-7.11 (m, 2H), 7.00-7.05 (m, 1H), 4.78-4.79 (bs, 4H), 3.50 (t, *J* = 6.9 Hz, 2H), 2.88 (t, *J* = 7.2 Hz, 2H)	(ESI(+)) m/e 404 $(M+H)^+$
136		N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.25 (s, 1H), 8.64 (s, 1H), 8.08 (s, 1H), 7.85-7.89 (m, 2H), 7.70-7.75 (m, 2H), 7.61 (s, 1H), 7.29-7.41 (m, 4H), 4.94-5.06 (m, 1H), 4.80-4.81 (bs, 4H), 3.93-4.01 (m, 2H), 3.78-3.89 (m, 2H), 2.30-2.46 (m, 1H), 2.14-2.30 (m, 1H)	(ESI(+)) m/e 418 $(M+H)^+$
137		5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.55 (s, 1H), 8.29 (t, *J* = 5.6 Hz, 1H), 7.74-7.79 (m, 2H), 7.63-7.68 (m, 2H), 7.11-7.34 (m,	(ESI(+)) m/e 414 $(M+H)^+$

		dihydro-2H-isoindole-2-carboxamide	8H), 4.73-4.74 (bs, 4H), 3.20-3.30 (m, 2H), 2.63 (t, *J* = 7.6 Hz, 2H), 2.33 (s, 3H), 1.82 (p, *J* = 7.4 Hz, 2H)	
138		N-[4-(1,4-dioxa-8-azaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.28 (bs, 1H), 7.89-7.92 (m, 2H), 7.52-7.55 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.18 (m, 2H), 4.85 (s, 4H), 3.84 (s, 4H), 3.73-3.76 (m, 4H), 1.71-1.75 (m, 4H)	(ESI(+)) m/e 408 $(M+H)^+$
139		N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.38 (t, *J* = 5.6 Hz, 1H), 7.73-7.77 (m, 2H), 7.64-7.67 (m, 2H), 7.20-7.39 (m, 9H), 4.79 (s, 4H), 3.43-3.50 (m, 2H), 2.80-2.88 (m, 2H)	(ESI(+)) m/e 386 $(M+H)^+$
140		N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.25-8.26 (bs, 1H), 8.07-8.09 (m, 2H), 7.95-8.02 (m, 1H), 7.88-7.93 (m, 2H), 7.19-7.24 (m, 2H), 7.13-7.19 (m, 2H), 6.57 (d, *J* = 2.4 Hz, 1H), 6.49 (dd, *J* = 8.1, 2.4 Hz, 1H), 4.84 (s, 4H), 3.81-3.85 (m, 2H), 3.68 (s, 3H), 3.66 (s, 3H), 3.04 (t, *J* = 7.0 Hz, 2H)	(ESI(+)) m/e 446 $(M+H)^+$
141		N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.76-7.78 (m, 2H), 7.63-7.65 (m, 2H), 7.32-7.40 (m, 4H), 4.82 (s, 4H), 3.37 (t, *J* = 6.9 Hz, 2H), 2.53-2.57 (m, 2H), 2.09 (s, 3H), 1.85 (p, *J* = 7.1 Hz, 2H)	(ESI(+)) m/e 370 $(M+H)^+$
142		N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.34 (m, 1H), 8.07-8.12 (m, 2H), 8.01-8.08 (m, 1H), 7.89-7.92 (m, 2H), 7.19-7.24 (m, 2H), 7.14-7.18 (m, 2H), 4.84 (s, 4H), 3.76 (q, *J* = 5.7 Hz, 2H), 3.63 (t, *J* = 5.7 Hz, 2H), 3.43 (q, *J* = 6.9 Hz, 2H), 1.09 (t, *J* = 6.9 Hz, 3H)	(ESI(+)) m/e 354 $(M+H)^+$
143		N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.91-7.93 (m, 2H), 7.72-7.75 (m, 2H), 7.56-7.65 (m, 1H), 7.37-7.42 (m, 2H), 7.32-7.37 (m, 2H), 7.26-7.31 (m, 2H), 7.21-7.26 (m, 1H), 4.78-4.82 (m, 4H)	(ESI(-)) m/e 374 $(M-H)^-$
144		N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.45 (d, *J* = 2.2 Hz, 1H), 8.41 (dd, *J* = 4.7, 1.6 Hz, 1H), 8.38 (d, *J* = 5.5 Hz, 1H), 7.71-7.75 (m, 2H), 7.63-7.68 (m, 3H), 7.29-7.39 (m, 5H), 4.79 (s, 4H), 3.46-3.53 (m, 2H), 2.87 (t, *J* = 7.1 Hz, 2H)	(ESI(+)) m/e 387 $(M+H)^+$
145		N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 9.03 (t, *J* = 6.0 Hz, 1H), 8.67-8.70 (bs, 1H), 7.82-7.84 (m, 2H), 7.66-7.70 (m, 4H), 7.47-7.49 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 2H), 4.79-4.80 (bs, 4H), 4.53 (d, *J* = 5.3 Hz, 2H)	(ESI(+)) m/e 472 $(M+H)^+$

146		N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.90-9.92 (bs, 1H), 8.32-8.33 (bs, 1H), 8.17-8.19 (m, 2H), 7.92-7.94 (m, 2H), 7.77 (d, J = 2.4 Hz, 1H), 7.49-7.53 (m, 1H), 7.20-7.23 (m, 2H), 7.14-7.19 (m, 2H), 6.94 (d, J = 8.6 Hz, 1H), 4.84 (s, 4H), 3.74 (s, 6H)	(ESI(+)) m/e 418 $(M+H)^+$
147		N-(4-{[3-(2-fluorophenyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.60-7.67 (m, 2H), 7.47-7.55 (m, 2H), 7.26-7.45 (m, 6H), 7.12-7.25 (m, 2H), 4.77-4.82 (m, 4H), 3.83-3.97 (m, 1H), 3.47-3.64 (m, 4H), 2.19-2.36 (m, 1H), 1.98-2.18 (m, 1H)	(ESI(+)) m/e 430 $(M+H)^+$
148		N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.36-8.38 (bs, 1H), 8.24-8.31 (m, 1H), 8.08-8.12 (m, 2H), 8.00-8.05 (bs, 1H), 7.91-7.97 (m, 2H), 7.25-7.31 (bs, 1H), 7.19-7.24 (m, 2H), 7.16-7.19 (m, 2H), 4.86 (s, 4H), 4.06 (t, J = 7.0 Hz, 2H), 3.55 (q, J = 6.4 Hz, 2H), 2.11 (p, J = 6.9 Hz, 2H)	(ESI(+)) m/e 390 $(M+H)^+$
149		N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.64-8.66 (bs, 1H), 8.45 (t, J = 5.6 Hz, 1H), 7.72-7.75 (m, 2H), 7.63-7.66 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 4H), 7.25-7.29 (m, 1H), 7.21-7.24 (m, 1H), 4.76-4.81 (bs, 4H), 3.47-3.51 (m, 2H), 2.86 (t, J = 7.2 Hz, 2H)	(APCI(+)) m/e 420 $(M+H)^+$
150		N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.75-7.78 (m, 2H), 7.62-7.65 (m, 2H), 7.32-7.40 (m, 4H), 4.81 (s, 4H), 3.48 (t, J = 6.3 Hz, 2H), 3.28-3.32 (m, 2H), 1.49-1.65 (m, 4H)	(ESI(+)) m/e 354 $(M+H)^+$
151		N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65 (s, 1H), 8.30 (t, J = 5.6 Hz, 1H), 7.74-7.81 (m, 3H), 7.57-7.73 (m, 4H), 7.15-7.32 (m, 5H), 4.85-4.87 (bs, 4H), 3.27 (q, J = 6.6 Hz, 2H), 2.63 (t, J = 7.6 Hz, 2H), 1.83 (p, J = 7.4 Hz, 2H)	(ESI(+)) m/e 468 $(M+H)^+$
152		N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.90-7.92 (m, 2H), 7.68-7.74 (m, 4H), 7.38-7.41 (m, 2H), 7.33-7.36 (m, 2H), 7.29-7.32 (m, 2H), 4.78-4.84 (m, 4H), 4.47 (s, 2H)	(APCI(+)) m/e 388 $(M+H)^+$
153		N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.95-9.97 (bs, 1H), 8.28-8.36 (m, 1H), 8.13-8.15 (m, 2H), 7.90-7.93 (m, 2H), 7.76 (d, J = 2.1 Hz, 1H), 7.32 (dd, J = 8.3, 2.1 Hz, 1H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 6.82 (d, J = 8.3 Hz, 1H), 5.86 (s, 2H), 4.84 (s, 4H)	(APCI(+)) m/e 402 $(M+H)^+$

154		N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.21 (s, 1H), 8.64 (s, 1H), 8.03 (d, J = 0.7 Hz, 1H), 7.85-7.89 (m, 2H), 7.70-7.74 (m, 2H), 7.57 (d, J = 0.7 Hz, 1H), 7.30-7.40 (m, 4H), 4.80-4.81 (bs, 4H), 4.41-4.55 (m, 1H), 1.41 (d, J = 6.7 Hz, 6H)	(ESI(+)) m/e 390 $(M+H)^+$
155		N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.83-9.85 (bs, 1H), 8.29-8.33 (bs, 1H), 8.16-8.18 (m, 2H), 7.91-7.93 (m, 2H), 7.86-7.89 (m, 2H), 7.19-7.23 (m, 2H), 7.17-7.19 (m, 3H), 7.10-7.12 (m, 2H), 4.84 (s, 4H)	(ESI(+)) m/e 374 $(M+H)^+$
156		N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.22 (s, 1H), 8.64 (s, 1H), 8.03 (s, 1H), 7.85-7.90 (m, 2H), 7.70-7.74 (m, 2H), 7.57 (s, 1H), 7.30-7.40 (m, 4H), 4.80-4.81 (bs, 4H), 4.11 (q, J = 7.2 Hz, 2H), 1.36 (t, J = 7.2 Hz, 3H)	(ESI(+)) m/e 376 $(M+H)^+$
157		N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.97-8.99 (bs, 1H), 8.56 (d, J = 3.0 Hz, 1H), 8.40-8.42 (bs, 1H), 8.07-8.10 (m, 2H), 7.96-7.98 (m, 2H), 7.21-7.24 (m, 2H), 7.16-7.19 (m, 2H), 6.88 (d, J = 8.8 Hz, 1H), 6.69 (dd, J = 8.8, 3.0 Hz, 1H), 4.85 (s, 4H), 3.72 (s, 3H), 3.71 (s, 3H)	(ESI(+)) m/e 418 $(M+H)^+$
158		N-{4-[methyl(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.51 (s, 1H), 7.60-7.64 (m, 2H), 7.11-7.44 (m, 11H), 4.78-4.79 (bs, 4H), 3.26-3.52 (m, 2H), 2.94 (s, 3H), 2.34-2.70 (m, 2H), 1.82-1.91 (m, 2H)	(ESI(+)) m/e 414 $(M+H)^+$
159		N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.30-8.32 (bs, 1H), 8.06-8.09 (m, 2H), 7.89-7.95 (m, 1H), 7.89-7.92 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.84 (s, 4H), 3.70 (d, J = 5.9 Hz, 2H), 1.38 (s, 6H)	(ESI(-)) m/e 352 $(M-H)^-$
160		N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.31-8.33 (bs, 1H), 7.91-7.94 (m, 2H), 7.50-7.55 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.86 (s, 4H), 4.34-4.39 (m, 2H), 2.83 (td, J = 12.9, 2.8 Hz, 2H), 2.24-2.43 (m, 1H), 1.73-1.77 (m, 2H), 1.50 (qd, J = 12.5, 4.4 Hz, 2H)	(ESI(-)) m/e 416 $(M-H)^-$
161		N-[4-(thiomorpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.29-8.31 (bs, 1H), 7.90-7.92 (m, 2H), 7.47-7.50 (m, 2H), 7.20-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 3.81-3.84 (m, 4H), 2.54-2.58 (m, 4H)	(ESI(+)) m/e 368 $(M+H)^+$
162		N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 7.67-7.71 (m, 2H), 7.60-7.62 (bs, 1H), 7.30-7.43 (m, 6H), 6.72-6.77 (bs, 1H), 4.79-4.80 (bs, 4H), 4.73-4.75 (bs, 2H), 4.06-	(ESI(+)) m/e 388 $(M+H)^+$

		1,3-dihydro-2H-isoindole-2-carboxamide	4.18 (m, 2H), 3.81-3.88 (m, 2H)	
163		N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.31-8.34 (m, 1H), 7.92-7.95 (m, 2H), 7.57-7.59 (m, 1H), 7.53-7.57 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 7.08-7.09 (m, 1H), 6.45 (dd, *J* = 3.4, 1.7 Hz, 1H), 4.86 (s, 4H), 3.75-3.80 (m, 4H), 3.64-3.70 (m, 4H)	(ESI(-)) m/e 443 $(M-H)^-$
164		N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.77-7.80 (m, 2H), 7.65-7.67 (m, 2H), 7.49-7.56 (m, 5H), 7.37-7.43 (m, 2H), 7.32-7.36 (m, 2H), 4.82 (s, 4H), 4.31-4.32 (bs, 2H), 4.03-4.10 (m, 1H), 3.39-3.44 (m, 2H), 3.12-3.19 (m, 2H), 2.08-2.14 (m, 2H), 1.88-1.99 (m, 2H)	(ESI(+)) m/e 455 $(M+H)^+$
165		N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.91-9.93 (bs, 1H), 8.33-8.34 (bs, 1H), 8.16-8.18 (m, 2H), 7.86-7.98 (m, 4H), 7.20-7.23 (m, 2H), 7.15-7.19 (m, 2H), 6.95-6.98 (m, 2H), 4.85 (s, 4H), 3.67 (s, 3H)	(ESI(+)) m/e 388 $(M+H)^+$
166		N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.99-10.01 (m, 1H), 8.34-8.35 (bs, 1H), 8.10-8.20 (m, 2H), 7.91-7.94 (m, 2H), 7.82 (t, *J* = 2.2 Hz, 1H), 7.57-7.60 (m, 1H), 7.21-7.24 (m, 2H), 7.14-7.19 (m, 2H), 6.75 (dd, *J* = 8.2, 2.5 Hz, 1H), 4.84 (s, 4H), 3.68 (s, 3H)	(ESI(+)) m/e 388 $(M+H)^+$
167		N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.89-9.92 (bs, 1H), 8.93-8.97 (m, 2H), 8.38-8.39 (bs, 1H), 8.04-8.07 (m, 2H), 7.93-7.96 (m, 2H), 7.87-7.93 (m, 1H), 7.20-7.25 (m, 2H), 7.15-7.19 (m, 2H), 6.91 (d, *J* = 8.8 Hz, 1H), 4.85 (s, 4H), 3.71 (d, *J* = 1.1 Hz, 3H), 2.14 (d, *J* = 0.9 Hz, 3H)	(ESI(+)) m/e 445 $(M+H)^+$
168		N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.25-8.28 (bs, 1H), 8.08-8.13 (m, 1H), 8.07-8.11 (m, 2H), 7.87-7.92 (m, 2H), 7.19-7.24 (m, 2H), 7.14-7.19 (m, 2H), 6.56-6.59 (m, 2H), 6.47-6.50 (m, 1H), 4.84 (s, 4H), 3.82-3.88 (m, 2H), 3.65 (s, 6H), 3.00 (t, *J* = 7.2 Hz, 2H)	(ESI(-)) m/e 444 $(M-H)^-$
169		N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.63-8.66 (bs, 1H), 8.45 (t, *J* = 5.6 Hz, 1H), 7.70-7.73 (m, 2H), 7.62-7.65 (m, 2H), 7.53-7.61 (m, 4H), 7.37-7.40 (m, 2H), 7.32-7.35 (m, 2H), 4.78-4.79 (bs, 4H), 3.50-3.56 (m, 2H), 2.96 (t, *J* = 7.1 Hz, 2H)	(ESI(+)) m/e 454 $(M+H)^+$
170		N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 7.96-7.99 (m, 2H), 7.86-7.88 (m, 2H), 7.18-7.24 (m, 2H), 7.14-7.19 (m, 2H), 6.76-6.79 (bs,	(ESI(+)) m/e 352 $(M+H)^+$

		isoindole-2-carboxamide	1H), 4.83 (s, 4H), 1.94 (q, *J* = 7.5 Hz, 2H), 1.47 (s, 6H), 0.90 (t, *J* = 7.4 Hz, 3H)	
171		N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.48-8.52 (bs, 1H), 8.32-8.34 (bs, 1H), 8.27 (s, 1H), 8.09-8.12 (m, 2H), 7.90-7.93 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 2H), 4.84 (s, 4H), 3.90-3.96 (m, 2H), 3.13 (t, *J* = 6.7 Hz, 2H)	(ESI(+)) m/e 376 $(M+H)^+$
172		N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.30 (bs, 1H), 8.06-8.10 (m, 2H), 8.03-8.09 (m, 1H), 7.88-7.91 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.84 (s, 4H), 4.25 (dddd, *J* = 12.4, 7.0, 6.3, 4.2 Hz, 1H), 3.78 (ddd, *J* = 13.4, 6.1, 4.3 Hz, 1H), 3.61 (ddd, *J* = 13.4, 6.9, 5.4 Hz, 1H), 1.31 (d, *J* = 6.2 Hz, 3H)	(ESI(-)) m/e 338 $(M-H)^-$
173		N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.32-8.37 (m, 1H), 8.28-8.32 (bs, 1H), 8.09-8.12 (m, 2H), 7.88-7.90 (m, 2H), 7.83 (s, 1H), 7.69-7.72 (m, 1H), 7.43-7.47 (m, 1H), 7.30 (t, *J* = 7.8 Hz, 1H), 7.19-7.24 (m, 2H), 7.14-7.18 (m, 2H), 5.55 (p, *J* = 7.1 Hz, 1H), 4.83 (s, 4H), 1.56 (d, *J* = 7.0 Hz, 3H)	(ESI(+)) m/e 411 $(M+H)^+$
174		N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.29-8.31 (bs, 1H), 8.05-8.08 (m, 2H), 7.87-7.90 (m, 2H), 7.46-7.53 (bs, 1H), 7.19-7.24 (m, 2H), 7.14-7.18 (m, 2H), 4.84 (s, 4H), 4.29-4.36 (m, 1H), 3.99 (d, *J* = 4.8 Hz, 2H), 2.17-2.28 (m, 1H), 1.00-1.10 (m, 6H)	(ESI(+)) m/e 366 $(M+H)^+$
175		N-{4-[benzyl(2-hydroxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.20-8.21 (bs, 1H), 7.85-7.88 (m, 2H), 7.61-7.64 (m, 2H), 7.37-7.43 (m, 2H), 7.29-7.34 (m, 2H), 7.20-7.27 (m, 3H), 7.14-7.19 (m, 2H), 4.94-4.94 (bs, 2H), 4.84 (s, 4H), 3.94-3.97 (m, 2H), 3.73 (t, *J* = 6.0 Hz, 2H)	(ESI(-)) m/e 414 $(M-H)^-$
176		N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.97-7.99 (m, 2H), 7.91-7.93 (m, 2H), 7.80-7.83 (m, 2H), 7.72-7.77 (m, 2H), 7.38-7.41 (m, 2H), 7.33-7.36 (m, 2H), 4.81 (s, 4H)	(ESI(-)) m/e 381 $(M-H)^-$
177		N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.66 (s, 1H), 8.45 (t, *J* = 5.6 Hz, 1H), 7.72-7.74 (m, 2H), 7.64 (dd, *J* = 8.7, 2.3 Hz, 2H), 7.37-7.40 (m, 2H), 7.32-7.36 (m, 4H), 7.27-7.30 (m, 2H), 4.78-4.79 (bs, 4H), 3.45-3.50 (m, 2H), 2.84 (t, *J* = 7.2 Hz, 2H)	(ESI(+)) m/e 420 $(M+H)^+$
178		N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}p	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.34-8.35 (bs, 1H), 8.08-8.12 (m, 2H), 8.06-8.10 (m, 1H), 7.92-7.94	(ESI(+)) m/e 408 $(M+H)^+$

		henyl)-1,3-dihydro-2H-isoindole-2-carboxamide	(m, 2H), 7.19-7.23 (m, 2H), 7.17-7.19 (m, 2H), 4.85 (s, 4H), 3.71 (q, *J* = 5.9 Hz, 2H), 2.85-2.90 (m, 4H), 2.81-2.85 (m, 4H), 2.76 (t, *J* = 6.3 Hz, 2H), 2.48 (s, 3H)	
179		N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.77 (dd, *J* = 5.8, 1.6 Hz, 1H), 8.45 (td, *J* = 7.8, 1.6 Hz, 1H), 7.92 (d, *J* = 8.0 Hz, 1H), 7.88 (ddd, *J* = 7.5, 6.0, 1.3 Hz, 1H), 7.66-7.69 (m, 2H), 7.62-7.65 (m, 2H), 7.36-7.39 (m, 2H), 7.32-7.35 (m, 2H), 4.78-4.79 (bs, 4H), 3.68-3.72 (m, 2H), 3.25 (t, *J* = 6.4 Hz, 2H)	(ESI(+)) m/e 387 $(M+H)^+$
180		N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.79-7.81 (m, 2H), 7.68-7.71 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 2H), 4.82 (s, 4H), 4.28 (s, 2H)	(APCI(+)) m/e 321 $(M+H)^+$
181		N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 8.05-8.08 (m, 2H), 7.88-7.90 (m, 2H), 7.40-7.47 (m, 1H), 7.19-7.24 (m, 2H), 7.14-7.19 (m, 2H), 4.84 (s, 4H), 4.13-4.20 (m, 1H), 2.05-2.08 (m, 2H), 1.63-1.67 (m, 2H), 1.47-1.54 (m, 1H), 1.28-1.41 (m, 4H), 1.04-1.17 (m, 1H)	(ESI(+)) m/e 364 $(M+H)^+$
182		N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.93-9.94 (m, 1H), 8.30-8.32 (m, 1H), 8.10-8.14 (m, 2H), 8.01 (t, *J* = 2.2 Hz, 1H), 7.87-7.92 (m, 2H), 7.48 (ddd, *J* = 8.0, 2.0, 0.9 Hz, 1H), 7.25 (t, *J* = 8.0 Hz, 1H), 7.19-7.25 (m, 2H), 7.13-7.18 (m, 2H), 6.90 (ddd, *J* = 8.0, 2.4, 1.0 Hz, 1H), 4.83 (s, 4H)	(ESI(+)) m/e 374 $(M+H)^+$
183		N-{4-[butyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.24-8.26 (bs, 1H), 7.89-7.92 (m, 2H), 7.49-7.52 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 3.41 (t, *J* = 7.3 Hz, 2H), 2.95 (s, 3H), 1.52 (p, *J* = 7.3 Hz, 2H), 1.15-1.33 (m, 2H), 0.82 (t, *J* = 7.3 Hz, 3H)	(ESI(+)) m/e 350 $(M+H)^+$
184		N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.76-9.77 (bs, 1H), 8.30-8.32 (bs, 1H), 8.16-8.19 (m, 2H), 7.91-7.95 (m, 2H), 7.84-7.86 (m, 2H), 7.20-7.23 (m, 2H), 7.15-7.19 (m, 2H), 6.73-6.81 (m, 2H), 4.85 (s, 4H), 2.77 (s, 6H)	(ESI(-)) m/e 399 $(M-H)^-$
185		N-[4-(3,4-dihydroisoquinolin-2(1H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.29-8.30 (bs, 1H), 7.91-7.94 (m, 2H), 7.54-7.60 (m, 2H), 7.19-7.26 (m, 2H), 7.15-7.19 (m, 2H), 7.11-7.15 (m, 2H), 7.05-7.11 (m, 1H), 6.98-7.04 (m, 1H), 4.86 (s, 4H), 4.80-4.81 (bs, 2H), 3.75 (t, *J* = 5.9 Hz, 2H), 2.78 (t, *J* = 6.0 Hz, 2H)	(ESI(+)) m/e 398 $(M+H)^+$

186		N-[4-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.34-8.36 (bs, 1H), 7.96-7.98 (m, 2H), 7.72-7.75 (m, 2H), 7.20-7.24 (m, 4H), 7.16-7.20 (m, 4H), 4.87-4.90 (bs, 4H), 4.88 (s, 4H)	(ESI(+)) m/e 384 $(M+H)^+$
187		N-[4-(2,3-dihydro-1H-indol-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.36-8.38 (m, 1H), 7.96-8.00 (m, 1H), 7.93-7.97 (m, 2H), 7.63-7.65 (m, 2H), 7.20-7.24 (m, 2H), 7.15-7.20 (m, 2H), 7.11-7.15 (m, 2H), 6.96-7.00 (m, 1H), 4.87 (s, 4H), 3.94-3.99 (m, 2H), 2.89 (t, J = 8.3 Hz, 2H)	(ESI(+)) m/e 384 $(M+H)^+$
188		N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.90-7.92 (m, 2H), 7.72-7.77 (m, 4H), 7.33-7.40 (m, 6H), 7.12 (t, J = 7.3 Hz, 1H), 4.80-4.82 (bs, 4H)	(ESI(-)) m/e 356 $(M-H)^-$
189		N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 10.17-10.19 (bs, 1H), 8.72-8.74 (bs, 1H), 7.89-7.91 (m, 2H), 7.74-7.79 (m, 2H), 7.71-7.75 (m, 2H), 7.37-7.41 (m, 2H), 7.33-7.36 (m, 2H), 7.18-7.22 (m, 2H), 4.80-4.81 (bs, 4H)	(ESI(+)) m/e 376 $(M+H)^+$
190		N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.78-7.81 (m, 2H), 7.67-7.70 (m, 2H), 7.37-7.41 (m, 2H), 7.32-7.36 (m, 2H), 4.82 (s, 4H), 3.66 (t, J = 6.4 Hz, 2H), 3.29-3.33 (m, 2H), 3.24 (q, J = 7.5 Hz, 4H), 1.24-1.33 (m, 6H)	(ESI(+)) m/e 381 $(M+H)^+$
191		N-{4-[2-hydroxy-2-phenylethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.21 (d, J = 1.6 Hz, 1H), 7.85-7.88 (m, 2H), 7.56-7.59 (m, 2H), 7.51-7.54 (m, 2H), 7.29-7.35 (m, 2H), 7.20-7.24 (m, 3H), 7.14-7.19 (m, 2H), 5.29-5.35 (m, 1H), 4.84 (s, 4H), 3.11 (s, 3H)	(ESI(+)) m/e 416 $(M+H)^+$
192		N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.91-7.93 (m, 2H), 7.69-7.72 (m, 2H), 7.38-7.43 (m, 2H), 7.33-7.36 (m, 2H), 7.15-7.18 (m, 1H), 7.01 (ddd, J = 8.0, 7.3, 1.5 Hz, 1H), 6.82 (dd, J = 8.0, 1.4 Hz, 1H), 6.66 (td, J = 7.5, 1.5 Hz, 1H), 4.81 (s, 4H)	(ESI(-)) m/e 371 $(M-H)^-$
193		N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.30 (bs, 1H), 8.05-8.10 (m, 2H), 8.04-8.09 (m, 1H), 7.88-7.91 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.18 (m, 2H), 4.84 (s, 4H), 4.25 (dqd, J = 6.9, 6.2, 4.2 Hz, 1H), 3.78 (ddd, J = 13.4, 6.1, 4.2 Hz, 1H), 3.61 (ddd, J = 13.4, 6.9, 5.4 Hz, 1H), 1.31 (d, J = 6.2 Hz, 3H)	(ESI(+)) m/e 340 $(M+H)^+$
194		N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.80-7.83 (m, 2H), 7.65-7.68 (m, 2H), 7.36-7.41 (m, 2H),	(ESI(-)) m/e 393 $(M-H)^-$

		yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	7.31-7.36 (m, 2H), 4.82 (s, 4H), 4.50 (dd, *J* = 9.1, 5.0 Hz, 1H), 1.60-1.77 (m, 3H), 0.94 (dd, *J* = 11.0, 6.1 Hz, 6H)	
195		tert-butyl (1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}piperidin-4-yl)carbamate	^{1}H NMR (400 MHz, pyridine-d_5) δ ppm 1.49 - 1.51 (m, 9 H), 1.51 - 1.61 (m, 1 H), 1.88 - 2.00 (m, 1 H), 2.98 - 3.11 (m, 2 H), 3.75 - 3.90 (m, 1 H), 4.21 (d, *J*=13.4 Hz, 1 H), 4.85 (s, 4 H), 6.59 (d, *J*=6.1 Hz, 1 H), 7.10 - 7.25 (m, 5 H), 7.45 - 7.55 (m, 4 H), 7.89 (d, *J*=8.5 Hz, 2 H), 8.26 (s, 1 H) 8.64 (s, 1 H)	(ESI(+)) m/e 465 $(M+H)^+$
196		N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.75-7.78 (m, 2H), 7.63-7.66 (m, 2H), 7.26-7.42 (m, 4H), 4.79 (s, 4H), 3.82-3.86 (m, 4H), 3.37 (t, *J* = 6.6 Hz, 2H), 3.20-3.26 (m, 4H), 3.12-3.18 (m, 2H), 1.89-2.03 (m, 2H)	(ESI(+)) m/e 409 $(M+H)^+$
197		N-[4-({4-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57-8.59 (m, 1H), 8.55-8.57 (bs, 1H), 8.23 (d, *J* = 2.2 Hz, 1H), 7.65-7.69 (m, 2H), 7.37-7.41 (m, 2H), 7.29-7.38 (m, 4H), 4.79-4.80 (bs, 4H), 3.59-3.84 (m, 4H), 3.45-3.58 (m, 4H)	(ESI(+)) m/e 530 $(M+H)^+$
198		N-(4-{[4-(cyclohexylmethyl)piperazin-1yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.31-8.33 (bs, 1H), 7.91-7.95 (m, 2H), 7.50-7.57 (m, 2H), 7.20-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.86 (s, 4H), 3.63-3.74 (m, 4H), 2.40-2.43 (m, 4H), 2.16 (d, *J* = 7.0 Hz, 2H), 1.75-1.81 (m, 2H), 1.56-1.70 (m, 3H), 1.43-1.56 (m, 1H), 1.09-1.29 (m, 3H), 0.82-0.97 (m, 2H)	(ESI(-)) m/e 445 $(M-H)^-$
199		N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.28 (s, 1H), 8.64 (s, 1H), 8.18 (s, 1H), 7.85-7.89 (m, 2H), 7.70-7.74 (m, 2H), 7.63 (s, 1H), 7.28-7.42 (m, 7H), 7.18-7.23 (m, 1H), 5.33-5.34 (bs, 2H), 4.79-4.81 (bs, 4H)	(ESI(-)) m/e 470 $(M-H)^-$
200		N-(4-{[3-(diethylcarbamoyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.29 (bs, 1H), 7.89-7.92 (m, 2H), 7.52-7.56 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 4.17-4.21 (m, 1H), 3.19-3.43 (m, 5H), 2.94 (ddd, *J* = 13.0, 12.1, 3.3 Hz, 0H), 2.84 (tt, *J* = 10.6, 4.1 Hz, 1H), 1.89-2.07 (m, 2H), 1.58-1.66 (m, 1H), 1.43-1.58 (m, 1H), 1.04 (t, *J* = 7.1 Hz, 6H)	(ESI(-)) m/e 447 $(M-H)^-$
201		N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.45-8.51 (m, 1H), 8.32-8.36 (bs, 1H), 8.16-8.18 (m, 2H), 7.93-7.96 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m,	(ESI(+)) m/e 407 $(M+H)^+$

		dihydro-2H-isoindole-2-carboxamide	2H), 4.85 (s, 4H), 3.61 (q, *J* = 6.1 Hz, 2H), 3.00-3.05 (m, 2H), 2.88-2.91 (m, 4H), 2.08-2.16 (m, 2H), 1.66-1.76 (m, 4H), 1.32-1.41 (m, 2H)	
202		N-(4-{[4-(2-hydroxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.53 (s, 1H), 7.62-7.66 (m, 2H), 7.24-7.43 (m, 6H), 4.78-4.79 (bs, 4H), 4.39-4.44 (m, 1H), 3.39-3.58 (m, 6H), 2.34-2.45 (m, 6H)	(ESI(+)) m/e 395 $(M+H)^+$
203		N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.59-9.61 (bs, 1H), 8.38-8.40 (bs, 1H), 8.22-8.25 (m, 2H), 7.95-7.98 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 7.08 (d, *J* = 7.1 Hz, 1H), 7.06 (d, *J* = 2.0 Hz, 1H), 6.82 (dd, *J* = 7.0, 1.8 Hz, 1H), 4.85 (s, 4H), 2.43 (s, 3H)	(ESI(+)) m/e 388 $(M+H)^+$
204		N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.76-7.79 (m, 2H), 7.64-7.67 (m, 2H), 7.37-7.42 (m, 2H), 7.32-7.36 (m, 2H), 4.82 (s, 4H), 3.32-3.37 (m, 2H), 3.10-3.15 (m, 2H), 2.81 (s, 6H), 1.68-1.79 (m, 2H), 1.59-1.67 (m, 2H)	(ESI(+)) m/e 381 $(M+H)^+$
205		N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.75-7.77 (m, 2H), 7.63-7.65 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 2H), 4.82 (s, 4H), 3.53 (t, *J* = 6.3 Hz, 2H), 3.36 (t, *J* = 6.9 Hz, 2H), 1.74 (p, *J* = 6.6 Hz, 2H)	(ESI(+)) m/e 340 $(M+H)^+$
206		N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.31-8.33 (bs, 1H), 7.91-7.94 (m, 2H), 7.52-7.56 (m, 2H), 7.20-7.25 (m, 2H), 7.15-7.20 (m, 2H), 4.86 (s, 4H), 3.72-3.80 (m, 4H), 2.62-2.65 (m, 4H), 2.36-2.44 (m, 1H), 1.80-1.84 (m, 2H), 1.67-1.72 (m, 2H), 1.48-1.54 (m, 1H), 1.01-1.28 (m, 5H)	(ESI(+)) m/e 433 $(M+H)^+$
207		N-[4-(5,6-dihydro[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.51 (s, 1H), 7.72 (s, 1H), 7.68-7.70 (m, 1H), 7.41-7.47 (m, 2H), 7.35-7.40 (m, 2H), 7.29-7.35 (m, 2H), 4.86 (s, 2H), 4.79-4.80 (bs, 4H), 4.15 (t, *J* = 5.3 Hz, 2H), 3.83-3.95 (m, 2H)	(ESI(+)) m/e 389 $(M+H)^+$
208		N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.49-8.53 (bs, 1H), 7.60-7.67 (m, 2H), 7.26-7.40 (m, 6H), 4.78 (s, 4H), 3.16-3.49 (m, 2H), 2.92 (s, 3H), 1.13-1.79 (m, 3H), 0.48-1.12 (m, 6H)	(ESI(+)) m/e 366 $(M+H)^+$
209		N-[4-(propylcarbamoyl)ph	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.75-7.78 (m,	(ESI(+)) m/e 324

		enyl]-1,3-dihydro-2H-isoindole-2-carboxamide	2H), 7.62-7.65 (m, 2H), 7.32-7.40 (m, 4H), 4.82 (s, 4H), 3.22-3.30 (m, 2H), 1.53-1.63 (m, 2H), 0.93 (t, *J* = 7.4 Hz, 3H)	$(M+H)^+$
210		N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.29 (bs, 1H), 8.06-8.08 (m, 2H), 7.87-7.90 (m, 2H), 7.57-7.61 (m, 1H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.84 (s, 4H), 4.37-4.47 (m, 1H), 3.91-3.99 (m, 2H), 1.84-1.96 (m, 1H), 1.71-1.85 (m, 1H), 1.03 (t, *J* = 7.5 Hz, 3H)	(ESI(+)) m/e 354 $(M+H)^+$
211		N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 10.45-10.47 (bs, 1H), 8.58 (dd, *J* = 9.1, 4.2 Hz, 1H), 8.42-8.44 (bs, 1H), 8.24 (d, *J* = 3.0 Hz, 1H), 8.18-8.20 (m, 2H), 7.98-8.00 (m, 2H), 7.45 (ddd, *J* = 9.0, 8.1, 3.1 Hz, 1H), 7.20-7.24 (m, 2H), 7.15-7.20 (m, 2H), 4.86 (s, 4H)	(ESI(+)) m/e 377 $(M+H)^+$
212		N-{4-[(cyclopropylmethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.23-8.24 (bs, 1H), 7.90-7.92 (m, 2H), 7.48-7.52 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 3.49-3.53 (m, 2H), 3.35 (d, *J* = 6.7 Hz, 2H), 1.58-1.66 (m, 2H), 0.96-1.07 (m, 1H), 0.81 (t, *J* = 7.4 Hz, 3H), 0.42-0.47 (m, 2H), 0.15-0.19 (m, 2H)	(ESI(+)) m/e 378 $(M+H)^+$
213		N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.34 (m, 1H), 8.05-8.08 (m, 2H), 7.88-7.90 (m, 2H), 7.54-7.63 (m, 1H), 7.18-7.24 (m, 2H), 7.15-7.18 (m, 2H), 4.83 (s, 4H), 4.54-4.64 (m, 1H), 3.53 (dd, *J* = 9.5, 5.2 Hz, 1H), 3.45 (dd, *J* = 9.5, 5.5 Hz, 1H), 3.27 (s, 3H), 1.30 (d, *J* = 6.8 Hz, 3H)	(ESI(+)) m/e 354 $(M+H)^+$
214		N-[4-(1,3,4,9-tetrahydro-2H-beta-carbolin-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 11.10-11.13 (bs, 1H), 8.29-8.30 (bs, 1H), 7.91-7.94 (m, 2H), 7.57-7.61 (m, 2H), 7.57-7.60 (m, 1H), 7.45-7.48 (m, 1H), 7.16-7.25 (m, 6H), 4.96-4.97 (bs, 2H), 4.87 (s, 4H), 3.86-3.92 (m, 2H), 2.85 (t, *J* = 5.7 Hz, 2H)	(ESI(+)) m/e 437 $(M+H)^+$
215		N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.24-8.26 (bs, 1H), 7.96-7.99 (m, 2H), 7.85-7.88 (m, 2H), 7.19-7.23 (m, 2H), 7.14-7.19 (m, 2H), 6.93-6.96 (bs, 1H), 4.83 (s, 4H), 1.52 (s, 9H)	(ESI(+)) m/e 338 $(M+H)^+$
216		N-[4-({4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.64-7.67 (m, 2H), 7.53-7.55 (m, 2H), 7.36-7.42 (m, 4H), 7.31-7.36 (m, 2H), 7.09-7.11 (m, 2H), 4.79-4.80 (bs, 4H), 3.55-3.76 (m, 4H), 3.26-3.43 (m, 4H)	(ESI(+)) m/e 495 $(M+H)^+$
217		N-{4-[(3-methylbutan-2-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.29 (bs, 1H), 8.06-	(ESI(+)) m/e 352

		yl)carbamoyl]phenyl }-1,3-dihydro-2H-isoindole-2-carboxamide	8.09 (m, 2H), 7.88-7.92 (m, 2H), 7.30-7.35 (bs, 1H), 7.19-7.24 (m, 2H), 7.14-7.18 (m, 2H), 4.84 (s, 4H), 4.22-4.32 (m, 1H), 1.82-1.91 (m, 1H), 1.19 (d, *J* = 6.8 Hz, 3H), 0.97 (d, *J* = 6.7 Hz, 3H), 0.93 (d, *J* = 6.7 Hz, 3H)	$(M+H)^+$
218		N-{4-[(3,3-difluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.34-8.36 (bs, 1H), 7.91-7.94 (m, 2H), 7.61-7.65 (m, 2H), 7.20-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.86 (s, 4H), 3.96-4.04 (m, 2H), 3.76 (t, *J* = 7.4 Hz, 2H), 2.21-2.35 (m, 2H)	(ESI(-)) m/e 370 $(M-H)^-$
219		N-{4-[(2-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 7.90-7.92 (m, 2H), 7.47-7.51 (m, 2H), 7.19-7.23 (m, 2H), 7.14-7.19 (m, 2H), 4.85 (s, 4H), 4.62-4.67 (m, 1H), 4.02-4.17 (m, 1H), 2.93 (td, *J* = 12.9, 3.1 Hz, 1H), 1.30-1.65 (m, 6H), 1.14 (d, *J* = 6.9 Hz, 3H)	(ESI(+)) m/e 364 $(M+H)^+$
220		N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.31 (bs, 1H), 8.20-8.26 (m, 1H), 8.09-8.12 (m, 2H), 7.89-7.92 (m, 2H), 7.41-7.48 (m, 2H), 7.23-7.33 (m, 3H), 7.19-7.24 (m, 2H), 7.14-7.19 (m, 2H), 4.90-5.00 (m, 1H), 4.84 (s, 4H), 3.91 (s, 2H), 3.09-3.17 (m, 3H), 2.68-2.75 (m, 1H), 2.30-2.43 (m, 1H), 2.02 (dtd, *J* = 13.1, 7.8, 5.2 Hz, 1H)	(ESI(-)) m/e 439 $(M-H)^-$
221		N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 7.89-7.92 (m, 2H), 7.52-7.56 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 2H), 4.85 (s, 4H), 3.99-4.12 (m, 3H), 3.35 (ddd, *J* = 13.2, 9.1, 3.8 Hz, 2H), 1.82-1.98 (m, 2H), 1.59-1.75 (m, 2H)	(ESI(+)) m/e 366 $(M+H)^+$
222		N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.22-8.24 (bs, 1H), 7.88-7.92 (m, 2H), 7.54-7.57 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.18 (m, 2H), 4.84 (s, 4H), 3.75 (t, *J* = 5.8 Hz, 4H), 3.57 (t, *J* = 5.8 Hz, 4H), 3.23 (s, 6H)	(ESI(+)) m/e 398 $(M+H)^+$
223		N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 10.17-10.23 (m, 1H), 8.35-8.36 (bs, 1H), 8.12-8.14 (m, 2H), 8.04 (dt, *J* = 11.5, 2.3 Hz, 1H), 7.90-7.93 (m, 2H), 7.66 (ddd, *J* = 8.1, 2.0, 1.0 Hz, 1H), 7.20-7.31 (m, 3H), 7.15-7.19 (m, 2H), 6.83 (tdd, *J* = 8.4, 2.6, 0.9 Hz, 1H), 4.84 (s, 4H)	(ESI(+)) m/e 376 $(M+H)^+$
224		N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.76-7.78 (m, 2H), 7.60-7.68 (m, 2H), 7.37-7.42 (m, 2H), 7.32-7.35 (m, 2H), 4.76-4.82 (m, 4H), 4.17-4.25 (m, 1H), 1.86-1.93 (m, 2H), 1.66-1.71 (m, 2H), 1.50-1.59 (m, 4H)	(ESI(+)) m/e 350 $(M+H)^+$
225		N-{4-[(4-	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium	(ESI(-))

		carbamoylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	Oxide, Temp=90°C) δ ppm 7.62-7.64 (m, 2H), 7.30-7.40 (m, 6H), 4.81 (s, 4H), 4.01-4.09 (m, 2H), 2.96-3.04 (m, 2H), 2.42-2.50 (m, 1H), 1.76-1.82 (m, 2H), 1.51-1.62 (m, 2H)	m/e 393 $(M-H)^-$
226		N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.73-7.76 (m, 2H), 7.60-7.67 (m, 2H), 7.36-7.40 (m, 2H), 7.32-7.36 (m, 2H), 4.78-4.79 (bs, 4H), 2.79-2.84 (m, 1H), 0.67-0.75 (m, 2H), 0.53-0.60 (m, 2H)	(ESI(-)) m/e 320 $(M-H)^-$
227		N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.19-8.26 (m, 1H), 7.73-7.77 (m, 2H), 7.63-7.67 (m, 2H), 7.30-7.39 (m, 4H), 4.79 (s, 4H), 2.76 (d, J = 4.5 Hz, 3H)	(ESI(+)) m/e 296 $(M+H)^+$
228		N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.77-7.80 (m, 2H), 7.65-7.68 (m, 2H), 7.37-7.44 (m, 2H), 7.32-7.36 (m, 2H), 4.82 (s, 4H), 3.39 (t, J = 6.7 Hz, 2H), 3.09-3.19 (m, 2H), 2.83 (s, 6H), 1.89-2.03 (m, 2H)	(ESI(+)) m/e 367 $(M+H)^+$
229		N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.24-8.26 (bs, 1H), 7.89-7.91 (m, 2H), 7.52-7.56 (m, 2H), 7.19-7.24 (m, 2H), 7.14-7.19 (m, 2H), 4.85 (s, 4H), 4.09-4.20 (m, 1H), 3.72-3.78 (m, 1H), 3.59-3.71 (m, 2H), 3.46-3.52 (m, 1H), 3.10 (s, 3H), 1.74-1.86 (m, 1H), 1.62-1.72 (m, 2H), 1.39-1.50 (m, 1H)	(ESI(+)) m/e 380 $(M+H)^+$
230		N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 8.07-8.10 (m, 2H), 7.88-7.91 (m, 2H), 7.44 (d, J = 7.0 Hz, 1H), 7.19-7.23 (m, 2H), 7.14-7.18 (m, 2H), 4.84 (s, 4H), 4.35-4.45 (m, 1H), 1.58-1.67 (m, 1H), 1.34-1.56 (m, 3H), 1.24 (d, J = 6.6 Hz, 3H), 0.88 (t, J = 7.2 Hz, 3H)	(ESI(+)) m/e 352 $(M+H)^+$
231		N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.29 (bs, 1H), 8.08-8.11 (m, 2H), 7.89-7.91 (m, 2H), 7.31-7.37 (m, 1H), 7.19-7.23 (m, 2H), 7.14-7.18 (m, 2H), 4.84 (s, 4H), 4.15-4.24 (m, 1H), 1.42-1.72 (m, 4H), 0.96 (t, J = 7.4 Hz, 6H)	(ESI(+)) m/e 352 $(M+H)^+$
232		N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.25-8.27 (m, 1H), 8.06-8.10 (m, 2H), 7.92-8.00 (m, 1H), 7.88-7.90 (m, 2H), 7.19-7.23 (m, 2H), 7.14-7.18 (m, 2H), 4.84 (s, 4H), 4.71-4.80 (m, 1H), 2.27-2.46 (m, 2H), 1.99-2.17 (m, 2H), 1.53-1.74 (m, 2H)	(ESI(+)) m/e 336 $(M+H)^+$
233		N-{4-[(1,3-dioxolan-2-ylmethyl)(methyl)car	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.61-7.64 (m, 2H), 7.31-7.45 (m, 6H), 5.04 (t, J = 4.3 Hz,	(ESI(-)) m/e 280 $(M-H)^-$

		bamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	1H), 4.81 (s, 4H), 3.88-3.94 (m, 2H), 3.82-3.86 (m, 2H), 3.54 (d, *J* = 4.3 Hz, 2H), 3.04 (s, 3H)	
234		N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.45 (s, 1H), 8.65-8.68 (m, 2H), 7.82-7.94 (m, 5H), 7.74-7.78 (m, 2H), 7.31-7.40 (m, 6H), 4.80-4.82 (bs, 4H)	(ESI(+)) m/e 442 $(M+H)^+$
235		N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.23-8.34 (m, 1H), 7.95-7.97 (m, 2H), 7.84-7.88 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.18 (m, 2H), 4.83 (s, 4H), 3.91 (s, 2H), 1.59 (s, 6H)	(ESI(-)) m/e 352 $(M-H)^-$
236		N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.45 (s, 1H), 8.67 (s, 2H), 7.90-7.95 (m, 3H), 7.80-7.84 (m, 2H), 7.74-7.78 (m, 2H), 7.47-7.53 (m, 2H), 7.27-7.40 (m, 5H), 4.80-4.82 (bs, 4H)	(ESI(+)) m/e 424 $(M+H)^+$
237		N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.72-7.74 (m, 2H), 7.63-7.67 (m, 4H), 7.48-7.50 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 2H), 4.78-4.79 (bs, 4H), 3.52 (t, *J* = 7.0 Hz, 2H), 2.95 (t, *J* = 7.2 Hz, 2H)	(ESI(-)) m/e 452 $(M-H)^-$
238		N-{4-[(2-methoxyethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.24-8.26 (bs, 1H), 7.89-7.92 (m, 2H), 7.49-7.53 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 3.65 (t, *J* = 5.7 Hz, 2H), 3.56 (t, *J* = 5.7 Hz, 2H), 3.46 (t, *J* = 7.3 Hz, 2H), 3.24 (s, 3H), 1.53-1.67 (m, 2H), 0.78 (t, *J* = 7.4 Hz, 3H)	(ESI(-)) m/e 380 $(M-H)^-$
239		N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 8.06-8.10 (m, 2H), 7.88-7.91 (m, 2H), 7.42-7.46 (m, 1H), 7.19-7.23 (m, 2H), 7.15-7.18 (m, 2H), 4.84 (s, 4H), 4.21-4.36 (m, 1H), 1.42-1.75 (m, 2H), 1.23 (d, *J* = 6.6 Hz, 3H), 0.93 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 338 $(M+H)^+$
240		N-(4-{[3-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 8.61-8.63 (bs, 1H), 7.63-7.65 (m, 2H), 7.36-7.41 (m, 2H), 7.31-7.36 (m, 4H), 4.78-4.79 (bs, 4H), 3.94-4.64 (m, 2H), 2.97-3.12 (m, 2H), 1.97-2.02 (m, 1H), 1.64-1.83 (m, 1H), 1.55-1.66 (m, 1H), 1.42-1.55 (m, 1H)	(ESI(-)) m/e 416 $(M-H)^-$
241		N-{4-[bis(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.20-8.22 (bs, 1H), 7.89-7.92 (m, 2H), 7.57-7.60 (m, 2H), 7.19-7.23 (m, 2H), 7.14-7.19 (m, 2H), 4.84 (s, 4H),	(ESI(-)) m/e 424 $(M-H)^-$

		isoindole-2-carboxamide	3.77 (t, *J* = 5.8 Hz, 4H), 3.62-3.65 (m, 4H), 3.42 (q, *J* = 7.0 Hz, 4H), 1.11 (t, *J* = 7.0 Hz, 6H)	
242		N-{4-[butyl(ethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.23-8.25 (bs, 1H), 7.89-7.93 (m, 2H), 7.48-7.51 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 3.35-3.47 (m, 4H), 1.56 (p, *J* = 7.3 Hz, 2H), 1.19-1.32 (m, 2H), 1.10 (t, *J* = 7.1 Hz, 3H), 0.83 (t, *J* = 7.3 Hz, 3H)	(ESI(+)) m/e 366 $(M+H)^+$
243		N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.28-8.32 (m, 1H), 8.05-8.08 (m, 2H), 7.88-7.90 (m, 2H), 7.56-7.60 (m, 1H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.84 (s, 4H), 4.54-4.64 (m, 1H), 3.53 (dd, *J* = 9.6, 5.2 Hz, 1H), 3.45 (dd, *J* = 9.5, 5.5 Hz, 1H), 3.27 (s, 3H), 1.30 (d, *J* = 6.7 Hz, 3H)	(ESI(+)) m/e 354 $(M+H)^+$
244		N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.23-8.28 (bs, 1H), 7.88-7.91 (m, 2H), 7.51-7.56 (m, 2H), 7.19-7.25 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 3.63 (t, *J* = 5.6 Hz, 2H), 3.53 (t, *J* = 5.6 Hz, 2H), 3.23 (s, 3H), 3.04 (s, 3H)	(ESI(+)) m/e 354 $(M+H)^+$
245		N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.29-8.31 (bs, 1H), 8.04-8.09 (m, 2H), 7.97-8.04 (m, 1H), 7.88-7.90 (m, 2H), 7.19-7.24 (m, 2H), 7.14-7.19 (m, 2H), 4.80-4.87 (m, 1H), 4.80-4.87 (m, 4H), 4.02 (dd, *J* = 9.0, 6.1 Hz, 1H), 3.85-3.93 (m, 2H), 3.72 (td, *J* = 8.2, 6.1 Hz, 1H), 2.21 (tdd, *J* = 7.9, 12.7, 6.4 Hz, 1H), 1.93-2.02 (m, 1H)	(ESI(-)) m/e 350 $(M-H)^-$
246		N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.62-7.65 (m, 2H), 7.31-7.41 (m, 6H), 4.81 (s, 4H), 3.63-3.65 (m, 4H), 3.50-3.58 (m, 4H)	(ESI(-)) m/e 350 $(M-H)^-$
247		N-{4-[isobutyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.24-8.26 (bs, 1H), 7.89-7.92 (m, 2H), 7.48-7.52 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 3.30 (d, *J* = 7.3 Hz, 2H), 2.94 (s, 3H), 1.91-2.07 (m, 1H), 0.83 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 352 $(M+H)^+$
248		N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.66-7.69 (m, 2H), 7.39-7.43 (m, 2H), 7.36-7.40 (m, 2H), 7.32-7.36 (m, 2H), 4.82 (s, 4H), 3.79-3.83 (m, 2H), 3.71-3.90 (m, 4H), 3.58-3.63 (m, 2H), 3.53-3.58 (m, 2H), 3.32-3.35 (m, 2H), 3.22 (s, 4H)	(ESI(+)) m/e 439 $(M+H)^+$
249		N-{4-[(3-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.25-8.27 (bs, 1H), 7.90-7.92 (m, 2H), 7.51-7.55 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H),	(ESI(+)) m/e 364 $(M+H)^+$

		isoindole-2-carboxamide	4.09-4.19 (m, 2H), 2.88 (ddd, *J* = 13.1, 11.1, 3.2 Hz, 1H), 2.57 (dd, *J* = 12.9, 10.1 Hz, 1H), 1.63-1.69 (m, 1H), 1.47-1.61 (m, 2H), 1.34-1.45 (m, 1H), 1.03 (dddd, *J* = 13.0, 11.3, 10.6, 4.4 Hz, 1H), 0.75 (d, *J* = 6.6 Hz, 3H)	
250		N-(4-carbamoylphenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 7.76-7.83 (m, 2H), 7.73-7.85 (bs, 1H), 7.63-7.67 (m, 2H), 7.30-7.39 (m, 4H), 7.09-7.19 (bs, 1H), 4.79 (s, 4H)	(ESI(+)) m/e 282 $(M+H)^+$
251		N-(4-{[(2S)-2-(trifluoromethyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.34-8.36 (bs, 1H), 7.91-7.93 (m, 2H), 7.65-7.68 (m, 2H), 7.20-7.25 (m, 2H), 7.15-7.19 (m, 2H), 5.25-5.34 (m, 1H), 4.85 (s, 4H), 3.50-3.56 (m, 2H), 1.95-2.02 (m, 2H), 1.80-1.89 (m, 1H), 1.58-1.70 (m, 1H)	(ESI(-)) m/e 402 $(M-H)^-$
252		N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.29-8.30 (bs, 1H), 8.06-8.11 (m, 2H), 7.88-7.90 (m, 2H), 7.62 (d, *J* = 8.0 Hz, 1H), 7.19-7.24 (m, 2H), 7.14-7.18 (m, 2H), 4.84 (s, 4H), 4.58-4.67 (m, 1H), 3.95 (d, *J* = 4.9 Hz, 3H), 1.82-1.93 (m, 1H), 1.73 (ddd, *J* = 14.0, 8.6, 5.5 Hz, 1H), 1.68 (ddd, *J* = 13.7, 8.2, 5.5 Hz, 1H), 0.99 (d, *J* = 6.6 Hz, 3H), 0.93 (d, *J* = 6.6 Hz, 3H)	(ESI(+)) m/e 382 $(M+H)^+$
253		N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.29-8.30 (bs, 1H), 8.15-8.18 (m, 1H), 8.08-8.11 (m, 2H), 7.87-7.90 (m, 2H), 7.61-7.64 (m, 2H), 7.27-7.33 (m, 2H), 7.19-7.24 (m, 3H), 7.15-7.19 (m, 2H), 5.68-5.73 (m, 1H), 4.83 (s, 4H), 4.23 (d, *J* = 5.6 Hz, 2H)	(ESI(+)) m/e 402 $(M+H)^+$
254		N-{4-[(2-methylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 7.89-7.92 (m, 2H), 7.60-7.65 (m, 2H), 7.20-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.86 (s, 4H), 4.26-4.36 (m, 1H), 3.47 (t, *J* = 6.8 Hz, 2H), 1.92 (dq, *J* = 12.2, 7.1 Hz, 1H), 1.67-1.78 (m, 1H), 1.52-1.63 (m, 1H), 1.41 (dtd, *J* = 12.2, 6.9, 5.2 Hz, 1H), 1.22 (d, *J* = 6.2 Hz, 3H)	(ESI(+)) m/e 350 $(M+H)^+$
255		N-{4-[ethyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.24-8.26 (bs, 1H), 7.89-7.91 (m, 2H), 7.49-7.53 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 3.62-3.66 (m, 2H), 3.53-3.58 (m, 2H), 3.50 (q, *J* = 7.1 Hz, 2H), 3.24 (s, 3H), 1.11 (t, *J* = 7.1 Hz, 3H)	(ESI(+)) m/e 368 $(M+H)^+$
256		N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90 C) δ ppm 8.29-8.30 (bs, 1H), 8.05-8.08 (m, 2H), 7.87-7.90 (m, 2H), 7.46-7.53 (m, 1H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 4.84	(ESI(+)) m/e 368 $(M+H)^+$

		)-1,3-dihydro-2H-isoindole-2-carboxamide	(s, 4H), 4.29-4.36 (m, 1H), 3.99 (d, *J* = 4.8 Hz, 2H), 2.19-2.28 (m, 1H), 1.08 (d, *J* = 2.3 Hz, 3H), 1.06 (d, *J* = 2.4 Hz, 3H)	
257		N-{4-[(2,6-dimethylmorpholin-4-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.33-8.40 (m, 1H), 7.92-7.96 (m, 2H), 7.54-7.58 (m, 2H), 7.19-7.25 (m, 2H), 7.15-7.19 (m, 2H), 4.86 (s, 4H), 4.14-4.22 (m, 1H), 3.93-4.01 (m, 1H), 3.70 (dd, *J* = 13.0, 3.4 Hz, 1H), 3.51-3.61 (m, 1H), 3.32 (dd, *J* = 13.0, 6.3 Hz, 1H), 2.64 (dd, *J* = 13.1, 10.5 Hz, 1H), 1.02-1.15 (m, 6H)	(ESI(+)) m/e 380 $(M+H)^+$
258		N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.25-8.31 (m, 1H), 8.05-8.08 (m, 2H), 7.87-7.90 (m, 2H), 7.58 (d, *J* = 7.5 Hz, 1H), 7.19-7.24 (m, 2H), 7.14-7.19 (m, 2H), 4.84 (s, 4H), 4.36-4.47 (m, 1H), 3.95 (d, *J* = 4.9 Hz, 2H), 1.85-1.96 (m, 1H), 1.72-1.84 (m, 1H), 1.02 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 354 $(M+H)^+$
259		N-{4-[(2,5-dimethylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.23-8.25 (bs, 1H), 7.90-7.92 (m, 2H), 7.53-7.62 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 4.11-4.39 (m, 2H), 1.78-2.11 (m, 2H), 1.35-1.59 (m, 2H), 0.95-1.27 (m, 6H)	(ESI(+)) m/e 364 $(M+H)^+$
260		N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 3.10 (t, *J*=2.38 Hz, 1 H), 4.03 (dd, *J*=5.55, 2.78 Hz, 2 H), 4.79 (s, 4 H), 7.28 - 7.42 (m, 4 H), 7.64 - 7.82 (m, 4 H), 8.60 (s, 1 H), 8.73 (t, *J*=5.55 Hz, 1 H)	(ESI(+)) m/e 320 $(M+H)^+$
261		N-{4-[isopropyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.26-8.28 (bs, 1H), 7.90-7.93 (m, 2H), 7.48-7.50 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.18 (m, 2H), 4.85 (s, 4H), 4.18-4.32 (m, 1H), 3.56-3.68 (m, 4H), 3.26 (s, 3H), 1.13 (d, *J* = 6.7 Hz, 6H)	(ESI(-)) m/e 380 $(M-H)^-$
262		N-{4-[isopropyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.24-8.26 (bs, 1H), 7.90-7.92 (m, 2H), 7.46-7.48 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.18 (m, 2H), 4.85 (s, 4H), 4.20-4.32 (m, 1H), 3.25-3.30 (m, 2H), 1.59-1.77 (m, 2H), 1.12-1.17 (m, 6H), 0.82 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 366 $(M+H)^+$
263		N-{4-[(2-cyanoethyl)(cyclopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.27-8.29 (bs, 1H), 7.90-7.93 (m, 2H), 7.65-7.68 (m, 2H), 7.20-7.23 (m, 2H), 7.15-7.19 (m, 2H), 4.85 (s, 4H), 3.81 (t, *J* = 6.6 Hz, 2H), 2.90-2.96 (m, 1H), 2.83 (t, *J* = 6.6 Hz, 2H), 0.54-0.61 (m, 2H), 0.45-0.52 (m, 2H)	(ESI(+)) m/e 375 $(M+H)^+$
264		N-{4-[ethyl(isopropyl)carbamoyl]phenyl}-1,3-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.23-8.25 (bs, 1H), 7.89-7.92 (m, 2H), 7.45-7.48 (m, 2H), 7.19-7.23	(ESI(+)) m/e 352 $(M+H)^+$

		dihydro-2H-isoindole-2-carboxamide	(m, 2H), 7.15-7.18 (m, 2H), 4.85 (s, 4H), 4.27 (p, *J* = 6.7 Hz, 1H), 3.36 (q, *J* = 7.0 Hz, 2H), 1.18 (t, *J* = 6.9 Hz, 3H), 1.11 (d, *J* = 6.7 Hz, 6H)	
265		N-{4-[(3-fluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.63-7.66 (m, 2H), 7.36-7.41 (m, 2H), 7.33-7.36 (m, 2H), 7.31-7.35 (m, 2H), 5.21-5.48 (m, 1H), 4.79 (s, 4H), 3.53-3.79 (m, 4H), 1.98-2.25 (m, 2H)	(APCI(+)) m/e 354 $(M+H)^+$
266		N-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-N-isopropyl-beta-alanine	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.59-7.62 (m, 2H), 7.37-7.40 (m, 2H), 7.31-7.36 (m, 2H), 7.24-7.27 (m, 2H), 4.78-4.79 (bs, 4H), 1.00-1.27 (m, 6H)	(ESI(+)) m/e 396 $(M+H)^+$
267		N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 0.82 (t, *J*=7.32 Hz, 3 H), 1.49 - 1.62 (m, 2 H), 2.92 (s, 3 H), 3.27 - 3.34 (m, 2 H), 4.78 (s, 4 H), 7.23 - 7.37 (m, 6 H), 7.58 - 7.63 (m, 2 H), 8.26 (s, 1 H)	(ESI(+)) m/e 338 $(M+H)^+$
268		5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.54 (s, 1H), 8.29 (t, *J* = 5.6 Hz, 1H), 7.75-7.78 (m, 2H), 7.61-7.68 (m, 2H), 7.15-7.32 (m, 5H), 6.95 (s, 2H), 4.69-4.70 (bs, 4H), 3.32 (s, 6H), 3.21-3.30 (m, 2H), 2.59-2.68 (m, 2H), 1.76-1.90 (m, 2H)	(ESI(+)) m/e 460 $(M+H)^+$
269		N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.36 (t, *J* = 5.6 Hz, 1H), 7.75-7.79 (m, 2H), 7.64-7.68 (m, 2H), 7.29-7.39 (m, 6H), 6.94-6.98 (m, 2H), 4.79 (s, 4H), 4.03 (t, *J* = 6.1 Hz, 2H), 3.37-3.44 (m, 2H), 1.97 (p, *J* = 6.5 Hz, 2H)	(ESI(+)) m/e 450 $(M+H)^+$
270		N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6/Deuterium Oxide) δ ppm 7.89-7.93 (m, 2H), 7.85-7.89 (m, 2H), 7.72-7.75 (m, 2H), 7.33-7.41 (m, 6H), 4.80-4.82 (bs, 4H)	(ESI(+)) m/e 442 $(M+H)^+$
271		N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 8.06-8.09 (m, 2H), 7.94-7.97 (m, 2H), 7.75-7.78 (m, 2H), 7.55 (s, 1H), 7.44-7.49 (m, 2H), 7.37-7.41 (m, 2H), 7.32-7.37 (m, 3H), 4.84 (s, 4H)	(ESI(+)) m/e 441 $(M+H)^+$
284		5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.25 (t, *J* = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.62-7.67 (m, 2H), 7.59-7.62 (m, 1H), 7.50 (dd, *J* = 8.1, 1.9 Hz, 1H), 7.34 (d, *J* = 8.1 Hz, 1H), 4.70-4.82 (m, 4H), 3.15-3.26 (m, 2H), 1.45-1.61 (m, 2H), 0.89 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 402 $(M+H)^+$
373		5-fluoro-N-[4-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58	(ESI(+))

		(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	(s, 1H), 8.25 (t, *J* = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.62-7.66 (m, 2H), 7.39 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.24 (dd, *J* = 9.1, 2.3 Hz, 1H), 7.10-7.19 (m, 1H), 4.74-4.78 (m, 4H), 3.16-3.21 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, *J* = 7.4 Hz, 3H);	m/e 342 $(M+H)^+$
412		N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 3.27 (s, 3 H), 3.35 - 3.49 (m, 4 H), 4.79 (s, 4 H), 7.25 - 7.40 (m, 4 H), 7.62 - 7.69 (m, 2 H), 7.74 - 7.81 (m, 2 H), 8.31 (t, *J*=5.09 Hz, 1 H), 8.57 (s, 1 H)	(ESI(+)) m/e 340 $(M+H)^+$
413		N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 8.37 (d, *J* = 2.7 Hz, 1H), 8.16 (d, *J* = 8.9 Hz, 1H), 7.94-7.97 (m, 2H), 7.89 (dd, *J* = 8.8, 2.6 Hz, 1H), 7.69-7.72 (m, 2H), 7.35-7.38 (m, 2H), 7.30-7.33 (m, 2H), 4.81 (s, 4H)	(ESI(+)) m/e 393 $(M+H)^+$
414		N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.85-7.88 (m, 2H), 7.66-7.69 (m, 2H), 7.34-7.39 (m, 2H), 7.30-7.34 (m, 2H), 7.28-7.30 (m, 1H), 7.09 (dd, *J* = 8.6, 2.5 Hz, 1H), 6.88 (d, *J* = 8.6 Hz, 1H), 4.81 (s, 4H), 3.77 (s, 3H)	(ESI(+)) m/e 404 $(M+H)^+$
415		N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.77-7.79 (m, 2H), 7.61-7.64 (m, 2H), 7.33-7.38 (m, 2H), 7.28-7.34 (m, 2H), 7.14 (d, *J* = 8.2 Hz, 1H), 6.55 (d, *J* = 2.4 Hz, 1H), 6.48 (dd, *J* = 8.2, 2.4 Hz, 1H), 4.79 (s, 4H), 4.38-4.40 (m, 2H), 3.82 (s, 3H), 3.75 (s, 3H)	(ESI(+)) m/e 432 $(M+H)^+$
416		N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.78-7.80 (m, 2H), 7.62-7.68 (m, 2H), 7.54-7.56 (m, 2H), 7.29-7.38 (m, 6H), 4.79 (s, 4H), 4.45-4.47 (m, 2H), 3.82 (t, *J* = 7.0 Hz, 2H), 2.45-2.50 (m, 2H), 2.04-2.13 (m, 2H)	(ESI(+)) m/e 455 $(M+H)^+$
417		N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 2.67 - 2.83 (m, 1 H), 3.18 (dd, *J*=15.47, 7.14 Hz, 1 H), 4.34 - 4.49 (m, 1 H), 4.79 (s, 4 H), 5.25 - 5.34 (m, 2 H), 7.06 - 7.24 (m, 4 H), 7.30 - 7.42 (m, 4 H), 7.69 (d, *J*=8.73 Hz, 2 H), 7.87 (d, *J*=9.12 Hz, 2 H), 8.50 - 8.62 (m, 2 H)	(ESI(+)) m/e 414 $(M+H)^+$
418		N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 0.55 (s, 4 H), 3.42 (d, *J*=5.55 Hz, 2 H), 4.79 (s, 4 H), 5.41 (s, 1 H), 7.28 - 7.41 (m, 4 H), 7.64 - 7.70 (m, 2 H), 7.75 - 7.84 (m, 2 H), 8.20 (t, *J*=5.75 Hz, 1 H), 8.58 (s, 1 H)	(ESI(-)) m/e 350 $(M+H)^-$

419		N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.29 (t, J = 5.8 Hz, 1H), 7.76-7.80 (m, 2H), 7.64-7.68 (m, 2H), 7.30-7.39 (m, 4H), 4.78-4.79 (bs, 4H), 3.84-3.90 (m, 1H), 3.32-3.47 (m, 2H), 3.21-3.30 (m, 2H), 1.75-1.81 (m, 1H), 1.58-1.65 (m, 1H), 1.33-1.54 (m, 3H), 1.06-1.28 (m, 1H)	(ESI(-)) m/e 378 $(M+H)^-$
420		N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.27 (t, J = 5.8 Hz, 1H), 7.74-7.79 (m, 2H), 7.64-7.68 (m, 2H), 7.30-7.39 (m, 4H), 4.78-4.79 (bs, 4H), 3.68-3.80 (m, 2H), 3.26-3.36 (m, 1H), 3.06-3.18 (m, 3H), 1.74-1.82 (m, 2H), 1.38-1.68 (m, 2H), 1.15-1.30 (m, 1H)	(ESI(+)) m/e 380 $(M+H)^+$
421		N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.28 (t, J = 5.8 Hz, 1H), 7.75-7.79 (m, 2H), 7.64-7.68 (m, 2H), 7.25-7.43 (m, 4H), 4.79 (s, 4H), 3.81-3.88 (m, 2H), 3.21-3.31 (m, 2H), 3.14 (t, J = 6.3 Hz, 2H), 1.71-1.86 (m, 1H), 1.56-1.63 (m, 2H), 1.07-1.30 (m, 2H)	(ESI(+)) m/e 380 $(M+H)^+$
425		N-{4-[(4-benzoylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.55 (s, 1H), 7.64-7.68 (m, 2H), 7.40-7.50 (m, 5H), 7.29-7.40 (m, 6H), 4.78-4.79 (bs, 4H), 3.33-3.86 (m, 8H)	(ESI(+)) m/e 455 $(M+H)^+$
434		N-(4-{[4-(tetrahydrofuran-3-ylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.54 (s, 1H), 7.62-7.66 (m, 2H), 7.28-7.39 (m, 6H), 4.78-4.79 (bs, 4H), 3.88-3.95 (m, 1H), 3.68-3.77 (m, 1H), 3.55-3.64 (m, 1H), 3.39-3.56 (m, 4H), 2.46-2.56 (m, 2H), 2.35-2.47 (m, 4H), 1.85-1.99 (m, 1H), 1.66-1.86 (m, 2H), 1.39-1.54 (m, 1H)	(ESI(+)) m/e 435 $(M+H)^+$
435		5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.33 (t, J = 5.8 Hz, 1H), 7.76-7.80 (m, 2H), 7.63-7.67 (m, 2H), 7.39 (dd, J = 8.4, 5.2 Hz, 1H), 7.24 (dd, J = 9.1, 2.4 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 4.74-4.79 (m, 4H), 3.92-4.03 (m, 1H), 3.74-3.82 (m, 1H), 3.58-3.66 (m, 1H), 3.24-3.34 (m, 2H), 1.76-1.96 (m, 3H), 1.52-1.69 (m, 1H)	(ESI(+)) m/e 384 $(M+H)^+$
436		5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.33 (t, J = 5.8 Hz, 1H), 7.76-7.80 (m, 2H), 7.63-7.67 (m, 2H), 7.39 (dd, J = 8.4, 5.2 Hz, 1H), 7.24 (dd, J = 9.1, 2.5 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 4.74-4.79 (m, 4H), 3.96 (p, J = 6.3 Hz, 1H), 3.74-3.82 (m, 1H), 3.58-3.66 (m, 1H), 3.22-3.34 (m, 2H), 1.74-1.96 (m, 3H), 1.53-1.64 (m, 1H)	(ESI(+)) m/e 384 $(M+H)^+$
438		N-(4-{[4-(2-methoxyethyl)piperazin-1-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.53 (s, 1H), 7.62-7.66 (m, 2H), 7.24-7.43 (m, 6H), 4.78 (s, 4H), 3.44 (t, J = 5.8 Hz, 6H),	(ESI(+)) m/e 409 $(M+H)^+$

		yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	3.23 (s, 3H), 2.43 (s, 4H)	
439		N-(4-{[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.51 (s, 1H), 7.61-7.65 (m, 2H), 7.25-7.39 (m, 6H), 4.78-4.79 (bs, 4H), 4.36 (t, J = 5.1 Hz, 1H), 3.46-4.87 (m, 2H), 3.31-3.43 (m, 2H), 2.78-3.10 (m, 1H), 1.80-1.97 (m, 1H), 1.52-1.76 (m, 6H), 1.26-1.47 (m, 1H)	(ESI(+)) m/e 394 $(M+H)^+$
449		N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.53 (ddd, J = 4.8, 1.8, 0.9 Hz, 1H), 8.46 (d, J = 7.8 Hz, 1H), 7.84-7.88 (m, 2H), 7.75 (td, J = 7.7, 1.8 Hz, 1H), 7.67-7.73 (m, 2H), 7.29-7.44 (m, 5H), 7.26 (ddd, J = 7.4, 4.9, 1.1 Hz, 1H), 5.10-5.17 (m, 1H), 4.88-4.93 (m, 1H), 4.80 (s, 3H), 3.73-3.88 (m, 2H)	(ESI(-)) m/e 401 $(M-H)^-$
562		N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 11.42 (s, 1H), 8.60 (s, 1H), 7.67 (s, 4H), 7.41 – 7.28 (m, 4H), 4.79 (bs, 4H), 3.65 (d, J = 6.7 Hz, 2H), 2.02 – 1.85 (m, 1H), 0.94 (d, J = 6.7 Hz, 6H)	(ESI(+)) m/e 354 $(M+H)^+$
567		5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d$_6$) δ 8.59 (s, 1H), 8.29 (t, J = 5.8 Hz, 1H), 7.81 – 7.74 (m, 2H), 7.68 – 7.61 (m, 2H), 7.40 (dd, J = 8.4, 5.2 Hz, 1H), 7.24 (dd, J = 9.1, 2.5 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 4.80 – 4.73 (m, 3H), 4.05 – 3.99 (m, 1H), 3.87 (dd, J = 11.3, 3.0 Hz, 1H), 3.24 (dd, J = 8.8, 4.0 Hz, 2H), 1.80 – 1.74 (m, 1H), 1.66 – 1.56 (m, 1H), 1.57 – 1.33 (m, 3H), 1.28 – 1.04 (m, 1H)	(ESI(+)) m/e 398 $(M+H)^+$
568		5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d$_6$) δ 8.59 (s, 1H), 8.28 (t, J = 5.7 Hz, 1H), 7.76 (d, J = 8.8 Hz, 2H), 7.65 (d, J = 8.8 Hz, 2H), 7.58 – 7.32 (m, 1H), 7.31 – 7.06 (m, 2H), 4.76 (d, J = 8.0 Hz, 4H), 3.85 – 3.62 (m, 2H), 3.23 – 2.96 (m, 3H), 1.91 – 1.69 (m, 2H), 1.68 – 1.35 (m, 2H), 1.35 – 1.11 (m, 1H)	(ESI(+)) m/e 398 $(M+H)^+$
569		5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d$_6$) δ 8.58 (s, 1H), 8.28 (t, J = 5.8 Hz, 1H), 7.80 – 7.73 (m, 2H), 7.68 – 7.61 (m, 2H), 7.39 (dd, J = 8.4, 5.2 Hz, 1H), 7.24 (dd, J = 9.1, 2.5 Hz, 1H), 7.14 (td, J = 8.9, 2.5 Hz, 1H), 4.80 – 4.72 (m, 4H), 3.89 – 3.79 (m, 2H), 3.28 – 3.20 (m, 1H), 3.14 (t, J = 6.3 Hz, 2H), 1.88 – 1.69 (m, 1H), 1.64 – 1.54 (m, 2H), 1.28 – 1.10 (m, 2H)	(ESI(+)) m/e 398 $(M+H)^+$
570		5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-	^{1}H NMR (300 MHz, DMSO-d$_6$) δ 8.61 (s, 1H), 8.49 (d, J = 8.0 Hz, 1H), 7.88 – 7.80 (m, 2H), 7.71 – 7.64 (m, 2H), 7.44 – 7.36 (m, 3H), 7.36 – 7.27 (m, 2H), 7.28 – 7.09 (m,	(ESI(+)) m/e 420 $(M+H)^+$

		dihydro-2H-isoindole-2-carboxamide	3H), 5.12 – 5.01 (m, 1H), 4.90 (t, *J* = 5.8 Hz, 1H), 4.81 – 4.73 (m, 4H), 3.78 – 3.59 (m, 2H)	
571		5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.62 (s, 1H), 8.53 (ddd, *J* = 4.8, 1.8, 0.9 Hz, 1H), 8.46 (d, *J* = 7.8 Hz, 1H), 7.90 – 7.82 (m, 2H), 7.78 – 7.71 (m, 1H), 7.69 (t, *J* = 5.5 Hz, 2H), 7.44 – 7.36 (m, 2H), 7.30 – 7.09 (m, 3H), 5.19 – 5.08 (m, 1H), 4.90 (t, *J* = 5.9 Hz, 1H), 4.87 – 4.72 (m, 4H), 3.89 – 3.72 (m, 2H);)	(ESI(+)) m/e 421 $(M+H)^+$
572		5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.59 (s, 1H), 7.84 – 7.75 (m, 3H), 7.68 – 7.61 (m, 2H), 7.40 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.24 (dd, *J* = 9.1, 2.5 Hz, 1H), 7.15 (td, *J* = 8.9, 2.5 Hz, 1H), 4.80 – 4.73 (m, 4H), 4.65 (t, *J* = 5.7 Hz, 1H), 4.10 – 3.97 (m, 1H), 3.49 – 3.35 (m, 1H), 1.74 – 1.54 (m, 1H), 1.52 – 1.31 (m, 2H), 0.88 (t, *J* = 6.8 Hz, 6H)	(ESI(+)) m/e 400 $(M+H)^+$
585		N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.58 (s, 1H), 7.90 (d, *J* = 8.3 Hz, 1H), 7.79 (m, 2H), 7.67 (m, 2H), 7.40 – 7.29 (m, 4H), 4.79 (s, 4H), 4.73 (m, 1H), 4.03 (m, 1H), 3.47 (m, 1H), 3.58 (m, 1H), 2.60 - 2.40 (m, 2H), 2.04 (s, 3H), 1.90 (m, 1H), 1.74 (m, 1H)	(ESI(+)) m/e 400 $(M+H)^+$
586		N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 7.80 (m, 3H), 7.66 (m, 2H), 7.34 (m, 4H), 4.79 (bs, 4H), 4.52 (t, *J* = 5.5 Hz, 1H), 3.84 (m, 1H), 3.53 (m, 2H), 1.69 (m, 1H), 1.49 (m, 1H), 1.10 (m, 1H), 0.91 – 0.81 (m, 6H)	(ESI(+)) m/e 382 $(M+H)^+$
587		N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 7.89 (d, *J* = 8.0 Hz, 1H), 7.78 (m, 2H), 7.66 (m, 2H), 7.40 – 7.29 (m, 4H), 4.79 (bs, 4H), 4.70 (t, *J* = 5.7 Hz, 1H), 4.00 (m, 1H), 3.46 (dt, *J* = 10.8, 3.33 (m, 1H), 5.4 Hz, 1H), 1.13 (d, *J* = 6.7 Hz, 3H)	(ESI(+)) m/e 340 $(M+H)^+$
588		N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.57 (bs, 1H), 7.78 (m, 3H), 7.67 (m, 2H), 7.40 – 7.29 (m, 4H), 4.79 (bs, 4H), 4.67 (d, *J* = 5.2 Hz, 1H), 4.52 (m, 1H), 3.90 – 3.72 (m, 2H), 3.63 (m, 2H), 1.08 (d, *J* = 6.12 Hz, 3H)	(ESI(+)) m/e 370 $(M+H)^+$
589		N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 7.80 (m, 3H), 7.66 (m, 2H), 7.40 – 7.29 (m, 4H), 4.79 (bs, 4H), 4.65 (t, *J* = 5.7 Hz, 1H), 3.93 (m, 1H), 3.44 (dt, *J* = 10.8, 5.4 Hz, 1H), 3.32 (m, 1H), 1.63 (m, 1H), 1.44 (m, 1H), 1.28 (m, 4H), 0.86 (t, *J* = 6.3 Hz, 3H)	(ESI(+)) m/e 382 $(M+H)^+$

590		N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 7.80 (m, 3H), 7.66 (m, 2H), 7.40 – 7.29 (m, 4H), 4.79 (bs, 4H), 4.64 (t, J = 5.7 Hz, 1H), 3.95 (m, 1H), 3.44 (dt, J = 10.8, 5.4 Hz, 1H), 3.32 (m, 1H), 1.58 (m, 1H), 1.50 – 1.22 (m, 3H), 0.88 (t, J = 7.3 Hz, 3H)	(ESI(+)) m/e 368 $(M+H)^+$
591		N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	- ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.03 (m, 1H), 7.78 (m, 2H), 7.66 (m, 2H), 7.40 – 7.29 (m, 4H), 4.81 (bs, 4H), 4.75 (t, J = 5.7 Hz, 1H), 4.98 (m, 2H), 1.99 (m, 1H), 1.86 (m, 1H), 1.65 (m, 2H), 1.47 (m, 2H)	(ESI(+)) m/e 366 $(M+H)^+$
592		N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 7.80 (m, 2H), 7.65 (m, 3H), 7.40 – 7.28 (m, 4H), 4.79 (bs, 4H), 4.71 (d, J = 3.6 Hz, 1H), 4.04 (m, 2H), 1.88 – 1.44 (m, 6H)	(ESI(+)) m/e 366 $(M+H)^+$
593		N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 7.81 (m, 3H), 7.67 (m, 2H), 7.43 – 7.26 (m, 4H), 4.79 (s, 4H), 4.64 (t, J = 5.7 Hz, 1H), 4.06 (m, 1H), 3.42 (m, 1H), 3.30 (m, 1H), 1.80 (d, J = 12.6 Hz, 1H), 1.62 (m, 4H), 1.43 (m, 2H), 1.32 (m, 1H), 1.14 (m, 3H), 0.95 (m, 1H), 0.83 (m, 1H)	(ESI(+)) m/e 422 $(M+H)^+$
594		N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 7.98 (d, J = 8.2 Hz, 1H), 7.79 (m, 2H), 7.68 (m, 2H), 7.40 – 7.28 (m, 4H), 7.20 (m, 2H), 7.10 (m, 2H), 4.80 (m, 5H), 4.13 (m, 1H), 3.71 (s, 2H), 3.55 (m, 1H), 3.44 (m, 1H), 2.70 (dd, J = 13.3, 5.7 Hz, 1H), 2.55 (m, 1H), 2.27 (s, 3H)	(ESI(+)) m/e 476 $(M+H)^+$
595		N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.45 (d, J = 8.0 Hz, 1H), 7.83 (m, 2H), 7.68 (m, 2H), 7.40 – 7.27 (m, 8H), 5.03 (m, 1H), 4.87 (t, J = 5.8 Hz, 1H), 4.79 (bs, 4H), 3.67 (m, 2H), 1.26 (s, 9H)	(ESI(+)) m/e 458 $(M+H)^+$
597		5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.53 (s, 1H), 8.24 (m, 1H), 7.80 – 7.72 (m, 2H), 7.67 – 7.61 (m, 2H), 7.26 (d, J = 8.3 Hz, 1H), 6.98 – 6.91 (m, 1H), 6.88 (dd, J = 8.3, 2.4 Hz, 1H), 4.72 (m, 4H), 3.77 (s, 3H), 3.25 – 3.14 (m, 2H), 1.60 – 1.44 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 354 $(M+H)^+$
598		5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.54 (s, 1H), 8.24 (m, 1H), 7.80 – 7.72 (m, 2H), 7.69 – 7.61 (m, 2H), 7.24 (d, J = 7.7 Hz, 1H), 7.17 (bs, 1H), 7.16 – 7.09 (m, 1H), 4.73 (bs, 4H), 3.23 – 3.14 (m, 2H), 2.33 (s, 3H), 1.60 – 1.44 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 338 $(M+H)^+$

716		N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.40 (t, *J* = 5.7 Hz, 1H), 7.81 – 7.73 (m, 2H), 7.71 – 7.63 (m, 2H), 7.41 – 7.28 (m, 6H), 5.83 (dd, *J* = 19.3, 15.2 Hz, 1H), 4.79 (bs, 4H), 3.30 – 3.21 (m, 1H), 3.06 – 2.93 (m, 1H), 2.89 – 2.69 (m, 1H), 2.60 (dd, *J* = 17.2, 7.4 Hz, 1H), 2.32 (s, 3H), 2.04 – 1.85 (m, 1H), 1.58 (tt, *J* = 13.9, 6.9 Hz, 1H)	(ESI(+)) m/e 379 $(M+H)^+$
719		N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.57 (s, 1H), 8.27 (t, J = 5.8 Hz, 1H), 7.80 – 7.73 (m, 2H), 7.69 – 7.62 (m, 2H), 7.41 – 7.28 (m, 4H), 3.35 – 3.27 (m, 2H), 3.13 (t, J = 6.2 Hz, 2H), 3.03 – 2.93 (m, 1H), 2.86 – 2.77 (m, 2H), 2.20 (s, 3H), 2.17 (s, 1H), 2.00 – 1.82 (m, 2H), 1.70 – 1.45 (m, 3H), 1.28 – 1.11 (m, 2H)	(ESI(+)) m/e 393 $(M+H)^+$
781		N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO DMSO-d_6) δ 8.58 (s, 1H), 8.44 (t, *J* = 5.8 Hz, 1H), 7.81 – 7.74 (m, 2H), 7.71 – 7.64 (m, 2H), 7.41 – 7.28 (m, 4H), 4.79 (s, 4H), 3.41 – 3.31 (m, 2H), 3.30 (s, 2H), 3.11 – 2.81 (m, 2H), 2.74 – 2.59 (m, 1H), 2.30 – 2.15 (m, 1H), 1.94 – 1.76 (m, 1H)	(ESI(+)) m/e 414 $(M+H)^+$
782		N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.58 (s, 1H), 8.38 (t, *J* = 5.8 Hz, 1H), 8.01 – 7.89 (m, 1H), 7.78 (d, *J* = 8.9 Hz, 2H), 7.67 (d, *J* = 8.8 Hz, 2H), 7.44 – 7.24 (m, 4H), 4.79 (s, 4H), 4.20 (p, *J* = 5.9 Hz, 1H), 3.98 (dd, *J* = 8.3, 6.2 Hz, 1H), 3.71 (dd, *J* = 8.3, 5.8 Hz, 1H), 3.50 – 3.20 (m, 1H), 1.35 (s, 3H), 1.26 (s, 3H)	(ESI(+)) m/e 396 $(M+H)^+$
783		N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (d, *J* = 8.2 Hz, 2H), 7.87 – 7.79 (m, 2H), 7.70 (s, 1H), 7.67 (s, 1H), 7.46 – 7.20 (m, 9H), 5.27 (td, *J* = 8.4, 5.4 Hz, 1H), 4.79 (s, 4H), 3.70 (dd, *J* = 10.0, 8.6 Hz, 1H), 3.55 (dd, *J* = 10.0, 5.5 Hz, 1H), 3.30 (d, *J* = 2.9 Hz, 3H)	(ESI(+)) m/e 416 $(M+H)^+$
784		N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.58 (s, 1H), 8.39 (t, *J* = 5.8 Hz, 1H), 7.81 – 7.74 (m, 2H), 7.70 – 7.63 (m, 2H), 7.41 – 7.28 (m, 4H), 4.79 (s, 4H), 4.20 (p, *J* = 5.9 Hz, 1H), 3.98 (dd, *J* = 8.3, 6.2 Hz, 1H), 3.71 (dd, *J* = 8.3, 5.8 Hz, 1H), 3.30 (s, 1H), 1.35 (s, 3H), 1.26 (s, 3H)	(ESI(+)) m/e 396 $(M+H)^+$
785		N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.58 (s, 1H), 8.39 (t, *J* = 5.8 Hz, 1H), 7.81 – 7.74 (m, 2H), 7.70 – 7.63 (m, 2H), 7.43 – 7.27 (m, 4H), 4.79 (s, 4H), 4.20 (p, *J* = 5.9 Hz, 1H), 3.98 (dd, *J* = 8.3, 6.2 Hz, 1H), 3.71 (dd, *J* = 8.3, 5.8 Hz, 1H), 3.38 (ddd, *J* = 14.9, 12.8, 5.8 Hz, 1H), 1.35 (s, 3H), 1.26 (s, 3H)	(ESI(+)) m/e 396 $(M+H)^+$

		carboxamide		
786		N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.43 (t, *J* = 6.1 Hz, 1H), 7.83 – 7.76 (m, 2H), 7.72 – 7.65 (m, 2H), 7.41 – 7.28 (m, 4H), 4.89 (t, *J* = 5.6 Hz, 1H), 4.79 (s, 4H), 4.40 (d, *J* = 5.9 Hz, 2H), 4.29 (d, *J* = 5.8 Hz, 2H), 3.58 (d, *J* = 5.6 Hz, 2H), 3.51 (d, *J* = 6.0 Hz, 2H)	(ESI(+)) m/e 382 $(M+H)^+$
790		N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.71 (m, 2H), 7.71 – 7.48 (m, 2H), 7.44 – 7.23 (m, 4H), 4.79 (s, 4H), 3.92 (h, *J* = 6.7 Hz, 1H), 1.62 – 1.44 (m, 2H), 1.15 (d, *J* = 6.6 Hz, 3H), 0.88 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 338 $(M+H)^+$
802		N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.59 (s, 1H), 8.43 (t, *J* = 6.1 Hz, 1H), 7.83 – 7.76 (m, 2H), 7.71 – 7.65 (m, 2H), 7.41 – 7.28 (m, 4H), 4.79 (s, 4H), 4.48 (d, *J* = 5.7 Hz, 2H), 4.20 (d, *J* = 5.7 Hz, 2H), 3.44 (d, *J* = 6.0 Hz, 2H), 1.25 (s, 3H)	(ESI(+)) m/e 366 $(M+H)^+$
809		5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.79 (s, 1 H) 7.70 - 7.77 (m, 3 H) 7.60 - 7.63 (m, 1 H) 7.58 - 7.60 (m, 1 H) 7.56 (d, *J*=7.93 Hz, 1 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.21 (d, *J*=7.02 Hz, 2 H) 2.08 - 2.25 (m, 1 H) 1.43 - 1.76 (m, 6 H) 1.19 - 1.35 (m, 2 H)	(ESI(+)) m/e 389 $(M+H)^+$
810		5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.74 - 7.81 (m, 4 H) 7.72 (dd, *J*=7.93, 1.53 Hz, 1 H) 7.61 - 7.65 (m, 2 H) 7.56 (d, *J*=7.93 Hz, 2 H) 4.85 (d, *J*=9.77 Hz, 4 H) 4.68 (s, 2 H)	(ESI(+)) m/e 404 $(M+H)^+$
811		5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.75 - 7.81 (m, 3 H) 7.70 - 7.73 (m, 1 H) 7.60 - 7.64 (m, 2 H) 7.56 (d, *J*=7.93 Hz, 1 H) 7.37 - 7.43 (m, 2 H) 7.28 - 7.35 (m, 2 H) 7.17 - 7.25 (m, 1 H) 5.11 - 5.22 (m, 1 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.44 - 3.52 (m, 2 H) 1.91 - 2.12 (m, 2 H)	(ESI(+)) m/e 441 $(M+H)^+$
812		5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.77 - 7.82 (m, 3 H) 7.72 (dd, *J*=7.93, 1.53 Hz, 1 H) 7.59 - 7.65 (m, 2 H) 7.56 (d, *J*=7.93 Hz, 1 H) 7.27 (d, *J*=8.24 Hz, 2 H) 7.12 (d, *J*=7.93 Hz, 2 H) 5.00 - 5.07 (m, 1 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.67 - 3.78 (m, 2 H) 2.27 (s, 3 H)	(ESI(+)) m/e 441 $(M+H)^+$
813		5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.86 - 8.00 (m, 1 H) 7.67 - 7.81 (m, 4 H) 7.53 - 7.65 (m, 2 H) 4.85 (d, *J*=7.02 Hz, 4 H) 4.33 - 4.52 (m, 1 H)	(ESI(+)) m/e 381 $(M+H)^+$

		isoindole-2-carboxamide	3.93 - 4.02 (m, 1 H) 3.59 - 3.84 (m, 1 H) 3.58 (d, *J*=5.80 Hz, 2 H)	
814		5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.68 - 7.84 (m, 4 H) 7.54 - 7.64 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.77 - 3.88 (m, 1 H) 3.15 - 3.26 (m, 2 H) 1.10 (d, *J*=6.10 Hz, 3 H)	(ESI(+)) m/e 365 $(M+H)^+$
815		5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.69 - 7.81 (m, 4 H) 7.54 - 7.65 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.28 (s, 2 H) 1.14 (s, 6 H)	(ESI(+)) m/e 379 $(M+H)^+$
816		5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.69 - 7.81 (m, 4 H) 7.55 - 7.64 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.76 - 3.84 (m, 1 H) 3.56 (d, *J*=5.19 Hz, 2 H) 1.87 - 2.00 (m, 1 H) 0.92 (dd, *J*=11.75, 6.87 Hz, 6 H)	(ESI(+)) m/e 393 $(M+H)^+$
817		5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.69 - 7.81 (m, 4 H) 7.54 - 7.63 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.95 - 4.05 (m, 1 H) 3.75 - 3.84 (m, 1 H) 3.60 - 3.68 (m, 1 H) 3.34 (d, *J*=5.80 Hz, 2 H) 1.75 - 1.98 (m, 3 H) 1.54 - 1.66 (m, 1 H)	(ESI(+)) m/e 391 $(M+H)^+$
818		5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.70 - 7.81 (m, 4 H) 7.60 - 7.66 (m, 2 H) 7.57 (d, *J*=7.93 Hz, 1 H) 4.85 (d, *J*=8.85 Hz, 4 H) 3.50 (t, *J*=6.41 Hz, 2 H) 3.22 - 3.26 (m, 4 H) 3.04 (d, *J*=4.88 Hz, 4 H) 2.90 (t, *J*=6.41 Hz, 2 H) 2.78 (s, 3 H)	(ESI(+)) m/e 433 $(M+H)^+$
819		5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90 °C) δ ppm 7.78 - 7.85 (m, 3 H) 7.70 - 7.74 (m, 1 H) 7.60 - 7.66 (m, 2 H) 7.56 (d, *J*=8.24 Hz, 1 H) 7.38 - 7.43 (m, 2 H) 7.28 - 7.34 (m, 2 H) 7.19 - 7.26 (m, 1 H) 5.03 - 5.13 (m, 1 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.68 - 3.79 (m, 2 H)	(ESI(+)) m/e 427 $(M+H)^+$
820		5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.79 (s, 1 H) 7.70 - 7.76 (m, 3 H) 7.58 - 7.64 (m, 2 H) 7.56 (d, *J*=8.24 Hz, 1 H) 4.85 (d, *J*=8.24 Hz, 4 H) 4.44 (t, *J*=6.41 Hz, 1 H) 3.45 (t, *J*=6.41 Hz, 1 H) 3.27 - 3.34 (m, 2 H) 1.46 - 1.81 (m, 4 H)	(ESI(+)) m/e 377 $(M+H)^+$
821		5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.69 - 7.82 (m, 4 H) 7.53 - 7.64 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.79 - 3.87 (m, 1 H) 3.17 - 3.26 (m, 2 H) 1.10 (d, *J*=6.10 Hz, 3 H)	(ESI(+)) m/e 365 $(M+H)^+$

		isoindole-2-carboxamide		
822		5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.79 (s, 1 H) 7.74 - 7.78 (m, 2 H) 7.72 (d, *J*=7.93 Hz, 1 H) 7.59 - 7.65 (m, 2 H) 7.54 - 7.58 (m, 1 H) 7.50 - 7.53 (m, 1 H) 7.25 (d, *J*=8.54 Hz, 1 H) 6.46 (s, 1 H) 4.85 (d, *J*=8.85 Hz, 4 H) 4.31 (s, 2 H)	(ESI(+)) m/e 387 $(M+H)^+$
823		5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.70 - 7.81 (m, 4 H) 7.55 - 7.64 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.95 - 4.04 (m, 1 H) 3.75 - 3.83 (m, 1 H) 3.61 - 3.68 (m, 1 H) 3.34 (d, *J*=5.80 Hz, 2 H) 1.75 - 1.98 (m, 3 H) 1.54 - 1.65 (m, 1 H)	(ESI(+)) m/e 391 $(M+H)^+$
824		5-cyano-N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.79 (s, 1 H) 7.73 - 7.75 (m, 1 H) 7.71 (d, *J*=1.53 Hz, 1 H) 7.60 - 7.65 (m, 2 H) 7.57 (d, *J*=8.54 Hz, 1 H) 7.34 - 7.40 (m, 2 H) 7.00 (d, *J*=2.75 Hz, 1 H) 6.59 (dd, *J*=3.51, 1.68 Hz, 1 H) 4.85 (d, *J*=8.54 Hz, 4 H) 3.71 - 3.77 (m, 4 H) 3.54 - 3.65 (m, 4 H)	(ESI(+)) m/e 470 $(M+H)^+$
825		5-cyano-N-(4-{[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.79 (s, 1 H) 7.72 (dd, *J*=7.93, 1.53 Hz, 1 H) 7.59 - 7.64 (m, 2 H) 7.57 (d, *J*=7.93 Hz, 1 H) 7.33 - 7.37 (m, 2 H) 4.85 (d, *J*=8.24 Hz, 4 H) 4.64 (dd, *J*=7.48, 5.95 Hz, 1 H) 3.71 - 3.86 (m, 2 H) 3.48 - 3.61 (m, 8 H) 1.96 - 2.14 (m, 2 H) 1.75 - 1.94 (m, 2 H)	(ESI(+)) m/e 474 $(M+H)^+$
826		5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.70 - 7.81 (m, 4 H) 7.61 - 7.66 (m, 2 H) 7.57 (d, *J*=7.93 Hz, 1 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.36 (t, *J*=6.71 Hz, 4 H) 3.02 - 3.13 (m, 2 H) 2.90 (s, 2 H) 1.90 - 2.18 (m, 2 H) 1.81 (d, *J*=84.53 Hz, 6 H)	(ESI(+)) m/e 432 $(M+H)^+$
827		5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.70 - 7.81 (m, 4 H) 7.55 - 7.64 (m, 3 H) 4.85 (d, *J*=8.54 Hz, 4 H) 3.96 - 4.04 (m, 1 H) 3.76 - 3.85 (m, 1 H) 3.61 - 3.68 (m, 1 H) 3.34 (d, *J*=5.80 Hz, 2 H) 1.75 - 1.98 (m, 3 H) 1.54 - 1.67 (m, 1 H)	(ESI(+)) m/e 391 $(M+H)^+$
828		5-cyano-N-(4-{[4-(ethylsulfonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.79 (s, 1 H) 7.72 (dd, *J*=7.93, 1.53 Hz, 1 H) 7.59 - 7.64 (m, 2 H) 7.57 (d, *J*=7.63 Hz, 1 H) 7.32 - 7.37 (m, 2 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.56 - 3.61 (m, 4 H) 3.27 (s, 4 H) 3.07 (q, *J*=7.32 Hz, 2 H) 1.24 (t, *J*=7.32 Hz, 3 H)	(ESI(+)) m/e 468 $(M+H)^+$
829		5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.79 (s, 1 H) 7.72 - 7.77 (m, 2 H) 7.71 (d, *J*=1.22 Hz, 1 H) 7.59 - 7.64	(ESI(+)) m/e 391 $(M+H)^+$

		phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	(m, 2 H) 7.57 (d, *J*=7.93 Hz, 1 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.69 - 3.80 (m, 2 H) 3.60 - 3.67 (m, 1 H) 3.47 (dd, *J*=8.54, 5.49 Hz, 1 H) 3.28 - 3.30 (m, *J*=3.36 Hz, 2 H) 2.45 - 2.50 (m, 1 H) 1.90 - 2.01 (m, 1 H) 1.58 - 1.68 (m, 1 H)	
830		5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.81 - 7.83 (m, 1 H) 7.78 - 7.80 (m, 2 H) 7.72 (dd, *J*=7.93, 1.53 Hz, 1 H) 7.61 - 7.64 (m, 2 H) 7.57 (d, *J*=8.54 Hz, 1 H) 7.39 (d, *J*=7.63 Hz, 2 H) 7.28 - 7.34 (m, 2 H) 7.20 - 7.25 (m, 1 H) 5.05 - 5.11 (m, 1 H) 4.83 - 4.88 (m, 4 H) 3.69 - 3.79 (m, 2 H)	(ESI(+)) m/e 427 $(M+H)^+$
831		5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.67 - 7.90 (m, 4 H) 7.52 - 7.65 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.79 - 3.93 (m, 1 H) 3.41 - 3.55 (m, 2 H) 1.41 - 1.85 (m, 2 H) 0.90 (t, *J*=7.48 Hz, 3 H)	(ESI(+)) m/e 379 $(M+H)^+$
832		5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.70 - 7.81 (m, 4 H) 7.54 - 7.65 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.62 - 3.73 (m, 1 H) 3.38 - 3.45 (m, 3 H) 3.29 (d, *J*=6.41 Hz, 1 H)	(ESI(+)) m/e 381 $(M+H)^+$
833		5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.69 - 7.84 (m, 4 H) 7.52 - 7.64 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.80 - 3.89 (m, 2 H) 3.28 - 3.35 (m, 2 H) 3.19 (d, *J*=7.02 Hz, 2 H) 1.76 - 1.91 (m, 1 H) 1.61 (dd, *J*=12.82, 1.83 Hz, 2 H) 1.17 - 1.32 (m, 2 H)	(ESI(+)) m/e 405 $(M+H)^+$
834		5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.60 (d, *J*=4.27 Hz, 1 H) 7.96 - 8.04 (m, 1 H) 7.77 - 7.86 (m, 3 H) 7.73 (d, *J*=7.93 Hz, 1 H) 7.61 - 7.68 (m, 3 H) 7.57 (d, *J*=7.93 Hz, 1 H) 7.45 - 7.51 (m, 1 H) 5.21 (t, *J*=5.95 Hz, 1 H) 4.86 (d, *J*=8.24 Hz, 4 H) 3.89 (d, *J*=5.80 Hz, 2 H)	(ESI(+)) m/e 428 $(M+H)^+$
835		5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.68 - 7.82 (m, 4 H) 7.52 - 7.64 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 4.01 - 4.09 (m, 1 H) 3.38 - 3.52 (m, 2 H) 1.59 - 1.75 (m, 1 H) 1.37 - 1.55 (m, 2 H) 0.86 - 0.93 (m, 6 H)	(ESI(+)) m/e 407 $(M+H)^+$
836		5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 7.70 - 7.82 (m, 4 H) 7.59 - 7.67 (m, 2 H) 7.57 (d, *J*=7.63 Hz, 1 H) 4.82 - 4.89 (m, 4 H) 3.41 - 3.82 (m, 2 H) 3.35 - 3.41 (m, 2 H) 2.94 - 3.21 (m, 2 H) 2.85 (s, 3 H) 2.60 - 2.75 (m, 1 H) 1.61 - 2.34 (m, 2 H)	(ESI(+)) m/e 404 $(M+H)^+$

837		5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.67 - 7.83 (m, 4 H) 7.54 - 7.65 (m, 3 H) 4.85 (d, *J*=8.24 Hz, 4 H) 3.36 - 3.52 (m, 2 H) 3.18 - 3.25 (m, 2 H) 2.92 (s, 2 H) 2.76 (s, 3 H) 1.89 (m, 3 H) 1.29 - 1.54 (m, 2 H)	(ESI(+)) m/e 418 $(M+H)^+$
838		5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O ,Temp=90°C) δ ppm 7.68 - 7.82 (m, 4 H) 7.52 - 7.65 (m, 3 H) 4.85 (d, *J*=8.54 Hz, 4 H) 3.65 - 3.82 (m, 2 H) 3.29 - 3.40 (m, 1 H) 3.09 - 3.20 (m, 3 H) 1.73 - 1.92 (m, 2 H) 1.40 - 1.69 (m, 2 H) 1.20 - 1.35 (m, 1 H)	(ESI(+)) m/e 405 $(M+H)^+$
717		N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	1H NMR (300 MHz, DMSO-d_6) δ 9.07 (bs, 1H), 8.64 (s, 1H), 8.51 (t, *J* = 5.8 Hz, 1H), 7.83 – 7.75 (m, 1H), 7.73 – 7.65 (m, 2H), 7.42 – 7.28 (m, 3H), 4.86 (bs, 2H), 4.79 (s, 4H), 3.75 – 3.64 (m, 1H), 3.53 – 3.43 (m, 1H), 3.40 – 3.16 (m, 3H), 3.10 (dt, *J* = 13.6, 7.7 Hz, 1H), 2.98 – 2.83 (m, 1H), 2.07 – 1.92 (m, 1H), 1.84 – 1.46 (m, 1H)	(ESI(+)) m/e 340 $(M+H)^+$
840		N-[4-(2,6-diazaspiro[3.3]hept-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.67 – 7.61 (m, 2H), 7.57 – 7.51 (m, 2H), 7.40 – 7.26 (m, 4H), 4.79 (s, 4H), 4.36 (bs, 4H), 4.20 (s, 4H)	(ESI(+)) m/e 363 $(M+H)^+$
841		N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.70 – 7.56 (m, 2H), 7.48 – 7.42 (m, 2H), 7.38 – 7.29 (m, 4H), 4.79 (s, 4H), 3.99 (q, *J* = 10.6 Hz, 4H), 3.74 (s, 2H), 3.52 (t, *J* = 7.0 Hz, 2H), 2.18 (t, *J* = 7.1 Hz, 2H)	(ESI(+)) m/e 377 $(M+H)^+$
842		N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.73 – 7.53 (m, 2H), 7.42 – 7.31 (m, 4H), 7.31 – 7.25 (m, 2H), 4.79 (s, 4H), 3.81 (d, *J* = 5.0 Hz, 4H), 3.44 (dd, *J* = 12.2, 6.6 Hz, 4H), 1.92 – 1.53 (m, 4H)	(ESI(+)) m/e 391 $(M+H)^+$
843		N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.67 – 7.61 (m, 2H), 7.58 – 7.54 (m, 2H), 7.39 – 7.29 (m, 4H), 4.79 (s, 4H), 4.07 (d, *J* = 7.8 Hz, 2H), 3.95 (d, *J* = 22.6 Hz, 2H), 2.99 (t, *J* = 11.8, 6.0 Hz, 2H), 2.55 (s, 2H), 1.97 – 1.82 (m, 2H), 1.82 – 1.59 (m, 2H)	(ESI(+)) m/e 391 $(M+H)^+$
844		N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.72 – 7.57 (m, 2H), 7.50 – 7.40 (m, 2H), 7.40 – 7.22 (m, 4H), 4.79 (s, 4H), 3.83 (d, *J* = 12.2 Hz, 1H), 3.75 – 3.63 (m, 1H), 3.57 – 3.42 (m, 2H), 3.17 (t, *J* = 13.0 Hz, 1H), 2.61 (m, *J* = 13.5, 9.0 Hz, 1H), 2.27 – 1.99 (m, 3H),	(ESI(+)) m/e 391 $(M+H)^+$

			1.92 – 1.61 (m, 2H)	
845		N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.77 – 7.56 (m, 2H), 7.54 – 7.42 (m, 2H), 7.41 – 7.22 (m, 4H), 4.79 (s, 4H), 3.88 (d, *J* = 12.7 Hz, 1H), 3.75 – 3.56 (m, 3H), 2.39 – 2.25 (m, 1H), 2.26 – 2.11 (m, 1H), 2.10 – 1.87 (m, 4H)	(ESI(+)) m/e 391 $(M+H)^+$
846		N-[4-(2,7-diazaspiro[4.4]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.70 – 7.54 (m, 2H), 7.50 – 7.40 (m, 2H), 7.39 – 7.22 (m, 4H), 4.79 (s, 4H), 3.72 – 3.42 (m, 4H), 3.17 (t, *J* = 10.1 Hz, 2H), 2.14 – 1.81 (m, 4H)	(ESI(+)) m/e 391 $(M+H)^+$
847		N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.70 – 7.55 (m, 2H), 7.52 – 7.40 (m, 2H), 7.38 – 7.16 (m, 4H), 4.79 (s, 4H), 3.57 (t, *J* = 7.2 Hz, 2H), 3.41 (s, 2H), 3.15 – 2.98 (m, 4H), 2.53 – 2.50 (m, 2H), 1.82 (t, 2H), 1.76 – 1.60 (m, 4H)	(ESI(+)) m/e 405 $(M+H)^+$
848		N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.71 – 7.54 (m, 2H), 7.53 – 7.39 (m, 2H), 7.39 – 7.20 (m, 4H), 4.79 (s, 4H), 3.63 – 3.55 (m, 2H), 3.55 – 3.47 (m, 1H), 3.46 – 3.39 (m, 1H), 3.07 – 2.98 (m, 4H), 1.98 – 1.87 (m, 1H), 1.86 – 1.77 (m, 1H), 1.77 – 1.71 (m, 1H), 1.71 – 1.56 (m, 3H)	(ESI(+)) m/e 405 $(M+H)^+$
849		N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.76 – 7.55 (m, 2H), 7.55 – 7.41 (m, 2H), 7.41 – 7.20 (m, 4H), 4.79 (s, 4H), 3.82 (d, *J* = 12.8 Hz, 1H), 3.77 – 3.66 (m, 1H), 3.66 – 3.53 (m, 2H), 3.17 – 2.98 (m, 2H), 2.36 – 2.21 (m, 1H), 2.19 – 2.06 (m, 1H), 1.87 – 1.77 (m, 2H), 1.76 – 1.55 (m, 4H)	(ESI(+)) m/e 405 $(M+H)^+$
850		N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.76 – 7.55 (m, 2H), 7.45 – 7.32 (m, 3H), 7.34 – 7.19 (m, 4H), 4.79 (s, 4H), 3.66 – 3.49 (m, 2H), 3.47 – 3.36 (m, 1H), 3.27 – 3.12 (m, 1H), 3.10 – 2.90 (m, 2H), 2.00 – 1.83 (m, 1H), 1.84 – 1.62 (m, 3H), 1.62 – 1.46 (m, 2H)	(ESI(+)) m/e 405 $(M+H)^+$
851		N-[4-(3,9-diazaspiro[5.5]undec-3-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide		(ESI(+)) m/e XXX $(M+H)^+$
852		N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.78 – 7.54 (m, 2H), 7.46 – 7.21 (m, 6H), 4.79 (s, 4H), 3.66 (d, *J* = 13.3 Hz, 1H), 3.54 (d, *J* = 14.2 Hz, 1H), 3.35 (dd, *J* = 14.9, 8.0 Hz, 2H), 3.09 – 3.00 (m, 1H), 3.00 – 2.94 (m,	(ESI(+)) m/e 419 $(M+H)^+$

		isoindole-2-carboxamide	1H), 2.94 – 2.85 (m, 2H), 2.54 – 2.48 (m, 2H), 1.70 (dd, *J* = 11.6, 5.7 Hz, 2H), 1.63 (dd, *J* = 16.4, 6.3 Hz, 2H), 1.61 – 1.50 (m, 4H), 1.50 – 1.39 (m, 1H)	
853		N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.79 – 7.49 (m, 2H), 7.44 – 7.13 (m, 6H), 4.79 (s, 4H), 3.45 (d, *J* = 9.0 Hz, 4H), 3.17 – 2.85 (m, 4H), 1.59 (dd, *J* = 12.8, 6.9 Hz, 8H)	(ESI(+)) m/e 419 $(M+H)^+$
854		N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.74 – 7.52 (m, 2H), 7.41 – 7.24 (m, 6H), 4.79 (s, 4H), 3.82 (t, *J* = 14.5 Hz, 1H), 3.70 (d, *J* = 13.7 Hz, 1H), 3.55 – 3.40 (m, 2H), 3.16 – 2.88 (m, 2H), 2.01 – 1.81 (m, 2H), 1.75 – 1.53 (m, 8H)	(ESI(+)) m/e 419 $(M+H)^+$
855		N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.73 – 7.51 (m, 2H), 7.45 – 7.15 (m, 6H), 4.79 (s, 4H), 3.77 – 3.59 (m,1H), 3.62 – 3.36 (m, 3H), 3.29 – 3.20 (m, 2H), 2.12 – 1.95 (m, 4H), 1.91 – 1.66 (m, 5H)	(ESI(+)) m/e 419 $(M+H)^+$
856		N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.78 – 7.72 (m, 2H), 7.66 – 7.61 (m, 2H), 7.39 – 7.28 (m, 4H), 4.79 (s, 4H), 4.15 (dd, *J* = 12.2, 6.0 Hz, 1H), 3.38 (qd, *J* = 13.4, 5.8 Hz, 2H), 3.20 – 3.00 (m, 4H), 2.53 – 2.50 (m, 3H), 2.18 – 1.96 (m, 1H), 1.94 – 1.56 (m, 8H)	(ESI(+)) m/e 435 $(M+H)^+$
857		N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.84 – 7.70 (m, 2H), 7.70 – 7.54 (m, 2H), 7.46 – 7.21 (m, 4H), 4.79 (s, 4H), 4.64 – 4.44 (m, 1H), 4.15 – 3.95 (m, 1H), 3.73 (dd, *J* = 9.1, 6.1 Hz, 1H), 3.19 – 2.97 (m, 4H), 2.21 (dd, *J* = 13.1, 8.3 Hz, 1H), 1.99 – 1.84 (m, 3H), 1.84 – 1.70 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
858		N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.87 – 7.69 (m, 2H), 7.71 – 7.53 (m, 2H), 7.45 – 7.12 (m, 4H), 4.79 (s, 4H), 3.75 (dd, *J* = 11.5, 2.6 Hz, 1H), 3.55 – 3.41 (m, 1H), 3.38 – 3.31 (m, 2H), 3.22 – 3.12 (m, 1H), 3.11 – 2.94 (m, 4H), 1.92 – 1.66 (m, 3H), 1.62 – 1.49 (m, 1H), 1.49 – 1.24 (m, 4H)	(ESI(+)) m/e 449 $(M+H)^+$
859		N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.75 – 7.53 (m, 2H), 7.44 – 7.15 (m, 6H), 4.79 (s, 4H), 3.82 – 3.66 (m, 2H), 3.63 – 3.46 (m, 4H), 3.40 – 3.32 (m, 1H), 3.25 – 3.14 (m, 1H), 2.96 – 2.77 (m, 2H), 2.08 – 1.92 (m, 1H), 1.92 – 1.74 (m, 1H), 1.73 – 1.58 (m, 1H), 1.59 – 1.38 (m, 1H)	(ESI(+)) m/e 421 $(M+H)^+$

860		N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.71 – 7.48 (m, 2H), 7.45 – 7.18 (m, 6H), 4.79 (s, 4H), 3.44 (t, *J* = 6.7 Hz, 2H), 3.36 (dd, *J* = 7.3, 5.1 Hz, 1H), 3.24 – 3.06 (m, 2H), 3.05 – 2.85 (m, 2H), 2.05 (t, *J* = 7.0 Hz, 2H), 1.88 – 1.72 (m, 2H), 1.65 (dd, *J* = 12.7, 1.4 Hz, 2H)	(ESI(+)) m/e 405 $(M+H)^+$
861		N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.75 – 7.51 (m, 2H), 7.42 – 7.10 (m, 6H), 4.79 (s, 4H), 3.92 – 3.68 (m, 2H), 3.36 (dd, *J* = 8.1, 5.4 Hz, 1H), 3.31 – 3.21 (m, 2H), 2.14 – 1.91 (m, 4H), 1.91 – 1.68 (m, 4H)	(ESI(+)) m/e 405 $(M+H)^+$
862		N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.72 – 7.60 (m, 2H), 7.60 – 7.49 (m, 2H), 7.42 – 7.21 (m, 4H), 4.79 (s, 4H), 4.20 (dd, *J* = 29.4, 9.1 Hz, 4H), 3.42 (s, 2H), 3.27 (d, *J* = 3.7 Hz, 1H), 3.24 (s, 1H), 2.24 (t, *J* = 7.4 Hz, 2H)	(ESI(+)) m/e 377 $(M+H)^+$
863		N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.72 – 7.52 (m, 2H), 7.43 – 7.10 (m, 6H), 5.54 (s, 1H), 4.79 (s, 4H), 3.99 (d, *J* = 11.5 Hz, 2H), 3.68 – 3.49 (m, 2H), 2.95 (t, *J* = 7.4 Hz, 2H), 2.53 – 2.51 (m, 1H), 2.41 – 2.25 (m, 2H), 2.07 (t, *J* = 31.9 Hz, 2H)	(ESI(+)) m/e 390 $(M+H)^+$
864		N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.75 – 7.61 (m, 2H), 7.60 – 7.48 (m, 2H), 7.42 – 7.12 (m, 4H), 4.79 (s, 4H), 4.54 – 4.29 (m, 1H), 4.14 – 3.91 (m, 1H), 3.86 – 3.55 (m, 1H), 3.26 – 3.18 (m, 1H), 3.12 – 2.79 (m, 1H), 2.50 (dd, *J* = 9.4, 1.3 Hz, 1H), 2.43 – 2.20 (m, 1H), 2.17 – 2.01 (m, 1H), 2.01 – 1.85 (m, 2H), 1.87 – 1.52 (m, 1H)	(ESI(+)) m/e 391 $(M+H)^+$
865		N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.75 – 7.62 (m, 2H), 7.62 – 7.52 (m, 2H), 7.44 – 7.18 (m, 4H), 4.80 (s, 4H), 4.28 (d, *J* = 10.2 Hz, 2H), 4.19 (s, 2H), 3.10 (t, *J* = 5.3 Hz, 2H), 2.01 (t, *J* = 5.4 Hz, 2H), 1.77 – 1.35 (m, 4H)	(ESI(+)) m/e 391 $(M+H)^+$
866		N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.65 – 7.60 (m, 2H), 7.57 – 7.53 (m, 2H), 7.40 – 6.97 (m, 5H), 4.79 (s, 5H), 4.16 (dd, *J* = 23.4, 9.6 Hz, 4H), 3.77 (t, *J* = 6.8 Hz, 2H), 3.35 (q, *J* = 7.1 Hz, 1H), 2.07 (dd, *J* = 8.1, 6.6 Hz, 2H), 1.98 – 1.74 (m, 2H), 1.11 (t, *J* = 7.1 Hz, 1H)	(ESI(+)) m/e 378 $(M+H)^+$
867		N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.65 – 7.60 (m, 2H), 7.58 – 7.54 (m, 2H), 7.38 – 7.28 (m, 4H), 4.79 (s,4H), 3.95 – 3.67 (m, 4H), 3.59 (s, 2H), 3.55 – 3.44 (m, 2H), 1.90 – 1.72 (m, 2H), 1.61 – 1.39 (m, 2H)	(ESI(+)) m/e 392 $(M+H)^+$
868		N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.75 – 7.52 (m, 2H), 7.46 – 7.20 (m, 6H), 4.79 (s, 4H), 4.49 – 4.27 (m, 1H), 3.95 – 3.78 (m,	(ESI(+)) m/e 378 $(M+H)^+$

		1,3-dihydro-2H-isoindole-2-carboxamide	1H), 3.77 – 3.55 (m, 4H), 3.43 (dd, *J* = 11.8, 5.4 Hz, 1H), 2.98 – 2.70 (m, 1H), 2.06 (ddd, *J* = 15.0, 12.5, 7.7 Hz, 1H), 1.82 – 1.49 (m, 1H)	
869		N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.69 – 7.61 (m, 1H), 7.60 (d, 1H), 7.47 – 7.07 (m, 6H), 4.79 (s, 4H) , 3.83 – 3.59 (m, 4H), 3.58 – 3.33 (m, 4H), 3.05 – 2.82 (m, 2H)	(ESI(+)) m/e 378 $(M+H)^+$
870		N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.71 – 7.52 (m, 2H), 7.41 – 7.12 (m, 6H), 4.79 (s, 4H), 3.89 – 3.65 (m,2H), 3.67 – 3.40 (m, 5H), 3.39 – 3.26 (m, 1H), 2.46 – 2.25 (m, 2H), 1.88 – 1.63 (m, 1H), 1.67 – 1.24 (m, 1H)	(ESI(+)) m/e 392 $(M+H)^+$
885		N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.68 – 7.51 (m, 2H), 7.51 – 7.28 (m, 3H), 7.24 – 7.00 (m, 1H), 4.77 (d, *J* = 12.1 Hz, 4H), 3.61 (d, *J* = 17.1 Hz, 2H), 3.54 (d, *J* = 8.2 Hz, 3H), 3.48 (t, *J* = 7.0 Hz, 2H), 2.06 (dd, *J* = 23.6, 16.6 Hz, 2H), 1.89 (s, 1H)	(ESI(+)) m/e 393 $(M+H)^+$
886		N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.65 – 7.53 (m, 2H), 7.37 (dd, *J* = 8.3, 5.2 Hz, 1H), 7.31 – 7.22 (m, 2H), 7.17 (d, *J* = 9.0 Hz, 1H), 7.15 – 6.92 (m, 1H), 4.77 (d, *J* = 12.3 Hz, 4H), 3.41 (t, *J* = 5.5 Hz, 8H), 1.78 – 1.63 (m, 4H)	(ESI(+)) m/e 407 $(M+H)^+$
887		N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.65 – 7.49 (m, 2H), 7.43 – 7.32 (m, 3H), 7.22 – 7.03 (m, 2H), 4.76 (d, *J* = 12.6 Hz, 4H), 3.54 – 3.37 (m, 2H), 2.86 (dt, *J* = 11.3, 7.9 Hz, 1H), 2.70 (d, *J* = 11.7 Hz, 1H), 2.10 – 1.96 (m, 1H), 1.90 (d, *J* = 29.4 Hz, 1H), 1.84 – 1.67 (m, 2H), 1.25 (s, 1H)	(ESI(+)) m/e 409 $(M+H)^+$
888		N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.70 – 7.49 (m, 2H), 7.45 – 7.32 (m, 3H), 7.22 – 7.03 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 3.53 (t, *J* = 7.2 Hz, 2H), 3.33 (s, 2H), 2.79 (dd, *J* = 20.6, 14.7 Hz, 3H), 1.88 (s, 1H), 1.78 (t, *J* = 7.1 Hz, 2H), 1.50 (s, 4H)	(ESI(+)) m/e 423 $(M+H)^+$
889		N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.70 – 7.54 (m, 2H), 7.50 – 7.30 (m, 3H), 7.24 – 7.00 (m, 2H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.75 – 3.54 (m, 1H), 3.57 – 3.47 (m, 2H), 3.40 (d, *J* = 11.8 Hz, 1H), 3.20 (d, *J* = 0.5 Hz, 1H), 2.76 (d, *J* = 21.5 Hz, 2H), 2.07 – 1.77 (m, 3H), 1.64 – 1.40 (m, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
890		N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.69 – 7.54 (m, 2H), 7.37 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.33 – 7.22 (m, 2H), 7.23 – 7.02 (m, 2H), 4.77 (d, *J* = 12.2 Hz, 4H), 3.53 – 3.31 (m,	(ESI(+)) m/e 423 $(M+H)^+$

		2H-isoindole-2-carboxamide	4H), 3.20 (s, 2H), 2.94 – 2.79 (m, 2H), 2.64 (dd, *J* = 42.4, 11.2 Hz, 2H), 1.87 (s, 2H), 1.74 – 1.32 (m, 6H)	
891		N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.59 (dd, *J* = 6.4, 4.5 Hz, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.33 – 7.20 (m, 2H), 7.17 (d, *J* = 9.0 Hz, 1H), 7.13 – 7.02 (m, 1H), 4.77 (d, *J* = 12.4 Hz, 4H), 3.51 – 3.36 (m, 4H), 3.20 (s, 2H), 2.80 – 2.65 (m, 2H), 2.64 (s, 2H), 1.85 (s, 2H), 1.52 (s, 4H), 1.37 (t, *J* = 5.7 Hz, 4H)	(ESI(+)) m/e 437 $(M+H)^+$
892		N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.65 – 7.51 (m, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.34 – 7.24 (m, 2H), 7.23 – 7.05 (m, 2H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.58 – 3.36 (m, 4H), 3.20 (s, 2H), 2.72 – 2.54 (m, 2H), 1.62 – 1.36 (m, 8H)	(ESI(+)) m/e 437 $(M+H)^+$
893		N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.65 – 7.51 (m, 2H), 7.37 (dd, *J* = 8.3, 5.2 Hz, 1H), 7.32 – 7.23 (m, 2H), 7.19 – 7.01 (m, 2H), 4.77 (d, *J* = 12.9 Hz, 4H), 3.49 (d, *J* = 14.0 Hz, 3H), 3.03 – 2.76 (m, 2H), 1.84 – 1.59 (m, 8H), 1.25 (s, 6H)	(ESI(+)) m/e 437 $(M+H)^+$
894		5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.83 – 7.68 (m, 2H), 7.68 – 7.49 (m, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.21 – 6.93 (m, 2H), 4.77 (d, *J* = 12.2 Hz, 4H), 4.10 (t, *J* = 6.0 Hz, 1H), 3.44 – 3.31 (m, 2H), 3.06 – 2.83 (m, 2H), 2.83 – 2.70 (m, 2H), 2.12 – 1.92 (m, 1H), 1.81 – 1.66 (m, 3H), 1.62 – 1.32 (m, 4H)	(ESI(+)) m/e 453 $(M+H)^+$
895		5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.80 – 7.69 (m, 2H), 7.66 – 7.50 (m, 2H), 7.37 (dd, *J* = 8.2, 5.1 Hz, 1H), 7.27 – 6.90 (m, 2H), 4.77 (d, *J* = 12.7 Hz, 4H), 4.61 – 4.39 (m, 1H), 4.02 (dd, *J* = 8.9, 6.8 Hz, 1H), 3.66 (dd, *J* = 8.9, 6.3 Hz, 1H), 3.01 – 2.81 (m, 2H), 2.80 – 2.61 (m, 2H), 2.15 (dd, *J* = 12.9, 8.3 Hz, 1H), 1.87 – 1.73 (m, 1H), 1.70 (t, *J* = 5.7 Hz, 2H), 1.65 – 1.49 (m, 2H)	(ESI(+)) m/e 439 $(M+H)^+$
896		5-fluoro-N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.69 – 7.54 (m, 2H), 7.37 (dd, *J* = 8.3, 5.1 Hz, 1H), 7.35 – 7.28 (m, 2H), 7.17 (d, *J* = 9.0 Hz, 1H), 7.14 – 6.96 (m, 1H), 4.77 (d, *J* = 12.4 Hz, 4H), 3.77 – 3.57 (m, 2H), 3.57 – 3.36 (m, 4H), 2.71 (dd, *J* = 25.6, 8.7 Hz, 1H), 2.62 (d, *J* = 13.1 Hz, 3H), 1.90 (s, 1H), 1.81 – 1.43 (m, 3H), 1.31 (s, 1H)	(ESI(+)) m/e 439 $(M+H)^+$
897		N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.61 – 7.51 (m, 2H), 7.37 (dd, *J* = 8.3, 5.2 Hz, 1H), 7.33 – 7.25 (m, 2H), 7.16 (d, *J* = 9.0 Hz, 1H), 7.10 (dd, *J* = 12.4, 5.4 Hz, 1H), 4.76 (d,	(ESI(+)) m/e 423 $(M+H)^+$

		2H-isoindole-2-carboxamide	J = 13.0 Hz, 4H), 3.39 (t, J = 6.7 Hz, 2H), 3.06 (d, J = 12.4 Hz, 2H), 3.00 – 2.82 (m, 2H), 2.79 – 2.61 (m, 2H), 1.99 (t, J = 6.9 Hz, 2H), 1.88 (s, 1H), 1.73 (dd, J = 13.6, 6.9 Hz, 2H), 1.44 (d, J = 13.3 Hz, 2H)	
898		N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.71 – 7.51 (m, 2H), 7.37 (dd, J = 8.4, 5.2 Hz, 1H), 7.33 – 7.23 (m, 2H), 7.22 – 7.12 (m, 1H), 7.09 (dd, J = 13.2, 4.7 Hz, 1H), 4.77 (d, J = 12.6 Hz, 4H), 3.62 – 3.39 (m, 4H), 3.00 – 2.75 (m, 2H), 1.86 – 1.67 (m, 2H), 1.67 – 1.43 (m, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
899		N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.68 – 7.49 (m, 4H), 7.37 (dd, J = 8.5, 5.2 Hz, 1H), 7.23 – 7.04 (m, 2H), 4.77 (d, J = 12.3 Hz, 4H), 4.10 (s, 4H), 3.00 (s, 2H), 2.83 (dd, J = 46.1, 39.1 Hz, 2H), 1.98 (t, J = 7.1 Hz, 2H)	(ESI(+)) m/e 395 $(M+H)^+$
900		N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.70 – 7.53 (m, 2H), 7.48 – 7.23 (m, 3H), 7.23 – 7.03 (m, 2H), 5.45 (s, 1H), 4.77 (d, J = 12.2 Hz, 4H), 3.98 (s, 2H), 3.56 (t, J = 5.7 Hz, 2H), 2.71 (t, J = 7.1 Hz, 2H), 2.32 – 2.05 (m, 4H), 1.86 (s, 2H)	(ESI(+)) m/e 409 $(M+H)^+$
901		N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.69 – 7.52 (m, 2H), 7.47 (d, J = 8.6 Hz, 2H), 7.37 (dd, J = 8.4, 5.1 Hz, 1H), 7.22 – 7.01 (m, 2H), 4.77 (d, J = 12.9 Hz, 4H), 4.24 – 3.92 (m, 2H), 3.20 (s, 3H), 2.97 (t, J = 18.2 Hz, 1H), 2.75 (t, J = 21.1 Hz, 1H), 2.29 – 2.11 (m, 1H), 2.10 – 1.96 (m, 1H), 1.62 (s, 1H), 1.49 (d, J = 11.0 Hz, 1H)	(ESI(+)) m/e 409 $(M+H)^+$
902		N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.69 – 7.50 (m, 4H), 7.37 (dd, J = 8.6, 5.2 Hz, 1H), 7.22 – 7.03 (m, 2H), 4.77 (d, J = 13.2 Hz, 4H), 3.92 (s, 4H), 2.66 (dd, J = 10.8, 5.5 Hz, 2H), 1.70 – 1.59 (m, 2H), 1.51 (s, 2H), 1.40 (d, J = 4.6 Hz, 2H)	(ESI(+)) m/e 409 $(M+H)^+$
903		5-fluoro-N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.71 – 7.47 (m, 4H), 7.37 (dd, J = 8.4, 5.2 Hz, 1H), 7.22 – 6.96 (m, 2H), 4.77 (d, J = 12.5 Hz, 4H), 4.16 (dd, J = 23.5, 9.7 Hz, 4H), 3.77 (t, J = 6.8 Hz, 2H), 2.07 (t, J = 7.3 Hz, 2H), 1.94 – 1.70 (m, 2H)	(ESI(+)) m/e 396 $(M+H)^+$
904		5-fluoro-N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.68 – 7.51 (m, 2H), 7.51 – 7.33 (m, 1H), 7.36 – 7.20 (m, 2H), 7.21 – 6.92 (m, 2H), 4.77 (d, J = 12.5 Hz, 4H), 4.24 (dd, J = 26.5, 6.0 Hz, 4H), 3.48 – 3.36 (m, 2H), 1.97 – 1.75 (m, 2H), 1.66 – 1.25 (m, 4H)	(ESI(+)) m/e 410 $(M+H)^+$

905		5-fluoro-N-[4-(2-oxa-7-azaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.65 – 7.54 (m, 2H), 7.37 (dd, *J* = 8.3, 5.2 Hz, 1H), 7.35 – 7.23 (m, 2H), 7.22 – 7.03 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 4.35 (s, 4H), 3.47 – 3.36 (m, 4H), 1.87 – 1.75 (m, 4H)	(ESI(+)) m/e 410 $(M+H)^+$
906		5-fluoro-N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.67 – 7.54 (m, 2H), 7.48 – 7.28 (m, 3H), 7.24 – 6.92 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 4.52 – 4.31 (m, 1H), 3.86 (dd, *J* = 15.5, 7.0 Hz, 1H), 3.79 – 3.53 (m, 4H), 3.43 (dd, *J* = 11.7, 5.3 Hz, 1H), 2.97 – 2.81 (m, 1H), 2.17 – 1.88 (m, 1H), 1.88 – 1.59 (m, 1H)	(ESI(+)) m/e 396 $(M+H)^+$
907		5-fluoro-N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.65 – 7.54 (m, 2H), 7.54 – 7.31 (m, 3H), 7.26 – 7.03 (m, 2H), 4.77 (d, *J* = 12.2 Hz, 4H), 3.74 (ddd, *J* = 19.7, 10.5, 7.2 Hz, 4H), 3.56 – 3.34 (m, 4H), 3.01 – 2.84 (m, 2H)	(ESI(+)) m/e 396 $(M+H)^+$
908		5-fluoro-N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O) δ 7.59 (d, *J* = 8.7 Hz, 2H), 7.43 – 7.35 (m, 1H), 7.35 – 7.24 (m, 2H), 7.22 – 7.05 (m, 2H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.81 – 3.67 (m, 2H), 3.62 – 3.40 (m, 4H), 1.76 (s, 1H), 1.62 – 1.36 (m, 1H), 1.28 – 1.08 (m, 2H)	(ESI(+)) m/e 410 $(M+H)^+$
976		N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.59 (s, 1H), 8.49 (d, *J* = 8.0 Hz, 1H), 7.87 – 7.79 (m, 2H), 7.72 – 7.65 (m, 2H), 7.47 – 7.28 (m, 6H), 7.19 – 7.09 (m, 2H), 5.06 (d, *J* = 6.7 Hz, 1H), 4.95 – 4.87 (m, 1H), 4.79 (s, 4H), 3.77 – 3.57 (m, 2H)	(ESI(+)) m/e 420 $(M+H)^+$
977		N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.58 (d, *J* = 3.8 Hz, 1H), 8.42 (d, *J* = 8.1 Hz, 1H), 7.86 – 7.76 (m, 3H), 7.69 (s, 1H), 7.69 – 7.61 (m, 2H), 7.41 – 7.27 (m, 6H), 6.91 – 6.84 (m, 2H), 5.07 – 4.96 (m, 1H), 3.77 – 3.59 (m, 4H), 3.31 (s, 4H)	(ESI(+)) m/e 432 $(M+H)^+$
978		N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.59 (s, 1H), 8.39 (d, *J* = 8.1 Hz, 1H), 7.86 – 7.78 (m, 2H), 7.72 – 7.64 (m, 2H), 7.41 – 7.28 (m, 4H), 6.99 (s, 1H), 6.87 – 6.82 (m, 2H), 5.97 (d, *J* = 2.3 Hz, 2H), 5.05 – 4.93 (m, 1H), 4.92 – 4.82 (m, 1H), 4.81 (d, *J* = 14.1 Hz, 4H), 3.73 – 3.53 (m, 2H)	(ESI(+)) m/e 446 $(M+H)^+$
1089		5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.78 – 7.64 (m, 2H), 7.64 – 7.53 (m, 2H), 7.52 – 7.34 (m, 1H), 7.28 – 7.16 (m, 1H),	(ESI(+)) m/e 425 $(M+H)^+$

		yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	7.17 – 7.03 (m, 1H), 4.77 (d, *J* = 12.4 Hz, 4H), 4.38 (h, *J* = 6.6 Hz, 1H), 3.41 – 3.27 (m, 2H), 3.24 – 3.15 (m, 1H), 2.51 (dt, *J* = 3.7, 1.9 Hz, 2H), 1.25 (t, *J* = 5.6 Hz, 3H), 1.11 (t, *J* = 7.1 Hz, 1H)	
1090		N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.70 (m, 2H), 7.67 – 7.53 (m, 2H), 7.44 – 7.29 (m, 1H), 7.24 – 7.03 (m, 2H), 4.76 (t, *J* = 10.2 Hz, 4H), 4.08 – 3.87 (m, 1H), 2.16 – 1.83 (m, 5H), 1.79 – 1.54 (m, 2H)	(ESI(+)) m/e 418 $(M+H)^+$
1091		N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.65 (m, 2H), 7.65 – 7.55 (m, 2H), 7.41 – 7.31 (m, 1H), 7.23 – 6.98 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 4.35 (h, *J* = 6.5 Hz, 1H), 4.17 – 4.06 (m, 1H), 4.06 – 3.88 (m, 1H), 3.20 (s, 1H), 2.22 (s, 3H), 2.10 (s, 3H), 1.26 – 1.01 (m, 3H)	(ESI(+)) m/e 436 $(M+H)^+$
1092		5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.71 (m, 2H), 7.69 – 7.58 (m, 2H), 7.46 – 7.29 (m, 1H), 7.25 – 7.02 (m, 2H), 4.89 – 4.69 (m, 4H), 3.90 – 3.67 (m, 4H), 3.61 – 3.41 (m, 2H), 3.15 – 2.96 (m, 2H), 1.84 – 1.50 (m, 2H), 1.32 – 1.06 (m, 3H), 1.07 – 0.72 (m, 3H)	(ESI(+)) m/e 455 $(M+H)^+$
1093		5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ 8.59 – 8.46 (m, 2H), 7.90 (d, *J* = 8.6 Hz, 2H), 7.68 – 7.58 (m, 2H), 7.10 (d, *J* = 5.0 Hz, 1H), 4.87 (dd, *J* = 16.8, 9.9 Hz, 4H), 3.86 – 3.64 (m, 4H), 3.64 – 3.40 (m, 5H), 2.86 – 2.58 (m, 2H)	(ESI(+)) m/e 425 $(M+H)^+$
1094		5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.70 (d, *J* = 8.7 Hz, 2H), 7.66 – 7.54 (m, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.21 – 7.05 (m, 2H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.65 (s, 4H), 2.80 (d, *J* = 54.6 Hz, 5H), 1.41 (s, 6H)	(ESI(+)) m/e 425 $(M+H)^+$
1095		5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.89 – 7.70 (m, 2H), 7.70 – 7.52 (m, 2H), 7.37 (dd, *J* = 8.3, 5.2 Hz, 1H), 7.26 (d, *J* = 8.6 Hz, 2H), 7.20 – 7.04 (m, 2H), 6.93 – 6.76 (m, 2H), 4.77 (d, *J* = 12.5 Hz, 4H), 4.41 (s, 2H), 3.74 (s, 3H)	(ESI(+)) m/e 420 $(M+H)^+$
1096		5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.70 (m, 2H), 7.69 – 7.55 (m, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.27 – 7.03 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 3.86 (s, 4H), 3.36 (dd, *J* = 17.9, 11.2 Hz, 3H), 3.22 – 3.09 (m, 3H), 2.09 – 1.81 (m, 2H)	(ESI(+)) m/e 427 $(M+H)^+$

1097		N-alpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.76 – 7.64 (m, 2H), 7.64 – 7.52 (m, 2H), 7.44 – 7.31 (m, 1H), 7.31 – 7.21 (m, 4H), 7.21 – 7.04 (m, 3H), 4.82 – 4.73 (m, 4H), 4.73 – 4.62 (m, 1H), 3.23 – 3.12 (m, 2H), 3.07 – 2.93 (m, 2H)	(ESI(+)) m/e 447 $(M+H)^+$
1098		N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.96 – 7.78 (m, 2H), 7.77 – 7.64 (m, 3H), 7.51 – 7.42 (m, 1H), 7.42 – 7.31 (m, 1H), 7.28 – 7.15 (m, 3H), 7.15 – 7.03 (m, 1H), 4.86 – 4.70 (m, 4H), 2.09 (s, 3H)	(ESI(+)) m/e 433 $(M+H)^+$
1099		5-fluoro-N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.71 – 7.57 (m, 2H), 7.50 – 7.33 (m, 3H), 7.25 – 7.01 (m, 2H), 4.77 (d, J = 12.5 Hz, 4H), 3.65 – 3.47 (m, 4H), 3.35 (dd, J = 12.2, 7.3 Hz, 6H), 2.52 (dt, J = 3.8, 1.9 Hz, 2H)	(ESI(+)) m/e 457 $(M+H)^+$
1100		5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.76 – 7.67 (m, 3H), 7.66 – 7.53 (m, 2H), 7.37 (dd, J = 8.4, 5.2 Hz, 1H), 7.25 – 7.02 (m, 2H), 6.78 (d, J = 3.3 Hz, 1H), 6.55 (dd, J = 3.3, 1.9 Hz, 1H), 4.89 – 4.68 (m, 6H), 4.08 – 3.94 (m, 1H), 3.87 (dd, J = 14.0, 7.4 Hz, 1H), 3.43 (s, 1H), 2.00 – 1.78 (m, 4H)	(ESI(+)) m/e 463 $(M+H)^+$
1101		N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.58 (d, J = 8.6 Hz, 2H), 7.37 (dd, J = 8.3, 5.1 Hz, 1H), 7.31 – 7.22 (m, 2H), 7.17 (d, J = 8.9 Hz, 1H), 7.13 – 7.03 (m, 1H), 4.76 (d, J = 12.5 Hz, 4H), 3.60 – 3.41 (m, 8H), 3.24 (s, 6H)	(ESI(+)) m/e 416 $(M+H)^+$
1102		N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.71 (m, 2H), 7.64 (t, J = 10.2 Hz, 2H), 7.46 – 7.31 (m, 1H), 7.23 – 7.03 (m, 2H), 4.78 (d, J = 12.5 Hz, 4H), 4.40 (dd, J = 8.6, 5.6 Hz, 1H), 1.90 – 1.62 (m, 2H), 1.45 – 1.18 (m, 4H), 0.87 (t, J = 6.9 Hz, 3H)	(ESI(+)) m/e 413 $(M+H)^+$
1103		N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.72 (d, J = 8.7 Hz, 2H), 7.60 (d, J = 8.7 Hz, 2H), 7.43 – 7.28 (m, 1H), 7.21 – 7.04 (m, 2H), 6.91 – 6.81 (m, 2H), 6.81 – 6.69 (m, 1H), 4.77 (d, J = 12.5 Hz, 4H), 3.73 (d, J = 2.5 Hz, 6H), 3.58 – 3.39 (m, 2H), 2.93 – 2.68 (m, 2H)	(ESI(+)) m/e 464 $(M+H)^+$
1104		N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.88 – 7.70 (m, 2H), 7.70 – 7.57 (m, 2H), 7.45 – 7.30 (m, 1H), 7.26 – 7.01 (m, 2H), 4.78 (d, J = 12.6 Hz, 4H), 4.41 (d, J = 6.3 Hz, 1H), 2.64 (s, 3H), 1.03 (s, 9H)	(ESI(+)) m/e 427 $(M+H)^+$

		isoindole-2-carboxamide		
1105		N-alpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.76 – 7.64 (m, 2H), 7.64 – 7.54 (m, 2H), 7.44 – 7.33 (m, 1H), 7.32 – 7.22 (m, 4H), 7.25 – 7.13 (m, 3H), 7.12 – 6.99 (m, 1H), 4.81 – 4.71 (m, 4H), 4.71 – 4.61 (m, 1H), 3.20 – 3.11 (m, 1H), 3.08 – 2.93 (m, 1H)	(ESI(+)) m/e 447 $(M+H)^+$
1106		N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.72 (m, 2H), 7.70 – 7.52 (m, 2H), 7.45 – 7.26 (m, 1H), 7.24 – 7.03 (m, 2H), 4.78 (d, J = 12.6 Hz, 4H), 4.57 – 4.38 (m, 1H), 1.90 – 1.47 (m, 3H), 1.07 – 0.71 (m, 6H)	(ESI(+)) m/e 413 $(M+H)^+$
1107		-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.76 – 7.57 (m, 2H), 7.51 – 7.32 (m, 3H), 7.23 – 7.03 (m, 2H), 4.77 (d, J = 12.4 Hz, 4H), 3.88 (d, J = 76.9 Hz, 4H), 3.22 – 3.10 (m, 2H), 2.08 (d, J = 11.3 Hz, 2H), 1.86 (d, J = 13.1 Hz, 2H), 1.64 (d, J = 12.9 Hz, 1H), 1.54 – 1.17 (m, 6H), 1.17 – 1.04 (m, 1H)	(ESI(+)) m/e 451 $(M+H)^+$
1108		5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.16 (t, J = 1.8 Hz, 1H), 7.98 – 7.80 (m, 3H), 7.74 – 7.59 (m, 2H), 7.59 – 7.47 (m, 1H), 7.49 – 7.33 (m, 2H), 7.24 – 7.05 (m, 2H), 4.79 (d, J = 12.5 Hz, 4H), 2.83 (d, J = 3.6 Hz, 3H)	(ESI(+)) m/e 433 $(M+H)^+$
1109		N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.90 – 7.72 (m, 2H), 7.64 (d, J = 8.7 Hz, 2H), 7.50 (d, J = 7.5 Hz, 2H), 7.43 – 7.26 (m, 4H), 7.20 – 7.02 (m, 2H), 5.62 (s, 1H), 4.77 (d, J = 12.5 Hz, 4H)	(ESI(+)) m/e 433 $(M+H)^+$
1110		N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.79 – 7.66 (m, 2H), 7.66 – 7.53 (m, 2H), 7.37 (dd, J = 8.4, 5.1 Hz, 1H), 7.27 – 7.02 (m, 2H), 4.77 (d, J = 12.4 Hz, 4H), 3.44 – 3.35 (m, 2H), 3.31 (dd, J = 16.4, 9.5 Hz, 2H), 1.73 (p, J = 6.6 Hz, 2H), 1.15 (s, 9H)	(ESI(+)) m/e 414 $(M+H)^+$
1111		N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.72 (m, 2H), 7.69 – 7.55 (m, 2H), 7.47 – 7.32 (m, 1H), 7.24 – 6.96 (m, 2H), 4.78 (d, J = 12.5 Hz, 4H), 3.92 – 3.76 (m, 2H), 3.67 (t, J = 6.2 Hz, 2H), 3.52 (d, J = 12.0 Hz, 2H), 3.31 (dd, J = 13.3, 7.0 Hz, 3H), 2.71 (t, J = 11.7 Hz, 2H), 1.17 (d, J = 6.3 Hz, 6H)	(ESI(+)) m/e 441 $(M+H)^+$
1112		N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamo	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.70 (m, 2H), 7.70 – 7.56 (m, 2H), 7.51 (dd, J = 11.1, 9.7 Hz, 2H), 7.44 – 7.25	(ESI(+)) m/e 433 $(M+H)^+$

		yl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	(m, 4H), 7.22 – 7.00 (m, 2H), 5.62 (s, 1H), 4.77 (d, *J* = 12.5 Hz, 4H)	
1113		-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.89 – 7.71 (m, 2H), 7.70 – 7.53 (m, 2H), 7.43 – 7.30 (m, 1H), 7.27 – 7.16 (m, 2H), 7.16 – 6.97 (m, 1H), 6.97 – 6.85 (m, 2H), 6.86 – 6.68 (m, 1H), 4.87 – 4.65 (m, 4H), 4.54 – 4.25 (m, 2H), 3.75 (s, 3H)	(ESI(+)) m/e 420 $(M+H)^+$
1114		N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.78 – 7.67 (m, 2H), 7.65 – 7.52 (m, 2H), 7.45 – 7.29 (m, 1H), 7.25 – 7.03 (m, 2H), 4.79 (dd, *J* = 15.9, 8.4 Hz, 4H), 4.16 (t, *J* = 6.4 Hz, 2H), 3.59 (t, *J* = 6.4 Hz, 2H), 2.21 (s, 3H), 2.14 (s, 3H)	(ESI(+)) m/e 422 $(M+H)^+$
1115		5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.90 – 7.74 (m, 2H), 7.74 – 7.56 (m, 2H), 7.48 – 7.31 (m, 1H), 7.28 – 7.03 (m, 2H), 4.78 (d, *J* = 12.4 Hz, 4H), 4.02 – 3.80 (m, 4H), 3.63 (s, 2H), 3.46 – 3.32 (m, 4H), 1.38 (s, 6H)	(ESI(+)) m/e 441 $(M+H)^+$
1116		5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.70 (m, 2H), 7.68 – 7.58 (m, 2H), 7.37 (dd, *J* = 8.3, 5.2 Hz, 1H), 7.24 – 7.03 (m, 2H), 4.82 – 4.69 (m, 5H), 3.65 (dd, *J* = 15.6, 11.3 Hz, 1H), 3.03 – 2.83 (m, 3H), 2.03 – 1.80 (m, 2H), 1.81 – 1.66 (m, 2H), 1.62 – 1.33 (m, 2H)	(ESI(+)) m/e 425 $(M+H)^+$
1117		5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.69 (m, 2H), 7.69 – 7.56 (m, 2H), 7.37 (dd, *J* = 8.3, 5.2 Hz, 1H), 7.21 – 6.98 (m, 2H), 4.77 (d, *J* = 12.3 Hz, 4H), 3.50 (t, *J* = 6.5 Hz, 2H), 3.25 – 3.16 (m, 4H), 3.08 – 2.98 (m, 4H), 2.89 (t, *J* = 6.5 Hz, 2H), 2.58 – 2.46 (m, 3H)	(ESI(+)) m/e 426 $(M+H)^+$
1118		5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.71 (m, 2H), 7.71 – 7.52 (m, 2H), 7.45 – 7.29 (m, 1H), 7.19 (dq, *J* = 9.0, 2.5 Hz, 3H), 7.14 – 7.02 (m, 1H), 6.92 – 6.79 (m, 2H), 4.77 (d, *J* = 12.6 Hz, 4H), 4.38 (s, 2H), 3.83 – 3.59 (m, 4H), 3.12 – 2.95 (m, 4H)	(ESI(+)) m/e 474 $(M+H)^+$
1119		5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.84 – 7.71 (m, 2H), 7.70 – 7.61 (m, 2H), 7.48 – 7.32 (m, 1H), 7.27 – 7.01 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 3.37 (dd, *J* = 12.4, 5.8 Hz, 5H), 3.16 – 3.01 (m, 3H), 3.01 – 2.70 (m, 2H), 2.07 – 1.90 (m, 3H), 1.77 (d, *J* = 46.1 Hz, 6H), 1.46 (s, 2H)	(ESI(+)) m/e 425 $(M+H)^+$

1144		5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.76 – 7.70 (m, 2H), 7.65 – 7.59 (m, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.17 (dd, *J* = 9.1, 2.5 Hz, 1H), 7.14 – 7.05 (m, 1H), 4.79 (bs, 2H), 4.76 (bs, 2H), 3.15 (s, 2H), 2.99 – 2.78 (m, 1H), 0.90 (s, 6H)	(ESI(+)) m/e 400 $(M+H)^+$
1145		N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.73 (d, *J* = 8.6 Hz, 2H), 7.68 – 7.53 (m, 2H), 7.48 – 7.23 (m, 1H), 7.22 – 7.05 (m, 2H), 4.77 (d, *J* = 12.7 Hz, 4H), 3.29 (dd, *J* = 8.6, 6.6 Hz, 2H), 1.66 – 1.19 (m, 2H), 0.94 (s, 9H)	(ESI(+)) m/e 384 $(M+H)^+$
1146		5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.79 – 7.66 (m, 2H), 7.62 – 7.49 (m, 2H), 7.45 – 7.31 (m, 1H), 7.24 – 6.96 (m, 2H), 6.51 – 6.25 (m, 1H), 6.13 (d, *J* = 3.2 Hz, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 4.27 (h, *J* = 6.7 Hz, 1H), 2.94 (dd, *J* = 15.0, 6.8 Hz, 2H), 2.87 – 2.69 (m, 1H), 1.19 (d, *J* = 6.7 Hz, 3H)	(ESI(+)) m/e 408 $(M+H)^+$
1147		5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.71 (m, 2H), 7.71 – 7.56 (m, 2H), 7.47 – 7.24 (m, 1H), 7.22 – 6.98 (m, 2H), 6.16 (s, 1H), 4.88 – 4.69 (m, 4H), 4.54 (s, 2H), 2.20 (s, 3H)	(ESI(+)) m/e 395 $(M+H)^+$
1148		N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.72 (m, 2H), 7.72 – 7.54 (m, 2H), 7.37 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.27 – 7.02 (m, 2H), 4.78 (d, *J* = 12.4 Hz, 4H), 4.24 – 4.01 (m, 1H), 2.90 – 2.65 (m, 2H), 1.76 – 1.53 (m, 2H), 0.92 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 381 $(M+H)^+$
1149		N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.82 – 7.68 (m, 2H), 7.68 – 7.52 (m, 2H), 7.44 – 7.27 (m, 1H), 7.26 – 7.04 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 4.05 – 3.76 (m, 1H), 1.82 – 1.38 (m, 2H), 1.16 (t, *J* = 5.3 Hz, 3H), 0.88 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 356 $(M+H)^+$
1150		5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.78 – 7.66 (m, 2H), 7.66 – 7.54 (m, 3H), 7.48 – 7.27 (m, 2H), 7.24 – 7.02 (m, 2H), 4.77 (d, *J* = 12.5 Hz, 4H), 4.31 (t, *J* = 6.4 Hz, 2H), 3.66 (t, *J* = 6.4 Hz, 2H), 3.04 – 2.82 (m, 1H)	(ESI(+)) m/e 394 $(M+H)^+$
1151		5-fluoro-N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.65 – 7.50 (m, 2H), 7.37 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.32 – 7.21 (m, 2H), 7.21 – 7.02 (m, 2H), 4.77 (d, *J* = 12.6 Hz, 4H), 3.44 – 3.28 (m, 2H), 2.92 (s, 4H), 1.62 – 1.19 (m, 3H), 0.84 (d, *J* = 6.3 Hz, 6H)	(ESI(+)) m/e 384 $(M+H)^+$

1152		N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.71 (m, 2H), 7.71 – 7.53 (m, 2H), 7.49 – 7.24 (m, 1H), 7.25 – 6.98 (m, 2H), 4.77 (d, J = 12.4 Hz, 4H), 4.55 – 4.28 (m, 1H), 3.19 – 3.02 (m, 2H), 3.01 – 2.74 (m, 3H), 1.96 (s, 1H), 1.34 (d, J = 7.1 Hz, 3H), 1.04 (t, J = 7.2 Hz, 2H)	(ESI(+)) m/e 399 $(M+H)^+$
1153		5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.89 – 7.69 (m, 2H), 7.69 – 7.57 (m, 3H), 7.50 (d, J = 2.1 Hz, 1H), 7.42 – 7.22 (m, 2H), 7.25 – 7.00 (m, 2H), 4.77 (d, J = 12.4 Hz, 4H), 4.41 (s, 2H), 3.78 (s, 3H), 2.97 (s, 2H)	(ESI(+)) m/e 394 $(M+H)^+$
1154		5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.78 – 7.72 (m, 2H), 7.64 – 7.58 (m, 2H), 7.37 (dd, J = 8.4, 5.1 Hz, 1H), 7.17 (dd, J = 9.1, 2.4 Hz, 1H), 7.10 (td, J = 8.9, 2.5 Hz, 1H), 4.79 (bs, 3H), 4.76 (bs, 3H), 3.38 – 3.32 (m, 5H), 3.32 (s, 4H), 1.61 – 1.39 (m, 2H), 0.90 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 386 $(M+H)^+$
1155		N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.69 (m, 2H), 7.70 – 7.54 (m, 2H), 7.44 – 7.27 (m, 1H), 7.23 – 7.00 (m, 2H), 4.77 (d, J = 12.5 Hz, 4H), 3.31 (dd, J = 13.0, 6.3 Hz, 2H), 3.19 – 2.99 (m, 3H), 2.79 (s, 7H), 1.71 – 1.50 (m, 4H)	(ESI(+)) m/e 399 $(M+H)^+$
1156		5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz DMSO-d_6, Temp=90°C) δ 7.82 – 7.70 (m, 2H), 7.70 – 7.54 (m, 2H), 7.44 – 7.28 (m, 1H), 7.23 – 7.03 (m, 2H), 4.77 (d, J = 12.5 Hz, 4H), 4.53 – 4.35 (m, 1H), 3.98 – 3.81 (m, 2H), 3.77 – 3.66 (m, 1H), 3.70 – 3.53 (m, 1H), 3.01 – 2.87 (m, 1H), 2.32 – 2.10 (m, 1H), 2.07 – 1.81 (m, 1H)	(ESI(+)) m/e 370 $(M+H)^+$
1157		5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.78 – 7.72 (m, 2H), 7.63 – 7.57 (m, 2H), 7.40 – 7.31 (m, 1H), 7.21 – 7.04 (m, 2H), 4.77 (d, J = 12.4 Hz, 4H), 4.11 – 3.94 (m, 1H), 3.55 – 3.32 (m, 2H), 3.28 (s, 3H), 1.72 – 1.39 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 386 $(M+H)^+$
1158		N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.70 (m, 2H), 7.69 – 7.51 (m, 2H), 7.48 – 7.29 (m, 1H), 7.25 – 7.00 (m, 2H), 4.77 (d, J = 12.5 Hz, 4H), 3.71 – 3.55 (m, 1H), 3.58 – 3.40 (m, 2H), 3.40 – 3.29 (m, 1H), 1.26 – 0.98 (m, 6H)	(ESI(+)) m/e 386 $(M+H)^+$
1159		N-{4-[benzyl(methyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.69 – 7.53 (m, 2H), 7.42 – 7.29 (m, 6H), 7.28 (dd, J = 13.0, 7.2 Hz, 3H), 7.19 – 7.01 (m, 2H), 4.76 (d, J = 12.4 Hz, 4H), 4.58 (d, J	(ESI(+)) m/e 404 $(M+H)^+$

		2H-isoindole-2-carboxamide	= 21.5 Hz, 3H), 2.89 (d, *J* = 3.2 Hz, 3H)	
1160		N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO_D_2O) δ 7.83 – 7.68 (m, 2H), 7.66 – 7.54 (m, 2H), 7.37 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.20 – 7.12 (m, 1H), 7.12 – 7.01 (m, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.92 (h, *J* = 6.6 Hz, 1H), 1.70 – 1.41 (m, 2H), 1.15 (d, *J* = 6.6 Hz, 3H), 0.88 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 356 $(M+H)^+$
1161		5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.68 (m, 2H), 7.66 – 7.54 (m, 2H), 7.37 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.20 – 7.12 (m, 1H), 7.12 – 7.01 (m, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.92 (h, *J* = 6.6 Hz, 4H), 0.88 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 408 $(M+H)^+$
1162		5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.77 – 7.66 (m, 2H), 7.66 – 7.56 (m, 2H), 7.50 (d, *J* = 2.1 Hz, 1H), 7.44 – 7.29 (m, 1H), 7.17 (dd, *J* = 9.0, 2.2 Hz, 1H), 7.14 – 7.00 (m, 1H), 6.00 (d, *J* = 2.2 Hz, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 4.21 (t, *J* = 6.4 Hz, 2H), 3.63 (t, *J* = 6.4 Hz, 2H), 2.89 (d, *J* = 62.0 Hz, 1H), 2.21 (d, *J* = 32.8 Hz, 3H)	(ESI(+)) m/e 408 $(M+H)^+$
1163		5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.82 – 7.69 (m, 2H), 7.69 – 7.54 (m, 2H), 7.46 – 7.26 (m, 1H), 7.29 – 7.01 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 3.15 – 3.05 (m, 2H), 2.98 – 2.75 (m, 3H), 2.06 – 1.89 (m, 2H), 1.92 – 1.78 (m, 1H), 0.90 (d, *J* = 6.7 Hz, 7H)	(ESI(+)) m/e 356 $(M+H)^+$
1164		5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.79 – 8.58 (m, 2H), 8.19 (t, *J* = 7.0 Hz, 1H), 7.84 – 7.73 (m, 2H), 7.73 – 7.66 (m, 1H), 7.70 – 7.55 (m, 2H), 7.50 – 7.27 (m, 1H), 7.27 – 7.06 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 4.59 (s, 2H)	(ESI(+)) m/e 391 $(M+H)^+$
1165		5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.85 – 7.72 (m, 2H), 7.66 – 7.53 (m, 2H), 7.46 – 7.32 (m, 1H), 7.24 – 7.14 (m, 1H), 7.14 – 7.04 (m, 1H), 4.93 – 4.61 (m, 4H), 4.11 – 3.90 (m, 1H), 3.87 – 3.72 (m, 1H), 3.72 – 3.53 (m, 1H), 3.35 (t, *J* = 7.5 Hz, 2H), 2.06 – 1.73 (m, 3H), 1.66 – 1.52 (m, 1H)	(ESI(+)) m/e 384 $(M+H)^+$
1166		N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.72 (m, 2H), 7.68 – 7.57 (m, 2H), 7.37 (dd, *J* = 8.3, 5.1 Hz, 1H), 7.23 – 7.02 (m, 2H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.63 – 3.42 (m, 1H), 1.22 (d, *J* = 6.7 Hz, 3H), 1.15 – 0.79 (m, 1H), 0.51 – 0.24 (m, 3H), 0.24 – 0.11 (m, 1H)	(ESI(+)) m/e 368 $(M+H)^+$
1167		5-fluoro-N-(4-{[1-(1-methylcyclopropyl)et	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.68 (m, 2H), 7.68 – 7.54 (m, 2H),	(ESI(+)) m/e 382

		hyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.24 – 7.12 (m, 1H), 7.12 – 7.01 (m, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.72 (q, *J* = 6.8 Hz, 1H), 1.17 (d, *J* = 6.9 Hz, 3H), 1.07 (s, 3H), 0.68 – 0.51 (m, 1H), 0.49 – 0.27 (m, 1H), 0.32 – 0.12 (m, 2H)	$(M+H)^+$
1168		5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.89 – 7.70 (m, 2H), 7.70 – 7.56 (m, 2H), 7.48 – 7.26 (m, 2H), 7.24 – 7.14 (m, 1H), 7.14 – 7.05 (m, 1H), 7.05 – 6.95 (m, 1H), 6.98 – 6.86 (m, 1H), 4.90 – 4.67 (m, 4H), 4.63 (d, *J* = 4.2 Hz, 2H)	(ESI(+)) m/e 395 $(M+H)^+$
1169		-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.85 – 7.70 (m, 2H), 7.68 – 7.51 (m, 2H), 7.37 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.21 – 7.05 (m, 2H), 4.77 (d, *J* = 12.4 Hz, 4H), 3.64 – 3.41 (m, 1H), 1.22 (d, *J* = 6.7 Hz, 3H), 1.17 – 0.94 (m, 1H), 0.51 – 0.41 (m, 1H), 0.41 – 0.34 (m, 1H), 0.34 – 0.27 (m, 1H), 0.23 – 0.11 (m, 1H)	(ESI(+)) m/e 368 $(M+H)^+$
1170		5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.67 (m, 2H), 7.67 – 7.52 (m, 2H), 7.37 (dd, *J* = 8.3, 5.2 Hz, 1H), 7.17 (d, *J* = 9.1 Hz, 1H), 7.14 – 7.03 (m, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.42 – 3.30 (m, 2H), 3.24 (s, 3H), 1.96 (s, 1H), 1.70 – 1.29 (m, 4H)	(ESI(+)) m/e 386 $(M+H)^+$
1171		5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.93 – 7.72 (m, 2H), 7.69 – 7.55 (m, 2H), 7.45 – 7.29 (m, 1H), 7.17 (dt, *J* = 5.5, 2.7 Hz, 1H), 7.13 – 7.04 (m, 1H), 6.72 (dd, *J* = 6.4, 1.6 Hz, 1H), 4.77 (d, *J* = 12.6 Hz, 4H), 4.51 (s, 2H), 2.26 (s, 3H)	(ESI(+)) m/e 395 $(M+H)^+$
1172		5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.74 (dd, *J* = 9.0, 2.2 Hz, 2H), 7.61 (dd, *J* = 9.0, 2.1 Hz, 2H), 7.37 (dd, *J* = 8.3, 5.2 Hz, 1H), 7.17 (dd, *J* = 9.0, 2.0 Hz, 1H), 7.14 – 6.99 (m, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.86 – 3.57 (m, 2H), 3.38 – 3.28 (m, 2H), 3.17 – 2.91 (m, 1H), 1.97 – 1.73 (m, 1H), 1.74 – 1.52 (m, 2H), 1.52 – 1.34 (m, 3H), 1.33 – 1.06 (m, 1H)	(ESI(+)) m/e 412 $(M+H)^+$
1173		5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.72 (m, 2H), 7.69 – 7.51 (m, 2H), 7.51 – 7.28 (m, 1H), 7.23 – 7.14 (m, 1H), 7.14 – 6.98 (m, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 4.31 – 4.10 (m, 1H), 3.44 (dd, *J* = 9.8, 6.2 Hz, 1H), 3.35 – 3.32 (m, 1H), 3.29 (s, 3H), 1.16 (d, *J* = 6.8 Hz, 3H)	(ESI(+)) m/e 372 $(M+H)^+$
1174		N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.89 – 7.70 (m, 2H), 7.70 – 7.54 (m, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.17 (dd, *J* = 9.1, 2.2 Hz, 1H), 7.14 – 6.96 (m, 1H), 4.78 (d, *J* = 12.5 Hz, 4H), 4.30 (d, *J* = 4.1 Hz,	(ESI(+)) m/e 398 $(M+H)^+$

		isoindole-2-carboxamide	2H), 1.18 (s, 9H)	
1175		5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.89 – 7.70 (m, 2H), 7.70 – 7.54 (m, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 2H), 7.17 (dd, *J* = 9.1, 2.2 Hz, 1H), 7.14 – 6.96 (m, 1H), 4.78 (d, *J* = 12.5 Hz, 4H), 4.30 (d, *J* = 4.1 Hz, 2H), 3.5 (s, 3H)	(ESI(+)) m/e 393 $(M+H)^+$
1176		5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.68 (m, 2H), 7.68 – 7.50 (m, 2H), 7.37 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.24 – 7.15 (m, 1H), 7.15 – 7.05 (m, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.83 (p, *J* = 6.7 Hz, 1H), 1.88 – 1.63 (m, 1H), 1.12 (d, *J* = 6.8 Hz, 3H), 0.90 (dd, *J* = 6.8, 1.4 Hz, 6H)	(ESI(+)) m/e 386 $(M+H)^+$
1177		N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.82 – 7.70 (m, 2H), 7.70 – 7.55 (m, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.17 (dd, *J* = 9.0, 2.2 Hz, 1H), 7.15 – 7.02 (m, 1H), 4.77 (d, *J* = 12.4 Hz, 4H), 3.39 – 3.30 (m, 2H), 3.23 – 3.02 (m, 2H), 2.81 (d, *J* = 4.3 Hz, 6H), 2.02 – 1.84 (m, 2H)	(ESI(+)) m/e 385 $(M+H)^+$
1178		N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.90 – 7.73 (m, 2H), 7.73 – 7.50 (m, 2H), 7.50 – 7.30 (m, 1H), 7.29 – 7.13 (m, 1H), 7.13 – 7.02 (m, 1H), 4.78 (d, *J* = 12.5 Hz, 4H), 4.46 – 4.31 (m, 1H), 1.96 (s, 1H), 1.91 – 1.78 (m, 1H), 1.78 – 1.66 (m, 1H), 1.04 – 0.82 (m, 3H)	(ESI(+)) m/e 385 $(M+H)^+$
1179		5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.69 (m, 2H), 7.68 – 7.54 (m, 2H), 7.42 – 7.28 (m, 1H), 7.22 – 7.14 (m, 1H), 7.14 – 7.01 (m, 1H), 4.78 (t, *J* = 10.5 Hz, 4H), 3.96 – 3.86 (m, 1H), 3.85 – 3.70 (m, 2H), 3.41 – 3.32 (m, 1H), 2.00 – 1.88 (m, 1H), 1.77 – 1.65 (m, 1H), 1.65 – 1.50 (m, 2H)	(ESI(+)) m/e 384 $(M+H)^+$
1180		5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.76 – 7.66 (m, 2H), 7.66 – 7.53 (m, 2H), 7.46 – 7.29 (m, 1H), 7.22 – 7.13 (m, 1H), 7.13 – 6.99 (m, 1H), 6.72 (t, *J* = 1.9 Hz, 1H), 5.99 (t, *J* = 2.0 Hz, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 4.07 (t, *J* = 6.5 Hz, 2H), 3.57 (t, *J* = 6.5 Hz, 2H)	(ESI(+)) m/e 393 $(M+H)^+$
1181		5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.78 – 7.72 (m, 2H), 7.64 – 7.58 (m, 2H), 7.37 (dd, *J* = 8.4, 5.1 Hz, 1H), 7.17 (dd, *J* = 9.1, 2.4 Hz, 1H), 7.14 – 7.05 (m, 1H), 4.79 (bs, 2H), 4.76 (bs, 2H), 4.18 (h, *J* = 6.5 Hz, 1H), 3.44 (dd, *J* = 9.8, 6.2 Hz, 1H), 2.99 – 2.78 (m, 1H), 1.16 (d, *J* = 6.7 Hz, 3H)	(ESI(+)) m/e 372 $(M+H)^+$

1182		5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.78 – 7.72 (m, 1H), 7.64 – 7.56 (m, 1H), 7.41 – 7.28 (m, 1H), 7.20 – 7.05 (m, 1H), 4.78 (bs, 1H), 4.75 (bs, 1H), 3.49 (d, *J* = 5.2 Hz, 1H), 3.48 – 3.39 (m, 1H), 2.97 (s, 2H), 2.88 – 2.76 (m, 1H), 1.96 (s, 1H)	(ESI(+)) m/e 358 $(M+H)^+$
1183		N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.68 (m, 2H), 7.68 – 7.53 (m, 2H), 7.51 – 7.28 (m, 1H), 7.20 – 7.13 (m, 1H), 7.12 – 7.03 (m, 1H), 4.77 (d, *J* = 12.4 Hz, 4H), 4.33 – 4.12 (m, 1H), 2.00 – 1.84 (m, 2H), 1.82 – 1.66 (m, 2H), 1.66 – 1.45 (m, 4H)	(ESI(+)) m/e 368 $(M+H)^+$
1184		5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.85 – 7.69 (m, 2H), 7.66 – 7.53 (m, 2H), 7.46 – 7.31 (m, 1H), 7.23 – 7.16 (m, 1H), 7.16 – 7.05 (m, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.85 – 3.79 (m, 1H), 1.89 – 1.72 (m, 1H), 1.11 (t, *J* = 5.6 Hz, 3H), 0.90 (dd, *J* = 6.8, 1.1 Hz, 6H)	(ESI(+)) m/e 370 $(M+H)^+$
1185		5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.68 (m, 2H), 7.68 – 7.50 (m, 2H), 7.37 (dd, *J* = 8.4, 5.2 Hz, 1H), 7.24 – 7.15 (m, 1H), 7.15 – 7.05 (m, 1H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.83 (p, *J* = 6.7 Hz, 1H), 1.88 – 1.63 (m, 1H), 1.12 (d, *J* = 6.8 Hz, 3H), 0.90 (dd, *J* = 6.8, 1.4 Hz, 6H)	(ESI(+)) m/e 370 $(M+H)^+$
1186		5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.84 – 7.70 (m, 2H), 7.70 – 7.56 (m, 2H), 7.46 – 7.27 (m, 1H), 7.25 – 7.03 (m, 2H), 4.77 (d, *J* = 12.5 Hz, 4H), 3.21 (dd, *J* = 13.1, 6.4 Hz, 1H), 3.15 – 2.97 (m, 1H), 1.80 – 1.61 (m, 1H), 1.53 – 1.30 (m, 1H), 1.28 – 1.06 (m, 1H), 0.98 – 0.79 (m, 6H)	(ESI(+)) m/e 370 $(M+H)^+$
1187		5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.71 (m, 2H), 7.67 – 7.57 (m, 2H), 7.45 – 7.27 (m, 1H), 7.21 – 7.13 (m, 1H), 7.13 – 7.00 (m, 1H), 4.83 – 4.70 (m, 4H), 1.96 (s, 2H), 1.14 (s, 6H)	(ESI(+)) m/e 372 $(M+H)^+$
1188		5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.82 – 7.67 (m, 2H), 7.69 – 7.51 (m, 2H), 7.43 – 7.32 (m, 1H), 7.21 – 7.01 (m, 2H), 4.78 (t, *J* = 10.2 Hz, 4H), 3.95 – 3.70 (m, 2H), 3.38 – 3.30 (m, 2H), 1.96 (s, 1H), 1.65 – 1.55 (m, 2H), 1.57 – 1.43 (m, 2H), 1.29 – 1.09 (m, 2H)	(ESI(+)) m/e 412 $(M+H)^+$
1189		N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.69 (m, 2H), 7.68 – 7.53 (m, 2H), 7.47 – 7.30 (m, 1H), 7.26 – 7.13 (m, 1H), 7.13 – 7.01 (m, 1H), 4.87 – 4.67 (m, 4H), 3.27 (d, *J* = 7.1 Hz, 2H), 1.61 – 1.45 (m, 2H), 1.44 – 1.26 (m, 2H), 0.91 (t, *J* = 7.3 Hz,	(ESI(+)) m/e 356 $(M+H)^+$

			3H)	
1190		5-fluoro-N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.69 – 7.52 (m, 2H), 7.42 – 7.31 (m, 1H), 7.32 – 7.24 (m, 2H), 7.20 – 7.14 (m, 1H), 7.14 – 7.02 (m, 1H), 4.89 – 4.63 (m, 4H), 4.12 – 3.96 (m, 1H), 3.82 – 3.58 (m, 2H), 3.59 – 3.34 (m, 2H), 2.00 – 1.86 (m, 2H), 1.86 – 1.72 (m, 2H), 1.61 – 1.33 (m, 1H)	(ESI(+)) m/e 398 $(M+H)^+$
1191		5-fluoro-N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.69 – 7.53 (m, 2H), 7.43 – 7.32 (m, 1H), 7.32 – 7.24 (m, 2H), 7.19 – 7.13 (m, 1H), 7.13 – 7.03 (m, 1H), 4.77 (d, J = 12.4 Hz, 4H), 3.52 (s, 3H), 3.03 – 2.92 (m, 3H)	(ESI(+)) m/e 372 $(M+H)^+$
1192		N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.89 – 7.74 (m, 2H), 7.74 – 7.57 (m, 2H), 7.37 (dd, J = 8.4, 5.1 Hz, 1H), 7.17 (dd, J = 9.0, 2.2 Hz, 1H), 7.13 – 7.04 (m, 1H), 4.93 (q, J = 7.2 Hz, 1H), 4.78 (d, J = 12.4 Hz, 4H), 1.57 (d, J = 7.2 Hz, 3H)	(ESI(+)) m/e 353 $(M+H)^+$
1193		5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.85 – 7.72 (m, 2H), 7.68 – 7.56 (m, 2H), 7.42 – 7.28 (m, 1H), 7.21 – 7.12 (m, 1H), 7.12 – 7.01 (m, 1H), 6.24 – 6.00 (m, 1H), 4.90 – 4.68 (m, 4H), 4.55 – 4.37 (m, 2H), 2.42 – 2.27 (m, 3H)	(ESI(+)) m/e 395 $(M+H)^+$
1194		5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.72 (m, 2H), 7.66 – 7.55 (m, 2H), 7.45 – 7.32 (m, 1H), 7.17 (dd, J = 9.0, 2.1 Hz, 1H), 7.14 – 7.01 (m, 1H), 4.77 (d, J = 12.4 Hz, 4H), 4.50 – 4.38 (m, 1H), 3.93 – 3.80 (m, 2H), 3.80 – 3.66 (m, 1H), 3.59 (dd, J = 8.9, 4.6 Hz, 1H), 2.27 – 2.09 (m, 1H), 1.99 – 1.77 (m, 1H)	(ESI(+)) m/e 370 $(M+H)^+$
1260		N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.80 – 7.70 (m, 2H), 7.68 – 7.52 (m, 2H), 7.44 – 7.23 (m, 4H), 4.79 (s, 4H), 3.29 (d, J = 7.7 Hz, 3H), 3.22 – 3.19 (m, 2H), 3.15 (s, 2H), 0.90 (s, 6H)	(ESI(+)) m/e 382 $(M+H)^+$
1261		N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.69 (m, 2H), 7.69 – 7.50 (m, 2H), 7.38 – 7.22 (m, 4H), 4.99 – 4.62 (m, 4H), 3.96 (s, 1H), 2.20 – 1.82 (m, 6H), 1.70 (t, J = 11.7 Hz, 2H)	(ESI(+)) m/e 382 $(M+H)^+$
1262		N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.70 (m, 2H), 7.73 – 7.49 (m, 2H), 7.45 – 7.17 (m, 4H), 4.80 (s, 4H), 4.23 – 3.99 (m, 1H), 2.97 – 2.63 (m, 2H), 1.78 – 1.56 (m,	(ESI(+)) m/e 362 $(M+H)^+$

		isoindole-2-carboxamide	2H), 0.91 (q, *J* = 7.2 Hz, 3H)	
1263		N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.77 – 7.70 (m, 2H), 7.69 – 7.52 (m, 2H), 7.42 – 7.22 (m, 4H), 4.79 (s, 4H), 3.41 – 3.31 (m, 5H), 1.65 – 1.30 (m, 2H), 0.90 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 368 $(M+H)^+$
1264		N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.88 – 7.73 (m, 2H), 7.69 – 7.55 (m, 2H), 7.48 – 7.16 (m, 4H), 4.80 (s, 4H), 4.58 – 4.35 (m, 1H), 3.13 (q, *J* = 7.2 Hz, 2H), 1.35 (d, *J* = 7.2 Hz, 3H), 1.05 (t, *J* = 7.2 Hz, 3H)	(ESI(+)) m/e 381 $(M+H)^+$
1265		N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.95 – 7.77 (m, 2H), 7.70 (t, *J* = 10.6 Hz, 2H), 7.48 – 7.20 (m, 4H), 4.80 (s, 4H), 3.95 (d, *J* = 20.8 Hz, 4H), 3.75 – 3.55 (m, 2H), 3.40 (s, 2H), 1.95 – 1.63 (m, 2H), 1.34 (s, 3H), 1.02 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 437 $(M+H)^+$
1266		N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.69 (m, 2H), 7.69 – 7.53 (m, 2H), 7.49 – 7.13 (m, 4H), 4.79 (s, 4H), 3.63 – 3.44 (m, 1H), 1.22 (d, *J* = 6.7 Hz, 3H), 1.09 – 0.90 (m, 1H), 0.57 – 0.12 (m, 4H)	(ESI(+)) m/e 350 $(M+H)^+$
1267		N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.84 – 7.71 (m, 2H), 7.66 – 7.55 (m, 2H), 7.40 – 7.19 (m, 4H), 4.79 (s, 4H), 3.52 (p, *J* = 6.9 Hz, 1H), 1.22 (d, *J* = 6.7 Hz, 3H), 1.13 – 0.90 (m, 1H), 0.54 – 0.14 (m, 4H)	(ESI(+)) m/e 350 $(M+H)^+$
1269		N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.84 – 7.73 (m, 2H), 7.67 – 7.53 (m, 2H), 7.42 – 7.19 (m, 4H), 4.80 (d, *J* = 5.5 Hz, 4H), 4.52 – 4.35 (m, 1H), 3.93 – 3.78 (m, 2H), 3.78 – 3.67 (m, 1H), 3.63 – 3.52 (m, 1H), 2.29 – 2.08 (m, 1H), 2.07 – 1.79 (m, 1H)	(ESI(+)) m/e 351 $(M+H)^+$
1270		N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.82 – 7.69 (m, 2H), 7.65 – 7.48 (m, 2H), 7.50 – 7.14 (m, 4H), 4.79 (s, 4H), 3.93 – 3.60 (m, 2H), 3.41 – 3.29 (m, 2H), 3.14 – 2.93 (m, 1H), 2.02 – 1.79 (m, 1H), 1.69 – 1.43 (m, 4H), 1.29 – 1.09 (m, 1H)	(ESI(+)) m/e 394 $(M+H)^+$
1271		N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.92 – 7.71 (m, 2H), 7.72 – 7.56 (m, 2H), 7.46 – 7.24 (m, 4H), 4.80 (d, *J* = 1.4 Hz, 4H), 4.63 – 4.41 (m, 2H), 2.26 (t, *J* = 2.3 Hz, 3H)	(ESI(+)) m/e 377 $(M+H)^+$

1272		N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.85 – 7.75 (m, 2H), 7.72 – 7.63 (m, 2H), 7.59 – 7.50 (m, 1H), 7.50 – 7.42 (m, 2H), 7.42 – 7.24 (m, 5H), 4.79 (s, 4H), 4.52 (d, *J* = 16.7 Hz, 4H), 2.88 (s, 6H)	(ESI(+)) m/e 429 $(M+H)^+$
1273		N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.76 (m, 2H), 7.70 – 7.62 (m, 2H), 7.51 (t, *J* = 6.8 Hz, 2H), 7.40 – 7.25 (m, 7H), 5.63 (s, 1H), 4.79 (s, 4H)	(ESI(+)) m/e 415 $(M+H)^+$
1274		N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.03 – 7.85 (m, 2H), 7.85 – 7.76 (m, 1H), 7.76 – 7.61 (m, 2H), 7.47 – 7.25 (m, 4H), 7.18 – 7.03 (m, 1H), 4.92 – 4.62 (m, 4H)	(ESI(+)) m/e 329 $(M+H)^+$
1275		N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.88 – 7.65 (m, 2H), 7.69 – 7.53 (m, 2H), 7.46 – 7.18 (m, 4H), 4.79 (s, 4H), 3.99 – 3.66 (m, 3H), 3.44 – 3.32 (m, 1H), 2.04 – 1.86 (m, 1H), 1.84 – 1.50 (m, 3H)	(ESI(+)) m/e 366 $(M+H)^+$
1276		N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.85 – 7.70 (m, 2H), 7.70 – 7.57 (m, 2H), 7.45 – 7.22 (m, 4H), 4.80 (s, 4H), 3.94 – 3.77 (m, 2H), 3.67 (t, *J* = 6.2 Hz, 2H), 3.53 (d, *J* = 12.0 Hz, 2H), 3.32 (dd, *J* = 12.8, 6.6 Hz, 3H), 2.72 (t, *J* = 11.7 Hz, 2H), 1.18 (d, *J* = 6.3 Hz, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
1277		N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.85 – 7.69 (m, 2H), 7.69 – 7.53 (m, 2H), 7.47 – 6.99 (m, 4H), 4.79 (s, 4H), 3.82 – 3.62 (m, 1H), 1.17 (d, *J* = 6.9 Hz, 3H), 1.07 (s, 3H), 0.69 – 0.53 (m, 1H), 0.47 – 0.35 (m, 1H), 0.29 – 0.13 (m, 2H)	(ESI(+)) m/e 364 $(M+H)^+$
1278		N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.79 – 7.65 (m, 3H), 7.68 – 7.54 (m, 2H), 7.43 – 7.17 (m, 4H), 6.78 (d, *J* = 3.3 Hz, 1H), 6.64 – 6.46 (m, 1H), 4.91 – 4.72 (m, 5H), 4.11 – 3.93 (m, 1H), 3.93 – 3.77 (m, 1H), 2.01 – 1.76 (m, 4H)	(ESI(+)) m/e 445 $(M+H)^+$
1310		N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.80 – 7.69 (m, 2H), 7.69 – 7.51 (m, 2H), 7.44 – 7.25 (m, 4H), 4.79 (s, 4H), 4.03 – 3.87 (m, 2H), 2.23 – 2.15 (m, 3H), 2.10 (s, 3H), 2.05 – 1.88 (m, 2H)	(ESI(+)) m/e 418 $(M+H)^+$

1311		N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.92 – 7.83 (m, 1H), 7.79 – 7.70 (m, 2H), 7.70 – 7.57 (m, 2H), 7.46 – 7.13 (m, 5H), 6.63 – 6.61 (m, 1H), 4.90 – 4.73 (m, 6H), 3.76 – 3.57 (m, 1H), 2.95 (s, 3H), 2.02 – 1.68 (m, 4H), 1.64 – 1.32 (m, 2H)	(ESI(+)) m/e 407 $(M+H)^+$
1312		N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.74 – 7.67 (m, 2H), 7.66 – 7.59 (m, 3H), 7.39 – 7.28 (m, 4H), 6.23 (t, J = 2.0 Hz, 1H), 4.79 (s, 4H), 4.31 (t, J = 6.4 Hz, 2H), 3.66 (t, J = 6.4 Hz, 2H)	(ESI(+)) m/e 376 $(M+H)^+$
1313		N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.91 – 7.75 (m, 2H), 7.74 – 7.62 (m, 3H), 7.53 (d, J = 3.3 Hz, 1H), 7.47 – 7.23 (m, 4H), 5.56 – 5.34 (m, 1H), 4.80 (s, 4H), 1.65 (d, J = 7.0 Hz, 3H)	(ESI(+)) m/e 393 $(M+H)^+$
1314		N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.77 – 7.66 (m, 2H), 7.66 – 7.55 (m, 2H), 7.50 – 7.39 (m, 1H), 7.41 – 7.19 (m, 4H), 6.45 – 6.23 (m, 1H), 6.13 (d, J = 3.1 Hz, 1H), 4.79 (s, 4H), 4.39 – 4.14 (m, 1H), 3.03 – 2.87 (m, 1H), 2.87 – 2.70 (m, 1H), 1.19 (d, J = 6.7 Hz, 3H)	(ESI(+)) m/e 390 $(M+H)^+$
1315		N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.68 (m, 2H), 7.70 – 7.57 (m, 2H), 7.54 (s, 1H), 7.47 – 7.20 (m, 4H), 5.14 (q, J = 6.9 Hz, 1H), 4.79 (s, 4H), 3.78 (s, 3H), 1.47 (d, J = 6.9 Hz, 3H)	(ESI(+)) m/e 390 $(M+H)^+$
1316		N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.93 – 7.76 (m, 2H), 7.76 – 7.52 (m, 2H), 7.46 – 7.19 (m, 4H), 4.80 (s, 4H), 4.62 – 4.39 (m, 1H), 1.78 – 1.50 (m, 3H), 0.92 (dd, J = 11.0, 6.1 Hz, 6H)	(ESI(+)) m/e 395 $(M+H)^+$
1317		N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.80 – 7.67 (m, 2H), 7.66 – 7.56 (m, 2H), 7.48 – 7.09 (m, 4H), 4.79 (s, 4H), 4.38 (h, J = 6.6 Hz, 1H), 4.22 – 4.00 (m, 2H), 2.25 (s, 3H), 2.14 (s, 3H), 1.16 (d, J = 6.8 Hz, 3H)	(ESI(+)) m/e 418 $(M+H)^+$
1318		N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.93 – 7.72 (m, 2H), 7.73 – 7.57 (m, 2H), 7.44 – 7.22 (m, 4H), 6.28 – 5.80 (m, 1H), 4.79 (s, 4H), 3.78 – 3.55 (m, 2H)	(ESI(+)) m/e 346 $(M+H)^+$

1319		N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.68 (m, 2H), 7.68 – 7.53 (m, 2H), 7.44 – 7.25 (m, 4H), 4.79 (s, 4H), 3.93 – 3.74 (m, 2H), 3.34 – 3.30 (m, 2H), 1.73 – 1.43 (m, 4H), 1.35 – 1.06 (m, 2H)	(ESI(+)) m/e 394 $(M+H)^+$
1320		N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.72 (m, 2H), 7.67 – 7.47 (m, 2H), 7.43 – 7.17 (m, 4H), 4.79 (s, 4H), 4.00 (p, J = 6.2 Hz, 1H), 3.88 – 3.72 (m, 1H), 3.73 – 3.55 (m, 1H), 3.34 (d, J = 5.9 Hz, 2H), 2.01 – 1.76 (m, 3H), 1.71 – 1.49 (m, 1H)	(ESI(+)) m/e 366 $(M+H)^+$
1321		N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.71 (m, 2H), 7.71 – 7.58 (m, 2H), 7.46 – 7.22 (m, 4H), 4.79 (s, 4H), 3.35 (s, 2H), 3.18 (s, 3H), 1.14 (s, 6H)	(ESI(+)) m/e 368 $(M+H)^+$
1322		N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.81 – 7.75 (m, 2H), 7.67 – 7.61 (m, 2H), 7.39 – 7.28 (m, 4H), 4.83 – 4.76 (m, 5H), 4.46 (s, 2H), 2.36 (d, J = 0.9 Hz, 3H)	(ESI(+)) m/e 377 $(M+H)^+$
1323		N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.75 (d, J = 8.7 Hz, 2H), 7.62 (d, J = 8.7 Hz, 2H), 7.54 (s, 1H), 7.39 – 7.20 (m, 4H), 4.79 (s, 4H), 4.30 (s, 2H), 3.78 (s, 3H)	(ESI(+)) m/e 376 $(M+H)^+$
1324		N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.64 (m, 2H), 7.68 – 7.53 (m, 2H), 7.46 – 7.13 (m, 4H), 4.79 (s, 4H), 4.13 (t, J = 6.5 Hz, 2H), 3.58 (t, J = 6.5 Hz, 2H), 2.19 (s, 3H), 2.12 (s, 3H)	(ESI(+)) m/e 404 $(M+H)^+$
1325		N-alpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.70 – 7.66 (m, 2H), 7.66 – 7.56 (m, 2H), 7.39 – 7.22 (m, 8H), 7.22 – 7.12 (m, 1H), 4.79 (s, 4H), 4.72 – 4.62 (m, 1H), 3.20 – 3.11 (m, 1H), 3.08 – 2.91 (m, 1H)	(ESI(+)) m/e 429 $(M+H)^+$
1326		N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.74 (dd, J = 6.8, 1.8 Hz, 2H), 7.70 – 7.57 (m, 2H), 7.43 – 7.23 (m, 4H), 7.19 – 6.98 (m, 1H), 4.80 (s, 4H), 3.66 – 3.41 (m, 2H), 3.05 – 2.85 (m, 2H), 2.65 (d, J = 5.2 Hz, 3H)	(ESI(+)) m/e 477 $(M+H)^+$
1327		N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.87 – 7.69 (m, 2H), 7.69 – 7.49 (m, 2H), 7.49 – 7.24 (m, 4H), 4.80 (s, 4H), 4.45 – 4.33	(ESI(+)) m/e 409 $(M+H)^+$

		oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	(m, 1H), 2.66 (d, *J* = 20.0 Hz, 3H), 1.02 (d, *J* = 18.5 Hz, 9H)	
1328		N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.97 – 7.82 (m, 2H), 7.75 – 7.61 (m, 3H), 7.46 – 7.24 (m, 5H), 4.81 (s, 4H)	(ESI(+)) m/e 364 $(M+H)^+$
1329		N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.80 – 7.67 (m, 2H), 7.67 – 7.55 (m, 2H), 7.45 – 7.20 (m, 5H), 6.00 (dd, *J* = 5.0, 0.7 Hz, 1H), 4.79 (s, 4H), 4.21 (t, *J* = 6.6 Hz, 2H), 3.61 (t, *J* = 6.6 Hz, 2H), 2.25 (s, 3H)	(ESI(+)) m/e 390 $(M+H)^+$
1330		N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.76 – 7.68 (m, 2H), 7.68 – 7.52 (m, 2H), 7.56 – 7.42 (m, 1H), 7.44 – 7.24 (m, 4H), 5.99 (d, *J* = 2.1 Hz, 1H), 4.79 (s, 4H), 4.21 (t, *J* = 6.4 Hz, 2H), 3.63 (t, *J* = 6.4 Hz, 2H), 2.21 (d, *J* = 33.1 Hz, 3H)	(ESI(+)) m/e 390 $(M+H)^+$
1331		N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.88 – 7.68 (m, 2H), 7.66 – 7.49 (m, 2H), 7.44 – 7.19 (m, 4H), 4.79 (s, 4H), 4.01 – 3.80 (m, 1H), 1.70 – 1.33 (m, 2H), 1.16 (d, *J* = 6.6 Hz, 3H), 0.88 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 338 $(M+H)^+$
1332		N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.88 – 7.69 (m, 2H), 7.72 – 7.54 (m, 2H), 7.47 – 7.19 (m, 4H), 4.80 (s, 4H), 4.30 (s, 2H), 1.18 (s, 9H)	(ESI(+)) m/e 380 $(M+H)^+$
1333		N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.73 (m, 2H), 7.70 – 7.59 (m, 2H), 7.55 – 7.46 (m, 1H), 7.41 – 7.22 (m, 4H), 6.15 (d, *J* = 2.2 Hz, 1H), 4.79 (s, 4H), 4.42 (s, 2H)	(ESI(+)) m/e 376 $(M+H)^+$
1334		N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.90 – 7.79 (m, 2H), 7.76 – 7.66 (m, 3H), 7.51 – 7.42 (m, 1H), 7.41 – 7.26 (m, 4H), 7.26 – 7.13 (m, 2H), 4.85 – 4.77 (m, 4H), 2.14 – 2.05 (m, 3H)	(ESI(+)) m/e 415 $(M+H)^+$
1335		N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.70 (m, 2H), 7.70 – 7.55 (m, 2H), 7.45 – 7.23 (m, 4H), 4.79 (s, 4H), 4.16 – 3.89 (m, 1H), 3.52 – 3.33 (m, 2H), 1.75 – 1.42 (m, 2H), 0.90 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 368 $(M+H)^+$

1336		N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.85 – 7.71 (m, 2H), 7.66 – 7.53 (m, 2H), 7.48 – 7.20 (m, 4H), 4.79 (s, 4H), 4.05 – 3.82 (m, 3H), 3.48 – 3.31 (m, 2H), 1.93 – 1.70 (m, 2H), 1.70 – 1.48 (m, 2H)	(ESI(+)) m/e 366 $(M+H)^+$
1337		N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.93 – 8.85 (m, 1H), 8.72 – 8.62 (m, 1H), 8.21 – 8.11 (m, 1H), 8.03 – 7.91 (m, 2H), 7.77 – 7.66 (m, 2H), 7.42 – 7.26 (m, 4H), 4.81 (d, J = 5.2 Hz, 4H)	(ESI(+)) m/e 359 $(M+H)^+$
1338		N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.78 – 7.66 (m, 2H), 7.66 – 7.57 (m, 2H), 7.37 – 7.26 (m, 4H), 6.87 – 6.56 (m, 1H), 6.10 – 5.80 (m, 1H), 4.79 (s, 4H), 4.08 (t, J = 6.5 Hz, 2H), 3.70 – 3.48 (m, 2H)	(ESI(+)) m/e 375 $(M+H)^+$
1339		N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.70 (m, 2H), 7.70 – 7.52 (m, 2H), 7.45 – 7.17 (m, 4H), 4.79 (s, 4H), 3.24 – 3.16 (m, 1H), 3.16 – 2.98 (m, 1H), 1.77 – 1.55 (m, 1H), 1.51 – 1.31 (m, 1H), 1.31 – 1.01 (m, 1H), 0.90 (dd, J = 13.5, 6.4 Hz, 6H)	(ESI(+)) m/e 352 $(M+H)^+$
1340		N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.70 (m, 3H), 7.68 – 7.47 (m, 3H), 7.47 – 6.53 (m, 6H), 4.84 – 4.32 (m, 7H), 3.27 (s, 73H), 2.61 – 2.29 (m, 11H), 2.04 – 1.61 (m, 3H), 1.56 – 0.69 (m, 10H), 0.18 – -0.03 (m, 2H)	(ESI(+)) m/e 395 $(M+H)^+$
1341		N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.86 – 7.73 (m, 2H), 7.84 – 7.78 (m, 2H), 7.70 – 7.57 (m, 2H), 7.68 – 7.62 (m, 2H), 7.53 – 7.49 (m, 1H), 7.51 (dd, J = 6.8, 5.5 Hz, 2H), 7.40 – 7.26 (m, 7H), 7.36 – 7.22 (m, 5H), 5.63 (s, 1H), 5.63 (s, 1H), 4.79 (s, 4H), 4.79 (s, 4H)	(ESI(+)) m/e 315 $(M+H)^+$
1342		N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.80 – 7.68 (m, 2H), 7.68 – 7.53 (m, 2H), 7.37 – 7.18 (m, 4H), 4.79 (s, 4H), 3.44 – 3.29 (m, 4H), 1.81 – 1.62 (m, 2H), 1.15 (s, 9H)	(ESI(+)) m/e 396 $(M+H)^+$
1343		N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.97 – 7.85 (m, 3H), 7.76 – 7.65 (m, 2H), 7.45 – 7.26 (m, 6H), 4.85 – 4.77 (m, 4H), 2.86 – 2.78 (m, 3H)	(ESI(+)) m/e 415 $(M+H)^+$
1344		N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.90 – 7.68 (m, 2H), 7.66 – 7.56 (m, 2H), 7.40 – 7.17 (m, 4H), 4.79 (s, 4H), 4.02 – 3.72 (m, 1H), 1.94 – 1.65 (m, 1H), 1.12 (d, J = 6.7 Hz, 3H), 0.90 (d, J = 6.8 Hz, 6H)	(ESI(+)) m/e 352 $(M+H)^+$

1345		N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.85 – 7.68 (m, 2H), 7.67 – 7.51 (m, 2H), 7.48 – 7.11 (m, 4H), 4.79 (s, 4H), 3.95 – 3.74 (m, 1H), 1.92 – 1.64 (m, 1H), 1.12 (d, *J* = 6.8 Hz, 3H), 1.00 – 0.79 (m, 6H)	(ESI(+)) m/e 352 $(M+H)^+$
1346		N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.83 – 7.70 (m, 2H), 7.70 – 7.52 (m, 2H), 7.45 – 7.17 (m, 4H), 4.79 (s, 4H), 3.24 – 3.16 (m, 1H), 3.16 – 2.98 (m, 1H), 1.77 – 1.55 (m, 1H), 1.51 – 1.31 (m, 1H), 1.31 – 1.01 (m, 1H), 0.90 (dd, *J* = 13.5, 6.4 Hz, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
1348		N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.91 – 7.75 (m, 2H), 7.75 – 7.60 (m, 2H), 7.44 – 7.23 (m, 4H), 4.80 (s, 4H), 4.01 – 3.86 (m, 4H), 3.63 (s, 2H), 3.50 – 3.35 (m, 4H), 1.38 (s, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
1349		N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.84 – 7.70 (m, 2H), 7.70 – 7.55 (m, 2H), 7.43 – 7.24 (m, 4H), 4.79 (s, 4H), 3.72 – 3.55 (m, 1H), 3.58 – 3.44 (m, 2H), 3.38 – 3.31 (m, 1H), 1.20 – 1.01 (m, 6H)	(ESI(+)) m/e 368 $(M+H)^+$

Example 132

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide

A solution of 5-cyano-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide (30 mg, 0.9 mmol) in sulfuric acid (0.1 mL) and trifluoroacetic acid (0.3 mL) was stirred at room temperature for 16 hours. The reaction was treated with ice and the suspension was stirred for 10 minutes and filtered. The solid collected was washed with water and dried under vacuum; the solid was purified by reverse-phase HPLC to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.26 (t, J = 5.7 Hz, 1H), 7.97-8.00 (bs, 1H), 7.81-7.86 (m, 2H), 7.75-7.79 (m, 2H), 7.63-7.68 (m, 2H), 7.44 (d, J = 7.8 Hz, 1H), 7.34-7.39 (bs, 1H), 4.81-4.82 (bs, 4H), 3.16-3.24 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 367 $(M+H)^+$.

Example 272

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate

Example 272A

4-amino-N-propylbenzamide

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

A solution of 4-nitro-N-propylbenzamide (800 mg, 0.1 mmol) in 40 ml tetrahydrofuran in the presence of 160 mg of 20% Pd on carbon was treated in a pressure

bottle with 30 psi of hydrogen for 30 minutes at room temperature. The suspension was filtered through a nylon membrane and concentrated to provide the title compound.

Example 272B

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate

A solution of 4-amino-N-propylbenzamide (390 mg, 2.19 mmol), bis(2,5-dioxopyrrolidin-1-yl) carbonate (700 mg, 2.74 mmol), and pyridine (0.18 mL, 2.19 mmol) in acetonitrile (5 mL) was stirred at ambient temperature for 30 minutes. Diisopropylethylamine (0.85 mL, 6.6 mmol)) was added followed by a suspension of methyl isoindoline-5-carboxylate hydrochloride (538 mg, 2.52 mmol) and diisopropylethylamine (0.46 mL, 4.4 mmol) in 1-methyl-2-pyrrolidinone (8 mL) added dropwise via syringe over ~5 minutes. The reaction became a suspension and was stirred 3 hours. The reaction was treated with water (30 mL) and the resulting suspension was stirred 5 minutes and filtered. The solid collected was washed with water and dried under vacuum to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.63 (s, 1H), 8.26 (t, J = 5.6 Hz, 1H), 7.94-7.97 (m, 1H), 7.90-7.96 (m, 1H), 7.75-7.78 (m, 2H), 7.63-7.67 (m, 2H), 7.52 (d, J = 7.9 Hz, 1H), 4.83-4.86 (m, 4H), 3.87 (s, 3H), 3.16-3.22 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 382 $(M+H)^+$.

Example 273

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid

The title compound was prepared as described in Example 1B, substituting methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate for methyl 4-(isoindoline-2-carboxamido)benzoate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 12.90-13.07 (bs, 1H), 8.62 (s, 1H), 8.26 (t, J = 5.7 Hz, 1H), 7.88-7.93 (m, 2H), 7.75-7.78 (m, 2H), 7.63-7.67 (m, 2H), 7.49 (d, J = 7.9 Hz, 1H), 4.83-4.85 (bs, 4H), 3.16-3.24 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); (ESI(+)) m/e 368 $(M+H)^+$.

Example 274

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

A solution of 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide (37 mg, 0.1 mmol) in 1 ml dimethylformamide in the presence of 11 mg of 10% Pd on carbon was treated with a hydrogen balloon overnight at room temperature. The suspension was filtered through diatomaceous earth and purified by reverse-phase HPLC to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.51 (s, 1H), 8.24 (t, J = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.62-7.66 (m, 2H), 7.19 (d, J = 7.9 Hz, 1H), 6.78-6.89 (m, 2H), 4.67-4.71 (m, 4H), 3.15-3.26 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 339 $(M+H)^+$.

Example 275

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

A solution of calcium chloride (0.031 g, 0.277 mmol) in ethanol (0.8 mL) was added to a suspension of methyl 2-(4-(propylcarbamoyl)phenylcarbamoyl)isoindoline-5-carboxylate (0.04 g, 0.105 mmol) in tetrahydrofuran (1 mL). Sodium borohydride (0.02 g, 0.524 mmol) was then added in one portion and the suspension stirred at room temperature. After 18 hours, the mixture was concentrated to remove tetrahydrofuran then saturated aqueous sodium bicarbonate and water was added. The suspension was filtered and the solid was flash chromatographed to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.55 (s, 1H), 8.25 (t, J = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.64-7.67 (m, 2H), 7.31 (d, J = 4.0 Hz, 1H), 7.30 (d, J = 2.3 Hz, 1H), 7.26 (d, J = 8.0 Hz, 1H), 5.19 (t, J = 5.6 Hz, 1H), 4.71-4.78 (m, 4H), 4.52 (d, J = 5.4 Hz, 2H), 3.15-3.25 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 354 $(M+H)^+$.

Example 276

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

5-Cyano-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide (0.04 g, 0.115 mmol) and 7M ammonia-methanol/tetrahydrofuran /methanol (4 mL) were added to Ra-Ni 2800, water slurry (0.080 g, 1.363 mmol) in a 50 ml pressure bottle and stirred for 16 hours at 30 psi and room temperature. The mixture was filtered through a nylon membrane, concentrated and purified by reverse-phase HPLC to provide the title compound. ^{1}H NMR (300 MHz, Methanol-d_4) δ ppm 7.76-7.79 (m, 2H), 7.60-7.63 (m, 2H), 7.31-7.35 (m, 3H), 4.82 (s, 4H), 3.86 (s, 2H), 3.30-3.33 (m, 2H), 1.53-1.75 (m, 2H), 0.98 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 425 $(M+H)^+$.

Example 277

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and 2-hydroxy-2-methylpropanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.59 (s, 1H), 8.55 (s, 1H), 8.25 (t, J = 5.7 Hz, 1H), 7.81 (s, 1H), 7.74-7.78 (m, 2H), 7.62-7.68 (m, 2H), 7.59-7.64 (m, 1H), 7.28 (d, J = 8.3 Hz, 1H), 5.71-5.75 (m, 1H), 4.72-4.80 (m, 4H), 3.16-3.23 (m, 2H), 1.42-1.59 (m, 2H), 1.36 (s, 6H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 425 $(M+H)^+$.

Example 278

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

A solution of 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide (0.035 g, 0.103 mmol) in dimethylformamide (0.7 mL) was treated with N,N-diisopropylethylamine (0.018 mL, 0.103 mmol) followed by acetyl chloride (0.011 g, 0.134 mmol) and the reaction solution was stirred at room temperature for 16 hours. The reaction was concentrated and purified by reverse-phase HPLC to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.97 (s, 1H), 8.52 (s, 1H), 8.25 (t, J = 5.7 Hz, 1H), 7.74-7.78 (m, 2H), 7.65-7.67 (m, 1H), 7.62-7.67 (m, 2H), 7.43 (dd, J = 8.2, 1.9 Hz, 1H), 7.27 (d, J = 8.2 Hz, 1H), 4.71-4.76 (m, 4H), 3.16-3.21 (m, 2H), 2.04 (s, 3H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 381 $(M+H)^+$.

Example 279

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and 2-(dimethylamino)acetic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.76 (s, 1H), 8.54 (s, 1H), 8.25 (t, J = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.73 (d, J = 1.8 Hz, 1H), 7.63-7.67 (m, 2H), 7.54 (dd, J = 8.2, 1.9 Hz, 1H), 7.28 (d, J = 8.2 Hz, 1H), 4.72-4.76 (m, 4H), 3.16-3.24 (m, 2H), 3.07 (s, 2H), 2.28 (s, 6H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(-)) m/e 422 $(M-H)^-$.

Example 280

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

In a 4 mL vial, a solution of 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide (50 mg, 0.12 mmol) and 1H-pyrazol-3-ylboronic acid (17 mg, 0.15 mmol) in dimethylformamide was treated with saturated aqueous sodium bicarbonate followed by bis(triphenylphosphine)palladium(II) chloride (7 mg). The vial was capped under nitrogen and the reaction heated at 85 °C for 6 hours. The reaction was cooled to ambient temperature and water was added. The resulting suspension was stirred for 5 minutes and filtered. The solid collected was washed with water and dried under vacuum; the solid was purified by reverse-phase HPLC to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 12.39-13.18 (bs, 1H), 8.59 (s, 1H), 8.24-8.28 (m, 1H), 7.75-7.79 (m, 2H), 7.70-7.80 (m, 3H), 7.62-7.69 (m, 2H), 7.40 (d, J = 7.9 Hz, 1H), 6.73 (d, J = 2.2 Hz, 1H), 4.79-4.83 (m, 4H), 3.15-3.25 (m, 2H), 1.46-1.57 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 390 $(M+H)^+$.

Example 281

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 10.91-13.69 (bs, 1H), 8.58 (s, 1H), 8.26 (t, J = 5.7 Hz, 1H), 8.07-8.08 (bs, 2H), 7.75-7.79 (m, 2H), 7.67 (s, 1H), 7.54-7.65 (m, 2H), 7.57 (d, J = 7.8 Hz, 1H), 7.34 (d, J = 7.8 Hz, 1H), 4.76-4.79 (m, 4H), 3.15-3.25 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 390 $(M+H)^+$.

Example 282

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting 2-methoxyacetyl chloride for acetyl chloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.80 (s, 1H), 8.54 (s, 1H), 8.25 (t, J = 5.7 Hz, 1H), 7.74-7.79 (m, 2H), 7.72-7.74 (m, 1H), 7.63-7.67 (m, 2H), 7.55 (dd, J = 8.2, 1.9 Hz, 1H), 7.30 (d, J = 8.2 Hz, 1H), 4.72-4.77 (m, 4H), 4.00 (s, 2H), 3.38 (s, 3H), 3.17-3.19 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 411 $(M+H)^+$.

Example 283

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

A solution of 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide (0.035 g, 0.103 mmol), pyridine (0.017 mL, 0.207 mmol) and catalytic N,N-dimethylaminopyridine in dimethylformamide (0.7 mL) was cooled to 0 °C. Methanesulfonyl chloride (0.014 g, 0.126 mmol) was added and the reaction solution was allowed to stir at room temperature for 2 hours. The reaction mixture was concentrated and purified by reverse-phase HPLC to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.74 (s, 1H), 8.54 (s, 1H), 8.26 (t, J = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.63-7.66 (m, 2H), 7.32 (d, J = 8.1 Hz, 1H), 7.14-7.20 (m, 2H), 4.73-4.76 (m, 4H), 3.15-3.25 (m, 2H), 2.98 (s, 3H), 1.45-1.62 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 417 $(M+H)^+$.

Table 4.

The following Examples were prepared essentially as described in Example 1, substituting 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine, 5,7-dihydro-6H-pyrrolo[3,4-b]pyridine, or 6,7-dihydro-5H-pyrrolo[3,4-d]pyrimidine for isoindoline in Example 1A and using an appropriate amine as described in Example 1C. Some products were purified by flash chromatography while others were purified by reverse-phase HPLC; some compounds also required Boc-deprotection after amide coupling as described in Example 2D. Accordingly, some Examples were isolated as trifluoroacetic acid salts.

Ex		Name	^{1}H NMR	MS
285		N-{4-[(3,5-	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.80 (t, J = 6.0	(ESI(+))

		dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	Hz, 1H), 8.66 (s, 1H), 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 7.80-7.84 (m, 2H), 7.65-7.69 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 6.48 (d, *J* = 2.3 Hz, 2H), 6.37 (t, *J* = 2.3 Hz, 1H), 4.81-4.85 (m, 4H), 4.39 (d, *J* = 5.9 Hz, 2H), 3.31 (s, 6H)	m/e 433 $(M+H)^+$
286		N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.88 (t, *J* = 6.0 Hz, 1H), 8.66 (s, 1H), 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 7.80-7.84 (m, 2H), 7.65-7.69 (m, 2H), 7.32-7.45 (m, 5H), 4.78-4.88 (m, 4H), 4.44 (d, *J* = 5.9 Hz, 2H)	(ESI(+)) m/e 407 $(M+H)^+$
287		N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61-8.64 (m, 2H), 8.51 (d, *J* = 5.0 Hz, 1H), 8.13 (ddd, *J* = 4.9, 2.0, 0.8 Hz, 1H), 7.64-7.68 (m, 2H), 7.56 (ddd, *J* = 8.7, 7.0, 1.9 Hz, 1H), 7.44 (d, *J* = 5.1 Hz, 1H), 7.36-7.40 (m, 2H), 6.85 (d, *J* = 8.6 Hz, 1H), 6.65-6.69 (m, 1H), 4.81-4.85 (m, 4H), 3.53-3.63 (m, 8H)	(ESI(+)) m/e 429 $(M+H)^+$
288		N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61-8.64 (m, 2H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.27-8.31 (m, 1H), 7.75-7.79 (m, 2H), 7.63-7.67 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 7.15-7.31 (m, 5H), 4.76-4.89 (m, 4H), 3.20-3.32 (m, 2H), 2.63 (t, *J* = 7.6 Hz, 2H), 1.77-1.88 (m, 2H)	(ESI(+)) m/e 401 $(M+H)^+$
289		N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65 (s, 1H), 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.39 (t, *J* = 5.7 Hz, 1H), 7.75-7.79 (m, 2H), 7.63-7.68 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.81-4.84 (m, 4H), 3.57-3.78 (m, 3H), 3.48 (dd, *J* = 8.5, 5.3 Hz, 1H), 3.14-3.30 (m, 2H), 2.41-2.51 (m, 1H), 1.87-2.12 (m, 1H), 1.54-1.66 (m, 1H)	(ESI(+)) m/e 367 $(M+H)^+$
290		N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61-8.64 (m, 2H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.21 (t, *J* = 5.6 Hz, 1H), 7.74-7.78 (m, 2H), 7.62-7.66 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.81-4.84 (m, 4H), 3.20-3.33 (m, 2H), 1.53-1.69 (m, 1H), 1.37-1.45 (m, 2H), 0.91 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 353 $(M+H)^+$
426		N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65 (s, 1H), 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.33 (t, *J* = 5.8 Hz, 1H), 7.76-7.81 (m, 2H), 7.63-7.67 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.76-4.89 (m, 4H), 3.96 (p, *J* = 6.3 Hz, 1H), 3.73-3.82 (m, 1H), 3.58-3.67 (m, 1H), 3.26-3.35 (m, 2H), 1.73-1.98 (m, 3H), 1.52-1.66 (m, 1H)	(ESI(-)) m/e 367 $(M+H)^-$
427		N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.63-8.65 (bs, 1H), 8.61-8.62 (bs, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.32 (t, *J* = 5.8 Hz, 1H), 7.76-7.81 (m, 2H), 7.63-7.67 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.81-4.88 (m, 4H), 3.97 (p, *J* = 6.2 Hz, 1H), 3.74-3.82 (m, 1H), 3.58-3.66 (m, 1H), 3.26-3.32 (m, 2H), 1.74-1.96 (m, 3H), 1.53-1.64 (m, 1H)	(ESI(-)) m/e 411 $(M-H)^+$

430		N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.10-9.12 (bs, 1H), 8.83 (s, 1H), 8.67 (s, 1H), 8.22 (t, *J* = 5.6 Hz, 1H), 7.75-7.79 (m, 2H), 7.63-7.67 (m, 2H), 4.81-4.84 (m, 4H), 3.20-3.34 (m, 2H), 1.53-1.69 (m, 1H), 1.37-1.45 (m, 2H), 0.91 (d, *J* = 6.6 Hz, 6H)	(APCI(+)) m/e 354 $(M+H)^+$
431		N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.11 (s, 1H), 8.83 (s, 1H), 8.68 (s, 1H), 8.30 (t, *J* = 5.6 Hz, 1H), 7.76-7.80 (m, 2H), 7.64-7.68 (m, 2H), 7.15-7.32 (m, 5H), 4.77-4.89 (m, 4H), 3.21-3.34 (m, 2H), 2.60-2.74 (m, 2H), 2.29-1.90 (m, 2H)	(APCI(+)) m/e 402 $(M+H)^+$
437		N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.66 (s, 1H), 8.61 (s, 1H), 8.51 (d, *J* = 2.0 Hz, 1H), 8.49 (d, *J* = 5.2 Hz, 1H), 7.82-7.87 (m, 2H), 7.66-7.70 (m, 2H), 7.38-7.45 (m, 3H), 7.29-7.34 (m, 2H), 7.19-7.26 (m, 1H), 5.03-5.10 (m, 1H), 4.90 (t, *J* = 5.8 Hz, 1H), 4.79-4.87 (m, 4H), 3.61-3.76 (m, 2H)	(ESI(+)) m/e 403 $(M+H)^+$
445		N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.68 (s, 1H), 8.62 (s, 1H), 8.44-8.54 (m, 3H), 7.84-7.89 (m, 2H), 7.75 (td, *J* = 7.7, 1.8 Hz, 1H), 7.66-7.72 (m, 2H), 7.39-7.45 (m, 2H), 7.26 (ddd, *J* = 7.5, 4.8, 1.2 Hz, 1H), 5.10-5.17 (m, 1H), 4.90 (t, *J* = 6.0 Hz, 1H), 4.79-4.87 (m, 4H), 3.73-3.88 (m, 2H)	(ESI(+)) m/e 404 $(M+H)^+$
446		N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.62 (s, 1H), 8.48 (dd, *J* = 4.9, 1.5 Hz, 1H), 8.22 (t, *J* = 5.6 Hz, 1H), 7.81 (dd, *J* = 7.7, 1.5 Hz, 1H), 7.73-7.79 (m, 2H), 7.64-7.68 (m, 2H), 7.33 (dd, *J* = 7.7, 4.9 Hz, 1H), 4.78-4.80 (bs, 4H), 3.21-3.33 (m, 2H), 1.61 (dp, *J* = 13.3, 6.6 Hz, 1H), 1.41 (q, *J* = 7.1 Hz, 2H), 0.90 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 353 $(M+H)^+$
447		N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.63 (s, 1H), 8.48 (dd, *J* = 4.9, 1.5 Hz, 1H), 8.39 (t, *J* = 5.7 Hz, 1H), 7.76-7.83 (m, 3H), 7.65-7.69 (m, 2H), 7.33 (dd, *J* = 7.7, 4.9 Hz, 1H), 4.78-4.81 (bs, 4H), 3.57-3.82 (m, 3H), 3.44-3.51 (m, 1H), 3.17-3.28 (m, 2H), 2.42-2.50 (m, 1H), 1.85-2.02 (m, 1H), 1.54-1.68 (m, 1H)	(ESI(+)) m/e 367 $(M+H)^+$
448		N-{4-[(4-pyridin-2-ylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.49 (dd, *J* = 4.9, 1.5 Hz, 1H), 8.13 (dd, *J* = 5.0, 1.9 Hz, 1H), 7.81 (dd, *J* = 7.7, 1.5 Hz, 1H), 7.66-7.70 (m, 2H), 7.56 (ddd, *J* = 8.7, 7.0, 1.8 Hz, 1H), 7.36-7.41 (m, 2H), 7.34 (dd, *J* = 7.7, 5.0 Hz, 1H), 6.85 (d, *J* = 8.6 Hz, 1H), 6.67 (dd, *J* = 6.9, 4.8 Hz, 1H), 4.79-4.81 (bs, 4H), 3.43-3.75 (m, 8H)	(ESI(+)) m/e 429 $(M+H)^+$
553		N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.64 (s, 1H), 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.29 (t, *J* = 5.8 Hz, 1H), 7.82 – 7.75 (m, 2H), 7.68 – 7.61 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.86 – 4.79 (m, 4H), 3.87 (dd, *J* = 11.3, 3.0 Hz, 1H), 3.48 – 3.34 (m, 2H), 3.28 – 3.17 (m,	(ESI(+)) m/e 381 $(M+H)^+$

		c]pyridine-2-carboxamide	2H), 1.82 – 1.72 (m, 1H), 1.66 – 1.56 (m, 1H), 1.56 – 1.33 (m, 3H), 1.28 – 1.07 (m, 1H)	
554		N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.63 (d, J = 8.3 Hz, 2H), 8.50 (d, J = 5.0 Hz, 1H), 8.28 (t, J = 5.7 Hz, 1H), 7.77 (d, J = 8.8 Hz, 2H), 7.65 (d, J = 8.8 Hz, 2H), 7.44 (d, J = 5.0 Hz, 1H), 4.83 (d, J = 4.3 Hz, 4H), 3.82 – 3.64 (m, 2H), 3.18 – 3.04 (m, 3H), 1.78 (dd, J = 6.9, 3.6 Hz, 2H), 1.58 (dd, J = 10.2, 6.6 Hz, 1H), 1.53 – 1.36 (m, 1H), 1.31 – 1.17 (m, 1H)	(ESI(+)) m/e 381 $(M+H)^+$
555		N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.66 – 8.59 (m, 2H), 8.50 (d, J = 5.0 Hz, 1H), 8.33 – 8.25 (m, 1H), 7.81 – 7.74 (m, 2H), 7.69 – 7.61 (m, 2H), 7.44 (d, J = 5.0 Hz, 1H), 4.82 (bs, 4H), 3.89 – 3.79 (m, 2H), 3.24 (d, J = 11.6 Hz, 1H), 3.14 (t, J = 6.1 Hz, 2H), 1.86 – 1.69 (m, 1H), 1.64 – 1.54 (m, 2H), 1.27 – 1.06 (m, 3H)	(ESI(+)) m/e 381 $(M+H)^+$
556		N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.66 – 8.59 (m, 2H), 8.50 (d, J = 5.0 Hz, 1H), 7.83 – 7.75 (m, 3H), 7.69 – 7.61 (m, 2H), 7.44 (d, J = 5.1 Hz, 1H), 4.91 – 4.80 (m, 4H), 4.64 (t, J = 5.7 Hz, 1H), 4.12 – 3.99 (m, 1H), 3.41 (d, J = 5.3 Hz, 1H), 1.69 – 1.54 (m, 1H), 1.53 – 1.31 (m, 2H), 0.88 (t, J = 6.7 Hz, 6H)	(ESI(+)) m/e 383 $(M+H)^+$
599		N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.62 (d, J = 4.9 Hz, 2H), 8.50 (d, J = 5.0 Hz, 1H), 8.30 – 8.20 (m, 1H), 7.83 – 7.72 (m, 2H), 7.68 – 7.59 (m, 2H), 7.44 (d, J = 5.1 Hz, 1H), 4.87 – 4.77 (m, 4H), 3.22 – 3.13 (m, 2H), 1.61 – 1.45 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 325 $(M+H)^+$
600		N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.63 (s, 1H), 8.48 (dd, J = 4.9, 1.5 Hz, 1H), 8.34 (t, J = 5.8 Hz, 1H), 7.85 – 7.75 (m, 3H), 7.70 – 7.63 (m, 2H), 7.33 (dd, J = 7.7, 4.9 Hz, 1H), 4.80 (bs, 4H), 3.97 (p, J = 6.2 Hz, 1H), 3.83 – 3.72 (m, 1H), 3.68 – 3.57 (m, 1H), 3.28 (dd, J = 5.9, 1.7 Hz, 1H), 1.98 – 1.72 (m, 3H), 1.66 – 1.51 (m, 1H)	(ESI(+)) m/e 367 $(M+H)^+$
601		N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.62 (s, 1H), 8.48 (dd, J = 4.9, 1.5 Hz, 1H), 8.32 (t, J = 5.8 Hz, 1H), 7.85 – 7.75 (m, 3H), 7.70 – 7.63 (m, 2H), 7.33 (dd, J = 7.7, 4.9 Hz, 1H), 4.80 (bs, 4H), 3.97 (p, J = 6.2 Hz, 1H), 3.83 – 3.72 (m, 1H), 3.68 – 3.57 (m, 1H), 1.98 – 1.72 (m, 3H), 1.69 – 1.51 (m, 1H)	(ESI(+)) m/e 367 $(M+H)^+$
602		N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.48 (dd, J = 4.9, 1.5 Hz, 1H), 7.87 – 7.71 (m, 4H), 7.70 – 7.63 (m, 2H), 7.33 (dd, J = 7.7, 4.9 Hz, 1H), 4.79 (bs, 4H), 4.13 – 3.95 (m, 1H), 3.42 (dd, J = 10.6, 5.4 Hz, 2H), 1.72 – 1.54 (m, 1H), 1.53 – 1.31 (m, 2H), 0.88 (t, J = 6.7 Hz, 6H)	(ESI(+)) m/e 383 $(M+H)^+$
603		N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.64 (s, 1H), 8.53 – 8.45 (m, 2H), 7.88 – 7.78 (m, 3H), 7.73 – 7.66 (m, 2H), 7.47 – 7.27 (m, 5H), 7.27 – 7.18 (m, 1H), 5.12 – 5.01 (m, 1H), 4.90 (t, J = 5.8 Hz, 1H), 4.80 (bs, 4H),	(ESI(+)) m/e 403 $(M+H)^+$

		6H-pyrrolo[3,4-b]pyridine-6-carboxamide	3.78 – 3.59 (m, 2H)	
604		N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.62 (s, 1H), 8.48 (dd, *J* = 4.9, 1.5 Hz, 1H), 8.30 (t, *J* = 5.8 Hz, 1H), 7.85 – 7.74 (m, 3H), 7.70 – 7.63 (m, 2H), 7.33 (dd, *J* = 7.7, 4.9 Hz, 1H), 4.79 (bs, 4H), 3.89 – 3.79 (m, 2H), 3.28 – 3.19 (m, 2H), 3.14 (t, *J* = 6.3 Hz, 2H), 1.87 – 1.70 (m, 1H), 1.64 – 1.54 (m, 2H), 1.29 – 1.01 (m, 2H)	(ESI(+)) m/e 381 $(M+H)^+$
613		N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.65 (s, 1H), 8.55 – 8.51 (m, 1H), 8.47 (t, *J* = 6.7 Hz, 2H), 7.87 (d, *J* = 8.8 Hz, 2H), 7.84 – 7.79 (m, 1H), 7.76 (dd, *J* = 7.7, 1.8 Hz, 1H), 7.71 (t, *J* = 5.4 Hz, 2H), 7.41 (d, *J* = 7.8 Hz, 1H), 7.33 (dd, *J* = 7.7, 4.9 Hz, 1H), 7.29 – 7.22 (m, 1H), 5.19 – 5.09 (m, 1H), 4.90 (t, *J* = 5.9 Hz, 1H), 4.80 (bs, 4H), 3.90 – 3.72 (m, 2H)	(ESI(+)) m/e 404 $(M+H)^+$
627		N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (d, *J* = 5.9 Hz, 2H), 8.50 (d, *J* = 5.0 Hz, 1H), 7.62 (d, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 7.30 (d, 2H), 4.82 (d, *J* = 4.3 Hz, 4H), 4.76 (d, *J* = 4.0 Hz, 1H), 3.73 (td, *J* = 8.3, 4.2 Hz, 2H), 3.22 – 3.08 (m, 2H), 1.82 – 1.65 (m, 2H), 1.43 – 1.26 (m, 2H)	(ESI(+)) m/e 367 $(M+H)^+$
628		N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.64 (d, *J* = 12.5 Hz, 2H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.06 (t, *J* = 6.0 Hz, 1H), 7.80 (d, *J* = 8.8 Hz, 2H), 7.66 (d, *J* = 8.8 Hz, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.83 (d, *J* = 4.3 Hz, 4H), 4.56 (s, 1H), 3.24 (d, *J* = 6.0 Hz, 2H), 2.89 (s, 1H), 1.10 (s, 6H)	(ESI(+)) m/e 355 $(M+H)^+$
629		N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.62 (d, *J* = 6.4 Hz, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.26 (t, *J* = 5.6 Hz, 1H), 7.76 (d, *J* = 8.8 Hz, 1H), 7.64 (d, *J* = 8.8 Hz, 1H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.82 (d, *J* = 4.3 Hz, 1H), 4.39 (t, *J* = 5.1 Hz, 1H), 3.41 (q, *J* = 6.1 Hz, 1H), 3.25 – 3.15 (m, 2H), 1.59 – 1.38 (m, 4H)	(ESI(+)) m/e 355 $(M+H)^+$
630		N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.62 (d, *J* = 6.0 Hz, 2H), 8.50 (d, *J* = 5.0 Hz, 1H), 7.83 – 7.77 (m, 2H), 7.74 (d, *J* = 8.9 Hz, 1H), 7.64 (d, *J* = 1.8 Hz, 1H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.83 (d, *J* = 4.3 Hz, 4H), 4.53 (t, *J* = 5.6 Hz, 1H), 3.90 – 3.70 (m, 1H), 3.51 (t, *J* = 5.8 Hz, 2H), 1.92 (dq, *J* = 13.6, 6.8 Hz, 1H), 0.89 (dd, *J* = 7.9, 6.9 Hz, 6H)	(ESI(+)) m/e 369 $(M+H)^+$
631		N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.62 (d, *J* = 4.0 Hz, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 7.73 (d, *J* = 8.9 Hz, 1H), 7.64 (d, *J* = 8.9 Hz, 1H), 7.44 (d, *J* = 5.1 Hz, 1H), 7.35 (s, 1H), 4.94 (t, *J* = 5.9 Hz, 1H), 4.82 (d, *J* = 4.3 Hz, 1H), 3.49 (d, *J* = 6.0 Hz, 2H), 1.31 (s, 6H)	(ESI(+)) m/e 355 $(M+H)^+$
632		N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.63 (d, *J* = 9.3 Hz, 2H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.21 (t, *J* = 5.7 Hz, 1H), 7.79 (d, *J* = 8.8 Hz, 2H), 7.65 (d, *J* = 8.8 Hz, 2H), 7.44 (d, *J* = 5.0 Hz, 1H), 4.83 (d, *J* = 4.2 Hz, 4H), 4.72 (d, *J* = 4.7 Hz, 1H), 3.77 (dt, *J* = 11.9, 6.1 Hz, 1H), 3.24 – 3.09 (m, 2H), 3.05 (s, 1H), 1.06 (d, *J* = 6.2 Hz, 3H)	(ESI(+)) m/e 341 $(M+H)^+$

633		N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.63 (d, J = 8.5 Hz, 2H), 8.50 (d, J = 5.0 Hz, 1H), 8.20 (t, J = 5.7 Hz, 1H), 7.79 (d, J = 8.8 Hz, 1H), 7.65 (d, J = 8.8 Hz, 1H), 7.44 (d, J = 5.1 Hz, 1H), 4.83 (d, J = 4.3 Hz, 4H), 4.72 (d, J = 4.7 Hz, 1H), 3.87 – 3.68 (m, 1H), 3.17 (ddd, J = 15.1, 9.4, 3.6 Hz, 2H), 1.06 (d, J = 6.3 Hz, 3H)	(ESI(+)) m/e 341 $(M+H)^+$
634		N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.63 (d, J = 11.4 Hz, 2H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (t, J = 5.4 Hz, 1H), 7.76 (d, J = 8.8 Hz, 2H), 7.65 (d, J = 8.8 Hz, 2H), 7.44 (d, J = 5.0 Hz, 1H), 4.82 (d, J = 4.3 Hz, 4H), 2.37 – 2.22 (m, 6H), 1.72 – 1.59 (m, 10H), 1.54 – 1.43 (m, 20H), 1.38 (d, J = 4.8 Hz, 10H)	(ESI(+)) m/e 408 $(M+H)^+$
635		N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.64 (d, J = 11.8 Hz, 2H), 8.51 (d, J = 5.0 Hz, 1H), 7.68 (d, J = 8.6 Hz, 2H), 7.61 (s, 1H), 7.43 (t, J = 6.9 Hz, 3H), 4.83 (d, J = 4.3 Hz, 4H), 4.74 (s, 2H), 4.12 (t, J = 5.4 Hz, 2H), 3.84 (s, 2H)	(ESI(+)) m/e 389 $(M+H)^+$
686		N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6, Temp=90°C) δ 8.69 (s, 1H), 8.55 (d, J = 3.7, 2H), 7.72 (d, J = 5.6, 1H), 7.48 – 7.39 (m, 2H), 7.21 – 7.11 (m, 2H), 4.76 (d, J = 23.4, 4H), 3.40 (s, 8H)	(ESI(+)) m/e 353 $(M+H)^+$
687		N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6, Temp=90°C) δ 8.88 (s, 1H), 8.76 (d, J = 5.7, 2H), 8.29 (t, J = 5.7, 1H), 7.91 (d, J = 5.7, 1H), 7.78 (m, 2H), 7.65 (m, 2H), 4.98 (bs, 2H), 4.94 (bs, 2H), 3.35 (t, J = 7.0, 2H), 3.22 (m, 4H), 2.22 (t, J = 8.0, 2H), 1.92 (m, 2H), 1.70 (p, J = 7.0, 2H)	(ESI(+)) m/e 408 $(M+H)^+$
723		N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.89 (s, 1 H) 8.78 (d, J=6.10 Hz, 1 H) 8.02 (d, J=5.80 Hz, 1 H) 7.76 - 7.81 (m, 2 H) 7.62 - 7.66 (m, 2 H) 5.01 (d, J=30.82 Hz, 4 H) 3.54 - 3.63 (m, 1 H) 3.49 (t, J=6.10 Hz, 2 H) 3.38 (t, J=6.10 Hz, 2 H) 1.09 (d, J=6.10 Hz, 6 H)	(ESI(+)) m/e 369 $(M+H)^+$
724		N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.89 (s, 1 H) 8.79 (d, J=6.10 Hz, 1 H) 8.04 (d, J=5.80 Hz, 1 H) 7.60 (d, J=8.54 Hz, 2 H) 7.32 (d, J=7.63 Hz, 2 H) 4.95 - 5.07 (m, 4 H) 3.44 (s, 2 H) 2.89 - 2.96 (m, 3 H) 1.44 (s, 3 H) 0.83 (d, J=107.41 Hz, 6 H)	(ESI(+)) m/e 367 $(M+H)^+$
725		N-[4-(azetidin-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.84 (s, 1 H) 8.74 (d, J=5.80 Hz, 1 H) 7.94 (d, J=5.80 Hz, 1 H) 7.60 - 7.64 (m, 2 H) 7.56 - 7.59 (m, 2 H) 4.98 (d, J=24.72 Hz, 4 H) 4.34 (s, 2 H) 4.05 (d, J=6.71 Hz, 2 H) 2.22 - 2.33 (m, 2 H)	(ESI(+)) m/e 323 $(M+H)^+$
726		N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide		

727		N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide		
728		N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.90 (s, 1 H) 8.80 (d, *J*=5.80 Hz, 1 H) 8.05 (d, *J*=5.80 Hz, 1 H) 7.80 - 7.85 (m, 2 H) 7.61 - 7.68 (m, 2 H) 7.27 (d, *J*=8.54 Hz, 2 H) 7.05 (d, *J*=8.85 Hz, 2 H) 5.02 (d, *J*=33.26 Hz, 4 H) 4.40 (s, 2 H) 3.76 - 3.81 (m, 4 H) 3.16 - 3.19 (m, 4 H)	(ESI(+)) m/e 458 $(M+H)^+$
729		N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.90 (s, 1 H) 8.79 (d, *J*=5.80 Hz, 1 H) 8.04 (d, *J*=6.10 Hz, 1 H) 7.78 - 7.82 (m, 2 H) 7.62 - 7.67 (m, 2 H) 5.02 (d, *J*=31.73 Hz, 4 H) 3.14 (d, *J*=7.02 Hz, 2 H) 0.99 - 1.08 (m, 1 H) 0.40 - 0.48 (m, 2 H) 0.21 - 0.26 (m, 2 H)	(ESI(+)) m/e 337 $(M+H)^+$
730		N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.89 (s, 1 H) 8.79 (d, *J*=6.10 Hz, 1 H) 8.04 (d, *J*=5.80 Hz, 1 H) 7.57 - 7.64 (m, 2 H) 7.25 - 7.38 (m, 2 H) 5.01 (d, *J*=32.04 Hz, 4 H) 3.17 - 3.45 (m, 2 H) 2.93 (s, 3 H) 1.53 (d, *J*=7.32 Hz, 2 H) 0.64 - 0.97 (m, 3 H)	(ESI(+)) m/e 339 $(M+H)^+$
731		N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.90 (s, 1 H) 8.79 (d, *J*=5.80 Hz, 1 H) 8.04 (d, *J*=5.80 Hz, 1 H) 7.77 - 7.81 (m, 2 H) 7.60 - 7.65 (m, 2 H) 5.02 (d, *J*=31.73 Hz, 4 H) 3.08 (d, *J*=7.02 Hz, 2 H) 1.79 - 1.89 (m, 1 H) 0.89 (d, *J*=6.71 Hz, 6 H)	(ESI(+)) m/e 339 $(M+H)^+$
732		N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.84 (s, 1 H) 8.74 (d, *J*=5.80 Hz, 1 H) 7.94 (d, *J*=5.80 Hz, 1 H) 7.76 - 7.79 (m, 2 H) 7.61 - 7.65 (m, 2 H) 4.98 (d, *J*=24.41 Hz, 4 H) 3.25 (t, *J*=7.02 Hz, 2 H) 1.46 - 1.55 (m, 2 H) 1.28 - 1.38 (m, 2 H) 0.90 (t, *J*=7.32 Hz, 3 H)	(ESI(+)) m/e 339 $(M+H)^+$
733		N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.88 (s, 1 H) 8.78 (d, *J*=5.80 Hz, 1 H) 8.02 (d, *J*=5.80 Hz, 1 H) 7.77 - 7.81 (m, 2 H) 7.60 - 7.65 (m, 2 H) 5.01 (d, *J*=29.90 Hz, 4 H) 3.40 - 3.50 (m, 4 H) 3.27 (s, 3 H)	(ESI(+)) m/e 341 $(M+H)^+$
734		N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.89 (s, 1 H) 8.79 (d, *J*=5.80 Hz, 1 H) 8.03 (d, *J*=6.10 Hz, 1 H) 7.77 - 7.81 (m, 2 H) 7.60 - 7.65 (m, 2 H) 5.01 (d, *J*=31.43 Hz, 4 H) 4.14 - 4.25 (m, 1 H) 1.82 - 1.99 (m, 2 H) 1.64 - 1.78 (m, 2 H) 1.47 - 1.58 (m, 4 H)	(ESI(+)) m/e 351 $(M+H)^+$
735		N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.90 (s, 1 H) 8.80 (d, *J*=6.10 Hz, 1 H) 8.05 (d, *J*=6.10 Hz, 1 H) 7.79 - 7.83 (m, 2 H) 7.61 - 7.67 (m, 2 H) 5.02 (d, *J*=32.65 Hz, 4 H) 4.39 - 4.50 (m, 1 H) 3.85 - 3.90 (m, 2 H) 3.70 - 3.76 (m, 1 H) 3.58 (dd, *J*=8.85, 4.27 Hz, 1 H) 2.11 - 2.23 (m, 1 H) 1.89 - 1.97 (m, 1 H)	(ESI(+)) m/e 353 $(M+H)^+$

736		N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.90 (s, 1 H) 8.79 (d, *J*=6.10 Hz, 1 H) 8.04 (d, *J*=5.80 Hz, 1 H) 7.60 (d, *J*=8.54 Hz, 2 H) 7.34 (d, *J*=8.54 Hz, 2 H) 5.01 (d, *J*=31.73 Hz, 4 H) 3.51 (d, *J*=66.52 Hz, 4 H) 3.15 - 3.34 (m, 3 H) 2.94 - 3.02 (m, 3 H)	(ESI(+)) m/e 355 $(M+H)^+$
737		N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.89 (s, 1 H) 8.79 (d, *J*=5.49 Hz, 1 H) 8.03 (d, *J*=6.10 Hz, 1 H) 7.77 - 7.81 (m, 2 H) 7.61 - 7.65 (m, 2 H) 5.02 (d, *J*=31.12 Hz, 4 H) 4.15 - 4.23 (m, 1 H) 3.42 (dd, *J*=9.61, 6.56 Hz, 1 H) 3.30 (dd, *J*=9.61, 5.95 Hz, 1 H) 3.27 (s, 3 H) 1.14 (d, *J*=6.71 Hz, 3 H)	(ESI(+)) m/e 355 $(M+H)^+$
738		N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.88 (s, 1 H) 8.78 (d, *J*=5.80 Hz, 1 H) 8.01 (d, *J*=5.80 Hz, 1 H) 7.74 - 7.80 (m, 2 H) 7.60 - 7.66 (m, 2 H) 5.01 (d, *J*=29.29 Hz, 4 H) 3.18 (d, *J*=7.32 Hz, 2 H) 2.08 - 2.21 (m, 1 H) 1.45 - 1.72 (m, 6 H) 1.21 - 1.29 (m, 2 H)	(ESI(+)) m/e 365 $(M+H)^+$
739		N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.86 (s, 1 H) 8.76 (d, *J*=5.80 Hz, 1 H) 7.98 (d, *J*=5.80 Hz, 1 H) 7.79 - 7.85 (m, 2 H) 7.63 - 7.68 (m, 2 H) 7.37 (dd, *J*=5.19, 1.22 Hz, 1 H) 7.03 (dd, *J*=3.36, 1.22 Hz, 1 H) 6.97 (dd, *J*=5.19, 3.36 Hz, 1 H) 5.00 (d, *J*=27.16 Hz, 4 H) 4.62 (s, 2 H)	(ESI(+)) m/e 379 $(M+H)^+$
740		N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.89 (s, 1 H) 8.78 (d, *J*=5.80 Hz, 1 H) 8.02 (d, *J*=5.80 Hz, 1 H) 7.60 (d, *J*=8.54 Hz, 2 H) 7.34 (d, *J*=4.58 Hz, 2 H) 5.01 (d, *J*=30.21 Hz, 4 H) 3.93 - 4.23 (m, 2 H) 3.17 - 3.72 (m, 3 H) 3.00 (s, 3 H) 1.18 - 2.07 (m, 4 H)	(ESI(+)) m/e 381 $(M+H)^+$
741		N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.89 (s, 1 H) 8.79 (d, *J*=6.10 Hz, 1 H) 8.03 (d, *J*=5.80 Hz, 1 H) 7.75 - 7.79 (m, 2 H) 7.61 - 7.67 (m, 2 H) 5.01 (d, *J*=31.43 Hz, 4 H) 3.50 - 3.57 (m, 1 H) 3.42 (t, *J*=6.26 Hz, 2 H) 3.31 (t, *J*=7.02 Hz, 2 H) 1.69 - 1.78 (m, 2 H) 1.09 (d, *J*=6.10 Hz, 6 H)	(ESI(+)) m/e 383 $(M+H)^+$
742		N-{4-[benzyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.89 (s, 1 H) 8.78 (d, *J*=5.80 Hz, 1 H) 8.03 (d, *J*=5.80 Hz, 1 H) 7.61 (s, 2 H) 7.12 - 7.47 (m, 7 H) 5.00 (d, *J*=31.12 Hz, 4 H) 4.49 - 4.74 (m, 2 H) 2.89 (s, 3 H)	(ESI(+)) m/e 387 $(M+H)^+$
743		N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.84 (s, 1 H) 8.73 (d, *J*=5.80 Hz, 1 H) 7.92 (d, *J*=5.80 Hz, 1 H) 7.83 - 7.86 (m, 2 H) 7.64 - 7.68 (m, 2 H) 7.43 (t, *J*=7.78 Hz, 1 H) 7.30 (d, *J*=7.93 Hz, 1 H) 7.21 (s, 1 H) 7.13 - 7.16 (m, 1 H) 4.98 (d, *J*=23.19 Hz, 4 H) 4.49 (s, 2 H)	(ESI(+)) m/e 386 $(M+H)^+$

744		N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.88 (s, 1 H) 8.77 (d, *J*=5.80 Hz, 1 H) 8.48 (d, *J*=2.44 Hz, 1 H) 7.98 - 8.07 (m, 2 H) 7.89 - 7.95 (m, 2 H) 7.69 - 7.74 (m, 2 H) 6.87 (d, *J*=8.85 Hz, 1 H) 5.02 (d, *J*=29.29 Hz, 4 H) 3.83 - 3.88 (m, 3 H)	(ESI(+)) m/e 390 $(M+H)^+$
745		N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.87 (s, 1 H) 8.76 (d, *J*=5.80 Hz, 1 H) 7.99 (d, *J*=5.80 Hz, 1 H) 7.74 - 7.80 (m, 2 H) 7.61 - 7.66 (m, 2 H) 5.00 (d, *J*=28.07 Hz, 4 H) 3.43 (t, *J*=6.26 Hz, 2 H) 3.31 (t, *J*=7.02 Hz, 2 H) 3.15 (d, *J*=6.71 Hz, 2 H) 1.71 - 1.81 (m, 3 H) 0.86 (d, *J*=6.71 Hz, 6 H)	(ESI(+)) m/e 397 $(M+H)^+$
746		N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.88 (s, 1 H) 8.78 (d, *J*=5.80 Hz, 1 H) 8.02 (d, *J*=6.10 Hz, 1 H) 7.57 - 7.61 (m, 2 H) 7.29 - 7.33 (m, 2 H) 5.00 (d, *J*=30.82 Hz, 4 H) 3.34 - 3.58 (m, 8 H) 3.12 - 3.32 (m, 6 H)	(ESI(+)) m/e 399 $(M+H)^+$
747		N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.84 (s, 1 H) 8.74 (d, *J*=5.80 Hz, 1 H) 7.93 (d, *J*=5.80 Hz, 1 H) 7.79 - 7.83 (m, 2 H) 7.62 - 7.66 (m, 2 H) 7.23 - 7.30 (m, 2 H) 6.86 - 6.93 (m, 2 H) 4.98 (d, *J*=24.11 Hz, 4 H) 4.40 (s, 2 H) 3.73 (s, 3 H)	(ESI(+)) m/e 403 $(M+H)^+$
748		N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.87 (s, 1 H) 8.77 (d, *J*=5.80 Hz, 1 H) 8.00 (d, *J*=6.10 Hz, 1 H) 7.81 - 7.86 (m, 2 H) 7.63 - 7.68 (m, 2 H) 7.26 (t, *J*=7.93 Hz, 1 H) 6.80 - 6.92 (m, 3 H) 5.01 (d, *J*=28.99 Hz, 4 H) 4.44 (s, 2 H) 3.74 (s, 3 H)	(ESI(+)) m/e 403 $(M+H)^+$
749		N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.88 (s, 1 H) 8.78 (d, *J*=6.10 Hz, 1 H) 8.02 (d, *J*=6.10 Hz, 1 H) 7.59 - 7.65 (m, 2 H) 7.32 - 7.38 (m, 2 H) 5.01 (d, *J*=30.51 Hz, 4 H) 4.55 (d, *J*=47.91 Hz, 2 H) 2.75 - 3.24 (m, 2 H) 2.59 - 2.68 (m, 1 H) 1.87 (s, 2 H) 1.34 - 1.49 (m, 2 H)	(ESI(+)) m/e 419 $(M+H)^+$
750		N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.90 (s, 1 H) 8.79 (d, *J*=5.80 Hz, 1 H) 8.32 (d, *J*=1.22 Hz, 1 H) 8.13 (dd, *J*=2.59, 1.37 Hz, 1 H) 8.05 (d, *J*=5.80 Hz, 1 H) 7.88 (d, *J*=2.75 Hz, 1 H) 7.61 - 7.68 (m, 2 H) 7.38 - 7.45 (m, 2 H) 5.02 (d, *J*=32.34 Hz, 4 H) 3.44 - 3.76 (m, 8 H)	(ESI(+)) m/e 430 $(M+H)^+$
751		N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.88 (s, 1 H) 8.78 (d, *J*=6.10 Hz, 1 H) 8.01 (d, *J*=6.10 Hz, 1 H) 7.57 - 7.69 (m, 2 H) 7.36 - 7.49 (m, 2 H) 5.01 (d, *J*=29.29 Hz, 4 H) 3.96 (s, 1 H) 3.23 - 3.67 (m, 4 H) 2.98 - 3.27 (m, 4 H) 1.04 - 2.15 (m, 10 H)	(ESI(+)) m/e 434 $(M+H)^+$
752		N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-	^{1}H NMR (500 MHz, DMSO-D_2O) δ ppm 8.88 (s, 1 H) 8.77 (d, *J*=5.80 Hz, 1 H) 8.01 (d, *J*=6.10 Hz, 1 H) 7.73 - 7.80 (m, 2 H) 7.58 - 7.68 (m, 2 H) 6.84 - 6.89 (m, 2 H) 6.77 (dd, *J*=8.09, 1.98 Hz, 1 H) 5.01 (d, *J*=29.90 Hz, 4 H) 3.96 (s, 1 H) 3.70 - 3.73 (m, 6 H) 3.46 (t,	(ESI(+)) m/e 447 $(M+H)^+$

		2-carboxamide	*J*=7.32 Hz, 2 H) 2.78 (t, *J*=7.32 Hz, 2 H)	
770		N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.70 - 7.78 (m, 2 H) 7.57 - 7.65 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 4.80 - 4.87 (m, 4 H) 3.30 - 3.34 (m, 2 H) 2.28 - 2.40 (m, 2 H) 2.17 - 2.21 (m, 6 H) 1.61 - 1.75 (m, 2 H)	(ESI(+)) m/e 368 $(M+H)^+$
771		N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.69 - 7.79 (m, 2 H) 7.57 - 7.64 (m, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 4.80 - 4.87 (m, 4 H) 3.54 - 3.62 (m, 4 H) 3.31 - 3.34 (m, 2 H) 2.34 - 2.42 (m, 6 H) 1.65 - 1.76 (m, 2 H)	(ESI(+)) m/e 410 $(M+H)^+$
772		N-(4-{[4-(2-aminoethyl)-1H-imidazol-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.71 - 7.76 (m, 2 H) 7.57 - 7.66 (m, 2 H) 7.52 (s, 1 H) 7.41 (d, *J*=5.19 Hz, 1 H) 6.82 (s, 1 H) 4.78 - 4.86 (m, 4 H) 3.51 (t, *J*=7.32 Hz, 2 H) 2.80 (t, *J*=7.02 Hz, 2 H)	(ESI(+)) m/e 377 $(M+H)^+$
773		N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.56 - 7.62 (m, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.27 - 7.33 (m, 2 H) 4.79 - 4.87 (m, 4 H) 3.40 - 3.60 (m, 10 H) 2.53 - 2.57 (m, 2 H) 2.43 - 2.50 (m, 4 H)	(ESI(+)) m/e 440 $(M+H)^+$
774		N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.71 - 7.78 (m, 2 H) 7.58 - 7.63 (m, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 4.78 - 4.89 (m, 4 H) 3.51 (t, *J*=6.26 Hz, 2 H) 3.34 (t, *J*=6.87 Hz, 2 H) 1.65 - 1.79 (m, 2 H)	(ESI(+)) m/e 341 $(M+H)^+$
775		N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.71 - 7.77 (m, 2 H) 7.58 - 7.64 (m, 2 H) 7.42 (d, *J*=4.88 Hz, 1 H) 4.79 - 4.88 (m, 4 H) 3.27 (t, *J*=6.87 Hz, 2 H) 2.26 - 2.33 (m, 2 H) 2.16 (s, 6 H) 1.41 - 1.61 (m, 4 H)	(ESI(+)) m/e 382 $(M+H)^+$
776		N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.59 (s, 1 H) 8.46 - 8.50 (m, 3 H) 7.79 - 7.84 (m, 2 H) 7.62 - 7.67 (m, 2 H) 7.42 (d, *J*=4.88 Hz, 1 H) 7.31 (d, *J*=6.10 Hz, 2 H) 4.84 (d, *J*=7.02 Hz, 4 H) 4.49 (s, 2 H)	(ESI(+)) m/e 374 $(M+H)^+$
777		N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.54 (d, *J*=1.83 Hz, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 8.43 (dd, *J*=4.88, 1.53 Hz, 1 H) 7.77 - 7.82 (m, 2 H) 7.71 - 7.75 (m, 1 H) 7.60 - 7.66 (m, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.34 (dd, *J*=7.93, 5.49 Hz, 1 H) 4.79 - 4.88 (m, 4 H) 4.44 - 4.53 (m, 2 H)	(ESI(+)) m/e 374 $(M+H)^+$

778		N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 9.07 (d, *J*=1.22 Hz, 1 H) 8.70 (d, *J*=5.19 Hz, 1 H) 8.59 (s, 1 H) 8.49 (d, *J*=4.88 Hz, 1 H) 7.79 - 7.86 (m, 2 H) 7.63 - 7.68 (m, 2 H) 7.39 - 7.45 (m, 2 H) 4.81 - 4.87 (m, 4 H) 4.56 (s, 2 H)	(ESI(+)) m/e 375 $(M+H)^+$
779		N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 8.45 (d, *J*=2.14 Hz, 1 H) 8.39 (dd, *J*=4.73, 1.68 Hz, 1 H) 7.69 - 7.73 (m, 2 H) 7.64 - 7.68 (m, 1 H) 7.58 - 7.62 (m, 2 H) 7.42 (d, *J*=4.88 Hz, 1 H) 7.30 (dd, *J*=7.93, 4.88 Hz, 1 H) 4.81 - 4.85 (m, 4 H) 3.52 - 3.57 (m, 2 H) 2.87 - 2.92 (m, 2 H)	(ESI(+)) m/e 388 $(M+H)^+$
780		N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.71 - 7.75 (m, 2 H) 7.58 - 7.63 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 4.81 - 4.86 (m, 4 H) 3.38 (t, *J*=6.87 Hz, 2 H) 2.44 - 2.50 (m, 6 H) 2.33 - 2.37 (m, 4 H) 2.16 (s, 3 H)	(ESI(+)) m/e 409 $(M+H)^+$
803		N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.66 (s, 1H), 8.61 (s, 1H), 8.51 (d, *J* = 5.0 Hz, 1H), 8.44 (t, *J* = 6.1 Hz, 1H), 7.84 – 7.76 (m, 2H), 7.71 – 7.63 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.87 – 4.80 (m, 4H), 4.48 (d, *J* = 5.7 Hz, 2H), 4.20 (d, *J* = 5.7 Hz, 2H), 3.49 – 3.39 (m, 2H), 1.25 (s, 3H)	(ESI(+)) m/e 367 $(M+H)^+$
875		N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.72 – 8.56 (m, 2H), 8.55 – 8.37 (m, 2H), 7.78 (d, *J* = 8.8 Hz, 2H), 7.67 (d, *J* = 8.8 Hz, 2H), 7.43 (t, *J* = 5.6 Hz, 1H), 4.83 (d, *J* = 4.3 Hz, 4H), 3.50 – 3.29 (m, 1H), 3.27 – 2.99 (m, 3H), 2.88 (dt, *J* = 13.1, 7.2 Hz, 1H), 2.78 – 2.58 (m, 1H), 2.33 – 2.11 (m, 1H), 1.97 – 1.72 (m, 1H)	(ESI(+)) m/e 415 $(M+H)^+$
880		N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 9.08 (s, 2H), 8.93 (d, *J* = 15.5 Hz, 2H), 8.82 (d, *J* = 5.8 Hz, 1H), 8.54 (t, *J* = 5.8 Hz, 1H), 8.02 (d, *J* = 5.8 Hz, 1H), 7.81 (d, *J* = 8.6 Hz, 2H), 7.68 (d, *J* = 8.6 Hz, 2H), 5.06 – 4.95 (m, 4H), 3.73 – 3.63 (m, 1H), 3.47 – 3.05 (m, 4H), 3.02 – 2.80 (m, 1H), 2.07 – 1.92 (m, 1H), 1.67 (dq, *J* = 12.8, 8.1 Hz, 1H)	(ESI(+)) m/e 366 $(M+H)^+$
881		N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 9.09 (s, 1H), 8.93 (d, *J* = 15.5 Hz, 1H), 8.82 (d, *J* = 5.8 Hz, 1H), 8.54 (t, *J* = 5.8 Hz, 1H), 8.03 (d, *J* = 5.8 Hz, 1H), 7.81 (d, *J* = 8.8 Hz, 2H), 7.67 (d, *J* = 8.9 Hz, 2H), 5.00 (d, *J* = 19.2 Hz, 4H), 3.69 (dq, *J* = 5.9, 4.4 Hz, 1H), 3.52 – 3.44 (m, 1H), 3.35 – 3.07 (m, 4H), 2.90 (td, *J* = 13.7, 6.2 Hz, 1H), 2.27 (s, 1H), 2.00 (td, *J* = 12.8, 7.4 Hz, 1H), 1.66 (dq, *J* = 16.3, 8.2 Hz, 1H)	(ESI(+)) m/e 366 $(M+H)^+$

882		N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 9.59 (s, 1H), 8.35 (s, 1H), 7.56 – 7.49 (m, 2H), 7.41 – 7.23 (m, 5H), 7.13 (s, 1H), 7.10 (s, 1H), 6.92 (dd, *J* = 8.3, 2.6 Hz, 1H), 6.89 – 6.79 (m, 2H), 4.76 (s, 4H), 4.36 (s, 2H), 3.73 (s, 3H)	(ESI(+)) m/e 380 $(M+H)^+$
884		N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.66 – 8.59 (m, 2H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.26 (t, *J* = 5.8 Hz, 1H), 7.81 – 7.73 (m, 2H), 7.68 – 7.61 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.86 – 4.75 (m, 4H), 3.12 (t, *J* = 6.2 Hz, 2H), 2.77 – 2.69 (m, 2H), 2.12 (s, 3H), 1.78 (td, *J* = 11.5, 2.4 Hz, 2H), 1.63 (dd, *J* = 12.5, 2.9 Hz, 2H), 1.54 – 1.40 (m, 1H), 1.25 – 1.08 (m, 2H)	(ESI(+)) m/e 394 $(M+H)^+$
922		N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.66 (s, 1H), 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.41 (t, *J* = 5.3 Hz, 1H), 7.82 – 7.74 (m, 2H), 7.70 – 7.62 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.84 – 4.74 (m, 4H), 3.58 (dd, *J* = 17.0, 9.7 Hz, 1H), 3.44 (dt, *J* = 22.7, 9.2 Hz, 1H), 3.28 – 2.93 (m, 2H), 2.64 (pd, *J* = 6.7, 3.2 Hz, 1H), 2.08 – 1.83 (m, 1H), 1.78 – 1.45 (m, 1H), 1.29 – 1.24 (m, 3H), 1.08 – 0.91 (m, 6H)	(ESI(+)) m/e 436 $(M+H)^+$
923		N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.68 – 8.59 (m, 2H), 8.49 (t, *J* = 5.1 Hz, 1H), 8.47 – 8.41 (m, 1H), 8.40 – 8.28 (m, 1H), 7.85 – 7.76 (m, 1H), 7.76 – 7.58 (m, 3H), 7.54 – 7.46 (m, 2H), 7.42 (t, *J* = 7.6 Hz, 3H), 4.80 (d, *J* = 15.4 Hz, 4H), 3.68 – 3.55 (m, 1H), 3.53 – 3.36 (m, 1H), 3.20 (ddd, *J* = 9.8, 7.1, 5.7 Hz, 1H), 2.06 – 1.87 (m, 2H), 1.76 – 1.58 (m, 2H), 1.31 – 1.18 (m, 2H)	(ESI(+)) m/e 470 $(M+H)^+$
924		N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.63 (d, *J* = 12.1 Hz, 2H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.41 (s, 1H), 7.78 (d, *J* = 8.8 Hz, 2H), 7.66 (d, *J* = 8.1 Hz, 2H), 7.44 (d, *J* = 5.0 Hz, 1H), 4.83 (d, *J* = 4.3 Hz, 4H), 3.88 (t, *J* = 8.1 Hz, 1H), 3.77 – 3.59 (m, 4H), 3.52 – 3.40 (m, 1H), 3.27 – 3.06 (m, 2H), 2.40 (dd, *J* = 13.9, 6.8 Hz, 1H), 2.07 – 1.90 (m, 3H), 1.78 – 1.55 (m, 1H), 1.23 (dd, *J* = 9.7, 6.6 Hz, 1H)	(ESI(+)) m/e 464 $(M+H)^+$
925		N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.66 (s, 1H), 8.62 (s, 1H), 8.51 (d, *J* = 5.0 Hz, 1H), 8.42 (t, *J* = 5.7 Hz, 1H), 7.82 – 7.74 (m, 2H), 7.70 – 7.63 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.86 – 4.79 (m, 4H), 3.25 – 3.11 (m, 2H), 3.02 (dd, *J* = 10.0, 6.7 Hz, 1H), 2.90 (s, 3H), 2.06 – 1.89 (m, 2H), 1.75 – 1.59 (m, 2H), 1.28 – 1.20 (m, 2H)	(ESI(+)) m/e 444 $(M+H)^+$
939		N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 9.35 (s, 1H), 8.77 (s, 1H), 8.72 (s, 1H), 8.60 (d, *J* = 5.3 Hz, 2H), 7.84 (d, *J* = 8.8 Hz, 2H), 7.71 (d, *J* = 8.8 Hz, 2H), 7.61 (d, *J* = 5.2 Hz, 1H), 4.88 (s, 4H), 4.03 (d, *J* = 11.7 Hz, 3H), 3.79 – 3.57 (m, 5H), 3.51 (d, *J* = 11.5 Hz, 2H), 3.38 (d, *J* = 9.6 Hz, 2H), 1.95 (d, *J* = 6.9 Hz, 4H), 1.74 (s, 4H)	(ESI(+)) m/e 451 $(M+H)^+$

969		N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.66 (s, 1H), 8.62 (s, 1H), 8.50 (d, *J* = 9.6 Hz, 2H), 7.87 – 7.80 (m, 2H), 7.71 – 7.64 (m, 2H), 7.47 – 7.38 (m, 3H), 7.14 (t, *J* = 8.7 Hz, 2H), 5.12 – 5.00 (m, 1H), 4.91 (t, *J* = 5.8 Hz, 1H), 4.83 (d, *J* = 4.4 Hz, 4H), 3.76 – 3.57 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
970		N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.63 (d, *J* = 10.4 Hz, 2H), 8.49 (t, *J* = 7.8 Hz, 1H), 8.41 (d, *J* = 8.2 Hz, 1H), 7.83 (d, *J* = 8.8 Hz, 2H), 7.67 (d, *J* = 8.8 Hz, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 7.36 – 7.25 (m, 2H), 6.92 – 6.82 (m, 2H), 5.01 (dd, *J* = 13.7, 7.9 Hz, 1H), 4.84 (t, *J* = 5.7 Hz, 4H), 3.72 (s, 3H), 3.70 – 3.57 (m, 3H)	(ESI(+)) m/e 433 $(M+H)^+$
971		N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.67 (s, 1H), 8.62 (s, 1H), 8.51 (d, *J* = 5.1 Hz, 1H), 8.49 – 8.41 (m, 1H), 7.83 – 7.76 (m, 2H), 7.71 – 7.64 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.93 – 4.86 (m, 1H), 4.84 (t, *J* = 7.0 Hz, 2H), 4.40 (d, *J* = 5.9 Hz, 2H), 4.29 (d, *J* = 5.8 Hz, 2H), 3.58 (d, *J* = 5.6 Hz, 2H), 3.51 (d, *J* = 6.0 Hz, 2H)	(ESI(+)) m/e 383 $(M+H)^+$
972		N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.70 – 8.57 (m, 2H), 8.54 – 8.46 (m, 1H), 8.43 – 8.27 (m, 1H), 7.87 – 7.77 (m, 2H), 7.67 (d, *J* = 8.8 Hz, 2H), 7.49 – 7.38 (m, 1H), 6.99 (s, 1H), 6.84 (d, *J* = 0.8 Hz, 2H), 5.96 (dd, *J* = 2.5, 0.8 Hz, 2H), 5.04 – 4.94 (m, 1H), 4.89 – 4.75 (m, 4H), 3.73 – 3.53 (m, 2H)	(ESI(+)) m/e 447 $(M+H)^+$
1055		N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.44 (d, *J* = 20.6 Hz, 1H), 7.88 (t, *J* = 10.7 Hz, 3H), 7.69 – 7.57 (m, 3H), 4.22 (d, *J* = 12.3 Hz, 1H), 3.93 (dt, *J* = 11.3, 8.0 Hz, 2H), 3.83 – 3.64 (m, 3H), 3.59 – 3.46 (m, 3H), 3.45 – 3.31 (m, 1H), 2.71 – 2.46 (m, 1H), 2.12 – 1.80 (m, 8H)	(ESI(+)) m/e 392 $(M+H)^+$
1056		N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.55 (dd, *J* = 10.2, 5.1 Hz, 2H), 7.99 – 7.83 (m, 2H), 7.70 – 7.61 (m, 2H), 7 .10 (d, *J* = 4.9 Hz, 1H), 4.99 – 4.79 (m, 4H), 3.74 – 3.59 (m, 4H), 3.28 – 3.10 (m, 4H), 2.13 – 1.91 (m, 1H), 1.91 – 1.72 (m, 2H), 1.71 – 1.60 (m, 1H), 1.64 – 1.45 (m, 2H)	(ESI(+)) m/e 406 $(M+H)^+$
1057		N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.58 – 8.47 (m, 2H), 7.85 (t, *J* = 24.8 Hz, 2H), 7.67 – 7.57 (m, 2H), 7.10 (d, *J* = 4.9 Hz, 1H), 4.91 – 4.74 (m, 4H), 4.30 (d, *J* = 12.6 Hz, 1H), 3.98 – 3.72 (m, 2H), 3.68 – 3.58 (m, 1H), 3.27 – 3.05 (m, 2H), 2.61 – 2.45 (m, 1H), 2.16 – 1.92 (m, 1H), 1.92 – 1.77 (m, 2H), 1.72 – 1.19 (m, 4H)	(ESI(+)) m/e 406 $(M+H)^+$
1058		N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.60 – 8.49 (m, 2H), 8.09 – 7.83 (m, 2H), 7.53 – 7.42 (m, 3H), 5.06 – 4.76 (m, 4H), 3.78 – 3.57 (m, 3H), 3.48 – 3.23 (m, 4H), 2.08 – 1.91 (m, 1H), 1.91 – 1.76 (m, 1H), 1.76 – 1.65 (m, 1H), 1.61 (dt, *J* = 23.9, 13.1 Hz, 1H), 1.56 – 1.34 (m, 2H)	(ESI(+)) m/e 406 $(M+H)^+$

1059		N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.62 – 8.46 (m, 2H), 7.85 (dd, J = 43.4, 8.8 Hz, 2H), 7.52 – 7.43 (m, 2H), 7 .10 (d, J = 4.9 Hz, 1H), 3.90 – 3.70 (m, 1H), 3.60 – 3.43 (m, 3H), 3.41 – 3.25 (m, 1H), 3.24 – 3.03 (m, 4H), 1.89 – 1.56 (m, 4H), 1.54 – 1.31 (m, 4H)	(ESI(+)) m/e 420 $(M+H)^+$
1060		N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.56 (dd, J = 9.9, 4.6 Hz, 2H), 8.12 – 7.80 (m, 2H), 7.52 – 7.43 (m, 3H), 4.90 – 4.83 (m, 6H), 3.67 – 3.55 (m, 2H), 3.49 – 3.37 (m, 2H), 3.41 – 3.23 (m, 4H), 1.99 – 1.61 (m, 4H), 1.47 (d, J = 10.4 Hz, 4H)	(ESI(+)) m/e 420 $(M+H)^+$
1061		N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.60 – 8.44 (m, 2H), 7.86 (t, J = 25.2 Hz, 2H), 7.54 (t, J = 6.9 Hz, 2 H), 7.10 (d, J = 4.9 Hz, 1H), 4.14 (d, J = 13.5 Hz, 1H), 4.02 (d, J = 13.5 Hz, 1H), 3.59 (dd, J = 11.5, 6.5 Hz, 1H), 3.48 – 3.33 (m, 1H), 3.36 – 3.13 (m, 2H), 2.23 (ddd, J = 13.3, 8.9, 4.3 Hz, 1H), 1.96 – 1.82 (m, 2H), 1.83 – 1.65 (m, 4H), 1.69 – 1.44 (m, 4H)	(ESI(+)) m/e 420 $(M+H)^+$
1062		N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.50 (dd, J = 43.2, 14.6 Hz, 2H), 7.98 – 7.82 (m, 2H), 7.52 – 7.41 (m, 2H), 7.10 (d, J = 4.9 Hz, 1H), 3.95 – 3.75 (m, 1H), 3.67 (d, J = 9.3 Hz, 2H), 3.51 – 3.37 (m, 6H), 2.52 – 2.33 (m, 1H), 2.25 – 2.11 (m, 2H), 2.12 – 1.99 (m, 1H), 2.03 – 1.83 (m, 6H), 1.66 (d, J = 41.1 Hz, 1H)	(ESI(+)) m/e 420 $(M+H)^+$
1063		N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.61 – 8.44 (m, 2H), 8.18 – 8.03 (m, 2H), 7.98 – 7.81 (m, 2H), 7.10 (d, J = 4.9 Hz, 1H) 4.89 – 4.79 (m, 6H), 4.28 (dt, J = 12.4, 6.2 Hz, 1H), 3.80 – 3.64 (m, 2H), 3.51 (s, 1H), 3.45 – 3.25 (m, 4H), 2.12 – 1.89 (m, 2H), 1.87 – 1.48 (m, 4H)	(ESI(+)) m/e 436 $(M+H)^+$
1064		N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.44 (d, J = 20.6 Hz, 1H), 7.88 (t, J = 10.7 Hz, 3H), 7.69 – 7.57 (m, 3H), 4.22 (d, J = 12.3 Hz, 1H), 3.93 (dt, J = 11.3, 8.0 Hz, 2H), 3.83 – 3.64 (m, 3H), 3.59 – 3.46 (m, 3H), 3.45 – 3.31 (m, 1H), 2.71 – 2.46 (m, 1H), 2.12 – 1.80 (m, 8H)	(ESI(+)) m/e 422 $(M+H)^+$
1065		N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.56 – 8.44 (m, 2H), 8.26 – 8.00 (m, 3H), 7.87 (dd, J = 40.3, 8.7 Hz, 2H), 3.99 – 3.70 (m, 2H), 3.66 – 3.56 (m, 2H), 3.51 (s, 1H), 3.35 – 3.16 (m, 4H), 3.10 (d, J = 11.5 Hz, 1H), 2.09 – 1.82 (m, 2H), 1.83 – 1.68 (m, 1H), 1.61 – 1.36 (m, 4H), 1.33 – 1.05 (m, 1H)	(ESI(+)) m/e 450 $(M+H)^+$
1066		N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.62 – 8.46 (m, 2H), 7.86 (dd, J = 52.3, 8.6 Hz, 3H), 7.56 (d, J = 15.9 Hz, 2H), 4.94 – 4.73 (m, 5H), 3.81 – 3.52 (m, 6H), 3.37 (d, J = 12.4 Hz, 1H), 3.17 – 2.87 (m, 2H), 2.13 – 1.83 (m, 2H), 1.63 – 1.24 (m, 2H)	(ESI(+)) m/e 422 $(M+H)^+$
1067		N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.59 – 8.45 (m, 2H), 7.96 – 7.80 (m, 2H), 7.59 – 7.52 (m, 2H), 7.10 (d, J = 4.9 Hz, 1H), 4.87 (d, J = 6.5 Hz, 6H),	(ESI(+)) m/e 406 $(M+H)^+$

		1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	3.54 (dt, *J* = 13.2, 4.8 Hz, 4H), 3.41 (dd, *J* = 9.0, 4.4 Hz, 2H), 3.28 – 3.12 (m, 2H), 2.03 – 1.86 (m, 2H), 1.74 – 1.46 (m, 4H)	
1068		N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.50 (dd, *J* = 44.5, 13.2 Hz, 2H), 7.88 (d, *J* = 8.5 Hz, 2H), 7.50 (d, *J* = 8.6 Hz, 2H), 7 .10 (d, *J* = 4.9 Hz, 1H), 4.14 – 3.91 (m, 2H), 3.66 – 3.34 (m, 6H), 2.43 (s, 1H), 2.23 – 2.05 (m, 2H), 2.05 – 1.66 (m, 8H)	(ESI(+)) m/e 406 $(M+H)^+$
1069		N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.59 – 8.43 (m, 2H), 7.90 (d, *J* = 8.5 Hz, 2H), 7.48 (t, *J* = 13.3 Hz, 3H), 4.90 (dd, *J* = 29.4, 12.8 Hz, 4H), 4.01 (d, *J* = 47.2 Hz, 2H), 3.61 (t, *J* = 5.7 Hz, 2H), 3.51 (s, 2H), 3.37 (t, *J* = 7.4 Hz, 2H), 2.61 (t, *J* = 7.3 Hz, 2H), 2.10 (s, 2H)	(ESI(+)) m/e 392 $(M+H)^+$
1070		N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.56 (d, *J* = 6.6 Hz, 2H), 8.05 – 7.86 (m, 2H), 7.82 – 7.62 (m, 2H), 7.10 (d, *J* = 4.9 Hz, 1H), 4.98 – 4.75 (m, 4H), 4.27 (td, *J* = 8.9, 6.8 Hz, 1H), 3.96 (ddd, *J* = 25.0, 14.5, 9.4 Hz, 3H), 3.51 (d, *J* = 6.5 Hz, 1H), 3.44 (t, *J* = 9.6 Hz, 1H), 3.23 (tdd, *J* = 12.8, 11.1, 4.3 Hz, 2H), 2.58 – 2.45 (m, 1H), 2.39 – 2.19 (m, 1H), 1.97 (ddd, *J* = 11.3, 9.0, 5.2 Hz, 2H), 1.89 – 1.63 (m, 2H)	(ESI(+)) m/e 392 $(M+H)^+$
1071		N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.59 – 8.44 (m, 2H), 7.90 (d, *J* = 8.7 Hz, 2H), 7.84 – 7.67 (m, 2H), 7.10 (d, *J* = 4.9 Hz, 1H), 4.89 (dd, *J* = 31.4, 12.8 Hz, 4H), 4.38 (d, *J* = 9.7 Hz, 2H), 4.29 – 4.03 (m, 2H), 3.51 (s, 1H), 3.12 – 2.82 (m, 2H), 2.01 – 1.69 (m, 2H), 1.62 – 1.22 (m, 4H)	(ESI(+)) m/e 392 $(M+H)^+$
1072		N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.60 – 8.44 (m, 3H), 7.99 – 7.85 (m, 2H), 7.85 – 7.74 (m, 2H), 7.10 (d, *J* = 4.9 Hz, 1H), 4.98 – 4.74 (m, 4H), 4.41 – 4.24 (m, 3H), 4.19 (dd, *J* = 9.6, 1.2 Hz, 2H), 3.85 – 3.61 (m, 2H), 1.92 (t, *J* = 7.3 Hz, 2H), 1.80 – 1.54 (m, 2H)	(ESI(+)) m/e 379 $(M+H)^+$
1073		N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.58 – 8.43 (m, 2H), 7.91 (dd, *J* = 21.0, 8.7 Hz, 2H), 7.85 (t, *J* = 7.0 Hz, 2H), 7.11 (d, *J* = 4.9 Hz, 1H), 4.88 (t, *J* = 13.2 Hz, 4H), 4.04 – 3.91 (m, 2H), 3.91 – 3.76 (m, 2H), 3.62 – 3.54 (m, 2H), 3.54 – 3.36 (m, 3H), 1.77 – 1.52 (m, 2H), 1.52 – 1.27 (m, 2H)	(ESI(+)) m/e 393 $(M+H)^+$
1074		N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.57 – 8.46 (m, 2H), 7.98 – 7.76 (m, 2H), 7.69 – 7.57 (m, 2H), 7.10 (s, 1H), 4.86 (dd, *J* = 17.1, 10.2 Hz, 4H), 4.39 (t, *J* = 5.6 Hz, 1H), 3.98 – 3.81 (m, 2H), 3.74 – 3.54 (m, 4H), 3.56 – 3.41 (m, 1H), 2.78 – 2.51 (m, 1H), 2.07 – 1.72 (m, 1H), 1.73 – 1.36 (m, 1H)	(ESI(+)) m/e 379 $(M+H)^+$
1075		N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.59 – 8.46 (m, 2H), 7.90 (d, *J* = 8.6 Hz, 2H), 7.68 – 7.58 (m, 2H), 7.10 (d, *J* = 5.0 Hz, 1H), 4.87 (dd, *J* = 16.8, 9.9 Hz, 4H), 3.86 – 3.64 (m, 4H), 3.64 – 3.40 (m, 5H), 2.86 – 2.58 (m, 2H)	(ESI(+)) m/e 379 $(M+H)^+$

1076		N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5) δ ppm 8.62 – 8.45 (m, 2H), 8.01 – 7.80 (m, 2H), 7.57 – 7.52 (m, 2H), 7.10 (d, J = 5.1 Hz, 1H), 4.91 – 4.78 (m, 4H), 3.83 – 3.69 (m, 2H), 3.74 – 3.55 (m, 6H), 3.45 – 3.26 (m, 1H), 2.37 – 2.17 (m, 2H), 1.72 – 1.35 (m, 2H)	(ESI(+)) m/e 393 $(M+H)^+$
1120		N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (d, J = 4.9 Hz, 1H), 7.80 (d, J = 7.7 Hz, 1H), 7.78 – 7.70 (m, 2H), 7.70 – 7.54 (m, 2H), 7.42 – 7.09 (m, 2H), 6.01 (d, J = 0.8 Hz, 1H), 4.81 (d, J = 11.5 Hz, 4H), 4.08 (t, J = 7.0 Hz, 2H), 3.32 – 3.27 (m, 2H), 2.25 (s, 3H), 2.12 – 1.94 (m, 2H)	(ESI(+)) m/e 405 $(M+H)^+$
1121		N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.52 – 8.38 (m, 1H), 7.87 – 7.76 (m, 2H), 7.73 – 7.66 (m, 2H), 7.66 – 7.55 (m, 2H), 7.54 – 7.39 (m, 1H), 7.38 – 7.22 (m, 1H), 4.95 – 4.64 (m, 4H), 4.28 (dd, J = 8.0, 4.5 Hz, 2H), 3.79 – 3.50 (m, 2H)	(ESI(+)) m/e 411 $(M+H)^+$
1122		N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (t, J = 9.6 Hz, 1H), 7.91 – 7.78 (m, 1H), 7.79 – 7.68 (m, 2H), 7.68 – 7.57 (m, 2H), 7.38 – 7.31 (m, 1H), 4.82 (d, J = 8.8 Hz, 4H), 4.37 (h, J = 6.7 Hz, 1H), 4.24 – 3.93 (m, 2H), 2.89 – 2.68 (m, 1H), 2.63 – 2.42 (m, 2H), 2.13 (s, 3H), 1.96 (s, 1H), 1.27 – 1.02 (m, 3H)	(ESI(+)) m/e 419 $(M+H)^+$
1123		N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (d, J = 4.8 Hz, 1H), 7.81 (dd, J = 10.0, 8.1 Hz, 3H), 7.75 – 7.60 (m, 2H), 7.46 – 7.25 (m, 1H), 4.81 (d, J = 12.8 Hz, 4H), 3.92 (s, 4H), 3.40 (s, 3H), 2.85 (dd, J = 84.9, 29.4 Hz, 2H), 2.57 – 2.38 (m, 3H), 1.92 (d, J = 35.3 Hz, 1H), 1.87 – 1.66 (m, 2H), 1.02 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 438 $(M+H)^+$
1124		N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.55 – 8.39 (m, 1H), 7.98 – 7.71 (m, 3H), 7.67 – 7.52 (m, 2H), 7.36 – 7.29 (m, 1H), 7.29 – 7.17 (m, 2H), 6.98 – 6.73 (m, 2H), 4.90 – 4.60 (m, 4H), 4.38 (d, J = 17.5 Hz, 2H), 3.74 (d, J = 3.2 Hz, 3H)	(ESI(+)) m/e 403 $(M+H)^+$
1125		N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.57 – 8.35 (m, 1H), 7.89 – 7.72 (m, 3H), 7.72 – 7.54 (m, 2H), 7.33 (dd, J = 7.7, 5.0 Hz, 1H), 4.81 (d, J = 11.8 Hz, 4H), 3.86 (s, 4H), 3.47 – 3.34 (m, 2H), 3.24 – 3.04 (m, 2H), 2.12 – 1.78 (m, 2H)	(ESI(+)) m/e 410 $(M+H)^+$
1126		N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.46 (dd, J = 12.7, 2.9 Hz, 1H), 7.80 (d, J = 7.7 Hz, 1H), 7.73 – 7.55 (m, 2H), 7.49 – 7.35 (m, 2H), 7.35 – 7.25 (m, 1H), 4.81 (d, J = 11.4 Hz, 4H), 3.90 – 3.71 (m, 6H), 3.66 – 3.48 (m, 5H), 3.37 (d, J = 5.2 Hz, 5H), 2.88 (d, J = 53.2 Hz, 4H), 1.96 (s, 2H)	(ESI(+)) m/e 440 $(M+H)^+$

1127		N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.46 (d, J = 4.3 Hz, 1H), 7.84 – 7.73 (m, 3H), 7.73 – 7.59 (m, 2H), 7.48 (d, J = 7.4 Hz, 1H), 7.44 – 7.37 (m, 2H), 7.37 – 7.20 (m, 2H), 4.81 (d, J = 12.6 Hz, 4H), 4.63 (s, 2H)	(ESI(+)) m/e 416 $(M+H)^+$
1128		N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.65 – 8.37 (m, 1H), 7.78 (dd, J = 40.2, 6.3 Hz, 1H), 7.68 – 7.53 (m, 2H), 7.42 – 7.31 (m, 1H), 7.32 – 7.20 (m, 2H), 4.85 (t, J = 26.3 Hz, 4H), 3.67 – 3.41 (m, 9H), 3.28 (t, J = 8.4 Hz, 6H), 3.06 – 2.71 (m, 2H), 2.01 (d, J = 38.9 Hz, 1H)	(ESI(+)) m/e 399 $(M+H)^+$
1129		N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.59 – 8.22 (m, 1H), 7.89 – 7.75 (m, 3H), 7.70 – 7.54 (m, 2H), 7.37 (dd, J = 7.7, 5.0 Hz, 1H), 4.83 (d, J = 8.7 Hz, 4H), 4.41 (dd, J = 8.6, 5.5 Hz, 1H), 3.11 – 2.72 (m, 1H), 2.53 – 2.31 (m, 1H), 1.90 – 1.56 (m, 2H), 1.48 – 1.22 (m, 4H), 1.11 – 0.77 (m, 3H)	(ESI(+)) m/e 394 $(M+H)^+$
1130		N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.55 – 8.34 (m, 1H), 7.87 – 7.75 (m, 1H), 7.76 – 7.67 (m, 2H), 7.67 – 7.52 (m, 2H), 7.45 – 7.26 (m, 1H), 6.94 – 6.79 (m, 2H), 6.77 (dd, J = 8.1, 2.0 Hz, 1H), 4.90 – 4.61 (m, 4H), 3.73 (d, J = 2.9 Hz, 6H), 3.63 – 3.35 (m, 2H), 2.87 – 2.66 (m, 2H)	(ESI(+)) m/e 447 $(M+H)^+$
1131		N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.31 – 8.22 (m, 1H), 8.12 – 8.04 (m, 1H), 7.90 – 7.59 (m, 4H), 7.43 – 7.30 (m, 3H), 4.87 – 4.75 (m, 4H), 3.69 – 3.60 (m, 8H)	(ESI(+)) m/e 430 $(M+H)^+$
1132		Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.57 – 8.27 (m, 1H), 7.83 – 7.74 (m, 1H), 7.74 – 7.64 (m, 2H), 7.64 – 7.54 (m, 2H), 7.39 – 7.20 (m, 5H), 7.20 – 7.09 (m, 1H), 4.88 – 4.73 (m, 4H), 4.73 – 4.58 (m, 1H), 3.22 – 3.11 (m, 1H), 3.11 – 2.92 (m, 1H)	(ESI(+)) m/e 430 $(M+H)^+$
1133		N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.61 – 8.35 (m, 1H), 7.96 – 7.73 (m, 3H), 7.71 – 7.53 (m, 2H), 7.47 – 7.28 (m, 1H), 4.94 – 4.67 (m, 4H), 4.61 – 4.34 (m, 1H), 3.08 – 2.71 (m, 1H), 1.93 – 1.49 (m, 2H), 1.00 – 0.70 (m, 6H)	(ESI(+)) m/e 396 $(M+H)^+$
1134		N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.48 (d, J = 4.6 Hz, 1H), 7.91 – 7.76 (m, 1H), 7.75 – 7.57 (m, 2H), 7.50 – 7.27 (m, 3H), 4.86 (t, J = 26.6 Hz, 4H), 3.80 (s, 3H), 3.28 – 3.13 (m, 2H), 3.05 – 2.73 (m, 3H), 2.70 – 2.43 (m, 1H), 2.09 (d, J = 11.0 Hz, 2H), 1.84 (t, J = 13.9 Hz, 2H), 1.64 (d, J = 12.9 Hz, 1H), 1.48 – 1.22 (m, 4H), 1.22 – 1.04 (m, 1H)	(ESI(+)) m/e 434 $(M+H)^+$
1135		N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.48 (d, J = 4.4 Hz, 1H), 7.80 (t, J = 17.2 Hz, 1H), 7.76 – 7.65 (m, 2H), 7.68 – 7.52 (m, 2H), 7.36 (dd, J = 7.7,	(ESI(+)) m/e 394 $(M+H)^+$

		dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	5.0 Hz, 1H), 4.82 (d, *J* = 9.6 Hz, 4H), 3.48 – 3.33 (m, 3H), 1.73 (p, *J* = 6.5 Hz, 2H), 1.15 (s, 9H)	
1136		N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (d, *J* = 5.0 Hz, 1H), 7.89 – 7.72 (m, 3H), 7.70 – 7.53 (m, 2H), 7.48 – 7.18 (m, 1H), 4.87 (dd, *J* = 42.6, 12.8 Hz, 4H), 3.97 – 3.75 (m, 2H), 3.75 – 3.58 (m, 2H), 3.53 (d, *J* = 12.0 Hz, 2H), 3.00 – 2.80 (m, 1H), 2.73 (t, *J* = 11.7 Hz, 2H), 2.51 (dt, *J* = 3.7, 1.8 Hz, 2H), 1.18 (d, *J* = 6.3 Hz, 6H)	(ESI(+)) m/e 424 $(M+H)^+$
1137		N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.52 – 8.30 (m, 1H), 7.89 – 7.70 (m, 3H), 7.70 – 7.48 (m, 2H), 7.34 (dd, *J* = 7.7, 5.0 Hz, 1H), 7.23 (t, *J* = 8.0 Hz, 1H), 6.99 – 6.84 (m, 2H), 6.86 – 6.69 (m, 1H), 4.82 (d, *J* = 10.4 Hz, 4H), 4.45 (s, 2H), 3.75 (s, 3H), 1.96 (s, 1H)	(ESI(+)) m/e 403 $(M+H)^+$
1138		N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.45 (t, *J* = 21.3 Hz, 1H), 7.89 – 7.74 (m, 3H), 7.80 – 7.58 (m, 2H), 7.34 (dd, *J* = 7.7, 5.0 Hz, 1H), 4.82 (d, *J* = 11.1 Hz, 4H), 3.92 (s, 4H), 3.64 (s, 2H), 3.39 (s, 3H), 1.39 (s, 6H)	(ESI(+)) m/e 424 $(M+H)^+$
1139		N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.64 – 8.35 (m, 1H), 7.87 – 7.78 (m, 1H), 7.78 – 7.71 (m, 1H), 7.71 – 7.59 (m, 2H), 7.47 – 7.28 (m, 1H), 4.99 – 4.68 (m, 4H), 3.74 – 3.58 (m, 1H), 3.06 – 2.86 (m, 3H), 2.90 – 2.71 (m, 1H), 2.03 – 1.74 (m, 4H), 1.59 – 1.28 (m, 2H)	(ESI(+)) m/e 408 $(M+H)^+$
1140		N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.48 (d, *J* = 4.4 Hz, 1H), 7.86 – 7.72 (m, 3H), 7.72 – 7.58 (m, 2H), 7.35 (dd, *J* = 7.7, 5.0 Hz, 1H), 4.82 (d, *J* = 10.5 Hz, 4H), 3.53 (t, *J* = 6.4 Hz, 2H), 3.32 – 3.22 (m, 4H), 3.20 – 3.02 (m, 4H), 2.97 (t, *J* = 6.4 Hz, 3H), 2.80 (s, 4H)	(ESI(+)) m/e 409 $(M+H)^+$
1141		N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.60 – 8.40 (m, 1H), 7.93 – 7.71 (m, 3H), 7.73 – 7.49 (m, 2H), 7.42 – 7.26 (m, 1H), 7.29 – 7.02 (m, 2H), 6.98 – 6.81 (m, 2H), 4.81 (d, *J* = 11.8 Hz, 4H), 4.37 (d, *J* = 16.6 Hz, 2H), 3.89 – 3.61 (m, 4H), 3.18 – 2.93 (m, 4H), 2.98 – 2.74 (m, 1H)	(ESI(+)) m/e 457 $(M+H)^+$
1142		N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (d, *J* = 4.2 Hz, 1H), 7.89 – 7.70 (m, 3H), 7.73 – 7.51 (m, 2H), 7.33 (dd, *J* = 7.7, 5.0 Hz, 1H), 4.81 (d, *J* = 11.5 Hz, 4H), 3.38 (dd, *J* = 18.6, 12.0 Hz, 4H), 3.21 – 3.00 (m, 2H), 2.92 (d, *J* = 19.7 Hz, 2H), 1.95 (tt, *J* = 33.3, 15.0 Hz, 3H), 1.77 (d, *J* = 48.7 Hz, 6H)	(ESI(+)) m/e 408 $(M+H)^+$
1143		N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.45 (d, *J* = 7.5 Hz, 1H), 7.84 – 7.74 (m, 2H), 7.65 (dd, *J* = 18.3, 8.7 Hz, 2H), 7.56 (d, *J* = 8.7 Hz, 1H), 7.41 – 7.19 (m, 2H), 4.90 (s, 1H), 4.81 (d, *J* = 14.4 Hz, 4H), 2.87 (dd, *J* = 33.4, 22.8 Hz, 6H)	(ESI(+)) m/e 403 $(M+H)^+$

		6-carboxamide		
1195		N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (t, J = 12.9 Hz, 1H), 7.85 (d, J = 7.7 Hz, 1H), 7.79 – 7.69 (m, 2H), 7.69 – 7.57 (m, 2H), 7.38 (dd, J = 7.7, 5.0 Hz, 1H), 4.83 (d, J = 8.0 Hz, 4H), 3.30 (s, 3H), 3.21 (s, 2H), 3.15 (s, 2H), 0.90 (s, 6H)	(ESI(+)) m/e 388 $(M+H)^+$
1196		N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.48 (d, J = 4.4 Hz, 1H), 7.82 (d, J = 7.7 Hz, 1H), 7.78 – 7.69 (m, 2H), 7.69 – 7.57 (m, 2H), 7.35 (dd, J = 7.7, 5.0 Hz, 1H), 4.82 (d, J = 10.1 Hz, 4H), 3.31 (d, J = 4.0 Hz, 1H), 3.28 (s, 1H), 1.60 – 1.24 (m, 2H), 0.94 (s, 9H)	(ESI(+)) m/e 367 $(M+H)^+$
1197		N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.63 – 8.39 (m, 1H), 7.89 – 7.79 (m, 1H), 7.79 – 7.67 (m, 2H), 7.67 – 7.51 (m, 2H), 7.51 – 7.27 (m, 1H), 6.32 (dd, J = 3.1, 1.9 Hz, 1H), 6.13 (dd, J = 3.2, 0.7 Hz, 1H), 4.86 (t, J = 25.1 Hz, 4H), 4.28 (h, J = 6.7 Hz, 1H), 3.06 – 2.73 (m, 4H), 1.96 (s, 1H), 1.19 (t, J = 5.9 Hz, 3H)	(ESI(+)) m/e 391 $(M+H)^+$
1198		N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.59 – 8.37 (m, 1H), 7.87 – 7.70 (m, 3H), 7.71 – 7.52 (m, 2H), 7.42 – 7.20 (m, 1H), 6.24 – 6.02 (m, 1H), 4.93 – 4.69 (m, 4H), 4.64 – 4.44 (m, 2H), 2.20 (s, 3H)	(ESI(+)) m/e 378 $(M+H)^+$
1199		N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (t, J = 7.9 Hz, 1H), 7.96 – 7.83 (m, 1H), 7.83 – 7.73 (m, 2H), 7.71 – 7.54 (m, 2H), 7.39 (dd, J = 7.7, 5.1 Hz, 1H), 4.83 (d, J = 7.3 Hz, 4H), 4.27 – 3.97 (m, 1H), 2.89 – 2.62 (m, 3H), 1.97 (s, 1H), 1.68 (p, J = 7.3 Hz, 2H), 0.93 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 364 $(M+H)^+$
1200		N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.48 (dd, J = 5.4, 4.9 Hz, 1H), 7.84 (dd, J = 7.7, 0.7 Hz, 1H), 7.72 – 7.50 (m, 2H), 7.47 – 7.32 (m, 1H), 7.34 – 7.16 (m, 2H), 4.86 (t, J = 25.0 Hz, 4H), 3.37 (dd, J = 14.4, 6.9 Hz, 2H), 2.97 – 2.84 (m, 4H), 1.97 (s, 2H), 1.66 – 1.33 (m, 3H), 1.06 – 0.63 (m, 6H)	(ESI(+)) m/e 367 $(M+H)^+$
1201		N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (d, J = 4.9 Hz, 1H), 7.84 – 7.70 (m, 3H), 7.70 – 7.55 (m, 2H), 7.51 (t, J = 5.0 Hz, 1H), 7.32 (dd, J = 7.7, 4.9 Hz, 1H), 6.15 (d, J = 2.2 Hz, 1H), 4.85 (t, J = 28.9 Hz, 4H), 4.59 – 4.31 (m, 2H), 3.78 (d, J = 4.5 Hz, 3H)	(ESI(+)) m/e 377 $(M+H)^+$
1202		N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (d, J = 4.9 Hz, 1H), 7.85 (t, J = 10.7 Hz, 1H), 7.78 – 7.69 (m, 2H), 7.68 – 7.49 (m, 2H), 7.43 – 7.30 (m, 1H), 4.86 (t, J = 25.0 Hz, 4H), 3.35 (d, J = 4.6 Hz, 2H), 3.32 (d, J = 2.7 Hz, 3H), 1.71 – 1.34 (m, 2H), 0.90 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 369 $(M+H)^+$

1203		N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.57 – 8.41 (m, 1H), 7.88 – 7.73 (m, 3H), 7.68 – 7.55 (m, 2H), 7.46 – 7.02 (m, 1H), 4.81 (d, *J* = 11.6 Hz, 4H), 3.17 – 3.00 (m, 2H), 2.87 – 2.67 (m, 8H), 1.96 (s, 1H), 1.78 – 1.55 (m, 4H)	(ESI(+)) m/e 382 $(M+H)^+$
1204		N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (t, *J* = 5.3 Hz, 1H), 7.83 (d, *J* = 8.7 Hz, 3H), 7.67 (dt, *J* = 17.6, 9.5 Hz, 3H), 7.61 – 7.47 (m, 1H), 7.34 (dt, *J* = 35.5, 17.8 Hz, 1H), 5.46 (q, *J* = 7.0 Hz, 1H), 4.83 (d, *J* = 9.3 Hz, 4H), 1.65 (d, *J* = 7.0 Hz, 3H)	(ESI(+)) m/e 394 $(M+H)^+$
1205		N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.58 – 8.41 (m, 1H), 7.91 – 7.81 (m, 1H), 7.79 – 7.66 (m, 2H), 7.70 – 7.58 (m, 2H), 7.58 – 7.51 (m, 1H), 7.37 (dd, *J* = 7.5, 5.2 Hz, 2H), 5.15 (q, *J* = 6.9 Hz, 1H), 4.82 (d, *J* = 8.4 Hz, 4H), 3.78 (s, 3H), 1.47 (t, *J* = 5.5 Hz, 3H)	(ESI(+)) m/e 391 $(M+H)^+$
1206		N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.46 (t, *J* = 11.6 Hz, 1H), 7.87 – 7.70 (m, 3H), 7.70 – 7.52 (m, 2H), 7.35 (dt, *J* = 14.6, 7.3 Hz, 1H), 4.82 (d, *J* = 9.9 Hz, 4H), 4.58 – 4.37 (m, 1H), 3.92 – 3.81 (m, 2H), 3.81 – 3.67 (m, 1H), 3.59 (dd, *J* = 8.9, 4.6 Hz, 1H), 2.31 – 2.11 (m, 1H), 2.02 – 1.76 (m, 2H)	(ESI(+)) m/e 353 $(M+H)^+$
1207		N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (dd, *J* = 15.1, 10.9 Hz, 1H), 7.84 (dd, *J* = 7.7, 1.0 Hz, 1H), 7.82 – 7.70 (m, 2H), 7.70 – 7.56 (m, 2H), 7.36 (dd, *J* = 7.7, 5.0 Hz, 1H), 4.82 (d, *J* = 9.1 Hz, 4H), 4.18 – 3.96 (m, 1H), 3.50 – 3.36 (m, 2H), 1.75 – 1.57 (m, 1H), 1.57 – 1.39 (m, 1H), 0.90 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 369 $(M+H)^+$
1208		N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (d, *J* = 4.2 Hz, 1H), 7.87 – 7.73 (m, 3H), 7.70 – 7.53 (m, 2H), 7.33 (dd, *J* = 8.0, 6.1 Hz, 3H), 7.09 (d, *J* = 8.3 Hz, 2H), 4.81 (d, *J* = 11.4 Hz, 4H), 4.44 (s, 2H)	(ESI(+)) m/e 388 $(M+H)^+$
1209		N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (t, *J* = 11.3 Hz, 1H), 7.87 – 7.81 (m, 1H), 7.80 – 7.71 (m, 2H), 7.73 – 7.53 (m, 2H), 7.45 – 7.08 (m, 1H), 4.82 (d, *J* = 9.2 Hz, 4H), 3.70 – 3.56 (m, 1H), 3.56 – 3.41 (m, 2H), 3.27 (dd, *J* = 13.4, 5.7 Hz, 1H), 1.18 – 0.88 (m, 6H)	(ESI(+)) m/e 369 $(M+H)^+$
1210		N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.58 – 8.32 (m, 2H), 8.10 – 7.96 (m, 1H), 7.96 – 7.85 (m, 2H), 7.85 – 7.74 (m, 1H), 7.74 – 7.60 (m, 2H), 7.40 – 7.14 (m, 1H), 6.97 – 6.64 (m, 1H), 5.01 – 4.62 (m, 4H), 3.87 (s, 3H)	(ESI(+)) m/e 390 $(M+H)^+$
1211		N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (d, *J* = 4.9 Hz, 1H), 7.83 (t, *J* = 12.3 Hz, 1H), 7.84 – 7.69 (m, 2H), 7.73 – 7.51 (m, 2H), 7.37 (dd, *J* = 7.7, 5.0 Hz, 1H), 4.82 (d, *J* = 8.6 Hz, 4H), 3.92 (h, *J* = 6.7 Hz, 1H), 1.69 – 1.44 (m, 2H), 1.16 (d, *J* = 6.7 Hz, 3H), 0.89 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 339 $(M+H)^+$

1212		N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.47 (d, J = 4.7 Hz, 1H), 7.85 – 7.72 (m, 3H), 7.69 – 7.52 (m, 2H), 7.43 – 7.15 (m, 1H), 4.81 (d, J = 11.4 Hz, 4H), 1.61 – 1.41 (m, 2H), 1.40 – 1.17 (m, 2H)	(ESI(+)) m/e 348 $(M+H)^+$
1213		N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.55 – 8.36 (m, 1H), 7.87 – 7.75 (m, 1H), 7.75 – 7.67 (m, 2H), 7.68 – 7.52 (m, 2H), 7.43 – 7.22 (m, 2H), 6.09 – 5.92 (m, 1H), 4.91 – 4.64 (m, 4H), 4.36 – 4.10 (m, 2H), 3.74 – 3.47 (m, 2H), 2.30 – 2.13 (m, 3H)	(ESI(+)) m/e 391 $(M+H)^+$
1214		N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.59 – 8.31 (m, 1H), 7.92 – 7.72 (m, 3H), 7.71 – 7.58 (m, 2H), 7.48 – 7.22 (m, 1H), 7.14 – 6.93 (m, 1H), 4.82 (d, J = 11.0 Hz, 4H), 4.74 – 4.63 (m, 2H), 2.35 (d, J = 0.6 Hz, 3H)	(ESI(+)) m/e 394 $(M+H)^+$
1215		N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.56 – 8.38 (m, 1H), 7.88 – 7.79 (m, 1H), 7.79 – 7.68 (m, 2H), 7.70 – 7.55 (m, 2H), 7.46 – 7.23 (m, 1H), 4.82 (d, J = 9.5 Hz, 4H), 3.51 (t, J = 6.3 Hz, 2H), 3.3 (t, J = 6.3 Hz, 2H)1.83 – 1.60 (m, 2H)	(ESI(+)) m/e 341 $(M+H)^+$
1216		N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.62 – 8.39 (m, 1H), 7.86 – 7.81 (m, 1H), 7.81 – 7.70 (m, 2H), 7.70 – 7.54 (m, 2H), 7.43 – 7.17 (m, 1H), 4.84 (dd, J = 30.5, 23.8 Hz, 4H), 3.17 – 3.01 (m, 2H), 2.03 – 1.72 (m, 2H), 0.89 (t, J = 7.9 Hz, 6H)	(ESI(+)) m/e 339 $(M+H)^+$
1217		N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.57 – 8.39 (m, 1H), 7.86 – 7.80 (m, 1H), 7.80 – 7.69 (m, 2H), 7.69 – 7.54 (m, 2H), 7.42 – 7.26 (m, 1H), 4.82 (d, J = 10.1 Hz, 4H), 4.12 – 3.93 (m, 1H), 3.88 – 3.75 (m, 1H), 3.74 – 3.54 (m, 1H), 3.33 (t, J = 5.9 Hz, 2H), 1.98 – 1.78 (m, 4H), 1.71 – 1.51 (m, 1H)	(ESI(+)) m/e 367 $(M+H)^+$
1218		N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (t, J = 5.8 Hz, 1H), 7.90 – 7.80 (m, 1H), 7.80 – 7.69 (m, 2H), 7.68 – 7.54 (m, 2H), 7.36 (dd, J = 7.7, 5.0 Hz, 1H), 4.82 (d, J = 9.6 Hz, 4H), 3.64 – 3.41 (m, 1H), 1.23 (d, J = 6.7 Hz, 3H), 1.10 – 0.86 (m, 1H), 0.53 – 0.28 (m, 3H), 0.28 – 0.11 (m, 1H)	(ESI(+)) m/e 351 $(M+H)^+$
1219		N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.60 – 8.35 (m, 1H), 7.93 – 7.79 (m, 1H), 7.79 – 7.68 (m, 2H), 7.68 – 7.53 (m, 2H), 7.49 – 7.22 (m, 1H), 4.82 (d, J = 9.2 Hz, 4H), 3.72 (q, J = 6.8 Hz, 1H), 1.17 (d, J = 6.8 Hz, 3H), 1.08 (s, 3H), 0.67 – 0.48 (m, 1H), 0.47 – 0.34 (m, 1H), 0.32 – 0.12 (m, 2H)	(ESI(+)) m/e 365 $(M+H)^+$
1220		N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.45 (t, J = 8.3 Hz, 1H), 7.83 – 7.71 (m, 3H), 7.68 – 7.55 (m, 2H), 7.39 – 7.21 (m, 1H), 7.08 – 6.98 (m, 1H), 6.99 – 6.90 (m, 1H), 4.80 (d, J = 12.9 Hz, 4H), 4.63 (s, 2H)	(ESI(+)) m/e 379 $(M+H)^+$

		b]pyridine-6-carboxamide		
1221		N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (d, J = 4.9 Hz, 1H), 7.85 (d, J = 7.7 Hz, 1H), 7.78 – 7.69 (m, 2H), 7.72 – 7.54 (m, 2H), 7.37 (dd, J = 7.7, 5.0 Hz, 1H), 4.96 – 4.68 (m, 4H), 3.70 – 3.42 (m, 1H), 1.23 (d, J = 6.7 Hz, 3H), 1.15 – 0.90 (m, 1H), 0.58 – 0.16 (m, 4H)	(ESI(+)) m/e 350 $(M+H)^+$
1222		N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.60 – 8.35 (m, 1H), 7.90 – 7.79 (m, 1H), 7.79 – 7.70 (m, 2H), 7.69 – 7.52 (m, 2H), 7.43 – 7.29 (m, 1H), 4.86 (t, J = 24.4 Hz, 4H), 3.31 – 3.25 (m, 2H), 2.68 – 2.34 (m, 2H), 1.65 – 1.48 (m, 4H)	(ESI(+)) m/e 369 $(M+H)^+$
1223		N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.55 – 8.37 (m, 1H), 7.89 – 7.78 (m, 1H), 7.78 – 7.68 (m, 2H), 7.68 – 7.52 (m, 2H), 7.43 – 7.02 (m, 1H), 4.86 (t, J = 25.4 Hz, 4H), 3.96 – 3.57 (m, 2H), 3.12 – 2.98 (m, 1H), 2.95 – 2.78 (m, 2H), 1.91 – 1.76 (m, 1H), 1.63 – 1.40 (m, 4H), 1.28 – 1.09 (m, 1H)	(ESI(+)) m/e 395 $(M+H)^+$
1224		N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.58 – 8.40 (m, 1H), 7.87 – 7.81 (m, 1H), 7.80 – 7.72 (m, 2H), 7.69 – 7.51 (m, 2H), 7.34 (dd, J = 7.7, 5.0 Hz, 1H), 4.81 (d, J = 11.0 Hz, 4H), 4.30 – 4.08 (m, 1H), 3.49 – 3.42 (m, 1H), 3.40 – 3.33 (m, 1H), 3.29 (s, 3H), 1.16 (t, J = 5.4 Hz, 3H)	(ESI(+)) m/e 355 $(M+H)^+$
1225		N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (d, J = 4.3 Hz, 1H), 7.89 – 7.81 (m, 1H), 7.84 – 7.73 (m, 2H), 7.74 – 7.56 (m, 2H), 7.44 – 7.18 (m, 1H), 4.83 (d, J = 9.2 Hz, 4H), 4.30 (s, 2H), 1.18 (s, 9H)	(ESI(+)) m/e 391 $(M+H)^+$
1226		N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.58 – 8.35 (m, 1H), 7.92 – 7.71 (m, 3H), 7.70 – 7.49 (m, 2H), 7.44 – 7.19 (m, 1H), 4.82 (d, J = 9.5 Hz, 4H), 4.44 (s, 2H), 3.59 (s, 3H)	(ESI(+)) m/e 376 $(M+H)^+$
1227		N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.60 – 8.37 (m, 1H), 7.86 – 7.72 (m, 3H), 7.71 – 7.56 (m, 3H), 7.47 – 7.19 (m, 1H), 4.87 – 4.66 (m, 4H), 3.67 – 3.48 (m, 3H), 3.42 – 3.36 (m, 2H), 1.16 – 1.02 (m, 6H)	(ESI(+)) m/e 369 $(M+H)^+$
1228		N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.59 – 8.13 (m, 1H), 7.91 – 7.72 (m, 3H), 7.73 – 7.58 (m, 2H), 7.43 – 7.26 (m, 1H), 4.83 (t, J = 9.4 Hz, 4H), 3.37 (d, J = 6.7 Hz, 2H), 3.27 – 3.07 (m, 2H), 2.81 (d, J = 4.7 Hz, 6H), 1.95 (d, J = 9.3 Hz, 2H)	(ESI(+)) m/e 368 $(M+H)^+$

1229		N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.56 – 8.35 (m, 1H), 7.90 – 7.68 (m, 3H), 7.69 – 7.56 (m, 2H), 7.36 (td, *J* = 7.9, 4.0 Hz, 1H), 4.82 (d, *J* = 10.2 Hz, 4H), 3.99 – 3.86 (m, 1H), 3.86 – 3.68 (m, 1H), 3.41 – 3.32 (m, 1H), 3.29 – 3.17 (m, 1H), 2.07 – 1.84 (m, 1H), 1.83 – 1.50 (m, 3H)	(ESI(+)) m/e 367 $(M+H)^+$
1230		N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.56 – 8.30 (m, 1H), 7.87 – 7.76 (m, 1H), 7.76 – 7.65 (m, 2H), 7.67 – 7.50 (m, 2H), 7.41 – 7.20 (m, 1H), 6.73 (t, *J* = 2.0 Hz, 1H), 6.17 – 5.79 (m, 1H), 4.86 – 4.72 (m, 4H), 4.08 (t, *J* = 6.5 Hz, 2H), 3.57 (t, *J* = 6.5 Hz, 2H)	(ESI(+)) m/e 376 $(M+H)^+$
1231		N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (d, *J* = 4.8 Hz, 1H), 7.85 (t, *J* = 8.8 Hz, 1H), 7.81 – 7.70 (m, 2H), 7.70 – 7.52 (m, 2H), 7.51 – 7.22 (m, 1H), 4.82 (d, *J* = 9.0 Hz, 4H), 4.19 (h, *J* = 6.6 Hz, 1H), 3.59 – 3.43 (m, 1H), 3.30 (s, 3H), 2.88 (d, *J* = 50.6 Hz, 1H), 1.15 (dd, *J* = 10.7, 6.7 Hz, 3H)	(ESI(+)) m/e 355 $(M+H)^+$
1232		N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.48 (d, *J* = 4.7 Hz, 1H), 7.92 – 7.76 (m, 3H), 7.74 – 7.51 (m, 2H), 7.32 (ddd, *J* = 15.4, 7.7, 4.6 Hz, 2H), 7.18 – 7.08 (m, 2H), 7.00 (d, *J* = 7.9 Hz, 1H), 4.82 (d, *J* = 11.2 Hz, 4H), 4.47 (s, 2H)	(ESI(+)) m/e 388 $(M+H)^+$
1233		N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO_D_2O) δ 8.56 – 8.39 (m, 1H), 7.92 – 7.80 (m, 1H), 7.80 – 7.68 (m, 2H), 7.68 – 7.53 (m, 2H), 7.53 – 6.97 (m, 1H), 4.83 (d, *J* = 7.2 Hz, 4H), 3.99 – 3.74 (m, 1H), 1.91 – 1.66 (m, 1H), 1.12 (d, *J* = 6.8 Hz, 3H), 0.99 – 0.82 (m, 6H)	(ESI(+)) m/e 353 $(M+H)^+$
1234		N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.62 – 8.38 (m, 1H), 7.91 – 7.80 (m, 1H), 7.80 – 7.70 (m, 2H), 7.69 – 7.45 (m, 2H), 7.48 – 7.24 (m, 1H), 4.83 (d, *J* = 8.0 Hz, 4H), 3.87 – 3.61 (m, 2H), 3.19 – 3.12 (m, 3H), 1.92 (d, *J* = 34.0 Hz, 1H), 1.87 – 1.73 (m, 2H), 1.67 – 1.55 (m, 1H), 1.55 – 1.37 (m, 1H), 1.39 – 1.14 (m, 1H)	(ESI(+)) m/e 381 $(M+H)^+$
1235		N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.61 – 8.43 (m, 1H), 7.90 – 7.71 (m, 3H), 7.71 – 7.50 (m, 2H), 7.42 – 7.14 (m, 1H), 4.98 – 4.68 (m, 4H), 3.04 – 2.66 (m, 2H), 1.29 – 1.01 (m, 6H)	(ESI(+)) m/e 355 $(M+H)^+$
1236		N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.55 – 8.42 (m, 1H), 7.85 – 7.77 (m, 1H), 7.79 – 7.68 (m, 2H), 7.68 – 7.54 (m, 2H), 7.47 – 6.86 (m, 1H), 4.80 (t, *J* = 9.0 Hz, 4H), 3.26 – 3.17 (m, 2H), 1.63 – 1.49 (m, 2H), 1.46 – 1.27 (m, 2H), 0.92 (dd, *J* = 9.2, 5.5 Hz, 3H)	(ESI(+)) m/e 339 $(M+H)^+$
1237		N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.57 – 8.37 (m, 1H), 7.90 – 7.72 (m, 1H), 7.66 – 7.52 (m, 2H), 7.45 – 7.34 (m, 1H), 7.33 – 7.16 (m, 2H), 4.86 (t, *J* = 24.4 Hz, 4H), 4.21 – 3.97 (m, 1H), 3.86 – 3.55 (m, 2H), 3.57 – 3.39 (m, 2H), 3.08 – 2.97 (m, 3H), 1.98 – 1.88 (m, 2H), 1.85 – 1.68 (m, 2H), 1.60 – 1.37 (m, 1H)	(ESI(+)) m/e 381 $(M+H)^+$

		b]pyridine-6-carboxamide		
1238		N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (t, J = 5.2 Hz, 1H), 7.95 – 7.76 (m, 1H), 7.71 – 7.52 (m, 2H), 7.38 – 7.33 (m, 1H), 7.33 – 7.22 (m, 2H), 4.82 (d, J = 9.0 Hz, 4H), 3.61 – 3.44 (m, 4H), 3.29 – 3.19 (m, 3H), 2.98 (s, 3H)	(ESI(+)) m/e 355 $(M+H)^+$
1239		N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.59 – 8.32 (m, 1H), 7.91 – 7.72 (m, 3H), 7.72 – 7.59 (m, 2H), 7.40 – 7.20 (m, 1H), 5.03 – 4.86 (m, 1H), 4.88 – 4.68 (m, 4H), 1.72 – 1.43 (m, 3H)	(ESI(+)) m/e 336 $(M+H)^+$
1240		N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.48 (d, J = 4.4 Hz, 1H), 7.89 – 7.74 (m, 3H), 7.68 – 7.48 (m, 2H), 7.45 – 7.24 (m, 1H), 4.82 (d, J = 9.2 Hz, 4H), 4.59 – 4.28 (m, 1H), 3.94 – 3.83 (m, 2H), 3.80 – 3.64 (m, 1H), 3.65 – 3.51 (m, 1H), 2.37 – 2.00 (m, 1H), 2.05 – 1.80 (m, 1H)	(ESI(+)) m/e 353 $(M+H)^+$
1241		N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.49 (d, J = 4.8 Hz, 1H), 7.90 – 7.80 (m, 1H), 7.80 – 7.68 (m, 2H), 7.68 – 7.49 (m, 2H), 7.47 – 7.11 (m, 1H), 4.82 (d, J = 9.0 Hz, 4H), 3.26 – 3.10 (m, 2H), 2.36 – 2.07 (m, 1H), 1.75 – 1.45 (m, 6H), 1.39 – 1.18 (m, 2H)	(ESI(+)) m/e 365 $(M+H)^+$
1242		N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.61 – 8.36 (m, 1H), 7.88 – 7.71 (m, 3H), 7.71 – 7.55 (m, 2H), 7.46 – 7.15 (m, 1H), 4.99 – 4.66 (m, 4H), 3.35 (d, J = 4.5 Hz, 2H), 3.19 – 3.16 (m, 3H), 1.46 – 0.84 (m, 6H)	(ESI(+)) m/e 369 $(M+H)^+$
1243		N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.60 – 8.40 (m, 1H), 7.85 (d, J = 7.7 Hz, 1H), 7.82 – 7.71 (m, 2H), 7.71 – 7.53 (m, 2H), 7.38 (dd, J = 7.7, 5.0 Hz, 1H), 7.30 – 7.14 (m, 1H), 5.07 – 4.65 (m, 4H), 3.16 (t, J = 6.6 Hz, 2H), 1.20 – 0.87 (m, 1H), 0.52 – 0.37 (m, 2H), 0.32 – 0.06 (m, 2H)	(ESI(+)) m/e 337 $(M+H)^+$
1244		N-{4-[methyl(propyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.61 – 8.38 (m, 1H), 7.93 – 7.76 (m, 1H), 7.68 – 7.54 (m, 2H), 7.46 – 7.33 (m, 1H), 7.31 – 7.17 (m, 2H), 4.97 – 4.59 (m, 4H), 2.92 (d, J = 8.0 Hz, 4H), 1.67 – 1.47 (m, 2H), 0.96 – 0.59 (m, 3H)	(ESI(+)) m/e 339 $(M+H)^+$
1245		N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.83 – 8.62 (m, 2H), 8.52 – 8.39 (m, 1H), 7.96 – 7.77 (m, 3H), 7.77 – 7.70 (m, 2H), 7.70 – 7.59 (m, 2H), 7.43 – 7.14 (m, 1H), 4.90 – 4.72 (m, 4H), 4.74 – 4.48 (m, 2H)	(ESI(+)) m/e 374 $(M+H)^+$

Example 293

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 293A

N-(4-nitrophenyl)isoindoline-2-carboxamide

A solution of N-(4-aminophenyl)isoindoline-2-carboxamide (100 mg, 0.395 mmol), 4-phenylbutanoic acid (78 mg, 0.474 mmol), 1-hydroxybenzotriazole hydrate (66.5 mg, 0.434 mmol) and N-methylmorpholine (0.109 ml, 0.987 mmol) in N,N-dimethylformamide (1.771 ml) at room temperature was treated with N-(3-dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride (136 mg, 0.711 mmol). The mixture was stirred overnight and diluted with water (10 ml); the resulting suspension was filtered with water washes to give after drying product with an impurity. This solid was suspended in 2% methanol/dichloromethane and filtered to provide the title compound.

Example 293B

N-(4-aminophenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 274, substituting N-(4-nitrophenyl)isoindoline-2-carboxamide for 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide.

Example 293C

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

A solution of N-(4-aminophenyl)isoindoline-2-carboxamide (100 mg, 0.395 mmol), 4-phenylbutanoic acid (78 mg, 0.474 mmol), 1-hydroxybenzotriazole hydrate (66.5 mg, 0.434 mmol) and N-methylmorpholine (0.109 ml, 0.987 mmol) in dimethylformamide (1.771 ml) at room temperature was treated with N-(3-dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride (136 mg, 0.711 mmol). The mixture was stirred overnight and diluted with water (10 ml); the resulting suspension was filtered with water washes to give product with an impurity. This solid was suspended in 2% methanol/methylene chloride and filtered to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 1.78 - 2.00 (m, 2 H), 2.30 (t, *J*=7.3 Hz, 2 H), 2.62 (t, *J*=7.5 Hz, 2 H), 4.75 (s, 4 H), 7.08 - 7.41 (m, 9 H), 7.46 (s, 4 H), 8.26 (s, 1 H), 9.73 (s, 1 H); (ESI(+)) m/e 400 $(M+H)^+$.

Table 5.

The following Examples were prepared essentially as described in Example 293, using an appropriate amine in Example 293A and substituting an appropriate carboxylic acid for 4-phenylbutanoic acid in Example 293C. Some products were purified by flash chromatography while others were purified by reverse-phase HPLC; accordingly, some Examples were isolated as trifluoroacetic acid salts.

Ex		Name	^{1}H NMR	MS
291		N-{4-[(4,4,4-trifluorobutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 2.52 - 2.69 (m, 4 H), 4.75 (s, 4 H), 7.23 - 7.40 (m, 4 H), 7.41 - 7.56 (m, 4 H), 8.28 (s, 1 H), 9.93 (s, 1 H)	(ESI(+)) m/e 378 $(M+H)^+$

292		N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.44 (s, 4H), 7.32-7.37 (m, 2H), 7.28-7.32 (m, 2H), 4.76 (s, 4H), 3.68 (t, *J* = 6.3 Hz, 2H), 3.47 (q, *J* = 6.9 Hz, 2H), 2.50-2.55 (m, 2H), 1.11 (t, *J* = 6.9 Hz, 3H)	(ESI(+)) m/e 354 $(M+H)^+$
294		N-{4-[(4-methylpentanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 0.90 (d, *J*=6.4 Hz, 6 H), 1.40 - 1.63 (m, 3 H), 2.18 - 2.39 (m, 2 H), 4.75 (s, 4 H), 7.20 - 7.41 (m, 4 H,) 7.45 (s, 4 H), 8.26 (s, 1 H), 9.72 (s, 1 H)	(ESI(+)) m/e 352 $(M+H)^+$
295		N-(4-{[(benzyloxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.47 (s, 4H), 7.28-7.43 (m, 9H), 4.76 (s, 4H), 4.64 (s, 2H), 4.07 (s, 2H)	(ESI(+)) m/e 402 $(M+H)^+$
296		N-{4-[(3-phenylpropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.42 (s, 4H), 7.22-7.37 (m, 8H), 7.15-7.20 (m, 1H), 4.76 (s, 4H), 2.93 (t, *J* = 7.6 Hz, 2H), 2.59-2.63 (m, 2H)	(ESI(-)) m/e 384 $(M-H)^-$
297		N-{4-[(3-phenoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.45 (s, 4H), 7.26-7.36 (m, 6H), 6.92-6.96 (m, 2H), 6.91-6.95 (m, 1H), 4.76 (s, 4H), 4.29 (t, *J* = 6.2 Hz, 2H), 2.76 (t, *J* = 6.2 Hz, 2H)	(APCI(+)) m/e 402 $(M+H)^+$
298		N-(4-{[N-(2-furoyl)glycyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.76 (dd, *J* = 1.8, 0.8 Hz, 1H), 7.42-7.48 (m, 4H), 7.29-7.36 (m, 4H), 7.12 (dd, *J* = 3.5, 0.9 Hz, 1H), 6.62 (dd, *J* = 3.4, 1.7 Hz, 1H), 4.76 (s, 4H), 4.04 (s, 2H)	(ESI(+)) m/e 405 $(M+H)^+$
299		N-(4-{[4-(2-thienyl)butanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.43 (s, 4H), 7.32-7.38 (m, 2H), 7.28-7.32 (m, 2H), 7.25 (dd, *J* = 5.2, 1.2 Hz, 1H), 6.94 (dd, *J* = 5.0, 3.4 Hz, 1H), 6.86 (dq, *J* = 3.3, 1.1 Hz, 1H), 4.76 (s, 4H), 2.87 (ddd, *J* = 8.1, 7.1, 1.0 Hz, 2H), 2.37 (t, *J* = 7.3 Hz, 2H), 1.96 (p, *J* = 7.4 Hz, 2H)	(APCI(+)) m/e 406 $(M+H)^+$
300		N-{4-[(4-oxo-4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.96-7.99 (m, 2H), 7.60-7.65 (m, 1H), 7.50-7.56 (m, 2H), 7.43 (s, 4H), 7.32-7.37 (m, 2H), 7.28-7.32 (m, 2H), 4.76 (s, 4H), 3.32 (t, *J* = 6.6 Hz, 2H), 2.72 (t, *J* = 6.6 Hz, 2H)	(ESI(-)) m/e 412 $(M-H)^-$
301		N-{4-[(N-benzoylglycyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.84-7.94 (m, 2H), 7.52-7.57 (m, 1H), 7.48-7.51 (m, 2H), 7.46 (s, 4H), 7.32-7.37 (m, 2H), 7.28-7.32 (m, 2H), 4.76 (s, 4H), 4.08 (s, 2H)	(ESI(+)) m/e 415 $(M+H)^+$
302		N-{4-[(4-phenoxybutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.44 (s, 4H), 7.33-7.37 (m, 2H), 7.29-7.32 (m, 2H), 7.24-7.29 (m, 2H), 6.90-6.94 (m, 3H), 4.76 (s, 4H), 4.04 (t, *J* = 6.4 Hz, 2H), 2.47 (t, *J* = 7.3 Hz, 2H), 2.01-2.08 (m, 2H)	(ESI(-)) m/e 414 $(M-H)^-$
303		N-[4-	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium	(ESI(+))

		(propionylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	Oxide, Temp=90°C) δ ppm 7.43 (s, 4H), 7.29-7.36 (m, 4H), 4.76 (s, 4H), 2.30 (q, *J* = 7.6 Hz, 2H), 1.11 (t, *J* = 7.5 Hz, 3H)	m/e 310 $(M+H)^+$
304		N-[4-(pentanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.43 (s, 4H), 7.32-7.37 (m, 2H), 7.28-7.32 (m, 2H), 4.76 (s, 4H), 2.28 (t, *J* = 7.4 Hz, 2H), 1.56-1.64 (m, 2H), 1.30-1.40 (m, 2H), 0.91 (t, *J* = 7.3 Hz, 3H)	(ESI(+)) m/e 338 $(M+H)^+$
305		N-[4-(hexanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.43 (s, 4H), 7.29-7.36 (m, 4H), 4.76 (s, 4H), 2.27 (t, *J* = 7.4 Hz, 2H), 1.57-1.65 (m, 2H), 1.27-1.37 (m, 4H), 0.86-0.90 (m, 3H)	(ESI(+)) m/e 352 $(M+H)^+$
306		N-[4-(heptanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.43 (s, 4H), 7.29-7.36 (m, 4H), 4.76 (s, 4H), 2.28 (t, *J* = 7.4 Hz, 2H), 1.60 (p, *J* = 7.1 Hz, 2H), 1.25-1.39 (m, 6H), 0.83-0.91 (m, 3H)	(ESI(+)) m/e 366 $(M+H)^+$
307		N-[4-(pent-4-enoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 2.24 - 2.44 (m, 4 H), 4.75 (s, 4 H), 4.91 - 5.14 (m, 2 H), 5.72 - 5.97 (m, 1 H), 7.25 - 7.40 (m, 4 H), 7.46 (s, 4 H), 8.26 (s, 1 H), 9.76 (s, 1 H)	(ESI(+)) m/e 336 $(M+H)^+$
308		N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.47-7.50 (m, 4H), 7.29-7.36 (m, 4H), 4.76 (s, 4H), 3.99 (s, 2H), 3.60 (q, *J* = 7.0 Hz, 2H), 1.21 (t, *J* = 6.9 Hz, 3H)	(ESI(+)) m/e 340 $(M+H)^+$
309		N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.47 (s, 4H), 7.29-7.36 (m, 4H), 4.76 (s, 4H), 4.04 (s, 2H), 3.68-3.71 (m, 2H), 3.55-3.58 (m, 2H), 3.32 (s, 3H)	(ESI(+)) m/e 370 $(M+H)^+$
310		N-{4-[(cyclopropylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.44 (s, 4H), 7.29-7.36 (m, 4H), 4.76 (s, 4H), 2.21 (d, *J* = 6.9 Hz, 2H), 1.00-1.14 (m, 1H), 0.47-0.52 (m, 2H), 0.18-0.23 (m, 2H)	(ESI(+)) m/e 336 $(M+H)^+$
311		N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.43 (s, 4H), 7.29-7.36 (m, 4H), 4.76 (s, 4H), 2.25-2.30 (m, 3H), 1.73-1.81 (m, 2H), 1.49-1.64 (m, 4H), 1.18-1.27 (m, 2H)	(ESI(-)) m/e 362 $(M-H)^-$
312		N-(4-{[3-(4-methylpiperazin-1-yl)propanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 7.42-7.48 (m, 4H), 7.29-7.36 (m, 4H), 4.76 (s, 4H), 3.22-3.25 (m, 4H), 3.03 (t, *J* = 6.9 Hz, 2H), 2.97-3.01 (m, 4H), 2.77 (s, 3H), 2.62 (t, *J* = 6.9 Hz, 2H)	(ESI(+)) m/e 408 $(M+H)^+$
564		5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.70 (s, 1H), 8.35 (s, 1H), 7.88 (s, 1H), 7.78 (dd, *J* = 7.9, 1.5 Hz, 1H), 7.58 (d, *J* = 7.9 Hz, 1H), 7.51 – 7.40 (m, 4H), 4.84 – 4.76 (m, 4H), 2.31 – 2.15 (m, 3H), 1.81 – 1.67 (m, 2H), 1.67 – 1.45 (m, 4H), 1.29 – 1.11 (m, 2H)	(ESI(+)) m/e 389 $(M+H)^+$
596		N-{4-[(cyclopentylacetyl)amino]ph	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.68 (s, 1H), 8.23 (s, 1H), 7.50 – 7.38 (m, 4H), 7.25 (d, *J*	(ESI(+)) m/e 394

		enyl}-5-methoxy-1,3-dihydro-2H-isoindole-2-carboxamide	= 8.4 Hz, 1H), 6.95 – 6.91 (m, 1H), 6.90 – 6.83 (m, 1H), 4.68 (m, 4H), 3.76 (s, 3H), 2.31 – 2.15 (m, 3H), 1.83 – 1.68 (m, 2H), 1.67 – 1.40 (m, 4H), 1.29 – 1.11 (m, 2H)	$(M+H)^+$
649		5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-3-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.80 (s, 1H), 8.28 (s, 1H), 7.46 (s, 4H), 7.33 – 7.28 (m, 2H), 7.27 – 7.21 (m, 1H), 5.21 (t, J = 5.6 Hz, 1H), 4.73 (bs, 4H), 4.51 (d, J = 5.6 Hz, 2H), 3.85 – 3.70 (m, 2H), 3.64 (q, J = 7.6 Hz, 1H), 2.61 – 2.52 (m, 2H), 2.42 – 2.32 (m, 2H), 2.12 – 1.94 (m, 1H), 1.62 – 1.47 (m, 1H)	(ESI(+)) m/e 396 $(M+H)^+$
650		5-(hydroxymethyl)-N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6, Temp=90 °C) δ ppm 9.19 (s, 1H), 8.05 (s, 1H), 7.48 (m, 4H), 7.31 – 7.19 (m, 3H), 4.86 (bs, 1H), 4.74 (bs, 4H), 4.53 (bs, 2H), 4.04 (s, 2H), 3.74 – 3.66 (m, 2H), 3.60 – 3.52 (m, 2H), 3.32 (s, 3H)	(ESI(+)) m/e 400 $(M+H)^+$
682		5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6, Temp=90°C) δ ppm 9.41 (bs, 1H), 8.01 (bs, 1H), 7.45 – 7.41 (m, 4H), 7.30 – 7.22 (m, 3H), 4.87 (bs, 1H), 4.73 (bs, 4H), 4.52 (bs, 2H), 4.22 – 4.14 (m, 1H), 3.82 – 3.75 (m, 1H), 3.66 – 3.59 (m, 1H), 2.53 (dd, J = 14.1, 7.0 Hz, 1H), 2.40 (dd, J = 14.0, 6.1 Hz, 1H), 2.05 – 1.94 (m, 1H), 1.92 – 1.76 (m, 2H), 1.64 – 1.51 (m, 1H)	(ESI(+)) m/e 396 $(M+H)^+$
683		N-{4-[(ethoxyacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.52 (s, 1H), 8.29 (s, 1H), 7.56 – 7.44 (m, 4H), 7.33 – 7.20 (m, 3H), 5.20 (t, J = 5.6 Hz, 1H), 4.73 (bs, 4H), 4.51 (d, J = 5.6 Hz, 2H), 4.00 (s, 2H), 3.56 (q, J = 7.0 Hz, 2H), 1.19 (t, J = 7.0 Hz, 3H)	(ESI(+)) m/e 370 $(M+H)^+$
684		5-(hydroxymethyl)-N-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6, Temp=90 °C) δ ppm 9.43 (bs, 1H), 8.00 (bs, 1H), 7.44 – 7.41 (m, 4H), 7.30 – 7.20 (m, 3H), 4.87 (bs, 1H), 4.73 (bs, 4H), 4.52 (bs, 2H), 3.86 – 3.78 (m, 2H), 3.38 – 3.26 (m, 2H), 2.23 (d, J = 7.0 Hz, 2H), 2.07 – 1.94 (m, 1H), 1.66 – 1.58 (m, 2H), 1.35 – 1.20 (m, 2H)	(ESI(+)) m/e 410 $(M+H)^+$
685		5-(hydroxymethyl)-N-{4-[(morpholin-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6, Temp=90 °C) δ ppm 9.32 (bs, 1H), 8.04 (bs, 1H), 7.49 – 7.45 (m, 4H), 7.32 – 7.22 (m, 3H), 4.89 – 4.83 (m, 1H), 4.74 (bs, 4H), 4.53 (bs, 2H), 3.68 – 3.62 (m, 4H), 3.10 (s, 2H), 2.57 – 2.51 (m, 4H)	(ESI(+)) m/e 411 $(M+H)^+$
789		N-{4-[(cyclopentylacetyl)amino]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/D_2O, Temp=90°C) δ ppm 7.39 (m, 4H), 7.16 (dd, J = 9.1, 2.6, 1H), 7.09 (m, 1H), 4.75 (bs, 2H), 4.72 (bs, 2H), 2.27 (m, 4H), 1.76 (m, 2H), 1.57 (m, 4H), 1.24 (m, 2H)	(ESI(+)) m/e 382 $(M+H)^+$
791		N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/D_2O, Temp=90°C) δ 7.70 (s, 1H), 7.64 (dd, J = 8.0, 1.6, 1H), 7.58 (d, J = 8.0, 1H), 7.48 – 7.41 (m, 3H), 4.83 (s, 3H), 2.32 – 2.25 (m, 3H), 1.81 – 1.71 (m, 2H), 1.66 – 1.47 (m, 4H), 1.28 – 1.16 (m, 2H)	(ESI(+)) m/e 432 $(M+H)^+$
792		4-cyano-N-{4-[(cyclopentylacetyl)amino]ph	^{1}H NMR (400 MHz, DMSO-d_6/D_2O, Temp=90°C) δ 7.70 (ddd, J = 12.2, 7.7, 0.8, 2H),	(ESI(+)) m/e 389

		enyl}-1,3-dihydro-2H-isoindole-2-carboxamide	7.52 (d, *J* = 7.7, 1H), 7.45 (m, 5H), 4.93 (d, *J* = 1.3, 2H), 4.83 (d, *J* = 0.7, 2H), 2.28 (m, 4H), 1.77 (m, 2H), 1.57 (m, 4H)	$(M+H)^+$
793		N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/D_2O, Temp=90°C) δ 7.42 (s, 4H), 7.22 (d, *J* = 7.8, 1H), 7.15 (s, 1H), 7.15 – 7.08 (m, 1H), 4.70 (bs, 4H), 2.35 – 2.23 (m, 4H), 1.82 – 1.71 (m, 2H), 1.66 – 1.47 (m, 4H), 1.30 – 1.16 (m, 2H)	(ESI(+)) m/e 378 $(M+H)^+$
794		4-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/D_2O, Temp=90°C) δ 7.43 (m, 4H), 7.33 (m, 3H), 4.83 (m, 2H), 4.78 (m, 2H), 2.28 (m, 3H), 1.77 (m, 2H), 1.57 (m, 4H), 1.22 (m, 2H)	(ESI(+)) m/e 398 $(M+H)^+$
796		5-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/D_2O, Temp=90°C) δ 7.35 (m, 7H), 4.74 (d, *J* = 6.7, 4H), 2.27 (m, 3H), 1.78 (m, 2H), 1.57 (m, 4H), 1.21 (m, 2H)	(ESI(+)) m/e 398 $(M+H)^+$
874		5-acetyl-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.70 (s, 1H), 8.33 (s, 1H), 7.96 – 7.88 (m, 2H), 7.54 – 7.40 (m, 5H), 4.81 (bs, 4H), 2.60 (s, 3H), 2.31 – 2.18 (m, 3H), 1.81 – 1.68 (m, 2H), 1.68 – 1.43 (m, 4H), 1.25 – 1.10 (m, 2H)	(ESI(+)) m/e 406 $(M+H)^+$
878		N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-hydroxyethyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.68 (s, 1H), 8.25 (s, 1H), 7.47 – 7.44 (m, 4H), 7.32 (s, 1H), 7.27 (s, 2H), 5.15 (d, *J* = 4.0 Hz, 1H), 4.78 – 4.67 (m, 5H), 2.30 – 2.15 (m, 3H), 1.82 – 1.68 (m, 2H), 1.67 – 1.45 (m, 4H), 1.33 (d, *J* = 6.4 Hz, 3H), 1.26 – 1.13 (m, 2H)	(ESI(+)) m/e 408 $(M+H)^+$
879		N-[4-(butyrylamino)phenyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 9.72 (s, 1H), 8.34 (s, 1H), 7.86 (s, 1H), 7.79 – 7.73 (m, 1H), 7.59 – 7.53 (d, *J* = 7.9 Hz, 1H), 7.48 – 7.40 (m, 4H), 4.83 – 4.75 (m, 4H), 2.24 (t, *J* = 7.3 Hz, 2H), 1.65 – 1.53 (m, 2H), 0.90 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 349 $(M+H)^+$
919		5-(acetamidomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 9.36 (bs, 1H), 8.04 – 7.95 (m, 2H), 7.48 – 7.39 (m, 4H), 7.30 – 7.17 (m, 3H), 4.73 (bs, 4H), 4.27 (d, *J* = 5.9 Hz, 2H), 2.33 – 2.21 (m, 3H), 1.88 (s, 3H), 1.83 – 1.71 (m, 2H), 1.69 – 1.47 (m, 4H), 1.29 – 1.17 (m, 2H)	(ESI(+)) m/e 435 $(M+H)^+$
932		N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(2-hydroxypropan-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.70 (s, 1H), 8.25 (s, 1H), 7.50 – 7.41 (m, 5H), 7.42 – 7.36 (m, 1H), 7.29 – 7.23 (m, 1H), 5.03 (s, 1H), 4.72 (bs, 4H), 2.31 – 2.16 (m, 3H), 1.85 – 1.68 (m, 2H), 1.68 – 1.46 (m, 4H), 1.43 (s, 6H), 1.26 – 1.09 (m, 2H)	(ESI(+)) m/e 422 $(M+H)^+$
935		N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(methoxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.69 (s, 1H), 8.27 (s, 1H), 7.51 – 7.40 (m, 4H), 7.36 – 7.22 (m, 3H), 4.74 (bs, 4H), 4.42 (s, 2H), 3.29 (s, 3H), 2.35 – 2.15 (m, 3H), 1.81 – 1.68 (m, 2H), 1.68 – 1.43 (m, 4H), 1.26 – 1.10 (m, 2H)	(ESI(+)) m/e 408 $(M+H)^+$

Example 313

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate

Example 313A

methyl 2-(4-nitrophenylcarbamoyl)isoindoline-5-carboxylate

The title compound was prepared as described in Example 1A, substituting 4-nitrophenyl isocyanate for methyl 4-isocyanatobenzoate and methyl isoindoline-5-carboxylate hydrochloride for isoindoline.

Example 313B

methyl 2-(4-aminophenylcarbamoyl)isoindoline-5-carboxylate

The title compound was prepared as described in Example 274, substituting methyl 2-(4-nitrophenylcarbamoyl)isoindoline-5-carboxylate for 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide.

Example 313C

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate

The title compound was prepared as described in Example 278, substituting methyl 2-(4-aminophenylcarbamoyl)isoindoline-5-carboxylate for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide and 2-cyclopentylacetyl chloride for acetyl chloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.69 (s, 1H), 8.32 (s, 1H), 7.94-7.94 (m, 1H), 7.89-7.96 (m, 1H), 7.51 (d, J = 8.1 Hz, 1H), 7.41-7.49 (m, 4H), 4.75-4.82 (m, 4H), 3.87 (s, 3H), 2.24-2.29 (m, 2H), 2.15-2.28 (m, 1H), 1.68-1.81 (m, 2H), 1.44-1.67 (m, 4H), 1.13-1.24 (m, 2H); MS (ESI(+)) m/e 422 $(M+H)^+$.

Example 314

2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid

The title compound was prepared as described in Example 1B, substituting methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate for methyl 4-(isoindoline-2-carboxamido)benzoate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 12.97 (dd, J = 4.1, 2.1 Hz, 1H), 9.70 (s, 1H), 8.32 (s, 1H), 7.88-7.92 (m, 2H), 7.46-7.50 (m, 1H), 7.43-7.48 (m, 4H), 4.79-4.81 (bs, 4H), 2.24-2.30 (m, 2H), 2.16-2.29 (m, 1H), 1.68-1.81 (m, 2H), 1.44-1.67 (m, 4H), 1.10-1.27 (m, 2H); MS (ESI(-)) m/e 406 $(M-H)^-$.

Example 315

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide

To a stirring suspension of 2-(4-(2-cyclopentylacetamido)phenylcarbamoyl)isoindoline-5-carboxylic acid (18 mg, 0.044 mmol) in tetrahydrofuran was added 1M borane in tetrahydrofuran (0.18 mL, 0.18 mml) dropwise. The mixture was heated at 60°C for 1 hour. The reaction was cooled to room temperature and treated with several drops of 4M HCl-dioxane and methanol and then the clear solution was stirred at room temperature for 2 hours. The reaction was concentrated and purified by

reverse-phase HPLC to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.69 (s, 1H), 8.26 (s, 1H), 7.45 (s, 4H), 7.28-7.32 (m, 2H), 7.22-7.26 (m, 1H), 5.18-5.22 (m, 1H), 4.72-4.73 (bs, 4H), 4.50-4.53 (bs, 2H), 2.17-2.32 (m, 3H), 1.70-1.80 (m, 2H), 1.44-1.67 (m, 4H), 1.13-1.24 (m, 2H); MS (ESI(+)) m/e 394 $(M+H)^+$.

Example 316

N-{4-[(2-cyclopentylethyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide

To a stirring suspension of 2-(4-(2-cyclopentylacetamido)phenylcarbamoyl)isoindoline-5-carboxylic acid (18 mg, 0.044 mmol) in tetrahydrofuran was added 1M borane in tetrahydrofuran (0.18 mL, 0.18 mml) dropwise. The mixture was heated at 60°C for 1 hour. The reaction was cooled to room temperature and treated with several drops of 4M HCl-dioxane and methanol and then the clear solution was stirred at room temperature for 2 hours. The reaction was concentrated and purified by reverse-phase HPLC to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.92 (s, 1H), 7.27-7.31 (m, 2H), 7.24 (d, J = 8.1 Hz, 1H), 7.15-7.20 (m, 2H), 6.45-6.51 (m, 2H), 5.17-5.21 (m, 2H), 4.68-4.69 (bs, 4H), 4.51 (d, J = 5.4 Hz, 2H), 2.97 (q, J = 6.7 Hz, 2H), 1.70-1.95 (m, 3H), 1.42-1.66 (m, 6H), 1.04-1.20 (m, 2H); MS (ESI(+)) m/e 380 $(M+H)^+$.

Example 317

tert-Butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate

Example 317A

N-(4-bromophenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 4-bromophenyl isocyanate for methyl 4-isocyanatobenzoate.

Example 317B

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate

The title compound was prepared as described in Example 280, substituting tert-butyl 4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate for 1H-pyrazol-3-ylboronic acid and N-(4-bromophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.38 (s, 1H), 7.55-7.57 (m, 2H), 7.26-7.42 (m, 6H), 6.06-6.09 (bs, 1H), 4.76-4.77 (bs, 4H), 3.97-4.00 (m, 2H), 3.51-3.55 (m, 2H), 2.42-2.46 (m, 2H), 1.43 (s, 9H); MS (ESI(-)) m/e 418 $(M-H)^-$.

Example 318

N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.44 (s, 1H), 7.58-7.61 (m, 2H), 7.30-7.41 (m, 6H), 6.12-6.14 (bs, 1H), 4.77-4.78 (bs, 4H), 3.70-3.72 (m, 2H), 3.27-3.31 (m, 2H), 2.60-2.64 (m, 2H); MS (ESI(+)) m/e 320 $(M+H)^+$.

Example 319

N-{4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-isopentyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and N-(4-bromophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 0.91 (d, *J*=6.4 Hz, 6 H), 1.40 - 1.60 (m, 1 H), 1.70 (q, *J*=6.8 Hz, 2 H), 4.11 (t, *J*=7.1 Hz, 2 H), 4.77 (s, 4 H), 7.13 - 7.40 (m, 4 H), 7.42 - 7.50 (m, 2 H), 7.50 - 7.61 (m, 2 H), 7.78 (s, 1 H), 8.08 (s, 1 H), 8.32 (s, 1 H); MS (ESI(+)) m/e 375 $(M+H)^+$.

Example 320

N-[4-(1-methyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-methyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and N-(4-bromophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 3.84 (s, 3 H), 4.77 (s, 4 H), 7.24 - 7.40 (m, 4 H), 7.40 - 7.49 (m, 2 H), 7.50 - 7.60 (m, 2 H), 7.77 (s, 1 H), 8.02 (s, 1 H), 8.33 (s, 1 H); MS (ESI(+)) m/e 319 $(M+H)^+$.

Example 321

N-{4-[(1E)-5-phenylpent-1-en-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting (E)-4,4,5,5-tetramethyl-2-(5-phenylpent-1-enyl)-1,3,2-dioxaborolane for 1H-pyrazol-3-ylboronic acid and N-(4-bromophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 1.60 - 1.84 (m, 2 H), 2.19 (q, *J*=7.0 Hz, 2 H), 2.55 - 2.71 (m, 2 H), 4.76 (s, 4 H), 6.12 - 6.27 (m, 1 H), 6.26 - 6.43 (m, 1 H), 7.09 - 7.44 (m, 11 H), 7.52 (d, *J*=8.5 Hz, 2 H), 8.33 (s, 1 H); MS (ESI(+)) m/e 383 $(M+H)^+$.

Example 322

N-[4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-propyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid

and N-(4-bromophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 0.85 (t, *J*=7.3 Hz, 3 H), 1.69 - 1.93 (m, 2 H), 4.05 (t, *J*=6.9 Hz, 2 H), 4.77 (s, 4 H), 7.26 - 7.40 (m, 4 H), 7.42 - 7.49 (m, 2 H), 7.52 - 7.61 (m, 2 H), 7.79 (s, 1 H), 8.07 (s, 1 H), 8.33 (s, 1 H); MS (ESI(+)) m/e 347 $(M+H)^+$.

Example 323

N-[4-(1-benzyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-benzyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and N-(4-bromophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 4.77 (s, 4 H), 5.33 (s, 2 H), 7.21 - 7.42 (m, 9 H), 7.41 - 7.51 (m, 2 H), 7.51 - 7.61 (m, 2 H), 7.84 (s, 1 H), 8.17 (s, 1 H), 8.33 (s, 1 H); MS (ESI(+)) m/e 395 $(M+H)^+$.

Example 324

N-{4-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 2-(4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazol-1-yl)ethanol for 1H-pyrazol-3-ylboronic acid and N-(4-bromophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 3.76 (q, *J*=5.8 Hz, 2 H), 4.14 (t, *J*=5.6 Hz, 2 H), 4.77 (s, 4 H), 4.90 (t, *J*=5.4 Hz, 1 H), 7.25 - 7.41 (m, 4 H), 7.41 - 7.51 (m, 2 H), 7.51 - 7.60 (m, 2 H), 7.80 (s, 1 H), 8.04 (s, 1 H), 8.32 (s, 1 H); MS (ESI(+)) m/e 349 $(M+H)^+$.

Example 325

N-[6-(1-propyl-1H-pyrazol-4-yl)pyridin-3-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 325A

N-(6-chloropyridin-3-yl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 2-chloro-5-isocyanatopyridine for methyl 4-isocyanatobenzoate.

Example 325B

N-[6-(1-propyl-1H-pyrazol-4-yl)pyridin-3-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-propyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and N-(6-chloropyridin-3-yl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.90-8.92 (bs, 1H), 8.84 (d, *J* = 2.5 Hz, 1H), 8.39 (s, 1H), 8.25 (dd, *J* = 8.8, 2.5 Hz, 1H), 8.08

(s, 1H), 7.87 (d, *J* = 8.8 Hz, 1H), 7.31-7.41 (m, 4H), 4.79-4.83 (bs, 4H), 4.13 (t, *J* = 6.9 Hz, 2H), 1.77-1.89 (m, 2H), 0.86 (t, *J* = 7.3 Hz, 3H); MS (ESI(+)) m/e 348 $(M+H)^+$.

Example 326

N-{6-[1-(3-methylbutyl)-1H-pyrazol-4-yl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-isopentyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and N-(6-chloropyridin-3-yl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.85-8.87 (bs, 1H), 8.81 (d, *J* = 2.5 Hz, 1H), 8.38 (s, 1H), 8.21 (dd, *J* = 8.8, 2.5 Hz, 1H), 8.05 (s, 1H), 7.82 (d, *J* = 8.8 Hz, 1H), 7.31-7.41 (m, 4H), 4.78-4.83 (bs, 4H), 4.19 (t, *J* = 7.1 Hz, 2H), 1.71 (q, *J* = 7.0 Hz, 2H), 1.40-1.59 (m, 1H), 0.92 (d, *J* = 6.6 Hz, 6H); MS (ESI(-)) m/e 374 $(M-H)^-$.

Example 327

N-[4-(5-phenylpentyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 274, substituting N-{4-[(1E)-5-phenylpent-1-en-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide for 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 1.21 - 1.40 (m, 4 H), 1.49 - 1.67 (m, 4 H), 2.45 - 2.62 (m, 2 H), 4.75 (s, 4 H), 7.05 (d, *J*=8.7 Hz, 2 H), 7.14 - 7.40 (m, 9 H), 7.44 (d, *J*=8.3 Hz, 2 H), 8.23 (s, 1 H); MS (ESI(+)) m/e 385 $(M+H)^+$.

Example 328

N-[2-fluoro-4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 328A

N-(4-bromo-2-fluorophenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 4-bromo-2-fluoro-1-isocyanatobenzene for methyl 4-isocyanatobenzoate.

Example 328B

N-[2-fluoro-4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-propyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and N-(4-bromo-2-fluorophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.19 (s, 1H), 8.03 (s, 1H), 7.89 (s, 1H), 7.57 (t, *J* = 8.4 Hz, 1H), 7.46 (dd, *J* = 12.1, 1.9 Hz, 1H), 7.24-7.39 (m, 5H), 4.76-4.78 (bs, 4H), 4.06 (t, *J* = 6.9 Hz, 2H), 1.75-1.88 (m, 2H), 0.86 (t, *J* = 7.3 Hz, 3H); MS (ESI(+)) m/e 365 $(M+H)^+$.

Example 329

N-{2-fluoro-4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-isopentyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and N-(4-bromo-2-fluorophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.21 (s, 1H), 8.04 (s, 1H), 7.88 (s, 1H), 7.56 (t, J = 8.4 Hz, 1H), 7.46 (dd, J = 12.1, 1.9 Hz, 1H), 7.25-7.41 (m, 5H), 4.76-4.81 (m, 4H), 4.12 (t, J = 7.2 Hz, 2H), 1.70 (q, J = 7.1 Hz, 2H), 1.40-1.59 (m, 1H), 0.91 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 393 $(M+H)^+$.

Example 330

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting butyryl chloride for acetyl chloride and N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.38 (s, 1H), 7.55-7.58 (m, 2H), 7.27-7.38 (m, 6H), 6.09-6.11 (m, 1H), 4.77 (s, 4H), 4.08-4.14 (m, 2H), 3.58-3.68 (m, 2H), 2.39-2.51 (m, 2H), 2.34 (dt, J = 19.8, 7.3 Hz, 2H), 1.46-1.62 (m, 2H), 0.88-0.93 (m, 3H); MS (ESI(+)) m/e 390 $(M+H)^+$.

Example 331

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting isobutyryl chloride for acetyl chloride and N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.40 (s, 1H), 7.55-7.58 (m, 2H), 7.30-7.38 (m, 6H), 6.11-6.13 (bs, 1H), 4.76-4.77 (bs, 4H), 4.19-4.21 (m, 1H), 4.08-4.09 (m, 1H), 3.65-3.72 (m, 2H), 2.85-3.00 (m, 1H), 2.40-2.56 (m, 2H), 1.00-1.07 (m, 6H); MS (ESI(+)) m/e 390 $(M+H)^+$.

Example 332

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-

carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.39 (s, 1H), 7.56-7.59 (m, 2H), 7.44-7.49 (m, 5H), 7.34-7.40 (m, 4H), 7.29-7.34 (m, 2H), 5.91-6.27 (m, 1H), 4.76-4.77 (bs, 4H), 4.02-4.26 (m, 2H), 3.36-3.59 (m, 2H), 2.51-2.61 (m, 2H); MS (ESI(+)) m/e 424 $(M+H)^+$.

Example 333

N-{4-[1-(isopropylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 283, substituting propane-2-sulfonyl chloride for methanesulfonyl chloride and N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.38-8.40 (m, 1H), 7.56-7.59 (m, 2H), 7.29-7.38 (m, 6H), 6.11-6.14 (m, 1H), 4.76-4.80 (m, 4H), 3.93-3.96 (m, 2H), 3.49 (t, J = 5.5 Hz, 2H), 3.35-3.45 (m, 1H), 2.47-2.51 (m, 2H), 1.24 (d, J = 6.9 Hz, 6H); MS (ESI(-)) m/e 424 $(M-H)^-$.

Example 334

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 334A

tert-butyl 4-(5-(isoindoline-2-carboxamido)pyridin-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate

The title compound was prepared as described in Example 280, substituting tert-butyl 4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate for 1H-pyrazol-3-ylboronic acid and N-(6-chloropyridin-3-yl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide.

Example 334B

N-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-3-yl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(5-(isoindoline-2-carboxamido)pyridin-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 334C

tert-butyl 4-(5-(isoindoline-2-carboxamido)pyridin-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate

The title compound was prepared as described in Example 278, substituting isobutyryl chloride for acetyl chloride and N-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-3-yl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.70 (d, J = 2.6 Hz, 1H), 8.33-8.37 (m, 1H), 7.95 (dd, J = 8.6, 2.6 Hz, 1H), 7.44 (d, J = 8.6 Hz, 1H), 7.28-7.36 (m, 4H),

6.54-6.56 (m, 1H), 4.79 (s, 4H), 4.16-4.18 (m, 2H), 3.68 (t, J = 5.7 Hz, 2H), 2.86-2.97 (m, 1H), 2.54-2.63 (m, 2H), 1.04 (d, J = 6.7 Hz, 6H); MS (ESI(-)) m/e 389 $(M-H)^-$.

Example 335

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-3-yl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.71 (d, J = 2.5 Hz, 1H), 8.61 (s, 1H), 8.01 (dd, J = 8.6, 2.2 Hz, 1H), 7.42-7.54 (m, 6H), 7.35-7.39 (m, 2H), 7.29-7.35 (m, 2H), 6.46-6.67 (m, 1H), 4.79 (s, 4H), 4.05-4.32 (m, 2H), 3.77-3.94 (m, 1H), 3.47-3.58 (m, 1H), 2.61-2.65 (m, 2H); MS (ESI(+)) m/e 425 $(M+H)^+$.

Example 336

N-[4-(4-benzoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 336A

N-(4-(piperazin-1-yl)phenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(isoindoline-2-carboxamido)phenyl)piperazine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 336B

N-[4-(4-benzoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-(4-(piperazin-1-yl)phenyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.14 (s, 1H), 7.38-7.50 (m, 7H), 7.28-7.38 (m, 4H), 6.87-6.91 (m, 2H), 4.74 (s, 4H), 3.39-3.90 (m, 4H), 3.01-3.17 (m, 4H); MS (ESI(+)) m/e 427 $(M+H)^+$.

Example 337

N-{4-[4-(isopropylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 283, substituting isopropylsulfonyl chloride for methanesulfonyl chloride and N-(4-(piperazin-1-yl)phenyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.16 (s, 1H), 7.39-7.45 (m, 2H), 7.27-7.38 (m, 4H), 6.88-6.92 (m, 2H), 4.74 (s, 4H), 3.07-3.12 (m, 4H), 1.25 (d, J = 6.8 Hz, 6H); MS (ESI(+)) m/e 429 $(M+H)^+$.

Example 338

N-{4-[4-(phenylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 283, substituting benzenesulfonyl chloride for methanesulfonyl chloride and N-(4-(piperazin-1-yl)phenyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.14 (s, 1H), 7.65-7.80 (m, 5H), 7.35-7.41 (m, 2H), 7.27-7.37 (m, 4H), 6.81-6.85 (m, 2H), 4.72 (s, 4H), 3.09-3.15 (m, 4H), 2.99-3.04 (m, 4H); MS (ESI(-)) m/e 461 $(M-H)^-$.

Example 339

N-{4-[3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 339A

tert-butyl 1-(4-nitrophenyl)pyrrolidin-3-ylcarbamate

A solution of 1-fluoro-4-nitrobenzene (508 mg, 3.6 mmol) and tert-butyl pyrrolidin-3-ylcarbamate (671 mg, 3.6 mmol) in N,N-dimethylformamide (7 mL) was heated at 55°C for 1.5 hours and then stirred overnight at room temperature. The reaction mixture was poured into water and the suspension was filtered with water washes to provide the title compound after drying.

Example 339B

tert-butyl 1-(4-aminophenyl)pyrrolidin-3-ylcarbamate

The title compound was prepared as described in Example 274, substituting (+/-)-tert-butyl 1-(4-nitrophenyl)pyrrolidin-3-ylcarbamate for 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide.

Example 339C

tert-butyl 1-(4-(isoindoline-2-carboxamido)phenyl)pyrrolidin-3-ylcarbamate

The title compound was prepared as described in Example 272, substituting (+/-)-tert-butyl 1-(4-aminophenyl)pyrrolidin-3-ylcarbamate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride in Example 272B.

Example 339D

N-[4-(3-aminopyrrolidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 2, substituting (+/-)-tert-butyl 1-(4-(isoindoline-2-carboxamido)phenyl)pyrrolidin-3-ylcarbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate in Example 2D.

Example 339E

N-{4-[(3R)-3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide and N-{4-[(3S)-3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compounds were prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and (+/-)-N-(4-(3-aminopyrrolidin-1-yl)phenyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H

NMR (300 MHz, DMSO-d_6) δ ppm 8.61 (d, J = 6.8 Hz, 1H), 8.01 (s, 1H), 7.85-7.89 (m, 2H), 7.42-7.56 (m, 3H), 7.28-7.37 (m, 6H), 6.50 (d, J = 8.7 Hz, 2H), 4.72 (s, 4H), 4.56-4.67 (m, 1H), 3.53-3.59 (m, 1H), 3.36-3.45 (m, 1H), 3.16-3.24 (m, 1H), 2.22-2.31 (m, 1H), 2.03-2.13 (m, 1H); MS (ESI(+)) m/e 427 $(M+H)^+$.

Example 340

N-{4-[(3R)-3-(butyrylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide and N-{4-[(3S)-3-(butyrylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compounds were prepared as described in Example 278, substituting butyryl chloride for acetyl chloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.06 (d, J = 6.9 Hz, 1H), 7.28-7.37 (m, 6H), 6.47 (d, J = 8.7 Hz, 2H), 4.72 (s, 4H), 4.36 (h, J = 5.7 Hz, 1H), 3.41-3.47 (m, 1H), 3.17-3.23 (m, 1H), 2.89-3.05 (m, 1H), 2.10-2.28 (m, 1H), 2.05 (t, J = 7.3 Hz, 2H), 1.81-1.96 (m, 1H), 1.45-1.58 (m, 2H), 0.85 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 393 $(M+H)^+$.

Example 341

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperazine-1-carboxylate

Example 341A

tert-butyl 4-(4-nitrophenyl)piperazine-1-carboxylate

A solution of 1-fluoro-4-nitrobenzene (500 mg, 3.54 mmol) and tert-butyl piperazine-1-carboxylate (726 mg, 3.9 mmol) in dimethylformamide was treated with potassium carbonate (735 mg, 5.32 mmol) and the suspension was heated at 55°C for 4 hours and then stirred overnight at room temperature. The reaction was poured into water and the suspension was filtered with water washes to provide the title compound after vacuum drying.

Example 341B

tert-butyl 4-(4-aminophenyl)piperazine-1-carboxylate

The title compound was prepared as described in Example 274, substituting tert-butyl 4-(4-nitrophenyl)piperazine-1-carboxylate for 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide.

Example 341C

tert-butyl 4-(4-(isoindoline-2-carboxamido)phenyl)piperazine-1-carboxylate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-(4-aminophenyl)piperazine-1-carboxylate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.14 (s, 1H), 7.38-7.44 (m, 2H), 7.27-7.39 (m, 4H), 6.88-6.90 (m, 1H), 6.86 (s, 1H), 4.73 (s, 4H), 3.40-3.51 (m, 4H), 2.98-3.02 (m, 4H), 1.42 (s, 9H); MS (ESI(-)) m/e 421 $(M-H)^-$.

Example 342

N-[4-(4-propionylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting propionyl chloride for acetyl chloride and N-(4-(piperazin-1-yl)phenyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.14 (s, 1H), 7.38-7.44 (m, 2H), 7.28-7.39 (m, 4H), 6.87-6.90 (m, 2H), 4.74 (s, 4H), 3.54-3.60 (m, 4H), 2.95-3.10 (m, 4H), 2.36 (q, J = 7.4 Hz, 2H), 1.03 (s, 1H), 1.00 (d, J = 7.4 Hz, 2H); MS (ESI(+)) m/e 379 $(M+H)^+$.

Example 343

N-{4-[4-(cyclopropylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting cyclopropanecarbonyl chloride for acetyl chloride and N-(4-(piperazin-1-yl)phenyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.15 (s, 1H), 7.38-7.45 (m, 2H), 7.28-7.39 (m, 4H), 6.87-6.93 (m, 2H), 4.74 (s, 4H), 3.73-3.90 (m, 2H), 3.50-3.70 (m, 2H), 3.02-3.18 (m, 4H), 1.98-2.07 (m, 1H), 0.68-0.77 (m, 4H); MS (ESI(-)) m/e 389 $(M-H)^-$.

Example 344

N-(2-butyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 344A

tert-butyl 5-(isoindoline-2-carboxamido)isoindoline-2-carboxylate

In a 250 mL round bottom flask was mixed at room temperature triphosgene (234 mg, 0.790 mmol) in anhydrous dichloromethane (25 mL). To this solution was added dropwise over 15 minutes, a slurry of tert-butyl 5-aminoisoindoline-2-carboxylate (500 mg, 2.134 mmol) and diisopropylethylamine (0.410 ml, 2.347 mmol) in anhydrous dichloromethane (20 mL). The mixture was stirred overnight at room temperature. A solution of isoindoline (0.242 ml, 2.134 mmol) and diisopropylethylamine (0.410 ml, 2.347 mmol) in anhydrous dichloromethane (20 mL) was added in one portion. The reaction stirred overnight at room temperature. The solvent was removed and the residue was purified by normal phase flash chromatography to provide the title compound.

Example 344B

N-(isoindolin-5-yl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 5-(isoindoline-2-carboxamido)isoindoline-2-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 344C

N-(2-butyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting butyryl chloride for acetyl chloride and N-(isoindolin-5-yl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.39 (s, 1H), 7.59-7.61 (bs, 1H), 7.43-7.48 (m, 1H), 7.30-7.41 (m, 4H), 7.22 (t, J = 7.7 Hz, 1H), 4.77 (d, J = 13.9 Hz, 2H), 4.77 (s, 4H), 4.55-4.60 (m, 2H), 2.33 (td, J = 7.3, 3.7 Hz, 2H), 1.54-1.63 (m, 2H), 0.93 (td, J = 7.3, 1.4 Hz, 3H); MS (ESI(+)) m/e 350 $(M+H)^+$.

Example 345

N-(2-isobutyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting isobutyryl chloride for acetyl chloride and N-(isoindolin-5-yl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.40 (s, 1H), 7.59-7.61 (bs, 1H), 7.46 (ddd, J = 10.8, 8.5, 2.1 Hz, 1H), 7.30-7.38 (m, 4H), 7.20-7.24 (m, 1H), 4.82-4.87 (m, 2H), 4.76-4.77 (bs, 4H), 4.55-4.60 (m, 2H), 2.78 (h, J = 6.9 Hz, 1H), 1.07 (d, J = 6.7 Hz, 6H); MS (ESI(+)) m/e 350 $(M+H)^+$.

Example 346

N-(2-benzoyl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-(isoindolin-5-yl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.40 (d, J = 8.8 Hz, 1H), 7.59-7.67 (m, 3H), 7.11-7.52 (m, 9H), 4.68-4.84 (m, 8H); MS (ESI(+)) m/e 384 $(M+H)^+$.

Example 347

N-[2-(3-methylbutyl)-2,3-dihydro-1H-isoindol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 429, substituting 3-methylbutanal for isobutyraldehyde and N-(isoindolin-5-yl)isoindoline-2-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.28 (s, 1H), 7.47 (s, 1H), 7.29-7.37 (m, 5H), 7.09 (d, J = 8.1 Hz, 1H), 4.75 (s, 4H), 3.77-3.79 (m, 2H), 3.74-3.76 (m, 2H), 2.64 (t, J = 7.5 Hz, 2H), 1.60-1.71 (m, 1H), 1.37-1.43 (m, 2H), 0.91 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 350 $(M+H)^+$.

Example 348

N-[4-(hexyloxy)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 1-(hexyloxy)-4-isocyanatobenzene for methyl 4-isocyanatobenzoate. ^{1}H NMR (300 MHz,

DMSO-d_6) δ ppm 8.17 (s, 1H), 7.39-7.45 (m, 2H), 7.27-7.39 (m, 4H), 6.81-6.85 (m, 2H), 4.74 (s, 4H), 3.91 (t, J = 6.5 Hz, 2H), 1.64-1.73 (m, 2H), 1.35-1.47 (m, 2H), 1.23-1.38 (m, 4H), 0.85-0.91 (m, 3H); MS (ESI(+)) m/e 339 $(M+H)^+$.

Example 349

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.39 - 7.47 (m, 3 H) 7.22 - 7.40 (m, 6 H) 6.27 (t, J=5.43 Hz, 1 H) 4.56 (s, 4 H) 4.36 - 4.52 (br s, 1 H) 3.52 (br s, 1 H) 3.00 - 3.15 (m, 2 H) 2.93 (br s, 1 H) 0.93 - 1.86 (series of br m, 12 H); MS (ESI(+)) m/e 406 $(M+H)^+$.

Example 350

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting nicotinoyl chloride hydrochloride for acetyl chloride and N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58 - 8.71 (m, 2 H) 7.87 (d, J=7.5 Hz, 1 H) 7.52 (dd, J=7.5, 4.8 Hz, 1 H) 7.22 - 7.36 (m, 4 H) 6.28 (br m, 1 H) 4.56 (s, 4 H) 4.44 (br m, 1 H) 3.38 - 3.57 (br m, 1 H) 2.95 - 3.15 (br m, 2 H) 2.68 - 2.84 (br m, 1 H) 0.95 - 1.84 (br series of m, 12 H); MS (ESI(+)) m/e 407 $(M+H)^+$.

Example 351

N-[6-(4-chlorophenoxy)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 344A, substituting 6-(4-chlorophenoxy)hexan-1-amine for tert-butyl 5-aminoisoindoline-2-carboxylate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 1.40 (q, 6 H), 1.70 (q, 2 H), 3.08 (q, J=6.8 Hz, 2 H), 3.95 (t, J=6.4 Hz, 2 H), 4.57 (s, 4 H), 6.27 (t, J=5.4 Hz, 1 H), 6.85 - 7.01 (m, 2 H), 7.21 - 7.39 (m, 6 H); MS (ESI(+)) m/e 373 $(M+H)^+$.

Example 352

N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 352A

tert-butyl 4-(4-(isoindoline-2-carboxamido)butyl)piperidine-1-carboxylate

The title compound was prepared as described in Example 344, substituting tert-butyl 4-(4-aminobutyl)piperidine-1-carboxylate for tert-butyl 5-aminoisoindoline-2-carboxylate in Example 344A.

Example 352B

N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(isoindoline-2-carboxamido)butyl)piperidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 1.14 - 1.34 (m, 6 H), 1.35 - 1.57 (m, 3 H), 1.76 (d, *J*=12.30 Hz, 2 H), 2.69 - 2.89 (m, 2 H), 3.07 (q, *J*=6.74 Hz, 2 H), 3.21 (d, *J*=12.70 Hz, 2 H), 4.57 (s, 4 H), 6.29 (t, *J*=5.55 Hz, 1 H), 7.11 - 7.41 (m, 4 H), 8.31 (s, 1 H); MS (ESI(+)) m/e 299 $(M+H)^+$.

Example 353

N,N'-hexane-1,6-diylbis(1,3-dihydro-2H-isoindole-2-carboxamide)

The title compound was prepared as described in Example 1A, substituting 1,6-diisocyanatohexane for methyl 4-isocyanatobenzoate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.19 - 7.37 (m, 8 H) 6.28 (t, *J*=5.59 Hz, 2 H) 4.57 (s, 8 H) 3.07 (q, *J*=6.8 Hz, 4 H) 1.37 - 1.55 (m, 4 H) 1.21 - 1.37 (m, 4 H); MS (ESI(+)) m/e 407 $(M+H)^+$.

Example 354

N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1A, substituting (4-isocyanatobutyl)benzene for methyl 4-isocyanatobenzoate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.24-7.33 (m, 6H), 7.13-7.22 (m, 3H), 6.30 (t, *J* = 5.6 Hz, 1H), 4.56 (s, 4H), 3.06-3.13 (m, 2H), 2.59 (t, *J* = 7.4 Hz, 2H), 1.51-1.65 (m, 2H), 1.40-1.53 (m, 2H); MS (ESI(+)) m/e 295 $(M+H)^+$.

Example 355

ethyl 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoate

The title compound was prepared as described in Example 1A, substituting ethyl 6-isocyanatohexanoate for methyl 4-isocyanatobenzoate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.25-7.33 (m, 4H), 6.29 (t, *J* = 5.6 Hz, 1H), 4.57 (s, 4H), 4.04 (q, *J* = 7.1 Hz, 2H), 3.02-3.09 (m, 2H), 2.28 (t, *J* = 7.3 Hz, 2H), 1.48-1.60 (m, 2H), 1.39-1.50 (m, 2H), 1.23-1.34 (m, 2H), 1.16 (t, *J* = 7.1 Hz, 3H); MS (ESI(+)) m/e 305 $(M+H)^+$.

Example 356

N-hexyl-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 1-isocyanatohexane for methyl 4-isocyanatobenzoate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.25-7.33 (m, 4H), 6.27 (t, *J* = 5.6 Hz, 1H), 4.57 (s, 4H), 3.02-3.10 (m, 2H), 1.36-1.51 (m, 2H), 1.25-1.30 (m, 6H), 0.81-0.92 (m, 3H); MS (ESI(-)) m/e 245 $(M-H)^-$.

Example 357

N-(3-phenylpropyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1A, substituting (3-isocyanatopropyl)benzene for methyl 4-isocyanatobenzoate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.11-7.37 (m, 9H), 6.31 (t, J = 5.5 Hz, 1H), 4.57 (s, 4H), 3.07-3.14 (m, 2H), 2.60 (t, J = 7.6 Hz, 2H), 1.71-1.81 (m, 2H); MS (ESI(+)) m/e 281 $(M+H)^+$.

Example 358

N-octyl-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 1-isocyanatooctane for methyl 4-isocyanatobenzoate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.24-7.35 (m, 4H), 6.27 (t, J = 5.5 Hz, 1H), 4.57 (s, 4H), 3.02-3.09 (m, 2H), 1.40-1.47 (m, 2H), 1.25-1.27 (m, 10H), 0.81-0.89 (m, 3H); MS (ESI(+)) m/e 275 $(M+H)^+$.

Example 359

N-{6-[(1-methyl-1H-pyrazol-4-yl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 359A

6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoic acid

The title compound was prepared as described in Example 1B, substituting ethyl 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 359B

N-{6-[(1-methyl-1H-pyrazol-4-yl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 1-methyl-1H-pyrazol-4-amine for 3-phenylpropan-1-amine and 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.81 (s, 1H), 7.82 (s, 1H), 7.34-7.36 (m, 1H), 7.24-7.34 (m, 4H), 6.28 (t, J = 5.5 Hz, 1H), 4.56 (s, 4H), 3.75 (s, 3H), 3.03-3.10 (m, 2H), 2.22 (t, J = 7.3 Hz, 2H), 1.51-1.64 (m, 2H), 1.40-1.52 (m, 2H), 1.23-1.34 (m, 2H); MS (ESI(+)) m/e 356 $(M+H)^+$.

Example 360

N-[6-(methylamino)-6-oxohexyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting methylamine for 3-phenylpropan-1-amine and 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.60-7.72 (m, 1H), 7.25-7.33 (m, 4H), 6.24-6.29 (m, 1H), 4.57 (s, 4H), 2.94-3.09 (m, 2H), 2.54 (d, J = 4.6 Hz, 3H), 2.30 (t, J = 7.3 Hz, 1H), 2.04 (t, J = 7.4 Hz, 1H), 1.37-1.58 (m, 4H), 1.18-1.35 (m, 2H); MS (ESI(+)) m/e 290 $(M+H)^+$.

Example 361

N-{6-oxo-6-[(3-phenylpropyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.75-7.80 (m, 1H), 7.24-7.34 (m, 6H), 7.12-7.22 (m, 3H), 6.27 (t, J = 5.5 Hz, 1H), 4.56 (s, 4H), 2.98-3.11 (m, 4H), 2.52-2.58 (m, 2H), 2.06 (t, J = 7.3 Hz, 2H), 1.62-1.72 (m, 2H), 1.37-1.58 (m, 4H), 1.12-1.33 (m, 2H); MS (ESI(+)) m/e 394 $(M+H)^+$.

Example 362

N-{6-[(3-methylbutyl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 3-methylbutan-1-amine for 3-phenylpropan-1-amine and 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.64-7.69 (m, 1H), 7.24-7.34 (m, 4H), 6.26 (t, J = 5.5 Hz, 1H), 4.57 (s, 4H), 2.99-3.10 (m, 4H), 2.03 (t, J = 7.3 Hz, 2H), 1.41-1.59 (m, 5H), 1.21-1.30 (m, 4H), 0.84 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 346 $(M+H)^+$.

Example 363

N-{3-oxo-3-[(3-phenylpropyl)amino]propyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 363A

ethyl 3-(isoindoline-2-carboxamido)propanoate

The title compound was prepared as described in Example 1A, substituting ethyl 3-isocyanatopropanoate for methyl 4-isocyanatobenzoate.

Example 363B

3-(isoindoline-2-carboxamido)propanoic acid

The title compound was prepared as described in Example 1B, substituting ethyl 3-(isoindoline-2-carboxamido)propanoate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 363C

N-{3-oxo-3-[(3-phenylpropyl)amino]propyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 3-(isoindoline-2-carboxamido)propanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.87-7.92 (m, 1H), 7.22-7.32 (m, 6H), 7.12-7.19 (m, 3H), 6.36 (t, J = 5.5 Hz, 1H), 4.56 (s, 4H), 3.24-3.32 (m, 2H), 3.03-3.10 (m, 2H), 2.52-2.60 (m, 2H), 2.30 (t, J = 7.0 Hz, 2H), 1.63-1.74 (m, 2H); MS (ESI(+)) m/e 352 $(M+H)^+$.

Example 364

N-{3-oxo-3-[4-(pyridin-2-yl)piperazin-1-yl]propyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 1-(pyridin-2-yl)piperazine for 3-phenylpropan-1-amine and 3-(isoindoline-2-carboxamido)propanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.11 (ddd, J = 4.9, 2.0, 0.8 Hz, 1H), 7.53 (ddd, J = 8.7, 7.0, 1.9 Hz, 1H), 7.25-7.34 (m, 4H), 6.83 (d, J = 8.6 Hz, 1H), 6.65 (ddd, J = 7.1, 4.9, 0.8 Hz, 1H), 6.37 (t, J = 5.6 Hz, 1H), 4.57 (s, 4H), 3.44-3.61 (m, 8H), 3.28-3.37 (m, 2H), 2.54-2.61 (m, 2H); MS (ESI(+)) m/e 380 $(M+H)^+$.

Example 365

N-{3-[(3-methylbutyl)amino]-3-oxopropyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 1 3-methylbutan-1-amine for 3-phenylpropan-1-amine and 3-(isoindoline-2-carboxamido)propanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.76-7.81 (m, 1H), 7.25-7.34 (m, 4H), 6.31-6.36 (m, 1H), 4.56 (s, 4H), 3.23-3.31 (m, 2H), 3.02-3.09 (m, 2H), 2.27 (t, J = 7.0 Hz, 2H), 1.46-1.62 (m, 1H), 1.27 (q, J = 7.1 Hz, 2H), 0.84 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 304 $(M+H)^+$.

Example 366

N-[4-(1-propyl-1H-pyrazol-4-yl)benzyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 366A

N-(4-bromobenzyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 1-bromo-4-(isocyanatomethyl)benzene for methyl 4-isocyanatobenzoate.

Example 366B

N-[4-(1-propyl-1H-pyrazol-4-yl)benzyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-propyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and N-(4-bromobenzyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 0.85 (t, J=7.5 Hz, 3 H), 1.70 - 1.92 (m, 2 H), 4.06 (t, J=6.9 Hz, 2 H), 4.29 (d, J=6.1 Hz, 2 H), 4.63 (s, 4 H), 6.91 (t, J=5.9 Hz, 1 H), 7.18 - 7.40 (m, 6 H), 7.49 (d, J=8.5 Hz, 2 H), 7.82 (s, 1 H), 8.12 (s, 1 H); MS (ESI(+)) m/e 361 $(M+H)^+$.

Example 367

N-[4-(1-isobutyl-1H-pyrazol-4-yl)benzyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-isobutyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and N-(4-bromobenzyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm

0.86 (d, *J*=6.4 Hz, 6 H), 2.03 - 2.21 (m, 1 H), 3.91 (d, *J*=7.1 Hz, 2 H), 4.28 (d, *J*=5.9 Hz, 2 H), 4.63 (s, 4 H), 6.92 (t, *J*=5.9 Hz, 1 H), 7.25 - 7.37 (m, 6 H), 7.50 (d, *J*=8.3 Hz, 2 H), 7.83 (s, 1 H), 8.10 (s, 1 H); MS (ESI(+)) m/e 375 $(M+H)^+$.

Example 368

N-(5-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(2-pyridyl)piperazine for 3-phenylpropan-1-amine and 6-(isoindoline-2-carboxamido)nicotinic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 9.21 (s, 1H), 8.39 (dd, J = 2.3, 0.8 Hz, 1H), 8.13 (dd, J = 4.9, 1.9 Hz, 1H), 8.00 (dd, J = 8.6, 0.8 Hz, 1H), 7.84 (dd, J = 8.6, 2.4 Hz, 1H), 7.56 (ddd, J = 8.7, 6.9, 1.9 Hz, 1H), 7.34-7.39 (m, 2H), 7.29-7.34 (m, 2H), 6.85 (d, J = 8.5 Hz, 1H), 6.67 (dd, J = 6.7, 4.9 Hz, 1H), 4.75-4.92 (bs, 4H), 3.47-3.81 (m, 8H); MS (ESI(+)) m/e 429 $(M+H)^+$.

Example 369

N-{5-[(3-phenylpropyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 369A

methyl 6-(isoindoline-2-carboxamido)nicotinate

The title compound was prepared as described in Example 344A, substituting methyl 6-aminonicotinate for tert-butyl 5-aminoisoindoline-2-carboxylate.

Example 369B

6-(isoindoline-2-carboxamido)nicotinic acid

The title compound was prepared as described in Example 1B, substituting methyl 6-(isoindoline-2-carboxamido)nicotinate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 369C

N-{5-[(3-phenylpropyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 6-(isoindoline-2-carboxamido)nicotinic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 9.25 (s, 1H), 8.74 (d, J = 2.4 Hz, 1H), 8.47-8.51 (m, 1H), 8.14 (dd, J = 8.8, 2.4 Hz, 1H), 8.00 (d, J = 8.7 Hz, 1H), 7.33-7.38 (m, 2H), 7.29-7.33 (m, 2H), 7.26-7.30 (m, 2H), 7.21-7.26 (m, 2H), 7.15-7.21 (m, 1H), 4.74-4.92 (bs, 4H), 3.25-3.32 (m, 2H), 2.64 (t, J = 7.6 Hz, 2H), 1.84 (p, J = 7.4 Hz, 2H); MS (ESI(+)) m/e 401 $(M+H)^+$.

Example 370

N-{5-[(3-methylbutyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 3-methylbutan-1-amine for 3-phenylpropan-1-amine and 6-(isoindoline-2-carboxamido)nicotinic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400

MHz, DMSO-d_6) δ ppm 9.24 (s, 1H), 8.73 (d, J = 2.4 Hz, 1H), 8.42 (t, J = 5.5 Hz, 1H), 8.13 (dd, J = 8.8, 2.4 Hz, 1H), 7.99 (d, J = 8.7 Hz, 1H), 7.25-7.37 (m, 4H), 4.71-4.95 (bs, 4H), 3.24-3.32 (m, 2H), 1.57-1.68 (m, 1H), 1.43 (q, J = 7.1 Hz, 2H), 0.91 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 353 $(M+H)^+$.

Example 371

N-{5-[(3-phenylpropyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 371A

methyl 2-(isoindoline-2-carboxamido)thiazole-5-carboxylate

The title compound was prepared as described in Example 272B, substituting methyl 2-aminothiazole-5-carboxylate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride.

Example 371B

2-(isoindoline-2-carboxamido)thiazole-5-carboxylic acid

The title compound was prepared as described in Example 1B, substituting methyl 2-(isoindoline-2-carboxamido)thiazole-5-carboxylate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 371C

N-{5-[(3-phenylpropyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 2-(isoindoline-2-carboxamido)thiazole-5-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 11.00-11.19 (bs, 1H), 8.34 (t, J = 5.6 Hz, 1H), 7.98 (s, 1H), 7.15-7.37 (m, 9H), 4.70-4.83 (m, 4H), 3.17-3.28 (m, 2H), 2.63 (t, J = 7.6 Hz, 2H), 1.81 (p, J = 7.4 Hz, 2H); MS (ESI(-)) m/e 405 $(M-H)^-$.

Example 372

N-{5-[(3-methylbutyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 3-methylbutan-1-amine for 3-phenylpropan-1-amine and 2-(isoindoline-2-carboxamido)thiazole-5-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 11.01-11.16 (bs, 1H), 8.27 (t, J = 5.6 Hz, 1H), 7.96 (s, 1H), 7.29-7.36 (m, 4H), 4.73-4.88 (bs, 4H), 3.18-3.28 (m, 2H), 1.52-1.69 (m, 1H), 1.34-1.44 (m, 2H), 0.90 (d, J = 6.6 Hz, 6H); MS (ESI(-)) m/e 357 (M-H)-.

Example 374

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 374A

N-(4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)isoindoline-2-carboxamide

500 mg (4-Isocyanatophenyl)boronic acid pinacolester (1.979 mmol) and 365 mg isoindoline (2.97 mmol) were dissolved in 10 ml dichloromethane and the resultant mixture was stirred over night at room temperature. After adding water, the mixture was extracted several times with dichloromethane, the combined organic phases were washed with dried over magnesium sulfate and filtered. The solvent was evaporated under reduced pressure. Column chromatography of the residue with dichloromethane resulted in the title compound.

Example 374B

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

105 mg N-(4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)isoindoline-2-carboxamide (0.288 mmol) and 53 mg 4-chloro-1,2-dihydrophthalazin-1-one (0.288 mmol) were dissolved in 2.5 ml dioxane. Cesium carbonate (474 mg, 1.44 mmol) was dissolved in 0.25 ml water and the resulting solution added to the reaction mixture. After the addition of 27.8 mg [1,1'-bis(diphenylphosphino)-ferrocene]dichlorpalladium(II) (0.038 mmol) the reaction mixture was flushed with nitrogen and stirred for 30 minutes in the microwave (Biotage Initiator 2.5) at 110°C. Dioxane was removed under reduced pressure, water and dichloromethane added to the residue and the formed precipitation was filtered. After dissolving the solid matter in a larger amount of dichloromethane/methanol 8:2, silica gel was added and subsequently the solvent was removed under reduced pressure. This residue was was purified by column chromatography using dichloromethane/methanol 95:5. ^{1}H NMR (DMSO-d_6 ,400MHz): δ ppm 12.73 (s, 1 H), 8.55 (s, 1 H), 8.33 (dd, 1 H), 7.85-7.92 (m, 2 H), 7.73-7.78 (m, 3 H), 7.48 (d, 2 H), 7.35-7.38 (m, 2 H), 7.30-7.33 (m, 2 H), 4.81 (s, 4H). MS (ESI(-)) m/e 383.2 $(M+H)^+$.

Example 375

N-[4-(isoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 374B, substituting 4-chloro-1,2-dihydrophthalazin-1-one with 4-bromoisoquinoline. ESI-MS [M+H+]= 366.1.

Example 376

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-aminophenyl)isoquinolin-1(2H)-one. ESI-MS [M+H+]= 382.1.

Example 377

N-[4-(4-oxo-3,4,5,6,7,8-hexahydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 377A

2-(4-Amino-benzoyl)-cyclohex-1-enecarboxylic acid

To a suspension of 2.2 g magnesium turnings (83.5 mmol) in 15 ml tetrahydrofuran were added 0.1 mL 1,2-dibromethane to start the Grignard reaction followed by slow addition of 13.0 g 2-(4-bromphenyl)-1,1,1,3,3,3-hexamethyldisilazane (41 mmol) in 70 mL tetrahydrofuran over a period of 20 minutes at room temperature with subsequent stirring for further 30 minutes. The resulting mixture was added dropwise at -78°C to a solution of 4,5,6,7-tetrahydro-isobenzofuran-1,3-dione (5.6 g) in 70 mL tetrahydrofuran. The reaction mixture was slowly warmed to room temperature. Sulfuric acid (2 mL, 1 M) was added and the solvent was removed under reduced pressure. The residue was added carefully to 20 mL of 0.5 M sulfuric acid solution and the desired product started to precipitate and was extracted with ethyl acetate. Acidification of the water phase and extraction with ethyl acetate was continued until pH~4-5 (at least three times). The combined organic phases were washed with brine, dried over magnesium sulfate, filtered and the solvent was subsequently evaporated under reduced pressure. Purification of the raw material by column chromatography with ethyl acetate /hexane 1:1 and subsequently 100% ethyl acetate resulted in the desired product.

Example 377B

4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one

10.3 g of 2-(4-amino-benzoyl)-cyclohex-1-enecarboxylic acid (42 mmol) were dissolved in 45 mL ethanol, 2.7 g (54 mmol) hydrazine hydrate was added and the mixture was heated under reflux for 30 hours. Precipitation of the product already started several hours after heating. After cooling in the refrigerator overnight the precipitated product was filtered and washed with cold ethanol.

Example 377C

1,3-dihydro-isoindole-2-carboxylicacid [4-(4-oxo-3,4,5,6,7,8-hexahydro-phthalazin-1-yl)-phenyl]-amide

To a solution of 200 mg 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one (0.829 mmol) in 5 ml N,N-dimethylformamide were added 245 mg carbonic acid bis-(2,5-dioxo-pyrrolidin-1-yl) ester (0.912 mmol) and the reaction mixture was stirred overnight. 255 mg of isoindoline were added, the precipitation formed was dissolved by adding 0.8 ml N,N-dimethylformamide, and the reaction mixture was stirred overnight. Water was added, and the formed precipitation was washed with water/methanol and subsequently dried in vacuum to obtain the crude material. The crude material was refluxed in 20 ml ethanol for 2 hours, cooled to room temperature, filtered and dried to obtain the desired product. ESI-MS [M+H+]= 387.2.

Example 378

N-[4-(8-fluoro-4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-5-fluoro-2H-phthalazin-1-one. ESI-MS [M+H+]= 401.1.

Example 379

5-fluoro-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2H-phthalazin-1-one and isoindoline with 5-fluoro-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 401.1.

Example 380

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2H-phthalazin-1-one and isoindoline with 5-pyrrolidin-1-ylmethyl-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 466.2.

Example 381

5-(morpholin-4-ylmethyl)-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-aminophenyl)isoquinolin-1(2H)-one and isoindoline with 5-morpholin-4-ylmethyl-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 481.3.

Example 382

5-methoxy-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-aminophenyl)isoquinolin-1(2H)-one and isoindoline with 5-methoxy-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 412.2.

Example 383

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2H-phthalazin-1-one and isoindoline with 5-(4-methyl-piperazin-1-ylmethyl)-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 495.2.

Example 384

5-cyano-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-aminophenyl)isoquinolin-1(2H)-one and isoindoline with 2,3-dihydro-1H-isoindole-5-carbonitrile. ESI-MS [M+H+]= 407.1.

Example 385

5-chloro-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-aminophenyl)isoquinolin-1(2H)-one and isoindoline with 5-chloro-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 416.1.

Example 386

N-[4-(4-oxo-4,5-dihydro-3H-2,3-benzodiazepin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 1-(4-amino-phenyl)-3,5-dihydro-benzo[d][1,2]diazepin-4-one. ESI-MS [M+H+]= 397.2.

Example 387

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-aminophenyl)isoquinolin-1(2H)-one and isoindoline with 5-pyrrolidin-1-ylmethyl-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 465.2.

Example 388

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-5-trifluoromethyl-2H-phthalazin-1-one. ESI-MS [M+H+]= 451.1.

Example 389

5-[(dimethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-aminophenyl)isoquinolin-1(2H)-one and isoindoline with (2,3-dihydro-1H-isoindol-5-ylmethyl)-dimethyl-amine. ESI-MS [M+H+]= 439.3.

Example 390

5-[(diethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-aminophenyl)isoquinolin-1(2H)-one and isoindoline with (2,3-dihydro-1H-isoindol-5-ylmethyl)-diethyl-amine. ESI-MS [M+H+]= 467.3.

Example 391

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-aminophenyl)isoquinolin-1(2H)-one and isoindoline with 5-(4-methyl-piperazin-1-ylmethyl)-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 494.3.

Example 392

5-[(dimethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2H-phthalazin-1-one and isoindoline with (2,3-dihydro-1H-isoindol-5-ylmethyl)-dimethyl-amine. ESI-MS [M+H+]= 440.2.

Example 393

5-[(diethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2H-phthalazin-1-one and isoindoline with (2,3-dihydro-1H-isoindol-5-ylmethyl)-diethyl-amine. ESI-MS [M+H+]= 468.2.

Example 394

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-5-trifluoromethyl-2H-phthalazin-1-one and isoindoline with 5-pyrrolidin-1-ylmethyl-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 534.2.

Example 395

5-[(1-methylpiperidin-4-yl)oxy]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2H-phthalazin-1-one and isoindoline with 5-(1-methyl-piperidin-4-yloxy)-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 496.2.

Example 396

5-{[(3R)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2H-phthalazin-1-one and isoindoline with 5-((R)-3-fluoro-pyrrolidin-1-ylmethyl)-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 484.2.

Example 397

5-{[(3S)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2H-phthalazin-1-one and isoindoline with 5-((S)-3-fluoro-pyrrolidin-1-ylmethyl)-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 484.2.

Example 398

5-(azetidin-1-ylmethyl)-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2H-phthalazin-1-one and isoindoline with 5-azetidin-1-ylmethyl-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 452.2.

Example 399

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 399A

N'-(4-bromobenzoyl)-1H-pyrrole-2-carbohydrazide

To 0.750 g of 1H-pyrrole-2-carbohydrazide (5.99 mmol) in 50 ml tetrahydrofuran was added 1.315 g 4-bromobenzoyl chloride (5.99 mmol) and 1 ml pyridine (11.99 mmol) at room temperature under nitrogen. After one hour of stirring at room temperature, the desired product precipitated. The precipitate was filtered, washed with minimum dichloromethane and methanol and dried to afford the title compound. ^{1}H NMR (400 MHz, DMSO-d_6) δ 11.63 (s, 1H), 10.47 (s, 1H), 10.04 (s, 1H), 7.84 - 7.88 (m, 2H), 7.75 (d, J = 8.8, 1H), 7.75 (q, J = 4.2, 1H), 6.91-6.95 (m, 2H), 6.33-6.15 (m, 1H).

Example 399B

2-(4-bromophenyl)-5-(1H-pyrrol-2-yl)-1,3,4-oxadiazole

To 1.2 g of N'-(4-bromobenzoyl)-1H-pyrrole-2-carbohydrazide (3.89 mmol) was added 5 ml phosphoryl trichloride (1.65 mmol). The reaction was stirred for 25 minutes at 120°C. The reaction was cooled to 0°C, and ice was added. The resulting solid was filtered, and washed with water, NH_4OH, dichloromethane and ethyl acetate. Purification by silica gel chromatography (dichloromethane : methanol = 9 : 1) resulted in the desired product. ^{1}H NMR (400 MHz, DMSO-d_6) δ 12.32 (s, 1H), 8.05 – 8.00 (m, 2H), 7.89 – 7.83 (m, 2H), 7.18 (td, J = 1.5, 2.6, 1H), 6.97 (ddd, J = 1.5, 2.4, 3.7, 1H), 6.33 (dt, J = 2.4, 3.6, 1H). ^{13}C NMR (400 MHz, DMSO-d_6) δ 110.16, 112.49, 115.12, 122.71, 123.96, 125.23, 128.26, 132.49, 159.37, 161.57.

Example 399C

4-(4-bromophenyl)pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one

To 0.469 g sodium ethanolate (6.89 mmol) dissolved in 20 ml ethanol was added 1.0 g 2-(4-bromophenyl)-5-(1H-pyrrol-2-yl)-1,3,4-oxadiazole (3.45 mmol) at room temperature under nitrogen and the mixture was stirred at room temperature for 5 minutes. The reaction was heated at 160°C for 2 hours in a microwave (Biotage Initiator 2.5). The reaction was monitored by TLC dichloromethane/methanol = 9/1. Additional equivalents of sodium ethanolate were added and additional heating was carried out until completion of the reaction according to TLC. The reaction mixture was concentrated under reduced pressure and adsorbed on silica gel. The product was purified by silica gel chromatography (gradient: cyclohexane/ethylacetate = 0 - 100%) to afford the title compound. ^{1}H NMR (400 MHz, DMSO-d_6) δ 12.09 (s, 1H), 7.85 – 7.78 (m, 2H), 7.76 – 7.69 (m, 2H), 7.39 (dd, J = 1.3, 2.9, 1H), 7.16 (dd, J = 1.4, 3.8, 1H), 6.77 (dd, J = 2.9, 3.8, 1H). ^{13}C NMR (400 MHz, DMSO-d_6) δ 154.22, 136.46, 131.98, 130.90, 129.52, 124.07, 124.00, 118.80, 114.42, 111.01.

Example 399D

4-(4-aminophenyl)pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one

To 1.181 g 4-(4-bromophenyl)pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one (4.07 mmol) in toluene (10 ml) was added 0.080 g 2-dicyclohexylphosphino-2'-(N,N-dimethylamino)biphenyl (0.2004 mmol), 0.063 g tris(dibenzylideneacetone)dipalladium(0) chloroform adduct (0.061 mmol) and 10.58 ml lithium bis(trimethylsilyl)amide 1M in toluene (10.58 mmol) under nitrogen at room temperature and the reaction was subsequently heated at 150°C for 5 minutes by microwave (Biotage Initiator 2.5). Thin layer chromotography in cyclohexane/ ethyl acetate = 1/ 1 showed no starting material. After cooling the reaction mixture, 7 ml of 2N aqueous HCl was added, the mixture stirred for 30 minutes, and the mixture was basified until pH = 10 by addition of aqueous NaOH (2N). A precipitate was formed. The solid was filtered and washed with ether and dried overnight to obtain the title compound. LCMS: m/z 227.0 (M+H). The filtrate was extracted with ethyl acetate. The organic phase was combined with the ether from the washing, dried over Na_2SO_4, filtered, and the solvent was evaporated under reduced pressure. The raw material was adsorbed on silica (dissolved in ethyl acetate), then purified by silica gel chromatography (cyclohexane : ethyl acetate gradient, the product was eluted at 80% of ethyl acetate) to afford additional title compound. ^{1}H NMR (400 MHz, DMSO-d_6) δ 11.85 (br. s., 1 H), 7.32 - 7.44 (m, 3 H), 7.09 (dd, J=3.8, 1.3 Hz, 1H), 6.66 - 6.77 (m, 3 H), 5.67 (s, 2 H). ^{13}C NMR (400 MHz, DMSO-d_6) δ 154.15, 150.86, 137.98, 129.55, 123.98, 118.70, 116.65, 113.95, 113.32, 110.58.

Example 399E

[4-(1-Oxo-1,2-dihydro-pyrrolo[1,2-d][1,2,4]triazin-4-yl)-phenyl]-carbamic acid phenyl ester

To a suspension of 50 mg 4-(4-aminophenyl)pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one (0.22 mmol) in 1 ml tetrahydrofuran at room temperature a solution of 0.03 ml pyridine (0.3 mmol) in 0.5 ml of tetrahydrofuran was added over 5 minutes. Subsequently, 0.03 ml phenylchlorformate (0.23 mmol) dissolved in 3 ml of tetrahydrofuran was added over 30 minutes and the reaction was stirred at room temperature overnight. The solvent was evaporated on vacuo and the mixture was directly incorporated on silica by dichloromethane. The mixture was purified by silica gel chromatography (4 g, cyclohexane:ethylacetate gradient) to afford crude material which was purified by column chromatography (cyclohexane:ethylacetate gradient) to afford the title compound.

Example 399F

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

40 mg [4-(1-Oxo-1,2-dihydro-pyrrolo[1,2-d][1,2,4]triazin-4-yl)-phenyl]-carbamic acid phenyl ester (0.115mmol) were dissolved in 0.3 ml DMSO. A mixture of 15 mg isoindoline (0.121mmol) in 0.2 ml DMSO was added at room temperature and the reaction

was stirred at room temperature over night. The reaction mixture was diluted in ethyl acetate and washed with water, aqueous HCl, water, aqueous NaOH, and water. The solvent was evaporated under reduced pressure to afford the title compound.

Example 400

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 400A

5-pyrrolidin-1-ylmethyl-1,3-dihydro-isoindole-2-carboxylic acid tert-butyl ester

To a solution of 1.25 g 5-hydroxymethyl-1,3-dihydro-isoindole-2-carboxylic acid tert-butyl ester (5.01 mmol) in 14 ml dichloromethane was slowly added 0.781 ml methanesulfonyl chloride (10.03 mmol) at room temperature. Subsequently the mixture was heated for 4 hours at reflux. LCMS control indicted a near complete formation of the corresponding mesylate, which was not isolated. After cooling to room temperature, 1.244 ml pyrrolidine (15.04 mmol) were added and the mixture was stirred at room temperature overnight. The reaction was complete according to LCMS. Water was added to the reaction mixture, the acidic aqueous phase was extracted two times with dichloromethane, and the water phase was basified and extracted three times with ethyl acetate. The combined ethyl acetate solutions were extracted with brine, dried over Na_2SO_4, filtered, and the organic solvent was removed under reduced pressure to provide the title compound. The dichloromethane phase was extracted two times with diluted NaOH, once with brine and then dried over Na_2SO_4. Filtration and removal of the organic solvent under reduced pressure provided additional title compound. Both fractions were combined and used in the next step without further purification. LCMS: m/z 303.2 (M+H).

Example 400B

5-pyrrolidin-1-ylmethyl-2,3-dihydro-1H-isoindole

To a solution of 1.90 g 5-pyrrolidin-1-ylmethyl-1,3-dihydro-isoindole-2-carboxylic acid tert-butyl ester (raw material; 4.96 mmol) in 5 ml dichloromethane was added 3.82 ml trifluoroacetic acid (49.6 mmol) and the reaction mixture was stirred at room temperature overnight. The trifluoroacetic acid and dichloromethane were evaporated under reduced pressure, water was added to the residue, the acidic aqueous phase extracted two times with ethyl acetate, the aqueous phase was basified with diluted NaOH and then subsequently extracted three times with dichloromethane. The dichloromethane phase was washed once with brine, dried over Na_2SO_4, filtered, and the solvent was removed under vacuum. The title compound was used without further purification in the next step. LCMS: m/z 203.2 (M+H).

Example 400C

5-pyrrolidin-1-ylmethyl-1,3-dihydro-isoindole-2-carboxylic acid [4-(1-oxo-1,2-dihydro-pyrrolo[1,2-d][1,2,4]triazin-4-yl)-phenyl]-amide

The title compound was prepared as described in Example 399E and Example 399F, substituting isoindoline with 5-pyrrolidin-1-ylmethyl-2,3-dihydro-1H-isoindole. LCMS: m/z 455.2 (M+H).

Example 401

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate

The title compound was prepared as described in Example 272A, substituting tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate for 4-nitro-N-propylbenzamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.26 (s, 1H), 7.46-7.48 (m, 2H), 7.34-7.39 (m, 2H), 7.28-7.33 (m, 2H), 7.10-7.13 (m, 2H), 4.75 (s, 4H), 4.02-4.08 (m, 2H), 2.71-2.90 (m, 2H), 2.57-2.68 (m, 1H), 1.71-1.76 (m, 2H), 1.40-1.51 (m, 2H), 1.42 (s, 9H); MS (ESI(-)) m/e 420 $(M-H)^-$.

Example 402

N-[4-(5-propyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 402A

N-(4-cyanophenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 4-isocyanatobenzonitrile for methyl 4-isocyanatobenzoate.

Example 402B

(Z)-N-(4-(N'-hydroxycarbamimidoyl)phenyl)isoindoline-2-carboxamide

In a 25 mL pressure tube were mixed N-(4-cyanophenyl)isoindoline-2-carboxamide (500 mg, 1.899 mmol), hydroxylamine hydrochloride (264 mg, 3.80 mmol), and triethylamine (1.323 ml, 9.50 mmol) in ethanol (6 ml)/water (0.5 ml). The reaction vessel was sealed and heated at 80 °C for four hours. The reaction mixture was diluted with water and the solid was filtered off with water washes. HPLC purification provided the title compound.

Example 402C

N-[4-(5-propyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

In a 4 mL vial was mixed (Z)-N-(4-(N'-hydroxycarbamimidoyl)phenyl)isoindoline-2-carboxamide (50 mg, 0.169 mmol), butyric acid (0.017 ml, 0.186 mmol), 1-hydroxybenzotriazole hydrate (12.92 mg, 0.084 mmol), and N-methylmorpholine (0.056 ml, 0.506 mmol) in anhydrous dimethylformamide (2 ml). To this solution was added N-(3-dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride (48.5 mg, 0.253 mmol) and the mixture was stirred overnight at ambient temperature. The solution was diluted with ethyl acetate and washed with water, saturated aqueous sodium bicarbonate, and brine. The organic layer was dried with sodium sulfate, decanted, and concentrated. The residue was taken up in anhydrous toluene (1 ml), and the mixture was heated at 110 °C for 2 days. The reaction was diluted with water; and the solids that formed were filtered and washed with water and ether

to provide the title compound. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.68 (s, 1H), 7.89-7.91 (m, 2H), 7.78-7.80 (m, 2H), 7.36-7.40 (m, 2H), 7.30-7.34 (m, 2H), 4.76-4.85 (m, 4H), 2.96 (t, J = 7.4 Hz, 2H), 1.81 (hex, J = 7.4 Hz, 2H), 0.99 (t, J = 7.4 Hz, 3H); MS (ESI(-)) m/e347 (M-H)$^-$.

Example 403

N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.28 (s, 1H), 7.46-7.48 (m, 2H), 7.34-7.37 (m, 2H), 7.30-7.33 (m, 2H), 7.09-7.12 (m, 2H), 4.75-4.76 (bs, 4H), 3.09-3.17 (m, 2H), 2.68 (td, J = 12.3, 2.6 Hz, 2H), 2.57 (tt, J = 12.0, 3.4 Hz, 1H), 1.71-1.75 (m, 2H), 1.56 (qd, J = 12.5, 3.9 Hz, 2H); MS (ESI(+)) m/e 322 (M+H)$^+$.

Example 404

N-{5-[((3R)-tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide and N-{5-[((3S)-tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (tetrahydrofuran-3-yl)methanamine for 3-phenylpropan-1-amine and 6-(isoindoline-2-carboxamido)nicotinic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 9.26 (s, 1H), 8.74 (d, J = 2.4 Hz, 1H), 8.56-8.60 (m, 1H), 8.14 (dd, J = 8.8, 2.5 Hz, 1H), 8.00 (d, J = 8.8 Hz, 1H), 7.26-7.40 (m, 4H), 4.59-5.02 (m, 4H), 3.75 (td, J = 8.0, 5.7 Hz, 1H), 3.69 (dd, J = 8.5, 6.9 Hz, 1H), 3.59-3.66 (m, 1H), 3.48 (dd, J = 8.5, 5.2 Hz, 1H), 3.18-3.31 (m, 2H), 2.43-2.51 (m, 1H), 1.90-1.99 (m, 1H), 1.56-1.65 (m, 1H); MS (ESI(-)) m/e 365 (M-H)$^-$.

Example 405

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting butyryl chloride for acetyl chloride and N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.27 (s, 1H), 7.46-7.49 (m, 2H), 7.34-7.39 (m, 2H), 7.28-7.33 (m, 2H), 7.11-7.14 (m, 2H), 4.75-4.76 (bs, 4H), 4.52-4.57 (m, 1H), 3.94-4.00 (m, 1H), 3.03-3.11 (m, 1H), 2.64-2.75 (m, 1H), 2.51-2.63 (m, 1H), 2.31 (t, J = 7.4 Hz, 2H), 1.73-1.81 (m, 2H), 1.47-1.59 (m, 3H), 1.32-1.47 (m, 1H), 0.85-0.95 (m, 3H); MS (ESI(+)) m/e 392 (M+H)$^+$.

Example 406

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting isobutyryl chloride for acetyl chloride and N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.28 (s, 1H), 7.46-7.48 (m, 2H), 7.34-7.39 (m, 2H), 7.29-7.33 (m, 2H), 7.12-7.14 (m, 2H), 4.75-4.76 (bs, 4H), 4.53-4.58 (m, 1H), 4.03-4.07 (m, 1H), 3.06-3.14 (m, 1H), 2.86-2.93 (m, 1H), 2.67-2.74 (m, 1H), 2.53-2.61 (m, 1H), 1.75-1.84 (m, 2H), 1.45-1.56 (m, 1H), 1.33-1.45 (m, 1H), 1.03 (d, J = 6.7 Hz, 3H), 1.00 (d, J = 6.6 Hz, 3H); MS (ESI(-)) m/e 390 $(M-H)^-$.

Example 407

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.29 (s, 1H), 7.47-7.50 (m, 2H), 7.41-7.47 (m, 5H), 7.34-7.38 (m, 2H), 7.29-7.33 (m, 2H), 7.16-7.18 (m, 2H), 4.75-4.76 (bs, 4H), 4.54-4.64 (m, 1H), 3.57-3.74 (m, 1H), 3.02-3.21 (m, 1H), 2.79-2.93 (m, 1H), 2.75 (tt, J = 11.9, 3.4 Hz, 1H), 1.68-1.88 (m, 2H), 1.54-1.63 (m, 2H); MS (ESI(-)) m/e 424 $(M-H)^-$.

Example 408

N-{4-[5-(3-methylbutyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 402C, substituting 4-methylpentanoic acid for butyric acid. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.69 (s, 1H), 7.89-7.91 (m, 2H), 7.77-7.79 (m, 2H), 7.36-7.39 (m, 2H), 7.31-7.34 (m, 2H), 4.80-4.81 (bs, 4H), 2.96-3.00 (m, 2H), 1.66-1.72 (m, 2H), 1.59-1.67 (m, 1H), 0.93 (d, J = 6.4 Hz, 6H); MS (ESI(-)) m/e 375 $(M-H)^-$.

Example 409

N-[4-(5-benzyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 402C, substituting phenylacetic acid for butyric acid. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.69 (s, 1H), 7.87-7.90 (m, 2H), 7.77-7.79 (m, 2H), 7.35-7.42 (m, 6H), 7.29-7.34 (m, 3H), 4.75-4.84 (m, 4H), 4.42 (s, 2H); MS (ESI(+)) m/e 397 $(M+H)^+$.

Example 410

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

A racemic mixture of N-(4-{[tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide (250 mg) was dissolved in methanol and separated using SCF-LC with a ChiralPak AD-H 21x250mm column to provide N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.58 (s, 1H), 8.38 (t, J = 5.7 Hz, 1H), 7.75-7.79 (m, 2H), 7.64-7.69 (m, 2H), 7.30-7.41 (m, 4H), 4.78-4.79 (bs, 4H), 3.57-3.78 (m, 3H), 3.48 (dd, J = 8.5, 5.2 Hz, 1H), 3.17-3.28 (m, 2H), 2.41-2.50 (m, 1H), 1.87-2.04 (m, 1H), 1.54-1.66 (m, 1H); MS (ESI(+)) m/e 366 $(M+H)^+$.

Example 411

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

A racemic mixture of N-(4-{[tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide (250 mg) was dissolved in methanol and separated using SCF-LC with a ChiralPak AD-H 21x250mm column to provide N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.38 (t, J = 5.7 Hz, 1H), 7.75-7.79 (m, 2H), 7.64-7.69 (m, 2H), 7.30-7.39 (m, 4H), 4.78-4.79 (bs, 4H), 3.57-3.78 (m, 3H), 3.48 (dd, J = 8.5, 5.3 Hz, 1H), 3.13-3.29 (m, 2H), 2.40-2.50 (m, 1H), 1.87-2.07 (m, 1H), 1.54-1.66 (m, 1H); MS (ESI(+)) m/e 366 $(M+H)^+$.

Example 422

tert-butyl 4-{6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]-1H-benzimidazol-2-yl}piperazine-1-carboxylate

Example 422A

tert-butyl 4-(5-nitro-1H-benzo[d]imidazol-2-yl)piperazine-1-carboxylate

In a 20 mL sealed tube under nitrogen, a mixture of tert-butyl piperazine-1-carboxylate (0.943 g, 5.06 mmol), 2-chloro-5-nitro-1H-benzo[d]imidazole (0.5 g, 2.53 mmol) and ethanol (9.5 mL) was heated at 135°C for 2 hours. The reaction was concentrated and the residue was purified by reverse-phase chromatography to provide the title compound.

Example 422B

tert-butyl 4-(5-amino-1H-benzo[d]imidazol-2-yl)piperazine-1-carboxylate

The title compound was prepared as described in Example 274, substituting tert-butyl 4-(5-nitro-1H-benzo[d]imidazol-2-yl)piperazine-1-carboxylate for 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide.

Example 422C

tert-butyl 4-{6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]-1H-benzimidazol-2-yl}piperazine-1-carboxylate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-(5-amino-1H-benzo[d]imidazol-2-yl)piperazine-1-carboxylate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 10.90-11.08 (bs, 1H), 7.84-7.85 (m, 1H), 7.46-7.48 (m, 1H), 7.27-7.35 (m, 4H), 7.04-7.06 (m, 2H), 4.76 (s, 4H), 3.46 (s, 8H), 1.44 (s, 9H); MS (ESI(+)) m/e 463 $(M+H)^+$.

Example 423

N-[2-(piperazin-1-yl)-1H-benzimidazol-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-{6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]-1H-benzimidazol-2-yl}piperazine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 11.04-11.29 (m, 1H), 8.08-8.12 (bs, 1H), 7.41-7.58 (m, 1H), 7.24-7.39 (m, 4H), 7.04-7.06 (m, 2H), 4.76 (s, 4H), 3.37-3.44 (m, 4H), 2.85-2.89 (m, 4H); MS (ESI(+)) m/e 363 $(M+H)^+$.

Example 424

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide

In a sealed vial under nitrogen, a mixture of potassium vinyltrifluoroborate (100 mg, 0.75 mmol), 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide (150 mg, 0.37 mmol), bis(triphenylphosphine)palladium(II) chloride and saturated aqueous sodium bicarbonate (0.62 ml) in dimethylformamide was heated at 85°C for 5 hours. The reaction was poured into water, filtered, dried and purified by reverse-phase chromatography to provide the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.25 (t, J = 5.7 Hz, 1H), 7.75-7.78 (m, 2H), 7.63-7.67 (m, 2H), 7.47 (s, 1H), 7.42 (dd, J = 7.9, 1.5 Hz, 1H), 7.34 (d, J = 7.8 Hz, 1H), 6.77 (dd, J = 17.6, 10.9 Hz, 1H), 5.85 (dd, J = 17.6, 1.0 Hz, 1H), 5.27 (d, J = 11.0 Hz, 1H), 4.77-4.78 (bs, 4H), 3.16-3.22 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 350 $(M+H)^+$.

Example 428

N-{4-[5-(tetrahydrofuran-3-yl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 402C, substituting tetrahydrofuran-3-carboxylic acid for butyric acid. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.69 (s, 1H), 7.89-7.92 (m, 2H), 7.78-7.81 (m, 2H), 7.36-7.40 (m, 2H), 7.30-7.34 (m, 2H), 4.80-4.81 (bs, 4H), 4.08 (dd, J = 8.6, 7.6 Hz, 1H), 3.97 (dd, J = 8.6, 5.4 Hz, 1H), 3.86-3.95 (m, 2H), 3.79-3.85 (m, 1H), 2.40 (dddd, J = 12.5, 9.0, 7.6, 5.9 Hz, 1H), 2.26 (ddt, J = 7.7, 12.4, 6.2 Hz, 1H); MS (ESI(-)) m/e 375 $(M-H)^-$.

Example 429

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

In a 4 mL were mixed N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide (50 mg, 0.157 mmol) and isobutyraldehyde (0.014 ml, 0.157 mmol) in anhydrous dichloroethane (2 ml) at room temperature. Sodium triacetoxyborohydride (46.4 mg, 0.219 mmol) was added, and reaction was stirred overnight. The reaction mixture was diluted with water, ethyl acetate and saturated aqueous sodium bicarbonate. The layers were separated and the organic layer was washed with brine. The organic layer was diluted with methanol, dried with sodium sulfate, filtered and concentrated. The residue was purified by flash chromatography to provide the title compound. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.35 (s, 1H), 7.53-7.55 (m, 2H), 7.30-7.38 (m, 6H), 6.06-6.08 (m, 1H), 4.77 (s, 4H), 3.01-3.03 (m, 2H), 2.57 (t, J = 5.6 Hz, 2H), 2.41-2.47 (m, 2H), 2.14 (d, J = 7.3 Hz, 2H), 1.77-1.88 (m, 1H), 0.88 (d, J = 6.5 Hz, 6H); MS (ESI(-)) m/e 374 $(M-H)^-$.

Example 432

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting 4-methylbenzoyl chloride for acetyl chloride and N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.38 (s, 1H), 7.55-7.58 (m, 2H), 7.20-7.39 (m, 10H), 6.01-6.21 (m, 1H), 4.77 (s, 4H), 3.93-4.36 (m, 2H), 3.43-3.90 (m, 2H), 2.48-2.57 (m, 2H), 2.36 (s, 3H); MS (ESI(+)) m/e 438 $(M+H)^+$.

Example 433

N-[4-(1-benzyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 429, substituting benzaldehyde for isobutyraldehyde. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.36 (s, 1H), 7.52-7.55 (m, 2H), 7.20-7.42 (m, 11H), 6.06-6.08 (m, 1H), 4.76-4.77 (bs, 4H), 3.58 (s, 2H), 3.04-3.06 (m, 2H), 2.63 (t, J = 5.6 Hz, 2H), 2.42-2.49 (m, 2H); MS (ESI(+)) m/e 410 $(M+H)^+$.

Example 440

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting pyridin-3-ylboronic acid for 1H-pyrazol-3-ylboronic acid and 5-bromo-N-[4-

(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.91 (dd, J = 2.4, 0.9 Hz, 1H), 8.63 (s, 1H), 8.58 (dd, J = 4.7, 1.6 Hz, 1H), 8.27 (t, J = 5.6 Hz, 1H), 8.10 (ddd, J = 7.9, 2.4, 1.6 Hz, 1H), 7.73-7.79 (m, 3H), 7.65-7.70 (m, 3H), 7.48-7.53 (m, 2H), 4.79-4.91 (m, 4H), 3.15-3.23 (m, 2H), 1.54 (s, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 401 $(M+H)^+$.

Example 441

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting pyridin-4-ylboronic acid for 1H-pyrazol-3-ylboronic acid and 5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.62-8.66 (m, 3H), 8.25 (t, J = 5.6 Hz, 1H), 7.70-7.81 (m, 6H), 7.64-7.69 (m, 2H), 7.52 (d, J = 8.0 Hz, 1H), 4.85-4.92 (m, 4H), 3.16-3.22 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H). MS (ESI(+)) m/e 401 $(M+H)^+$.

Example 442

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide

The title compound was prepared as described in Example 1C, substituting 2-methoxyethanamine for 3-phenylpropan-1-amine and 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.54 (d, J = 5.3 Hz, 1H), 8.26 (t, J = 5.7 Hz, 1H), 7.79-7.85 (m, 2H), 7.73-7.80 (m, 2H), 7.63-7.67 (m, 2H), 7.45 (d, J = 7.8 Hz, 1H), 4.81-4.83 (bs, 4H), 3.39-3.51 (m, 4H), 3.27 (s, 3H), 3.03-3.22 (m, 2H), 1.46-1.59 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 425 $(M+H)^+$.

Example 443

N-(4-cyanophenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 4-isocyanatobenzonitrile for methyl 4-isocyanatobenzoate. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.83 (s, 1H), 7.78-7.82 (m, 2H), 7.69-7.73 (m, 2H), 7.31-7.39 (m, 4H), 4.79-4.81 (bs, 4H); MS (ESI(+)) m/e 264 $(M+H)^+$.

Example 444

N-[4-(trifluoromethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 1-isocyanato-4-(trifluoromethyl)benzene for methyl 4-isocyanatobenzoate. ^{1}H NMR (400 MHz,

DMSO-d_6) δ ppm 8.74 (s, 1H), 7.80-7.83 (m, 2H), 7.60-7.63 (m, 2H), 7.30-7.39 (m, 4H), 4.79-4.80 (bs, 4H); MS (ESI(+)) m/e 307 $(M+H)^+$.

Example 450

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

A suspension of N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamid (0.03 g, 0.086 mmol) in tetrahydrofuran (1 ml) and 2-propanol (0.3 ml) was treated with osmium tetroxide (2.5% wt. % solution in 2-methyl-2-propanol) (0.108 ml, 8.59 μmol). The reaction mixture was treated with N-methylmorpholine-N-oxide (0.030 g, 0.258 mmol). The reaction mixture was allowed to stir at room temperature overnight, quenched with aqueous sodium sulfite solution and extracted with ethyl acetate. The combined organic layers were washed with brine, dried over anhydrous sodium sulfate, and concentrated under vacuum. Flash chromatography provided the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.55 (s, 1H), 8.25 (t, J = 5.7 Hz, 1H), 7.74-7.78 (m, 2H), 7.63-7.68 (m, 2H), 7.27-7.33 (m, 3H), 5.24 (d, J = 4.2 Hz, 1H), 4.75-4.77 (bs, 4H), 4.70 (t, J = 5.8 Hz, 1H), 4.53-4.59 (m, 1H), 3.43 (t, J = 5.8 Hz, 2H), 3.16-3.23 (m, 2H), 1.42-1.63 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 384 $(M+H)^+$.

Example 451

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide

Example 451A

tert-butyl 4-(4-(5-cyanoisoindoline-2-carboxamido)butyl)piperidine-1-carboxylate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-(4-aminobutyl)piperidine-1-carboxylate for 4-amino-N-propylbenzamide and isoindoline-5-carbonitrile for methyl isoindoline-5-carboxylate hydrochloride.

Example 451B

5-cyano-N-(4-(piperidin-4-yl)butyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(5-cyanoisoindoline-2-carboxamido)butyl)piperidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 451C

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and 5-cyano-N-(4-(piperidin-4-yl)butyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.83 (s, 1H), 7.75 (dd, J = 7.9, 1.5 Hz, 1H), 7.53 (d, J = 7.9 Hz, 1H), 7.41-7.44 (m, 3H), 7.31-7.38 (m, 2H), 6.36 (t, J = 5.5 Hz, 1H), 4.60-4.64 (m,

4H), 4.30-4.53 (m, 1H), 3.42-3.71 (m, 1H), 3.02-3.10 (m, 2H), 2.64-3.00 (m, 2H), 1.56-1.84 (m, 2H), 1.37-1.54 (m, 3H), 1.24-1.31 (m, 4H), 0.93-1.16 (m, 2H); MS (ESI(+)) m/e 431 $(M+H)^+$.

Example 452

N-(1'-butyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 452A

N-(5-bromopyridin-2-yl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 344A, substituting 5-bromopyridin-2-amine for tert-butyl 5-aminoisoindoline-2-carboxylate.

Example 452B

tert-butyl 4-(6-(isoindoline-2-carboxamido)pyridin-3-yl)-5,6-dihydropyridine-1(2H)-carboxylate

The title compound was prepared as described in Example 280, substituting tert-butyl 4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate for 1H-pyrazol-3-ylboronic acid and N-(5-bromopyridin-2-yl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide.

Example 452C

N-(5-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-2-yl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(6-(isoindoline-2-carboxamido)pyridin-3-yl)-5,6-dihydropyridine-1(2H)-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 452D

N-(1'-butyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting butyryl chloride for acetyl chloride and N-(5-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-2-yl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.92-8.95 (bs, 1H), 8.32-8.35 (m, 1H), 7.64-7.97 (m, 2H), 6.94-7.38 (m, 4H), 6.16-6.22 (bs, 1H), 4.45-5.02 (m, 4H), 4.08-4.15 (m, 2H), 3.62-3.68 (m, 2H), 2.23-2.65 (m, 4H), 1.46-1.64 (m, 2H), 0.87-0.93 (m, 3H); MS (ESI(+)) m/e 391 $(M+H)^+$.

Table 6.

The title compound was prepared as described in Example 1C, substituting N-(5-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-2-yl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
453		N-(1'-isobutyryl-	^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.91-8.95 (bs,	(ESI(+))

		1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	1H), 8.33-8.38 (m, 1H), 7.79-7.92 (m, 2H), 7.27-7.36 (m, 3H), 6.17-6.22 (bs, 1H), 4.76-4.83 (bs, 4H), 4.07-4.22 (m, 2H), 3.64-3.73 (m, 1H), 2.84-2.98 (m, 1H), 2.37-2.63 (m, 3H), 0.77-1.20 (m, 6H)	m/e 391 $(M+H)^+$
454		N-[1'-((3R)-tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.92-8.95 (bs, 1H), 8.32-8.36 (bs, 1H), 7.79-7.92 (m, 2H), 7.11-7.51 (m, 4H), 6.17-6.21 (bs, 1H), 4.59-5.04 (m, 4H), 4.10-4.22 (m, 2H), 3.82-4.01 (m, 1H), 3.59-3.81 (m, 5H), 2.33-2.62 (m, 2H), 1.94-2.15 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
495		N-(1'-benzoyl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.51 (bs, 1H), 8.32 (d, J = 2.5 Hz, 1H), 7.90 (d, J = 8.7 Hz, 1H), 7.77 (dd, J = 8.7, 2.5 Hz, 1H), 7.48 – 7.39 (m, 5H), 7.36 – 7.25 (m, 4H), 6.16 (bs, 1H), 4.81 (s, 4H), 4.18 (m, 2H), 3.68 (m, 2H), 2.55 (m, 2H)	(ESI(+)) m/e 425 $(M+H)^+$
764		N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.52 (bs, 1H), 8.32 (d, J = 2.5 Hz, 1H), 7.91 (m, 1H), 7.76 (dd, J = 8.7, 2.5 Hz, 1H), 7.37 – 7.26 (m, 4H), 6.16 (m, 1H), 4.82 (s, 4H), 4.68 (dd, J = 7.6, 5.6 Hz, 1H), 4.17 (m, 2H), 3.86 – 3.70 (m, 4H), 2.52 (m, 2H), 2.12 (m, 1H), 2.01 (m, 1H), 1.87 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
765		N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.52 (s, 1H), 8.32 (d, J = 2.5 Hz, 1H), 7.91 (d, J = 8.7 Hz, 1H), 7.77 (dd, J = 8.7, 2.5 Hz, 1H), 7.37 – 7.26 (m, 4H), 6.16 (m, 1H), 4.82 (s, 4H), 4.17 (m, 2H), 3.87 (m, 2H), 3.72 (t, J = 5.7 Hz, 2H), 3.43 (td, J = 11.4, 2.6 Hz, 2H), 2.92 (m 1H), 2.52 (m, 2H), 1.74 – 1.60 (m, 2H), 1.62 – 1.53 (m, 2H)	(ESI(+)) m/e 433 $(M+H)^+$
766		N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.52 (s, 1H), 8.32 (d, J = 2.2 Hz, 1H), 7.91 (d, J = 8.8 Hz, 1H), 7.76 (dd, J = 8.8, 2.5 Hz, 1H), 7.40 – 7.23 (m, 4H), 6.15 (m, 1H), 4.82 (s, 4H), 4.38 (dd, J = 9.2, 2.9 Hz, 1H), 4.16 (m, 2H), 3.83 – 3.61 (m, 7H), 3.53 (m, 1H), 2.53(m, 2H)	(ESI(+)) m/e 435 $(M+H)^+$
767		N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.54 (m, 1H), 8.31 (dd, J = 2.5, 0.8 Hz, 1H), 7.90 (dd, J = 8.7, 0.8 Hz, 1H), 7.75 (dd, J = 8.7, 2.5 Hz, 1H), 7.36 – 7.25 (m, 4H), 6.15 (m, 1H), 4.81 (s, 4H), 4.13 (m, 2H), 3.69 (t, J = 5.7 Hz, 2H), 3.26 (m, 1H), 2.77 (t, J = 8.6 Hz, 1H), 2.68 – 2.53 (m, 4H), 2.38 (m, 1H), 2.24 (s, 3H), 2.13 – 1.92 (m, 2H)	(ESI(+)) m/e 432 $(M+H)^+$
768		N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.53 (bs, 1H), 8.33 (d, J = 2.5 Hz, 1H), 7.91 (d, J = 8.7 Hz, 1H), 7.77 (dd, J = 8.7, 2.5 Hz, 1H), 7.37 – 7.26 (m, 4H), 6.16 (m, 1H), 4.82 (s, 4H), 4.19 (m, 2H), 3.74 (m, 3H), 3.33 – 3.05 (m, 4H), 2.55 (m, 2H), 2.37 (m, 1H), 2.15 (m, 1H)	(ESI(+)) m/e 467 $(M+H)^+$
769		N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.51 (bs, 1H), 8.31 (d, J = 2.5 Hz, 1H), 7.90 (d, J = 8.7 Hz, 1H), 7.76 (dd, J = 8.7, 2.5 Hz, 1H), 7.36 – 7.25 (m, 4H), 6.17 (m, 1H), 5.11 (bs, 1H), 4.81 (s, 4H), 4.30 (m, 2H), 3.94 (m, 2H), 2.51 (m, 2H), 1.37	(ESI(+)) m/e 407 $(M+H)^+$

		carboxamide	(s, 6H)	
801		N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.51 (s, 1H), 8.32 (d, J = 2.5 Hz, 1H), 7.90 (d, J = 8.7 Hz, 1H), 7.76 (dd, J = 8.7, 2.5 Hz, 1H), 7.36 – 7.26 (m, 4H), 6.15 (m, 1H), 4.81 (s, 4H), 4.13 (m, 2H), 3.73 (m, 2H), 3.58 (m, 4H), 3.21 (s, 2H), 2.48 (m, 2H), 2.45 (m, 4H)	(ESI(+)) m/e 448 $(M+H)^+$

Example 455

N-[2-(4-acetylpiperazin-1-yl)-1H-benzimidazol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting N-[2-(piperazin-1-yl)-1H-benzimidazol-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (500 MHz, DMSO-d_6, Temp=90°C) δ ppm 11.01-11.10 (bs, 1H), 7.89-7.91 (bs, 1H), 7.44-7.52 (m, 1H), 7.32-7.35 (m, 2H), 7.27-7.31 (m, 2H), 7.03-7.06 (m, 2H), 4.76 (s, 4H), 3.55-3.62 (m, 4H), 3.46-3.51 (m, 4H), 2.04 (s, 3H); MS (ESI(+)) m/e 405 $(M+H)^+$.

Table 7.

The following Examples were essentially prepared as described in Example 1C, substituting the appropriate tetrahdropyridine for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
456		N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.15-8.17 (bs, 1H), 7.85-7.88 (m, 3H), 7.36-7.38 (m, 2H), 7.16-7.25 (m, 4H), 5.97-5.99 (m, 1H), 4.85-4.88 (m, 4H), 4.60-4.64 (m, 1H), 4.09-4.26 (m, 2H), 3.57-3.81 (m, 2H), 2.40-2.50 (m, 3H), 2.25-2.38 (m, 2H), 2.08-2.15 (m, 1H)	(ESI(-)) m/e 429 $(M-H)^-$
457		N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.14-8.16 (bs, 1H), 7.85-7.88 (m, 2H), 7.75-7.82 (m, 1H), 7.36-7.38 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.20 (m, 2H), 5.97-5.99 (m, 1H), 4.83-4.89 (m, 4H), 4.60-4.63 (m, 1H), 3.59-3.79 (m, 2H), 2.40-2.51 (m, 3H), 2.24-2.38 (m, 2H), 2.08-2.15 (m, 1H)	(ESI(-)) m/e 429 $(M-H)^-$
458		N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.08-8.15 (m, 1H), 7.84-7.87 (m, 2H), 7.37-7.39 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 5.99 (t, J = 3.2 Hz, 1H), 4.84-4.87 (m, 4H), 4.08-4.22 (m, 2H), 3.55-3.75 (m, 2H), 2.42-2.49 (m, 2H), 2.31 (q, J = 7.4 Hz, 2H), 1.17 (t, J = 7.5 Hz, 3H)	(ESI(+)) m/e 376 $(M+H)^+$
459		N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11-8.12 (bs, 1H), 7.84-7.86 (m, 2H), 7.38-7.40 (m, 2H), 7.20-7.24 (m, 2H), 7.18 (d, J = 4.1 Hz, 1H), 7.15-7.18 (m, 1H), 6.00-6.03 (m, 1H), 4.83-4.89 (m, 4H), 4.18-4.27 (m, 2H), 3.67-3.79 (m, 2H), 2.69 (h, J = 6.7 Hz, 1H), 2.48-2.51 (m,	(ESI(+)) m/e 404 $(M+H)^+$

			2H), 1.75-1.89 (m, 1H), 1.40-1.53 (m, 1H), 1.15 (d, *J* = 6.9 Hz, 3H), 0.90 (t, *J* = 7.4 Hz, 3H)	
460		N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.12 (d, *J* = -1.9 Hz, 1H), 7.84-7.87 (m, 2H), 7.38-7.41 (m, 2H), 7.21-7.24 (m, 2H), 7.15-7.20 (m, 2H), 6.01-6.04 (m, 1H), 4.86 (s, 4H), 4.21-4.32 (m, 2H), 3.73-3.84 (m, 2H), 2.57-2.67 (m, 1H), 2.48-2.55 (m, 2H), 1.74-1.88 (m, 2H), 1.45-1.57 (m, 2H), 0.90 (t, *J* = 7.4 Hz, 6H)	(ESI(+)) m/e 418 $(M+H)^+$
461		N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 2.48 - 2.54 (m, 2 H), 3.32 (s, 3 H), 3.64 (t, *J*=5.80 Hz, 2 H), 4.06 - 4.13 (m, 4 H), 4.77 (s, 4 H), 6.02 - 6.09 (m, 1 H), 7.27 - 7.37 (m, 6 H), 7.51 - 7.56 (m, 2 H), 8.12 (s, 1 H)	(ESI(+)) m/e 392 $(M+H)^+$
462		N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11-8.12 (bs, 1H), 7.84-7.86 (m, 2H), 7.36-7.39 (m, 2H), 7.20-7.25 (m, 2H), 7.13-7.20 (m, 2H), 5.97-6.00 (m, 1H), 4.84-4.88 (m, 4H), 4.24 (s, 2H), 4.18-4.23 (m, 2H), 3.69-3.74 (m, 2H), 3.57 (q, *J* = 6.9 Hz, 2H), 2.46-2.53 (m, 2H), 1.17 (t, *J* = 6.9 Hz, 3H)	(ESI(+)) m/e 406 $(M+H)^+$
463		N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.10-8.13 (bs, 1H), 7.82-7.87 (m, 2H), 7.35-7.40 (m, 2H), 7.19-7.25 (m, 2H), 7.15-7.20 (m, 2H), 5.96-6.00 (m, 1H), 4.84-4.88 (m, 4H), 4.30-4.34 (m, 2H), 4.17-4.25 (m, 2H), 3.73-3.77 (m, 2H), 3.67-3.76 (m, 2H), 3.54-3.58 (m, 2H), 3.28 (s, 3H), 2.46-2.53 (m, 2H)	(ESI(+)) m/e 436 $(M+H)^+$
464		N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.08-8.14 (bs, 1H), 7.82-7.87 (m, 2H), 7.34-7.40 (m, 2H), 7.20-7.25 (m, 2H), 7.15-7.20 (m, 2H), 5.97-6.01 (m, 1H), 4.83-4.89 (m, 4H), 4.69 (dd, *J* = 7.2, 5.3 Hz, 1H), 4.24-4.31 (m, 2H), 3.87-3.96 (m, 1H), 3.69-3.88 (m, 3H), 2.39-2.60 (m, 3H), 1.84-2.01 (m, 2H), 1.69-1.83 (m, 1H)	(ESI(+)) m/e 418 $(M+H)^+$
465		N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.12-8.14 (bs, 1H), 7.83-7.89 (m, 2H), 7.38-7.40 (m, 2H), 7.20-7.24 (m, 2H), 7.15-7.20 (m, 2H), 5.99-6.02 (m, 1H), 4.83-4.89 (m, 4H), 4.16-4.24 (m, 2H), 4.04-4.13 (m, 2H), 3.91 (td, *J* = 7.9, 5.9 Hz, 1H), 3.77-3.83 (m, 1H), 3.60-3.79 (m, 2H), 3.23-3.35 (m, 1H), 2.42-2.49 (m, 2H), 2.29 (ddd, *J* = 7.6, 12.1, 6.1 Hz, 1H), 1.97-2.06 (m, 1H)	(ESI(-)) m/e 416 $(M-H)^-$
466		N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11-8.12 (bs, 1H), 7.84-7.87 (m, 2H), 7.37-7.40 (m, 2H), 7.20-7.23 (m, 2H), 7.15-7.20 (m, 2H), 5.99-6.01 (m, 1H), 4.86 (s, 4H), 4.10-4.28 (m, 2H), 3.55-3.77 (m, 2H), 2.43-2.52 (m, 2H), 2.36 (d, *J* = 6.5 Hz, 2H), 1.13-1.24 (m, 1H), 0.48-0.54 (m, 2H), 0.19-0.27 (m, 2H)	(ESI(+)) m/e 402 $(M+H)^+$
467		N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.10-8.13 (bs, 1H), 7.83-7.88 (m, 2H), 7.38-7.41 (m, 2H), 7.21-7.24 (m, 2H), 7.15-7.20 (m, 2H), 6.00-6.03 (m, 1H), 4.83-4.87 (m, 4H), 4.16-	(ESI(+)) m/e 416 $(M+H)^+$

		dihydro-2H-isoindole-2-carboxamide	4.26 (m, 2H), 3.63-3.83 (m, 2H), 2.96 (s, 1H), 2.44-2.52 (m, 2H), 1.92-2.04 (m, 2H), 1.75-1.87 (m, 2H), 1.65-1.75 (m, 2H), 1.46-1.60 (m, 2H)	
468		N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.12-8.13 (bs, 1H), 7.84-7.87 (m, 3H), 7.37-7.40 (m, 3H), 7.21-7.30 (m, 5H), 5.94-6.05 (bs, 1H), 4.86 (s, 4H), 4.86 (s, 1H), 4.19-4.48 (m, 2H), 3.35-3.61 (m, 2H), 2.39-2.59 (m, 2H), 2.32 (s, 3H)	(ESI(+)) m/e 438 $(M+H)^+$
469		N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11-8.13 (bs, 1H), 7.84-7.87 (m, 2H), 7.34-7.41 (m, 4H), 7.28 (t, J = 7.5 Hz, 1H), 7.20-7.24 (m, 2H), 7.17-7.19 (m, 3H), 5.98-6.01 (bs, 1H), 4.83-4.90 (m, 4H), 4.26-4.29 (m, 2H), 3.70-3.79 (m, 2H), 2.50-2.54 (m, 2H), 2.26 (s, 3H)	(ESI(+)) m/e 438 $(M+H)^+$
470		N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11-8.12 (bs, 1H), 7.83-7.86 (m, 2H), 7.37-7.45 (m, 3H), 7.30-7.35 (m, 1H), 7.20-7.23 (m, 2H), 7.15-7.19 (m, 2H), 7.00 (t, J = 7.4 Hz, 1H), 6.96 (d, J = 8.3 Hz, 1H), 5.89-6.08 (m, 1H), 4.85 (s, 4H), 4.31-4.68 (m, 2H), 3.69 (s, 3H), 3.28-3.62 (m, 2H), 2.34-2.68 (m, 2H)	(ESI(+)) m/e 454 $(M+H)^+$
471		N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11-8.13 (bs, 1H), 7.84-7.87 (m, 2H), 7.37-7.40 (m, 2H), 7.30-7.34 (m, 1H), 7.20-7.24 (m, 3H), 7.16-7.19 (m, 2H), 7.12-7.15 (m, 1H), 7.01 (ddd, J = 8.2, 2.6, 1.0 Hz, 1H), 5.98-6.00 (bs, 1H), 4.84-4.89 (m, 4H), 4.26-4.29 (m, 2H), 3.71-3.78 (m, 2H), 3.69 (s, 3H), 2.49-2.54 (m, 2H)	(ESI(+)) m/e 454 $(M+H)^+$
472		N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11-8.12 (bs, 1H), 7.84-7.87 (m, 2H), 7.55-7.58 (m, 2H), 7.38-7.41 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 6.97-6.99 (m, 2H), 5.99-6.02 (m, 1H), 4.86 (s, 4H), 4.29 (q, J = 2.9 Hz, 2H), 3.77 (t, J = 5.7 Hz, 2H), 3.71 (s, 3H), 2.49-2.59 (m, 2H)	(ESI(+)) m/e 454 $(M+H)^+$
473		N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11-8.13 (bs, 1H), 7.84-7.87 (m, 2H), 7.48 (td, J = 7.1, 1.8 Hz, 1H), 7.35-7.38 (m, 2H), 7.29-7.34 (m, 1H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 7.14-7.17 (m, 1H), 7.10-7.12 (m, 1H), 5.89-6.09 (m, 1H), 4.86 (s, 4H), 4.12-4.67 (m, 2H), 3.28-3.76 (m, 2H), 2.39-2.56 (m, 2H)	(ESI(+)) m/e 442 $(M+H)^+$
474		N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.12-8.14 (bs, 1H), 7.85-7.87 (m, 2H), 7.37-7.40 (m, 2H), 7.29-7.36 (m, 3H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 7.09-7.13 (m, 1H), 5.97-6.00 (bs, 1H), 4.86 (s, 4H), 4.22-4.26 (m, 2H), 3.68-3.73 (m, 2H), 2.49-2.53 (m, 2H)	(ESI(+)) m/e 442 $(M+H)^+$
475		N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.12-8.14 (bs, 1H), 7.85-7.87 (m, 2H), 7.53-7.58 (m, 2H), 7.38-7.41 (m, 2H), 7.20-7.25 (m, 2H), 7.16-7.20 (m, 2H), 7.09-7.14 (m, 2H), 5.98-6.01 (m, 1H), 4.86 (s, 4H), 4.24-4.26 (m, 2H), 3.70-	(ESI(+)) m/e 442 $(M+H)^+$

		carboxamide	3.74 (m, 2H), 2.50-2.55 (m, 2H)	
476		N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.12-8.14 (bs, 1H), 7.85-7.87 (m, 2H), 7.46-7.50 (m, 2H), 7.38-7.40 (m, 4H), 7.20-7.25 (m, 2H), 7.15-7.19 (m, 2H), 5.98-6.01 (m, 1H), 4.86 (s, 4H), 4.22-4.25 (m, 2H), 3.68-3.72 (m, 2H), 2.50-2.54 (m, 2H)	(ESI(+)) m/e 458 $(M+H)^+$
477		N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.08-8.15 (m, 1H), 7.84-7.86 (m, 2H), 7.38-7.40 (m, 2H), 7.28 (dd, J = 8.2, 7.5 Hz, 1H), 7.20-7.24 (m, 2H), 7.15-7.20 (m, 2H), 6.98-6.99 (m, 1H), 6.90-6.94 (m, 1H), 6.77-6.80 (m, 1H), 5.99-6.02 (bs, 1H), 4.86 (s, 4H), 4.29-4.34 (m, 2H), 3.71-3.83 (m, 2H), 2.79 (s, 6H), 2.51-2.54 (m, 2H)	(ESI(+)) m/e 467 $(M+H)^+$
478		N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11 (d, J = 2.1 Hz, 1H), 7.84-7.87 (m, 2H), 7.56-7.59 (m, 2H), 7.39-7.41 (m, 2H), 7.20-7.25 (m, 2H), 7.15-7.18 (m, 2H), 6.70-6.73 (m, 2H), 6.00-6.03 (m, 1H), 4.82-4.91 (m, 4H), 4.34 (q, J = 2.9 Hz, 2H), 3.82 (t, J = 5.7 Hz, 2H), 2.82 (s, 6H), 2.53-2.60 (m, 2H)	(ESI(+)) m/e 467 $(M+H)^+$
479		N-{4-[1-(3-furoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 2.55 (d, J=1.83 Hz, 2 H), 3.77 (t, J=5.80 Hz, 2 H) 4.23 (q, J=2.64 Hz, 2 H), 4.77 (s, 4 H), 6.08 (t, J=3.51 Hz, 1 H), 6.68 (d, J=1.22 Hz, 1 H), 7.27 - 7.37 (m, 6 H), 7.54 (d, J=8.54 Hz, 2 H), 7.67 (t, J=1.68 Hz, 1 H), 7.99 (s, 1 H), 8.13 (s, 1 H)	(ESI(+)) m/e 414 $(M+H)^+$
480		N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.11-8.12 (bs, 1H), 7.84-7.87 (m, 2H), 7.72-7.73 (m, 1H), 7.35-7.42 (m, 4H), 7.21-7.24 (m, 2H), 7.17-7.19 (m, 2H), 5.97-5.99 (bs, 1H), 4.82-4.89 (m, 4H), 4.29-4.31 (m, 2H), 3.78 (t, J = 5.6 Hz, 2H), 2.49-2.53 (m, 2H)	(ESI(+)) m/e 430 $(M+H)^+$
481		N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 11.78-11.92 (m, 1H), 8.09-8.11 (m, 1H), 7.83-7.86 (m, 2H), 7.37-7.40 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 7.08-7.10 (m, 1H), 6.72-6.74 (m, 1H), 6.35 (dt, J = 3.6, 2.5 Hz, 1H), 5.99-6.02 (m, 1H), 4.86 (s, 4H), 4.46 (q, J = 2.9 Hz, 2H), 3.98 (t, J = 5.7 Hz, 2H), 2.50-2.60 (m, 2H)	(ESI(+)) m/e 413 $(M+H)^+$
482		N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 10.78-10.83 (m, 1H), 8.06-8.14 (m, 1H), 7.81-7.89 (m, 2H), 7.37-7.44 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.11 (dd, J = 2.7, 1.2 Hz, 1H), 6.04-6.06 (m, 1H), 4.82-4.91 (m, 4H), 4.41-4.45 (m, 2H), 3.94 (t, J = 5.7 Hz, 2H), 2.54-2.61 (m, 2H), 2.48 (s, 3H), 2.24 (s, 3H)	(ESI(+)) m/e 441 $(M+H)^+$
483		N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.97 (d, J = 2.1 Hz, 1H), 8.16 (d, J = 2.1 Hz, 1H), 8.09-8.14 (m, 1H), 7.83-7.86 (m, 2H), 7.37-7.40 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 6.01 (t, J = 3.2 Hz, 1H), 4.86 (s, 4H), 4.48-4.51 (m, 2H), 3.98-4.01 (m, 2H), 2.56-2.62 (m, 2H)	(ESI(+)) m/e 431 $(M+H)^+$
484		N-{4-[1-(1H-pyrazol-4-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ	(ESI(+))

		ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	ppm 8.19-8.23 (m, 2H), 8.06-8.15 (m, 1H), 7.82-7.90 (m, 2H), 7.36-7.42 (m, 2H), 7.19-7.24 (m, 2H), 7.16-7.19 (m, 2H), 6.00-6.05 (m, 1H), 4.83-4.89 (m, 4H), 4.40-4.44 (m, 2H), 3.92 (t, *J* = 5.7 Hz, 2H), 2.52-2.59 (m, 2H)	m/e 414 $(M+H)^+$
485		N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.14-8.16 (bs, 1H), 7.85-7.88 (m, 2H), 7.38-7.42 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 6.00-6.02 (m, 1H), 4.84-4.88 (m, 4H), 4.19-4.23 (m, 2H), 3.69-3.75 (m, 2H), 2.49-2.58 (m, 2H), 2.32 (s, 3H), 2.29 (s, 3H)	(ESI(-)) m/e 441 $(M-H)^-$
486		N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.61 (ddd, *J* = 4.8, 1.7, 0.9 Hz, 1H), 8.10-8.11 (bs, 1H), 7.83-7.86 (m, 2H), 7.76 (dt, *J* = 7.7, 1.1 Hz, 1H), 7.68 (td, *J* = 7.6, 1.8 Hz, 1H), 7.36-7.39 (m, 2H), 7.20-7.24 (m, 3H), 7.16-7.19 (m, 2H), 5.89-6.10 (m, 1H), 4.86 (s, 4H), 4.40-4.42 (m, 2H), 3.56-4.22 (m, 2H), 2.52-2.64 (m, 2H)	(ESI(+)) m/e 425 $(M+H)^+$
487		N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.93 (d, *J* = 2.2 Hz, 1H), 8.70 (dd, *J* = 4.8, 1.7 Hz, 1H), 8.13-8.15 (bs, 1H), 7.85-7.88 (m, 2H), 7.80-7.85 (m, 1H), 7.37-7.40 (m, 2H), 7.25-7.29 (m, 1H), 7.20-7.24 (m, 2H), 7.16-7.20 (m, 2H), 5.97-5.99 (bs, 1H), 4.86 (s, 4H), 4.22-4.29 (m, 2H), 3.64-3.78 (m, 2H), 2.47-2.56 (m, 2H)	(ESI(+)) m/e 425 $(M+H)^+$
488		N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.74-8.76 (m, 2H), 8.14-8.15 (bs, 1H), 7.85-7.88 (m, 2H), 7.36-7.42 (m, 4H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 5.97-6.00 (bs, 1H), 4.86 (s, 4H), 4.13-4.32 (m, 2H), 3.57-3.79 (m, 2H), 2.46-2.55 (m, 2H)	(ESI(+)) m/e 425 $(M+H)^+$
489		N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.22 (dd, *J* = 5.0, 1.8 Hz, 1H), 8.10-8.12 (bs, 1H), 7.90 (dd, *J* = 8.3, 1.7 Hz, 1H), 7.83-7.86 (m, 2H), 7.47-7.50 (m, 1H), 7.34-7.38 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 5.92-6.05 (m, 1H), 4.86 (s, 4H), 4.36-4.51 (m, 2H), 3.67-3.94 (m, 2H), 2.53-2.64 (m, 2H)	(ESI(+)) m/e 426 $(M+H)^+$
490		N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.34 (d, *J* = 1.2 Hz, 1H), 8.86 (d, *J* = 4.9 Hz, 1H), 8.12-8.14 (bs, 1H), 7.84-7.87 (m, 2H), 7.69 (dd, *J* = 5.0, 1.5 Hz, 1H), 7.37-7.39 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 5.92-6.05 (m, 1H), 4.86 (s, 4H), 4.29-4.45 (m, 2H), 3.62-4.00 (m, 2H), 2.53-2.61 (m, 2H)	(ESI(+)) m/e 426 $(M+H)^+$
491		N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.13 (d, *J* = 1.5 Hz, 1H), 8.59 (d, *J* = 2.5 Hz, 1H), 8.51 (dd, *J* = 2.5, 1.3 Hz, 1H), 8.11-8.13 (bs, 1H), 7.84-7.87 (m, 2H), 7.37-7.40 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 5.95-6.05 (m, 1H), 4.86 (s, 4H), 4.32-4.47 (m, 2H), 3.60-3.91 (m, 2H), 2.55-2.61 (m, 2H)	(ESI(+)) m/e 426 $(M+H)^+$
492		N-(4-{1-[3-(piperidin-1-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ	(ESI(+))

		yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	ppm 8.12-8.13 (bs, 1H), 7.84-7.86 (m, 2H), 7.35-7.38 (m, 2H), 7.21-7.25 (m, 2H), 7.16-7.20 (m, 2H), 5.94-5.98 (m, 1H), 4.84-4.89 (m, 4H), 4.06-4.29 (m, 2H), 3.53-3.89 (m, 2H), 3.30 (t, *J* = 7.2 Hz, 2H), 2.95-3.05 (m, 2H), 2.89-2.92 (m, 4H), 2.42-2.48 (m, 2H), 1.65-1.73 (m, 4H), 1.30-1.40 (m, 2H)	m/e 459 $(M+H)^+$
493		N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.13-8.14 (bs, 1H), 7.85-7.88 (m, 2H), 7.39-7.41 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.20 (m, 2H), 6.01-6.04 (m, 1H), 4.86-4.87 (m, 4H), 4.27 (q, *J* = 2.9 Hz, 2H), 3.75-3.80 (m, 2H), 3.64-3.72 (m, 4H), 3.29 (s, 2H), 2.54-2.57 (m, 6H)	(ESI(+)) m/e 447 $(M+H)^+$
494		N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.13-8.15 (bs, 1H), 7.85-7.87 (m, 2H), 7.38-7.41 (m, 2H), 7.20-7.25 (m, 2H), 7.19 (d, *J* = 7.0 Hz, 1H), 7.17-7.19 (m, 1H), 6.00-6.02 (m, 1H), 4.83-4.89 (m, 4H), 4.24-4.26 (m, 2H), 3.74-3.77 (m, 2H), 3.33 (s, 2H), 2.73-2.76 (m, 4H), 2.66-2.69 (m, 4H), 2.49-2.54 (m, 2H), 2.36 (s, 3H)	(ESI(+)) m/e 460 $(M+H)^+$
759		N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.13 (s, 1H), 7.54 (m, 2H), 7.38 – 7.23 (m, 6H), 6.08 (m, 1H), 4.79 (d, *J* = 13.1 Hz, 4H), 4.15 (m, 2H), 3.86 (m, 2H), 3.70 (t, *J* = 5.7 Hz, 2H), 3.43 (td, *J* = 11.4, 2.4 Hz, 2H), 2.90 (m, 1H), 2.50 (m, 2H), 1.76 – 1.51 (m, 4H)	(ESI(+)) m/e 432 $(M+H)^+$
760		N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.13 (s, 1H), 7.55 (m, 2H), 7.38 – 7.26 (m, 6H), 6.07 (m, 1H), 4.79 (m, 4H), 4.37 (dd, *J* = 9.2, 3.0 Hz, 1H), 4.15 (m, 2H), 3.82 – 3.62 (m, 7H), 3.53 (m, 1H), 2.50 (m, 2H)	(ESI(+)) m/e 434 $(M+H)^+$
761		N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.13 (s, 1H), 7.54 (d, *J* = 8.6 Hz, 2H), 7.40 - 7.20 (m, 6H), 6.07 (s, 1H), 4.78 (s, 4H), 4.12 (m, 2H), 3.68 (t, *J* = 5.7 Hz, 2H), 3.27 (m, 1H), 2.77 (m, 1H), 2.63 – 2.45 (m, 4H), 2.38 (m, 1H), 2.25 (s, 3H), 98 (m, 2H)	(ESI(+)) m/e 431 $(M+H)^+$
762		N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.14 (s, 1H), 7.55 (m, 2H), 7.38 – 7.27 (m, 6H), 6.08 (m, 1H), 4.81 (m, 4H), 4.17 (m, 2H), 3.74 (m, 3H), 3.33 – 3.10 (m, 3H), 3.07 (m, 1H), 2.53 (m, 2H), 2.37 (m, 1H), 2.14 (m, 1H)	(ESI(+)) m/e 466 $(M+H)^+$
763		N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.13 (s, 1H), 7.54 (m, 2H), 7.38 – 7.27 (m, 6H), 6.09(m, 1H), 5.10 (s, 1H), 4.78 (s, 4H), 4.28 (m, 2H), 3.94 (m, 2H), 2.50 (m, 2H), 1.37 (s, 6H)	(ESI(+)) m/e 406 $(M+H)^+$
1019		5-cyano-N-{4-[1-(2-methylpropanoyl)-	- ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.20 (m, 1H), 7.80 (m, 1H), 7.70 (m, 1H), 7.54	(ESI(+)) m/e 415

		1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	(m, 3H), 7.37 (m, 2H), 6.08 (bs, 1H), 4.90 (m, 4H), 4.13 (m, 2H), 3.69 (m, 2H), 2.90 (m, 1H), 2.50 (m, 2H), 1.02 (m, 6H)	$(M+H)^+$
1281		5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.21 (s, 1H), 7.80 (s, 1H), 7.71 (d, J = 7.9 Hz, 1H), 7.54 (m, 3H), 7.33 (m, 2H), 6.07 (bs, 1H), 4.83 (m, 4H), 4.14 (m, 2H), 3.91 (t, J = 8.1 Hz, 1H), 3.71 (m, 5H), 3.38 (m, 1H), 2.50 (m, 2H), 2.07 (m, 2H)	(ESI(+)) m/e 443 $(M+H)^+$
1282		5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.22 (bs, 1H), 7.80 (s, 1H), 7.72 (d, J = 7.8 Hz, 1H), 7.54 (m, 3H), 7.33 (m, 2H), 6.08 (bs, 1H), 4.82 (m, 4H), 4.14 (m, 2H), 3.86 (m, 2H), 3.70 (t, J = 5.7 Hz, 2H), 3.42 (td, J = 11.4, 2.5 Hz, 2H), 2.90 (m, 1H), 2.50 (m, 2H), 1.77 – 1.53 (m, 4H)	(ESI(+)) m/e 457 $(M+H)^+$
1283		5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.21 (s, 1H), 7.80 (s, 1H), 7.71 (d, J = 7.7 Hz, 1H), 7.53 (m, 3H), 7.33 (m, 2H), 6.08 (m, 1H), 5.10 (s, 1H), 4.83 (m, 4H), 4.28 (m, 2H), 3.93 (m, 2H), 2.50 (m, 2H), 1.37 (s, 6H)	(ESI(+)) m/e 431 $(M+H)^+$
1284		5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.21 (s, 1H), 7.80 (s, 1H), 7.72 (d, J = 7.9 Hz, 1H), 7.51 (m, 3H), 7.33 (m, 2H), 6.07 (m, 1H), 4.83 (m, 4H), 4.15 (m, 2H), 3.71 (m, 2H), 3.58 (m, 4H), 3.21 (s, 2H), 2.50 (m, 2H), 2.45 (m, 4H)	(ESI(+)) m/e 472 $(M+H)^+$

Example 495

N-(1'-benzoyl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(5-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-2-yl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and benzoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.51 (bs, 1H), 8.32 (d, J = 2.5 Hz, 1H), 7.90 (d, J = 8.7 Hz, 1H), 7.77 (dd, J = 8.7, 2.5 Hz, 1H), 7.48 – 7.39 (m, 5H), 7.36 – 7.25 (m, 4H), 6.16 (bs, 1H), 4.81 (s, 4H), 4.18 (m, 2H), 3.68 (m, 2H), 2.55 (m, 2H); MS (ESI(+)) m/e 425 $(M+H)^+$.

Example 496

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.57 (s, 1H), 8.43 (t, J = 5.6 Hz, 1H), 8.25 (t, J = 5.6 Hz, 1H), 7.81-7.86 (m, 2H), 7.74-7.78 (m, 2H), 7.63-7.67 (m, 2H), 7.41-7.54

(m, 3H), 7.29-7.39 (m, 4H), 4.78-4.79 (bs, 4H), 3.15-3.27 (m, 4H), 1.44-1.64 (m, 4H), 1.19-1.39 (m, 4H); MS (ESI(+)) m/e 485 $(M+H)^+$.

Example 497

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.01 (t, J = 6.0 Hz, 1H), 8.83 (t, J = 5.9 Hz, 1H), 8.60 (s, 1H), 7.85-7.91 (m, 2H), 7.78-7.83 (m, 2H), 7.63-7.68 (m, 2H), 7.36-7.56 (m, 4H), 7.27 (s, 4H), 7.21-7.26 (m, 1H), 7.10-7.19 (m, 1H), 4.72-4.81 (m, 4H), 4.40-4.48 (m, 4H); MS (ESI(+)) m/e 523 $(M+H)^+$.

Table 8.

The following Examples were essentially prepared as described in Example 1C, substituting N-(4-(piperazin-1-yl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
498		N-{4-[4-(5-oxo-L-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.95-7.98 (bs, 1H), 7.81-7.90 (m, 1H), 7.74-7.77 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 6.92-6.95 (m, 2H), 4.86 (s, 4H), 4.60-4.64 (m, 1H), 3.55-3.76 (m, 4H), 3.03-3.06 (m, 4H), 2.38-2.47 (m, 1H), 2.25-2.37 (m, 2H), 2.08-2.15 (m, 1H)	(ESI(+)) m/e 434 $(M+H)^+$
499		N-{4-[4-(5-oxo-D-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.95-7.98 (bs, 1H), 7.80-7.84 (bs, 1H), 7.75-7.77 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 6.92-6.95 (m, 2H), 4.86 (s, 4H), 4.60-4.64 (m, 1H), 3.57-3.76 (m, 4H), 3.02-3.08 (m, 4H), 2.38-2.46 (m, 1H), 2.24-2.37 (m, 2H), 2.08-2.15 (m, 1H)	(ESI(+)) m/e 434 $(M+H)^+$
500		N-(4-{4-[(1-acetylpiperidin-4-yl)carbonyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.93-7.95 (bs, 1H), 7.75-7.77 (m, 2H), 7.20-7.23 (m, 2H), 7.19 (d, J = 4.2 Hz, 1H), 7.16 (d, J = 8.2 Hz, 1H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 3.66-3.76 (m, 4H), 3.05-3.08 (m, 4H), 2.78-3.03 (m, 3H), 2.01 (s, 3H), 1.81-1.92 (m, 2H), 1.68-1.79 (m, 2H)	(ESI(+)) m/e 476 $(M+H)^+$
501		N-{4-[4-(2-acetamidobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.65 (d, J = 5.2 Hz, 1H), 8.26 (d, J = 8.1 Hz, 1H), 7.92-7.93 (bs, 1H), 7.73-7.76 (m, 2H), 7.34-7.39 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 7.12 (dd, J = 7.5, 1.2 Hz, 1H), 6.92-6.94 (m, 2H), 4.86 (s, 4H), 3.68-3.83 (m, 4H), 3.07-3.10 (m, 4H), 2.09 (s, 3H)	(ESI(+)) m/e 484 $(M+H)^+$
502		N-(4-{4-[4-(methylsulfonyl)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.10-8.13 (m, 2H), 7.94-7.96 (bs, 1H), 7.75-7.78 (m, 2H), 7.68-7.71 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 6.94-6.98 (m, 2H), 4.86 (s, 4H), 3.55-3.78 (m, 4H), 3.17 (s, 3H), 3.08-3.11 (m, 4H)	(ESI(+)) m/e 505 $(M+H)^+$

		2-carboxamide		
503		N-[4-(4-butyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.91-7.93 (m, 1H), 7.73-7.77 (m, 2H), 7.20-7.23 (m, 2H), 7.19 (d, J = 7.3 Hz, 1H), 7.17-7.18 (m, 1H), 6.93-6.96 (m, 2H), 4.86 (s, 4H), 3.48-3.70 (m, 3H), 3.02-3.06 (m, 4H), 2.43 (d, J = 0.6 Hz, 1H), 2.31 (t, J = 7.3 Hz, 2H), 1.65-1.81 (m, 2H), 0.95 (t, J = 7.3 Hz, 3H)	(ESI(+)) m/e 393 $(M+H)^+$
504		N-[4-(4-isobutyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.92-7.94 (bs, 1H), 7.74-7.76 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 6.93-6.96 (m, 2H), 4.86 (s, 4H), 3.65-3.69 (m, 4H), 3.03-3.06 (m, 4H), 2.76-2.87 (m, 1H), 1.15 (d, J = 6.7 Hz, 6H)	(ESI(+)) m/e 393 $(M+H)^+$
505		N-{4-[4-(2-methylbutanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.92-7.94 (bs, 1H), 7.74-7.77 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 3.68-3.73 (m, 4H), 3.04-3.07 (m, 4H), 2.68 (h, J = 6.7 Hz, 1H), 1.76-1.87 (m, 1H), 1.40-1.51 (m, 1H), 1.15 (d, J = 6.7 Hz, 3H), 0.91 (t, J = 7.4 Hz, 3H)	(ESI(+)) m/e 407 $(M+H)^+$
506		N-{4-[4-(3,3,3-trifluoropropanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.93-7.95 (bs, 1H), 7.74-7.76 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 6.92-6.95 (m, 2H), 4.86 (s, 4H), 3.58-3.78 (m, 4H), 3.57 (q, J = 10.5 Hz, 2H), 3.02-3.09 (m, 4H)	(ESI(+)) m/e 433 $(M+H)^+$
507		N-{4-[4-(methoxyacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.92-7.96 (bs, 1H), 7.73-7.76 (m, 2H), 7.16-7.24 (m, 4H), 6.92-6.95 (m, 2H), 4.86 (s, 4H), 4.18 (s, 2H), 3.55-3.78 (m, 4H), 3.39 (s, 3H), 3.03-3.06 (m, 4H)	(ESI(+)) m/e 395 $(M+H)^+$
508		N-{4-[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.90-7.95 (m, 1H), 7.73-7.75 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 6.92-6.95 (m, 2H), 4.86 (s, 4H), 4.66 (dd, J = 7.2, 5.4 Hz, 1H), 3.88-3.94 (m, 1H), 3.67-3.83 (m, 5H), 2.93-3.15 (m, 4H), 2.37-2.48 (m, 1H), 1.84-2.05 (m, 2H), 1.70-1.81 (m, 1H)	(ESI(+)) m/e 421 $(M+H)^+$
509		N-{4-[4-(tetrahydrofuran-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.93 (d, J = 2.6 Hz, 1H), 7.74-7.77 (m, 2H), 7.20-7.24 (m, 2H), 7.15-7.20 (m, 2H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 4.08 (dd, J = 8.3, 6.5 Hz, 1H), 4.04 (t, J = 8.0 Hz, 1H), 3.91 (td, J = 7.9, 5.9 Hz, 1H), 3.74-3.82 (m, 1H), 3.58-3.76 (m, 4H), 3.26-3.34 (m, 1H), 3.00-3.10 (m, 4H), 2.24-2.33 (m, 1H), 1.97-2.07 (m, 1H)	(ESI(+)) m/e 421 $(M+H)^+$
510		N-{4-[4-(cyclopentylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.90-7.92 (bs, 1H), 7.73-7.76 (m, 2H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 6.94-6.97 (m, 2H), 4.85 (s, 4H), 3.46-3.83 (m, 4H), 3.04-3.07 (m, 4H), 2.28-2.49 (m, 3H), 1.81-1.96 (m, 2H), 1.41-1.67 (m, 4H), 1.17-1.32 (m, 2H)	(ESI(+)) m/e 433 $(M+H)^+$
511		N-{4-[4-(cyclohexylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.90-7.92 (bs, 1H), 7.73-7.76 (m, 2H), 7.20-7.24 (m, 2H), 7.15-7.20 (m, 2H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 3.64-3.77 (m, 4H), 3.04-3.07 (m, 4H), 2.60 (tt, J = 11.0, 3.5 Hz, 1H), 1.55-1.85 (m, 7H), 1.14-1.40 (m,	(ESI(+)) m/e 433 $(M+H)^+$

		carboxamide	3H)	
512		N-{4-[4-(2-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.90-7.92 (bs, 1H), 7.73-7.76 (m, 2H), 7.41 (dd, J = 7.4, 1.8 Hz, 1H), 7.30-7.35 (m, 1H), 7.19-7.24 (m, 2H), 7.15-7.19 (m, 2H), 7.01 (td, J = 7.4, 1.0 Hz, 1H), 6.92-6.98 (m, 3H), 4.85 (s, 4H), 3.77-4.30 (m, 2H), 3.70 (s, 3H), 3.51 (s, 2H), 2.79-3.24 (m, 4H)	(ESI(+)) m/e 457 $(M+H)^+$
513		N-{4-[4-(3-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.92 (d, J = 2.1 Hz, 1H), 7.74-7.76 (m, 2H), 7.30-7.34 (m, 1H), 7.19-7.24 (m, 3H), 7.15-7.19 (m, 2H), 7.11-7.14 (m, 1H), 7.01 (ddd, J = 8.2, 2.6, 1.0 Hz, 1H), 6.93-6.96 (m, 2H), 4.86 (s, 4H), 3.67-3.79 (m, 7H), 3.06-3.09 (m, 4H)	(ESI(+)) m/e 457 $(M+H)^+$
514		N-{4-[4-(4-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.89-7.92 (m, 1H), 7.74-7.76 (m, 2H), 7.53-7.56 (m, 2H), 7.20-7.23 (m, 2H), 7.15-7.20 (m, 2H), 6.90-7.01 (m, 4H), 4.86 (s, 4H), 3.73-3.78 (m, 4H), 3.71 (s, 3H), 3.08-3.11 (m, 4H)	(ESI(+)) m/e 457 $(M+H)^+$
515		N-{4-[4-(3-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.91-7.93 (bs, 1H), 7.74-7.77 (m, 2H), 7.29-7.41 (m, 3H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 7.09-7.14 (m, 1H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 3.65-3.83 (m, 4H), 3.06-3.09 (m, 4H)	(ESI(+)) m/e 445 $(M+H)^+$
516		N-{4-[4-(2-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.91-7.94 (bs, 1H), 7.74-7.76 (m, 2H), 7.34-7.45 (m, 2H), 7.25-7.29 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.94-6.96 (m, 2H), 4.85 (s, 4H), 3.72-4.17 (m, 2H), 3.26-3.50 (m, 2H), 2.84-3.25 (m, 4H)	(ESI(+)) m/e 461 $(M+H)^+$
517		N-{4-[4-(4-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.91-7.93 (bs, 1H), 7.74-7.77 (m, 2H), 7.47-7.49 (m, 2H), 7.38-7.41 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 3.68-3.71 (m, 4H), 3.07-3.10 (m, 4H)	(ESI(+)) m/e 461 $(M+H)^+$
518		N-{4-[4-(3-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.92-7.94 (bs, 1H), 7.88-7.89 (m, 1H), 7.75-7.77 (m, 2H), 7.71 (dt, J = 7.7, 1.4 Hz, 1H), 7.65 (dt, J = 7.7, 1.4 Hz, 1H), 7.44 (t, J = 7.7 Hz, 1H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 3.57-3.83 (m, 4H), 3.08-3.11 (m, 4H)	(ESI(-)) m/e 450 $(M-H)^-$
519		N-{4-[4-(4-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.93-7.94 (bs, 1H), 7.74-7.77 (m, 2H), 7.65-7.71 (m, 2H), 7.56-7.61 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 3.58-3.77 (m, 4H), 3.08-3.11 (m, 4H)	(ESI(+)) m/e 452 $(M+H)^+$
520		N-(4-{4-[3-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.91 (d, J = 2.6 Hz, 1H), 7.73-7.76 (m, 2H), 7.26-7.31 (m, 1H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.96-6.99 (m, 1H), 6.93-6.97 (m, 2H), 6.90 (dt, J = 7.3, 1.1 Hz, 1H), 6.78 (ddd, J = 8.4, 2.7, 0.8 Hz, 1H), 4.85 (s, 4H), 3.71-3.83 (m, 4H), 3.07-3.10 (m, 4H), 2.80 (s, 6H)	(ESI(+)) m/e 470 $(M+H)^+$
521		N-(4-{4-[4-(dimethylamino)benzoyl]piperazin-1-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.89-7.91 (bs, 1H), 7.73-7.76 (m, 2H), 7.55-7.57 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.94-6.97	(ESI(+)) m/e 470 $(M+H)^+$

		yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	(m, 2H), 6.71-6.73 (m, 2H), 4.86 (s, 4H), 3.78-3.81 (m, 4H), 3.09-3.12 (m, 4H), 2.81-2.84 (m, 6H)	
522		N-{4-[4-(3,4-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.91-7.93 (bs, 1H), 7.74-7.77 (m, 2H), 7.26 (d, *J* = 2.0 Hz, 1H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 3H), 6.93-7.00 (m, 3H), 4.86 (s, 4H), 3.77-3.80 (m, 4H), 3.77 (s, 3H), 3.77 (s, 3H), 3.07-3.15 (m, 4H)	(ESI(+)) m/e 487 $(M+H)^+$
523		N-{4-[4-(3,5-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.91-7.93 (bs, 1H), 7.74-7.76 (m, 2H), 7.20-7.24 (m, 2H), 7.16-7.19 (m, 2H), 6.94-6.96 (m, 2H), 6.81-6.82 (m, 2H), 6.67 (t, *J* = 2.3 Hz, 1H), 4.86 (s, 4H), 3.70-3.77 (m, 4H), 3.71 (s, 6H), 3.07-3.10 (m, 4H)	(ESI(+)) m/e 487 $(M+H)^+$
524		N-(4-{4-[(3,4-dimethoxyphenyl)acetyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.88-7.90 (bs, 1H), 7.71-7.74 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 7.09 (d, *J* = 2.0 Hz, 1H), 6.97 (dd, *J* = 8.1, 2.0 Hz, 1H), 6.88-6.93 (m, 3H), 4.85 (s, 4H), 3.81 (s, 2H), 3.74 (s, 3H), 3.73 (s, 3H), 3.67-3.78 (m, 4H), 3.00-3.03 (m, 4H)	(ESI(+)) m/e 501 $(M+H)^+$
525		N-{4-[4-(2-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.89-7.91 (bs, 1H), 7.73-7.76 (m, 2H), 7.57 (dd, *J* = 1.8, 0.9 Hz, 1H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 7.08 (dd, *J* = 3.4, 0.8 Hz, 1H), 6.93-6.96 (m, 2H), 6.45 (dd, *J* = 3.4, 1.7 Hz, 1H), 4.85 (s, 4H), 3.86-3.89 (m, 4H), 3.09-3.12 (m, 4H)	(ESI(+)) m/e 417 $(M+H)^+$
526		N-{4-[4-(3-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.93 (dd, *J* = 1.6, 0.8 Hz, 1H), 7.90-7.92 (bs, 1H), 7.73-7.76 (m, 2H), 7.52-7.53 (m, 1H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.93-6.96 (m, 2H), 6.72 (dd, *J* = 1.8, 0.9 Hz, 1H), 4.85 (s, 4H), 3.77-3.80 (m, 4H), 3.06-3.10 (m, 4H)	(ESI(+)) m/e 417 $(M+H)^+$
527		N-{4-[4-(1H-pyrrol-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 11.87-11.96 (bs, 1H), 7.88-7.89 (bs, 1H), 7.72-7.75 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 7.10 (td, *J* = 2.7, 1.3 Hz, 1H), 6.92-6.95 (m, 2H), 6.68-6.70 (m, 1H), 6.33-6.36 (m, 1H), 4.85 (s, 4H), 3.94-3.97 (m, 4H), 3.09-3.12 (m, 4H)	(ESI(-)) m/e 414 $(M-H)^-$
528		N-{4-[4-(1H-pyrazol-5-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.88 (d, *J* = 2.5 Hz, 1H), 7.77 (d, *J* = 2.2 Hz, 1H), 7.71-7.74 (m, 2H), 7.19-7.23 (m, 2H), 7.15-7.19 (m, 2H), 6.91-6.95 (m, 3H), 4.85 (s, 4H), 4.06-4.14 (m, 4H), 3.07-3.18 (m, 4H)	(ESI(+)) m/e 417 $(M+H)^+$
529		N-{4-[4-(pyridin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.60 (ddd, *J* = 4.8, 1.8, 0.9 Hz, 1H), 7.84-7.97 (m, 1H), 7.76 (dt, *J* = 7.7, 1.1 Hz, 1H), 7.72-7.75 (m, 2H), 7.69 (td, *J* = 7.6, 1.8 Hz, 1H), 7.20-7.24 (m, 2H), 7.17-7.19 (m, 2H), 6.93-6.96 (m, 2H), 4.85 (s, 4H), 3.73-3.99 (m, 4H), 3.08-3.19 (m, 4H)	(ESI(+)) m/e 428 $(M+H)^+$
530		N-{4-[4-(pyridin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.92 (dd, *J* = 2.2, 0.9 Hz, 1H), 8.70 (dd, *J* = 4.8, 1.7 Hz, 1H), 7.90-8.02 (m, 1H), 7.82 (dt, *J* = 7.8, 2.0 Hz,	(ESI(+)) m/e 428 $(M+H)^+$

		dihydro-2H-isoindole-2-carboxamide	1H), 7.74-7.77 (m, 2H), 7.27 (ddd, *J* = 7.7, 4.8, 0.9 Hz, 1H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.93-6.96 (m, 2H), 4.86 (s, 4H), 3.68-3.72 (m, 4H), 3.06-3.09 (m, 4H)	
531		N-[4-(4-isonicotinoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 8.74-8.76 (m, 2H), 7.95 (d, *J* = 2.8 Hz, 1H), 7.75-7.78 (m, 2H), 7.38-7.40 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.20 (m, 2H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 3.56-3.76 (m, 4H), 3.06-3.09 (m, 4H)	(ESI(+)) m/e 428 $(M+H)^+$
532		N-{4-[4-(pyridazin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.22 (dd, *J* = 5.0, 1.7 Hz, 1H), 7.91 (dd, *J* = 8.3, 1.8 Hz, 1H), 7.89-7.92 (bs, 1H), 7.72-7.75 (m, 2H), 7.51 (dd, *J* = 8.5, 5.1 Hz, 1H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.92-6.95 (m, 2H), 4.85 (s, 4H), 3.60-4.20 (m, 4H), 2.94-3.32 (m, 4H)	(ESI(+)) m/e 429 $(M+H)^+$
533		N-{4-[4-(pyrazin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.33 (d, *J* = 1.4 Hz, 1H), 8.87 (d, *J* = 5.0 Hz, 1H), 7.91-7.93 (bs, 1H), 7.73-7.76 (m, 2H), 7.70 (dd, *J* = 5.0, 1.4 Hz, 1H), 7.20-7.23 (m, 2H), 7.18 (t, *J* = 3.4 Hz, 2H), 6.94-6.96 (m, 2H), 4.85 (s, 4H), 3.48-4.06 (m, 4H), 3.12-3.15 (m, 4H)	(ESI(+)) m/e 429 $(M+H)^+$
534		N-{4-[4-(pyrimidin-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 9.13 (d, *J* = 1.5 Hz, 1H), 8.59 (d, *J* = 2.5 Hz, 1H), 8.50 (dd, *J* = 2.5, 1.5 Hz, 1H), 7.91 (d, *J* = 0.8 Hz, 1H), 7.73-7.76 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.18 (m, 2H), 6.94-6.97 (m, 2H), 4.85 (s, 4H), 3.73-3.96 (m, 4H), 3.07-3.22 (m, 4H)	(ESI(+)) m/e 429 $(M+H)^+$
535		N-{4-[4-(N,N-dimethyl-beta-alanyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.90-7.93 (bs, 1H), 7.72-7.75 (m, 2H), 7.20-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.90-6.93 (m, 2H), 4.85 (s, 4H), 3.55-3.72 (m, 4H), 3.33 (t, *J* = 7.2 Hz, 2H), 3.00-3.05 (m, 4H), 2.96 (t, *J* = 7.2 Hz, 2H), 2.64 (s, 6H)	(ESI(+)) m/e 422 $(M+H)^+$
536		N-[4-(4-acetylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.89-7.92 (bs, 1H), 7.73-7.75 (m, 2H), 7.20-7.23 (m, 2H), 7.15-7.19 (m, 2H), 6.92-6.95 (m, 2H), 4.85 (s, 4H), 3.48-3.81 (m, 4H), 2.97-3.03 (m, 4H), 2.04 (s, 3H)	(ESI(+)) m/e 365 $(M+H)^+$
537		N-{4-[4-(2-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.90-7.92 (bs, 1H), 7.73-7.76 (m, 2H), 7.46-7.51 (m, 1H), 7.29-7.36 (m, 1H), 7.19-7.23 (m, 2H), 7.16-7.18 (m, 3H), 7.09-7.12 (m, 1H), 6.93-6.95 (m, 2H), 4.85 (s, 4H), 3.38-4.02 (m, 4H), 2.90-3.23 (m, 4H)	(ESI(+)) m/e 445 $(M+H)^+$
538		N-{4-[4-(4-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.91-7.93 (bs, 1H), 7.74-7.77 (m, 2H), 7.52-7.58 (m, 2H), 7.20-7.25 (m, 2H), 7.16-7.20 (m, 2H), 7.09-7.15 (m, 2H), 6.94-6.97 (m, 2H), 4.86 (s, 4H), 3.69-3.72 (m, 4H), 3.07-3.10 (m, 4H)	(ESI(+)) m/e 445 $(M+H)^+$
539		N-{4-[4-(phenylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5 – D_2O, Temp=90°C) δ ppm 2.95 - 3.04 (m, 4 H), 3.68 (s, 4 H), 3.83 (s, 2 H), 4.85 (s, 4 H), 6.87 - 6.93 (m, 2 H), 7.15 - 7.24 (m, 4 H), 7.27 - 7.33 (m, 2 H), 7.40 (d, J=7.02 Hz, 2 H), 7.68 - 7.75 (m, 2 H), 7.89 (s, 1 H)	(ESI(+)) m/e 441 $(M+H)^+$
540		N-{4-[4-(1,3-thiazol-	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm	(ESI(-))

		4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	8.97 (d, J = 2.1 Hz, 1H), 8.17 (d, J = 2.1 Hz, 1H), 7.88-7.89 (bs, 1H), 7.72-7.75 (m, 2H), 7.19-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.93-6.96 (m, 2H), 4.85 (s, 4H), 3.98-4.01 (m, 4H), 3.13-3.16 (m, 4H)	m/e 432 $(M-H)^-$
541		N-{4-[4-(morpholin-4-ylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, Pyridine-d_5, Temp=90°C) δ ppm 7.85-8.03 (m, 1H), 7.74-7.77 (m, 2H), 7.21-7.23 (m, 2H), 7.16-7.19 (m, 2H), 6.97 (d, J = 7.0 Hz, 1H), 6.95-6.95 (m, 1H), 4.86 (s, 4H), 3.73-3.76 (m, 4H), 3.64-3.71 (m, 4H), 3.29 (s, 2H), 3.07-3.10 (m, 4H), 2.54-2.57 (m, 4H)	(ESI(+)) m/e 450 $(M+H)^+$

Example 542

5-cyano-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 4-phenylbutyl isocyanate for methyl 4-isocyanatobenzoate and 5-cyanoisoindoline for isoindoline. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.82 (s, 1H), 7.74 (dd, J = 7.9, 1.5 Hz, 1H), 7.53 (d, J = 7.9 Hz, 1H), 7.24-7.31 (m, 2H), 7.08-7.22 (m, 3H), 6.38 (t, J = 5.6 Hz, 1H), 4.59-4.64 (m, 4H), 3.06-3.13 (m, 2H), 2.58 (t, J = 7.5 Hz, 2H), 1.53-1.68 (m, 2H), 1.36-1.51 (m, 2H); MS (ESI(+)) m/e 319 $(M+H)^+$.

Example 543

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 543A

N-(4-bromophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 1A, substituting 4-bromophenyl isocyanate for methyl 4-isocyanatobenzoate and 2,3-dihydro-1H-pyrrolo[3,4-c]pyridine for isoindoline.

Example 543B

tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)-5,6-dihydropyridine-1(2H)-carboxylate

The title compound was prepared as described in Example 280, substituting tert-butyl 4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate for 1H-pyrazol-3-ylboronic acid and N-(4-bromophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide.

Example 543C

N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)-5,6-dihydropyridine-1(2H)-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 543D

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 278, substituting butyryl chloride for acetyl chloride and N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.46 (s, 1H), 7.54-7.57 (m, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.32-7.39 (m, 2H), 6.09-6.11 (m, 1H), 4.79-4.82 (m, 4H), 4.08-4.14 (m, 2H), 3.58-3.68 (m, 2H), 2.39-2.55 (m, 2H), 2.34 (dt, J = 19.9, 7.4 Hz, 2H), 1.47-1.62 (m, 2H), 0.88-0.93 (m, 3H); MS (ESI(+)) m/e 391 $(M+H)^+$.

Example 544

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 278, substituting isobutyryl chloride for acetyl chloride and N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.46 (s, 1H), 7.54-7.57 (m, 2H), 7.43 (d, J = 5.1 Hz, 1H), 7.34-7.38 (m, 2H), 6.10-6.13 (bs, 1H), 4.79-4.82 (m, 4H), 4.07-4.21 (m, 2H), 3.67-3.70 (m, 2H), 2.85-3.01 (m, 1H), 2.39-2.55 (m, 2H), 0.97-1.08 (m, 6H); MS (ESI(+)) m/e 391 $(M+H)^+$.

Example 545

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.46 (s, 1H), 7.55-7.58 (m, 2H), 7.42-7.49 (m, 6H), 7.35-7.41 (m, 2H), 5.98-6.21 (m, 1H), 4.79-4.82 (m, 4H), 3.95-4.39 (m, 2H), 3.79-3.93 (m, 1H), 3.51-3.61 (m, 1H), 2.46-2.60 (m, 2H); MS (ESI(+)) m/e 425 $(M+H)^+$.

Table 9.

The following Examples were essentially prepared as described in Example 1C, substituting N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and the corresponding carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
546		N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.46 (s, 1H), 7.54-7.57 (m, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.36 (dd, J = 8.4, 4.2 Hz, 2H), 6.09-6.12 (m, 1H), 4.75-4.87 (m, 4H), 4.10-4.21 (m, 2H), 3.90 (dt, J = 11.3, 8.1 Hz, 1H), 3.66-3.75 (m, 5H), 3.32-3.50 (m, 1H), 2.41-2.57 (m, 2H), 1.95-2.10 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
620		N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (s, 1H), 7.53 (m, 2H), 7.38 (d, J = 5.0 Hz, 1H), 7.32 (m, 2H), 6.06 (m, 1H), 4.80 (d, J = 8.9 Hz, 4H), 4.18 (s, 2H), 4.10 (m, 2H), 3.65 (t, J = 5.7 Hz, 2H), 3.60 (m, 2H), 3.49 (m, 2H), 3.27 (s, 3H), 2.50 (m, 2H)	(ESI(+)) m/e 437 $(M+H)^+$
705		N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (s, 1H), 7.53 (m, 2H), 7.38 (d, J = 5.5 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.79 (m, 4H), 4.67 (dd, J = 7.6, 5.6 Hz, 1H), 4.14 (bs, 2H), 3.85 – 3.64 (m, 4H), 2.50 (m, 2H), 2.11 (m, 1H), 2.00 (m, 1H), 1.85 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
706		N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (s, 1H), 7.53 (m, 2H), 7.38 (d, J = 5.2 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.80 (m, 4H), 4.14 (bs, 2H), 3.86 (m, 2H), 3.70 (t, J = 5.8 Hz, 2H), 3.42 (td, J = 11.4, 2.5 Hz, 2H), 2.92 (m, 1H), 2.50 (m, 2H), 1.72 – 1.52 (m, 4H)	(ESI(+)) m/e 433 $(M+H)^+$
707		N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (s, 1H), 7.53 (m, 2H), 7.38 (d, J = 4.9 Hz, 1H), 7.32 (m, 2H), 6.06 (m, 1H), 4.80 (m, 4H), 4.36 (dd, J = 9.2, 2.9 Hz, 1H), 4.14 (s, 2H), 3.83 – 3.60 (m, 7H), 3.52 (m, 1H), 2.50 (m, 2H)	(ESI(+)) m/e 435 $(M+H)^+$
708		N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (s, 1H), 7.53 (m, 2H), 7.38 (dd, J = 5.0, 1.1 Hz, 1H), 7.32 (m, 2H), 6.07 (m, 1H), 4.79 (m, 4H), 4.12 (m, 2H), 3.68 (t, J = 5.7 Hz, 2H), 3.27 (m, 1H), 2.77 (t, J = 8.6 Hz, 1H), 2.62 – 2.45 (m, 2H), 2.50 (m, 2H), 2.38 (m, 1H), 2.24 (s, 3H), 1.97 (m, 2H)	(ESI(+)) m/e 432 $(M+H)^+$
709		N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.21 (s, 1H), 7.53 (m, 2H), 7.38 (d, J = 5.1 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.80 (m, 4H), 4.17 (bs, 2H), 3.72 (m, 3H), 3.31 – 3.13 (m, 3H), 3.07 (m, 1H), 2.51 (bs, 2H), 2.35 (m, 1H), 2.13 (m, 1H)	(ESI(+)) m/e 467 $(M+H)^+$
710		N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (bs, 1H), 7.52 (m, 2H), 7.38 (d, J = 5.0 Hz, 1H), 7.33 (m, 2H), 6.08 (bs, 1H), 5.09 (s, 1H), 4.82 (m, 4H), 4.28 (m, 2H), 3.93 (m, 2H), 2.51 (m, 2H),	(ESI(+)) m/e 407 $(M+H)^+$

		c]pyridine-2-carboxamide	1.36 (s, 6H)	
799		N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (501 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.59 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.25 (bs, 1H), 7.54 (m, 2H), 7.39 (d, J = 5.1 Hz, 1H), 7.35 (s, 1H), 7.33 (s, 1H), 6.08 (m, 1H), 4.82 (bs, 2H), 4.80 (bs, 2H), 4.18 (m, 2H), 3.71 (m, 2H), 3.58 (m, 4H), 3.21 (bs, 2H), 2.52 (m, 2H), 2.45 (m, 4H)	(ESI(+)) m/e XXX $(M+H)^+$
967		N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.21 (bs, 1H), 7.53 (m, 2H), 7.38 (d, J = 5.1 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.80 (m, 4H), 4.67 (t, J = 6.5 Hz, 1H), 4.14 (m, 2H), 3.86 – 3.64 (m, 4H), 2.50 (m, 2H), 2.11 (m, 1H), 2.00 (m, 1H), 1.86 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
968		N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (s, 1H), 7.53 (m, 2H), 7.38 (d, J = 5.0 Hz, 1H), 7.32 (m, 2H), 6.07 (m, 1H), 4.79 (m, 4H), 4.67 (dd, J = 7.5, 5.6 Hz, 1H), 4.14 (m, 2H), 3.85 – 3.66 (m, 4H), 2.50 (m, 2H), 2.11 (m, 1H), 2.00 (m, 1H), 1.86 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
1014		N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (bs, 1H), 7.53 (m, 2H), 7.38 (d, J = 5.0 Hz, 1H), 7.32 (m, 2H), 6.07 (bs, 1H), 4.82 (m, 4H), 4.12 (m, 2H), 3.67 (t, J = 5.7 Hz, 2H), 2.76 (m, 2H), 2.55 (m, 1H), 2.50 (m,2H), 2.16 (s, 3H), 1.95 (td, J = 11.2, 3.6 Hz, 2H), 1.62 (m, 4H)	(ESI(+)) m/e 446 $(M+H)^+$
1015		N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.21 (s, 1H), 7.53 (m, 2H), 7.38 (d, J = 5.0 Hz, 1H), 7.33 (m, 2H), 6.08 (m, 1H), 4.82 (m, 4H), 4.15 (m, 2H), 3.71 (t, J = 5.7 Hz, 2H), 3.24 – 3.04 (m, 5H), 2.50 (m, 2H), 2.06 (m, 4H)	(ESI(+)) m/e 481 $(M+H)^+$
1016		N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.21 (s, 1H), 7.53 (m, 2H), 7.38 (d, J = 5.1 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.79 (m, 4H), 4.14 (m, 2H), 3.91 (t, J = 8.1 Hz, 1H), 3.77 – 3.67 (m, 5H), 3.38 (m, 1H), 2.50 (m, 2H), 2.05 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
1017		N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (s, 1H), 7.53(m, 2H), 7.38 (d, J = 5.1 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.79 (m, 4H), 4.14 (m, 2H), 3.91 (t, J = 8.1 Hz, 1H), 3.78 – 3.64 (m, 5H), 3.38 (m, 1H), 2.50 (m, 2H), 2.05 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
1077		N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.57 (bs, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.20 (s, 1H), 7.53 (m, 2H), 7.37 (m, 1H), 7.32 (m, 2H), 6.06 (m, 1H), 4.81 (m, 4H), 4.11 (d, J = 2.8 Hz,	(ESI(+)) m/e 433 $(M+H)^+$

		2H-pyrrolo[3,4-c]pyridine-2-carboxamide	2H), 3.82 (dd, *J* = 8.4, 6.8 Hz, 1H), 3.76 – 3.59 (m, 4H), 3.29 (dd, *J* = 8.4, 6.1 Hz, 1H), 2.58 – 2.40 (m, 5H), 2.02 (m, 1H), 1.53 (m, 1H)	
1078		N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, *J* = 5.0 Hz, 1H), 8.20 (s, 1H), 7.52 (m, 2H), 7.38 (d, *J* = 5.1 Hz, 1H), 7.32 (m, 2H), 6.07 (m, 1H), 4.80 (m, 4H), 4.11 (m, 2H), 3.81 (m, 2H), 3.67 (t, *J* = 5.7 Hz, 2H), 3.30 (td, *J* = 11.5, 2.2 Hz, 2H), 2.50 (m, 2H), 2.31 (d, *J* = 6.8 Hz, 2H), 2.98 (m, 1H), 1.62 (m, 2H), 1.25 (m, 2H)	(ESI(+)) m/e 447 $(M+H)^+$
1079		N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, *J* = 5.0 Hz, 1H), 8.21 (s, 1H), 7.53 (m, 2H), 7.38 (d, *J* = 5.1 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.80 (m, 4H), 4.15 (m, 2H), 3.70 (t, *J* = 5.7 Hz, 2H), 3.15 (s, 2H), 2.50 (m, 2H), 2.23 (s, 6H)	(ESI(+)) m/e 406 $(M+H)^+$
1080		N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, *J* = 5.0 Hz, 1H), 8.20 (s, 1H), 7.53 (m, 2H), 7.38 (d, *J* = 5.1 Hz, 1H), 7.32 (m, 2H), 6.06 (m, 1H), 4.80 (m, 4H), 4.15 (m, 2H), 3.71 (m, 2H), 3.19 (m, 4H), 2.44 (m, 4H), 2.33 (m, 4H), 2.15 (s, 3H)	(ESI(+)) m/e 461 $(M+H)^+$
1254		N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.59 (s, 1H), 8.48 (d, *J* = 5.0 Hz, 1H), 8.21 (s, 1H), 7.53 (m, 2H), 7.39 (d, *J* = 5.1 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.81 (m, 4H), 4.12 (m, 2H), 3.67 (t, *J* = 5.7 Hz, 2H), 2.50 (m, 2H), 2.25 (d, *J* = 6.9 Hz, 2H), 2.05 (m, 1H), 0.94 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 405 $(M+H)^+$
1255		N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.59 (s, 1H), 8.48 (d, *J* = 5.0 Hz, 1H), 8.21 (s, 1H), 7.53 (m, 2H), 7.39 (d, *J* = 5.1 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.82 (m, 4H), 4.11 (m, 2H), 3.67 (t, *J* = 5.7 Hz, 2H), 2.50 (m, 2H), 2.38 (d, *J* = 7.1 Hz, 2H), 2.21 (m, 1H), 1.77 (m, 2H), 1.66 – 1.46 (m, 4H), 1.18 (m, 2H)	(ESI(+)) m/e 431 $(M+H)^+$
1256		N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.59 (s, 1H), 8.48 (d, *J* = 5.0 Hz, 1H), 8.21 (s, 1H), 7.53 (m, 2H), 7.39 (d, *J* = 5.0 Hz, 1H), 7.33 (m, 2H), 6.07 (m, 1H), 4.80 (m, 4H), 4.16 (m, 3H), 3.77 (m, 1H), 3.68 (m, 2H), 3.60 (m, 1H), 2.69 (m, 1H), 2.50 (m, 2H), 2.45 (m, 1H), 2.02 (m, 1H), 1.83 (m, 2H), 1.54 (m, 1H)	(ESI(+)) m/e 433 $(M+H)^+$
1257		N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.59 (s, 1H), 8.48 (d, *J* = 5.0 Hz, 1H), 8.21 (s, 1H), 7.53 (m, 2H), 7.39 (d, *J* = 5.0 Hz, 1H), 7.33 (m, 2H), 6.06 (m, 1H), 4.83 (m, 4H), 4.12 (m, 2H), 3.83 (m, 1H), 3.69 (m, 3H), 3.35 (m, 1H), 2.61 (m, 1H), 2.50 (m, 2H), 2.37 (m, 1H), 1.82 – 1.63 (m, 2H), 1.48 (m, 3H), 1.26 (m, 1H)	(ESI(+)) m/e 447 $(M+H)^+$
1258		N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.59 (s, 1H), 8.48 (d, *J* = 5.0 Hz, 1H), 8.21	(ESI(+)) m/e 432

		tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(bs, 1H), 7.53 (m, 2H), 7.39 (d, *J* = 5.0 Hz, 1H), 7.33 (m, 2H), 6.07 (bs, 1H), 4.81 (m, 4H), 4.15 (m, 2H), 3.71 (m, 2H), 3.32 (bs, 2H), 2.55 (m, 4H), 2.50 (m, 2H), 1.70 (m, 4H)	$(M+H)^+$
1259		N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.85 (d, *J* = 1.5 Hz, 1H), 8.72 (d, *J* = 2.5 Hz, 1H), 8.66 (m, 1H), 8.58 (s, 1H), 8.48 (d, *J* = 5.0 Hz, 1H), 8.22 (s, 1H), 7.53 (m, 2H), 7.38 (d, *J* = 5.1 Hz, 1H), 7.34 (m, 2H), 6.09 (m, 1H), 4.82 (m, 4H), 4.22 (m, 2H), 3.69 (m, 2H), 2.57 (m, 2H)	(ESI(+)) m/e 427 $(M+H)^+$
1479		N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 8.25 (s, 1 H) 7.49 - 7.54 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.33 - 7.37 (m, 2 H) 6.11 (t, *J*=3.51 Hz, 1 H) 4.82 (d, *J*=7.93 Hz, 4 H) 4.36 (s, 2 H) 3.95 (s, 2 H) 2.53 - 2.59 (m, 2 H) 2.45 - 2.47 (m, 3 H)	(ESI(+)) m/e 430 $(M+H)^+$
1480		N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.59 (s, 1 H) 8.49 (d, *J*=5.19 Hz, 1 H) 7.98 (s, 1 H) 7.67 (t, *J*=1.68 Hz, 1 H) 7.52 (d, *J*=8.54 Hz, 2 H) 7.43 (d, *J*=4.88 Hz, 1 H) 7.35 (d, *J*=8.54 Hz, 2 H) 6.69 (s, 1 H) 6.05 - 6.13 (m, 1 H) 4.82 (d, 4 H) 4.23 - 4.28 (m, 2 H) 3.79 (t, *J*=5.80 Hz, 2 H) 2.53 - 2.59 (m, 2 H)	(ESI(+)) m/e 415 $(M+H)^+$
1481		N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.70 (d, *J*=1.53 Hz, 1 H) 7.49 - 7.55 (m, 2 H) 7.30 - 7.44 (m, 4 H) 6.91 (d, *J*=15.26 Hz, 1 H) 6.81 (d, *J*=3.36 Hz, 1 H) 6.57 (dd, *J*=3.36, 1.83 Hz, 1 H) 6.12 (t, *J*=3.51 Hz, 1 H) 4.81 (d, 4 H) 4.24 - 4.28 (m, 2 H) 3.81 (t, *J*=5.65 Hz, 2 H) 2.55 (s, 2 H)	(ESI(+)) m/e 441 $(M+H)^+$
1482		N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.59 (s, 1 H) 8.49 (d, *J*=4.88 Hz, 1 H) 8.41 (s, 1 H) 7.67 (s, 1 H) 7.52 (d, *J*=8.85 Hz, 2 H) 7.44 (d, *J*=5.19 Hz, 1 H) 7.36 (d, *J*=8.54 Hz, 2 H) 6.09 - 6.14 (m, 1 H) 4.83 (d, *J*=4.88 Hz, 4 H) 4.32 (d, *J*=2.75 Hz, 2 H) 3.87 (t, *J*=5.80 Hz, 2 H) 2.60 (m, 2 H)	(ESI(+)) m/e 416 $(M+H)^+$
1483		N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, 1 H) 7.52 (d, *J*=8.85 Hz, 2 H) 7.42 (d, 1 H) 7.35 (d, *J*=8.85 Hz, 2 H) 6.08 (s, 1 H) 4.81 (d, *J*=9.16 Hz, 4 H) 4.12 - 4.16 (m, 2 H) 3.65 - 3.73 (m, 2 H) 3.51 - 3.63 (m, 2 H) 2.52 - 2.58 (m, 2 H)	(ESI(+)) m/e 431 $(M+H)^+$
1484		N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.51 (d, *J*=8.54 Hz, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.35 (d, *J*=8.54 Hz, 2 H) 6.33 (s, 1 H) 6.07 - 6.12 (m, 1 H) 4.81 (d, *J*=7.32 Hz, 4 H) 4.36 (s, 2 H) 3.94 (s, 2 H) 3.75 - 3.78 (m, 3 H) 2.52 - 2.57 (m, 2 H) 2.26 - 2.29 (m, 3 H)	(ESI(+)) m/e 443 $(M+H)^+$
1485		N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.51 (d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.34 (d, *J*=8.54 Hz, 2 H) 6.09 (t, *J*=3.51 Hz, 1 H) 4.81	(ESI(+)) m/e 461 $(M+H)^+$

		yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(d, *J*=7.63 Hz, 4 H) 4.12 (s, 2 H) 3.68 (t, *J*=5.80 Hz, 2 H) 3.37 - 3.43 (m, 1 H) 3.22 (s, 3 H) 2.61 - 2.74 (m, 1 H) 2.44 - 2.50 (m, 2 H) 1.82 - 1.91 (m, *J*=12.97, 3.81 Hz, 2 H) 1.62 - 1.75 (m, 2 H) 1.37 - 1.55 (m, 4 H)	
1486		N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.51 (d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.34 (d, *J*=8.54 Hz, 2 H) 6.07 - 6.13 (m, 1 H) 4.81 (d, *J*=7.63 Hz, 4 H) 4.15 (s, 2 H) 3.66 - 3.76 (m, 2 H) 2.56 - 2.65 (m, 1 H) 2.42 - 2.50 (m, 2 H) 1.74 - 1.89 (m, 1 H) 1.00 (d, *J*=6.71 Hz, 3 H) 0.87 (dd, *J*=13.58, 6.87 Hz, 6 H)	(ESI(+)) m/e 419 $(M+H)^+$
1487		N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.52 (d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.35 (d, *J*=8.85 Hz, 2 H) 6.10 (s, 1 H) 4.82 (d, *J*=7.32 Hz, 4 H) 4.19 (s, 2 H) 3.65 - 3.94 (m, 2 H) 2.94 - 3.16 (m, *J*=7.32 Hz, 1 H) 2.52 - 2.66 (m, 2 H) 1.91 - 2.00 (m, 1 H) 1.76 - 1.88 (m, 1 H)	(ESI(+)) m/e 425 $(M+H)^+$
1488		N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.71 (d, *J*=2.14 Hz, 1 H) 7.33 - 7.55 (m, 5 H) 6.59 (d, *J*=2.44 Hz, 1 H) 6.11 (s, 1 H) 4.82 (d, *J*=6.41 Hz, 4 H) 4.37 (s, 2 H) 3.95 (s, 2 H) 2.53 - 2.59 (m, *J*=3.05 Hz, 2 H)	(ESI(+)) m/e 415 $(M+H)^+$
1489		N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.51 (d, *J*=8.54 Hz, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.34 (d, *J*=8.54 Hz, 2 H) 6.08 (t, *J*=3.36 Hz, 1 H) 4.82 (d, *J*=7.93 Hz, 4 H) 4.12 (s, 2 H) 4.05 (s, 2 H) 3.69 (t, *J*=5.80 Hz, 2 H) 1.19 (s, 9 H)	(ESI(+)) m/e 435 $(M+H)^+$
1490		N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 8.39 (s, 1 H) 7.88 (s, 1 H) 7.48 - 7.53 (m, 2 H) 7.42 (d, *J*=4.88 Hz, 1 H) 7.33 (d, *J*=8.54 Hz, 2 H) 6.05 (s, 1 H) 4.82 (d, *J*=6.41 Hz, 4 H) 4.46 (t, *J*=6.71 Hz, 2 H) 4.07 - 4.12 (m, 2 H) 3.60 - 3.67 (m, 2 H) 2.98 (t, *J*=6.26 Hz, 2 H) 2.42 - 2.49 (m, 2 H)	(ESI(+)) m/e 444 $(M+H)^+$
1491		N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.51 (d, *J*=8.54 Hz, 2 H) 7.42 (d, *J*=5.19 Hz, 1 H) 7.34 (d, *J*=8.54 Hz, 2 H) 6.06 - 6.10 (m, 1 H) 4.82 (d, *J*=7.63 Hz, 4 H) 4.13 (s, 2 H) 3.62 - 3.72 (m, 4 H) 3.44 (q, *J*=7.22 Hz, 2 H) 2.57 - 2.65 (m, 2 H) 1.09 (t, *J*=6.87 Hz, 3 H)	(ESI(+)) m/e 421 $(M+H)^+$
1492		N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Solvent) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.49 - 7.54 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.34 (d, *J*=8.54 Hz, 2 H) 6.08 (s, 1 H) 4.81 (d, *J*=7.63 Hz, 4 H) 4.16 (s, 2 H) 3.72 (t, *J*=5.80 Hz, 2 H) 2.31 - 2.50 (m, *J*=14.04 Hz, 2 H) 1.12 - 1.33 (m, 8 H)	(ESI(+)) m/e 421 $(M+H)^+$
1493		N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.51	(ESI(+)) m/e 442

		tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.32 (d, *J*=8.54 Hz, 2 H) 6.72 (t, *J*=1.98 Hz, 2 H) 6.04 (t, 1 H) 5.96 (t, *J*=2.14 Hz, 2 H) 4.81 (d, *J*=7.93 Hz, 4 H) 4.16 (t, *J*=6.87 Hz, 2 H) 4.06 (t, 2 H) 3.63 (s, 2 H) 2.82 (s, 2 H) 2.45 (s, 2 H)	$(M+H)^+$
1494		N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.48 - 7.54 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.32 - 7.37 (m, 2 H) 6.11 (t, *J*=3.51 Hz, 1 H) 4.79 - 4.85 (m, 4 H) 4.12 - 4.20 (m, 2 H) 3.78 (t, *J*=5.65 Hz, 2 H) 2.47 - 2.51 (m, 2 H) 1.26 - 1.30 (m, 3 H) 0.81 - 0.86 (m, 2 H) 0.55 - 0.62 (m, 2 H)	(ESI(+)) m/e 403 $(M+H)^+$
1495		N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.48 - 7.53 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.31 - 7.35 (m, 2 H) 6.05 - 6.09 (m, 1 H) 4.82 (d, *J*=7.93 Hz, 4 H) 4.07 - 4.20 (m, 4 H) 3.67 (t, *J*=5.65 Hz, 2 H) 3.18 - 3.24 (m, 2 H) 2.47 - 2.51 (m, 2 H) 1.76 - 1.89 (m, 1 H) 0.85 - 0.91 (m, 6 H)	(ESI(+)) m/e 435 $(M+H)^+$
1496		N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.49 - 7.54 (m, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.34 (d, *J*=8.85 Hz, 2 H) 6.09 (t, *J*=3.36 Hz, 1 H) 4.78 - 4.84 (m, 4 H) 4.19 (s, 2 H) 3.66 - 3.89 (m, 2 H) 3.30 - 3.35 (m, 1 H) 2.98 - 3.06 (m, 1 H) 2.43 - 2.50 (m, 2 H) 2.29 - 2.37 (m, 1 H) 2.27 (s, 3 H) 2.05 - 2.14 (m, 1 H) 1.71 - 1.86 (m, 3 H)	(ESI(+)) m/e 432 $(M+H)^+$
1497		N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.49 - 7.53 (m, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.34 (d, *J*=8.85 Hz, 2 H) 6.09 (t, *J*=3.66 Hz, 1 H) 4.81 (d, *J*=7.02 Hz, 4 H) 4.29 (s, 2 H) 3.85 - 3.98 (m, 2 H) 2.46 - 2.51 (m, 2 H) 1.59 - 1.86 (m, 2 H) 1.32 - 1.35 (m, 3 H) 0.82 (t, 3 H)	(ESI(+)) m/e 421 $(M+H)^+$
1498		N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.51 (d, *J*=8.54 Hz, 2 H) 7.42 (d, *J*=5.19 Hz, 1 H) 7.33 - 7.37 (m, 2 H) 6.11 (t, *J*=3.36 Hz, 1 H) 4.82 (d, *J*=6.41 Hz, 4 H) 4.24 (s, 2 H) 3.87 (t, *J*=5.65 Hz, 2 H) 2.52 - 2.57 (m, 2 H) 0.93 - 0.99 (m, 2 H) 0.80 - 0.85 (m, 2 H)	(ESI(+)) m/e 405 $(M+H)^+$
1499		N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.51 (d, *J*=8.85 Hz, 2 H) 7.42 (d, *J*=5.19 Hz, 1 H) 7.31 - 7.37 (m, 2 H) 6.05 - 6.11 (m, 1 H) 4.82 (d, *J*=6.41 Hz, 4 H) 4.09 - 4.13 (m, *J*=3.05 Hz, 2 H) 3.67 (t, *J*=5.80 Hz, 2 H) 2.46 - 2.50 (m, 2 H) 2.33 (d, *J*=6.71 Hz, 2 H) 1.00 (s, 1 H) 0.44 - 0.51 (m, 2 H) 0.16 (q, *J*=4.98 Hz, 2 H)	(ESI(+)) m/e 403 $(M+H)^+$
1500		N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.49 - 7.53 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.31 - 7.36 (m, 2 H) 6.04 - 6.12 (m, 1 H) 4.79 - 4.84 (m, 4 H) 4.14 (s, 2 H) 3.70 (t, *J*=5.80 Hz, 2 H) 3.02 (m,	(ESI(+)) m/e 417 $(M+H)^+$

		c]pyridine-2-carboxamide	*J*=7.63 Hz, 1 H) 2.43 - 2.49 (m, 2 H) 1.48 - 1.86 (m, 8 H)	
1501		N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.48 - 7.55 (m, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.34 (d, *J*=8.85 Hz, 2 H) 6.06 - 6.12 (m, *J*=3.51, 3.51 Hz, 1 H) 4.79 - 4.85 (m, 4 H) 4.17 (d, *J*=3.05 Hz, 2 H) 3.79 (t, *J*=5.80 Hz, 2 H) 3.44 (s, 2 H) 3.25 (s, 3 H) 2.46 - 2.50 (m, 2 H) 0.85 - 0.90 (m, 2 H) 0.73 - 0.80 (m, 2 H)	(ESI(+)) m/e 433 $(M+H)^+$
1502		N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.59 (s, 1 H) 8.49 (d, *J*=5.19 Hz, 1 H) 7.52 (d, *J*=8.85 Hz, 2 H) 7.42 (d, *J*=5.49 Hz, 1 H) 7.32 - 7.38 (m, *J*=8.85 Hz, 2 H) 6.08 (s, 1 H) 4.82 (d, *J*=6.10 Hz, 4 H) 4.35 - 4.46 (m, 2 H) 4.11 - 4.26 (m, 2 H) 3.74 (t, *J*=5.80 Hz, 2 H) 3.08 - 3.12 (m, 3 H) 2.53 - 2.69 (m, 2 H)	(ESI(+)) m/e 441 $(M+H)^+$
1503		N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.59 (s, 1 H) 8.49 (d, *J*=4.88 Hz, 1 H) 8.00 (s, 1 H) 7.69 (s, 1 H) 7.49 - 7.54 (m, 2 H) 7.42 (d, *J*=5.49 Hz, 1 H) 7.33 - 7.38 (m, 2 H) 6.07 - 6.12 (m, *J*=3.51, 3.51 Hz, 1 H) 4.79 - 4.85 (m, 4 H) 4.27 (d, *J*=3.05 Hz, 2 H) 3.87 (s, 3 H) 3.81 (t, *J*=5.65 Hz, 2 H) 2.54 - 2.61 (m, *J*=3.36 Hz, 2 H)	(ESI(+)) m/e 429 $(M+H)^+$
1504		N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.51 (d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.34 (d, *J*=8.54 Hz, 2 H) 6.08 (t, *J*=3.51 Hz, 1 H) 4.82 (d, *J*=7.32 Hz, 4 H) 4.10 (s, 2 H) 3.65 (t, *J*=5.80 Hz, 2 H) 2.41 - 2.51 (m, 2 H) 2.06 (s, 3 H)	(ESI(+)) m/e 363 $(M+H)^+$
1505		N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.52 (d, *J*=8.54 Hz, 2 H) 7.41 (d, *J*=4.58 Hz, 1 H) 7.35 (d, *J*=8.85 Hz, 2 H) 6.10 (s, 1 H) 4.81 (d, *J*=8.54 Hz, 4 H) 4.22 (s, 2 H) 3.71 - 3.84 (m, 2 H) 2.37 - 2.49 (m, 2 H) 1.90 - 2.01 (m, *J*=13.73 Hz, 1 H) 0.71 - 0.84 (m, 4 H)	(ESI(+)) m/e 389 $(M+H)^+$
1506		N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.51 (d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.34 (d, *J*=8.85 Hz, 2 H) 6.08 - 6.12 (m, 1 H) 4.81 (d, *J*=7.93 Hz, 4 H) 4.14 - 4.20 (m, *J*=1.83 Hz, 2 H) 3.74 (t, *J*=5.80 Hz, 2 H) 2.60 - 2.71 (m, 1 H) 2.43 - 2.50 (m, 2 H) 1.37 - 1.62 (m, 4 H) 0.82 (t, *J*=7.32 Hz, 6 H)	(ESI(+)) m/e 419 $(M+H)^+$
1507		N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.59 (s, 1 H) 8.49 (d, *J*=4.88 Hz, 1 H) 7.52 (d, *J*=8.85 Hz, 2 H) 7.43 (d, *J*=4.88 Hz, 1 H) 7.35 (d, *J*=8.85 Hz, 2 H) 6.09 (s, 1 H) 4.82 (d, *J*=6.71 Hz, 4 H) 4.58 (s, 1 H) 4.14 (s, 2 H) 3.70 (t, 2 H) 2.55 - 2.64 (m, 1 H) 2.29 - 2.46 (m, 2 H) 2.14 - 2.22 (m, 2 H) 1.92 (s, 1 H)	(ESI(+)) m/e 432 $(M+H)^+$
1508		N-(4-{1-[(2E)-4-methylpent-2-enoyl]-	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.51	(ESI(+)) m/e 417

		1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.34 (d, *J*=8.85 Hz, 2 H) 6.66 (dd, *J*=15.26, 6.71 Hz, 1 H) 6.34 (d, *J*=15.26 Hz, 1 H) 6.06 - 6.11 (m, 1 H) 4.81 (d, *J*=7.32 Hz, 4 H) 4.18 (d, *J*=2.75 Hz, 2 H) 3.74 (t, *J*=5.80 Hz, 2 H) 2.38 - 2.50 (m, 3 H) 1.05 (d, *J*=6.71 Hz, 6 H)	$(M+H)^+$
1509		N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.51 (d, *J*=8.54 Hz, 2 H) 7.41 (d, *J*=4.58 Hz, 1 H) 7.35 (d, *J*=8.85 Hz, 2 H) 6.07 - 6.14 (m, 1 H) 4.78 - 4.84 (m, 4 H) 4.31 (s, 2 H) 3.92 (s, 2 H) 3.16 (s, 3 H) 2.47 - 2.50 (m, 2 H) 1.35 - 1.39 (m, 6 H)	(ESI(+)) m/e 421 $(M+H)^+$
1510		N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.51 (d, *J*=8.54 Hz, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.32 - 7.37 (m, 2 H) 6.06 - 6.11 (m, 1 H) 5.92 - 5.95 (m, 1 H) 4.81 (d, *J*=7.63 Hz, 4 H) 4.15 (q, *J*=2.64 Hz, 2 H) 3.71 (t, *J*=5.80 Hz, 2 H) 2.53 - 2.57 (m, 2 H) 2.41 - 2.50 (m, 4 H) 1.85 - 1.95 (m, 2 H)	(ESI(+)) m/e 415 $(M+H)^+$
1511		N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.50 (d, *J*=8.54 Hz, 2 H) 7.39 - 7.43 (m, *J*=4.12, 4.12 Hz, 2 H) 7.31 (d, *J*=8.85 Hz, 2 H) 7.23 (s, 1 H) 7.02 (d, *J*=5.19 Hz, 1 H) 6.06 (s, 1 H) 4.81 (d, *J*=7.32 Hz, 4 H) 4.15 (s, 2 H) 3.77 (s, 2 H) 3.70 (t, *J*=5.80 Hz, 2 H) 2.38 - 2.48 (m, 2 H)	(ESI(+)) m/e 445 $(M+H)^+$
1512		N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.49 - 7.53 (m, 2 H) 7.41 (d, 1 H) 7.34 (d, *J*=8.54 Hz, 2 H) 6.09 (s, 1 H) 4.81 (d, 4 H) 4.12 (s, 2 H) 3.68 (t, *J*=5.95 Hz, 2 H) 2.38 - 2.50 (m, 2 H) 1.61 - 1.78 (m, 5 H) 1.20 - 1.45 (m, 6 H)	(ESI(+)) m/e 431 $(M+H)^+$
1513		N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.51 (d, *J*=8.54 Hz, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.32 - 7.37 (m, 2 H) 6.05 - 6.11 (m, 1 H) 4.81 (d, *J*=7.02 Hz, 4 H) 4.11 (d, *J*=3.05 Hz, 2 H) 3.66 (t, *J*=5.80 Hz, 2 H) 2.45 - 2.50 (m, 2 H) 2.33 - 2.41 (m, 2 H) 1.05 (t, *J*=7.32 Hz, 3 H)	(ESI(+)) m/e 377 $(M+H)^+$
1514		N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.48 - 7.54 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.31 - 7.37 (m, 2 H) 6.07 - 6.13 (m, 1 H) 4.81 (d, *J*=7.02 Hz, 4 H) 4.14 - 4.18 (m, 2 H) 3.75 (t, *J*=5.65 Hz, 2 H) 2.45 - 2.50 (m, *J*=1.83 Hz, 2 H) 1.64 (q, *J*=7.43 Hz, 2 H) 1.18 - 1.23 (m, 6 H) 0.81 (t, *J*=7.48 Hz, 3 H)	(ESI(+)) m/e 419 $(M+H)^+$
1515		N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.52 (d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.36 (d, *J*=8.85 Hz, 2 H) 6.83 - 6.86 (m, 1 H) 6.37 (dd, *J*=3.66, 1.53 Hz, 1 H) 6.04 - 6.12 (m, 2 H) 4.82 (d, *J*=7.32 Hz, 4 H) 4.24 - 4.28 (m, 2 H) 3.82 (t, *J*=5.80 Hz, 2 H) 3.67 (s, 3 H) 2.53 - 2.59 (m,	(ESI(+)) m/e 428 $(M+H)^+$

			J=1.83 Hz, 2 H)	
1516		N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.51 (d, *J*=8.54 Hz, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.30 - 7.37 (m, 2 H) 6.03 - 6.12 (m, 1 H) 4.81 (d, *J*=7.63 Hz, 4 H) 4.00 - 4.17 (m, 4 H) 3.57 - 3.70 (m, *J*=5.65, 5.65 Hz, 2 H) 3.31 - 3.37 (m, 3 H) 2.41 - 2.50 (m, 2 H)	(ESI(+)) m/e 393 $(M+H)^+$
1517		N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.51 (d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.34 (d, *J*=8.85 Hz, 2 H) 6.10 (t, *J*=3.51 Hz, 1 H) 4.81 (d, *J*=7.32 Hz, 4 H) 4.16 (d, *J*=3.05 Hz, 2 H) 3.76 (t, *J*=5.80 Hz, 2 H) 2.46 - 2.50 (m, *J*=1.83 Hz, 2 H) 1.25 (s, 9 H)	(ESI(+)) m/e 405 $(M+H)^+$
1518		N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.51 (d, *J*=8.54 Hz, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.34 (d, *J*=8.54 Hz, 2 H) 6.05 - 6.11 (m, 1 H) 4.82 (d, *J*=7.93 Hz, 4 H) 4.08 - 4.16 (m, *J*=1.53 Hz, 2 H) 3.67 (t, *J*=5.80 Hz, 2 H) 2.43 - 2.50 (m, 2 H) 2.30 - 2.40 (m, 2 H) 1.50 - 1.68 (m, 1 H) 1.27 - 1.45 (m, 3 H) 1.10 - 1.22 (m, 1 H) 0.80 - 0.91 (m, 6 H)	(ESI(+)) m/e 433 $(M+H)^+$
1519		N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.47 - 7.53 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.32 - 7.37 (m, 2 H) 6.08 - 6.14 (m, 1 H) 4.81 (d, 4 H) 4.18 (s, 2 H) 3.85 - 3.94 (m, 1 H) 3.60 (s, 1 H) 2.39 - 2.50 (m, 2 H) 1.73 (t, *J*=7.32 Hz, 1 H) 1.18 - 1.23 (m, 3 H) 0.96 - 1.01 (m, 1 H) 0.96 (s, 3 H) 0.68 (dd, *J*=7.93, 3.97 Hz, 1 H)	(ESI(+)) m/e 417 $(M+H)^+$
1520		N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.49 - 7.56 (m, 2 H) 7.41 (d, *J*=5.19 Hz, 1 H) 7.33 - 7.38 (m, 2 H) 6.25 (s, 1 H) 6.07 - 6.12 (m, 1 H) 4.81 (d, *J*=7.02 Hz, 4 H) 4.18 - 4.24 (m, *J*=2.75 Hz, 2 H) 3.72 - 3.79 (m, 5 H) 2.53 - 2.60 (m, 2 H) 2.18 (s, 3 H)	(ESI(+)) m/e 443 $(M+H)^+$
1521		N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.51 (d, *J*=8.85 Hz, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.34 (d, *J*=8.85 Hz, 2 H) 6.08 (t, *J*=3.51 Hz, 1 H) 4.81 (d, *J*=7.63 Hz, 4 H) 4.10 (s, 2 H) 3.62 - 3.69 (m, 2 H) 2.55 - 2.72 (m, 2 H) 2.45 - 2.50 (m, 2 H) 2.30 - 2.42 (m, 1 H) 2.01 - 2.13 (m, 2 H) 1.77 - 1.88 (m, 2 H) 1.61 - 1.74 (m, 2 H)	(ESI(+)) m/e 417 $(M+H)^+$
1522		N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.48 - 7.55 (m, 2 H) 7.41 (d, *J*=4.58 Hz, 1 H) 7.31 - 7.36 (m, 2 H) 6.08 (t, *J*=3.36 Hz, 1 H) 4.81 (d, 4 H) 4.14 (s, 2 H) 3.66 - 3.78 (m, 2 H) 3.16 (s, 2 H) 2.46 - 2.51 (m, 2 H) 2.36 - 2.43 (m, 4 H) 1.45 - 1.59 (m, 4 H) 1.32 - 1.43 (m, 2 H)	(ESI(+)) m/e 446 $(M+H)^+$
1523		N-(4-{1-[2-(pyrrolidin-1-	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ	(ESI(+))

		yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.48 - 7.53 (m, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.31 - 7.36 (m, 2 H) 6.09 (t, *J*=3.51 Hz, 1 H) 4.81 (d, *J*=7.02 Hz, 4 H) 4.21 (s, 2 H) 3.69 - 3.88 (m, 2 H) 3.61 - 3.70 (m, 1 H) 2.53 - 2.66 (m, 4 H) 2.43 - 2.50 (m, 2 H) 1.63 - 1.73 (m, 4 H) 1.19 (d, *J*=6.71 Hz, 3 H)	m/e 446 $(M+H)^+$
1524		N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C)δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.78 (s, 1 H) 7.52 (d, *J*=8.54 Hz, 2 H) 7.41 (d, *J*=4.88 Hz, 1 H) 7.35 (d, *J*=8.85 Hz, 2 H) 6.07 - 6.11 (m, 1 H) 4.81 (d, *J*=7.32 Hz, 4 H) 4.19 (d, *J*=3.05 Hz, 2 H) 3.77 - 3.79 (m, 3 H) 3.72 - 3.77 (m, 2 H) 2.52 - 2.57 (m, 2 H) 2.16 - 2.22 (m, 3 H)	(ESI(+)) m/e 443 $(M+H)^+$

Example 547

N-[4-(1-oxo-2,3-dihydro-1H-isoindol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-phenyl)-2,3-dihydro-isoindol-1-one. ESI-MS [M+H+]= 370.1.

Example 548

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 377C, substituting isoindoline with 2,3-dihydro-1H-pyrrolo[3,4-c]pyridine. ESI-MS [M+H+]= 384.1.

Example 549

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide

The title compound was prepared as described in Example 377C, substituting isoindoline with 6,7-dihydro-5H-pyrrolo[3,4-b]pyridine. ESI-MS [M+H+]= 384.1.

Example 550

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-cyclohex-1-enyl)-2H-isoquinolin-1-one. ESI-MS [M+H+]= 386.2.

Example 551

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-cyclohex-1-enyl)-2H-phthalazin-1-one. ESI-MS [M+H+]= 387.2.

Example 552

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 377C, substituting 4-(4-aminophenyl)-5,6,7,8-tetrahydro-2H-phthalazin-1-one with 4-(4-amino-cyclohex-1-enyl)-2H-phthalazin-1-one and isoindoline with 5-pyrrolidin-1-ylmethyl-2,3-dihydro-1H-isoindole. ESI-MS [M+H+]= 470.2.

Example 557

N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 1-isopentyl-1H-pyrazol-4-amine dihydrochloride for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride in Example 272B. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.39 (s, 1H), 7.74 (s, 1H), 7.39 (s, 1H), 7.38 – 7.26 (m, 4H), 4.69 (s, 4H), 4.04 (t, J = 7.1 Hz, 2H), 1.81 – 1.57 (m, 2H), 1.52 – 1.37 (m, 1H), 0.89 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 299 $(M+H)^+$.

Example 558

N-[1-(2-phenylethyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 1-phenethyl-1H-pyrazol-4-amine dihydrochloride for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride in Example 272B. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.39 (s, 1H), 7.68 (s, 1H), 7.42 (s, 1H), 7.39 – 7.23 (m, 6H), 7.24 – 7.15 (m, 3H), 4.68 (bs, 4H), 4.27 (t, J = 7.3 Hz, 2H), 3.07 (t, J = 7.3 Hz, 2H); MS (ESI(+)) m/e 333 $(M+H)^+$.

Example 559

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide

The title compound was prepared as described in Example 1C, substituting N1,N1-dimethylethane-1,2-diamine for 3-phenylpropan-1-amine and 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.28 (s, 1H), 8.70 (t, J = 5.6 Hz, 1H), 8.62 (s, 1H), 8.26 (t, J = 5.6 Hz, 1H), 7.86 – 7.74 (m, 4H), 7.68 – 7.61 (m, 2H), 7.49 (d, J = 7.8 Hz, 1H), 4.84 (bs, 4H), 3.66 – 3.55 (m, 2H), 3.29 – 3.12 (m, 4H), 2.90 – 2.80 (m, 6H), 2.28 – 1.46 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 438 $(M+H)^+$.

Example 560

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting morpholine for 3-phenylpropan-1-amine and 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.26 (t, J = 5.7 Hz, 1H), 7.80 – 7.73 (m, 2H), 7.69 – 7.62 (m, 2H), 7.47 – 7.41 (m, 2H), 7.35 (dd, J = 7.7, 1.6 Hz, 1H), 4.82 (bs, 4H), 3.73 – 3.43 (m, 6H), 3.28 – 3.12 (m, 4H), 1.60 – 1.44 (m, 2H), 0.89 (t, J = 7.4 Hz, 3H); MS (ESI(+)) m/e 437 $(M+H)^+$.

Example 561

N-(4-{benzyl[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-benzyl-3-morpholinopropan-1-amine for 3-phenylpropan-1-amine. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.28 (s, 1H), 7.65 – 7.59 (m, 2H), 7.39 – 7.25 (m, 11H), 4.79 (bs, 4H), 4.63 (s, 2H), 3.52 – 3.45 (m, 4H), 3.35 – 3.27 (m, 2H), 2.27 – 2.20 (m, 4H), 2.17 (t, 2H), 1.69 – 1.60 (m, 2H); MS (ESI(+)) m/e 499 $(M+H)^+$.

Example 563

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 563A

2-cyclopentyl-N-(4-nitrophenyl)acetamide

The title compound was prepared as described in Example 278, substituting 2-cyclopentylacetyl chloride for acetyl chloride and 4-nitroaniline for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide.

Example 563B

N-(4-aminophenyl)-2-cyclopentylacetamide

The title compound was prepared as described in Example 274, substituting 2-cyclopentyl-N-(4-nitrophenyl)acetamide for 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide.

Example 563C

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting N-(4-aminophenyl)-2-cyclopentylacetamide for 4-amino-N-propylbenzamide and 5-bromoisoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.68 (s, 1H), 8.29 (s, 1H), 7.65 – 7.55 (m, 1H), 7.53 – 7.36 (m, 5H), 7.36 – 7.26 (m, 1H), 4.79 – 4.65 (m, 4H), 2.33 – 2.16 (m, 3H), 1.85 – 1.68 (m, 2H), 1.68 – 1.41 (m, 4H), 1.29 – 1.09 (m, 2H); MS (ESI(+)) m/e 442 $(M+H)^+$.

Example 565

methyl 4-{[(5-cyano-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoate

The title compound was prepared as described in Example 1A, substituting 5-cyanoisoindoline for isoindoline. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.81 (s, 1H), 7.91 – 7.82 (m, 3H), 7.82 – 7.77 (m, 1H), 7.76 – 7.69 (m, 2H), 7.59 (d, J = 7.9 Hz, 1H), 4.89 – 4.81 (m, 4H), 3.81 (s, 3H); MS (ESI(+)) m/e 322 $(M+H)^+$.

Example 566

N-(4-{(E)-[(benzyloxy)imino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 566A

N-(4-formylphenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-aminobenzaldehyde for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride.

Example 566B

N-(4-{(E)-[(benzyloxy)imino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

In a 8 mL sealed vial was mixed N-(4-formylphenyl)isoindoline-2-carboxamide (50 mg, 0.188 mmol) in methanol (1 ml). A solution of O-benzylhydroxylamine hydrochloride (45.0 mg, 0.282 mmol) and sodium acetate (46.0 mg, 0.338 mmol) in water (1.000 ml) was then added and the reaction was stirred overnight at room temperature. The reaction was diluted with water and the product was extracted with dichloromethane. The organic layer was washed with brine, dried with sodium sulfate, decanted, and concentrated. Purification by chromatography provided the title compound. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.55 (s, 1H), 8.21 (s, 1H), 7.65 (m, 2H), 7.50 (m, 2H), 7.44 – 7.28 (m, 9H), 5.14 (s, 2H), 4.78 (bs, 4H); MS (ESI(+)) m/e 372 $(M+H)^+$.

Example 573

N-[4-(3-aminopyrrolidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 339D. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 7.76 (bs, 1H), 7.36 – 7.31 (m, 2H), 7.31 – 7.25 (m, 4H), 6.46 – 6.42 (m, 2H), 4.73 (bs, 4H), 3.56 (p, J = 5.8 Hz, 1H), 3.41 – 3.36 (m, 1H), 3.35 – 3.28 (m, 1H), 3.24 – 3.15 (m, 3H), 2.85 (dd, J = 9.1, 4.9 Hz, 1H), 2.13 – 2.05 (m, 1H), 1.73 – 1.64 (m, 1H); MS (ESI(+)) m/e 323 $(M+H)^+$.

Example 574

N-{6-[(3-methylbutyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 574A

methyl 5-(isoindoline-2-carboxamido)picolinate

The title compound was prepared as described in Example 272B, substituting methyl 5-aminopicolinate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride.

Example 574B

5-(isoindoline-2-carboxamido)picolinic acid

The title compound was prepared as described in Example 1B, substituting methyl 5-(isoindoline-2-carboxamido)picolinate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 574C

N-{6-[(3-methylbutyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 3-methylbutan-1-amine for 3-phenylpropan-1-amine and 5-(isoindoline-2-carboxamido)picolinic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.85 (m, 2H), 8.57 (t, J = 6.1 Hz, 1H), 8.17 (dd, J = 8.5, 2.4 Hz, 1H), 7.94 (d, J = 8.5 Hz, 1H), 7.41 – 7.29 (m, 4H), 4.79 (m, 4H), 3.35 (m, 2H), 1.59 (m, 1H), 1.42 (q, J = 7.1 Hz, 2H), 0.90 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 353 $(M+H)^+$.

Example 575

N-{6-[(3-phenylpropyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 5-(isoindoline-2-carboxamido)picolinic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO- d_6) δ ppm 8.86 (m, 2H), 8.68 (t, J = 6.0 Hz, 1H), 8.18 (dd, J = 8.6, 2.5 Hz, 1H), 7.95 (d, J = 8.5 Hz, 1H), 7.41 – 7.14 (m, 9H), 4.81 (bs, 4H), 3.35 (m, 2H), 2.61 (t, J = 7.6 Hz, 2H), 1.84 (m, 2H); MS (ESI(+)) m/e 401 $(M+H)^+$.

Example 576

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (tetrahydrofuran-3-yl)methanamine for 3-phenylpropan-1-amine and 5-(isoindoline-2-carboxamido)picolinic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.87 (m, 2H), 8.78 (t, J = 6.1 Hz, 1H), 8.18 (dd, J = 8.5, 2.5 Hz, 1H), 7.95 (d, J = 8.5 Hz, 1H), 7.42 – 7.26 (m, 4H), 4.81 (m, 4H), 3.75 (m, 1H), 3.70 – 3.56 (m, 2H), 3.47 (dd, J = 8.5, 5.3 Hz, 1H), 3.27 (m, 2H), 2.53 (m, 1H), 1.91 (m, 1H), 1.61 (m, 1H); MS (ESI(+)) m/e 368 $(M+H)^+$.

Example 577

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide

The title compound was prepared as described in Example 132 susbtituting 5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide for 5-cyano-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.69 (s, 1H), 8.31 (s, 1H), 7.98 (s, 1H), 7.87 – 7.78 (m, 2H), 7.53 – 7.38 (m, 5H), 7.36 (brs, 1H), 4.78 (bs, 4H), 2.32 – 2.13 (m, 3H), 1.82 – 1.67 (m, 2H), 1.67 – 1.42 (m, 4H), 1.27 – 1.10 (m, 2H); MS (ESI(+)) m/e 407 $(M+H)^+$.

Example 578

N-[4-({benzyl[3-(morpholin-4-yl)propyl]amino}methyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

To a stirring suspension of N-(4-{benzyl[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide (0.028 g, 0.056 mmol) in THF (1.1 ml) was added 1M borane tetrahydrofuran complex (0.225 ml, 0.225 mmol) dropwise. The mixture was heated at 60°C for 5 hours. Additional borane complex (0.084 mL) was added and reaction was heated at 60 °C for 1 hour. The reaction was cooled to ambient temperature and 0.3 mL of 1.25 M HCl in methanol was added. The quenched reaction was stirred 30 min and concentrated. The title compound was isolated after flash chromatography. ^{1}H NMR (400 MHz, pyridine- d_5, Temp=90°C) δ ppm 8.05 (s, 1H), 7.88 – 7.82 (m, 2H), 7.47 – 7.38 (m, 4H), 7.36 – 7.29 (m, 2H), 7.26 – 7.15 (m, 5H), 4.85 (bs, 4H), 3.68 – 3.59 (m, 8H), 3.48 – 3.35 (m, 1H), 2.59 (t, J = 7.0 Hz, 2H), 2.38 – 2.29 (m, 6H), 1.79 – 1.65 (m, 3H); MS (ESI(+)) m/e 485 $(M+H)^+$.

Example 579

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 5-bromo-N-(4-(2-cyclopentylacetamido)phenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 13.30 (bs, 0.25H), 12.87 (bs, 0.75H), 9.69 (s, 1H), 8.34 – 8.23 (m, 1H), 7.83 – 7.63 (m, 3H), 7.56 – 7.32 (m, 5H), 6.76 – 6.68 (m, 1H), 4.81 – 4.72 (m, 4H), 2.31 – 2.12 (m, 3H), 1.85 – 1.67 (m, 2H), 1.67 – 1.42 (m, 4H), 1.29 – 1.10 (m, 2H); MS (ESI(+)) m/e 430 $(M+H)^+$.

Example 580

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting pyridin-3-ylboronic acid for 1H-pyrazol-3-ylboronic acid and 5-bromo-N-(4-(2-cyclopentylacetamido)phenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.70 (bs, 1H), 8.93 – 8.89 (m, 1H), 8.58 (dd, J = 4.7, 1.6 Hz, 1H), 8.33 (s, 1H), 8.13 – 8.05 (m, 1H), 7.72 (bs, 1H), 7.71 – 7.64 (m, 1H), 7.54 – 7.44 (m, 6H), 4.81 (bs, 4H), 2.31 – 2.18 (m, 3H), 1.82 – 1.68 (m, 2H), 1.68 – 1.43 (m, 4H), 1.26 – 1.11 (m, 2H); MS (ESI(+)) m/e 441 $(M+H)^+$.

Example 581

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 1-methyl-4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-1H-pyrazole for 1H-pyrazol-3-ylboronic acid and 5-bromo-N-(4-(2-cyclopentylacetamido)phenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.69 (s, 1H), 8.27 (s, 1H), 8.14 (s, 1H), 7.88 – 7.85 (m, 1H), 7.55 – 7.40 (m, 6H), 7.36 – 7.30 (m, 1H), 4.77 – 4.69 (m, 4H), 3.86 (s, 3H), 2.31 – 2.16 (m, 3H), 1.81 – 1.68 (m, 2H), 1.68 – 1.42 (m, 4H), 1.28 – 1.12 (m, 2H); MS (ESI(+)) m/e 444 $(M+H)^+$.

Example 582

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-methoxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide

The title compound was prepared as described in Example 1C, substituting 2-methoxyethanamine for 3-phenylpropan-1-amine and 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.69 (s, 1H), 8.56 – 8.49 (m, 1H), 8.31 (s, 1H), 7.84 – 7.77 (m, 2H), 7.50 – 7.40 (m, 5H), 4.78 (bs, 4H), 3.50 – 3.39 (m, 4H), 3.27 (s, 3H), 2.31 – 2.18 (m, 3H), 1.81 – 1.68 (m, 2H), 1.66 – 1.43 (m, 4H), 1.26 – 1.12 (m, 2H); MS (ESI(+)) m/e 465 $(M+H)^+$.

Example 583

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-hydroxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide

The title compound was prepared as described in Example 1C, substituting 2-aminoethanol for 3-phenylpropan-1-amine and 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.70 (s, 1H), 8.51 – 8.40 (m, 1H), 8.31 (s, 1H), 7.86 – 7.75 (m, 2H), 7.51 – 7.36 (m, 5H), 4.78 (bs, 4H), 4.71 (t, J = 5.6 Hz, 1H), 3.58 – 3.46 (m, 2H), 3.39 – 3.28 (m, 2H), 2.32 – 2.13 (m, 3H), 1.82 – 1.68 (m, 2H), 1.67 – 1.44 (m, 4H), 1.27 – 1.10 (m, 2H); MS (ESI(+)) m/e 451 $(M+H)^+$.

Example 584

5-(aminomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 276, substituting 5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide for 5-cyano-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.35 (bs, 1H), 7.99 (bs, 1H), 7.44 – 7.41 (m, 4H), 7.31 – 7.20 (m, 3H), 4.72 (bs, 4H), 3.81 – 3.68 (m, 2H), 2.29 – 2.25 (m, 3H), 1.80 – 1.68 (m, 2H), 1.66 – 1.48 (m, 6H), 1.29 – 1.14 (m, 2H); MS (ESI(+)) m/e 393 $(M+H)^+$.

Example 605

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 605A

tert-butyl 6-(isoindoline-2-carboxamido)hexylcarbamate

The title compound was prepared as described in Example 344A, substituting tert-butyl 6-aminohexylcarbamate for tert-butyl 5-aminoisoindoline-2-carboxylate.

Example 605B

N-(6-aminohexyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting Boc- tert-butyl 6-(isoindoline-2-carboxamido)hexylcarbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 605C

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(6-aminohexyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and benzoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.42 (t, J=5.35 Hz, 1 H) 7.76 - 7.90 (m, 2 H) 7.36 - 7.58 (m, 3 H) 7.20 - 7.36 (m, 4 H) 6.28 (t, J=5.55 Hz, 1 H) 4.57 (s, 4 H) 3.21 - 3.30 (m, 2 H) 3.07 (q, J=6.74 Hz, 2 H) 1.24 - 1.66 (m, 8 H); (ESI(+)) m/e 366 $(M+H)^+$.

Table 10.

The following Examples were prepared as described in Example 1C, substituting N-(6-aminohexyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
606		N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.98 (d, J=1.36 Hz, 1 H) 8.68 (dd, J=4.75, 1.70 Hz, 1 H) 8.62 (t, J=5.43 Hz, 1 H) 8.12 - 8.21 (m, 1 H) 7.48 (dd, J=8.31, 5.26 Hz, 1 H) 7.20 - 7.36 (m, 4 H) 6.27 (t, J=5.43 Hz, 1 H) 4.57 (s, 4 H) 3.23 - 3.29 (m, 2 H) 2.99 - 3.13 (m, 2 H) 1.25 - 1.60 (m, 9 H)	(ESI(+)) m/e 367 $(M+H)^+$
619		N-(6-acetamidohexyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.77 (s, 1 H) 7.22 - 7.38 (m, 4 H) 6.28 (t, J=5.55 Hz, 1 H) 4.57 (s, 4 H) 2.93 - 3.14 (m, 4 H) 1.77 (s, 3 H) 1.31 - 1.61 (m, 4 H) 1.20 - 1.31 (m, 4 H)	(ESI(+)) m/e 304 $(M+H)^+$
655		N-(6-{[4-(methylsulfonyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.33 - 1.40 (m, 4 H), 1.45 - 1.63 (m, 4 H), 3.11 (t, J=7.02 Hz, 2 H), 3.19 (s, 3 H), 3.30 (t, J=7.02 Hz, 2 H), 4.59 (s, 4 H), 7.24 - 7.33 (m, 4 H), 7.95 - 8.04 (m, 4 H)	(ESI(+)) m/e 444 $(M+H)^+$
656		N-{6-[(ethoxyacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.15 (t, J=7.02 Hz, 3 H), 1.25 - 1.36 (m, 4 H), 1.42 - 1.51 (m, 4 H), 3.11 (q, J=7.43 Hz, 4 H), 3.50 (q, J=7.02 Hz, 2 H), 3.80 (s, 2 H), 4.59	(ESI(+)) m/e 348 $(M+H)^+$

		carboxamide	(s, 4 H), 7.24 - 7.33 (m, 4 H)	
657		N-{6-[(cyclopentylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.25 - 1.35 (m, 5 H), 1.38 - 1.55 (m, 6 H), 1.56 - 1.67 (m, 4 H), 1.68 - 1.81 (m, 2 H), 3.00 - 3.13 (m, 4 H), 4.59 (s, 4 H), 7.20 - 7.37 (m, 4 H)	(ESI(+)) m/e 358 $(M+H)^+$
658		N-{6-[(2-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.32 - 1.42 (m, 4 H), 1.45 - 1.53 (m, 2 H), 1.53 - 1.63 (m, 2 H), 3.11 (t, 2 H), 3.31 (t, *J*=7.02 Hz, 2 H), 4.58 (s, 4 H), 6.83 - 6.90 (m, 2 H), 7.23 - 7.32 (m, 4 H), 7.34 - 7.40 (m, 1 H), 7.78 (dd, *J*=7.78, 1.68 Hz, 1 H)	(ESI(+)) m/e 382 $(M+H)^+$
659		N-{6-[(3-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.28 - 1.41 (m, 4 H), 1.42 - 1.61 (m, 4 H), 3.08 - 3.15 (m, 2 H), 3.22 - 3.25 (m, 2 H), 4.59 (s, 4 H), 6.86 - 6.93 (m, 1 H), 7.17 - 7.34 (m, 7 H)	(ESI(+)) m/e 382 $(M+H)^+$
660		N-{6-[(4-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.30 - 1.38 (m, 4 H), 1.44 - 1.60 (m, 4 H), 3.09 - 3.13 (m, 2 H), 3.20 - 3.25 (m, 2 H), 4.59 (s, 4 H), 6.75 - 6.83 (m, 2 H), 7.23 - 7.32 (m, 4 H), 7.65 - 7.71 (m, 2 H)	(ESI(+)) m/e 382 $(M+H)^+$
661		N-{6-[(2-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.29 - 1.43 (m, 4 H), 1.45 - 1.61 (m, 4 H), 3.08 - 3.15 (m, 2 H), 3.30 (t, *J*=7.02 Hz, 2 H), 3.89 (s, 3 H), 4.58 (s, 4 H), 6.99 - 7.04 (m, 1 H), 7.10 (d, *J*=8.24 Hz, 1 H), 7.24 - 7.32 (m, 4 H), 7.41 - 7.47 (m, 1 H), 7.74 (dd, *J*=7.63, 1.83 Hz, 1 H)	(ESI(+)) m/e 396 $(M+H)^+$
662		N-{6-[(3-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.30 - 1.41 (m, 4 H), 1.44 - 1.62 (m, 4 H), 3.09 - 3.14 (m, 2 H), 3.26 - 3.31 (m, 2 H), 3.80 (s, 3 H), 4.58 (s, 4 H), 7.03 - 7.07 (m, 1 H), 7.24 - 7.41 (m, 7 H)	(ESI(+)) m/e 396 $(M+H)^+$
663		N-{6-[(4-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.31 - 1.39 (m, 4 H), 1.49 (s, 4 H), 3.11 (t, *J*=7.02 Hz, 2 H), 3.26 - 3.28 (m, 2 H), 3.80 (s, 3 H), 4.58 (s, 4 H), 6.92 - 6.97 (m, 2 H), 7.24 - 7.32 (m, 4 H), 7.75 - 7.80 (m, 2 H)	(ESI(+)) m/e 396 $(M+H)^+$
664		N-{6-[(2-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.27 - 1.42 (m, 4 H), 1.43 - 1.64 (m, 4 H), 3.11 (t, 2 H), 3.28 (t, *J*=7.02 Hz, 2 H), 4.58 (s, 4 H), 7.17 - 7.33 (m, 6 H), 7.45 - 7.52 (m, 1 H), 7.57 - 7.63 (m, 1 H)	(ESI(+)) m/e 384 $(M+H)^+$
665		N-{6-[(3-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.32 - 1.41 (m, 4 H), 1.44 - 1.61 (m, 4 H), 3.11 (t, 2 H), 3.28 (t, *J*=7.02 Hz, 2 H), 4.58 (s, 4 H), 7.24 - 7.33 (m, 5 H), 7.44 - 7.51 (m, 1 H), 7.55 - 7.60 (m, 1 H), 7.65 (d, *J*=8.24 Hz, 1 H)	(ESI(+)) m/e 384 $(M+H)^+$
666		N-{6-[(4-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.31 - 1.38 (m, 4 H), 1.44 - 1.61 (m, 4 H), 3.11 (t, *J*=7.02 Hz, 2 H), 3.26 (t, *J*=7.02 Hz, 2 H), 4.58 (s, 4 H), 7.16 - 7.31 (m, 6 H), 7.84 - 7.89 (m, 2 H)	(ESI(+)) m/e 384 $(M+H)^+$

667		N-{6-[(2-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.30 - 1.42 (m, 4 H), 1.45 - 1.63 (m, 4 H), 3.12 (t, *J*=7.02 Hz, 2 H), 3.26 - 3.29 (m, 2 H), 4.59 (s, 4 H), 7.24 - 7.32 (m, 4 H), 7.33 - 7.45 (m, 4 H)	(ESI(+)) m/e 400 $(M+H)^+$
668		N-{6-[(3-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.29 - 1.40 (m, 4 H), 1.44 - 1.62 (m, 4 H), 3.11 (t, 2 H), 3.27 (t, 2 H), 4.58 (s, 4 H), 7.24 - 7.33 (m, 4 H), 7.46 (t, *J*=7.78 Hz, 1 H), 7.51 - 7.55 (m, 1 H), 7.75 (dd, *J*=7.63, 1.53 Hz, 1 H), 7.82 (t, *J*=1.68 Hz, 1 H)	(ESI(+)) m/e 400 $(M+H)^+$
669		N-{6-[(4-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.28 - 1.40 (m, 4 H), 1.44 - 1.62 (m, 4 H), 3.11 (t, *J*=7.02 Hz, 2 H), 3.27 (t, 2 H), 4.58 (s, 4 H), 7.24 - 7.32 (m, 4 H), 7.43 - 7.49 (m, 2 H), 7.78 - 7.85 (m, 2 H)	(ESI(+)) m/e 400 $(M+H)^+$
670		N-{6-[(3-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.28 - 1.41 (m, 4 H), 1.45 - 1.63 (m, 4 H), 3.11 (t, 2 H), 3.29 (t, *J*=7.02 Hz, 2 H), 4.58 (s, 4 H), 7.24 - 7.32 (m, 4 H), 7.65 (t, *J*=7.78 Hz, 1 H), 7.88 - 7.92 (m, 1 H), 8.09 - 8.12 (m, 1 H), 8.18 (t, 1 H)	(ESI(+)) m/e 391 $(M+H)^+$
671		N-{6-[(4-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.32 - 1.39 (m, 4 H), 1.44 - 1.63 (m, 4 H), 3.11 (t, 2 H), 3.29 (t, *J*=7.02 Hz, 2 H), 4.58 (s, 4 H), 7.22 - 7.33 (m, 4 H), 7.82 - 7.87 (m, 2 H), 7.92 - 7.96 (m, 2 H)	(ESI(+)) m/e 391 $(M+H)^+$
672		N-(6-{[3-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.30 - 1.38 (m, 4 H), 1.45 - 1.60 (m, 4 H), 2.96 (s, 6 H), 3.11 (t, 2 H), 3.27 (t, 2 H), 4.59 (s, 4 H), 6.93 - 7.00 (m, 1 H), 7.17 - 7.21 (m, 1 H), 7.24 - 7.33 (m, 6 H)	(ESI(+)) m/e 409 $(M+H)^+$
673		N-(6-{[4-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.31 - 1.37 (m, 4 H), 1.43 - 1.58 (m, 4 H), 2.95 (s, 6 H), 3.11 (t, 2 H), 3.24 (t, *J*=7.02 Hz, 2 H), 4.59 (s, 4 H), 6.68 - 6.74 (m, 2 H), 7.22 - 7.33 (m, 4 H), 7.66 - 7.70 (m, 2 H)	(ESI(+)) m/e 409 $(M+H)^+$
674		N-(6-{[3-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.32 - 1.41 (m, 4 H), 1.46 - 1.62 (m, 4 H), 3.09 - 3.14 (m, 2 H), 3.30 (t, *J*=7.02 Hz, 2 H), 4.58 (s, 4 H), 7.24 - 7.33 (m, 4 H), 7.68 (t, *J*=7.78 Hz, 1 H), 7.83 (d, *J*=7.63 Hz, 1 H), 8.06 - 8.14 (m, 2 H)	(ESI(+)) m/e 434 $(M+H)^+$
675		N-(6-{[4-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.32 - 1.41 (m, 4 H), 1.45 - 1.62 (m, 4 H), 3.11 (t, 2 H), 3.30 (t, *J*=7.17 Hz, 2 H), 4.58 (s, 4 H), 7.24 - 7.33 (m, 4 H), 7.77 (d, *J*=7.93 Hz, 2 H), 7.98 (d, *J*=7.93 Hz, 2 H)	(ESI(+)) m/e 434 $(M+H)^+$
676		N-(6-{[3-(trifluoromethoxy)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.30 - 1.41 (m, 4 H), 1.45 - 1.61 (m, 4 H), 3.12 (t, *J*=7.02 Hz, 2 H), 3.29 (t, *J*=7.17 Hz, 2 H), 4.59 (s, 4 H), 7.23 - 7.32 (m, 4 H), 7.41 - 7.49 (m, 1 H), 7.58 (t, *J*=7.93 Hz, 1 H), 7.73 (s, 1 H), 7.84 (d, *J*=7.93 Hz, 1 H)	(ESI(+)) m/e 450 $(M+H)^+$
677		N-{6-[(2,3-	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide,	(ESI(+))

		dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	Temp=90°C) δ ppm 1.33 - 1.42 (m, 4 H), 1.45 - 1.61 (m, 4 H), 3.12 (t, *J*=7.02 Hz, 2 H), 3.28 (t, *J*=7.02 Hz, 2 H), 3.79 (s, 3 H), 3.83 (s, 3 H), 4.58 (s, 4 H), 7.06 - 7.20 (m, 3 H), 7.24 - 7.32 (m, 4 H)	m/e 426 $(M+H)^+$
678		N-{6-[(2,4-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.30 - 1.41 (m, 4 H), 1.45 - 1.62 (m, 4 H), 3.11 (t, *J*=7.02 Hz, 2 H), 3.29 (t, *J*=7.02 Hz, 2 H), 3.81 (s, 3 H), 3.90 (s, 3 H), 4.58 (s, 4 H), 6.56 - 6.63 (m, 2 H), 7.22 - 7.33 (m, 4 H), 7.78 (d, *J*=8.54 Hz, 1 H)	(ESI(+)) m/e 426 $(M+H)^+$
679		N-{6-[(2,5-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.31 - 1.40 (m, 4 H), 1.44 - 1.59 (m, 4 H), 3.12 (t, 2 H), 3.30 (t, *J*=6.87 Hz, 2 H), 3.73 (s, 3 H), 3.82 - 3.86 (m, 3 H), 4.58 (s, 4 H), 6.99 - 7.08 (m, 2 H), 7.23 - 7.34 (m, 5 H)	(ESI(+)) m/e 426 $(M+H)^+$
680		N-{6-[(phenylacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6, Temp=90°C) δ 8.00 (m, 1H), 7.28 (m, 8H), 7.20 (m, 1H), 6.27 (t, *J* = 5.5, 1H), 4.57 (s, 4H), 3.04 (m, 4H), 1.40 (m, 4H), 1.27 (m, 4H)	(ESI(+)) m/e 380 $(M+H)^+$
681		N-(6-{[(3-fluorophenyl)acetyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 1.22 - 1.33 (m, 4 H), 1.36 - 1.53 (m, 4 H), 3.02 - 3.13 (m, 4 H), 3.43 (s, 2 H), 4.59 (s, 4 H), 6.93 - 7.12 (m, 3 H), 7.23 - 7.34 (m, 5 H)	(ESI(+)) m/e 398 $(M+H)^+$
688		N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.55 (s, 1 H) 8.46 (d, *J*=4.75 Hz, 1 H) 8.41 (t, *J*=5.43 Hz, 1 H) 7.78 - 7.86 (m, 2 H) 7.40 - 7.55 (m, 3 H) 7.38 (d, *J*=5.09 Hz, 1 H) 6.36 (t, *J*=5.43 Hz, 1 H) 4.60 (d, *J*=2.03 Hz, 4 H) 3.21 - 3.29 (m, 2 H) 3.00 - 3.13 (m, 2 H) 1.25 - 1.60 (m, 8 H)	(ESI(+)) m/e 367 $(M+H)^+$
689		4-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6, Temp=90°C) δ 9.02 (d, *J* = 2.2, 1H), 8.71 (m, 2H), 8.26 (dt, *J* = 7.9, 1.9, 1H), 7.58 (ddd, *J* = 7.9, 4.8, 0.8, 1H), 7.34 (td, *J* = 7.8, 5.1, 1H), 7.16 (d, *J* = 7.5, 1H), 7.10 (t, *J* = 8.8, 1H), 6.39 (bs, 1H), 4.62 (s, 4H), 3.28 (m, 2H), 3.07 (m, 2H), 1.54 (m, 2H), 1.46 (m, 2H), 1.34 (m, 4H)	(ESI(+)) m/e 385 $(M+H)^+$
690		5-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6_D_2O, Temp=90°C) δ 8.99 (dd, *J* = 2.2, 0.9, 1H), 8.71 (m, 1H), 8.26 (m, 1H), 7.58 (m, 1H), 7.32 (m, 1H), 7.08 (m, 2H), 4.58 (d, *J* = 2.5, 2H), 4.55 (m, 2H), 3.11 (t, *J* = 7.0, 2H), 1.47 (m, 11H)	(ESI(+)) m/e 385 $(M+H)^+$
691		5-methoxy-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6_D_2O, Temp=90°C) δ 9.01 (dd, *J* = 2.2, 0.9, 1H), 8.73 (dd, *J* = 5.0, 1.6, 1H), 8.33 (ddd, *J* = 7.9, 2.2, 1.6, 1H), 7.63 (ddd, *J* = 7.9, 5.0, 0.9, 1H), 7.20 (m, 1H), 6.85 (m, 2H), 4.55 (m, 2H), 4.50 (d, *J* = 2.4, 2H), 3.76 (s, 3H), 3.11 (t, *J* = 7.0, 2H), 1.58 (t, *J* = 7.0, 3H), 1.50 (t, *J* = 6.8, 2H), 1.36 (m, 5H)	(ESI(+)) m/e 397 $(M+H)^+$
692		N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-5-(trifluoromethyl)-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO-d_6_D_2O, Temp=90°C) δ 8.99 (dd, *J* = 2.2, 0.9, 1H), 8.71 (dd, *J* = 4.9, 1.6, 1H), 8.27 (m, 1H), 7.58 (m, 4H), 4.66 (s, 4H), 3.12 (t, *J* = 7.0, 2H), 1.54 (m, 5H), 1.37 (m, 5H)	(ESI(+)) m/e 435 $(M+H)^+$

		isoindole-2-carboxamide		
693		4-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6_D_2O, Temp=90°C) δ 8.99 (m, 1H), 8.71 (dd, *J* = 5.0, 1.6, 1H), 8.28 (ddd, *J* = 8.0, 2.3, 1.6, 1H), 7.67 (m, 2H), 7.59 (ddd, *J* = 7.9, 5.0, 0.9, 1H), 7.48 (t, *J* = 7.7, 1H), 4.75 (d, *J* = 2.2, 2H), 4.67 (m, 2H), 3.12 (t, *J* = 7.0, 2H), 1.56 (m, 5H), 1.37 (m, 5H)	(ESI(+)) m/e 392 $(M+H)^+$
694		5-methyl-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6_D_2O, Temp=90°C) δ 9.01 (m, 1H), 8.73 (dd, *J* = 5.0, 1.6, 1H), 8.32 (ddd, *J* = 7.9, 2.2, 1.6, 1H), 7.62 (ddd, *J* = 8.0, 5.0, 0.9, 1H), 7.17 (d, *J* = 7.7, 1H), 7.08 (d, *J* = 7.8, 2H), 4.54 (bs, 4H), 3.11 (t, *J* = 7.0, 2H), 2.31 (s, 3H), 1.56 (m, 5H), 1.37 (m, 5H)	(ESI(+)) m/e 381 $(M+H)^+$
695		4-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6_D_2O, Temp=90°C) δ 9.00 (dd, *J* = 2.2, 0.8, 1H), 8.71 (dd, *J* = 5.0, 1.6, 1H), 8.29 (ddd, *J* = 8.0, 2.2, 1.7, 1H), 7.60 (m, 1H), 7.30 (m, 3H), 4.63 (m, 4H), 3.32 (m, 2H), 3.12 (m, 2H), 1.54 (m, 5H), 1.36 (m, 5H)	(ESI(+)) m/e 401 $(M+H)^+$
696		5-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6_D_2O, Temp=90°C) δ 8.98 (d, *J* = 1.7, 1H), 8.70 (dd, *J* = 4.9, 1.6, 1H), 8.24 (m, 1H), 7.68 (m, 2H), 7.54 (m, 2H), 4.65 (m, 4H), 3.11 (m, 2H), 1.54 (m, 5H), 1.36 (m, 5H)	(ESI(+)) m/e 392 $(M+H)^+$
697		5-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6_D_2O, Temp=90°C) δ 8.99 (dd, *J* = 2.2, 0.7, 1H), 8.71 (dd, *J* = 5.0, 1.6, 1H), 8.27 (ddd, *J* = 8.0, 2.2, 1.7, 1H), 7.58 (m, 1H), 7.32 (m, 3H), 4.57 (dd, *J* = 8.2, 1.9, 4H), 3.11 (m, 2H), 1.54 (m, 5H), 1.37 (m, 5H)	(ESI(+)) m/e 401 $(M+H)^+$
698		N-{6-[(pyridin-2-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.74 (t, *J*=5.76 Hz, 1 H) 8.63 (d, *J*=4.75 Hz, 1 H) 7.89 - 8.12 (m, 2 H) 7.50 - 7.65 (m, 1 H) 7.19 - 7.39 (m, 4 H) 6.26 (t, *J*=5.43 Hz, 1 H) 4.57 (s, 4 H) 3.23 - 3.35 (m, 2 H) 3.06 (q, *J*=6.67 Hz, 2 H) 1.22 - 1.61 (m, 8 H)	(ESI(+)) m/e 367 $(M+H)^+$

Example 607

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting pyridin-4-ylboronic acid for 1H-pyrazol-3-ylboronic acid and 5-bromo-N-(4-(2-cyclopentylacetamido)phenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.70 (s, 1H), 8.69 – 8.61 (m, 2H), 8.33 (s, 1H), 7.82 – 7.69 (m, 4H), 7.54 – 7.41 (m, 5H), 4.81 (bs, 4H), 2.31 – 2.15 (m, 3H), 1.82 – 1.68 (m, 2H), 1.68 – 1.43 (m, 4H), 1.26 – 1.11 (m, 2H); MS (ESI(+)) m/e 441 $(M+H)^+$.

Example 608

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-amino-N-isopentylbenzamide for 4-amino-N-propylbenzamide and isoindolin-5-ylmethanol hydrochloride for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.55 (s, 1H), 8.24 – 8.17 (m, 1H), 7.79 – 7.72 (m, 2H), 7.68 – 7.61 (m, 2H), 7.37 – 7.21 (m, 3H), 5.19 (t, J = 5.7 Hz, 1H), 4.76 (bs, 4H), 4.52 (d, J = 5.7 Hz, 2H), 3.30 – 3.21 (m, 2H), 1.70 – 1.54 (m, 1H), 1.47 – 1.36 (m, 2H), 0.90 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 382 $(M+H)^+$.

Example 609

N-{3-[(1-benzoylpiperidin-4-yl)oxy]propyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 609A

tert-butyl 4-(3-(isoindoline-2-carboxamido)propoxy)piperidine-1-carboxylate

The title compound was prepared as described in Example 344A, substituting tert-butyl 4-(3-aminopropoxy)piperidine-1-carboxylate for tert-butyl 5-aminoisoindoline-2-carboxylate.

Example 609B

N-(3-(piperidin-4-yloxy)propyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(3-(isoindoline-2-carboxamido)propoxy)piperidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 609C

N-{3-[(1-benzoylpiperidin-4-yl)oxy]propyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-(3-(piperidin-4-yloxy)propyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.21 - 7.50 (m, 9 H) 6.27 (t, J=5.43 Hz, 1 H) 4.57 (s, 4 H) 3.40 - 3.58 (m, 6 H) 3.07 - 3.21 (m, 2 H) 1.74 - 1.93 (br m, 2 H) 1.62 - 1.75 (m, 2 H) 1.44 (br m, 2 H); MS (ESI(+)) m/e 408 $(M+H)^+$.

Example 610

N-(3-{[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]oxy}propyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting nicotinoyl chloride for acetyl chloride and N-(3-(piperidin-4-yloxy)propyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H

NMR (300 MHz, DMSO-d_6) δ ppm 8.51 - 8.70 (m, 2 H) 7.75 - 7.88 (m, 1 H) 7.46 (dd, *J*=7.73, 4.96 Hz, 1 H) 7.20 - 7.38 (m, 3 H) 6.28 (t, *J*=5.35 Hz, 1 H) 4.57 (s, 4 H) 3.83 - 4.01 (m, 1 H) 3.40 - 3.63 (m, 6 H) 3.16 (q, *J*=6.35 Hz, 2 H) 1.35 - 1.95 (m, 7 H); MS (ESI(+)) m/e 409 $(M+H)^+$.

Table 11.

The following Examples were essentially prepared as described in Example 1C, substituting N-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-3-yl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and the corresponding carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
614		N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.70 (d, *J* = 2.6 Hz, 1H), 8.35 (s, 1H), 7.95 (dd, *J* = 8.7, 2.6 Hz, 1H), 7.44 (d, *J* = 8.7 Hz, 1H), 7.40 – 7.24 (m, 4H), 6.54 (m, 1H), 4.79 (s, 4H), 4.19 (s, 2H), 3.91 (t, *J* = 8.1 Hz, 1H), 3.72 (m, 5H), 3.40 (m, 1H), 2.60 (s, 2H), 2.05 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
615		N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.69 (d, *J* = 2.6 Hz, 1H), 8.35 (s, 1H), 7.95 (dd, *J* = 8.6, 2.6 Hz, 1H), 7.44 (d, *J* = 8.6 Hz, 1H), 7.38 – 7.27 (m, 4H), 6.54 (m, 1H), 4.79 (s, 4H), 4.19 (s, 2H), 4.15 (m, 2H), 3.65 (t, *J* = 5.7 Hz, 2H), 3.60 (m, 2H), 3.48 (m, 2H), 3.27 (s, 3H), 2.61 (m, 2H)	(ESI(+)) m/e 437 $(M+H)^+$
711		N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.69 (d, *J* = 2.6 Hz, 1H), 8.34 (s, 1H), 7.95 (dd, *J* = 8.7, 2.6 Hz, 1H), 7.43 (d, *J* = 8.9 Hz, 1H), 7.39 – 7.23 (m, 4H), 6.54 (m, 1H), 4.79 (bs, 4H), 4.68 (dd, *J* = 7.4, 5.8 Hz, 1H), 4.19 (bs, 2H), 3.88 – 3.62 (m, 4H), 2.63 (m, 2H), 2.11 (m, 1H), 2.01 (m, 1H), 1.86 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
712		N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.69 (dd, *J* = 2.6, 0.7 Hz, 1H), 8.34 (s, 1H), 7.95 (dd, *J* = 8.6, 2.6 Hz, 1H), 7.43 (d, *J* = 8.9 Hz, 1H), 7.38 – 7.26 (m, 4H), 6.55 (m, 1H), 4.79 (s, 4H), 4.19 (m, 2H), 3.86 (m, 2H), 3.70 (t, *J* = 5.7 Hz, 2H), 3.42 (td, *J* = 11.4, 2.5 Hz, 2H), 2.92 (m, 1H), 2.60 (m, 2H), 1.73 – 1.60 (m, 2H), 1.56 (m, 2H)	(ESI(+)) m/e 433 $(M+H)^+$
713		N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.70 (d, *J* = 2.6 Hz, 1H), 8.35 (s, 1H), 7.96 (dd, *J* = 8.6, 2.6 Hz, 1H), 7.43 (d, *J* = 8.6 Hz, 1H), 7.38 – 7.26 (m, 4H), 6.54 (m, 1H), 4.79 (s, 4H), 4.37 (dd, *J* = 9.1, 3.0 Hz, 1H), 4.20 (m, 2H), 3.83 – 3.61 (m, 7H), 3.52 (m, 1H), 2.61 (m, 2H)	(ESI(+)) m/e 435 $(M+H)^+$
714		N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.69 (dd, *J* = 2.6, 0.7 Hz, 1H), 8.34 (s, 1H), 7.95 (dd, *J* = 8.6, 2.6 Hz, 1H), 7.43 (d, *J* = 8.6 Hz, 1H), 7.38 – 7.26 (m, 4H), 6.54 (m, 1H), 4.79 (s, 4H), 4.16 (m, 2H), 3.68 (t, *J* = 5.7 Hz, 2H), 3.28 (m, 1H), 2.78 (t, *J* = 8.6 Hz, 1H), 2.58 (m, 2H), 2.52 (m, 2H), 2.38 (q, *J*	(ESI(+)) m/e 432 $(M+H)^+$

		2-carboxamide	= 7.7 Hz, 1H), 2.24 (s, 3H), 2.98 (m, 2H)	
715		N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.70 (d, *J* = 2.6 Hz, 1H), 8.35 (s, 1H), 7.96 (dd, *J* = 8.6, 2.6 Hz, 1H), 7.45 (d, *J* = 8.6 Hz, 1H), 7.38 – 7.27 (m, 4H), 6.55 (m, 1H), 4.79 (s, 4H), 4.21 (m, 2H), 3.79 – 3.65 (m, 3H), 3.36 – 3.13 (m, 3H), 3.08 (m, 1H), 2.63 (m, 2H), 2.37 (m, 1H), 2.14 (m, 1H)	(ESI(+)) m/e 467 $(M+H)^+$
758		N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.69 (d, *J* = 2.6 Hz, 1H), 8.34 (bs, 1H), 7.95 (dd, *J* = 8.6, 2.6 Hz, 1H), 7.43 (d, *J* = 8.6 Hz, 1H), 7.38 – 7.26 (m, 4H), 6.55 (m, 1H), 5.09 (s, 1H), 4.79 (s, 4H), 4.32 (m, 2H), 3.93 (t, *J* = 5.7 Hz, 2H), 2.60 (m, 2H), 1.37 (s, 6H)	(ESI(+)) m/e 407 $(M+H)^+$
800		N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.70 (d, *J* = 2.6 Hz, 1H), 8.34 (s, 1H), 7.95 (dd, *J* = 8.6, 2.6 Hz, 1H), 7.44 (d, *J* = 8.6 Hz, 1H), 7.38 – 7.27 (m, 4H), 6.54 (m, 1H), 4.79 (s, 4H), 4.20 (m, 2H), 3.71 (t, *J* = 5.2 Hz, 2H), 3.58 (m, 4H), 3.21 (s, 2H), 2.48 (m, 2H), 2.45 (m, 4H)	(ESI(+)) m/e 448 $(M+H)^+$
1466		N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	- ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.13 (s, 1H), 7.54 (m, 2H), 7.31 (m, 6H), 6.07 (m, 1H), 4.77 (s, 4H), 4.14 (m, 2H), 3.91 (t, *J* = 8.1 Hz, 1H), 3.77 – 3.67 (m, 5H), 3.38 (m, 1H), 2.50 (m, 2H), 2.02 (m, 2H)	(ESI(+)) m/e 418 $(M+H)^+$
1467		N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.12 (s, 1H), 7.54 (m, 2H), 7.31 (m, 6H), 6.07 (m, 1H), 4.77 (s, 4H), 4.14 (m, 2H), 3.91 (t, *J* = 8.1 Hz, 1H), 3.77 – 3.67 (m, 5H), 3.38 (m, 1H), 2.50 (m, 2H), 2.05 (m, 2H)	(ESI(+)) m/e 418 $(M+H)^+$
1468		N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.13 (s, 1H), 7.54 (m, 2H), 7.31 (m, 6H), 6.07 (m, 1H), 4.77 (s, 4H), 4.15 (m, 2H), 3.71 (t, *J* = 5.7 Hz, 2H), 3.25-3.02 (m, 5H), 2.50 (m, 2H), 2.07 (m, 4H)	(ESI(+)) m/e 480 $(M+H)^+$

Example 611

N-(6-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 611A

methyl 6-aminopyridazine-3-carboxylate

To a solution of 6-chloropyridazin-3-amine (32 g, 248 mmol), Et_3N (75 mL, 744 mmol) in MeOH (500 mL), $Pd(dppf)Cl_2$ (12 g, 16.4 mmol) was added and the mixture was

heated at 60 °C overnight under CO atmosphere at 50 psi. After cooling to room temperature, the reaction mixture was filtered and the filtrate was concentrated under reduced pressure. The residue was washed with MeOH and the precipitate was dried by high vacuum to give the title compound as a solid.

Example 611B

methyl 6-isocyanatopyridazine-3-carboxylate

To the solution of methyl 6-aminopyridazine-3-carboxylate (14 g, 91.5 mmol) in anhydrous toluene (700 mL) was added Et_3N (11.1, 109.8 mmol). A solution of triphosgene (27.2 g, 91.5 mmol) in anhydrous toluene was added slowly at 0 °C. The reaction mixture was stirred for 2 hrs at room temperature and then heated at 90 °C for 5 hrs. After cooling to room temperature, toluene and water were added to the mixture, the mixture was separated and the organic layer was dried over anhydrous Na_2SO_4, concentrated under reduced pressure to give the title compound as a solid.

Example 611C

methyl 6-(isoindoline-2-carboxamido)pyridazine-3-carboxylate

To a solution of methyl 6-isocyanatopyridazine-3-carboxylate (5.26 g, 29.4 mmol) in THF (100 mL), a solution of isoindoline (5.24 g, 4.41 mmol) in THF (50 mL) was added at 0 °C. The reaction mixture was stirred overnight at room temperature. The reaction mixture was filtered and the precipitate was washed with cold EtOAc and dried in high vacuum to give the title compound as a solid.

Example 611D

6-(isoindoline-2-carboxamido)pyridazine-3-carboxylic acid

To a solution of methyl 6-(isoindoline-2-carboxamido)pyridazine-3-carboxylate (3.7 g, 12.4 mmol) in MeOH (40 mL) and THF (40 mL), a solution of LiOH (0.7 g, 29.2 mmol) in water (10 mL) was added at room temperature. The reaction mixture was stirred overnight at room temperature. The reaction mixture was poured into water (100 mL), extracted with EtOAc (2 × 50 mL) and the aqueous layer was acidified by addition of 2 N HCl to pH 3 to give a precipitate. The precipitate was washed with water and dried in high vacuum to give the title compound.

Example 611E

N-(6-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (S)-(tetrahydrofuran-3-yl)methamine for 3-phenylpropan-1-amine and 6-(isoindoline-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 9.94 (s, 1H), 9.12 (t, J = 6.1 Hz, 1H), 8.31 (d, J = 9.3 Hz, 1H), 8.11 (d, J = 9.3 Hz, 1H), 7.41 – 7.28 (m, 4H), 4.89 (s, 4H), 3.80 – 3.55 (m, 3H), 3.50 (dd, J =

8.5, 5.2 Hz, 1H), 3.37 – 3.31 (m, 2H), 2.63 – 2.51 (m, 1H), 2.01 – 1.85 (m, 1H), 1.71 – 1.55 (m, 1H); MS (ESI(+)) m/e 368 $(M+H)^+$.

Example 612

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting cyclopentylmethamine for 3-phenylpropan-1-amine and 6-(isoindoline-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 9.97 (s, 1H), 9.00 (t, J = 6.1 Hz, 1H), 8.31 (d, J = 9.3 Hz, 1H), 8.11 (d, J = 9.3 Hz, 1H), 7.41 – 7.28 (m, 4H), 5.13 – 4.72 (m, 4H), 3.31 – 3.16 (m, 2H), 2.22 (p, J = 7.3 Hz, 1H), 1.70 – 1.45 (m, 6H), 1.38 – 1.20 (m, 2H); MS (ESI(+)) m/e 366 $(M+H)^+$.Example 616

5-(hydroxymethyl)-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1A, substituting (4-isocyanatobutyl)benzene for methyl 4-isocyanatobenzoate and isoindolin-5-ylmethanol hydrochloride for isoindoline. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.32 – 7.12 (m, 8H), 6.32 – 6.24 (m, 1H), 5.16 (t, J = 5.6 Hz, 1H), 4.54 (bs, 4H), 4.49 (d, J = 5.7 Hz, 2H), 3.14 – 3.05 (m, 2H), 2.64 – 2.54 (m, 2H), 1.63 – 1.39 (m, 4H); MS (ESI(+)) m/e 325 $(M+H)^+$.

Example 617

5-(hydroxymethyl)-N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 1-isopentyl-1H-pyrazol-4-amine dihydrochloride for 4-amino-N-propylbenzamide and isoindolin-5-ylmethanol hydrochloride for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.39 (s, 1H), 7.73 (s, 1H), 7.39 (s, 1H), 7.34 – 7.18 (m, 3H), 5.19 (t, J = 5.6 Hz, 1H), 4.67 (bs, 4H), 4.51 (d, J = 5.5 Hz, 2H), 4.04 (t, J = 7.1 Hz, 2H), 1.71 – 1.55 (m, 2H), 1.55 – 1.33 (m, 1H), 0.89 (d, J = 6.5 Hz, 6H); MS (ESI(+)) m/e 329 $(M+H)^+$.

Example 618

N-{5-[(3-methylbutyl)carbamoyl]pyrazin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 618A

ethyl 5-(isoindoline-2-carboxamido)pyrazine-2-carboxylate

The title compound was prepared as described in Example 344A, substituting ethyl 5-aminopyrazine-2-carboxylate for tert-butyl 5-aminoisoindoline-2-carboxylate.

Example 618B

5-(isoindoline-2-carboxamido)pyrazine-2-carboxylic acid

The title compound was prepared as described in Example 1B, substituting ethyl 5-(isoindoline-2-carboxamido)pyrazine-2-carboxylate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 618C

N-{5-[(3-methylbutyl)carbamoyl]pyrazin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 3-methylbutan-1-amine for 3-phenylpropan-1-amine and 5-(isoindoline-2-carboxamido)pyrazine-2-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6, Temp=90 °C) δ ppm 9.34 (bs, 1H), 9.17 (d, J = 1.4 Hz, 1H), 8.82 (d, J = 1.4 Hz, 1H), 8.30 – 8.23 (m, 1H), 7.36 – 7.26 (m, 4H), 4.86 (bs, 4H), 3.37 – 3.30 (m, 2H), 1.69 – 1.58 (m, 1H), 1.50 – 1.44 (m, 2H), 0.92 (d, J = 6.5 Hz, 6H); MS (ESI(+)) m/e 354 $(M+H)^+$.

Example 621

N-(4-{(1E)-3-[benzyl(methyl)amino]prop-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 621A

(E)-N-benzyl-N-methyl-3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)prop-2-en-1-amine

In a 4 mL vial were mixed (E)-2-(3-chloroprop-1-enyl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (0.195 ml, 0.988 mmol) and potassium carbonate (273 mg, 1.975 mmol) in anhydrous acetonitrile (2 ml). Benzylmethylamine (0.166 ml, 1.284 mmol) was added to this mixture, and the reaction was stirred vigorously overnight at room temperature. The reaction was diluted with ethyl acetate and washed with water and brine. The organic layer was dried with sodium sulfate, decanted, and concentrated to provide the title compound.

Example 621B

N-(4-{(1E)-3-[benzyl(methyl)amino]prop-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting (E)-N-benzyl-N-methyl-3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)prop-2-en-1-amine for 1H-pyrazol-3-ylboronic acid and N-(4-bromophenyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.12 (s, 1H), 7.52 (m, 2H), 7.37 – 7.18 (m, 11H), 6.48 (d, J = 15.8 Hz, 1H), 6.18 (dt, J = 15.8, 6.5 Hz, 1H), 4.77 (s, 4H), 3.53 (s, 2H), 3.15 (dd, J = 6.5, 1.4 Hz, 2H), 2.18 (s, 3H); MS (ESI(+)) m/e 398 $(M+H)^+$.

Example 622

N-[4-(4-phenoxypiperidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 622A

1-(4-nitrophenyl)-4-phenoxypiperidine

A solution of 1-fluoro-4-nitrobenzene (0.15 g, 1.063 mmol) and 4-phenoxypiperidine hydrochloride (0.250 g, 1.169 mmol) in dimethylformamide (2.126 ml) was treated with potassium carbonate (0.367 g, 2.66 mmol). The suspension was stirred at ambient temperature 2 hours, at 55°C for 4 hours and at ambient temperature for 16 hours. The reaction was poured into water and the suspension was filtered and vacuum dried to provide the title compound.

Example 622B

4-(4-phenoxypiperidin-1-yl)aniline

The title compound was prepared as described in Example 272A, substituting 1-(4-nitrophenyl)-4-phenoxypiperidine for 4-nitro-N-propylbenzamide.

Example 622C

N-[4-(4-phenoxypiperidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-(4-phenoxypiperidin-1-yl)aniline for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.11 (s, 1H), 7.42 – 7.24 (m, 8H), 7.02 – 6.86 (m, 5H), 4.74 (bs, 4H), 4.59 – 4.47 (m, 1H), 3.49 – 3.39 (m, 2H), 3.03 – 2.91 (m, 2H), 2.11 – 1.98 (m, 2H), 1.81 – 1.66 (m, 2H); MS (ESI(+)) m/e 414 $(M+H)^+$.

Example 623

N-[4-(3-phenoxyazetidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 622, substituting 3-phenoxyazetidine for 4-phenoxypiperidine hydrochloride in Example 622A. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.06 (s, 1H), 7.44 – 7.25 (m, 8H), 7.03 – 6.93 (m, 1H), 6.92 – 6.85 (m, 2H), 6.47 – 6.40 (m, 2H), 5.19 – 5.08 (m, 1H), 4.73 (bs, 4H), 4.32 – 4.23 (m, 2H), 3.69 (dd, J = 8.2, 4.2 Hz, 2H); MS (ESI(+)) m/e 386 $(M+H)^+$.

Example 624

N-(4-{[benzyl(methyl)amino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

A suspension of isoindoline (0.1 g, 0.839 mmol) and N-ethyl-N-isopropylpropan-2-amine (0.219 ml, 1.259 mmol) in acetonitrile (2.80 ml) was treated with N-methylpyrrolidine (2.80 ml). The solution was cooled to 0°C and 1-(chloromethyl)-4-isocyanatobenzene (0.155 g, 0.923 mmol) was added. After stirring for 2 hours at 0°C, the reaction was treated with a solution of N-methyl-1-phenylmethanamine (0.102 g, 0.839 mmol) in 0.5 mL acetonitrile. The reaction was stirred at 0°C for 5 minutes and at ambient temperture for 30 minutes. The reaction was treated with water and the mixture was stirred for 4 hours. The suspension was filtered and the solid collected was washed with water and dried under vacuum to provide the

title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.31 (s, 1H), 7.56 – 7.49 (m, 2H), 7.40 – 7.28 (m, 8H), 7.27 – 7.19 (m, 3H), 4.76 (bs, 4H), 3.47 (s, 2H), 3.43 (s, 2H), 2.06 (s, 3H); MS (ESI(+)) m/e 372 $(M+H)^+$.

Example 625

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 410, substituing 5-fluoro-N-(4-{[tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide for N-(4-{[tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.39 (t, J = 5.7 Hz, 1H), 7.81 – 7.73 (m, 2H), 7.69 – 7.62 (m, 2H), 7.40 (dd, J = 8.4, 5.2 Hz, 1H), 7.24 (dd, J = 9.1, 2.5 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 4.80 – 4.72 (m, 4H), 3.80 – 3.68 (m, 1H), 3.68 – 3.56 (m, 2H), 3.47 (dd, J = 8.5, 5.2 Hz, 2H), 3.21 (dt, J = 13.3, 5.9 Hz, 2H), 2.01 – 1.86 (m, 1H), 1.67 – 1.53 (m, 1H); MS (ESI(+)) m/e 384 $(M+H)^+$.

Example 626

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 411, substituing 5-fluoro-N-(4-{[tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide for N-(4-{[tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.39 (t, J = 5.7 Hz, 1H), 7.80 – 7.73 (m, 2H), 7.69 – 7.62 (m, 2H), 7.40 (dd, J = 8.4, 5.2 Hz, 1H), 7.24 (dd, J = 9.1, 2.5 Hz, 1H), 7.15 (td, J = 8.9, 2.5 Hz, 1H), 4.80 – 4.73 (m, 4H), 3.80 – 3.56 (m, 3H), 3.47 (dd, J = 8.5, 5.2 Hz, 1H), 3.24 – 3.13 (m, 2H), 2.01 – 1.86 (m, 1H), 1.67 – 1.53 (m, 1H); MS (ESI(+)) m/e 384 $(M+H)^+$.

Example 636

N-[4-(1-benzyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 636A

N-(4-ethynylphenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 1A, substituting 1-ethynyl-4-isocyanatobenzene for methyl 4-isocyanatobenzoate.

Example 636B

N-[4-(1-benzyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

A mixture of N-(4-ethynylphenyl)isoindoline-2-carboxamide (100 mg, 0.381 mmol), benzylamine (33.2 mg, 0.381 mmol), and sodium ascorbate (15 mg, 0.076 mmol) in methanol (1.9 ml) was treated with 1H-imidazole-1-sulfonyl azide hydrochloride (66.0 mg, 0.381 mmol), copper(II) sulfate pentahydrate (9.52 mg, 0.038 mmol) and triethylamine (63.8 µl,

0.457 mmol). Additional methanol (2 mL) was added and the vial was flushed with nitrogen and stirred for 2 days. The mixture was diluted with water and the resulting suspension was filtered with water washes to provide the title compound as a white solid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.51 (s, 1H), 8.45 (s, 1H), 7.73 (d, J = 8.7 Hz, 2H), 7.65 (d, J = 8.9 Hz, 2H), 7.49 – 7.24 (m, 9H), 5.63 (s, 2H), 4.78 (s, 4H), 1.11 – 1.00 (m, 1H); MS (ESI(+)) m/e 396 $(M+H)^+$.

Table 12.

The following Examples were essentially prepared as described in Example 636B, substituting the appropriate amine for benzylamine.

Ex		Name	^{1}H NMR	MS
637		N-{4-[1-(3-methylbutyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.47 (s, 1H), 8.44 (s, 1H), 7.73 (d, J = 8.8 Hz, 2H), 7.65 (d, J = 8.8 Hz, 2H), 7.41 – 7.27 (m, 6H), 4.79 (s, 5H), 4.40 (t, J = 7.3 Hz, 2H), 1.77 (dd, J = 14.5, 7.0 Hz, 2H), 1.52 (dt, J = 13.4, 6.7 Hz, 1H), 0.93 (d, J = 6.6 Hz, 7H)	(ESI(+)) m/e 376 $(M+H)^+$
638		N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.50 (s, 1H), 8.45 (s, 1H), 7.73 (d, J = 8.9 Hz, 2H), 7.66 (d, J = 8.8 Hz, 2H), 7.34 (ddd, J = 8.9, 4.2, 2.5 Hz, 4H), 4.79 (s, 4H), 4.39 (d, J = 7.5 Hz, 2H), 3.84 – 3.59 (m, 3H), 3.51 (dd, J = 8.8, 5.4 Hz, 1H), 2.88 – 2.69 (m, 1H), 2.04 – 1.86 (m, 1H), 1.73 – 1.55 (m, 1H)	(ESI(+)) m/e 390 $(M+H)^+$
639		N-(4-{1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ 8.46 (s, 2H), 7.72 (d, J = 8.8 Hz, 2H), 7.66 (d, J = 8.9 Hz, 2H), 7.37 (d, J = 5.5 Hz, 2H), 7.32 (dd, J = 5.6, 3.1 Hz, 2H), 4.79 (s, 4H), 4.53 (t, J = 5.9 Hz, 2H), 3.66 (t, J = 5.9 Hz, 2H), 3.23 (t, J = 7.0 Hz, 2H), 2.15 (t, J = 8.0 Hz, 2H), 1.94 – 1.76 (m, 2H)	(ESI(+)) m/e 417 $(M+H)^+$
640		N-{4-[1-(1-benzylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.57 (s, 1H), 8.43 (s, 1H), 7.73 (d, J = 8.7 Hz, 1H), 7.65 (d, J = 8.8 Hz, 1H), 7.41 – 7.24 (m, 9H), 4.79 (s, 3H), 4.53 (td, J = 10.6, 5.1 Hz, 1H), 3.54 (s, 2H), 2.98 – 2.88 (m, 2H), 2.33 – 1.93 (m, 6H)	(ESI(+)) m/e 479 $(M+H)^+$
641		N-{4-[1-(3-phenylpropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.50 (s, 1H), 8.45 (s, 1H), 7.74 (d, J = 8.7 Hz, 1H), 7.66 (d, J = 8.8 Hz, 1H), 7.50 – 7.26 (m, 6H), 7.27 – 7.16 (m, 3H), 4.79 (s, 2H), 4.40 (t, J = 7.0 Hz, 2H), 2.62 (t, J = 7.7 Hz, 2H), 2.29 – 2.07 (m, 1H)	(ESI(+)) m/e 424 $(M+H)^+$
642		N-(4-{1-[4-(morpholin-4-yl)benzyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.44 (s, 2H), 7.72 (d, J = 8.7 Hz, 2H), 7.64 (d, J = 8.8 Hz, 2H), 7.42 – 7.19 (m, 6H), 6.94 (d, J = 8.7 Hz, 2H), 5.49 (s, 2H), 4.78 (s, 4H), 3.79 – 3.65 (m, 4H), 3.23 – 2.97 (m, 4H)	(ESI(+)) m/e 481 $(M+H)^+$
643		N-[4-(1-isobutyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.44 (s, 2H), 7.74 (d, J = 8.7 Hz, 2H), 7.66 (d, J = 8.8 Hz, 2H), 7.41 – 7.27 (m, 5H), 4.79 (s, 4H), 4.21 (d, J = 7.2 Hz, 2H), 2.29 – 2.06 (m, 1H), 0.90 (d, J = 6.7 Hz, 3H)	(ESI(+)) m/e 362 $(M+H)^+$
644		N-{4-[1-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.46 (s, 1H), 8.44	(ESI(+))

		(cyclopentylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	(s, 1H), 7.73 (d, *J* = 8.7 Hz, 1H), 7.66 (d, *J* = 8.8 Hz, 1H), 7.41 – 7.28 (m, 4H), 4.79 (s, 2H), 4.31 (d, *J* = 7.5 Hz, 1H), 3.31 (s, 2H), 2.40 (dt, *J* = 15.1, 7.4 Hz, 1H), 1.73 – 1.47 (m, 6H), 1.36 – 1.21 (m, 2H)	m/e 388 $(M+H)^+$
645		N-{4-[1-(3-methoxypropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.46 (s, 1H), 8.45 (s, 1H), 7.73 (d, *J* = 8.8 Hz, 2H), 7.66 (d, *J* = 8.8 Hz, 2H), 7.42 – 7.26 (m, 4H), 4.79 (s, 4H), 4.43 (t, *J* = 7.1 Hz, 2H), 3.38 – 3.32 (m, 1H), 3.25 (s, 3H), 2.10 (p, *J* = 6.4 Hz, 2H)	(ESI(+)) m/e 378 $(M+H)^+$

Example 646

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide (50 mg, 0.128 mmol) and methanol (10 ml) were added to 5% Pd-C, wet (10.00 mg, 0.094 mmol) in a 50 ml pressure bottle and stirred for 16 hours at 30 psi and room temperature. The mixture was filtered through a nylon membrane and concentrated. Chromatography provided the title compound. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.35 (s, 1H), 7.49 – 7.40 (m, 3H), 7.13 (m, 2H), 4.79 (m, 4H), 4.56 (m, 1H), 4.05 (m, 1H), 3.12 (m, 1H), 2.90 (m, 1H), 2.71 (m, 1H), 2.57 (m, 1H), 1.79 (m, 2H), 1.55 – 1.30 (m, 2H), 1.02 (m, 6H); MS (ESI(+)) m/e 393 $(M+H)^+$.

Example 647

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 646, substituting N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide for N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.27 (s, 1H), 7.47 (m, 2H), 7.39 – 7.28 (m, 4H), 7.12 (m, 2H), 4.75 (bs, 4H), 4.47 (m, 1H), 4.24 – 4.09 (m, 2H), 3.90 (m, 1H), 3.57 (m, 2H), 3.47 (t, *J* = 4.7 Hz, 2H), 3.26 (s, 3H), 3.06 (m, 1H), 2.70 (m, 1H), 2.62 (m, 1H), 1.77 (m, 2H), 1.57 (m, 1H), 1.42 (m, 1H); MS (ESI(+)) m/e 438 $(M+H)^+$.

Example 648

N-{5-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 646, substituting N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide for N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm

8.81 (s, 1H), 8.16 (d, *J* = 2.4 Hz, 1H), 7.85 (d, *J* = 8.6 Hz, 1H), 7.63 (dd, *J* = 8.7, 2.4 Hz, 1H), 7.39 – 7.25 (m, 4H), 4.80 (s, 4H), 4.56 (d, *J* = 13.1 Hz, 1H), 4.08 (d, *J* = 12.3 Hz, 1H), 3.88 (m, 1H), 3.72 (m, 3H), 3.38 (m, 1H), 3.11 (m, 1H), 2.78 (dd, *J* = 11.9, 9.2 Hz, 1H), 2.63 (m, 1H), 2.03 (m, 2H), 1.80 (t, *J* = 15.4 Hz, 2H), 1.51 (m, 2H); MS (ESI(+)) m/e 421 $(M+H)^+$.

Example 651

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 651A

N-(6-chloropyridin-3-yl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 1A, substituting 2-chloro-5-isocyanatopyridine for methyl 4-isocyanatobenzoate and 2,3-dihydro-1H-pyrrolo[3,4-c]pyridine for isoindoline.

Example 651B

tert-butyl 4-(5-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridin-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate

The title compound was prepared as described in Example 280, substituting tert-butyl 4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate for 1H-pyrazol-3-ylboronic acid and N-(6-chloropyridin-3-yl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide.

Example 651C

N-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-3-yl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(5-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridin-2-yl)-5,6-dihydropyridine-1(2H)-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 651D

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-3-yl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and isobutanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (501 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.73 (d, *J* = 2.6 Hz, 1H), 8.64 (s, 1H), 8.52 (m, 2H), 7.99 (dd, *J* = 8.6, 2.6 Hz, 1H), 7.49 (d, *J* = 8.7 Hz, 1H), 7.44 (d, *J* = 5.0 Hz, 1H), 6.60 (m, 1H), 4.88 (bs, 2H), 4.85 (d, *J* = 2.3 Hz, 2H), 4.22 (m, 2H), 3.73 (t, *J* = 5.7 Hz, 2H), 2.96 (m, 1H), 2.63 (m, 2H), 1.08 (d, *J* = 6.7 Hz, 6H); MS (ESI(+)) m/e 392 $(M+H)^+$.

Table 13.

The following Examples were essentially prepared as described in Example 1C, substituting N-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridin-3-yl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and the corresponding carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
652		N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.70 (d, J = 2.6 Hz, 1H), 8.60 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.44 (s, 1H), 7.96 (dd, J = 8.6, 2.6 Hz, 1H), 7.49 – 7.37 (m, 7H), 6.56 (bs, 1H), 4.83 (m, 4H), 4.22 (m, 2H), 3.64 (m, 2H), 2.64 (m, 2H)	(ESI(+)) m/e 426 $(M+H)^+$
653		N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.70 (s, 1H), 8.60 (bs, 1H), 8.49 (dd, J = 8.6, 2.7 Hz , 1H), 8.43 (s, 1H), 7.95 (d, J = 2.7 Hz, 1H), 7.45 (d, J = 8.6, 1H), 7.40 (d, J = 2.7 Hz, 1H) 6.56 (bs, 1H), 4.78 (m, 4H), 4.20 (m, 2H), 3.92 (m, 1H), 3.72 (m, 4H), 3.40 (m, 1H), 2.60 (m, 2H), 2.05 (m, 3H)	(ESI(+)) m/e 420 $(M+H)^+$
654		N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (501 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.69 (d, J = 2.6 Hz, 1H), 8.59 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.47 (m, 1H), 7.95 (dd, J = 8.6, 2.6 Hz, 1H), 7.45 (d, J = 8.7 Hz, 1H), 7.40 (d, J = 5.1 Hz, 1H), 6.55 (bs, 1H), 4.84 (bs, 2H), 4.81 (bs, 2H), 4.19 (s, 2H), 4.14 (m, 2H), 3.65 (m, 2H), 3.60 (m, 2H), 3.48 (m, 2H), 3.26 (s, 3H), 2.60 (m, 2H)	(ESI(+)) m/e 438 $(M+H)^+$
700		N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.69 (dd, J = 8.7, 2.6 Hz, 1H), 8.59 (s, 1H), 8.48 (d, J = 8.7, 1H), 8.42 (bs, 1H), 7.94 (dd, J = 8.7, 2.6 Hz, 1H), 7.44 (m, 1H), 7.39 (d, J = 5.1, 1H) 6.55 (m, 1H), 4.82 (m, 4H), 4.68 (dd, J = 7.5, 5.8 Hz, 1H), 4.19 (bs, 2H), 3.88 – 3.62 (m, 4H), 2.60 (m, 2H), 2.10 (m, 1H), 2.01 (m, 1H), 1.87 (m, 2H)	(ESI(+)) m/e 420 $(M+H)^+$
701		N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.69 (d, J = 2.5 Hz, 1H), 8.59 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.42 (s, 1H), 7.94 (dd, J = 8.7, 2.6 Hz, 1H), 7.44 (d, J = 8.6 Hz, 1H), 7.39 (d, J = 4.9 Hz, 1H), 6.55 (m, 1H), 4.82 (m, 4H), 4.18 (bs, 2H), 3.85 (m, 2H), 3.70 (t, J = 5.8 Hz, 2H), 3.42 (td, J = 11.4, 2.5 Hz, 2H), 2.92 (m, 1H), 2.60 (bs, 2H), 1.66 (m, 2H), 1.57 (m, 2H)	(ESI(+)) m/e 434 $(M+H)^+$
702		N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.69 (dd, J = 2.7, 0.5 Hz, 1H), 8.59 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.43 (bs, 1H), 7.94 (dd, J = 8.7, 2.6 Hz, 1H), 7.43 (m, 1H), 7.39 (m, 1H), 6.54 (m, 1H), 4.82 (m, 4H), 4.37 (dd, J = 9.2, 2.9 Hz, 1H), 4.18 (bs, 2H), 3.82 – 3.61 (m, 7H), 3.52 (m, 1H), 2.61 (s, 2H)	(ESI(+)) m/e 436 $(M+H)^+$
703		N-{1'-[(1,1-dioxidotetrahydrothiophe	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.69 (d, J = 2.4 Hz, 1H), 8.59 (s, 1H),	(ESI(+)) m/e 468 $(M+H)^+$

		n-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	8.48 (d, *J* = 5.0 Hz, 1H), 8.43 (s, 1H), 7.95 (dd, *J* = 8.7, 2.6 Hz, 1H), 7.45 (d, *J* = 8.7 Hz, 1H), 7.39 (d, *J* = 4.9 Hz, 1H), 6.55 (m, 1H), 4.82 (m, 4H), 4.21 (s, 2H), 3.85 – 3.65 (m, 3H), 3.35 – 3.13 (m, 3H), 3.06 (m, 1H), 2.63 (bs, 2H), 2.37 (m, 1H), 2.13 (m, 1H)	
704		N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.68 (s, 1H), 8.59 (s, 1H), 8.48 (d, *J* = 4.8 Hz, 1H), 8.41 (s, 1H), 7.94 (m, 1H), 7.43 (d, *J* = 8.6 Hz, 1H), 7.39 (d, *J* = 4.7 Hz, 1H), 6.55 (m, 1H), 5.09 (s, 1H), 4.82 (m, 4H), 4.32 (bs, 2H), 3.92 (bs, 2H), 2.59 (bs, 2H), 1.37 (s, 6H)	(ESI(+)) m/e 408 $(M+H)^+$

Example 699

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting picolinoyl chloride for acetyl chloride and N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (d, *J*=4.76 Hz, 1 H) 7.83 - 7.97 (m, 1 H) 7.38 - 7.57 (m, 2 H) 7.18 - 7.40 (m, 4 H) 6.27 (t, *J*=5.55 Hz, 1 H) 4.56 (s, 4 H) 4.47 (d, *J*=13.09 Hz, 1 H) 3.59 (d, *J*=13.88 Hz, 1 H) 3.00 - 3.16 (m, 3 H) 2.92 - 3.01 (m, 1 H) 2.68 - 2.81 (m, 1 H) 1.77 (d, *J*=12.69 Hz, 1 H) 0.97 - 1.64 (m, 11 H); MS (ESI(+)) m/e 407 $(M+H)^+$.

Example 718

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 718A

benzyl (tetrahydrofuran-3-yl)methylcarbamate

Racemic (tetrahydrofuran-3-yl)methanamine (3.84 g, 38.0 mmol) and diisopropylethylamine (13.26 ml, 76 mmol), were dissolved in dichloromethane (100 ml) and cooled to 0°C. The mixture was treated dropwise via an addition funnel with benzyl carbonochloridate (6.19 ml, 41.8 mmol) dissolved in 30 ml dichlormethane. After the addition the cooling bath was removed and the homogeneous solution was stirred at ambient temperature overnight. The reaction mixture was partitioned between water and ethyl acetate and the separated aqueous layer was extracted with ethyl acetate. The combined organic layers were washed with brine, dried over magnesium sulfate, filtered and concentrated. Chromatography provided the title compound.

Example 718B

(S)-benzyl (tetrahydrofuran-3-yl)methylcarbamate

A racemic mixture of benzyl (tetrahydrofuran-3-yl)methylcarbamate was dissolved in tetrahydrofuran and separated by liquid chromatography with a Chiralpak IC 2.5 cm ID x 25

cm, 20 micron column, eleuting with hexane/tetrahydrofuran/isopropanol (85/10/5), to provide (R)-benzyl (tetrahydrofuran-3-yl)methylcarbamate and (S)-benzyl (tetrahydrofuran-3-yl)methylcarbamate.

Example 718C

(S)-(tetrahydrofuran-3-yl)methanamine

(R)-Benzyl (tetrahydrofuran-3-yl)methylcarbamate (8.9 g, 37.8 mmol) and ethanol (160 ml) were added to 20% wet palladium (II) hydroxide (0.890 g, 6.34 mmol) in a 250 mL stainless steel pressure bottle and stirred for 40 minutes at 30 psi and room temperature. The mixture was filtered through a nylon filter and acidified with 4N HCl in dioxane (5 eq). Concentration and drying provided the title compound.

Example 718D

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (S)-(tetrahydrofuran-3-yl)methanamine for 3-phenylpropan-1-amine and 4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)benzoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.64 (s, 2H), 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.38 (t, J = 5.7 Hz, 1H), 7.81 – 7.74 (m, 2H), 7.69 – 7.62 (m, 2H), 7.44 (d, J = 5.1 Hz, 1H), 4.86 – 4.79 (m, 4H), 3.80 – 3.66 (m, 2H), 3.67 – 3.56 (m, 1H), 3.47 (dd, J = 8.5, 5.3 Hz, 1H), 3.21 (dt, J = 13.2, 5.8 Hz, 1H), 2.01 – 1.86 (m, 1H), 1.67 – 1.53 (m, 1H); MS (ESI(+)) m/e 367 $(M+H)^+$.

Example 720

N-(7-oxo-7-{[(3R)-tetrahydrofuran-3-ylmethyl]amino}heptyl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 720A

methyl 7-(isoindoline-2-carboxamido)heptanoate

The title compound was prepared as described in Example 344A, substituting methyl 7-aminoheptanoate for tert-butyl 5-aminoisoindoline-2-carboxylate.

Example 720B

7-(isoindoline-2-carboxamido)heptanoic acid

The title compound was prepared as described in Example 1B, substituting methyl 7-(isoindoline-2-carboxamido)heptanoate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 720C

N-(7-oxo-7-{[(3R)-tetrahydrofuran-3-ylmethyl]amino}heptyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (R)-(tetrahydrofuran-3-yl)methanamine for 3-phenylpropan-1-amine and 7-(isoindoline-2-

carboxamido)heptanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.85 (t, *J*=5.76 Hz, 1 H) 7.20 - 7.37 (m, 4 H) 6.26 (t, *J*=5.59 Hz, 1 H) 4.57 (s, 4 H) 3.49 - 3.79 (m, 3 H) 3.35 (dd, *J*=8.48, 5.43 Hz, 1 H) 2.94 - 3.15 (m, 4 H) 2.18 - 2.38 (m, 1 H) 2.05 (t, *J*=7.29 Hz, 2 H) 1.79 - 1.98 (m, 1 H) 1.35 - 1.60 (m, 7 H) 1.17 - 1.35 (m, 2 H); MS (ESI(+)) m/e 374 $(M+H)^+$.

Example 721

N-{7-oxo-7-[(tetrahydro-2H-pyran-4-ylmethyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (tetrahydro-2H-pyran-4-yl)methanamine for 3-phenylpropan-1-amine and 7-(isoindoline-2-carboxamido)heptanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO- d_6) δ ppm 7.76 (t, *J*=5.75 Hz, 1 H) 7.20 - 7.40 (m, 4 H) 6.26 (t, *J*=5.55 Hz, 1 H) 4.57 (s, 4 H) 3.82 (dd, *J*=11.10, 2.78 Hz, 2 H) 3.14 - 3.29 (m, 2 H) 3.05 (q, *J*=6.74 Hz, 2 H) 2.92 (t, *J*=6.15 Hz, 2 H) 2.06 (t, *J*=7.54 Hz, 2 H) 1.33 - 1.65 (m, 9 H) 1.19 - 1.34 (m, 2 H) 0.98 - 1.22 (m, 2 H); MS (ESI(+)) m/e 388 $(M+H)^+$.

Example 722

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 722A

tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)butyl)piperidine-1-carboxylate

The title compound was prepared as described in Example 344, substituting tert-butyl 4-(4-aminobutyl)piperidine-1-carboxylate for tert-butyl 5-aminoisoindoline-2-carboxylate and substituting 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for isoindoline in Example 344A.

Example 722B

N-(4-(piperidin-4-yl)butyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)butyl)piperidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 722C

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(piperidin-4-yl)butyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and benzoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (500 MHz, DMSO- d_6, Temp=90°C) δ ppm 8.54 (s, 1 H) 8.45 (d, *J*=5.04 Hz, 1 H) 7.38 - 7.46 (m, 3 H) 7.28 - 7.37 (m, 3 H) 6.09 (s, 1 H) 4.62 (dd, *J*=9.08, 1.60 Hz, 4 H) 3.07 - 3.15 (m, 2 H) 2.79 -

2.94 (m, 2 H) 1.61 - 1.75 (m, 2 H) 1.41 - 1.58 (m, 3 H) 1.20 - 1.40 (m, 4 H) 0.99 - 1.17 (m, 2 H); MS (ESI(+)) m/e 407 $(M+H)^+$.

Table 14.

The following Examples were essentially prepared as described in Example 722C, substituting an appropriate carboxylic acid for benzoic acid.

Ex		Name	^{1}H NMR	MS
757		N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO- d_6) δ 8.55 (s, 1 H) 8.46 (d, *J*=5.16 Hz, 1 H) 7.25 - 7.57 (m, 5 H) 6.36 (t, *J*=5.55 Hz, 1 H) 4.60 (s, 2 H) 4.60 (s, 2 H) 4.43 - 4.54 (m, 1 H) 3.13 - 3.28 (m, 1 H) 2.85 - 3.12 (m, 3 H) 2.74 (t, *J*=12.10 Hz, 1 H) 1.76 (d, *J*=13.09 Hz, 1 H) 0.86 - 1.67 (m, 10 H)	(ESI(+)) m/e 441 $(M+H)^+$
1350		N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90°C) δ 8.63 (s, 1H), 8.53 (d, *J* = 5.3 Hz, 1H), 7.52 (d, *J* = 5.3 Hz, 1H), 6.13 – 5.96 (m, 1H), 4.67 (s, 1H), 4.09 (p, *J* = 6.6 Hz, 2H), 3.73 (q, *J* = 7.2 Hz, 5H), 3.10 (t, *J* = 7.0 Hz, 2H), 2.82 – 2.55 (m, 3H), 2.35 (dd, *J* = 14.8, 6.5 Hz, 2H), 2.04 – 1.92 (m, 2H), 1.79 (tt, *J* = 12.8, 6.3 Hz, 2H), 1.66 (d, *J* = 12.9 Hz, 2H), 1.54 – 1.42 (m, 3H), 1.39 – 1.29 (m, 2H), 1.24 (dd, *J* = 14.3, 5.9 Hz, 2H), 1.06 – 0.90 (m, 2H)	(ESI(+)) m/e 415 $(M+H)^+$
1351		N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	1H NMR (400 MHz, DMSO, Temp = 90°C) δ 8.64 (s, 1H), 8.55 (d, J = 5.2 Hz, 1H), 7.55 (d, J = 5.3 Hz, 1H), 6.08 (s, 1H), 4.68 (s, 5H), 3.70 – 3.58 (m, 2H), 3.22 – 3.15 (m, 3H), 3.15 – 3.00 (m, 3H), 2.29 (td, J = 12.8, 7.0 Hz, 2H), 2.08 (ddd, J = 17.0, 13.4, 8.8 Hz, 2H), 1.69 (d, J = 12.9 Hz, 2H), 1.50 (ddt, J = 21.4, 14.3, 7.3 Hz, 3H), 1.40 – 1.21 (m, 4H), 1.03 (d, J = 11.6 Hz, 2H)	(ESI(+)) m/e 449 $(M+H)^+$
1352		N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90°C) δ 8.62 (s, 1H), 8.52 (d, *J* = 5.3 Hz, 1H), 7.51 (d, *J* = 5.1 Hz, 1H), 6.13 – 5.95 (m, 1H), 4.65 (d, *J* = 7.1 Hz, 4H), 3.83 – 3.75 (m, 1H), 3.70 (td, *J* = 8.0, 5.3 Hz, 1H), 3.57 (dd, *J* = 24.8, 17.4 Hz, 2H), 3.28 – 3.14 (m, 3H), 3.10 (t, *J* = 7.0 Hz, 2H), 2.40 – 2.26 (m, 3H), 1.99 (dt, *J* = 12.8, 7.6 Hz, 2H), 1.66 (d, *J* = 10.4 Hz, 3H), 1.55 – 1.40 (m, 3H), 1.36 – 1.16 (m, 3H), 0.99 (d, *J* = 9.4 Hz, 3H)	(ESI(+)) m/e 415 $(M+H)^+$
1353		N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90°C) δ 8.64 (s, 1H), 8.54 (d, *J* = 5.2 Hz, 1H), 7.54 (d, *J* = 5.3 Hz, 1H), 6.08 (s, 1H), 4.68 (s, 4H), 4.17 – 3.95 (m, 4H), 3.10 (t, *J* = 7.0 Hz, 2H), 2.78 – 2.53 (m, 3H), 1.72 – 1.62 (m, 5H), 1.57 (d, *J* = 14.8 Hz, 3H), 1.46 (dd, *J* = 14.3, 7.3 Hz, 3H), 1.39 – 1.13 (m, 6H), 1.03 – 0.91 (m, 2H)	(ESI(+)) m/e 413 $(M+H)^+$
1354		N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90°C) δ 8.61 (s, 1H), 8.52 (d, *J* = 5.2 Hz, 1H), 7.49 (d, *J* = 5.2 Hz, 1H), 6.17 – 5.91 (m, 1H), 4.66 (s, 4H), 4.17 – 3.95 (m, 3H), 3.10 (t, *J* = 7.0 Hz, 2H), 2.84 – 2.68 (m, 3H), 2.09 – 1.96 (m, 2H), 1.93 – 1.77 (m, 2H), 1.65 (dd, *J* = 27.2, 12.8 Hz, 6H), 1.56 – 1.40 (m, 2H), 1.41 – 1.20 (m, 4H), 1.06 – 0.92 (m, 2H)	(ESI(+)) m/e 449 $(M+H)^+$
1355		N-{4-[1-(2-hydroxy-2-methylpropanoyl)piper	^{1}H NMR (400 MHz, DMSO, Temp = 90°C) δ 8.62 (s, 1H), 8.53 (d, *J* = 5.2 Hz, 1H), 7.51 (d, *J* = 5.2 Hz, 1H),	(ESI(+)) m/e 389

		idin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	6.18 – 5.92 (m, 1H), 4.67 (s, 4H), 4.52 – 4.43 (m, 2H), 3.10 (t, *J* = 7.0 Hz, 2H), 2.82 – 2.70 (m, 2H), 1.70 – 1.62 (m, 2H), 1.56 – 1.42 (m, 4H), 1.32 (s, 8H), 1.28 (d, *J* = 13.3 Hz, 2H), 1.08 – 1.02 (m, 2H)	$(M+H)^+$
1356		N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90ºC) δ 8.63 (s, 1H), 8.53 (d, *J* = 5.2 Hz, 1H), 7.53 (d, *J* = 5.2 Hz, 1H), 6.08 (s, 1H), 4.67 (s, 4H), 4.58 (dd, *J* = 7.5, 5.6 Hz, 2H), 4.20 – 4.05 (m, 3H), 3.83 – 3.62 (m, 3H), 3.10 (t, *J* = 7.0 Hz, 2H), 2.76 (bs, 2H), 2.11 – 1.99 (m, 1H), 2.00 – 1.75 (m, 3H), 1.71 – 1.63 (m, 2H), 1.46 (dd, *J* = 14.2, 7.2 Hz, 2H), 1.37 – 1.19 (m, 2H), 1.10 – 0.92 (m, 2H)	(ESI(+)) m/e 401 $(M+H)^+$
1357		N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90ºC) δ 8.62 (s, 1H), 8.53 (d, *J* = 5.2 Hz, 1H), 7.51 (d, *J* = 5.2 Hz, 1H), 6.07 (s, 1H), 4.67 (s, 4H), 4.58 (dd, *J* = 7.5, 5.6 Hz, 1H), 3.77 (q, *J* = 7.2 Hz, 2H), 3.82 – 3.67 (m, 3H), 3.10 (t, *J* = 7.0 Hz, 2H), 2.75 (bs, 1H), 2.11 – 1.99 (m, 1H), 2.00 – 1.75 (m, 3H), 1.71 – 1.62 (m, 2H), 1.53 – 1.21 (m, 7H), 1.08 – 0.92 (m, 2H)	(ESI(+)) m/e 401 $(M+H)^+$
1358		N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90ºC) δ 8.62 (s, 1H), 8.53 (d, *J* = 5.2 Hz, 1H), 7.51 (d, *J* = 5.2 Hz, 1H), 6.15 – 5.99 (m, 1H), 4.67 (s, 4H), 4.58 (dd, *J* = 7.5, 5.6 Hz, 2H), 3.77 (q, *J* = 7.2 Hz, 2H), 3.82 – 3.67 (m, 3H), 3.10 (t, *J* = 7.0 Hz, 2H), 2.75 (bs, 1H), 2.11 – 1.99 (m, 1H), 1.95 (ddd, *J* = 17.4, 9.9, 6.6 Hz, 1H), 1.88 – 1.77 (m, 1H), 1.71 – 1.62 (m, 2H), 1.46 (dd, *J* = 14.4, 7.4 Hz, 3H), 1.37 – 1.19 (m, 4H), 1.08 – 0.92 (m, 2H)	(ESI(+)) m/e 419 $(M+H)^+$
1359		N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90ºC) δ 8.64 (s, 4H), 8.54 (d, *J* = 5.3 Hz, 1H), 7.55 (d, *J* = 5.3 Hz, 1H), 6.08 (s, 1H), 4.68 (s, 4H), 3.85 (t, *J* = 8.1 Hz, 1H), 3.73 – 3.58 (m, 2H), 3.33 – 3.22 (m, 2H), 3.10 (t, *J* = 7.0 Hz, 2H), 1.99 (dd, *J* = 14.3, 7.1 Hz, 3H), 1.68 (d, *J* = 12.7 Hz, 2H), 1.55 – 1.41 (m, 3H), 1.33 (dt, *J* = 13.8, 6.4 Hz, 2H), 1.24 (dd, *J* = 13.4, 6.3 Hz, 2H), 0.99 (dd, *J* = 24.0, 12.4 Hz, 2H)	(ESI(+)) m/e 401 $(M+H)^+$
1360		N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO; Temp = 90ºC) δ 8.63 (s, 4H), 8.53 (d, *J* = 5.3 Hz, 1H), 7.53 (d, *J* = 5.2 Hz, 1H), 6.09 (s, 1H), 4.66 (d, *J* = 7.5 Hz, 5H), 3.60 (dt, *J* = 12.2, 6.1 Hz, 2H), 3.10 (t, *J* = 7.0 Hz, 2H), 1.67 (d, *J* = 13.1 Hz, 2H), 1.54 – 1.41 (m, 3H), 1.33 (dd, *J* = 15.9, 7.1 Hz, 2H), 1.24 (dd, *J* = 14.3, 5.7 Hz, 3H), 1.10 (d, *J* = 6.1 Hz, 6H), 1.02 (d, *J* = 11.2 Hz, 2H)	(ESI(+)) m/e 403 $(M+H)^+$
1361		N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90º) δ 8.63 (s, 4H), 8.54 (d, *J* = 5.3 Hz, 1H), 7.54 (d, *J* = 5.3 Hz, 1H), 6.13 – 6.00 (m, 1H), 4.67 (s, 4H), 3.10 (t, *J* = 7.0 Hz, 2H), 2.22 (d, *J* = 6.6 Hz, 2H), 1.63 (t, *J* = 21.9 Hz, 2H), 1.47 (dt, *J* = 14.1, 7.0 Hz, 3H), 1.38 – 1.28 (m, 2H), 1.24 (dd, *J* = 14.3, 5.8 Hz, 2H), 1.07 – 0.85 (m, 4H), 0.47 – 0.39 (m, 2H), 0.15 – 0.05 (m, 2H)	(ESI(+)) m/e 385 $(M+H)^+$
1362		N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO Temp = 90º) δ 8.63 (s, 4H), 8.53 (d, *J* = 5.3 Hz, 1H), 7.52 (d, *J* = 5.3 Hz, 1H), 6.07 (s, 1H), 4.67 (s, 4H), 3.10 (t, *J* = 7.0 Hz, 2H), 1.67 (d, *J* = 13.3 Hz, 2H), 1.47 (dt, *J* = 14.3, 7.1 Hz,	(ESI(+)) m/e 427 $(M+H)^+$

		pyrrolo[3,4-c]pyridine-2-carboxamide	3H), 1.38 – 1.29 (m, 4H), 1.25 (dt, *J* = 13.6, 6.8 Hz, 3H), 1.03 (s, 3H)	

Example 753

N-{4-[5-(morpholin-4-ylmethyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 753A

N-(4-(5-(chloromethyl)-1,2,4-oxadiazol-3-yl)phenyl)isoindoline-2-carboxamide

To a 25 mL round-bottomed flask containing (Z)-N-(4-(N'-hydroxycarbamimidoyl)phenyl)isoindoline-2-carboxamide (1.5 g, 5.06 mmol) in acetone (5 ml)was added potassium carbonate (7.00 g, 50.6 mmol) in a single portion. The reaction mixture was cooled to 0°C and 2-chloroacetyl chloride (3.22 ml, 40.5 mmol) was added slowly. The resulting mixture was warmed to room temperature and stirred for two hours. The solvent was removed and the solid was triturated with water and then filtered with water washes. The dried solid was dissolved in DMF, heated to 100°C and stirred for two hours. Work-up with water and dichlormethane followed by chromatography provided the title compound.

Example 753B

N-{4-[5-(morpholin-4-ylmethyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

To a 20 mL vial was added N-(4-(5-(chloromethyl)-1,2,4-oxadiazol-3-yl)phenyl)isoindoline-2-carboxamide (50 mg, 0.141 mmol) and morpholine (36.8 mg, 0.423 mmol) in DMF (470 µl). The mixture was heated to 50°C for 30 minutes, cooled, and diluted with 2 mL methanol. Chromatography provided the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.69 (s, 1H), 7.92 (d, *J* = 8.8 Hz, 2H), 7.80 (d, *J* = 8.9 Hz, 2H), 7.35 (ddd, *J* = 8.8, 3.9, 2.4 Hz, 4H), 4.80 (s, 4H), 3.95 (s, 2H), 3.68 – 3.48 (m, 4H), 2.62 – 2.51 (m, 5H); MS (ESI(+)) m/e 406 $(M+H)^+$.

Example 754

N-(4-{5-[(4-methylpiperazin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 753B, substituting 1-methylpiperazine for morpholine. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.69 (s, 1H), 7.91 (d, *J* = 8.8 Hz, 3H), 7.80 (d, *J* = 8.8 Hz, 3H), 7.45 – 7.23 (m, 5H), 4.80 (s, 5H), 3.93 (s, 2H), 2.65 – 2.51 (m, 75H), 2.34 (s, 5H), 2.15 (s, 4H); MS (ESI(+)) m/e 419 $(M+H)^+$.

Example 755

N-[4-(5-{[(3-methylbutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 753B, substituting 3-methylbutan-1-amine for morpholine. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.68 (s, 1H), 7.91 (d, *J* = 8.8 Hz, 2H), 7.79 (d, *J* = 8.8 Hz, 2H), 7.35 (tdd, *J* = 8.9, 5.4, 3.4 Hz, 4H), 4.80 (s, 4H), 4.02 (s, 2H), 2.66 – 2.53 (m, 1H), 2.43 – 2.30 (m, 1H), 1.63 (dt, *J* = 13.4, 6.7 Hz, 1H), 1.32 (dd, *J* = 14.4, 7.0 Hz, 2H), 0.86 (d, *J* = 6.5 Hz, 6H) ; MS (ESI(+)) m/e 406 $(M+H)^+$.

Example 756

N-(4-{5-[(4-hydroxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 753B, substituting piperidin-4-ol for morpholine. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.68 (s, 1H), 7.91 (d, *J* = 8.8 Hz, 2H), 7.79 (d, *J* = 8.8 Hz, 2H), 7.45 – 7.25 (m, 4H), 4.80 (s, 4H), 4.56 (d, *J* = 4.2 Hz, 1H), 3.91 (s, 2H), 3.45 (dd, *J* = 8.7, 4.3 Hz, 1H), 3.17 (d, *J* = 5.2 Hz, 1H), 2.76 (dd, *J* = 10.6, 5.0 Hz, 2H), 2.42 – 2.18 (m, 3H), 1.72 (d, *J* = 8.9 Hz, 2H), 1.43 (dt, *J* = 18.5, 6.4 Hz, 2H); MS (ESI(+)) m/e 420 $(M+H)^+$.

Example 787

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}-2-oxoethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 787A

N-benzyl-N-(3-morpholinopropyl)-2-(4-nitrophenyl)acetamide

The title compound was prepared as described in Example 1C, substituting N-benzyl-3-morpholinopropan-1-amine for 3-phenylpropan-1-amine and 2-(4-nitrophenyl)acetic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Example 787B

2-(4-aminophenyl)-N-benzyl-N-(3-morpholinopropyl)acetamide

The title compound was prepared as described in Example 272A, substituting N-benzyl-N-(3-morpholinopropyl)-2-(4-nitrophenyl)acetamide for 4-nitro-N-propylbenzamide.

Example 787C

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}-2-oxoethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 2-(4-aminophenyl)-N-benzyl-N-(3-morpholinopropyl)acetamide for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ ppm 8.05 (bs, 1H), 7.47 (d, *J* = 8.5 Hz, 2H), 7.37 – 7.17 (m, 9H), 7.15 – 7.08 (m, 2H), 4.76 (s, 4H), 4.56 (bs, 2H), 3.77 – 3.55 (m, 2H), 3.56 – 3.50 (m, 4H), 3.30 (t, *J* = 7.3 Hz, 2H), 2.33 – 2.24 (m, 4H), 2.21 (t, *J* = 6.8 Hz, 2H), 1.60 (p, *J* = 7.1 Hz, 2H); MS (ESI(+)) m/e 513 $(M+H)^+$.

Example 788

N-[4-(3-{benzyl[3-(morpholin-4-yl)propyl]amino}-3-oxopropyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 787, substituting 3-(4-nitrophenyl)propanoic acid for 2-(4-nitrophenyl)acetic acid in Example 787A. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 7.99 (bs, 1H), 7.48 – 7.39 (m, 2H), 7.37 – 7.19 (m, 7H), 7.19 – 7.13 (m, 2H), 7.13 – 7.00 (m, 2H), 4.76 (s, 4H), 4.53 (s, 2H), 3.56 – 3.45 (m, 4H), 3.31 – 3.23 (m, 2H), 2.87 – 2.78 (m, 2H), 2.72 – 2.57 (m, 2H), 2.29 – 2.22 (m, 4H), 2.20 (t, *J* = 6.8 Hz, 2H), 1.63 – 1.54 (m, 2H); MS (ESI(+)) m/e 527 $(M+H)^+$.

Example 795

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting tetrahydro-2H-pyran-4-ylmethamine for 3-phenylpropan-1-amine and 6-(isoindoline-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 9.98 (s, 1H), 9.03 (t, *J* = 6.2 Hz, 1H), 8.31 (d, *J* = 9.3 Hz, 1H), 8.10 (d, *J* = 9.3 Hz, 1H), 7.41 – 7.28 (m, 4H), 5.03 – 4.67 (m, 4H), 3.89 – 3.79 (m, 2H), 3.29 – 3.11 (m, 4H), 2.01 – 1.78 (m, 1H), 1.63 – 1.53 (m, 2H), 1.30 – 1.12 (m, 2H); MS (ESI(+)) m/e 382 $(M+H)^+$.

Example 797

N-[4-(6-bromo-2-oxoquinolin-1(2H)-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 797A

tert-butyl 4-(6-bromo-2-oxoquinolin-1(2H)-yl)butylcarbamate

To a solution of 6-bromoquinolin-2(1H)-one (430 mg, 1.91 mmol) in tetrahydrofuran (8 ml) was added sodium bis(trimethylsilyl)amide (2.1 ml, 2.08 mmol). After 15 minutes, 4-(boc-amino)butyl bromide (403 mg, 1.6 mmol)was added. The solution was stirred for 15 hours, concentrated and purified by flash chromatography to provide the title compound.

Example 797B

1-(4-aminobutyl)-6-bromoquinolin-2(1H)-one

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(6-bromo-2-oxoquinolin-1(2H)-yl)butylcarbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 797C

N-[4-(6-bromo-2-oxoquinolin-1(2H)-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 1-(4-aminobutyl)-6-bromoquinolin-2(1H)-one for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (400 MHz, $CDCl_3$) δ ppm 7.67 (d,

J = 2.2 Hz, 2 H), 7.61 (d, *J* = 2.3 Hz, 1 H), 7.60 (d, *J* = 2.3 Hz, 1 H), 7.57 (d, *J* = 9.6 Hz, 2 H), 7.28 (s, 1 H), 7.24 (s, 1 H), 6.70 (d, *J* = 9.5 Hz, 2 H), 4.76 (t, *J* = 5.7 Hz, 2 H), 4.70 (s, 4 H), 4.29 (m, 2 H), 3.42 (m, 2 H), 1.79 (m, 2H), 1.69 (m, 2H); MS (ESI(+)) m/e 440.1 (M+H).

Example 798

N-{4-[6-(3-acetylphenyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 3-acetylphenyl boronic acid for 1H-pyrazol-3-ylboronic acid and N-[4-(6-bromo-2-oxoquinolin-1(2H)-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, $CDCl_3$) δ ppm 8.20 (t, *J* = 1.5 Hz, 1 H), 7.94 (d, *J* = 7.7 Hz, 1 H), 7.80 (m, 3 H), 7.75 (d, *J* = 9.5 Hz, 2 H), 7.56 (t, *J* = 7.7 Hz, 1 H), 7.49 (d, *J* = 9.4 Hz, 2 H), 7.24 (s, 1H), 6.75 (t, *J* = 9.4 Hz, 2 H), 4.82 (t, *J* = 5.4 Hz, 1 H), 4.72 (s, 4H), 4.37 (m, 2H), 3.45 (m, 2H), 2.66 (s, 3H), 1.88 (m, 2H), 1.74 (m, 2H); MS (ESI(+)) m/e 480.3 (M+H).

Example 804

5-(hydroxymethyl)-N-(3-phenylpropyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 3-phenylpropan-1-amine for 4-amino-N-propylbenzamide and isoindolin-5-ylmethanol hydrochloride for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.30 – 7.14 (m, 8H), 6.30 (t, *J* = 5.5 Hz, 1H), 5.16 (t, *J* = 5.5 Hz, 1H), 4.55 (bs, 4H), 4.49 (d, *J* = 4.9 Hz, 2H), 3.16 – 3.05 (m, 2H), 2.64 – 2.56 (m, 2H), 1.76 (p, *J* = 7.4 Hz, 2H); MS (ESI(+)) m/e 311 $(M+H)^+$.

Example 805

N-(2-{(4-fluorobenzyl)[4-(pyridin-3-yl)benzyl]amino}-1,3-thiazol-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 805A

methyl 2-(4-(pyridin-3-yl)benzylamino)thiazole-5-carboxylate

In a 250 mL round-bottomed flask was added 4-(pyridin-3-yl)benzaldehyde (4 g, 21.83 mmol), methyl 2-aminothiazole-5-carboxylate (3.45 g, 21.83 mmol), and acetic acid (0.375 ml, 6.55 mmol) in toluene (109 ml). The mixture was heated at reflux under Dean-Stark conditions for 3 hours, cooled, concentrated and redissolved in methanol. The mixture was cooled to 0°C and sodium borohydride (1.322 g, 34.9 mmol) was carefully added. The mixture was warmed to room temperature and the resulting suspension was filtered with water washes to provide the title compound after drying.

Example 805B

2-((4-fluorobenzyl)(4-(pyridin-3-yl)benzyl)amino)thiazole-5-carboxylic acid

In a 250 mL round-bottomed flask was added methyl 2-(4-(pyridin-3-yl)benzylamino)thiazole-5-carboxylate (3 g, 9.22 mmol) and 1-(bromomethyl)-4-fluorobenzene (1.264 ml, 10.14 mmol) in dimethylformamide (46.1 ml). The mixture was cooled to 0°C, sodium hydride (0.738 g, 18.44 mmol) was added carefully; and the mixture was warmed to room temperature. After the mixture was stirred for about 30 minutes, it was found to be predominantely carboxylic acid. 1 N NaOH was added to complete the conversion; and a water work up followed by chromatography provided the title compound.

Example 805C

N-(4-fluorobenzyl)-5-isocyanato-N-(4-(pyridin-3-yl)benzyl)thiazol-2-amine

To a 50 mL round-bottomed flask was added 2-((4-fluorobenzyl)(4-(pyridin-3-yl)benzyl)amino)thiazole-5-carboxylic acid (850 mg, 2.026 mmol) in dichloromethane (10.100 ml) and the solution was cooled to 0°C. Oxalyl chloride (0.266 ml, 3.04 mmol) and dimethylformamide (0.016 ml, 0.203 mmol) were added and some bubbling occured. The solution was warmed to room temperature and stirred for 1 hour. The mixture was cooled to 0°C, and trimethylsilyl azide (0.538 ml, 4.05 mmol) was added. The mixture was warmed to room temperature, stirred for 30 minutes and concentrated under vacuum. Toluene (5 ml) was added and the mixture was heated to 95°C for 2.5 hours. The toluene was removed and the resulting solid was triturated/sonicated with ether and filtered with ether washes to provide the title compound.

Example 805D

N-(2-{(4-fluorobenzyl)[4-(pyridin-3-yl)benzyl]amino}-1,3-thiazol-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1A, substituting N-(4-fluorobenzyl)-5-isocyanato-N-(4-(pyridin-3-yl)benzyl)thiazol-2-amine for methyl 4-isocyanatobenzoate and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for isoindoline. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.27 (s, 1H), 8.99 (d, J = 2.1 Hz, 1H), 8.76 (s, 1H), 8.71 – 8.56 (m, 2H), 8.29 (d, J = 7.8 Hz, 1H), 7.81 – 7.56 (m, 5H), 7.51 – 7.27 (m, 5H), 7.27 – 7.06 (m, 2H), 6.86 (s, 1H), 4.80 (d, J = 3.6 Hz, 4H), 4.72 (d, J = 7.7 Hz, 4H); MS (ESI(+)) m/e 537 $(M+H)^+$.

Example 806

N-[4-(2-benzyl-1,3-thiazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 806A

4-(2-benzylthiazol-4-yl)aniline

2-Bromo-1-(4-nitrophenyl)ethanone (0.5 g, 2.049 mmol) and 2-phenylethanethioamide (0.310 g, 2.049 mmol) were combined in ethanol (10 ml) in a 20 mL microwave reaction vessel and heated at 140°C for 15 minutes. The solution was transferred to a 250 mL round bottom flask where it immediately solidified. The material was diluted with an additional ethanol (10 ml) and was heated at reflux with stirring until the solids were

dissolved. Water (5.0 ml, 278 mmol), and hydrochloric acid (1 ml, 12.00 mmol) were added. Iron (.625 g, 11.19 mmol) was added and the mixture was heated at reflux for 2 hours. The mixture was allowed to cool and 5 mL NH_4OH was added. The material was filtered through a pad of diatomaceous earth and the pad was washed with 50 mL of ethyl acetate. The filtrate was washed with 100 mL of water and the aqueous phase was extracted with an additional 50 mL of ethyl acetate. The combined organic fractions were dried over sodium sulfate, filtered, and the solvent was removed under reduced pressure. The material was re-dissolved in 50 mL of ethyl acetate and filtered through a 1/4-inch pad of silica gel. The pad was washed with an additional 50 mL of ethyl acetate and the combined filtrate was concentrated to provide the title compound.

Example 806B

N-[4-(2-benzyl-1,3-thiazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-(2-benzylthiazol-4-yl)aniline for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (400 MHz, $CDCl_3$) δ ppm 7.79 (d, J = 8.7 Hz, 2 H), 7.48 (d, J = 8.7 Hz, 2 H), 7.30 (s, 1H), 7.29 (d, J = 3.8 Hz, 2 H), 7.26 (m, 5H), 7.20 (d, J = 3.7 Hz, 2 H), 6.29 (s, 1H), 4.80 (s, 4 H), 4.32 (s, 2H); MS (ESI(+)) m/e 412 (M+H).

Example 807

N-(7-{benzyl[3-(morpholin-4-yl)propyl]amino}-7-oxoheptyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-benzyl-3-morpholinopropan-1-amine for 3-phenylpropan-1-amine and 7-(isoindoline-2-carboxamido)heptanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.41 – 7.13 (m, 9H), 6.32 – 6.22 (m, 1H), 4.59 – 4.48 (m, 6H), 3.58 – 3.47 (m, 4H), 3.27 – 3.20 (m, 2H), 3.11 – 2.98 (m, 2H), 2.44 – 2.36 (m, 1H), 2.31 – 2.23 (m, 5H), 2.23 – 2.12 (m, 2H), 1.70 – 1.17 (m, 10H); MS (ESI(+)) m/e 507 $(M+H)^+$.

Example 808

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 808A

N-isopentyl-4-nitrobenzenesulfonamide

4-Nitrobenzene-1-sulfonyl chloride (1.5 g, 6.57 mmol) was dissolved in dichloromethane (30 ml) and cooled to 0°C followed by addition of diisopropylethylamine (2.293 ml, 13.13 mmol). 3-Methylbutan-1-amine (0.926 ml, 7.88 mmol) was dissolved in 5 ml dichloromethane and added via syringe. After the addition, the mixture was allowed to warm to room temperature for 3 hours. The solution was diluted with aqueous sodium bicarbonate and extracted twice with dichloromethane. The organics were combined, dried

over magnesium sulfate, filtered and concentrated. Chromatography provided the title compound.

Example 808B

4-amino-N-isopentylbenzenesulfonamide

The title compound was prepared as described in Example 272A, substituting N-isopentyl-4-nitrobenzenesulfonamide for 4-nitro-N-propylbenzamide.

Example 808C

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-amino-N-isopentylbenzenesulfonamide for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.75 (s, 1H), 7.82 – 7.74 (m, 2H), 7.70 – 7.64 (m, 2H), 7.41 – 7.27 (m, 5H), 4.80 (s, 4H), 2.77 – 2.67 (m, 2H), 1.64 – 1.47 (m, 1H), 1.30 – 1.19 (m, 2H), 0.79 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 388 $(M+H)^+$.

Example 839

N-(5-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (S)-benzyl (tetrahydrofuran-3-yl)methylcarbamate for 3-phenylpropan-1-amine and 6-(isoindoline-2-carboxamido)nicotinic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 9.27 (s, 1H), 8.74 (d, J = 2.1 Hz, 1H), 8.60 (t, J = 5.7 Hz, 1H), 8.14 (dd, J = 8.8, 2.4 Hz, 1H), 8.00 (d, J = 8.7 Hz, 1H), 7.41 – 7.27 (m, 4H), 4.89 (m, 4H), 3.75 (m, 1H), 3.69 (m, 1H), 3.62 (m, 1H), 3.48 (dd, J = 8.5, 5.3 Hz, 1H), 3.25 (m, 2H), 2.48 (m, 1H), 1.95 (m, 1H), 1.61 (m, 1H); MS (ESI(+)) m/e 367 (M+H).

Example 871

N-[4-(4-{benzyl[3-(morpholin-4-yl)propyl]amino}-4-oxobutyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 787, substituting 3-(4-nitrophenyl)butanoic acid for 2-(4-nitrophenyl)acetic acid in Example 787A. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.29 – 8.21 (m, 1H), 7.51 – 7.41 (m, 2H), 7.40 – 7.13 (m, 9H), 7.11 – 6.98 (m, 2H), 4.75 (s, 4H), 4.57 – 4.47 (m, 2H), 3.60 – 3.44 (m, 4H), 3.27 – 3.13 (m, 2H), 2.60 – 2.53 (m, 1H), 2.48 – 2.34 (m, 2H), 2.33 – 2.11 (m, 7H), 1.90 – 1.71 (m, 2H), 1.66 – 1.51 (m, 2H); MS (ESI(+)) m/e 541 $(M+H)^+$.

Example 872

N-(4-phenylbutyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1A, substituting (4-isocyanatobutyl)benzene for methyl 4-isocyanatobenzoate and 1,3-dihydro-2H-pyrrolo[3,4-

c]pyridine for isoindoline. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.55 (s, 1H), 8.46 (d, J = 5.0 Hz, 1H), 7.38 (d, J = 5.1 Hz, 1H), 7.32 – 7.22 (m, 2H), 7.23 – 7.11 (m, 3H), 6.38 (t, J = 5.6 Hz, 1H), 4.63 – 4.57 (m, 4H), 3.10 – 3.07 (m, 2H), 2.59 (t, J = 7.5 Hz, 2H), 1.66 – 1.39 (m, 4H); MS (ESI(+)) m/e 296 $(M+H)^+$.

Example 873

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 873A

N-benzyl-3-morpholino-N-(4-nitrophenethyl)propan-1-amine

A suspension of 1-(2-bromoethyl)-4-nitrobenzene (0.314 g, 1.366 mmol), N-benzyl-3-morpholinopropan-1-amine (0.128 g, 0.546 mmol), and potassium carbonate (0.189 g, 1.366 mmol) in dimethylformamide (1.821 ml) was heated at 65°C for 20 hours. The reaction was partitioned in ethyl acetate and water. The organic layer was washed with brine, dried over anhydrous sodium sulfate, filtered, and concentrated. The concentrate was purified by flash chromatography to provide the title compound.

Example 873B

4-(2-(benzyl(3-morpholinopropyl)amino)ethyl)aniline

The title compound was prepared as described in Example 272A, substituting N-benzyl-3-morpholino-N-(4-nitrophenethyl)propan-1-amine for 4-nitro-N-propylbenzamide.

Example 873C

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-(2-(benzyl(3-morpholinopropyl)amino)ethyl)aniline for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.24 (s, 1H), 7.43 (d, J = 8.5 Hz, 2H), 7.38 – 7.18 (m, 9H), 7.04 (d, J = 8.5 Hz, 2H), 4.75 (s, 4H), 3.60 (s, 2H), 3.54 – 3.47 (m, 4H), 2.70 – 2.54 (m, 4H), 2.48 – 2.41 (m, 2H), 2.29 – 2.16 (m, 6H), 1.62 – 1.46 (m, 2H); MS (ESI(+)) m/e 499 $(M+H)^+$.

Example 876

5-cyano-N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-amino-N-isopentylbenzenesulfonamide for 4-amino-N-propylbenzamide and isoindoline-5-carbonitrile for methyl isoindoline-5-carboxylate hydrochloride.^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.82 (s, 1H), 7.89 (s, 1H), 7.83 – 7.74 (m, 3H), 7.71 – 7.64 (m, 2H), 7.59 (d, J = 7.9 Hz, 1H), 7.31 (t, J = 5.8 Hz, 1H), 4.89 – 4.81 (m, 4H), 2.78 – 2.67 (m, 2H), 1.56 (dp, J = 13.3, 6.7 Hz, 1H), 1.30 – 1.19 (m, 2H), 0.78 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 413 $(M+H)^+$.

Example 877

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-amino-N-isopentylbenzenesulfonamide for 4-amino-N-propylbenzamide and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.82 (s, 1H), 8.62 (s, 1H), 8.51 (d, *J* = 5.0 Hz, 1H), 7.81 – 7.74 (m, 2H), 7.71 – 7.64 (m, 2H), 7.44 (d, *J* = 5.1 Hz, 1H), 7.32 (t, *J* = 5.8 Hz, 1H), 4.87 – 4.80 (m, 4H), 2.78 – 2.67 (m, 2H), 1.56 (dp, *J* = 13.3, 6.7 Hz, 1H), 1.30 – 1.13 (m, 2H), 0.78 (d, *J* = 6.6 Hz, 6H); MS (ESI(+)) m/e 389 $(M+H)^+$.

Example 883

N-(4-{[(3-methoxybenzyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

N-(4-aminophenyl)isoindoline-2-carboxamide (0.0585 g, 0.231 mmol) was suspended in dichloromethane (2 ml) followed by addition of triisopropylethylamine (0.081 ml, 0.462 mmol). (3-Methoxyphenyl)methanesulfonyl chloride (0.061 g, 0.277 mmol) was dissolved in 1 ml dichloromethane and added to the mixture via syringe slowly. The mixture was quenched with water and the separated aqueous layer was extracted with dichloromethane. The combined organic layers were dried over magnesium sulfate, filtered and concentrated. Reverse-phase HPLC provided the title compound. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.65 (s, 1H), 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.34 (t, *J* = 5.6 Hz, 1H), 7.80 – 7.73 (m, 2H), 7.69 – 7.61 (m, 2H), 7.44 (d, *J* = 5.0 Hz, 1H), 4.86 – 4.79 (m, 4H), 3.20 (t, *J* = 6.2 Hz, 2H), 2.46 – 2.25 (m, 3H), 2.20 (d, *J* = 7.9 Hz, 3H), 2.06 – 1.78 (m, 1H), 1.52 – 1.37 (m, 1H); MS (ESI(+)) m/e 438 $(M+H)^+$.

Example 909

N-{4-[6-(3-acetylphenyl)-4-(3-hydroxypropyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 909A

6-bromo-4-(3-(tert-butyldiphenylsilyloxy)propyl)quinolin-2(1H)-one

6-Bromo-4-(3-hydroxypropyl)quinolin-2(1H)-one (4.7 g, 16.67 mmoles), imidazole (2.84 g, 41.7 mmoles) and tert-butyldiphenylsilyl chloride (5.14 mL, 20 mmoles) were stirred in dimethylformamide (60 mL) overnight at room temperature. The reaction mixture was poured into water and extracted with ethyl acetate twice. The organic layers were combined, dried over magnesium sulfate, filtered and concentrated. The crude product was purified by normal phase chromatography to provide the title compound.

Example 909B

tert-butyl 4-(6-bromo-4-(3-(tert-butyldiphenylsilyloxy)propyl)-2-oxoquinolin-1(2H)-yl)butylcarbamate

The title compound was prepared as described in Example 797A, substituting 6-bromo-4-(3-(tert-butyldiphenylsilyloxy)propyl)quinolin-2(1H)-one for 6-bromoquinolin-2(1H)-one.

Example 909C

1-(4-aminobutyl)-6-bromo-4-(3-(tert-butyldiphenylsilyloxy)propyl)quinolin-2(1H)-one

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(6-bromo-4-(3-(tert-butyldiphenylsilyloxy)propyl)-2-oxoquinolin-1(2H)-yl)butylcarbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 909D

N-(4-(6-bromo-4-(3-hydroxypropyl)-2-oxoquinolin-1(2H)-yl)butyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 1-(4-aminobutyl)-6-bromo-4-(3-(tert-butyldiphenylsilyloxy)propyl)quinolin-2(1H)-one for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride followed by TBAF deprotection and work up.

Example 909E

N-{4-[6-(3-acetylphenyl)-4-(3-hydroxypropyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 280, substituting 3-acetylphenylboronic acid for 1H-pyrazol-3-ylboronic acid and N-(4-(6-bromo-4-(3-hydroxypropyl)-2-oxoquinolin-1(2H)-yl)butyl)isoindoline-2-carboxamide for 5-bromo-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, $CDCl_3$) δ ppm 8.24 (s, 1H), 8.08 (d, J = 2.0 Hz, 1H), 7.96 (d, J = 7.9 Hz, 1H), 7.87 – 7.79 (m, 2H), 7.58 (t, J = 7.7 Hz, 1H), 7.54 (d, J = 8.8 Hz, 1H), 7.28 (s, 4H), 6.71 (s, 1H), 4.74 (s, 4H), 4.41 (t, J = 7.4 Hz, 2H), 3.82 (t, J = 6.0 Hz, 2H), 3.46 (t, J = 6.7 Hz, 2H), 3.12 – 2.99 (m, 2H), 2.68 (s, 3H), 2.10 – 1.96 (m, 2H), 1.96 – 1.83 (m, 2H), 1.79 – 1.72 (m, 2H); MS (APCI(+)) m/e 538 (M+H).

Example 910

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 910A

N-(4-(piperidin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide (2.0 g, 6.24 mmol) in 80 mL of 1:1 THF:methanol was added to 5% Pd on carbon (wet) (0.500 g) in a 250 mL SS pressure bottle and the mixture was stirred for 38 hours at 30 atm and 25°C. The mixture was filtered through a nylon membrane, concentrated and suspended in ether. Filtration with ether washes provided the title compound.

Example 910B

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(piperidin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and tetrahydrofuran-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.46 (m, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.14 (m, 2H), 4.79 (m, 4H), 4.54 (m, 1H), 4.07 (m, 1H), 3.88 (dt, J = 10.4, 8.1 Hz, 1H), 3.71 (m, 3H), 3.37 (m, 1H), 3.13 (m, 1H), 2.64 – 2.59 (m, 2H), 2.01 (m, 2H), 1.79 (m, 2H), 1.46 (m, 2H); MS (ESI(+)) m/e 421 (M+H).

Table 15.

The following Examples were essentially prepared as described in Example 1C, substituting N-(4-(piperidin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
911		N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.62 (m, 1H), 8.51 (d, J = 7.4 Hz, 1H), 8.37 (s, 1H), 7.45 (m, 3H), 7.13 (d, J = 8.6 Hz, 2H), 4.83 (m, 4H), 4.48 (m, 1H), 4.17 (m, 2H), 3.89 (m, 1H), 3.60 (m, 2H), 3.46 (m, 2H), 3.26 (s, 3H), 3.07 (m, 1H), 2.78 – 2.56 (m, 2H), 1.74 (m, 2H), 1.57 (m, 1H), 1.42 (m, 1H)	(ESI(+)) m/e 439 $(M+H)^+$
912		N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.48 (s, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.13 (m, 2H), 4.79 (m, 4H), 4.68 (dd, J = 7.6, 5.7 Hz, 1H), 4.49 (m, 1H), 4.11 (m, 1H), 3.78 (m, 2H), 3.10 (m, 1H), 2.79 – 2.57 (m, 2H), 2.03 (m, 2H), 1.84 (m, 4H), 1.61 – 1.36 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
913		N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.46 (m, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.13 (m, 2H), 4.79 (m, 4H), 4.55 (m, 1H), 4.09 (m, 1H), 3.85 (m, 2H), 3.41 (m, 2H), 3.10 (m, 1H), 2.91 (m, 1H), 2.71 (m, 1H), 2.58 (m, 1H), 1.79 (m, 2H), 1.68 – 1.33 (m, 6H)	(ESI(+)) m/e 435 $(M+H)^+$
914		N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, J = 4.9 Hz, 1H), 8.35 (s, 1H), 7.45 (m, 3H), 7.13 (s, 2H), 4.79 (d, J = 7.1 Hz, 4H), 4.45 (m, 1H), 4.34 (m, 1H), 4.07 (m, 1H), 3.80 – 3.55 (m, 5H), 3.50 (m, 1H), 3.09 (m, 1H), 2.65 (m, 2H), 1.79 (m, 2H), 1.67 – 1.29 (m, 2H)	(ESI(+)) m/e 437 $(M+H)^+$
915		N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-	^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.47 (m, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.12 (m, 2H), 4.79 (m, 4H), 4.49 (m, 1H), 4.16 (m, 1H), 3.58 (m, 4H), 3.26 (m, 1H), 3.06 (m, 2H), 2.71 (m, 1H), 2.61 (m, 1H), 2.39 (m, 4H), 1.78 (m, 2H), 1.57 (m, 1H), 1.40 (m, 1H)	(ESI(+)) m/e 434 $(M+H)^+$

		carboxamide		
916		N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.47 (m, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.14 (m, 2H), 4.79 (m, 4H), 4.53 (m, 1H), 4.08 (m, 1H), 3.73 (m, 1H), 3.26 – 3.04 (m, 5H), 2.69 (m, 2H), 2.35 (m, 1H), 2.07 (m, 1H), 1.81 (m, 2H), 1.51 (m, 2H)	(ESI(+)) m/e 469 $(M+H)^+$
917		N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.45 (m, 3H), 7.13 (m, 2H), 5.38 (s, 1H), 4.75 (m, 4H), 4.60 (m, 2H), 2.95 (m, 1H), 2.80 (m, 2H), 1.77 (m, 2H), 1.48 (m, 2H), 1.34 (s, 6H)	(ESI(+)) m/e 409 $(M+H)^+$
918		N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (500 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.47 (m, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.12 (m, 2H), 4.79 (m, 4H), 4.49 (m, 1H), 4.16 (m, 1H), 3.58 (m, 4H), 3.26 (m, 1H), 3.06 (m, 2H), 2.71 (m, 1H), 2.61 (m, 1H), 2.39 (m, 4H), 1.78 (m, 2H), 1.57 (m, 1H), 1.40 (m, 1H)	(ESI(+)) m/e 450 $(M+H)^+$
1279		N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d$_6$) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.46 (m, 2H), 7.43 (d, J = 5.1 Hz, 1H), 7.13 (m, 2H), 4.79 (m, 4H), 4.68 (dd, J = 7.4, 5.8 Hz, 1H), 4.49 (d, J = 12.8 Hz, 1H), 4.10 (m, 1H), 3.78 (m, 2H), 3.08 (m, 1H), 2.78 – 2.57 (m, 2H), 2.04 (m, 2H), 1.90 – 1.71 (m, 4H), 1.61 – 1.32 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
1280		N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d$_6$) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.49 – 7.40 (m, 3H), 7.14 (m, 2H), 4.79 (m, 4H), 4.54 (m, 1H), 4.06 (m, 1H), 3.88 (dt, J = 10.4, 8.1 Hz, 1H), 3.78 – 3.54 (m, 3H), 3.38 (m, 1H), 3.15 (m, 1H), 2.77 – 2.56 (m, 2H), 2.04 (m, 2H), 1.79 (m, 2H), 1.59 – 1.29 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
1384		N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d$_6$) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.45 (m, 3H), 7.13 (m, 2H), 4.79 (m, 4H), 4.68 (dd, J = 7.4, 5.8 Hz, 1H), 4.48 (d, J = 12.7 Hz, 1H), 4.10 (d, J = 12.8 Hz, 1H), 3.78 (m, 2H), 3.08 (dd, J = 26.0, 12.3 Hz, 1H), 2.77 – 2.55 (m, 2H), 2.04 (m, 2H), 1.83 (m, 4H), 1.62 – 1.32 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
1385		N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d$_6$) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.35 (s, 1H), 7.45 (m, 3H), 7.14 (m, 2H), 4.79 (m, 4H), 4.54 (m, 1H), 4.07 (m, 1H), 3.88 (dt, J = 10.4, 8.1 Hz, 1H), 3.71 (m, 3H), 3.37 (m, 1H), 3.10 (m, 1H), 2.80 – 2.55 (m, 2H), 2.00 (m, 2H), 1.79 (m, 2H), 1.59 – 1.33 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$

Example 920

N-{5-[2-(2-chlorobenzyl)-1,3-thiazol-4-yl]-2-thienyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 920A

5-(2-(2-chlorobenzyl)thiazol-4-yl)thiophen-2-amine

The title compound was prepared as described in Example 806A, substituting 2-bromo-1-(5-nitrothiophen-2-yl)ethanone for 2-bromo-1-(4-nitrophenyl)ethanone and 2-(2-chlorophenyl)ethanethioamide for 2-phenylethanethioamide.

Example 920B

N-{5-[2-(2-chlorobenzyl)-1,3-thiazol-4-yl]-2-thienyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 5-(2-(2-chlorobenzyl)thiazol-4-yl)thiophen-2-amine for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 9.73 (s, 1 H), 7.46 - 7.55 (m, 3 H), 7.34 - 7.40 (m, 4 H), 7.28 - 7.34 (m, 2 H), 7.20 (d, J = 3.9 Hz, 1 H), 6.62 (d, J=3.9 Hz, 1 H), 4.76 (s, 4 H), 4.45 (s, 2 H); MS (ESI(+)) m/e 452.0 (M+H).

Example 921

N-[4-(4-fluorophenyl)butyl]-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-(4-fluorophenyl)butylamine for 4-amino-N-propylbenzamide and isoindolin-5-ylmethanol hydrochloride for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.28 – 7.17 (m, 5H), 7.13 – 7.03 (m, 2H), 6.29 (t, J = 5.6 Hz, 1H), 5.16 (t, J = 5.6 Hz, 1H), 4.54 (bs, 4H), 4.49 (d, J = 5.5 Hz, 2H), 3.15 – 3.04 (m, 2H), 2.58 (t, J = 7.4 Hz, 2H), 1.63 – 1.37 (m, 4H); MS (ESI(+)) m/e 343 $(M+H)^+$.

Example 926

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

In a 20 mL scintillation vial were mixed N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide (100 mg, 0.312 mmol), isobutyraldehyde (0.343 mmol), and sodium triacetoxyborohydride (0.43 mmol) in anhydrous dichloroethane (4 ml). The reaction mixture was stirred overnight at room temperature. This mixture was diluted with water and the resulting suspension was stirred again overnight at room temperature. The solid was filtered through a 30 mL plastic disposable Buchner funnel, and the collected solid was washed with water, dried for 2 hours, washed with ether, and dried again to provide the title compound. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.47 (d, J = 5.0 Hz, 1H), 8.18 (m, 1H), 7.50 (m, 2H), 7.38 (d, J = 5.1 Hz, 1H), 7.30 (m, 2H), 6.03 (m, 1H), 4.80 (m, 4H), 3.06 (m, 2H), 2.61 (t, J = 5.6 Hz, 2H), 2.44 (m, 2H), 2.17 (d, J = 7.2 Hz, 2H), 1.82 (m, 1H), 0.89 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 377 (M+H).

Example 927

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 926, substituting tetrahydrofuran-3-carbaldehyde for isobutraldehyde. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.17 (bs, 1H), 7.60 (m, 2H), 7.38 (d, J = 5.0 Hz, 1H), 7.30 (m, 2H), 6.05 (m, 1H), 4.83 (m, 4H), 3.77 (m, 2H), 3.62 (q, J = 7.6 Hz, 1H), 3.39 (m, 1H), 3.10 (t, J = 3.1 Hz, 2H), 2.95 (m, 1H), 2.65 (m, 2H), 2.43 (m, 2H), 2.38 (m, 2H), 1.95 (m, 1H), 1.54 (m, 1H); MS (ESI(+)) m/e 405 (M+H).

Example 928

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 926, substituting tetrahydro-2H-pyran-4-carbaldehyde for isobutraldehyde. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.17 (bs, 1H), 7.50 (m, 2H), 7.38 (d, J = 5.1 Hz, 1H), 7.30 (m, 2H), 6.03 (m, 1H), 4.79 (m, 4H), 3.83 (m, 2H), 3.31 (td, J = 11.5, 2.2 Hz, 2H), 3.07 (m, 2H), 2.63 (t, J = 5.6 Hz, 2H), 2.43 (m, 2H), 2.27 (d, J = 7.1 Hz, 2H), 1.80 (m, 1H), 1.64 (m, 2H), 1.17 (m, 2H); MS (ESI(+)) m/e 419 (M+H).

Example 929

N-[4-(1-isobutylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 926, substituting N-(4-(piperidin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.33 (s, 1H), 7.43 (m, 3H), 7.13 (m, 2H), 4.79 (m, 4H), 2.41 (m, 1H), 2.92 (m, 2H), 2.15 – 1.85 (m, 4H), 1.85 – 1.50 (m, 5H), 0.87 (d, J = 6.5 Hz, 6H); MS (ESI(+)) m/e 379 (M+H).

Example 930

N-{4-[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 926, substituting N-(4-(piperidin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide and tetrahydrofuran-3-carbaldehyde for isobutraldehyde. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.33 (s, 1H), 7.44 (m, 3H), 7.13 (m, 2H), 4.78 (m, 4H), 3.71 (m, 2H), 3.61 (q, J = 7.6 Hz, 1H), 3.36 (m, 2H), 2.96 (m, 2H), 2.40 (m, 1H), 2.27 (m, 2H), 96 (m, 3H), 1.72 (m, 2H), 1.66 – 1.46 (m, 3H); MS (ESI(+)) m/e 407 (M+H).

Example 931

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 926, substituting N-(4-(piperidin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide and tetrahydro-2H-pyran-4-carbaldehyde for isobutraldehyde. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.33 (s, 1H), 7.44 (m, 3H), 7.12 (m, 2H), 4.79 (m, 4H), 3.83 (m, 2H), 3.27 (m, 2H), 2.92 (m, 2H), 2.40 (m, 1H), 2.14 (d, J = 7.2 Hz, 2H), 1.95 (m, 2H), 1.74 (m, 3H), 1.61 (m, 4H), 1.12 (m, 2H); MS (ESI(+)) m/e 421 (M+H).

Example 933

tert-butyl {4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzyl}carbamate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-aminobenzylcarbamate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.29 (s, 1H), 7.52 – 7.45 (m, 2H), 7.40 – 7.24 (m, 5H), 7.15 – 7.08 (m, 2H), 4.76 (bs, 4H), 4.09 – 3.99 (m, 2H), 1.39 (s, 9H); MS (ESI(+)) m/e 368 $(M+H)^+$.

Example 934

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 934A

N-(4-nitrophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 1A, substituting 1-isocyanato-4-nitrobenzene for methyl 4-isocyanatobenzoate and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for isoindoline.

Example 934B

N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 272A, substituting N-(4-nitrophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 4-nitro-N-propylbenzamide.

Example 934C

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and cyclopentylacetic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 9.70 (s, 1H), 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.34 (s, 1H), 7.51

– 7.40 (m, 5H), 4.82 – 4.75 (m, 4H), 2.33 – 2.17 (m, 3H), 1.81 – 1.68 (m, 2H), 1.68 – 1.43 (m, 4H), 1.27 – 1.13 (m, 2H); (ESI(+)) m/e 365 $(M+H)^+$.

Example 936

N-[4-(5-{[(tetrahydrofuran-2-ylmethyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 753B, substituting (tetrahydrofuran-2-yl)methanamine for morpholine. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.68 (s, 1H), 7.91 (d, J = 8.7 Hz, 2H), 7.79 (d, J = 8.8 Hz, 2H), 7.45 – 7.20 (m, 4H), 4.80 (s, 4H), 4.08 (s, 2H), 3.95 – 3.78 (m, 1H), 3.79 – 3.66 (m, 1H), 3.66 – 3.49 (m, 1H), 2.66 (d, J = 5.6 Hz, 2H), 2.00 – 1.67 (m, 4H), 1.67 – 1.41 (m, 2H), 1.40 – 1.16 (m, 2H), 0.87 (dd, J = 9.3, 5.4 Hz, 1H); MS (ESI(+)) m/e 420 $(M+H)^+$.

Example 937

N-(4-{5-[(4-methoxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 753B, substituting 4-methoxypiperidine for morpholine. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.69 (s, 1H), 7.92 (d, J = 8.8 Hz, 2H), 7.80 (d, J = 8.8 Hz, 2H), 7.45 – 7.20 (m, 4H), 4.80 (s, 4H), 3.93 (s, 2H), 3.21 (s, 3H), 3.20 – 3.10 (m, 1H), 2.82 – 2.68 (m, 2H), 2.50 (dt, J = 3.6, 1.8 Hz, 2H), 2.41 – 2.24 (m, 2H), 1.92 – 1.75 (m, 2H), 1.56 – 1.37 (m, 2H); MS (ESI(+)) m/e 434 $(M+H)^+$.

Example 938

N-[4-(5-{[4-(2-methoxyethyl)piperazin-1-yl]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 753B, substituting N-(2-methoxyethyl)piperazine for morpholine. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.69 (s, 1H), 7.92 (d, J = 8.8 Hz, 2H), 7.86 – 7.70 (m, 2H), 7.46 – 7.23 (m, 4H), 4.80 (s, 4H), 3.93 (s, 2H), 3.40 (t, J = 5.8 Hz, 3H), 3.21 (s, 3H), 2.55 (s, 4H), 2.45 (t, J = 5.8 Hz, 6H); MS (ESI(+)) m/e 463 $(M+H)^+$.

Example 940

N-{4-[(1-pentanoylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 940A

tert-butyl 4-(4-nitrophenoxy)piperidine-1-carboxylate

4-Hydroxy-1-piperidine-1-carboxylic acid tert-butyl ester (6.04 g, 30 mmol) was dissolved in 1-fluoro-4-nitrobenzene (7.83 g, 55.5 mmol). Aqueous potassium hydroxide solution (25 percent wt, 44 mL) was added, followed by addition of tetrabutylammonium bromide (1.26 g). The reaction mixture was stirred at 35°C for 17 hours. The solid was

collected by filtration and washed with water (4 x 50 mL) to provide the title compound after vacuum drying.

Example 940B

tert-butyl 4-(4-aminophenoxy)piperidine-1-carboxylate

The title compound was prepared as described in Example 274, substituting tert-butyl 4-(4-nitrophenoxy)piperidine-1-carboxylate for 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide.

Example 940C

tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenoxy)piperidine-1-carboxylate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-(4-aminophenoxy)piperidine-1-carboxylate for 4-amino-N-propylbenzamide and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for methyl isoindoline-5-carboxylate hydrochloride.

Example 940D

N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenoxy)piperidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 940E

N-{4-[(1-pentanoylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and pentanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.80 (s, 1H), 8.68 (d, J = 5.5 Hz, 1H), 8.36 (s, 1H), 7.77 (d, J = 5.5 Hz, 1H), 7.42 (d, J = 9.0 Hz, 1H), 6.95 – 6.87 (m, 2H), 4.87 (d, J = 6.4 Hz, 4H), 4.64 – 4.45 (m, 1H), 3.92 – 3.79 (m, 1H), 3.76 – 3.63 (m, 1H), 3.38 – 3.15 (m, 2H), 2.31 (t, J = 7.4 Hz, 2H), 1.96 – 1.81 (m, 2H), 1.61 – 1.41 (m, 4H), 1.38 – 1.22 (m, 2H), 0.88 (t, J = 7.2 Hz, 3H); MS (ESI(+)) m/e 423 $(M+H)^+$.

Table 16.

The following Examples were essentially prepared as described in Example 940, substituting the appropriate alcohol, in place of 4-hydroxy-1-piperidine-1-carboxylic acid tert-butyl ester in Example 940A, and the appropriate carboxylic acid in Example 940E.

Ex		Name	^{1}H NMR	MS
941		N-{4-[(1-acetylpiperidin-4-yl)oxy]phenyl}-1,3-	1H NMR (300 MHz, DMSO-d_6) δ 8.83 (s, 1H), 8.71 (d, J = 5.6 Hz, 1H), 8.38 (s, 1H), 7.83 (d, J = 5.6 Hz, 1H), 7.42 (d, J = 8.9 Hz, 2H), 6.91 (d, J = 9.0 Hz,	(ESI(+)) m/e 381 $(M+H)^+$

		dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	2H), 4.89 (d, *J* = 9.8 Hz, 4H), 4.57 – 4.44 (m, 1H), 3.91 – 3.76 (m, 1H), 3.76 – 3.57 (m, 1H), 3.43 – 3.12 (m, 2H), 2.02 (s, 3H), 1.97 – 1.77 (m, 2H), 1.68 – 1.33 (m, 2H)	
942		N-{4-[(1-butyrylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.28 (s, 1H), 7.43 (dd, *J* = 7.0, 1.8 Hz, 3H), 6.90 (d, *J* = 9.0 Hz, 2H), 4.78 (d, *J* = 4.0 Hz, 4H), 4.57 – 4.39 (m, 1H), 3.95 – 3.76 (m, 1H), 3.70 (d, *J* = 14.0 Hz, 1H), 3.23 (dd, *J* = 15.9, 6.4 Hz, 1H), 2.30 (t, *J* = 7.4 Hz, 2H), 1.90 (s, 2H), 1.51 (dq, *J* = 14.6, 7.3 Hz, 4H), 0.89 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 409 $(M+H)^+$
943		N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.79 (s, 1H), 8.67 (d, *J* = 5.5 Hz, 1H), 8.36 (s, 1H), 7.76 (d, *J* = 5.5 Hz, 1H), 7.42 (d, *J* = 9.0 Hz, 1H), 6.91 (d, *J* = 9.0 Hz, 1H), 4.87 (d, *J* = 5.8 Hz, 2H), 4.66 – 4.47 (m, 1H), 3.98 – 3.74 (m, 2H), 3.43 – 3.14 (m, 2H), 2.81 – 2.63 (m, 1H), 1.99 – 1.82 (m, 2H), 1.55 (dt, *J* = 20.8, 7.2 Hz, 1H), 1.31 (td, *J* = 13.9, 7.1 Hz, 1H), 0.98 (d, *J* = 6.7 Hz, 3H), 0.81 (t, *J* = 7.4 Hz, 1H)	(ESI(+)) m/e 423 $(M+H)^+$
944		N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.80 (s, 1H), 8.68 (d, *J* = 5.5 Hz, 1H), 8.37 (s, 1H), 7.78 (d, *J* = 5.5 Hz, 1H), 7.42 (d, *J* = 8.9 Hz, 2H), 6.91 (d, *J* = 8.9 Hz, 2H), 4.88 (d, *J* = 7.3 Hz, 5H), 4.60 – 4.44 (m, 1H), 3.85 (dd, *J* = 14.1, 5.4 Hz, 1H), 3.67 (q, *J* = 11.0 Hz, 3H), 3.41 – 3.21 (m, 2H), 1.92 (dd, *J* = 16.5, 13.5 Hz, 2H), 1.73 – 1.35 (m, 2H)	(ESI(+)) m/e 449 $(M+H)^+$
945		N-(4-{[1-(methoxyacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.28 (s, 1H), 7.43 (dd, *J* = 6.9, 1.9 Hz, 3H), 6.90 (d, *J* = 9.0 Hz, 2H), 4.78 (d, *J* = 3.9 Hz, 5H), 4.51 (dd, *J* = 7.8, 3.9 Hz, 1H), 4.09 (s, 2H), 3.89 – 3.74 (m, 1H), 3.62 (ddd, *J* = 8.2, 4.1, 1.1 Hz, 1H), 3.29 (s, 3H), 1.91 (d, *J* = 1.3 Hz, 2H), 1.69 – 1.39 (m, 2H)	(ESI(+)) m/e 411 $(M+H)^+$
946		N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.80 (s, 1H), 8.69 (d, *J* = 5.5 Hz, 1H), 8.36 (s, 1H), 7.78 (d, *J* = 5.5 Hz, 1H), 7.42 (d, *J* = 9.0 Hz, 2H), 6.91 (d, *J* = 9.0 Hz, 2H), 4.88 (d, *J* = 8.2 Hz, 4H), 4.76 – 4.62 (m, 1H), 4.52 (s, 1H), 3.75 (dd, *J* = 12.0, 6.6 Hz, 5H), 3.48 – 3.14 (m, 2H), 1.91 (dddd, *J* = 19.4, 15.1, 7.6, 5.2 Hz, 6H), 1.51 (dd, *J* = 20.6, 12.0 Hz, 2H)	(ESI(+)) m/e 437 $(M+H)^+$
947		N-(4-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.27 (s, 1H), 7.43 (d, *J* = 8.9 Hz, 3H), 6.91 (d, *J* = 9.0 Hz, 2H), 4.78 (d, *J* = 4.0 Hz, 4H), 4.53 (dt, *J* = 7.9, 4.0 Hz, 1H), 4.06 – 3.66 (m, 2H), 3.64 – 3.39 (m, 1H), 2.08 – 1.73 (m, 3H), 1.73 – 1.37 (m, 2H), 0.84 – 0.52 (m, 4H)	(ESI(+)) m/e 407 $(M+H)^+$
948		N-(4-{[1-(cyclopropylacetyl)p	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.27 (s, 1H), 7.42 (dd, *J* = 7.0, 1.8	(ESI(+)) m/e 421

		iperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	Hz, 2H), 6.90 (d, *J* = 9.0 Hz, 1H), 4.81 – 4.74 (m, 4H), 4.57 – 4.45 (m, 1H), 3.93 – 3.81 (m, 1H), 3.73 – 3.62 (m, 1H), 2.27 (d, *J* = 6.7 Hz, 2H), 1.99 – 1.82 (m, 2H), 1.68 – 1.35 (m, 2H), 1.04 – 0.87 (m, 1H), 0.50 – 0.40 (m, 2H), 0.16 – 0.07 (m, 2H)	$(M+H)^+$
949		N-(4-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.83 (s, 1H), 8.71 (d, *J* = 5.6 Hz, 1H), 8.37 (s, 1H), 7.82 (d, *J* = 5.6 Hz, 1H), 7.41 (d, *J* = 9.0 Hz, 2H), 6.90 (d, *J* = 9.0 Hz, 2H), 4.89 (d, *J* = 9.7 Hz, 4H), 4.61 – 4.38 (m, 1H), 3.90 – 3.75 (m, 1H), 3.64 – 3.46 (m, 1H), 3.27 – 3.06 (m, 2H), 2.12 (ddd, *J* = 13.8, 12.3, 7.5 Hz, 4H), 2.00 – 1.77 (m, 3H), 1.74 (dd, *J* = 9.1, 4.8 Hz, 1H), 1.59 – 1.28 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
950		N-(4-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.78 (s, 1H), 8.66 (d, *J* = 5.5 Hz, 1H), 8.35 (s, 1H), 7.74 (d, *J* = 5.4 Hz, 1H), 7.42 (d, *J* = 9.0 Hz, 2H), 6.91 (d, *J* = 9.0 Hz, 2H), 4.87 (d, *J* = 4.5 Hz, 4H), 4.51 (dd, *J* = 7.7, 3.9 Hz, 1H), 3.92 – 3.70 (m, 2H), 3.45 – 3.30 (m, 1H), 3.21 (dd, *J* = 18.3, 8.9 Hz, 1H), 2.98 (dd, *J* = 15.4, 7.5 Hz, 1H), 2.01 – 1.38 (m, 12H)	(ESI(+)) m/e 435 $(M+H)^+$
951		N-(4-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.78 (s, 1H), 8.67 (d, *J* = 5.4 Hz, 1H), 8.35 (s, 1H), 7.75 (d, *J* = 5.5 Hz, 1H), 7.42 (d, *J* = 9.0 Hz, 2H), 6.91 (d, *J* = 9.0 Hz, 2H), 4.87 (d, *J* = 5.1 Hz, 5H), 4.55 – 4.45 (m, 1H), 3.86 (d, *J* = 12.3 Hz, 1H), 3.71 (d, *J* = 14.1 Hz, 1H), 3.39 – 3.08 (m, 2H), 2.34 (d, *J* = 7.1 Hz, 2H), 2.13 (dt, *J* = 15.3, 7.6 Hz, 1H), 1.90 (s, 2H), 1.74 (dt, *J* = 11.2, 6.5 Hz, 2H), 1.65 – 1.36 (m, 6H), 1.23 – 1.02 (m, 2H)	(ESI(+)) m/e 449 $(M+H)^+$
952		N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.78 (s, 1H), 8.66 (d, *J* = 5.4 Hz, 1H), 8.35 (s, 1H), 7.74 (d, *J* = 5.3 Hz, 1H), 7.42 (d, *J* = 9.0 Hz, 2H), 6.91 (d, *J* = 9.0 Hz, 2H), 4.87 (d, *J* = 4.5 Hz, 4H), 4.54 – 4.44 (m, 1H), 3.83 (s, 2H), 3.17 (d, *J* = 0.9 Hz, 2H), 2.63 – 2.52 (m, 1H), 1.91 (s, 3H), 1.61 (dd, *J* = 38.7, 30.1 Hz, 7H), 1.43 – 1.02 (m, 7H)	(ESI(+)) m/e 449 $(M+H)^+$
987		N-(4-{[1-(3,3,3-trifluoropropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.77 (s, 1H), 8.65 (d, *J* = 5.4 Hz, 1H), 8.38 (s, 1H), 7.72 (d, *J* = 5.5 Hz, 2H), 7.45 (d, *J* = 9.1 Hz, 2H), 6.78 (d, *J* = 9.1 Hz, 2H), 5.06 – 4.93 (m, 1H), 4.87 (d, *J* = 3.6 Hz, 4H), 4.60 (dd, *J* = 8.6, 6.5 Hz, 1H), 4.34 (dd, *J* = 11.0, 6.1 Hz, 1H), 4.15 (dd, *J* = 9.6, 2.9 Hz, 1H), 3.81 (dd, *J* = 10.7, 3.8 Hz, 1H), 3.40 (q, *J* = 11.2 Hz, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
988		N-(4-{[1-(4,4,4-trifluorobutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.69 (s, 1H), 8.58 (d, *J* = 5.3 Hz, 1H), 8.34 (s, 1H), 7.58 (d, *J* = 5.2 Hz, 1H), 7.45 (d, *J* = 9.1 Hz, 2H), 6.78 (d, *J* = 9.0 Hz, 2H), 4.98 (dd, *J* = 8.4, 4.4 Hz, 1H), 4.82 (s, 4H), 4.66 – 4.49 (m, 1H), 4.31 (dd, *J* = 10.6, 6.5 Hz, 1H), 4.13 (dd, *J* = 9.4, 3.5 Hz, 1H), 3.78 (dd, *J* = 10.5, 3.7 Hz, 2H), 2.40 – 2.29 (m, 4H)	(ESI(+)) m/e 435 $(M+H)^+$

989		N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.57 (s, 1H), 8.47 (d, *J* = 5.0 Hz, 1H), 8.06 (s, 1H), 7.50 – 7.39 (m, 2H), 7.37 (d, *J* = 4.9 Hz, 1H), 6.82 – 6.70 (m, 2H), 4.98 (tt, *J* = 6.5, 4.1 Hz, 1H), 4.83 – 4.73 (m, 5H), 4.34 (dd, *J* = 7.6, 6.2 Hz, 2H), 3.85 – 3.61 (m, 4H), 2.10 – 1.90 (m, 2H), 1.90 – 1.70 (m, 2H)	(ESI(+)) m/e 409 $(M+H)^+$
990		N-(4-{[1-(tetrahydrofuran-3-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.57 (s, 1H), 8.47 (d, *J* = 5.0 Hz, 1H), 8.06 (s, 1H), 7.50 – 7.41 (m, 2H), 7.37 (d, *J* = 5.0 Hz, 1H), 6.92 – 6.66 (m, 2H), 5.03 – 4.91 (m, 1H), 4.83 – 4.73 (m, 5H), 3.78 (dd, *J* = 8.3, 7.1 Hz, 1H), 3.71 (td, *J* = 8.1, 5.4 Hz, 1H), 3.62 (dd, *J* = 15.4, 7.4 Hz, 1H), 3.27 (dd, *J* = 8.4, 6.5 Hz, 1H), 2.24 – 2.09 (m, 3H), 2.05 – 1.89 (m, 1H), 1.50 (dt, *J* = 14.7, 7.0 Hz, 1H)	(ESI(+)) m/e 423 $(M+H)^+$
991		N-(4-{[1-(cyclobutylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.76 (s, 1H), 8.64 (d, *J* = 5.4 Hz, 1H), 8.38 (s, 1H), 7.70 (d, *J* = 5.4 Hz, 1H), 7.44 (d, *J* = 9.0 Hz, 2H), 6.77 (d, *J* = 9.0 Hz, 2H), 5.05 – 4.90 (m, 1H), 4.86 (s, 4H), 4.52 – 4.40 (m, 1H), 4.30 – 4.20 (m, 1H), 3.97 (dd, *J* = 9.5, 3.8 Hz, 1H), 3.74 (dd, *J* = 10.4, 3.8 Hz, 1H), 3.12 (p, *J* = 8.4 Hz, 1H), 2.19 – 1.96 (m, 4H), 1.96 – 1.79 (m, 1H), 1.79 – 1.62 (m, 1H)	(ESI(+)) m/e 393 $(M+H)^+$
992		N-(4-{[1-(cyclopentylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.77 (s, 1H), 8.66 (d, *J* = 5.4 Hz, 1H), 8.38 (s, 1H), 7.73 (d, *J* = 5.3 Hz, 1H), 7.45 (d, *J* = 9.0 Hz, 2H), 6.78 (d, *J* = 9.0 Hz, 2H), 4.97 (t, *J* = 5.1 Hz, 1H), 4.87 (d, *J* = 3.9 Hz, 4H), 4.64 – 4.47 (m, 1H), 4.27 (dd, *J* = 10.3, 6.6 Hz, 1H), 4.14 – 4.02 (m, 1H), 3.82 – 3.65 (m, 1H), 2.76 – 2.55 (m, 1H), 1.89 – 1.39 (m, 8H)	(ESI(+)) m/e 407 $(M+H)^+$
993		N-(4-{[1-(3-phenylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.80 (s, 1H), 8.68 (d, *J* = 5.4 Hz, 1H), 8.37 (s, 1H), 7.77 (d, *J* = 5.3 Hz, 1H), 7.49 – 7.37 (m, 2H), 7.33 – 7.11 (m, 5H), 6.87 (dd, *J* = 9.1, 2.3 Hz, 2H), 4.91 (dd, *J* = 22.6, 11.0 Hz, 5H), 3.51 (d, *J* = 9.0 Hz, 4H), 2.81 (dd, *J* = 13.6, 7.3 Hz, 2H), 2.63 – 2.51 (m, 2H), 2.07 (dd, *J* = 17.7, 8.2 Hz, 2H)	(ESI(+)) m/e 457 $(M+H)^+$
994		N-(4-{[1-(phenylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.29 (s, 1H), 7.43 (dd, *J* = 6.8, 4.6 Hz, 3H), 7.38 – 7.10 (m, 5H), 6.86 (dd, *J* = 8.9, 1.9 Hz, 2H), 4.98 (d, *J* = 21.6 Hz, 1H), 4.78 (d, *J* = 4.4 Hz, 4H), 3.59 (dd, *J* = 29.8, 8.4 Hz, 6H), 2.24 – 1.94 (m, 2H)	(ESI(+)) m/e 443 $(M+H)^+$
995		N-[4-({1-[(4-methoxyphenyl)acetyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.29 (s, 1H), 7.52 – 7.34 (m, 3H), 7.14 (t, *J* = 8.1 Hz, 2H), 6.95 – 6.73 (m, 4H), 4.97 (d, *J* = 21.7 Hz, 1H), 4.78 (d, *J* = 4.4 Hz, 4H), 3.70 (t, *J* = 10.2 Hz, 5H), 3.63 – 3.47 (m, 4H), 2.31 – 1.91 (m, 2H)	(ESI(+)) m/e 473 $(M+H)^+$

		c]pyridine-2-carboxamide		
996		N-(4-{[1-(methoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.82 (s, 1H), 8.70 (d, *J* = 5.5 Hz, 1H), 8.39 (s, 1H), 7.81 (d, *J* = 5.3 Hz, 1H), 7.44 (d, *J* = 9.0 Hz, 2H), 6.96 – 6.81 (m, 2H), 4.91 (t, *J* = 9.8 Hz, 5H), 4.05 (s, 1H), 3.99 (s, 1H), 3.76 – 3.32 (m, 4H), 3.30 (s, 1.5H), 3.28 (s, 1.5H), 2.13 (dd, *J* = 7.4, 3.7 Hz, 1H), 2.07 – 1.96 (m, 1H)	(ESI(+)) m/e 397 $(M+H)^+$
997		N-(4-{[1-(cyclopropylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.29 (s, 1H), 7.53 – 7.32 (m, 3H), 6.89 (dd, *J* = 9.0, 7.4 Hz, 2H), 5.03 (dd, *J* = 18.0, 16.5 Hz, 1H), 4.78 (d, *J* = 3.8 Hz, 4H), 3.98 – 3.61 (m, 2H), 3.51 (m, 2H), 2.31 – 1.91 (m, 2H), 1.76 (d, *J* = 20.7 Hz, 1H), 0.83 – 0.59 (m, 4H)	(ESI(+)) m/e 393 $(M+H)^+$
998		N-(4-{[1-(cyclohexylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.80 (s, 1H), 8.68 (d, *J* = 5.5 Hz, 1H), 8.37 (s, 1H), 7.77 (d, *J* = 5.0 Hz, 1H), 7.43 (dd, *J* = 9.0, 1.8 Hz, 2H), 6.88 (dd, *J* = 9.0, 7.5 Hz, 2H), 5.01 (s, 1H), 4.89 (t, *J* = 8.6 Hz, 4H), 3.82 – 3.25 (m, 4H), 2.43 – 1.93 (m, 3H), 1.67 (d, *J* = 10.0 Hz, 5H), 1.47 – 1.03 (m, 5H)	(ESI(+)) m/e 435 $(M+H)^+$
999		N-(4-{[1-(cyclopentylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.76 (s, 1H), 8.65 (d, *J* = 5.4 Hz, 1H), 8.35 (s, 1H), 7.71 (d, *J* = 5.2 Hz, 1H), 7.44 (d, *J* = 8.6 Hz, 2H), 7.02 – 6.78 (m, 2H), 4.96 (d, *J* = 21.3 Hz, 1H), 4.86 (d, *J* = 2.2 Hz, 4H), 3.67 – 3.44 (m, 4H), 2.31 – 2.01 (m, 5H), 1.75 (s, 2H), 1.62 – 1.38 (m, 4H), 1.10 (dd, *J* = 13.0, 5.9 Hz, 2H)	(ESI(+)) m/e 435 $(M+H)^+$
1000		N-(4-{[1-(cyclopentylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.76 (s, 1H), 8.64 (d, *J* = 5.4 Hz, 1H), 8.35 (s, 1H), 7.70 (d, *J* = 5.0 Hz, 1H), 7.54 – 7.34 (m, 2H), 6.97 – 6.77 (m, 2H), 4.97 (m, 1H), 4.86 (s, 4H), 3.69 – 3.36 (m, 4H), 2.95 – 2.68 (m, 1H), 2.11 (ddd, *J* = 17.8, 8.5, 4.2 Hz, 2H), 1.86 – 1.41 (m, 8H)	(ESI(+)) m/e 421 $(M+H)^+$
1001		N-{4-[(1-benzoylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.78 (d, *J* = 2.9 Hz, 1H), 8.67 (d, *J* = 4.0 Hz, 1H), 8.36 (d, *J* = 14.5 Hz, 1H), 7.75 (d, *J* = 4.4 Hz, 1H), 7.61 – 7.33 (m, 7H), 6.88 (dd, *J* = 27.8, 8.9 Hz, 2H), 4.98 (m, 1H), 4.87 (m, 4H), 3.90 – 3.75 (m, 1H), 3.71 – 3.57 (m, 2H), 3.46 (d, *J* = 24.5 Hz, 1H), 2.11 (d, *J* = 13.7 Hz, 2H)	(ESI(+)) m/e 429 $(M+H)^+$
1002		N-(4-{[1-(3-ethoxypropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.73 (s, 1H), 8.61 (d, *J* = 5.3 Hz, 1H), 8.34 (s, 1H), 7.65 (d, *J* = 5.1 Hz, 1H), 7.44 (dd, *J* = 9.0, 1.1 Hz, 2H), 6.88 (dd, *J* = 9.0, 5.3 Hz, 2H), 4.97 (d, *J* = 19.1 Hz, 1H), 4.84 (s, 4H), 3.62 – 3.47 (m, 6H), 3.47 – 3.32 (m, 4H), 2.19 – 2.09	(ESI(+)) m/e 425 $(M+H)^+$

		pyrrolo[3,4-c]pyridine-2-carboxamide	(m, 1H), 2.09 – 2.00 (m, 1H), 1.07 (dt, *J* = 9.8, 7.0 Hz, 3H)	
1003		N-[4-({1-[(2-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.78 (s, 1H), 8.66 (d, *J* = 5.4 Hz, 1H), 8.36 (s, 1H), 7.74 (d, *J* = 5.3 Hz, 1H), 7.54 – 7.35 (m, 2H), 6.88 (td, *J* = 9.9, 5.3 Hz, 2H), 4.99 (d, *J* = 30.6 Hz, 1H), 4.87 (d, *J* = 4.1 Hz, 4H), 3.94 – 3.58 (m, 2H), 3.52 (t, *J* = 5.2 Hz, 2H), 2.29 – 2.01 (m, 2H), 1.57 – 1.42 (m, 1H), 1.12 – 1.01 (m, 4H), 0.94 (ddd, *J* = 9.5, 7.6, 4.7 Hz, 1H), 0.62 – 0.50 (m, 1H)	(ESI(+)) m/e 407 $(M+H)^+$
1004		N-[4-({1-[(1-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.77 (s, 1H), 8.65 (d, *J* = 5.4 Hz, 1H), 8.36 (s, 1H), 7.72 (d, *J* = 5.4 Hz, 1H), 7.57 – 7.37 (m, 2H), 6.88 (d, *J* = 9.0 Hz, 2H), 4.97 (s, 1H), 4.87 (d, *J* = 3.5 Hz, 4H), 4.26 (s, 2H), 3.77 (s, 2H), 2.10 (s, 2H), 1.26 – 1.17 (m, 3H), 0.92 – 0.80 (m, 1H), 0.66 (s, 1H), 0.48 (s, 2H)	(ESI(+)) m/e 407 $(M+H)^+$
1005		N-(4-{[1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.75 (s, 1H), 8.63 (d, *J* = 5.3 Hz, 1H), 8.34 (s, 1H), 7.68 (d, *J* = 5.1 Hz, 1H), 7.49 – 7.34 (m, 2H), 6.94 – 6.76 (m, 2H), 4.95 (d, *J* = 17.9 Hz, 1H), 4.85 (s, 4H), 3.67 – 3.10 (m, 5H), 2.10 (dtd, *J* = 19.7, 15.3, 8.2 Hz, 6H), 1.96 – 1.64 (m, 2H)	(ESI(+)) m/e 407 $(M+H)^+$
1006		N-(4-{[1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.79 (s, 1H), 8.67 (d, *J* = 5.4 Hz, 1H), 8.37 (s, 1H), 7.75 (d, *J* = 5.4 Hz, 1H), 7.44 (d, *J* = 9.0 Hz, 2H), 6.96 – 6.76 (m, 2H), 4.97 (d, *J* = 21.3 Hz, 1H), 4.87 (d, *J* = 5.4 Hz, 4H), 3.83 – 3.24 (m, 4H), 2.25 – 1.98 (m, 5H), 0.98 – 0.81 (m, 6H)	(ESI(+)) m/e 409 $(M+H)^+$
1007		N-(4-{[1-(2-methylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.76 (s, 1H), 8.65 (d, *J* = 5.4 Hz, 1H), 8.36 (s, 1H), 7.71 (d, *J* = 5.0 Hz, 1H), 7.44 (d, *J* = 8.8 Hz, 2H), 6.88 (dd, *J* = 9.0, 6.9 Hz, 2H), 4.97 (d, *J* = 25.9 Hz, 1H), 4.86 (d, *J* = 2.6 Hz, 4H), 3.80 – 3.26 (m, 4H), 2.64 (ddt, *J* = 27.4, 13.9, 7.1 Hz, 1H), 2.31 – 2.00 (m, 2H), 0.99 (ddd, *J* = 16.0, 9.0, 4.2 Hz, 6H)	(ESI(+)) m/e 395 $(M+H)^+$
1008		N-{4-[(1-acetylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.79 (s, 1H), 8.67 (d, *J* = 5.5 Hz, 1H), 8.37 (s, 1H), 7.75 (d, *J* = 5.4 Hz, 1H), 7.44 (d, *J* = 8.9 Hz, 2H), 6.95 – 6.79 (m, 2H), 5.07 – 4.90 (m, 1H), 4.87 (d, *J* = 5.3 Hz, 4H), 3.83 – 3.22 (m, 4H), 2.26 – 2.00 (m, 2H), 1.97 (s, 1.5H), 1.93 (s, 1.5H)	(ESI(+)) m/e 367 $(M+H)^+$
1009		N-(4-{[1-(4,4,4-trifluorobutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.76 (s, 1H), 8.64 (d, *J* = 5.4 Hz, 1H), 8.36 (s, 1H), 7.71 (d, *J* = 5.4 Hz, 1H), 7.44 (dd, *J* = 9.0, 1.7 Hz, 2H), 6.88 (dd, *J* = 8.9, 6.4 Hz, 2H), 4.99 (d, *J* = 21.2 Hz, 1H), 4.86 (d, *J* = 2.1	(ESI(+)) m/e 449 $(M+H)^+$

		dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	Hz, 4H), 3.85 – 3.29 (m, 4H), 2.56 (d, *J* = 5.1 Hz, 4H), 2.11 (dd, *J* = 24.1, 8.1 Hz, 2H)	
1010		N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.77 (s, 1H), 8.66 (d, *J* = 5.4 Hz, 1H), 8.37 (s, 1H), 7.73 (d, *J* = 5.1 Hz, 1H), 7.44 (dd, *J* = 8.9, 1.6 Hz, 2H), 6.89 (dd, *J* = 8.8, 6.9 Hz, 2H), 4.98 (d, *J* = 21.7 Hz, 1H), 4.86 (d, *J* = 3.8 Hz, 4H), 3.95 – 3.46 (m, 8H), 3.20 (dd, *J* = 14.8, 7.8 Hz, 1H), 1.97 (d, *J* = 7.5 Hz, 4H)	(ESI(+)) m/e 423 $(M+H)^+$
1011		N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.80 (s, 1H), 8.68 (d, *J* = 5.5 Hz, 1H), 8.38 (s, 1H), 7.78 (d, *J* = 5.4 Hz, 1H), 7.44 (d, *J* = 9.0 Hz, 2H), 6.88 (dd, *J* = 8.2, 4.6 Hz, 2H), 4.98 (d, *J* = 23.0 Hz, 1H), 4.88 (d, *J* = 7.4 Hz, 4H), 4.51 (dt, *J* = 13.2, 6.2 Hz, 2H), 3.89 – 3.46 (m, 5H), 2.33 – 1.67 (m, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
1012		N-(4-{[1-(ethoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.79 (s, 1H), 8.67 (d, *J* = 5.5 Hz, 1H), 8.38 (s, 1H), 7.76 (d, *J* = 5.1 Hz, 1H), 7.44 (d, *J* = 9.0 Hz, 2H), 6.94 – 6.76 (m, 2H), 4.98 (d, *J* = 22.7 Hz, 2H), 4.87 (d, *J* = 5.8 Hz, 5H), 4.07 (s, 1H), 4.01 (s, 1H), 3.75 – 3.27 (m, 7H), 2.24 – 1.98 (m, 2H), 1.11 (dt, *J* = 10.8, 6.9 Hz, 3H)	(ESI(+)) m/e 411 $(M+H)^+$
1026		N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.77 (s, 1H), 8.65 (d, *J* = 5.4 Hz, 1H), 8.34 (s, 1H), 7.72 (d, *J* = 5.4 Hz, 1H), 7.50 – 7.34 (m, 2H), 6.99 – 6.82 (m, 2H), 4.86 (d, *J* = 3.5 Hz, 4H), 4.56 – 4.45 (m, 1H), 3.60-3.89 (m, 2H), 3.39 – 3.14 (m, 2H), 2.20 (d, *J* = 6.7 Hz, 2H), 1.90 (s, 2H), 1.72 – 1.39 (m, 8H), 1.29 – 1.06 (m, 3H), 0.94 (t, *J* = 11.6 Hz, 2H)	(ESI(+)) m/e 463 $(M+H)^+$
1027		N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.79 (s, 1H), 8.67 (d, *J* = 5.5 Hz, 1H), 8.36 (s, 1H), 7.76 (d, *J* = 5.5 Hz, 1H), 7.42 (d, *J* = 9.0 Hz, 2H), 6.91 (d, *J* = 9.0 Hz, 2H), 4.87 (d, *J* = 6.1 Hz, 5H), 4.50 (dd, *J* = 7.7, 3.9 Hz, 2H), 3.81 (ddd, *J* = 27.5, 21.4, 10.7 Hz, 4H), 3.39 – 3.14 (m, 4H), 2.27 (d, *J* = 6.5 Hz, 2H), 2.01 – 1.77 (m, 3H), 1.65 – 1.35 (m, 4H), 1.19 (tdd, *J* = 13.5, 9.2, 4.4 Hz, 2H)	(ESI(+)) m/e 465 $(M+H)^+$
1037		N-(4-{[1-(tetrahydrofuran-2-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.75 (s, 1H), 8.63 (d, *J* = 5.4 Hz, 1H), 8.37 (s, 1H), 7.68 (d, *J* = 5.2 Hz, 1H), 7.45 (d, *J* = 9.0 Hz, 2H), 6.78 (d, *J* = 9.0 Hz, 2H), 4.97 (dd, *J* = 10.3, 6.6 Hz, 1H), 4.85 (s, 4H), 4.63 – 4.48 (m, 1H), 4.27 (s, 2H), 4.05 (dd, *J* = 13.5, 6.8 Hz, 2H), 3.62 – 3.45 (m, 2H), 2.28 (dddd, *J* = 20.3, 14.5, 10.4, 7.5 Hz, 3H), 2.06 – 1.90 (m, 1H), 1.81 (dd, *J* = 13.8, 6.4 Hz, 2H), 1.47 (ddd, *J* = 15.7, 11.8, 7.2 Hz, 1H)	(ESI(+)) m/e 423 $(M+H)^+$

1038		N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.77 (s, 1H), 8.65 (d, *J* = 5.4 Hz, 1H), 8.38 (s, 1H), 7.71 (d, *J* = 5.5 Hz, 1H), 7.45 (d, *J* = 9.1 Hz, 2H), 6.78 (d, *J* = 9.0 Hz, 2H), 4.96 (s, 1H), 4.86 (d, *J* = 3.0 Hz, 4H), 4.62 – 4.47 (m, 1H), 4.27 (dd, *J* = 10.7, 6.3 Hz, 1H), 4.03 (dd, *J* = 14.3, 7.2 Hz, 1H), 3.76 (dd, *J* = 18.7, 8.0 Hz, 3H), 3.25 (dd, *J* = 27.4, 15.8 Hz, 2H), 2.01 (t, *J* = 7.5 Hz, 2H), 1.89 (s, 1H), 1.56 (d, *J* = 11.3 Hz, 2H), 1.34 – 1.03 (m, 2H)	(ESI(+)) m/e 437 $(M+H)^+$
1039		N-(4-{[1-(morpholin-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.70 (s, 1H), 8.59 (d, *J* = 5.3 Hz, 1H), 8.37 (s, 1H), 7.59 (d, *J* = 5.1 Hz, 1H), 7.47 (d, *J* = 9.0 Hz, 2H), 6.80 (d, *J* = 9.0 Hz, 2H), 5.06 (s, 1H), 4.83 (s, 4H), 4.65 – 4.53 (m, 1H), 4.44 (dd, *J* = 10.8, 6.2 Hz, 1H), 4.21 – 4.12 (m, 2H), 4.07 (s, 5H), 3.23 (s, 4H)	(ESI(+)) m/e 438 $(M+H)^+$
1040		N-(4-{[1-(cyclohexylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.77 (s, 1H), 8.66 (d, *J* = 5.4 Hz, 1H), 8.38 (s, 1H), 7.73 (d, *J* = 5.4 Hz, 1H), 7.45 (d, *J* = 9.0 Hz, 2H), 6.78 (d, *J* = 9.0 Hz, 2H), 5.05 – 4.91 (m, 1H), 4.87 (d, *J* = 3.9 Hz, 4H), 4.62 – 4.45 (m, 1H), 4.27 (dd, *J* = 10.4, 6.5 Hz, 1H), 4.04 (dd, *J* = 9.1, 3.5 Hz, 1H), 3.74 (dd, *J* = 10.6, 3.7 Hz, 1H), 2.05 – 1.88 (m, 2H), 1.64 (d, *J* = 12.0 Hz, 6H), 1.16 (m, 3H), 0.94 (t, *J* = 11.8 Hz, 2H)	(ESI(+)) m/e 435 $(M+H)^+$
1041		N-(4-{[1-(2-methylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.76 (s, 1H), 8.65 (d, *J* = 5.4 Hz, 1H), 8.38 (s, 1H), 7.71 (d, *J* = 5.4 Hz, 1H), 7.51 – 7.37 (m, 2H), 6.79 (d, *J* = 9.0 Hz, 2H), 4.98 (d, *J* = 2.5 Hz, 1H), 4.86 (d, *J* = 2.9 Hz, 4H), 4.64 – 4.48 (m, 1H), 4.33 – 4.21 (m, 1H), 4.12 – 4.02 (m, 1H), 3.76 (dd, *J* = 10.5, 3.8 Hz, 1H), 2.29 (dd, *J* = 13.8, 6.9 Hz, 1H), 1.58 – 1.39 (m, 1H), 1.39 – 1.20 (m, 1H), 0.97 (dd, *J* = 6.8, 4.1 Hz, 3H), 0.82 (q, *J* = 7.3 Hz, 3H)	(ESI(+)) m/e 395 $(M+H)^+$
1042		N-(4-{[1-(2,2-dimethylpropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.78 (s, 1H), 8.67 (d, *J* = 5.5 Hz, 1H), 8.39 (s, 1H), 7.74 (d, *J* = 5.4 Hz, 1H), 7.54 – 7.33 (m, 2H), 6.82 – 6.64 (m, 2H), 4.94 (td, *J* = 6.3, 3.2 Hz, 1H), 4.87 (d, *J* = 4.8 Hz, 4H), 4.55 – 4.12 (m, 4H), 1.12 (s, 9H)	(ESI(+)) m/e 395 $(M+H)^+$
1043		N-(4-{[1-(3,3-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.80 (s, 1H), 8.68 (d, *J* = 5.5 Hz, 1H), 8.39 (s, 1H), 7.77 (d, *J* = 5.5 Hz, 1H), 7.44 (d, *J* = 9.0 Hz, 2H), 6.78 (d, *J* = 9.0 Hz, 2H), 5.01 – 4.90 (m, 1H), 4.88 (d, *J* = 6.5 Hz, 4H), 4.60 – 4.45 (m, 1H), 4.27 (dd, *J* = 10.4, 6.5 Hz, 1H), 4.04 (dd, *J* = 8.9, 5.2 Hz, 1H), 3.74 (dd, *J* = 10.6, 3.8 Hz, 1H), 1.96 (s, 2H), 0.98 (s, 9H)	(ESI(+)) m/e 409 $(M+H)^+$
1044		N-(4-{[1-(tricyclo[3.3.1.1~3,7~]dec-1-ylacetyl)azetidin-3-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.76 (s, 1H), 8.64 (d, *J* = 5.4 Hz, 1H), 8.38 (s, 1H), 7.70 (d, *J* = 5.4 Hz, 1H), 7.52 – 7.36 (m, 2H), 6.82 – 6.69 (m, 2H), 4.97 – 4.90 (m, 1H), 4.86 (s, 4H), 4.61 – 4.47 (m, 1H), 4.26	(ESI(+)) m/e 487 $(M+H)^+$

		yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(dd, *J* = 10.3, 6.4 Hz, 1H), 4.08 – 3.99 (m, 1H), 3.74 (dd, *J* = 10.6, 3.9 Hz, 1H), 1.92 (s, 2H), 1.83 (s, 2H), 1.70 – 1.52 (m, 13H)	
1045		N-[4-({1-[(4-methoxycyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.76 (s, 1H), 8.65 (d, *J* = 5.4 Hz, 1H), 8.38 (s, 1H), 7.71 (d, *J* = 5.4 Hz, 1H), 7.45 (d, *J* = 9.0 Hz, 2H), 6.78 (d, *J* = 9.0 Hz, 2H), 4.96 (s, 1H), 4.86 (d, *J* = 2.7 Hz, 4H), 4.58 (s, 1H), 4.31 – 4.19 (m, 1H), 4.05 (dd, *J* = 14.5, 7.4 Hz, 1H), 3.74 (d, *J* = 10.3 Hz, 1H), 3.36 (s, 1H), 3.19 (s, 3H), 2.27 (s, 1H), 1.81 (s, 2H), 1.57 (t, *J* = 12.2 Hz, 2H), 1.38 (s, 4H)	(ESI(+)) m/e 451 $(M+H)^+$
1288		N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.57 (s, 1H), 8.47 (d, *J* = 5.0 Hz, 1H), 8.06 (s, 1H), 7.50 – 7.40 (m, 2H), 7.37 (d, *J* = 5.0 Hz, 1H), 6.82 – 6.70 (m, 2H), 4.97 (tt, *J* = 6.4, 4.0 Hz, 1H), 4.83 – 4.73 (m, 4H), 4.69 – 4.44 (m, 1H), 4.44 – 4.19 (m, 1H), 4.21 – 3.98 (m, 1H), 3.89 (ddd, *J* = 14.6, 10.3, 2.3 Hz, 3H), 3.48 – 3.33 (m, 1H), 1.79 (dt, *J* = 6.0, 4.3 Hz, 1H), 1.70 (dt, *J* = 6.7, 2.5 Hz, 1H), 1.61 – 1.39 (m, 4H)	(ESI(+)) m/e 423 $(M+H)^+$
1289		N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.57 (s, 1H), 8.47 (d, *J* = 5.0 Hz, 1H), 8.08 – 7.96 (m, 1H), 7.46 – 7.39 (m, 2H), 7.37 (d, *J* = 5.2 Hz, 1H), 6.84 (t, *J* = 5.9 Hz, 2H), 5.00 – 4.86 (m, 1H), 4.86 – 4.72 (m, 4H), 4.08 – 3.92 (m, 1H), 3.92 – 3.36 (m, 6H), 2.21 – 1.95 (m, 2H), 1.69 – 1.40 (m, 6H)	(ESI(+)) m/e 437 $(M+H)^+$
1292		N-{4-[(1-acetylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.83 (s, 1H), 8.71 (d, *J* = 5.4 Hz, 1H), 8.38 (s, 1H), 7.83 (dd, *J* = 5.2, 3.0 Hz, 1H), 7.42 (dd, *J* = 8.9, 6.6 Hz, 2H), 6.89 (t, *J* = 8.5 Hz, 2H), 4.89 (d, *J* = 9.6 Hz, 4H), 4.43 (s, 1H), 4.22 – 3.94 (m, 1H), 3.67 – 3.47 (m, 2H), 3.36 – 3.02 (m, 1H), 2.02 (s, 1.5H), 1.87 (s, 1.5H), 1.83 – 1.32 (m, 3H)	(ESI(+)) m/e 381 $(M+H)^+$
1293		N-{4-[(1-butanoylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.66 (s, 1H), 8.55 (d, *J* = 5.3 Hz, 1H), 8.07 (s, 1H), 7.54 (d, *J* = 5.1 Hz, 1H), 7.41 (d, *J* = 8.9 Hz, 2H), 6.95 – 6.70 (m, 2H), 4.83 (s, 4H), 4.23 (bs, 2H), 3.45 (bs, 2H), 2.24 (bs, 2H), 1.96 (bs, 1H), 1.73 (bs, 2H), 1.51 (dt, *J* = 14.8, 7.4 Hz, 3H), 0.87 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 409 $(M+H)^+$
1294		N-(4-{[1-(3-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.65 (s, 1H), 8.54 (d, *J* = 5.2 Hz, 1H), 8.07 (s, 1H), 7.52 (d, *J* = 5.2 Hz, 1H), 7.41 (d, *J* = 8.9 Hz, 2H), 6.92 – 6.79 (m, 2H), 4.82 (s, 4H), 4.25 (bs, 2H), 3.46 (bs, 2H), 2.14 (s, 2H), 2.05 – 1.90 (m, 2H), 1.73 (bs, 2H), 1.45 (bs, 1H), 0.90 (dd, *J* = 9.3, 6.5 Hz, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
1295		N-(4-{[1-	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64	(ESI(+))

		(methoxyacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(s, 1H), 8.54 (d, *J* = 5.2 Hz, 1H), 8.07 (s, 1H), 7.51 (d, *J* = 5.1 Hz, 1H), 7.42 (d, *J* = 9.0 Hz, 2H), 6.86 (d, *J* = 9.0 Hz, 2H), 4.82 (s, 4H), 4.26 (bs, 1H), 4.05 (d, *J* = 13.6 Hz, 1H), 3.96 (s, 1H), 3.42 (m, 4H), 3.27 (bs, 3H), 1.93 (d, *J* = 28.0 Hz, 1H), 1.74 (bs, 2H), 1.49 (bs, 1H)	m/e 411 $(M+H)^+$
1296		N-(4-{[1-(2-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (s, 1H), 8.53 (d, *J* = 5.1 Hz, 1H), 8.06 (d, *J* = 2.1 Hz, 1H), 7.51 (d, *J* = 5.2 Hz, 1H), 7.44 – 7.38 (m, 2H), 6.85 (dd, *J* = 8.7, 1.2 Hz, 2H), 4.82 (s, 4H), 4.28 – 4.17 (m, 1H), 3.67 (s, 2H), 3.51 – 3.37 (m, 2H), 2.65 (s, 1H), 2.02 – 1.88 (m, 1H), 1.79 – 1.65 (m, 2H), 1.63 – 1.39 (m, 2H), 1.38 – 1.22 (m, 1H), 0.98 (dd, *J* = 6.7, 4.4 Hz, 3H), 0.90 – 0.76 (m, 3H)	(ESI(+)) m/e 423 $(M+H)^+$
1297		N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (s, 1H), 8.54 (d, *J* = 5.2 Hz, 1H), 8.08 (m, 1H), 7.52 (d, *J* = 5.1 Hz, 1H), 7.42 (d, *J* = 8.9 Hz, 2H), 6.86 (d, *J* = 9.0 Hz, 2H), 4.82 (m, 4H), 4.26 (s, 1H), 3.63 – 3.41 (m, 6H), 1.93 (d, *J* = 26.2 Hz, 1H), 1.75 (m, 2H), 1.49 (m, 1H)	(ESI(+)) m/e 449 $(M+H)^+$
1298		N-(4-{[1-(cyclopropylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (s, 1H), 8.53 (d, *J* = 5.2 Hz, 1H), 8.06 (s, 1H), 7.51 (d, *J* = 5.3 Hz, 1H), 7.48 – 7.35 (m, 2H), 6.92 – 6.79 (m, 2H), 4.82 (s, 4H), 4.23 (m, 1H), 3.42 – 3.13 (m, 4H), 2.27 (d, *J* = 33.4 Hz, 3H), 1.93 (d, *J* = 26.2 Hz, 1H), 1.72 (m, 2H), 1.46 (m, 1H), 0.95 (m, 1H), 0.43 (d, *J* = 8.0 Hz, 2H), 0.09 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
1299		N-(4-{[1-(cyclobutylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (s, 1H), 8.53 (d, *J* = 5.1 Hz, 1H), 8.07 (bs, 1H), 7.50 (d, *J* = 5.2 Hz, 1H), 7.45 – 7.39 (m, 2H), 6.88 – 6.82 (m, 2H), 4.82 (s, 4H), 4.27 – 4.15 (m, 1H), 3.48 – 3.38 (m, 2H), 2.24 – 1.65 (m, 9H), 1.50 – 1.38 (m, 1H)	(ESI(+)) m/e 421 $(M+H)^+$
1300		N-(4-{[1-(cyclobutylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (s, 1H), 8.53 (d, *J* = 5.1 Hz, 1H), 8.10 – 8.05 (m, 1H), 7.51 (d, *J* = 5.2 Hz, 1H), 7.42 (d, *J* = 7.7 Hz, 1H), 6.89 – 6.82 (m, 2H), 4.82 (s, 4H), 4.51 – 3.84 (m, 1H), 2.67 – 2.53 (m, 1H), 2.30 (d, *J* = 7.4 Hz, 1H), 2.11 – 1.91 (m, 3H), 1.88 – 1.58 (m, 7H)	(ESI(+)) m/e 435 $(M+H)^+$
1301		N-(4-{[1-(cyclopentylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (s, 1H), 8.53 (d, *J* = 5.2 Hz, 1H), 8.07 (s, 1H), 7.51 (d, *J* = 5.2 Hz, 1H), 7.42 (dd, *J* = 9.0, 3.7 Hz, 2H), 6.86 (d, *J* = 9.0 Hz, 2H), 4.82 (s, 4H), 4.45 – 3.57 (m, 5H), 2.92 (s, 2H), 1.97 (s, 1H), 1.67 (m, 12H)	(ESI(+)) m/e 435 $(M+H)^+$

		carboxamide		
1302		N-(4-{[1-(cyclopentylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.65 (s, 1H), 8.54 (d, *J* = 5.2 Hz, 1H), 8.07 (s, 1H), 7.52 (d, *J* = 5.2 Hz, 1H), 7.49 – 7.35 (m, 2H), 6.92 – 6.79 (m, 2H), 4.82 (s, 4H), 4.24 (s, 1H), 3.46 (s, 4H), 2.36 – 2.07 (m, 3H), 1.93 (m,1H), 1.73 (m, 4H), 1.51 (dd, *J* = 22.2, 13.1 Hz, 5H), 1.13 (m, 2H)	(ESI(+)) m/e 449 $(M+H)^+$
1303		N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (bs, 1H), 8.53 (m, 1H), 8.07 (bs, 1H), 7.51 (d, *J* = 5.2 Hz, 1H), 7.44 – 7.38 (m, 3H), 6.87 (dd, *J* = 9.0, 3.3 Hz, 3H), 4.82 (s, 4H), 4.64 – 4.50 (m, 1H), 4.30 – 4.17 (m, 1H), 3.99 – 3.87 (m, 1H), 3.83 – 3.55 (m, 4H), 2.03 – 1.68 (m, 7H), 1.48 (m, 1H)	(ESI(+)) m/e 437 $(M+H)^+$
1304		N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (bs, 1H), 8.54 (m, 1H), 8.07 (bs, 1H), 7.52 (d, *J* = 4.8 Hz, 1H), 7.44 – 7.38 (m, 3H), 6.91 – 6.83 (m, 3H), 4.82 (bs, 4H), 4.64 – 4.49 (m, 1H), 4.30 – 4.16 (m, 1H), 3.93 (s, 1H), 3.43 – 3.20 (m, 3H), 2.05 – 1.75 (m, 7H), 1.48 (s, 1H)	(ESI(+)) m/e 437 $(M+H)^+$
1305		N-(4-{[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.62 (s, 1H), 8.52 (d, *J* = 5.1 Hz, 1H), 8.06 (s, 1H), 7.53 – 7.42 (m, 2H), 7.41 (s, 1H), 6.91 – 6.79 (m, 2H), 4.81 (s, 4H), 4.26 (s, 1H), 3.81 (m, 3H), 3.45 (s, 2H), 2.76 (s, 2H), 2.14 (m, 2H), 1.88 – 1.42 (m, 7H)	(ESI(+)) m/e 451 $(M+H)^+$
1306		N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.62 (s, 1H), 8.52 (d, *J* = 5.1 Hz, 1H), 8.06 (s, 1H), 7.47 (d, *J* = 5.2 Hz, 1H), 7.42 (dd, *J* = 9.1, 2.6 Hz, 2H), 6.86 (dd, *J* = 9.0, 2.1 Hz, 2H), 4.81 (s, 4H), 4.08 (m, 3H), 3.93 – 3.54 (m, 3H), 3.28 – 3.13 (m, 2H), 2.00 (s, 1H), 1.85 – 1.36 (m, 9H)	(ESI(+)) m/e 451 $(M+H)^+$
1307		N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (s, 1H), 8.54 (d, *J* = 5.2 Hz, 1H), 8.07 (s, 1H), 7.51 (d, *J* = 5.1 Hz, 1H), 7.42 (d, *J* = 8.9 Hz, 2H), 6.85 (d, *J* = 9.0 Hz, 2H), 4.24 (s, 2H), 3.32 (dd, *J* = 50.2, 38.3 Hz, 6H), 2.20 (m, 2H), 1.92 (m, 2H), 1.73 (m, 2H), 1.56 (m, 2H), 1.46 (m, 1H), 1.20 (m, 2H)	(ESI(+)) m/e 465 $(M+H)^+$
1308		N-(4-{[1-(tetrahydrofuran-2-	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.63 (s, 1H), 8.52 (d, *J* = 5.2 Hz, 1H), 8.06 (s, 1H), 7.49 (d, *J*	(ESI(+)) m/e 451

		ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	= 5.2 Hz, 1H), 7.42 (d, *J* = 8.8 Hz, 2H), 6.86 (d, *J* = 9.0 Hz, 2H), 4.81 (s, 5H), 4.37 – 4.03 (m, 2H), 3.71 (s, 2H), 3.63 – 3.50 (m, 3H), 2.61 (m, 2H), 2.44 – 2.25 (m, 1H), 1.96 (m, 2H), 1.87 – 1.63 (m, 4H), 1.47 (m, 2H)	$(M+H)^+$
1309		N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.64 (s, 1H), 8.54 (d, *J* = 5.2 Hz, 1H), 8.07 (s, 1H), 7.51 (d, *J* = 5.2 Hz, 1H), 7.42 (d, *J* = 8.9 Hz, 2H), 6.89 – 6.76 (m, 2H), 4.82 (s, 5H), 4.27 (s, 1H), 3.67 – 3.17 (m, 11H), 2.34 (d, *J* = 26.3 Hz, 3H), 1.93 (d, *J* = 29.4 Hz, 3H), 1.73 (s, 3H), 1.47 (s, 3H)	(ESI(+)) m/e 451 $(M+H)^+$
1347		N-(4-{[1-(5-oxo-L-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.40 (d, *J*=8.54 Hz, 3 H) 6.90 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.63 Hz, 4 H) 4.45 - 4.58 (m, 2 H) 3.75 (s, 2 H) 3.34 - 3.42 (m, 4 H) 2.30 - 2.43 (m, 1 H) 2.10 - 2.21 (m, 2 H) 1.94 (d, *J*=5.80 Hz, 1 H) 1.54 - 1.69 (m, 2 H)	(APCI(+)) m/e 450 $(M+H)^+$
1386		N-(4-{[1-(5-oxo-L-prolyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.38 - 7.48 (m, 3 H) 6.75 - 6.83 (m, 2 H) 4.98 - 5.06 (m, 1 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.29 - 4.72 (m, 2 H) 4.18 (dd, *J*=8.39, 4.73 Hz, 1 H) 3.64 - 4.12 (m, 2 H) 2.06 - 2.41 (m, 3 H) 1.90 - 2.06 (m, 1 H)	(APCI(+)) m/e 421 $(M+H)^+$
1387		N-{4-[(1-propanoylazetidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.38 - 7.46 (m, 3 H) 6.74 - 6.82 (m, 2 H) 4.94 - 5.03 (m, 1 H) 4.79 (d, *J*=7.02 Hz, 4 H) 4.35 (s, 2 H) 3.90 (s, 2 H) 2.10 (q, *J*=7.43 Hz, 2 H) 1.00 (t, *J*=7.48 Hz, 3 H)	(APCI(+)) m/e 367 $(M+H)^+$
1388		N-(4-{[1-(2,2-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.39 - 7.46 (m, 3 H) 6.78 (d, *J*=8.85 Hz, 2 H) 4.90 - 5.02 (m, 1 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.51 (s, 2 H) 4.01 (d, *J*=8.54 Hz, 2 H) 1.49 (q, *J*=7.32 Hz, 2 H) 1.09 (s, 6 H) 0.81 (t, *J*=7.48 Hz, 3 H)	(APCI(+)) m/e 409 $(M+H)^+$
1389		N-(4-{[1-(2-ethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.37 - 7.47 (m, 3 H) 6.79 (d, *J*=8.85 Hz, 2 H) 4.95 - 5.03 (m, 1 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.44 (s, 2 H) 3.95 (s, 2 H) 2.08 - 2.22 (m, 1 H) 1.32 - 1.55 (m, 4 H) 0.83 (t, *J*=7.32 Hz, 6 H)	(APCI(+)) m/e 409 $(M+H)^+$
1390		N-(4-{[1-(pent-4-ynoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.34 - 7.49 (m, 3 H) 6.78 (d, *J*=8.85 Hz, 2 H) 4.92 - 5.06 (m, 1 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.42 (d, *J*=78.13 Hz, 2 H)	(APCI(+)) m/e 391 $(M+H)^+$

		pyrrolo[3,4-c]pyridine-2-carboxamide	3.66 - 4.19 (m, 2 H) 2.54 (t, *J*=2.44 Hz, 1 H) 2.27 - 2.43 (m, 4 H)	
1391		N-(4-{[1-(furan-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.77 (s, 1 H) 7.37 - 7.48 (m, 3 H) 7.04 (d, *J*=3.66 Hz, 1 H) 6.81 (d, *J*=8.85 Hz, 2 H) 6.57 - 6.63 (m, 1 H) 5.01 - 5.14 (m, 1 H) 4.79 (d, *J*=8.24 Hz, 4 H) 4.67 (s, 2 H) 4.17 (s, 2 H)	(APCI(+)) m/e 405 $(M+H)^+$
1392		N-(4-{[1-(furan-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 8.07 (s, 1 H) 7.67 (s, 1 H) 7.38 - 7.47 (m, 3 H) 6.80 (d, *J*=8.85 Hz, 2 H) 6.72 (s, 1 H) 5.03 - 5.11 (m, 1 H) 4.79 (d, *J*=7.63 Hz, 4 H) 4.60 (s, 2 H) 4.12 (s, 2 H)	(APCI(+)) m/e 405 $(M+H)^+$
1393		N-(4-{[1-(thiophen-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.97 (d, *J*=1.83 Hz, 1 H) 7.55 (dd, *J*=5.04, 2.90 Hz, 1 H) 7.35 - 7.46 (m, 4 H) 6.80 (d, *J*=8.85 Hz, 2 H) 5.01 - 5.11 (m, 1 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.62 (s, 2 H) 4.16 (s, 2 H)	(APCI(+)) m/e 421 $(M+H)^+$
1394		N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.37 - 7.48 (m, 3 H) 6.93 (s, 1 H) 6.81 (d, *J*=8.85 Hz, 2 H) 6.51 (d, *J*=3.36 Hz, 1 H) 6.14 - 6.18 (m, 1 H) 5.02 - 5.14 (m, 1 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.57 - 4.66 (m, 2 H) 4.13 (d, *J*=7.93 Hz, 2 H)	(APCI(+)) m/e 404 $(M+H)^+$
1395		N-(4-{[1-(pyrimidin-4-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 9.09 (s, 1 H) 8.75 (d, *J*=2.14 Hz, 1 H) 8.66 (s, 1 H) 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.37 - 7.47 (m, 3 H) 6.81 (d, *J*=8.85 Hz, 2 H) 5.06 - 5.13 (m, 1 H) 4.92 - 5.04 (m, 1 H) 4.79 (d, *J*=7.63 Hz, 4 H) 4.50 (s, 2 H) 4.09 (s, 1 H)	(APCI(+)) m/e 417 $(M+H)^+$
1396		N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.96 (s, 1 H) 8.58 (s, 1 H) 8.54 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.38 - 7.47 (m, 3 H) 6.80 (d, *J*=8.85 Hz, 2 H) 5.04 - 5.13 (m, 1 H) 4.89 - 5.02 (m, 1 H) 4.79 (d, *J*=7.63 Hz, 4 H) 4.48 (s, 2 H) 4.06 (s, 1 H) 2.57 (s, 3 H)	(APCI(+)) m/e 431 $(M+H)^+$
1397		N-(4-{[1-(N,N-dimethylglycyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 8.57-8.59 (bs, 1H), 8.48 (dd, *J* = 4.9, 1.8 Hz, 1H), 7.43-7.47 (m, 2H), 7.41 (d, *J* = 6.7 Hz, 1H), 6.80-6.83 (m, 2H), 5.08-5.16 (m, 1H), 4.82 (s, 2H), 4.79 (s, 2H), 4.67-4.74 (m, 2H), 4.30 (dd, *J* =	(APCI(+)) m/e 396 $(M+H)^+$

		pyrrolo[3,4-c]pyridine-2-carboxamide	10.1, 4.1 Hz, 2H), 2.91 (s, 8H)	
1398		N-(4-{[1-(N,N-dimethyl-beta-alanyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 8.57 (s, 1H), 8.48 (d, *J* = 5.2 Hz, 1H), 7.44-7.48 (m, 2H), 7.40 (d, *J* = 4.6 Hz, 1H), 6.80-6.84 (m, 2H), 5.09-5.16 (m, 1H), 4.83 (s, 2H), 4.79 (s, 2H), 4.70 (ddd, *J* = 10.4, 6.6, 1.2 Hz, 2H), 4.30 (ddd, *J* = 10.4, 4.1, 1.2 Hz, 2H), 2.91 (s, 6H), 2.50 (t, *J* = 7.3 Hz, 2H), 2.23 (t, *J* = 7.2 Hz, 2H)	(APCI(+)) m/e 410 $(M+H)^+$
1399		N-(4-{[1-(pyrrolidin-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 8.58 (s, 1H), 8.48 (dd, *J* = 5.2, 1.8 Hz, 1H), 7.43-7.47 (m, 2H), 7.40 (d, *J* = 5.2 Hz, 1H), 6.80-6.84 (m, 2H), 5.09-5.16 (m, 1H), 4.82 (s, 2H), 4.79 (s, 2H), 4.70 (ddd, *J* = 10.2, 6.4, 1.1 Hz, 2H), 4.30 (ddd, *J* = 10.3, 4.2, 1.1 Hz, 2H), 3.18 (s, 2H), 2.55-2.62 (m, 4H), 1.68-1.75 (m, 4H)	(APCI(+)) m/e 422 $(M+H)^+$
1400		N-[4-({1-[3-(pyrrolidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 8.57-8.58 (bs, 1H), 8.48 (dd, *J* = 5.0, 2.0 Hz, 1H), 7.41-7.45 (m, 2H), 7.40 (d, *J* = 4.9 Hz, 1H), 6.76-6.80 (m, 2H), 4.94-5.01 (m, 1H), 4.82 (s, 2H), 4.79 (s, 2H), 4.19-4.64 (m, 2H), 3.70-4.17 (m, 2H), 2.66 (t, *J* = 7.3 Hz, 2H), 2.44-2.50 (m, 4H), 2.27 (t, *J* = 7.3 Hz, 2H), 1.65-1.71 (m, 4H)	(APCI(+)) m/e 436 $(M+H)^+$
1401		N-[4-({1-[3-(piperidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.35 - 7.48 (m, 3 H) 6.74 - 6.83 (m, 2 H) 4.92 - 5.02 (m, 1 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.18 - 4.71 (m, 2 H) 3.94 (d, *J*=92.77 Hz, 2 H) 2.53 - 2.58 (m, 2 H) 2.32 - 2.40 (m, 4 H) 2.24 (t, *J*=7.17 Hz, 2 H) 1.44 - 1.54 (m, 4 H) 1.33 - 1.41 (m, 2 H)	(APCI(+)) m/e 450 $(M+H)^+$
1402		N-[4-({1-[(4-methylpiperazin-1-yl)acetyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6/Deuterium Oxide, Temp=90°C) δ ppm 8.58 (s, 1H), 8.48 (dd, *J* = 5.0, 2.0 Hz, 1H), 7.41-7.45 (m, 2H), 7.40 (d, *J* = 5.2 Hz, 1H), 6.75-6.80 (m, 2H), 5.08-5.17 (m, 1H), 4.82 (s, 2H), 4.79 (s, 2H), 4.70 (ddd, *J* = 10.0, 6.3, 1.3 Hz, 2H), 4.30 (ddd, *J* = 10.0, 4.0, 1.0 Hz, 2H), 3.00 (s, 2H), 2.41-2.48 (m, 4H), 2.30-2.37 (m, 4H), 2.15 (s, 3H)	(APCI(+)) m/e 451 $(M+H)^+$
1403		N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.38 - 7.48 (m, 3 H) 6.78 (d, *J*=9.16 Hz, 2 H) 4.93 - 5.01 (m, 1 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.19 - 4.64 (m, 2 H) 3.94 (d, *J*=87.28 Hz, 2 H) 2.53 - 2.58 (m, 2 H) 2.36 - 2.43 (m, 4 H) 2.29 - 2.35 (m, 4 H) 2.24 (t, *J*=7.17 Hz, 2 H) 2.15 (s, 3 H)	(APCI(+)) m/e 456 $(M+H)^+$
1423		N-[4-({1-[(2S)-2-methylbutanoyl]piperidin-4-yl}oxy)phenyl]-1,3-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.27 (s, 1H), 7.51 – 7.34 (m, 3H), 6.90 (d, *J* = 9.0 Hz, 2H), 4.78 (d, *J* = 4.0 Hz, 4H), 4.60 – 4.44 (m, 1H), 3.84 (d, *J* = 39.0 Hz, 2H), 3.46 – 3.12	(ESI(+)) m/e 423 $(M+H)^+$

		dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(m, 2H), 2.73 (dd, *J* = 13.4, 6.8 Hz, 1H), 1.99 (s, 2H), 1.55 (dt, *J* = 21.7, 7.3 Hz, 3H), 1.42 – 1.21 (m, 1H), 0.97 (t, *J* = 5.7 Hz, 3H), 0.81 (t, *J* = 7.4 Hz, 3H)	
1424		N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.28 (s, 1H), 7.46 – 7.39 (m, 3H), 6.94 – 6.87 (m, 2H), 4.86 – 4.74 (m, 4H), 4.67 (t, *J* = 6.6 Hz, 1H), 4.57 – 4.46 (m, 1H), 3.93 – 3.67 (m, 4H), 3.31 (s, 2H), 2.12 – 1.77 (m, 6H), 1.65 – 1.39 (m, 2H)	(ESI(+)) m/e 437 $(M+H)^+$
1425		N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.27 (s, 1H), 7.53 – 7.33 (m, 3H), 6.90 (d, *J* = 9.0 Hz, 2H), 4.78 (d, *J* = 4.0 Hz, 4H), 4.73 – 4.60 (m, 1H), 4.52 (s, 1H), 3.93 – 3.63 (m, 4H), 3.49 – 3.07 (m, 2H), 2.11 – 1.72 (m, 6H), 1.66 – 1.40 (m, 2H)	(ESI(+)) m/e 437 $(M+H)^+$
1426		N-[4-({1-[(4,4-difluorocyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO, Temp = 90 °C) δ 8.57 (s, 1H), 8.47 (d, *J* = 5.0 Hz, 1H), 8.05 (d, *J* = 8.0 Hz, 1H), 7.48 – 7.39 (m, 2H), 7.37 (d, *J* = 4.8 Hz, 1H), 6.86 – 6.60 (m, 2H), 4.96 (m, 1H), 4.78 (d, *J* = 8.8 Hz, 5H), 4.19 (m, 2H), 3.74 (m, 2H), 3.22 (d, *J* = 6.2 Hz, 1H), 2.42 (t, *J* = 10.6 Hz, 1H), 2.26 (t, *J* = 6.9 Hz, 1H), 2.04 (d, *J* = 10.0 Hz, 2H), 1.81 (ddd, *J* = 26.3, 15.5, 8.4 Hz, 3H), 1.68 – 1.49 (m, 2H)	(ESI(+)) m/e 457 $(M+H)^+$
1427		N-(4-{[1-(5-oxo-D-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.40 (d, *J*=8.54 Hz, 3 H) 6.90 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.63 Hz, 4 H) 4.46 - 4.60 (m, 2 H) 3.75 (s, 2 H) 3.34 - 3.41 (m, 2 H) 2.30 - 2.41 (m, 1 H) 2.10 - 2.23 (m, 2 H) 1.92 - 2.05 (m, 3 H) 1.56 - 1.74 (m, 2 H)	(APCI(+)) m/e 450 $(M+H)^+$
1428		N-(4-{[1-(2,2-dimethylpropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.36 - 7.44 (m, 3 H) 6.89 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.32 Hz, 4 H) 4.43 - 4.53 (m, 1 H) 3.80 - 3.93 (m, 2 H) 3.34 - 3.42 (m, 2 H) 1.94 - 1.99 (m, *J*=3.36 Hz, 2 H) 1.50 - 1.68 (m, 2 H) 1.22 (s, 9 H)	(APCI(+)) m/e 423 $(M+H)^+$
1429		N-(4-{[1-(2-methylpentanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.40 (d, *J*=8.85 Hz, 3 H) 6.89 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.32 Hz, 4 H) 4.45 - 4.54 (m, 1 H) 3.81 (dd, *J*=11.14, 5.34 Hz, 2 H) 3.35 (s, 2 H) 2.75 - 2.84 (m, 1 H) 1.93 - 1.98 (m, 2 H) 1.49 - 1.64 (m, 3 H) 1.19 - 1.35 (m, 3 H) 1.01 (d, *J*=6.71 Hz, 3 H) 0.86 (t, *J*=7.02 Hz, 3 H)	(APCI(+)) m/e 437 $(M+H)^+$
1430		N-(4-{[1-(2-ethylbutanoyl)piperidin-4-	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.40 (d, *J*=9.16 Hz, 3 H) 6.90 (d, *J*=8.85 Hz, 2 H) 4.79 (d,	(APCI(+)) m/e 437 $(M+H)^+$

		yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	*J*=7.63 Hz, 4 H) 4.46 - 4.56 (m, *J*=11.22, 7.40, 3.66 Hz, 1 H) 3.80 - 3.92 (m, 2 H) 3.35 - 3.43 (m, 2 H) 2.58 - 2.68 (m, 1 H) 1.87 - 1.95 (m, 2 H) 1.47 - 1.64 (m, 4 H) 1.34 - 1.46 (m, 2 H) 0.82 (t, *J*=7.48 Hz, 6 H)	
1431		N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.37 - 7.46 (m, 3 H) 6.85 - 6.95 (m, 3 H) 6.49 (d, *J*=3.05 Hz, 1 H) 6.13 (t, *J*=2.90 Hz, 1 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.47 - 4.60 (m, 1 H) 3.93 - 4.09 (m, 2 H) 3.49 - 3.59 (m, 2 H) 1.95 - 2.03 (m, 2 H) 1.56 - 1.74 (m, 2 H)	(APCI(+)) m/e 432 $(M+H)^+$
1432		N-(4-{[1-(1,2-oxazol-5-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, Solvent) δ ppm 8.57 (s, 1 H) 8.47 (d, *J*=4.88 Hz, 1 H) 7.36 - 7.44 (m, 3 H) 6.89 (d, *J*=8.54 Hz, 2 H) 4.79 (d, *J*=7.93 Hz, 4 H) 3.44 - 4.62 (m, 4 H) 1.79 - 1.89 (m, 2 H) 1.40 - 1.80 (m, 3 H)	(APCI(+)) m/e 434 $(M+H)^+$
1433		N-(4-{[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.62 (d, *J*=4.58 Hz, 1 H) 8.58 (d, *J*=7.32 Hz, 2 H) 8.47 (d, *J*=5.19 Hz, 1 H) 7.82 (d, *J*=7.93 Hz, 1 H) 7.47 (dd, *J*=7.63, 4.88 Hz, 1 H) 7.40 (d, *J*=8.54 Hz, 3 H) 6.91 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.63 Hz, 4 H) 4.50 - 4.58 (m, 1 H) 3.75 (s, 2 H) 3.38 - 3.50 (m, *J*=8.85 Hz, 2 H) 1.93 - 2.05 (m, 2 H) 1.62 - 1.76 (m, 2 H)	(APCI(+)) m/e 444 $(M+H)^+$
1434		N-(4-{[1-(pyridazin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 9.26 (dd, *J*=4.58, 2.14 Hz, 1 H) 8.58 (s, 1 H) 8.49 (d, *J*=4.88 Hz, 1 H) 7.76 - 7.85 (m, 2 H) 7.37 - 7.45 (m, 3 H) 6.91 (t, *J*=9.16 Hz, 2 H) 4.80 (d, *J*=6.10 Hz, 4 H) 4.48 - 4.63 (m, 1 H) 3.99 (s, 2 H) 3.60 (s, 2 H) 1.95 - 2.14 (m, 2 H) 1.72 (s, 2 H)	(APCI(+)) m/e 445 $(M+H)^+$
1435		N-(4-{[1-(pyrazin-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 9.20 (s, 1 H) 8.93 (d, *J*=5.19 Hz, 1 H) 8.57 (s, 1 H) 8.47 (d, *J*=4.88 Hz, 1 H) 7.60 - 7.65 (m, 1 H) 7.36 - 7.44 (m, 3 H) 6.87 - 6.94 (m, 2 H) 4.79 (d, *J*=7.63 Hz, 4 H) 4.47 - 4.62 (m, 1 H) 3.94 (s, 2 H) 3.55 (s, 2 H) 1.93 - 2.11 (m, 2 H) 1.61 - 1.78 (m, *J*=15.87 Hz, 2 H)	(APCI(+)) m/e 445 $(M+H)^+$
1436		N-(4-{[1-(pyrimidin-4-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.40 - 8.87 (m, 5 H) 7.33 - 7.47 (m, 3 H) 6.91 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.48 - 4.63 (m, 1 H) 3.45 - 4.22 (m, 4 H) 1.94 - 2.12 (m, 2 H) 1.56 - 1.79 (m, 2 H)	(APCI(+)) m/e 445 $(M+H)^+$
1437		N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]piperidi	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.66 (s, 1 H) 8.57 (s, 1 H) 8.52 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.40 (d, *J*=8.54 Hz, 3 H) 6.91 (d,	(APCI(+)) m/e 459 $(M+H)^+$

		n-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	*J*=9.16 Hz, 2 H) 4.79 (d, *J*=7.63 Hz, 4 H) 4.51 - 4.60 (m, 1 H) 3.63 - 4.07 (m, 2 H) 3.39 - 3.62 (m, 2 H) 2.55 (s, 3 H) 1.93 - 2.06 (m, 2 H) 1.62 - 1.78 (m, *J*=10.38 Hz, 2 H)	
1438		N-[4-({1-[3-(piperidin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.33 - 7.45 (m, 3 H) 6.89 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.43 - 4.52 (m, 1 H) 3.66 - 3.92 (m, 2 H) 3.34 - 3.40 (m, 2 H) 2.55 - 2.62 (m, *J*=7.02, 7.02 Hz, 2 H) 2.46 - 2.50 (m, 2 H) 2.37 - 2.43 (m, 4 H) 1.91 - 2.00 (m, 2 H) 1.55 - 1.68 (m, 2 H) 1.45 - 1.55 (m, 4 H) 1.33 - 1.42 (m, 2 H)	(APCI(+)) m/e 478 $(M+H)^+$
1439		N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.34 - 7.48 (m, 3 H) 6.90 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.63 Hz, 4 H) 4.40 - 4.59 (m, 1 H) 3.72 - 3.91 (m, 2 H) 3.53 - 3.64 (m, 4 H) 3.35 - 3.45 (m, 2 H) 3.16 (s, 2 H) 2.39 - 2.47 (m, 4 H) 1.90 - 2.01 (m, 2 H) 1.50 - 1.68 (m, 2 H)	(APCI(+)) m/e 466 $(M+H)^+$
1440		N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.36 - 7.44 (m, 3 H) 6.89 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.93 Hz, 4 H) 4.40 - 4.60 (m, 1 H) 3.69 - 3.85 (m, 2 H) 3.36 - 3.50 (m, 2 H) 2.55 - 2.63 (m, 2 H) 2.46 - 2.50 (m, 2 H) 2.40 - 2.45 (m, 4 H) 2.30 - 2.36 (m, 4 H) 2.16 (s, 3 H) 1.91 - 2.00 (m, 2 H) 1.52 - 1.67 (m, 2 H)	(APCI(+)) m/e 493 $(M+H)^+$
1532		N-(4-{[(3R)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.28 (s, 1H), 7.49 – 7.36 (m, 3H), 6.95 – 6.79 (m, 2H), 4.96 (d, *J* = 21.2 Hz, 1H), 4.78 (d, *J* = 4.0 Hz, 5H), 3.81 – 3.44 (m, 4H), 2.21 – 1.84 (m, 6H), 0.99 – 0.79 (m, 6H)	(ESI(+)) m/e 409 $(M+H)^+$
1533		N-(4-{[(3R)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.28 (s, 1H), 7.53 – 7.38 (m, 3H), 6.96 – 6.81 (m, 2H), 5.04 – 4.85 (m, 1H), 4.78 (d, *J* = 3.9 Hz, 4H), 3.72 – 3.07 (m, 5H), 2.24 – 1.56 (m, 8H)	(ESI(+)) m/e 407 $(M+H)^+$
1534		N-[4-({(3R)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.29 (s, 1H), 7.48 – 7.43 (m, 2H), 7.45 – 7.39 (m, 2H), 6.92 – 6.83 (m, 2H), 5.05 – 4.90 (m, 1H), 4.82 – 4.75 (m, 4H), 4.59 – 4.42 (m, 1H), 3.89 – 3.42 (m, 5H), 2.25 – 1.68 (m, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
1535		N-[4-({(3R)-1-[(2S)-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50	(ESI(+))

		tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(d, J = 5.0 Hz, 1H), 8.29 (s, 1H), 7.45 – 7.39 (m, 2H), 6.93 – 6.83 (m, 2H), 5.06 – 4.90 (m, 1H), 4.82 – 4.75 (m, 4H), 4.60 – 4.42 (m, 1H), 3.85 – 3.63 (m, 3H), 3.63 – 3.41 (m, 2H), 2.30 – 1.71 (m, 6H)	m/e 423 $(M+H)^+$
1536		N-(4-{[(3R)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.29 (s, 1H), 7.48 – 7.40 (m, 3H), 6.92 – 6.82 (m, 2H), 5.03 – 4.90 (m, 1H), 4.81 – 4.75 (m, 4H), 3.79 – 3.43 (m, 2H), 2.32 – 1.95 (m, 5H), 1.05 – 0.88 (m, 1H), 0.49 – 0.36 (m, 2H), 0.20 – 0.07 (m, 2H)	(ESI(+)) m/e 407 $(M+H)^+$
1537		N-(4-{[(3S)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.29 (s, 1H), 7.49 – 7.39 (m, 3H), 6.92 – 6.81 (m, 2H), 5.04 – 4.89 (m, 1H), 4.81 – 4.75 (m, 4H), 3.66 – 3.42 (m, 4H), 2.25 – 1.90 (m, 5H), 0.96 – 0.82 (m, 6H)	(ESI(+)) m/e 409 $(M+H)^+$
1538		N-(4-{[(3S)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.29 (s, 1H), 7.48 – 7.40 (m, 3H), 6.91 – 6.81 (m, 2H), 5.02 – 4.89 (m, 1H), 4.81 – 4.75 (m, 4H), 3.32 (s, 5H), 2.27 – 1.65 (m, 8H)	(ESI(+)) m/e 407 $(M+H)^+$
1539		N-[4-({(3S)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.29 (s, 1H), 7.48 – 7.41 (m, 3H), 7.43 (d, J = 5.4 Hz, 2H), 6.93 – 6.82 (m, 2H), 5.05 – 4.91 (m, 1H), 4.81 – 4.75 (m, 4H), 4.60 – 4.42 (m, 1H), 3.89 – 3.64 (m, 4H), 3.65 – 3.43 (m, 2H), 2.26 – 1.73 (m, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
1540		N-[4-({(3S)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.29 (s, 1H), 7.48 – 7.40 (m, 3H), 6.93 – 6.83 (m, 2H), 5.05 – 4.91 (m, 1H), 4.81 – 4.75 (m, 3H), 4.59 – 4.42 (m, 1H), 3.89 – 3.42 (m, 6H), 2.25 – 1.70 (m, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
1541		N-(4-{[(3S)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.29 (s, 1H), 7.48 – 7.40 (m, 3H), 6.93 – 6.82 (m, 2H), 5.03 – 4.90 (m, 1H), 4.81 – 4.75 (m, 4H), 3.80 – 3.33 (m, 2H), 2.30 – 1.95 (m, 5H), 1.07 – 0.88 (m, 1H), 0.49 – 0.35 (m, 2H), 0.19 – 0.07 (m, 2H)	(ESI(+)) m/e 407 $(M+H)^+$

		carboxamide		

Example 953

N-{6-[(1-acetylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 953A

tert-butyl 4-(5-nitropyridin-2-yloxy)piperidine-1-carboxylate

A suspension of pre-washed NaH (0.1 g, 2.48 mmol, 60% percent dispersion in mineral oil) in THF (2 mL) was added to an ice cold solution of 4-hydroxy-piperidine-l-carboxylic acid tert-butyl ester (0.5 g, 2.48 mmol) in dry THF (3mL). The mixture was stirred for 20 minutes, and added to 2-chloro-5-nitro-pyridine (0.36 g, 2.26 mmol) in portions. After the addition was completed, the cooling bath was removed and the reaction mixture was stirred at 22°C overnight. The reaction mixture was cooled in an ice bath and treated with a saturated aqueous sodium bicarbonate solution (5 mL). The reaction mixture was diluted with ethyl acetate (25 mL) and distilled water (25 mL). The separated aqueous phase was extracted with ethyl acetate (3 x 35 mL), and the combined organic phases were dried over sodium sulfate, filtered and concentrated under reduced pressure. Chromatography provided the title compound.

Example 953B

tert-butyl 4-(5-aminopyridin-2-yloxy)piperidine-1-carboxylate

The title compound was prepared as described in Example 274, substituting tert-butyl 4-(5-nitropyridin-2-yloxy)piperidine-1-carboxylate for 5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide.

Example 953C

tert-butyl 4-(5-(isoindoline-2-carboxamido)pyridin-2-yloxy)piperidine-1-carboxylate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-(5-aminopyridin-2-yloxy)piperidine-1-carboxylate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride.

Example 953D

N-(6-(piperidin-4-yloxy)pyridin-3-yl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(5-(isoindoline-2-carboxamido)pyridin-2-yloxy)piperidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 953E

N-{6-[(1-acetylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(6-(piperidin-4-yloxy)pyridin-3-yl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and acetic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.37 (s, 1H), 8.26 (d, J = 2.7 Hz, 1H), 7.86 (dd, J = 8.9, 2.7 Hz, 1H), 7.44 – 7.24 (m,

4H), 6.75 (d, *J* = 8.8 Hz, 1H), 5.21 – 5.07 (m, 1H), 4.75 (s, 4H), 3.72 – 3.63 (m, 1H), 3.40 – 3.11 (m, 2H), 1.97 – 1.85 (m, 1H), 1.73 – 1.38 (m, 2H); MS (ESI(+)) m/e 495 $(M+H)^+$.

Table 17.

The following Examples were essentially prepared as described in Example 1C, substituting N-(6-(piperidin-4-yloxy)pyridin-3-yl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
954		N-{6-[(1-isobutyrylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide	1H NMR (300 MHz, DMSO-d_6) δ 8.37 (s, 1H), 8.26 (dd, *J* = 2.7, 0.7 Hz, 1H), 7.86 (dd, *J* = 8.8, 2.7 Hz, 1H), 7.41 – 7.26 (m, 4H), 6.74 (d, *J* = 8.5 Hz, 1H), 5.21 – 5.09 (m, 1H), 4.75 (s, 4H), 3.99 – 3.72 (m, 2H), 3.44 – 3.14 (m, 2H), 2.98 – 2.80 (m, 1H), 2.07 – 1.87 (m, 2H), 1.67 – 1.42 (m, 2H), 1.00 (d, *J* = 6.7 Hz, 6H)	(ESI(+)) m/e 409 $(M+H)^+$
955		N-(6-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.37 (s, 1H), 8.26 (d, *J* = 2.9 Hz, 1H), 7.85 (dd, *J* = 8.8, 2.7 Hz, 1H), 7.41 – 7.26 (m, 4H), 6.74 (d, *J* = 8.8 Hz, 1H), 5.21 – 5.09 (m, 1H), 4.75 (s, 4H), 3.99 – 3.88 (m, 1H), 3.80 – 3.67 (m, 1H), 3.45 – 3.13 (m, 3H), 2.22 (d, *J* = 1.4 Hz, 1H), 2.05 – 1.87 (m, 3H), 1.65 – 1.41 (m, 2H), 0.91 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 423 $(M+H)^+$
956		N-(6-{[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.37 (s, 1H), 8.26 (d, *J* = 2.7 Hz, 1H), 7.86 (dd, *J* = 8.8, 2.7 Hz, 1H), 7.42 – 7.26 (m, 4H), 6.75 (d, *J* = 8.8 Hz, 1H), 5.21 – 5.09 (m, 1H), 4.75 (s, 4H), 3.98 – 3.85 (m, 1H), 3.77 – 3.66 (m, 1H), 3.42 – 3.15 (m, 2H), 2.68 – 2.56 (m, 2H), 2.03 – 1.88 (m, 2H), 1.71 – 1.41 (m, 2H)	(ESI(+)) m/e 463 $(M+H)^+$
957		N-(6-{[1-(methoxyacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.37 (s, 1H), 8.26 (d, *J* = 2.6 Hz, 1H), 7.86 (dd, *J* = 8.9, 2.7 Hz, 1H), 7.34 (tdd, *J* = 9.0, 5.6, 3.5 Hz, 4H), 6.75 (d, *J* = 8.8 Hz, 1H), 5.25 – 5.06 (m, 1H), 4.75 (s, 4H), 4.08 (t, *J* = 6.0 Hz, 3H), 3.63 (s, 1H), 3.42 – 3.11 (m, 5H), 1.96 (s, 2H), 1.59 (d, *J* = 25.8 Hz, 2H)	(ESI(+)) m/e 411 $(M+H)^+$
958		N-(6-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.38 (s, 1H), 8.26 (d, *J* = 2.7 Hz, 1H), 7.86 (dd, *J* = 8.8, 2.7 Hz, 1H), 7.40 – 7.28 (m, 4H), 6.75 (d, *J* = 8.8 Hz, 1H), 5.15 (d, *J* = 4.1 Hz, 1H), 4.75 (s, 3H), 4.73 – 4.63 (m, 1H), 3.92 – 3.63 (m, 5H), 3.62 – 3.12 (m, 2H), 2.09 – 1.89 (m, 2H), 1.89 – 1.69 (m, 1H), 1.70 – 1.32 (m, 1H)	(ESI(+)) m/e 437 $(M+H)^+$
959		N-(6-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.38 (s, 1H), 8.26 (d, *J* = 2.7 Hz, 1H), 7.86 (dd, *J* = 8.8, 2.8 Hz, 1H), 7.40 – 7.22 (m, 4H), 6.75 (d, *J* = 8.8 Hz, 1H), 5.16 (dq, *J* = 8.2, 4.1 Hz, 1H), 4.75 (bs, 4H), 3.98 – 3.70 (m, 4H), 3.74 – 3.63 (m, 2H), 3.45 – 3.14 (m, 3H), 2.08 – 1.88 (m, 4H), 1.68 – 1.43 (m, 2H)	(ESI(+)) m/e 437 $(M+H)^+$
960		N-(6-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.39 (d, *J* = 8.2 Hz, 1H), 8.31 – 8.20 (m, 1H), 7.91 – 7.78 (m, 1H), 7.44 – 7.24 (m, 4H), 6.82 – 6.68 (m, 1H), 5.27 – 5.07 (m, 1H), 4.75 (s, 4H), 4.07 – 3.86 (m, 2H), 3.61 – 3.46 (m,	(ESI(+)) m/e 407 $(M+H)^+$

		1,3-dihydro-2H-isoindole-2-carboxamide	1H), 3.26 – 3.13 (m, 1H), 2.10 – 1.86 (m, 3H), 1.70 – 1.42 (m, 2H), 0.79 – 0.62 (m, 4H)	
961		N-(6-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d$_6$) δ 8.38 (s, 1H), 8.26 (d, *J* = 3.1 Hz, 1H), 7.86 (dd, *J* = 8.9, 2.9 Hz, 1H), 7.43 – 7.22 (m, 4H), 6.74 (d, *J* = 8.4 Hz, 1H), 5.21 – 5.09 (m, 1H), 4.75 (bs, 4H), 3.98 – 3.87 (m, 1H), 3.76 – 3.64 (m, 1H), 3.38 – 3.14 (m, 2H), 2.28 (d, *J* = 6.7 Hz, 2H), 2.21 – 1.89 (m, 2H), 1.67 – 1.43 (m, 2H), 1.05 – 0.87 (m, 1H), 0.51 – 0.35 (m, 2H), 0.22 – 0.08 (m, 2H)	(ESI(+)) m/e 421 $(M+H)^+$
962		N-(6-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d$_6$) δ 8.37 (s, 1H), 8.24 (t, *J* = 4.4 Hz, 1H), 7.93 – 7.77 (m, 1H), 7.44 – 7.24 (m, 4H), 6.74 (t, *J* = 6.5 Hz, 1H), 5.23 – 5.03 (m, 1H), 4.75 (s, 4H), 3.98 – 3.81 (m, 1H), 3.66 – 3.50 (m, 1H), 3.27 – 3.10 (m, 2H), 2.26 – 1.99 (m, 4H), 1.99 – 1.80 (m, 3H), 1.80 – 1.42 (m, 3H)	(ESI(+)) m/e 421 $(M+H)^+$
963		N-(6-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d$_6$) δ 8.38 (s, 1H), 8.26 (d, *J* = 2.7 Hz, 1H), 7.85 (dd, *J* = 8.8, 2.7 Hz, 1H), 7.40 – 7.28 (m, 4H), 6.74 (d, *J* = 8.8 Hz, 1H), 5.21 – 5.09 (m, 1H), 4.75 (s, 4H), 3.98 – 3.75 (m, 3H), 3.45 – 3.31 (m, 1H), 3.26 – 3.14 (m, 1H), 3.00 (p, *J* = 7.6 Hz, 1H), 2.03 – 1.87 (m, 2H), 1.81 – 1.44 (m, 10H)	(ESI(+)) m/e 435 $(M+H)^+$
964		N-(6-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d$_6$) δ 8.37 (s, 1H), 8.26 (dd, *J* = 2.7, 0.7 Hz, 1H), 7.85 (dd, *J* = 8.8, 2.7 Hz, 1H), 7.41 – 7.26 (m, 4H), 6.74 (d, *J* = 8.5 Hz, 1H), 5.20 – 5.08 (m, 1H), 4.75 (s, 3H), 3.99 – 3.86 (m, 1H), 3.79 – 3.68 (m, 1H), 3.25 – 3.05 (m, 1H), 2.36 (d, *J* = 0.8 Hz, 1H), 2.35 – 2.06 (m, 3H), 2.04 – 1.85 (m, 2H), 1.82 – 1.68 (m, 2H), 1.65 – 1.40 (m, 6H), 1.23 – 0.99 (m, 2H)	(ESI(+)) m/e 449 $(M+H)^+$
965		N-(6-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d$_6$) δ 8.37 (s, 1H), 8.26 (d, *J* = 2.3 Hz, 1H), 7.85 (dd, *J* = 8.8, 2.7 Hz, 1H), 7.33 (s, 2H), 6.74 (d, *J* = 8.8 Hz, 1H), 5.21 – 5.09 (m, 1H), 4.75 (s, 4H), 3.99 – 3.72 (m, 2H), 3.25 – 3.11 (m, 1H), 2.56 (d, *J* = 19.6 Hz, 1H), 2.06 – 1.85 (m, 2H), 1.74 – 1.08 (m, 13H)	(ESI(+)) m/e 449 $(M+H)^+$

Example 966

tert-butyl (2-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}ethyl)carbamate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-aminophenethylcarbamate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.26 (s, 1H), 7.50 – 7.43 (m, 2H), 7.40 – 7.26 (m, 4H), 7.11 – 7.03 (m, 2H), 6.87 – 6.79 (m, 1H), 4.75 (s, 4H), 3.18 – 3.02 (m, 2H), 2.66 – 2.58 (m, 2H), 1.37 (s, 9H); MS (ESI(+)) m/e 382 $(M+H)^+$.

Example 973

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 808, substituting (tetrahydrofuran-3-yl)methanamine for 3-methylbutan-1-amine in Example 808A. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.76 (s, 1H), 7.82 – 7.75 (m, 2H), 7.71 – 7.64 (m, 2H), 7.54 (t, *J* = 6.1 Hz, 1H), 7.41 – 7.25 (m, 4H), 4.80 (bs, 4H), 3.70 – 3.49 (m, 3H), 2.69 (t, *J* = 6.7 Hz, 2H), 2.34 – 2.16 (m, 1H), 1.94 – 1.79 (m, 1H), 1.54 – 1.39 (m, 1H); MS (ESI(+)) m/e 402 $(M+H)^+$.

Example 974

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-amino-N-((tetrahydrofuran-3-yl)methyl)benzenesulfonamide for 4-amino-N-propylbenzamide and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.83 (s, 1H), 8.62 (s, 1H), 8.51 (d, *J* = 5.0 Hz, 1H), 7.82 – 7.75 (m, 2H), 7.72 – 7.65 (m, 2H), 7.55 (t, *J* = 6.0 Hz, 1H), 7.44 (d, *J* = 5.1 Hz, 1H), 4.87 – 4.75 (m, 4H), 3.76 – 3.49 (m, 3H), 2.69 (t, *J* = 6.7 Hz, 2H), 2.34 – 2.16 (m, 1H), 1.94 – 1.79 (m, 1H), 1.54 – 1.39 (m, 1H) ; MS (ESI(+)) m/e 403 $(M+H)^+$.

Example 975

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-amino-N-((tetrahydrofuran-3-yl)methyl)benzenesulfonamide for 4-amino-N-propylbenzamide and isoindoline-5-carbonitrile for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.83 (s, 1H), 7.89 (s, 1H), 7.83 – 7.74 (m, 3H), 7.72 – 7.64 (m, 2H), 7.59 (d, *J* = 7.9 Hz, 1H), 7.54 (t, *J* = 6.1 Hz, 1H), 4.93 – 4.76 (m, 4H), 3.70 – 3.49 (m, 3H), 2.69 (t, *J* = 6.7 Hz, 2H), 2.31 – 2.05 (m, 1H), 1.94 – 1.78 (m, 1H), 1.54 – 1.39 (m, 1H); MS (ESI(+)) m/e 427 $(M+H)^+$.

Example 979

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 979A

N-(4-(piperidin-4-yl)phenyl)isoindoline-2-carboxamide

tert-Butyl 4-(4-(isoindoline-2-carboxamido)phenyl)-5,6-dihydropyridine-1(2H)-carboxylate (1.00 g, 2.38 mmol) in 20 ml of 1:1 methanol/tetrahydrofuran was added to 5% Pd on carbon (wet) (0.200 g) in a 50 ml pressure bottle and stirred for 16 hours at 30 atm and room temperature. The mixture was filtered through a nylon membrane and concentrated. The residue was suspended in dichloromethane, stirred 1 hour and filtered with dichloromethane washes to provide the title compound.

Example 979B

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(piperidin-4-yl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and tetrahydrofuran-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.26 (s, 1H), 7.46 (m, 2H), 7.31 (m, 4H), 7.12 (m, 2H), 4.74 (bs, 4H), 4.53 (m, 1H), 4.05 (m, 1H), 3.87 (m, 1H), 3.70 (m, 3H), 3.36 (m, 2H), 3.12 (m, 1H), 2.75 – 2.58 (m, 1H), 2.01 (m, 2H), 1.76 (m, 2H), 1.45 (m, 2H); MS (ESI(+)) m/e 420 (M+H).

Table 18.

The following Examples were essentially prepared as described in Example 1C, substituting the apropriate amine for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
980		N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.26 (d, J = 8.7 Hz, 1H), 7.47 (m, 2H), 7.33 (m, 4H), 7.14 (m, 2H), 4.75 (s, 4H), 4.68 (m, 1H), 4.45 (m, 1H), 4.09 (m, 1H), 3.75 (m, 2H), 3.10 (m, 1H), 2.76 – 2.56 (m, 2H), 2.04 (m, 2H), 1.80 (m, 4H), 1.61 – 1.33 (m, 2H)	(ESI(+)) m/e 420 $(M+H)^+$
981		N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.26 (s, 1H), 7.47 (m, 2H), 7.33 (m, 4H), 7.12 (m, 2H), 4.75 (bs, 4H), 4.55 (m, 1H), 4.09 (m, 1H), 3.85 (m, 2H), 3.40 (m, 2H), 3.09 (m, 1H), 2.91 (m, 1H), 2.70 (m, 1H), 2.56 (m, 1H), 1.79 (m, 2H), 1.68 – 1.35 (m, 6H)	(ESI(+)) m/e 434 $(M+H)^+$
982		N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.26 (s, 1H), 7.48 (t, J = 10.0 Hz, 2H), 7.32 (m, 4H), 7.10 (d, J = 7.5 Hz, 2H), 4.74 (s, 4H), 4.44 (d, J = 12.2 Hz, 1H), 4.34 (t, J = 9.2 Hz, 1H), 4.07 (d, J = 11.4 Hz, 1H), 3.83 – 3.56 (m, 4H), 3.50 (m, 2H), 3.08 (m, 1H), 2.66 (m, 2H), 1.78 (m, 2H), 1.67 – 1.30 (m, 2H)	(ESI(+)) m/e 436 $(M+H)^+$
983		N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.26 (s, 1H), 7.46 (d, J = 8.3 Hz, 2H), 7.31 (m, 4H), 7.11 (d, J = 8.3 Hz, 2H), 4.74 (s, 4H), 4.52 (d, J = 12.0 Hz, 1H), 4.01 (d, J = 13.0 Hz, 1H), 3.25 (m, 1H), 3.06 (m, 1H), 2.71 (m, 2H), 2.63 – 2.43 (m, 3H), 2.32 (m, 1H), 2.21 (s, 3H), 1.94 (m, 2H), 1.75 (m, 2H), 1.59 – 1.30 (m, 2H)	(ESI(+)) m/e 433 $(M+H)^+$
984		N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.27 (s, 1H), 7.48 (m, 2H), 7.31 (m, 4H), 7.14 (m, 2H), 4.75 (s, 4H), 4.53 (m, 1H), 4.08 (m, 1H), 3.75 (m, 1H), 3.30 – 3.04 (m, 5H), 2.71 (m, 2H), 2.33 (m, 1H), 2.08 (m, 1H), 1.79 (m, 2H), 1.66 – 1.36 (m, 2H)	(ESI(+)) m/e 468 $(M+H)^+$
985		N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.26 (s, 1H), 7.48 (m, 2H), 7.31 (m, 4H), 7.11 (d, J = 8.5 Hz, 2H), 5.37 (s, 1H), 4.74 (s, 4H), 4.53 (m, 2H), 3.30 (m,	(ESI(+)) m/e 408 $(M+H)^+$

		dihydro-2H-isoindole-2-carboxamide	1H), 2.71 (m, 2H), 1.76 (d, *J* = 11.8 Hz, 2H), 1.50 (m, 2H), 1.32 (s, 6H)	
986		N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.26 (s, 1H), 7.46 (m, 2H), 7.33 (m, 4H), 7.10 (m, 2H), 4.74 (bs, 4H), 4.46 (m, 1H), 4.13 (m, 1H), 3.57 (m, 4H), 3.06 (m, 3H), 2.71 – 2.50 (m, 2H), 2.40 (m, 4H), 1.77 (m, 2H), 1.56 (m, 1H), 1.40 (m, 1H)	(ESI(+)) m/e 449 $(M+H)^+$
1469		N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.28 (s, 1H), 7.47 (m, 2H), 7.32 (m, 4H), 7.13 (m, 2H), 4.75 (s, 4H), 4.70 (m, 1H), 4.48 (m, 1H), 4.10 (m, 1H), 3.76 (m, 2H), 3.08 (m, 1H), 2.69 (m, 2H), 2.03 (m, 2H), 1.81 (m, 4H), 1.54 (m, 1H), 1.42 (m, 1H)	(ESI(+)) m/e 420 $(M+H)^+$
1470		N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.28 (s, 1H), 7.47 (m, 2H), 7.33 (m, 4H), 7.12 (dd, *J* = 8.3, 2.5 Hz, 2H), 4.75 (s, 4H), 4.68 (dd, *J* = 7.5, 5.7 Hz, 1H), 4.49 (m, 1H), 4.10 (m, 1H), 3.76 (m, 2H), 3.13 (m, 1H), 268 (m, 2H), 2.01 (m, 2H), 1.80 (m, 4H), 1.50 (m, 2H)	(ESI(+)) m/e 420 $(M+H)^+$
1471		N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	A-1361467.0 - ^{1}H NMR (400 MHz, DMSO-d_6) δ 8.28 (s, 1H), 7.47 (m, 2H), 7.34 (m, 4H), 7.13 (m, 2H), 4.75 (s, 4H), 4.54 (m, 1H), 4.08 (m, 1H), 3.88 (m, 1H), 3.71 (m, 3H), 3.39 (m, 1H), 3.14 (m, 1H), 2.66 (m, 2H), 2.01 (m, 2H), 1.79 (m, 2H), 1.46 (m, 2H)	(ESI(+)) m/e 420 $(M+H)^+$

Example 1013

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 1013A

tert-butyl 4-(4-(isoindoline-2-carboxamido)phenoxy)piperidine-1-carboxylate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-(4-aminophenoxy)piperidine-1-carboxylate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride.

Example 1013B

N-(4-(piperidin-4-yloxy)phenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(isoindoline-2-carboxamido)phenoxy)piperidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 1013C

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(piperidin-4-yloxy)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and tetrahydrofuran-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.20 (s, 1H), 7.47 – 7.27 (m, 6H), 6.93 – 6.86 (m, 2H), 4.74 (s,

4H), 4.58 – 4.47 (m, 1H), 3.93 – 3.56 (m, 6H), 3.44 – 3.32 (m, 3H), 2.06 – 1.83 (m, 4H), 1.69 – 1.40 (m, 2H); MS (ESI(+)) m/e 436 $(M+H)^+$.

Table 19.

The following Examples were essentially prepared as described in Example 1C, substituting an appropriate amine for 3-phenylpropan-1-amine and appropriate acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
1028		N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.20 (s, 1H), 7.42 (dd, *J* = 12.5, 10.6 Hz, 2H), 7.37 – 7.23 (m, 4H), 6.90 (d, *J* = 9.0 Hz, 2H), 4.74 (s, 4H), 4.66 – 4.42 (m, 1H), 3.90 (s, 2H), 3.45 – 3.11 (m, 2H), 2.73 (dd, *J* = 13.4, 6.8 Hz, 1H), 1.92 (s, 2H), 1.68 – 1.12 (m, 4H), 0.98 (d, *J* = 6.7 Hz, 3H), 0.81 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 422 $(M+H)^+$
1029		N-(4-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.19 (s, 1H), 7.48 – 7.38 (m, 2H), 7.33 (tdd, *J* = 8.9, 5.6, 3.5 Hz, 4H), 6.98 – 6.81 (m, 2H), 4.74 (s, 4H), 4.50 (dt, *J* = 8.0, 4.1 Hz, 1H), 3.85 (s, 1H), 3.69 (s, 1H), 3.21 (d, *J* = 9.3 Hz, 1H), 2.34 – 2.14 (m, 2H), 2.13 – 1.80 (m, 3H), 1.53 (d, *J* = 21.1 Hz, 2H), 0.90 (d, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 422 $(M+H)^+$
1030		N-(4-{[1-(2,3-dimethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.20 (s, 1H), 7.47 – 7.27 (m, 6H), 6.94 – 6.86 (m, 2H), 4.74 (s, 4H), 4.72 – 4.47 (m, 1H), 4.02 – 3.76 (m, 2H), 3.50 – 3.12 (m, 2H), 2.00 – 1.63 (m, 3H), 1.63 – 1.39 (m, 2H), 0.95 (d, *J* = 6.7 Hz, 3H), 0.85 (t, *J* = 6.6 Hz, 6H)	(ESI(+)) m/e 436 $(M+H)^+$
1031		N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.20 (s, 1H), 7.44 (d, *J* = 9.0 Hz, 2H), 7.34 (tdd, *J* = 8.9, 5.5, 3.5 Hz, 4H), 6.90 (d, *J* = 9.0 Hz, 2H), 4.74 (s, 4H), 4.70 – 4.63 (m, 1H), 4.51 (s, 1H), 3.80 – 3.68 (m, 4H), 3.47 – 3.08 (m, 2H), 2.13 – 1.68 (m, 6H), 1.66 – 1.33 (m, 2H)	(ESI(+)) m/e 436 $(M+H)^+$
1032		N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.18 (d, *J* = 6.7 Hz, 1H), 7.48 – 7.39 (m, 2H), 7.39 – 7.22 (m, 4H), 6.96 – 6.81 (m, 2H), 4.74 (s, 4H), 4.56 – 4.41 (m, 1H), 3.97 – 3.64 (m, 2H), 3.28 – 3.10 (m, 2H), 2.67 – 2.54 (m, 1H), 2.02 – 1.78 (m, 2H), 1.74 – 1.39 (m, 7H), 1.39 – 1.04 (m, 5H)	(ESI(+)) m/e 448 $(M+H)^+$
1033		N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.20 (s, 1H), 7.41 (t, *J* = 11.1 Hz, 2H), 7.37 – 7.20 (m, 4H), 6.89 (d, *J* = 9.0 Hz, 2H), 4.74 (s, 4H), 4.57 – 4.38 (m, 1H), 3.77 (d, *J* = 47.0 Hz, 2H), 3.21 (t, *J* = 9.7 Hz, 2H), 2.20 (d, *J* = 6.6 Hz, 2H), 1.89 (s, 2H), 1.60 (t, *J* = 30.4 Hz, 8H), 1.17 (dd, *J* = 28.3, 16.2 Hz, 3H), 0.94 (t, *J* = 11.4 Hz, 2H)	(ESI(+)) m/e 462 $(M+H)^+$
1034		N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.20 (s, 1H), 7.40 (dd, *J* = 19.8, 6.3 Hz, 3H), 7.36 – 7.23 (m, 3H), 6.89 (d, *J* = 9.0 Hz, 2H), 4.74 (s, 4H), 4.50 (s, 1H), 3.95 – 3.64 (m, 4H), 3.28 – 3.14 (m, 4H), 2.27 (d, *J* = 6.4 Hz, 2H), 1.91 (d, *J* = 3.7 Hz, 3H), 1.55 (t, *J* = 18.1 Hz, 4H), 1.32 – 1.07 (m, 2H)	(ESI(+)) m/e 464 $(M+H)^+$
1035		N-(4-{[1-(morpholin-4-	^{1}H NMR (300 MHz, DMSO-d_6) δ 10.01 (s, 1H), 8.21	(ESI(+))

		ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	(s, 1H), 7.43 (t, *J* = 13.2 Hz, 2H), 7.37 – 7.24 (m, 3H), 6.91 (d, *J* = 9.1 Hz, 2H), 4.74 (s, 4H), 4.71 – 4.45 (m, 1H), 4.37 (s, 2H), 4.04 – 3.71 (m, 6H), 3.56 (d, *J* = 15.9 Hz, 2H), 3.47 – 3.20 (m, 4H), 3.13 (s, 2H), 1.97 (s, 2H), 1.62 (dd, *J* = 33.2, 8.7 Hz, 2H)	m/e 465 $(M+H)^+$
1036		N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.20 (s, 1H), 7.51 – 7.35 (m, 3H), 7.35 – 7.23 (m, 3H), 6.89 (d, *J* = 9.0 Hz, 2H), 4.74 (s, 4H), 4.50 (dd, *J* = 7.7, 3.9 Hz, 1H), 3.92 – 3.71 (m, 3H), 3.71 – 3.52 (m, 2H), 3.22 (dd, *J* = 9.8, 4.3 Hz, 3H), 2.45 (s, 3H), 2.13 – 1.80 (m, 3H), 1.67 – 1.37 (m, 3H)	(ESI(+)) m/e 450 $(M+H)^+$

Example 1018

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 1018A

N-(4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

2,3-Dihydro-1H-pyrrolo[3,4-c]pyridine 2·HCl (1.55 g, 8.03 mmol) was suspended in dimethylformamide (30 ml) and treated with triisopropylethylamine (4.21 ml, 24.08 mmol). After stirring for 20 minutes, the mixture was cooled to -15°C. 2-(4-Isocyanatophenyl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (2.028 g, 8.03 mmol) was dissolved in 10 ml tetrahydrofuran and added via syringe over 10 minutes. The mixture was allowed to warm to room temperature, and it was stirred for 3 hours and concentrated under a stream of nitrogen to minimal volume. The residue was diluted with cold water to give a turbid mixture which was filtered with water washes to provide the title compound after drying.

Example 1018B

tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)cyclohex-3-enylcarbamate

N-(4-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide (1.692 g, 4.63 mmol), 4-(tert-butoxycarbonylamino)cyclohex-1-enyl trifluoromethanesulfonate (1.6 g, 4.63 mmol) and cesium carbonate (3.77 g, 11.58 mmol) were suspended in terahydrofuran (30 ml), methanol (5.00 ml)and water (15.00 ml). Nitrogen was bubbled throught the solution for 10 min when $PdCl_2$(dppf)-dichloromethane adduct (0.189 g, 0.232 mmol) was added and the mixture was heated to 80°C for 7h. After dilution with ethyl acetate and brine, the separated aqueous layer was extracted several times with ethyl acetate and the combined organic layers were dried over magnesium sulfate, filtered and concentrated. Flash chromatography provided the title compound.

Example 1018C

N-(4-(4-aminocyclohex-1-enyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)cyclohex-3-enylcarbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 1018D

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and isobutyric acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.41 (s, 1H), 7.66 (d, J = 7.6 Hz, 1H), 7.56 – 7.48 (m, 2H), 7.43 (d, J = 5.1 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.06 – 5.99 (m, 1H), 4.83 – 4.77 (m, 4H), 3.87 – 3.73 (m, 1H), 2.37 (t, J = 6.7 Hz, 2H), 2.11 – 1.97 (m, 1H), 1.95 – 1.82 (m, 1H), 1.80 – 1.50 (m, 1H), 1.38 – 1.20 (m, 2H), 1.00 (dd, J = 6.8, 2.5 Hz, 6H); MS (ESI(+)) m/e 405 $(M+H)^+$.

Table 20.

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
1022		N-(4-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.42 (s, 1H), 7.91 (d, J = 7.5 Hz, 1H), 7.52 (d, J = 8.6 Hz, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.33 (d, J = 8.6 Hz, 2H), 6.02 (s, 1H), 4.80 (d, J = 4.1 Hz, 4H), 3.84 (td, J = 8.1, 3.7 Hz, 2H), 3.76 – 3.52 (m, 3H), 2.93 (p, J = 7.7 Hz, 1H), 2.11 – 1.79 (m, 5H), 1.60 (s, 1H)	(ESI(+)) m/e 433 $(M+H)^+$
1023		N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.42 (s, 1H), 7.77 – 7.69 (m, 1H), 7.56 – 7.48 (m, 2H), 7.43 (d, J = 5.1 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.02 (bs, 1H), 4.84 – 4.72 (m, 4H), 3.90 – 3.78 (m, 4H), 2.48 – 2.41 (m, 2H), 2.36 (s, 2H), 2.11 – 1.98 (m, 1H), 1.93 – 1.81 (m, 1H), 1.69 – 1.52 (m, 6H)	(ESI(+)) m/e 447 $(M+H)^+$
1024		N-(4-{4-[(morpholin-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, J = 4.9 Hz, 1H), 8.42 (s, 1H), 7.62 (d, J = 8.1 Hz, 1H), 7.53 (d, J = 8.7 Hz, 2H), 7.43 (d, J = 5.0 Hz, 1H), 7.33 (d, J = 8.7 Hz, 2H), 6.02 (s, 1H), 4.80 (d, J = 4.2 Hz, 4H), 3.91 (s, 1H), 3.64 – 3.49 (m, 5H), 2.92 (s, 2H), 2.41 (dd, J = 12.8, 8.2 Hz, 5H), 2.18 (s, 1H), 1.86 (s, 1H), 1.77 – 1.59 (m, 1H)	(ESI(+)) m/e 462 $(M+H)^+$
1025		N-[4-(4-{[(2-methoxyethoxy)acetyl]	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, J = 4.9 Hz, 1H), 8.42 (s, 1H), 7.59 – 7.49 (m, 3H), 7.43	(ESI(+)) m/e 451

		amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(d, *J* = 5.1 Hz, 1H), 7.37 – 7.30 (m, 2H), 6.03 (bs, 1H), 4.83 – 4.77 (m, 4H), 3.88 (s, 4H), 3.60 (d, *J* = 3.8 Hz, 2H), 3.48 (d, *J* = 2.8 Hz, 2H), 3.25 (s, 3H), 2.36 – 1.97 (m, 3H), 1.93 – 1.82 (m, 1H), 1.77 – 1.57 (m, 1H)	$(M+H)^+$
1081		N-(4-{4-[(tetrahydrofuran-2-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 7.79 (d, *J* = 7.4 Hz, 1H), 7.52 (d, *J* = 8.7 Hz, 2H), 7.43 (d, *J* = 5.1 Hz, 1H), 7.33 (d, *J* = 8.7 Hz, 2H), 6.02 (s, 1H), 4.80 (d, *J* = 4.0 Hz, 4H), 4.07 (p, *J* = 6.7 Hz, 1H), 3.83 (s, 1H), 3.73 (dd, *J* = 14.2, 7.3 Hz, 1H), 3.58 (dd, *J* = 14.5, 7.6 Hz, 1H), 2.45 (s, 2H), 2.34 (dd, *J* = 13.8, 6.9 Hz, 2H), 2.28 – 2.16 (m, 1H), 2.11 – 1.96 (m, 1H), 1.96 – 1.71 (m, 4H), 1.68 – 1.39 (m, 2H)	(ESI(+)) m/e 447 $(M+H)^+$
1082		N-(4-{4-[(tetrahydrofuran-3-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 7.84 (d, *J* = 7.6 Hz, 1H), 7.52 (d, *J* = 8.8 Hz, 2H), 7.43 (d, *J* = 5.1 Hz, 1H), 7.36 – 7.29 (m, 2H), 6.02 (bs, 1H), 4.83 – 4.77 (m, 4H), 3.91 – 3.79 (m, 1H), 3.78 – 3.67 (m, 1H), 3.66 – 3.55 (m, 1H), 3.26 (q, *J* = 3.7 Hz, 1H), 2.44 (dd, *J* = 10.1, 4.1 Hz, 2H), 2.41 – 2.33 (m, 1H), 2.21 – 2.12 (m, 1H), 2.11 – 1.82 (m, 4H), 1.67 – 1.41 (m, 3H)	(ESI(+)) m/e 447 $(M+H)^+$
1083		N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 7.62 (d, *J* = 7.6 Hz, 1H), 7.56 – 7.48 (m, 2H), 7.43 (d, *J* = 5.1 Hz, 1H), 7.36 – 7.29 (m, 2H), 6.01 (bs, 1H), 4.83 – 4.77 (m, 4H), 3.84 – 3.74 (m, 1H), 2.43 – 2.29 (m, 2H), 2.29 – 1.97 (m, 2H), 1.91 – 1.80 (m, 1H), 1.74 – 1.48 (m, 6H), 1.43 – 1.03 (m, 5H)	(ESI(+)) m/e 445 $(M+H)^+$
1084		N-[4-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 8.12 (d, *J* = 7.4 Hz, 1H), 8.10 – 8.05 (m, 1H), 7.53 (d, *J* = 8.8 Hz, 2H), 7.43 (d, *J* = 5.1 Hz, 1H), 7.34 (d, *J* = 8.7 Hz, 2H), 6.02 (s, 1H), 4.80 (d, *J* = 4.1 Hz, 4H), 3.85 (s, 1H), 3.21 (ddd, *J* = 16.3, 11.0, 6.6 Hz, 3H), 3.14 – 2.96 (m, 2H), 2.31 (dd, *J* = 12.3, 6.1 Hz, 2H), 2.19 – 1.97 (m, 2H), 1.88 (s, 1H), 1.62 (s, 1H)	(ESI(+)) m/e 481 $(M+H)^+$
1085		N-[4-(4-{[(4,4-difluorocyclohexyl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 7.80 (d, *J* = 7.5 Hz, 1H), 7.56 – 7.48 (m, 2H), 7.43 (d, *J* = 5.1 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.02 (bs, 1H), 4.83 – 4.77 (m, 4H), 3.89 – 3.77 (m, 1H), 2.41 (d, *J* = 23.9 Hz, 1H), 2.24 – 2.14 (m, 1H), 2.12 – 1.96 (m, 4H), 1.80 (d, *J* = 22.0 Hz, 4H), 1.70 – 1.50 (m, 4H)	(ESI(+)) m/e 481 $(M+H)^+$
1086		N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 7.56 – 7.49 (m, 2H), 7.42 (d, *J* = 3.1 Hz, 2H), 7.37 – 7.30 (m, 2H), 6.03 (bs, 1H), 5.38 (s, 1H), 4.84 – 4.72 (m, 4H), 3.89 – 3.79 (m, 1H), 2.35 (s, 1H), 2.39 – 2.05 (m, 2H), 1.80 (d, *J* = 19.6 Hz, 1H), 1.77 – 1.61 (m, 1H), 1.25 (s, 6H)	(ESI(+)) m/e 421 $(M+H)^+$
1087		N-(4-{4-[(tetrahydrofuran-2-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 7.65 – 7.54 (m, 1H), 7.52	(ESI(+)) m/e 433

		ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	(d, *J* = 8.7 Hz, 2H), 7.43 (d, *J* = 5.0 Hz, 1H), 7.33 (d, *J* = 8.7 Hz, 2H), 6.02 (s, 1H), 4.80 (d, *J* = 4.0 Hz, 4H), 4.20 (dd, *J* = 8.1, 5.1 Hz, 1H), 3.89 (dd, *J* = 13.8, 7.1 Hz, 2H), 3.76 (dd, *J* = 14.4, 6.7 Hz, 1H), 2.30 (dd, *J* = 28.6, 11.2 Hz, 1H), 2.26 – 2.01 (m, 3H), 1.93 – 1.60 (m, 6H)	$(M+H)^+$
1291		N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 7.67 (d, *J* = 7.6 Hz, 1H), 7.56 – 7.49 (m, 2H), 7.43 (d, *J* = 5.1 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.02 (bs, 1H), 4.84 – 4.77 (m, 4H), 3.92 – 3.75 (m, 1H), 2.42 (d, *J* = 23.1 Hz, 2H), 2.10 – 2.03 (m, 1H), 1.99 (d, *J* = 7.0 Hz, 2H), 1.94 – 1.84 (m, 1H), 1.83 – 1.51 (m, 1H), 1.05 – 0.88 (m, 1H), 0.43 (dd, *J* = 9.8, 4.2 Hz, 2H), 0.21 – 0.07 (m, 2H)	(ESI(+)) m/e 417 $(M+H)^+$
1442		N-[4-(4-{[(4-methylpiperazin-1-yl)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 7.59 – 7.49 (m, 3H), 7.43 (d, *J* = 4.6 Hz, 1H), 7.37 – 7.30 (m, 2H), 6.06 – 5.98 (m, 1H), 5.75 (s, 1H), 4.84 – 4.77 (m, 4H), 4.00 – 3.85 (m, 1H), 3.05 – 2.90 (m, 2H), 2.90 (s, 3H), 2.32 – 2.13 (m, 5H), 2.12 (s, 3H), 2.12 (s, 3H), 1.91 – 1.80 (m, 1H), 1.75 – 1.61 (m, 1H)	(ESI(+)) m/e 475 $(M+H)^+$
1443		N-(4-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.65 – 8.57 (m, 1H), 8.55 – 8.45 (m, 1H), 8.44 – 8.36 (m, 2H), 7.88 – 7.75 (m, 1H), 7.60 – 7.47 (m, 2H), 7.47 – 7.37 (m, 1H), 7.36 – 7.24 (m, 2H), 6.07 – 5.86 (m, 1H), 4.87 – 4.62 (m, 4H), 3.90 – 3.68 (m, 2H), 3.29 – 3.17 (m, 2H), 2.45 – 2.28 (m, 2H), 2.09 – 1.91 (m, 4H), 1.93 – 1.79 (m, 2H), 1.64 – 1.42 (m, 3H), 1.28 – 1.07 (m, 2H)	(ESI(+)) m/e 461 $(M+H)^+$
1444		N-{4-[4-(benzoylamino)cyclohex-1-en-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.49 (t, *J* = 4.7 Hz, 1H), 8.43 (s, 1H), 8.32 (d, *J* = 7.7 Hz, 1H), 7.91 – 7.83 (m, 2H), 7.57 – 7.41 (m, 6H), 7.38 – 7.28 (m, 2H), 6.07 (d, *J* = 1.8 Hz, 1H), 4.87 – 4.71 (m, 4H), 4.16 – 3.95 (m, 1H), 2.35 – 2.19 (m, 2H), 2.08 – 1.93 (m, 2H), 1.81 – 1.65 (m, 2H)	(ESI(+)) m/e 439 $(M+H)^+$
1445		N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.62 (d, *J* = 5.8 Hz, 1H), 8.54 – 8.45 (m, 1H), 8.44 – 8.35 (m, 1H), 7.63 – 7.54 (m, 1H), 7.56 – 7.46 (m, 2H), 7.46 – 7.38 (m, 1H), 7.33 (d, *J* = 8.7 Hz, 2H), 6.06 – 5.90 (m, 1H), 4.86 – 4.65 (m, 4H), 4.26 – 4.11 (m, 1H), 3.94 – 3.80 (m, 2H), 3.80 – 3.62 (m, 1H), 2.40 – 2.25 (m, 2H), 2.27 – 2.02 (m, 2H), 1.92 – 1.77 (m, 4H), 1.75 – 1.60 (m, 1H)	(ESI(+)) m/e 433 $(M+H)^+$
1446		N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.53 – 8.44 (m, 1H), 8.41 (d, *J* = 6.7 Hz, 1H), 7.65 – 7.56 (m, 1H), 7.56 – 7.47 (m, 2H), 7.46 – 7.39 (m, 1H), 7.33 (d, *J* = 8.7 Hz, 2H), 6.01 (t, *J* = 4.3 Hz, 1H), 4.80 (d, *J* = 4.0 Hz, 4H), 4.24 – 4.16 (m, 1H), 3.93 – 3.82 (m, 3H), 3.80 – 3.70 (m, 1H), 2.33 (dd, *J* = 5.3, 3.1 Hz, 1H), 2.24 – 2.01 (m, 3H), 2.01 – 1.63 (m, 5H)	(ESI(+)) m/e 433 $(M+H)^+$
1447		N-[4-(4-{[(1-methylpiperidin-4-yl)carbonyl]amino}cyclohex-1-en-1-	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.68 – 8.56 (m, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.42 (s, 1H), 7.70 (d, *J* = 7.6 Hz, 1H), 7.56 – 7.48 (m, 2H), 7.43 (d, *J* = 5.2 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.02 (bs, 1H), 4.83 – 4.77 (m,	(ESI(+)) m/e 460 $(M+H)^+$

		yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	4H), 3.86 – 3.76 (m, 1H), 2.81 – 2.70 (m, 3H), 2.38 – 2.25 (m, 1H), 2.13 (s, 3H), 2.10 – 1.97 (m, 2H), 1.90 – 1.74 (m, 3H), 1.68 – 1.49 (m, 5H)	
1448		N-[4-(4-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.42 (s, 1H), 7.92 (d, J = 7.5 Hz, 1H), 7.56 – 7.49 (m, 2H), 7.43 (d, J = 5.1 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.02 (bs, 1H), 4.87 – 4.77 (m, 4H), 3.83 (d, J = 3.0 Hz, 1H), 3.16 – 3.01 (m, 4H), 2.42 (d, J = 24.4 Hz, 4H), 2.11 – 1.91 (m, 5H), 1.93 – 1.78 (m, 1H), 1.72 – 1.52 (m, 1H)	(ESI(+)) m/e 495 $(M+H)^+$
1449		N-[4-(4-{[(3R)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.42 (s, 1H), 7.92 (d, J = 7.5 Hz, 1H), 7.56 – 7.49 (m, 2H), 7.43 (d, J = 5.1 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.02 (bs, 1H), 4.88 – 4.72 (m, 4H), 3.84 (td, J = 8.1, 3.8 Hz, 2H), 3.76 – 3.55 (m, 3H), 2.93 (p, J = 7.6 Hz, 1H), 2.42 (d, J = 19.4 Hz, 3H), 2.12 – 1.84 (m, 4H), 1.69 – 1.51 (m, 1H)	(ESI(+)) m/e 433 $(M+H)^+$
1450		N-[4-(4-{[(3S)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.41 (s, 1H), 7.91 (d, J = 7.6 Hz, 1H), 7.54 (s, 2H), 7.43 (d, J = 5.1 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.02 (bs, 1H), 4.85 – 4.72 (m, 4H), 3.84 (td, J = 8.1, 3.8 Hz, 2H), 3.78 – 3.55 (m, 3H), 2.93 (p, J = 7.7 Hz, 1H), 2.43 (d, J = 18.2 Hz, 2H), 2.11 – 1.79 (m, 4H), 1.60 (s, 1H)	(ESI(+)) m/e 433 $(M+H)^+$
1451		N-[4-(4-{[(2S)-2-methylbutanoyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.53 – 8.43 (m, 1H), 8.42 (d, J = 6.6 Hz, 1H), 7.76 – 7.62 (m, 1H), 7.56 – 7.46 (m, 2H), 7.49 – 7.36 (m, 1H), 7.35 – 7.28 (m, 2H), 6.05 – 5.94 (m, 1H), 4.91 – 4.65 (m, 4H), 4.06 – 3.70 (m, 1H), 2.48 – 2.31 (m, 2H), 2.24 – 1.98 (m, 2H), 1.94 – 1.77 (m, 1H), 1.70 – 1.40 (m, 2H), 1.39 – 1.14 (m, 2H), 1.04 – 0.86 (m, 3H), 0.82 (td, J = 7.4, 3.3 Hz, 3H)	(ESI(+)) m/e 419 $(M+H)^+$

Example 1020

tert-butyl 3-{[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]methyl}azetidine-1-carboxylate

The title compound was prepared as described in Example 272B, substituting tert-butyl 3-(aminomethyl)azetidine-1-carboxylate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 7.37 – 7.23 (m, 4H), 6.58 – 6.48 (m, 1H), 4.58 (s, 4H), 3.91 – 3.75 (m, 2H), 3.65 – 3.51 (m, 2H), 3.30 – 3.20 (m, 2H), 2.68 – 2.55 (m, 1H), 1.35 (s, 9H); MS (ESI(+)) m/e 332 $(M+H)^+$.

Example 1021

tert-butyl [(1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}azetidin-3-yl)methyl]carbamate

Example 1021A

tert-butyl (1-(4-nitrophenyl)azetidin-3-yl)methylcarbamate

A solution of 1-fluoro-4-nitrobenzene (0.61 g, 4.32 mmol) and tert-butyl azetidin-3-ylmethylcarbamate (0.886 g, 4.76 mmol) in dimethylformamide (8.65 ml) was treated with potassium carbonate (0.896 g, 6.48 mmol) and the suspension was heated at 55°C (12 pm) for 3 hours and at ambient temperature for 16 hours. The reaction was poured into water and the suspension was filtered. The solid was washed with water and dried to provide the title compound.

Example 1021B

tert-butyl (1-(4-aminophenyl)azetidin-3-yl)methylcarbamate

The title compound was prepared as described in Example 272A, substituting tert-butyl (1-(4-nitrophenyl)azetidin-3-yl)methylcarbamate for 4-nitro-N-propylbenzamide.

Example 1021C

tert-butyl [(1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}azetidin-3-yl)methyl]carbamate

The title compound was prepared as described in Example 272B, substituting tert-butyl (1-(4-aminophenyl)azetidin-3-yl)methylcarbamate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.03 (s, 1H), 7.39 – 7.25 (m, 6H), 7.07 – 6.94 (m, 1H), 6.33 (d, J = 8.8 Hz, 2H), 4.72 (s, 4H), 3.75 (t, J = 7.4 Hz, 2H), 3.48 – 3.40 (m, 2H), 3.22 – 3.14 (m, 2H), 2.76 – 2.65 (m, 1H), 1.38 (s, 9H); MS (ESI(+)) m/e 423 $(M+H)^+$.

Example 1046

N-[4-({[4-(acetylamino)phenyl]sulfonyl}amino)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and 4-(acetylamino)phenyl]sulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.72 (s, 1 H) 8.62 (d, J=4.88 Hz, 1 H) 7.73 (d, J=5.49 Hz, 1 H) 7.61 - 7.69 (m, 4 H) 7.36 (d, J=8.54 Hz, 2 H) 6.98 (d, J=8.85 Hz, 2 H) 4.88 (d, J=7.02 Hz, 4 H) 2.00 - 2.10 (m, 3 H); MS (APCI(+)) m/e 452 $(M+H)^+$.

Example 1047

N-{4-[(propylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and propylsulfonyl chloride for (3-

methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.72 (s, 1 H) 8.62 (d, *J*=5.49 Hz, 1 H) 7.73 (d, *J*=5.49 Hz, 1 H) 7.46 (d, *J*=8.54 Hz, 2 H) 7.14 (d, *J*=8.85 Hz, 2 H) 4.91 (d, *J*=6.10 Hz, 4 H) 2.98 - 3.06 (m, 2 H) 1.66 - 1.78 (m, 2 H) 0.96 (t, *J*=7.48 Hz, 3 H); MS (APCI(+)) m/e 361 $(M+H)^+$.

Example 1048

N-(4-{[(4-propylphenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and (4-propylphenyl)sulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ 9.90 (s, 1H), 8.59 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.33 (s, 1H), 7.64 – 7.58 (m, 2H), 7.45 – 7.33 (m, 4H), 7.33 (s, 1H), 6.99 – 6.92 (m, 2H), 4.79 – 4.72 (m, 4H), 2.57 (dd, *J* = 17.1, 9.3 Hz, 1H), 1.65 – 1.49 (m, 2H), 0.86 (t, *J* = 7.3 Hz, 3H); MS (ESI(+)) m/e 437 $(M+H)^+$.

Example 1049

N-{4-[(butylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and butylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.71 (s, 1 H) 8.61 (d, *J*=5.19 Hz, 1 H) 7.70 (d, *J*=5.49 Hz, 1 H) 7.47 (d, *J*=8.85 Hz, 2 H) 7.14 (d, *J*=8.85 Hz, 2 H) 4.90 (d, *J*=3.66 Hz, 4 H) 2.97 - 3.08 (m, 2 H) 1.61 - 1.72 (m, 2 H) 1.30 - 1.44 (m, 2 H) 0.85 (t, *J*=7.32 Hz, 3 H); MS (APCI(+)) m/e 375 $(M+H)^+$.

Example 1050

N-{4-[({[(1S,4R)-7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl]methyl}sulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and (1S,4R)-7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl]methyl}sulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.72 (s, 1 H) 8.61 (d, *J*=5.19 Hz, 1 H) 7.71 (d, *J*=5.49 Hz, 1 H) 7.49 (d, *J*=8.85 Hz, 2 H) 7.18 (d, *J*=8.85 Hz, 2 H) 4.90 (d, *J*=3.97 Hz, 4 H) 2.81 (s, 2 H) 2.27 - 2.41 (m, 2 H) 2.07 (t, *J*=4.43 Hz, 1 H) 1.94 - 2.03 (m, 2 H) 1.34 - 1.66 (m, 2 H) 1.02 (s, 3 H) 0.79 (s, 3 H); MS (APCI(+)) m/e 469 $(M+H)^+$.

Example 1051

N-{4-[(ethylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and ethylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.70 - 8.75 (m, 1 H) 8.60 - 8.64 (m, *J*=5.65, 5.65 Hz, 1 H) 7.74 (d, *J*=5.19 Hz, 1 H) 7.46 (d, *J*=8.85 Hz, 2 H) 7.15 (d, *J*=8.54 Hz, 2 H) 4.91 (d, *J*=7.02 Hz, 4 H) 3.04 (q, *J*=7.32 Hz, 2 H) 1.23 (t, *J*=7.32 Hz, 3 H); MS (APCI(+)) m/e 347 $(M+H)^+$.

Example 1052

N-{4-[(benzylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and benzylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.72 (s, 1 H) 8.61 (d, *J*=4.88 Hz, 1 H) 7.70 (d, *J*=5.19 Hz, 1 H) 7.46 (d, *J*=8.85 Hz, 2 H) 7.28 - 7.37 (m, 5 H) 7.11 (d, *J*=8.85 Hz, 2 H) 4.90 (d, *J*=3.05 Hz, 4 H) 4.37 (s, 2 H); MS (APCI(+)) m/e 409 $(M+H)^+$.

Example 1053

N-(4-{[(4-fluorophenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and (4-fluorophenyl)sulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.71 (s, 1 H) 8.61 (d, *J*=5.19 Hz, 1 H) 7.78 (dd, *J*=8.85, 5.19 Hz, 2 H) 7.67 - 7.73 (m, 1 H) 7.28 - 7.43 (m, 4 H) 6.98 (d, *J*=8.85 Hz, 2 H) 4.87 (d, *J*=4.27 Hz, 4 H); MS (APCI(+)) m/e 412 $(M+H)^+$.

Example 1054

N-{4-[(thiophen-2-ylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and thiophen-2-ylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.70 (s, 1 H) 8.61 (d, *J*=4.88 Hz, 1 H) 7.81 (d, *J*=4.88 Hz, 1 H) 7.69 (d, *J*=5.19 Hz, 1 H) 7.49 (d, *J*=2.75 Hz, 1 H) 7.42 (d, *J*=8.85 Hz, 2 H) 7.09 - 7.13 (m, 1 H) 7.04 (d, *J*=8.85 Hz, 2 H) 4.88 (d, *J*=3.36 Hz, 4 H); MS (APCI(+)) m/e 401 $(M+H)^+$.

Example 1088

N-[4-(piperidin-1-ylsulfonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 4-(piperidin-1-ylsulfonyl)aniline for 4-amino-N-propylbenzamide and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.89 (s, 1H), 8.62 (s, 1H), 8.51 (d, J = 5.0 Hz, 1H), 7.86 – 7.79 (m, 2H), 7.66 – 7.59 (m, 2H), 7.44 (d, J = 5.0 Hz, 1H), 4.89 – 4.76 (m, 4H), 3.25 – 3.00 (m, 1H), 2.95 – 2.82 (m, 4H), 1.57 – 1.44 (m, 4H), 1.41 – 1.31 (m, 1H); MS (ESI(+)) m/e 387 $(M+H)^+$.

Example 1246

methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate

Example 1246A

methyl 1-(4-nitrophenyl)azetidine-3-carboxylate

A solution of methyl azetidine-3-carboxylate hydrochloride (1.236 g, 8.15 mmol) and N-methylmorpholine (2.338 ml, 21.26 mmol) in dimethylformamide (10 mL) was treated with a solution of 1-fluoro-4-nitrobenzene (1 g, 7.09 mmol) in dimethylformamide (7 mL) and the reaction was allowed to stir at room temperature for 60 hours. Water (50 mL) was added and the resulting suspension was stirred 10 minutes and filtered. The collected solid was washed with water and dried under vacuum. Flash chromatography of the collected solid provided the title compound.

Example 1246B

methyl 1-(4-aminophenyl)azetidine-3-carboxylate

The title compound was prepared as described in Example 272A, substituting methyl 1-(4-nitrophenyl)azetidine-3-carboxylate for 4-nitro-N-propylbenzamide.

Example 1246C

methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate

The title compound was prepared as described in Example 272B, substituting methyl 1-(4-aminophenyl)azetidine-3-carboxylate for 4-amino-N-propylbenzamide and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.15 (s, 1H), 7.42 (d, J = 5.1 Hz, 1H), 7.36 – 7.29 (m, 2H), 6.44 – 6.37 (m, 2H), 4.80 – 4.72 (m, 4H), 4.02 – 3.93 (m, 2H), 3.86 – 3.77 (m, 2H), 3.68 (s, 3H), 3.66 – 3.56 (m, 1H); MS (ESI(+)) m/e 353 $(M+H)^+$.

Example 1247

N-(4-{3-[(3-methylbutyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 1247A

1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)azetidine-3-carboxylic acid

The title compound was prepared as described in Example 1B, substituting methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 1247B

N-(4-{3-[(3-methylbutyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 3-methylbutan-1-amine for 3-phenylpropan-1-amine and 1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)azetidine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.13 (s, 1H), 7.90 (t, J = 5.5 Hz, 1H), 7.42 (d, J = 4.8 Hz, 1H), 7.34 – 7.27 (m, 2H), 6.41 – 6.34 (m, 2H), 4.79 – 4.73 (m, 4H), 3.94 – 3.85 (m, 2H), 3.76 – 3.69 (m, 2H), 3.47 – 3.36 (m, 1H), 3.13 – 3.04 (m, 2H), 1.65 – 1.48 (m, 1H), 1.35 – 1.24 (m, 2H), 0.87 (d, J = 6.6 Hz, 6H); MS (ESI(+)) m/e 408 $(M+H)^+$.

Example 1248

N-(4-{3-[(tetrahydrofuran-2-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (tetrahydrofuran-2-yl)methanamine for 3-phenylpropan-1-amine and 1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)azetidine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.13 (s, 1H), 8.05 (t, J = 5.8 Hz, 1H), 7.42 (d, J = 5.1 Hz, 1H), 7.35 – 7.27 (m, 2H), 6.41 – 6.34 (m, 2H), 4.79 – 4.73 (m, 4H), 3.94 – 3.68 (m, 6H), 3.68 – 3.55 (m, 1H), 3.54 – 3.39 (m, 1H), 3.20 – 3.07 (m, 2H), 1.93 – 1.71 (m, 3H), 1.55 – 1.41 (m, 1H); MS (ESI(+)) m/e 422 $(M+H)^+$.

Example 1249

N-(4-{3-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (tetrahydro-2H-pyran-4-yl)methanamine for 3-phenylpropan-1-amine and 1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)azetidine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.13 (s, 1H), 7.97 (t, J = 5.8 Hz, 1H), 7.42 (d, J = 5.1 Hz, 1H), 7.34 – 7.27 (m, 2H), 6.41 – 6.34 (m, 2H), 4.79 – 4.73 (m, 4H), 3.95 – 3.86 (m, 2H), 3.86 –

3.78 (m, 2H), 3.77 – 3.69 (m, 2H), 3.51 – 3.40 (m, 1H), 3.31 – 3.19 (m, 2H), 3.02 – 2.94 (m, 2H), 1.69 – 1.48 (m, 3H), 1.22 – 1.04 (m, 2H); MS (ESI(+)) m/e 436 $(M+H)^+$.

Example 1250

N-{4-[3-(benzylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting benzylamine for 3-phenylpropan-1-amine and 1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)azetidine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.53 – 8.45 (m, 2H), 8.13 (s, 1H), 7.42 (d, J = 5.0 Hz, 1H), 7.37 – 7.22 (m, 7H), 6.43 – 6.35 (m, 2H), 4.76 (m, 4H), 4.30 (d, J = 5.9 Hz, 2H), 3.99 – 3.88 (m, 2H), 3.83 – 3.72 (m, 2H), 3.57 – 3.46 (m, 1H); MS (ESI(+)) m/e 428 $(M+H)^+$.

Example 1251

N-{4-[3-(cyclopentylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting cyclopentylamine for 3-phenylpropan-1-amine and 1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)azetidine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.13 (s, 1H), 7.91 (d, J = 7.2 Hz, 1H), 7.42 (d, J = 5.1 Hz, 1H), 7.34 – 7.27 (m, 2H), 6.41 – 6.33 (m, 2H), 4.79 – 4.73 (m, 4H), 4.06 – 3.94 (m, 1H), 3.92 – 3.84 (m, 2H), 3.76 – 3.66 (m, 2H), 3.46 – 3.33 (m, 1H), 1.86 – 1.72 (m, 2H), 1.67 – 1.30 (m, 6H); MS (ESI(+)) m/e 406 $(M+H)^+$.

Example 1252

N-(4-{3-[(cyclopentylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting cyclopentylmethamine for 3-phenylpropan-1-amine and 1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)azetidine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.13 (s, 1H), 7.96 (t, J = 5.7 Hz, 1H), 7.42 (d, J = 4.7 Hz, 1H), 7.34 – 7.27 (m, 2H), 6.41 – 6.33 (m, 2H), 4.81 – 4.72 (m, 4H), 3.94 – 3.85 (m, 2H), 3.77 – 3.68 (m, 2H), 3.50 – 3.37 (m, 1H), 3.04 – 2.97 (m, 2H), 2.04 – 1.89 (m, 1H), 1.71 – 1.39 (m, 6H), 1.25 – 1.08 (m, 2H); MS (ESI(+)) m/e 420 $(M+H)^+$.

Example 1253

N-(4-{3-[(2-methoxyethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 2-methoxyeth-1-ylamine for 3-phenylpropan-1-amine and 1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)azetidine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.13 (s, 1H), 8.05 (t, J = 5.5 Hz, 1H), 7.42 (d, J = 5.1 Hz, 1H), 7.35 – 7.27 (m, 2H), 6.42 – 6.34 (m, 2H), 4.79 – 4.73 (m, 4H), 3.93 – 3.86 (m, 2H), 3.73 (t, J = 6.6 Hz, 2H), 3.52 – 3.41 (m, 1H), 3.38 – 3.30 (m, 2H), 3.27 – 3.21 (m, 5H); MS (ESI(+)) m/e 396 $(M+H)^+$.

Example 1268

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (S)-(tetrahydrofuran-2-yl)methamine for 3-phenylpropan-1-amine and 6-(isoindoline-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 10.03 (s, 1H), 8.85 (t, J = 6.1 Hz, 1H), 8.32 (d, J = 9.3 Hz, 1H), 8.12 (d, J = 9.3 Hz, 1H), 7.41 – 7.28 (m, 4H), 5.04 – 4.72 (m, 4H), 4.04 (p, J = 6.2 Hz, 1H), 3.85 – 3.74 (m, 1H), 3.69 – 3.58 (m, 1H), 3.38 (dd, J = 11.2, 5.0 Hz, 2H), 2.01 – 1.74 (m, 3H), 1.71 – 1.54 (m, 1H); MS (ESI(+)) m/e 368 $(M+H)^+$.

Example 1285

N-{4-[(4-fluorobenzyl)(3-methylbutanoyl)amino]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide

Example 1285A

tert-butyl 4-(4-fluorobenzylamino)butylcarbamate

Tert-butyl 4-bromobutylcarbamate (0.735 g, 2.91 mmoles), (4-fluorophenyl)methanamine (0.333 g, 2.91 mmoles) and potassium carbonate (0.806 g, 5.83 mmoles) were stirred in acetonitrile (15 mL) at 100°C for 1 hour. The reaction mixture was cooled, the solvent waqs concentrated and the residue was taken into dichloromethane and washed with water twice. The organic layers were combined, dried over magnesium sulfate, filtered and concentrated to provide the title compound which was used without further purification in the next step.

Example 1285B

tert-butyl 4-(N-(4-fluorobenzyl)-3-methylbutanamido)butylcarbamate

The title compound was prepared as described in Example 278, substituting 3-methylbutanoyl chloride for acetyl chloride and tert-butyl 4-(4-fluorobenzylamino)butylcarbamate for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide.

Example 1285C

N-(4-aminobutyl)-N-(4-fluorobenzyl)-3-methylbutanamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(N-(4-fluorobenzyl)-3-methylbutanamido)butylcarbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 1285D

N-{4-[(4-fluorobenzyl)(3-methylbutanoyl)amino]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 272B, substituting N-(4-aminobutyl)-N-(4-fluorobenzyl)-3-methylbutanamide for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (400 MHz, $CDCl_3$) δ ppm 7.34 – 7.27 (m, 4H), 7.23 (dd, *J* = 8.5, 5.5 Hz, 1H), 7.13 (dd, *J* = 8.5, 5.5 Hz, 1H), 7.06 (t, *J* = 8.6 Hz, 1H), 6.99 (t, *J* = 8.6 Hz, 1H), 5.49 – 5.17 (m, 1H), 4.72 (m, 4H), 4.56 (d, *J* = 17.7 Hz, 2H), 3.34 (m, 4H), 2.29 (m, 2H), 2.23 – 2.12 (m, 1H), 1.68 – 1.50 (m, 4H), 1.01 – 0.93 (d, *J* = 6.9 Hz, 6H); MS (APCI(+)) m/e 426 $(M+H)^+$.

Example 1286

N-[4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6H-furo[2',3':2,3]cyclobuta[1,2-c]quinolin-6-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 1286A

4-(but-3-enyloxy)-6-chloroquinolin-2(1H)-one

To a solution of 6-chloro-4-hydroxyquinolin-2(1H)-one (800 mg, 4.09 mmol) and N,N-diisopropylethylamine (1415 µl, 8.18 mmol) in dimethylformamide (13.6 ml) was added 4-bromo-1-butene (415 µl, 4.09 mmol). The solution was heated to 60 °C and stirred for 18 hours. The reaction mixture was purified by column chromatography to provide the title compound.

Example 1286B

9-chloro-3,3a,4,4a-tetrahydro-2*H*-furo[2',3':2,3]cyclobuta[1,2-*c*]quinolin-5(6*H*)-one

A solution of 4-(but-3-enyloxy)-6-chloroquinolin-2(1H)-one (600 mg, 2.403 mmol) in benzene (240 mL) was placed under a 450 W Hg UV lamp (fitted with a condenser for cooling) and stirred for 4 days (96 hours). The mixture was then cooled, concentrated in vacuo, and taken up in ~75 mL of methylene chloride (with mild heating to dissolve as much as possible). The sample, which was a mixture of regioisomers, was purified by column chromatography. Concentration of the compound that eluted second provided the title compound.

Example 1286C

tert-butyl [4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6*H*-furo[2',3':2,3]cyclobuta[1,2-*c*]quinolin-6-yl)butyl]carbamate

To a solution of 9-chloro-3,3a,4,4a-tetrahydro-2*H*-furo[2',3':2,3]cyclobuta[1,2-*c*]quinolin-5(6*H*)-one (200 mg, 0.801 mmol) in dimethylformamide (4 ml) at 0°C was slowly

added sodium hydride (19 mg, 0.801 mmol) over 15 minutes. The suspension was allowed to warm to room temperature. The mixture stirred for 45 minutes and 4-(Boc-amino)butyl bromide (202 mg, 0.801 mmol) was added. The solution was stirred for 15 hours, followed by addition of 0.25 mL methanol. Column chromatography provided the title compound.

Example 1286D

6-(4-aminobutyl)-9-chloro-3,3a,4,4a-tetrahydro-2*H*-furo[2',3':2,3]cyclobuta[1,2-*c*]quinolin-5(6*H*)-one

The title compound was prepared as described in Example 2D, substituting *tert*-butyl [4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6*H*-furo[2',3':2,3]cyclobuta[1,2-*c*]quinolin-6-yl)butyl]carbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 1286E

N-[4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6H-furo[2',3':2,3]cyclobuta[1,2-c]quinolin-6-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 272B, substituting 6-(4-aminobutyl)-9-chloro-3,3a,4,4a-tetrahydro-2*H*-furo[2',3':2,3]cyclobuta[1,2-*c*]quinolin-5(6*H*)-one for 4-amino-N-propylbenzamide and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (400 MHz, $CDCl_3$) δ ppm 8.58 (s, 1H), 8.54 (d, *J* = 4.9 Hz, 1 H), 7.29 (d, *J* = 4.9 Hz, 1 H), 7.25 (m, 1 H), 7.23 (d, *J* = 2.6 Hz, 1 H), 6.92 (d, *J* = 8.9 Hz, 1 H), 4.84 (t, *J* = 5.6 Hz, 1 H), 4.74 (bs, 4H), 4.46 (t, *J* = 8.1 Hz, 1 H), 4.22 (m, 1H), 4.05 (m, 1H), 3.91 (m, 1H), 3.39 (m , 3H), 2.93 (m, 1H), 2.31 (m ,1H), 2.22 (m, 1H), 1.84 (m, 1H), 1.69 (m, 5H); MS (ESI(+)) m/e 467 $(M+H)^+$.

Example 1287

N-{4-[7-chloro-1-(2-hydroxyethyl)-3-oxo-1,3-dihydrocyclobuta[c]quinolin-4(2H)-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

To a solution of N-[4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6H-furo[2',3':2,3]cyclobuta[1,2-c]quinolin-6-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide (30 mg, 0.064 mmol) in dimethylformamide (292 uL) and water (292 uL) was added sodium hydroxide (1.679 µl, 0.064 mmol). The solution was stirred for 18 hours and then brought to pH ~7 by dropwise addition of 1M HCl. Column chromatography of the wet, crude mixture provided the title compound. ^{1}H NMR (400 MHz, $CDCl_3$) δ ppm 8.58 (s, 1H), 8.54 (d, *J* = 5.1 Hz, 1 H), 7.54 (d, *J* = 2.4 Hz, 1 H), 7.46 (dd, *J* = 9.1, 2.4 Hz, 1 H), 7.37 (d, *J* = 9.1 Hz, 1 H), 7.25 (m, 1H), 5.06 (t, *J* = 5.7 Hz, 1 H) 4.77 (bs, 2H), 4.75 (bs, 2H), 4.33 (t, *J* = 7.4 Hz, 2 H), 3.87 (m, 2H), 3.74 (m, 2H), 3.46 (m, 2H), 3.37 (dd, *J* = 14.0, 4.5 Hz, 1 H), 2.86 (dd, *J* = 14.0, 1.3 Hz, 1 H), 2.27 (m, 1H), 1.97 (m, 1H), 1.82 (m, 2H), 1.71 (m, 2H); MS (ESI(+)) m/e 467 $(M+H)^+$.

Example 1290

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (R)-(tetrahydrofuran-2-yl)methamine for 3-phenylpropan-1-amine and 6-(isoindoline-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 10.02 (s, 1H), 8.85 (t, *J* = 6.1 Hz, 1H), 8.32 (d, *J* = 9.3 Hz, 1H), 8.12 (d, *J* = 9.3 Hz, 1H), 7.41 – 7.28 (m, 4H), 5.00 – 4.71 (m, 4H), 4.04 (p, *J* = 6.2 Hz, 1H), 3.85 – 3.74 (m, 1H), 3.70 – 3.58 (m, 1H), 3.44 – 3.33 (m, 3H), 1.99 – 1.71 (m, 2H), 1.69 – 1.54 (m, 1H); MS (ESI(+)) m/e 368 $(M+H)^+$.

Table 21.

The following Examples were essentially prepared as described in Example 1C, substituting N-(4-aminophenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
1363		N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO/D_2O, 90°C) δ 8.71 (s, 1H), 8.61 (d, *J* = 5.4 Hz, 1H), 7.70 (d, *J* = 5.5 Hz, 1H), 7.44 (m, 4H), 4.89 (m, 4H), 3.68 (t, *J* =4.7 Hz, 2H), 3.47 (q, *J* = 7.0 Hz, 2H), 2.52 (m, 2H), 1.11 (t, *J* = 7.0 Hz, 3H)	(APCI(+)) m/e 355 $(M+H)^+$
1364		N-(4-{[(1-acetylpiperidin-4-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO/D_2O, 90°C) δ 8.73 (s, 1H), 8.62 (d, *J*=5.46, 1H), 7.75 (m, 1H), 7.41 (m, 4H), 4.91 (m, 4H), 4.13 (m, 2H), 2.95 (m, 2H), 2.60 (m, 1H), 1.99 (m, 3H), 1.84 (m, 2H), 1.52 (m, 2H)	(APCI (+)) m/e 408 $(M+H)^+$
1365		N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO/D_2O, 90°C) δ 8.69 (s, 1H), 8.59 (d, *J* = 5.4 Hz, 1H), 7.66 (d, *J* = 5.5 Hz, 1H), 7.48 (m, 4H), 4.89 (bs, 4H), 4.00 (s, 2H), 3.60 (q, *J* = 7.0 Hz, 2H), 1.21 (t, *J* = 6.9 Hz, 3H)	(APCI (+)) m/e 341 $(M+H)^+$
1366		N-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO/D_2O, 90°C) δ 8.70 (s, 1H), 8.60 (d, *J* = 5.4 Hz, 1H), 7.69 (d, *J* = 5.5 Hz, 1H), 7.48 (m, 4H), 4.89 (m, 4H), 4.35 (dd, *J* = 8.1, 5.6 Hz, 1H), 4.00 (m, 1H), 3.83 (dt, *J* = 8.1, 6.7 Hz, 1H), 2.92 (m, 1H), 2.71 (s, 1H), 2.23 (m, 1H), 2.00 (m, 1H), 1.92 (m, 2H)	(APCI (+)) m/e 353 $(M+H)^+$
1367		N-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO/D_2O, 90°C) δ 8.73 (m, 1H), 8.61 (m, 1H), 7.70 (m, 1H), 7.43 (m, 4H), 4.90 (d, *J* = 8.2 Hz, 4H), 3.93 (m, 1H), 3.76 (m, 3H), 3.13 (m, 1H), 2.10 (q, *J* = 7.2 Hz, 2H)	(APCI (+)) m/e 353 $(M+H)^+$
1368		N-{4-[(cyclopentylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-	^{1}H NMR (400 MHz, DMSO/D_2O, 90°C) δ 8.67 (s, 1H), 8.57 (d, *J* = 5.3 Hz, 1H), 7.62 (d, *J* = 5.4 Hz, 1H), 7.44 (m, 4H), 4.87 (s, 4H), 2.77 (m, 1H), 1.70 (m, 8H)	(APCI (+)) m/e 351 $(M+H)^+$

		carboxamide		
1370		N-{4-[(bicyclo[2.2.1]hept-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO/D_2O, 90°C) δ 8.66 (s, 1H), 8.56 (d, *J* = 5.3 Hz, 1H), 7.60 (d, *J* = 5.2 Hz, 1H), 7.43 (m, 4H), 4.86 (s, 4H), 2.25 (dd, *J* = 14.1, 7.8 Hz, 1H), 2.20 (s, 1H), 2.12 (dd, *J* = 14.0, 7.6 Hz, 1H), 1.98 (d, *J* = 17.2 Hz, 1H), 1.90 (s, 1H), 1.41 (m, 4H), 1.14 (m, 4H)	(APCI (+)) m/e 391 $(M+H)^+$
1371		N-{4-[(1,3-thiazol-5-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO/D_2O, 90°C) δ 9.20 (s, 1H), 8.67 (s, 1H), 8.60 (s, 1H), 8.57 (d, *J* = 5.3 Hz, 1H), 7.61 (d, *J* = 5.3 Hz, 4H), 7.55 (m, 4H)	(APCI (+)) m/e 366 $(M+H)^+$
1372		N-(4-{[(4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO/D_2O, 90°C) δ 8.65 (s, 1H), 8.55 (d, *J* = 5.2 Hz, 1H), 8.26 (d, *J* = 14.4 Hz, 1H), 7.55 (m, 5H), 4.86 (s, 4H), 2.96 (m, 2H), 2.64 (m, 2H), 2.18 (m, 2H)	(APCI (+)) m/e 417 $(M+H)^+$

Example 1369

N-{7-oxo-7-[(3-phenylpropyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 7-(isoindoline-2-carboxamido)heptanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid.Example 1373

N-(4-{2-[(3-methylbutanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 1373A

N-(4-(2-aminoethyl)phenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl (2-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}ethyl)carbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 1373B

N-(4-{2-[(3-methylbutanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(2-aminoethyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and 3-methylbutanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.50 – 7.40 (m, 2H), 7.40 – 7.24 (m, 4H), 7.13 – 7.02 (m, 2H), 4.76 (s, 4H), 2.68 (t, *J* = 7.3 Hz, 2H), 2.07 – 1.84 (m, 3H), 0.95 – 0.76 (m, 6H). MS (ESI (+)) m/e 366 $(M+H)^+$.

Table 22.

The following Examples were essentially prepared as described in Example 1C, substituting N-(4-(2-aminoethyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and the appropriate carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
1374		N-(4-{2-[(4-	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ	(ESI(+))

		methylpentanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	7.44 (t, *J* = 8.2 Hz, 2H), 7.38 – 7.18 (m, 4H), 7.18 – 6.99 (m, 2H), 4.76 (s, 4H), 2.78 – 2.60 (m, 2H), 2.13 – 1.99 (m, 2H), 1.58 – 1.33 (m, 3H), 0.90 – 0.79 (m, 6H)	m/e 380 $(M+H)^+$
1375		N-(4-{2-[(ethoxyacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 8.07 – 7.98 (m, 1H), 7.50 – 7.25 (m, 7H), 7.11 (t, *J* = 6.6 Hz, 2H), 4.76 (s, 4H), 3.80 (s, 2H), 3.55 – 3.41 (m, 2H), 3.41 – 3.33 (m, 2H), 2.78 – 2.64 (m, 2H), 1.19 – 1.07 (m, 3H)	(ESI(+)) m/e 368 $(M+H)^+$
1376		N-[4-(2-{[(2-methoxyethoxy)acetyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.45 (d, *J* = 8.4 Hz, 2H), 7.40 – 7.25 (m, 4H), 7.20 – 6.98 (m, 2H), 4.76 (s, 4H), 3.85 (s, 2H), 3.67 – 3.51 (m, 2H), 3.51 – 3.42 (m, 2H), 3.41 – 3.33 (m, 2H), 3.28 (s, 5H), 2.76 – 2.64 (m, 2H)	(ESI(+)) m/e 398 $(M+H)^+$
1377		N-(4-{2-[(tetrahydrofuran-2-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.52 – 7.37 (m, 2H), 7.37 – 7.21 (m, 4H), 7.10 (t, *J* = 7.3 Hz, 2H), 4.76 (s, 4H), 4.28 – 4.03 (m, 1H), 3.89 – 3.78 (m, 1H), 3.80 – 3.65 (m, 1H), 3.53 – 3.31 (m, 2H), 2.75 – 2.60 (m, 2H), 2.20 – 2.02 (m, 1H), 1.94 – 1.64 (m, 3H)	(ESI(+)) m/e 380 $(M+H)^+$
1378		N-(4-{2-[(cyclopentylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.43 (d, *J* = 8.5 Hz, 2H), 7.37 – 7.21 (m, 4H), 7.09 (d, *J* = 8.4 Hz, 2H), 4.76 (s, 4H), 2.68 (t, *J* = 7.3 Hz, 2H), 1.61 (t, *J* = 44.5 Hz, 8H)	(ESI(+)) m/e 378 $(M+H)^+$
1379		N-(4-{2-[(cyclopentylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.43 (dd, *J* = 6.3, 4.5 Hz, 2H), 7.37 – 7.24 (m, 4H), 7.09 (d, *J* = 8.4 Hz, 2H), 4.76 (s, 4H), 2.67 (dd, *J* = 9.4, 5.3 Hz, 2H), 2.23 – 1.94 (m, 4H), 1.76 – 1.42 (m, 6H), 1.22 – 1.05 (m, 2H)	(ESI(+)) m/e 392 $(M+H)^+$
1380		N-{4-[2-(benzoylamino)ethyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.82 – 7.73 (m, 2H), 7.56 – 7.40 (m, 5H), 7.37 – 7.25 (m, 4H), 7.20 – 7.07 (m, 2H), 4.76 (s, 4H), 3.51 (t, *J* = 7.4 Hz, 2H), 2.93 – 2.67 (m, 2H)	(ESI(+)) m/e 386 $(M+H)^+$
1381		N-(4-{2-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.49 – 7.38 (m, 2H), 7.37 – 7.24 (m, 4H), 7.09 (d, *J* = 8.4 Hz, 2H), 4.76 (s, 4H), 3.90 – 3.74 (m, 2H), 3.37 – 3.30 (m, 2H), 2.68 (t, *J* = 7.3 Hz, 2H), 2.39 – 2.23 (m, 1H), 1.66 – 1.48 (m, 4H)	(ESI(+)) m/e 394 $(M+H)^+$
1382		N-(4-{2-[(tetrahydro-2H-pyran-4-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.43 (t, *J* = 5.4 Hz, 2H), 7.40 – 7.24 (m, 4H), 7.09 (d, *J* = 8.4 Hz, 2H), 4.76 (s, 4H), 3.85 – 3.68 (m, 2H), 3.28 – 3.24 (m, 4H), 2.68 (t, *J* = 7.3 Hz, 2H), 2.01 (d, *J* = 7.1 Hz, 2H), 1.94 – 1.76 (m, 1H), 1.59 – 1.42 (m, 2H), 1.29 – 1.03 (m, 2H)	(ESI(+)) m/e 408 $(M+H)^+$
1383		N-(4-{2-[(tetrahydrofuran-3-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90°C) δ 7.53 – 7.35 (m, 3H), 7.42 – 7.22 (m, 4H), 7.09 (d, *J* = 8.4 Hz, 2H), 4.76 (s, 4H), 3.82 – 3.55 (m, 3H), 3.35 – 3.30 (m, 1H), 3.26 (dd, *J* = 7.1, 5.3 Hz, 2H), 2.68 (t, *J* = 7.3 Hz, 2H), 2.48 – 2.36 (m, 1H), 2.22 – 2.07 (m, 2H), 2.04 – 1.81 (m, 1H), 1.62 – 1.29 (m, 1H)	(ESI(+)) m/e 394 $(M+H)^+$

Example 1404

N-(4-{[1-(2-cyclopropylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting 2-cyclopropylacetaldehyde for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.54 - 8.58 (m, 2 H) 8.08 (s, 1H) 7.72 - 7.77 (m, 2 H) 7.10 (d, *J*=4.88 Hz, 1 H) 7.01 (d, *J*=9.16 Hz, 2 H) 4.82 - 4.88 (m, 4 H) 3.71 (s, 1 H) 2.74 - 2.82 (m, 2 H) 2.43 - 2.50 (m, 2 H) 2.22 - 2.31 (m, 2 H) 1.97 (s, 2 H) 1.79 - 1.90 (m, 2 H) 1.35 - 1.47 (m, 2 H) 0.70 (s, 1 H) 0.36 - 0.45 (m, 2 H) 0.05 (q, *J*=4.78 Hz, 2 H); MS (APCI(+)) m/e 407 $(M+H)^+$.

Example 1405

N-(4-{[1-(2-cyclopentylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting 2-cyclopentylacetaldehyde for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.54 - 8.58 (m, 2 H) 8.08 (s, 1H) 7.72 - 7.78 (m, 2 H) 7.10 (d, *J*=4.88 Hz, 1 H) 7.00 - 7.04 (m, 2 H) 4.82 - 4.90 (m, 4 H) 4.21 - 4.31 (m, 1 H) 2.73 - 2.83 (m, 2 H) 2.34 - 2.40 (m, 2 H) 2.20 - 2.29 (m, 2 H) 1.96 - 2.03 (m, 2 H) 1.67 - 1.93 (m, 5 H) 1.40 - 1.62 (m, 6 H) 1.04 - 1.17 (m, 2 H); MS (APCI(+)) m/e 435 $(M+H)^+$.

Example 1406

N-(4-{[1-(2-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting 2-methylbutanal for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.52 - 8.58 (m, 2 H) 8.08 (s, 1H) 7.74 (d, *J*=8.85 Hz, 2 H) 7.10 (d, *J*=4.58 Hz, 1 H) 6.97 - 7.05 (m, 2 H) 4.84 (d, *J*=6.71 Hz, 4 H) 2.72 (d, *J*=10.68 Hz, 2 H) 2.13 - 2.26 (m, 3 H) 2.01 - 2.07 (m, 2 H) 1.91 - 2.00 (m, 2 H) 1.83 (s, 2 H) 1.54 (s, 2 H) 1.14 (s, 1 H) 0.81 - 0.95 (m, 6 H); MS (APCI(+)) m/e 409 $(M+H)^+$.

Example 1407

N-(4-{[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting tetrahydrofuran-3-carbaldehyde for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.53 - 8.58 (m, 1 H) 8.08 (s, 1 H) 7.70 - 7.77 (m, 2 H) 7.10 (d, *J*=5.19 Hz, 1 H) 7.01 (d, *J*=8.85 Hz, 2 H) 4.84 (d, *J*=7.63 Hz, 4 H) 4.19 - 4.27 (m, 1 H) 3.75 - 3.90 (m, 2 H) 3.67 - 3.72 (m, 1 H) 3.56 (dd, *J*=8.55, 5.80 Hz, 1 H) 2.65 - 2.82 (m, 2 H) 2.31 - 2.45 (m, 1 H) 2.15 - 2.31 (m, 4 H) 1.71 - 2.00 (m, 5 H) 1.48 - 1.59 (m, 1 H); MS (APCI(+)) m/e 423 $(M+H)^+$.

Example 1408

N-(4-{[1-(3,3-dimethylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting 3,3-dimethylbutanal for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.52 - 8.58 (m, 2 H) 8.09 (s, 1 H) 7.71 - 7.78 (m, 2 H) 7.10 (d, *J*=4.88 Hz, 1 H) 6.99 - 7.04 (m, 2 H) 4.84 (dd, *J*=8.39, 1.68 Hz, 4 H) 3.85 (d, *J*=13.43 Hz, 1 H) 2.75 - 2.85 (m, 2 H) 2.38 - 2.47 (m, 2 H) 2.21 - 2.34 (m, 2 H) 1.98 (d, *J*=2.14 Hz, 2 H) 1.78 - 1.91 (m, 2 H) 1.39 - 1.49 (m, 2 H) 0.84 - 0.92 (m, 9 H); MS (APCI(+)) m/e 423 $(M+H)^+$.

Example 1409

N-(4-{[1-(cyclohexylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting cyclohexanecarbaldehyde for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.53 - 8.57 (m, 2 H) 8.08 (s, 1 H) 7.69 - 7.77 (m, 2 H) 7.10 (s, 1 H) 6.97 - 7.04 (m, 2 H) 4.82 - 4.87 (m, 4 H) 4.20 - 4.27 (m, 1 H) 2.73 (t, *J*=10.68 Hz, 2 H) 2.17 - 2.26 (m, 2 H) 2.13 (d, *J*=7.02 Hz, 2 H) 1.93 - 2.01 (m, 2 H) 1.76 - 1.87 (m, 4 H) 1.55 - 1.72 (m, 3 H) 1.44 - 1.54 (m, 1 H) 1.09 - 1.29 (m, 3 H) 0.89 (d, *J*=12.51 Hz, 2 H); MS (APCI(+)) m/e 435 $(M+H)^+$.

Example 1410

N-(4-{[1-(3-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting 3-methylbutanal for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-

carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.53 - 8.57 (m, 2 H) 8.09 (s, 1 H) 7.70 - 7.78 (m, 2 H) 7.10 (d, *J*=5.19 Hz, 1 H) 6.98 - 7.04 (m, 2 H) 4.79 - 4.89 (m, 4 H) 4.26 (d, *J*=3.66 Hz, 1 H) 2.72 - 2.83 (m, 2 H) 2.34 - 2.41 (m, 2 H) 2.21 - 2.30 (m, 2 H) 1.96 - 2.03 (m, 2 H) 1.79 - 1.91 (m, 2 H) 1.54 - 1.68 (m, 1 H) 1.35 - 1.44 (m, 2 H) 0.86 - 0.90 (m, 6 H); MS (APCI(+)) m/e 408 $(M+H)^+$.

Example 1411

N-(4-{[1-(cyclopentylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting cyclopentanecarbaldehyde for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.53 - 8.57 (m, 2 H) 8.08 (s, 1 H) 7.70 - 7.77 (m, 2 H) 7.10 (d, *J*=4.88 Hz, 1 H) 6.97 - 7.05 (m, 2 H) 4.84 (dd, *J*=8.54, 1.53 Hz, 4 H) 4.23 - 4.27 (m, 1 H) 2.75 (d, *J*=10.99 Hz, 2 H) 2.18 - 2.29 (m, 4 H) 2.04 (s, 1 H) 1.94 - 2.02 (m, 2 H) 1.77 - 1.90 (m, 2 H) 1.65 - 1.76 (m, 2 H) 1.42 - 1.59 (m, 4 H) 1.17 - 1.32 (m, 2 H); MS (APCI(+)) m/e 420 $(M+H)^+$.

Example 1412

N-(4-{[1-(tetrahydrofuran-2-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting tetrahydrofuran-2-carbaldehyde for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.53 - 8.59 (m, 2 H) 8.07 (s, 1 H) 7.73 (d, *J*=9.16 Hz, 2 H) 7.10 (d, *J*=5.49 Hz, 1 H) 6.97 - 7.02 (m, 2 H) 4.80 - 4.87 (m, 4 H) 4.03 (d, *J*=11.60 Hz, 1 H) 3.77 - 3.84 (m, 1 H) 3.61 - 3.69 (m, 1 H) 2.88 (d, *J*=41.81 Hz, 2 H) 2.25 - 2.63 (m, 4 H) 1.97 (s, 2 H) 1.77 - 1.91 (m, 4 H) 1.64 - 1.76 (m, 2 H) 1.44 - 1.58 (m, 1 H); MS (APCI(+)) m/e 423 $(M+H)^+$.

Example 1413

N-(4-{[1-(2-methylpropyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 429, substituting isobutyraldehyde for isobutyraldehyde and N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (400 MHz, Pyridine-d_5. Temp=90°C) δ ppm 8.49 - 8.60 (m, 2 H) 8.09 (s, 1 H) 7.68 - 7.80 (m, 2 H) 7.10 (d, *J*=5.19 Hz, 1 H) 6.96 - 7.04 (m, 2 H) 4.85 (s, 4 H) 4.21 -

4.28 (m, 1 H) 2.65 - 2.79 (m, 2 H) 2.13 - 2.24 (m, 2 H) 2.06 (m, 2 H) 1.98 (s, 2 H) 1.77 - 1.88 (m, 2 H) 1.67 - 1.77 (m, 1 H) 0.89 (d, *J*=6.71 Hz, 6 H); MS (APCI(+)) m/e 395 $(M+H)^+$.

Example 1414

N-(4-{[1-(butylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and 1-butylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.59 (s, 1 H) 8.49 (d, *J*=4.88 Hz, 1 H) 7.36 - 7.48 (m, 3 H) 6.90 (d, *J*=8.85 Hz, 2 H) 4.80 (d, *J*=6.10 Hz, 4 H) 4.39 - 4.50 (m, 1 H) 3.41 - 3.49 (m, 2 H) 3.13 - 3.20 (m, 2 H) 2.99 - 3.06 (m, 2 H) 1.94 - 2.01 (m, 2 H) 1.63 - 1.76 (m, 4 H) 1.37 - 1.49 (m, 2 H) 0.91 (t, *J*=7.48 Hz, 3 H); MS (APCI(+)) m/e 459 $(M+H)^+$.

Example 1415

N-(4-{[1-(cyclopropylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and cyclopropylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.57 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.40 (d, *J*=8.54 Hz, 3 H) 6.90 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=8.24 Hz, 4 H) 4.39 - 4.49 (m, 1 H) 3.44 - 3.51 (m, 2 H) 3.17 - 3.23 (m, 2 H) 2.54 - 2.58 (m, 1 H) 1.95 - 2.03 (m, 2 H) 1.68 - 1.78 (m, 2 H) 0.91 - 1.07 (m, 4 H); MS (APCI(+)) m/e 442 $(M+H)^+$.

Example 1416

N-(4-{[1-(phenylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and phenylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.59 (s, 1 H) 8.49 (d, *J*=4.88 Hz, 1 H) 7.77 (d, *J*=7.32 Hz, 2 H) 7.71 (t, *J*=7.32 Hz, 1 H) 7.65 (t, *J*=7.32 Hz, 2 H) 7.44 (d, *J*=4.88 Hz, 1 H) 7.35 (d, *J*=8.85 Hz, 2 H) 6.79 (d, *J*=9.16 Hz, 2 H) 4.79 (d, *J*=4.27 Hz, 4 H) 4.29 - 4.37 (m, 1 H) 3.22 - 3.25 (m, 2 H) 2.92 - 3.06 (m, 2 H) 1.87 - 2.04 (m, 2 H) 1.61 - 1.79 (m, 2 H); MS (APCI(+)) m/e 479 $(M+H)^+$.

Example 1417

N-[4-({1-[(4-fluorophenyl)sulfonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and (4-fluorophenyl)sulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.49 (d, *J*=4.88 Hz, 1 H) 7.84 (dd, *J*=8.85, 5.19 Hz, 2 H) 7.40 - 7.49 (m, 3 H) 7.36 (d, *J*=8.85 Hz, 2 H) 6.80 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=4.88 Hz, 4 H) 4.28 - 4.41 (m, 1 H) 3.21 - 3.26 (m, 2 H) 2.94 - 3.05 (m, 2 H) 1.89 - 2.02 (m, 2 H) 1.62 - 1.76 (m, 2 H); MS (APCI(+)) m/e 497 $(M+H)^+$.

Example 1418

N-(4-{[1-(ethylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and ethylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=5.19 Hz, 1 H) 7.40 (d, *J*=8.85 Hz, 3 H) 6.90 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=7.32 Hz, 4 H) 4.39 - 4.48 (m, 1 H) 3.41 - 3.49 (m, 2 H) 3.14 - 3.22 (m, 2 H) 3.05 (q, *J*=7.43 Hz, 2 H) 1.94 - 2.03 (m, 2 H) 1.64 - 1.78 (m, 2 H) 1.24 (t, *J*=7.32 Hz, 3 H); MS (APCI(+)) m/e 431 $(M+H)^+$.

Example 1419

N-(4-{[1-(propan-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and isopropylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.59 (s, 1 H) 8.49 (d, *J*=5.19 Hz, 1 H) 7.36 - 7.47 (m, 3 H) 6.89 (d, *J*=8.85 Hz, 2 H) 4.80 (d, *J*=5.49 Hz, 4 H) 4.40 - 4.49 (m, 1 H) 3.46 - 3.55 (m, 2 H) 3.33 - 3.36 (m, 1 H) 3.15 - 3.24 (m, 2 H) 1.93 - 2.01 (m, 2 H) 1.62 - 1.74 (m, 2 H) 1.25 (d, *J*=6.71 Hz, 6 H); MS (APCI(+)) m/e 445 $(M+H)^+$.

Example 1420

N-(4-{[1-(benzylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and benzylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.48 (d, *J*=4.88 Hz, 1 H) 7.31 - 7.46 (m, 8 H) 6.87 (d, *J*=9.16 Hz, 2 H) 4.79 (d, *J*=7.02 Hz, 4 H) 4.38 - 4.44 (m, 1 H) 4.36 (s, 2 H) 3.34 - 3.38 (m, 2 H) 3.07 - 3.16 (m, 2 H) 1.82 - 1.90 (m, 2 H) 1.57 - 1.71 (m, 2 H);MS (APCI(+)) m/e 493 $(M+H)^+$.

Example 1421

N-(4-{[1-(propylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and 1-propylsulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.59 (s, 1 H) 8.49 (d, *J*=4.88 Hz, 1 H) 7.35 - 7.46 (m, 3 H) 6.90 (d, *J*=8.85 Hz, 2 H) 4.80 (d, *J*=5.80 Hz, 4 H) 4.39 - 4.48 (m, 1 H) 3.39 - 3.49 (m, 2 H) 3.12 - 3.22 (m, 2 H) 2.96 - 3.06 (m, 2 H) 1.93 - 2.03 (m, 2 H) 1.62 - 1.79 (m, 4 H) 1.01 (t, *J*=7.48 Hz, 3 H); MS (APCI(+)) m/e 445 $(M+H)^+$.

Example 1422

N-(4-{[1-(thiophen-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 883, substituting N-(4-(piperidin-4-yloxy)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for N-(4-aminophenyl)isoindoline-2-carboxamide and thiophene-2-sulfonyl chloride for (3-methoxyphenyl)methanesulfonyl chloride. ^{1}H NMR (400 MHz, DMSO-D_2O, Temp=90°C) δ ppm 8.58 (s, 1 H) 8.49 (d, *J*=5.19 Hz, 1 H) 7.96 (d, *J*=4.27 Hz, 1 H) 7.63 (d, *J*=3.05 Hz, 1 H) 7.44 (d, *J*=4.88 Hz, 1 H) 7.37 (d, *J*=8.85 Hz, 2 H) 7.23 - 7.30 (m, 1 H) 6.81 (d, *J*=8.85 Hz, 2 H) 4.79 (d, *J*=4.88 Hz, 4 H) 4.29 - 4.43 (m, 1 H) 3.31 - 3.38 (m, 2 H) 2.97 - 3.09 (m, 2 H) 1.93 - 2.06 (m, 2 H) 1.65 - 1.81 (m, 2 H); MS (APCI(+)) m/e 485 $(M+H)^+$.

Example 1441

benzyl trans-3-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]cyclobutanecarboxylate

Example 1441A

benzyl trans-3-(tert-butoxycarbonylamino)cyclobutanecarboxylate

A suspension of trans-3-(tert-butoxycarbonylamino)cyclobutanecarboxylic acid (0.5 g, 2.323 mmol) and potassium carbonate (0.321 g, 2.323 mmol) in dimethylformamide (2.323

ml) was treated with (bromomethyl)benzene (0.401 g, 2.346 mmol) added from a syringe over 3 minutes. The reaction mixture was stirred at room temperature for 17 hours and water was added. The suspension was filtered and the solid collected was washed with water and dried under vacuum to give the title compound.

Example 1441B

trans-benzyl 3-aminocyclobutanecarboxylate

The title compound was prepared as described in Example 2D, substituting benzyl trans-3-(tert-butoxycarbonylamino)cyclobutanecarboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2 carboxamido)benzamido)methyl)benzylcarbamate.

Example 1441C

benzyl trans-3-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]cyclobutanecarboxylate

The title compound was prepared as described in Example 272B, substituting trans-benzyl 3-aminocyclobutanecarboxylate for 4-amino-N-propylbenzamide and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for methyl isoindoline-5-carboxylate hydrochloride. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.47 (d, J = 5.0 Hz, 1H), 7.43 – 7.31 (m, 6H), 6.68 (d, J = 7.6 Hz, 1H), 5.14 (s, 2H), 4.65 – 4.58 (m, 4H), 4.41 – 4.29 (m, 1H), 3.11 – 2.99 (m, 1H), 2.46 – 2.25 (m, 4H); MS (ESI(+)) m/e 352 $(M+H)^+$.

Example 1452

N-(4-{3-[(3-methylbutanoyl)amino]oxetan-3-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 1452A

2-methyl-N-(oxetan-3-ylidene)propane-2-sulfinamide

To a 250 mL round-bottomed flask was added 2-methylpropane-2-sulfinamide (3.36 g, 27.8 mmol) followed by tetraethoxytitanium (11.64 ml, 55.5 mmol) to a tetrahydrofuran (69.4 ml) solution of oxetan-3-one (2 g, 27.8 mmol) at room temperature. The mixture was stirred at 50°C for 5 hours, cooled and poured into brine. The suspension was filtered through a pad of diatomaceous earth eluting with ethyl acetate. The organics were combined, dried with sodium sulfate, filtered and concentrated under vacuum. The residue was purified by regular phase flash column chromatography to give the title compound.

Example 1452B

N-(3-(4-bromophenyl)oxetan-3-yl)-2-methylpropane-2-sulfinamide

To a 50 mL round-bottomed flask was added 1,4-dibromobenzene (2.85 g, 12.07 mmol) in tetrahydrofuran (40.2 ml). The solution was cooled to -78°C and n-butyl lithium (4.51 ml, 11.26 mmol) was added dropwise. The mixture was stirred for 1 hour at -78°C. 2-methyl-N-(oxetan-3-ylidene)propane-2-sulfinamide (1.41 g, 8.05 mmol) was added as a tetrahydrofuran solution (ca 1 ml) and the reaction was stirred for 10 minutes and warmed to

room temperature. Saturated ammonium chloride was added followed by water and dichloromethane. The aqueous layer was extracted twice with dichloromethane and the combined organics were dried with magnesium sulfate, filtered and concentrated under vacuum. The residue was purified by regular phase, flash column chromatography to give the title compound.

Example 1452C

N-(4-(3-(1,1-dimethylethylsulfinamido)oxetan-3-yl)phenyl)acetamide

To a 5 mL microwave tube was added N-(3-(4-bromophenyl)oxetan-3-yl)-2-methylpropane-2-sulfinamide (436 mg, 1.312 mmol), cesium carbonate (1283 mg, 3.94 mmol), and acetamide (116 mg, 1.968 mmol) in dioxane (6.5 ml). Xantphos (76 mg, 0.131 mmol) and tris(dibenzylideneacetone)dipalladium(0) (60.1 mg, 0.066 mmol) were added; the tube was flushed with nitrogen and capped. The mixture was heated at 100°C for 45 minutes. Aqueous work up with dichloromethane extraction gave an organic layer that was dried with sodium sulfate, filtered and concentrated under vacuum. Regular phase chromatography provided the title compound.

Example 1452D

N-(3-(4-aminophenyl)oxetan-3-yl)-2-methylpropane-2-sulfinamide

Claisen's alkali (potassium hydroxide, 12.7 g in 9 ml water and 33 ml methanol) was added to N-(4-(3-(1,1-dimethylethylsulfinamido)oxetan-3-yl)phenyl)acetamide (300 mg, 0.966 mmol) and the reaction was stirred at 90°C for 2 hours. The mixture was cooled to room temperature when water and ethyl acetate were added. The aqueous layer was extracted twice with ethyl acetate and the combined organics were dried with magnesium sulfate, filtered and concentrated under vacuum. The residue was purified by regular phase flash column chromatography to give the title compound.

Example 1452E

N-(4-(3-(1,1-dimethylethylsulfinamido)oxetan-3-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 272B, substituting N-(3-(4-aminophenyl)oxetan-3-yl)-2-methylpropane-2-sulfinamide for 4-amino-N-propylbenzamide and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for methyl isoindoline-5-carboxylate hydrochloride.

Example 1452F

N-(4-(3-aminooxetan-3-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

In a 20 mL vial was added N-(4-(3-(1,1-dimethylethylsulfinamido)oxetan-3-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide (253 mg, 0.610 mmol) and methanol (6.1 ml). 4N HCl in dioxane (229 µl, 0.916 mmol) was added and the reaction was

stirred for 2 hours. The mixture was concentrated under vacuum to give the title compound which was used without further purification.

Example 1452G

N-(4-{3-[(3-methylbutanoyl)amino]oxetan-3-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(3-aminooxetan-3-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and 3-methylbutanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.84 (s, 1H), 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.44 (s, 1H), 7.54 (d, J = 8.7 Hz, 2H), 7.43 (d, J = 4.8 Hz, 1H), 7.36 (d, J = 8.8 Hz, 2H), 4.81 (d, J = 6.5 Hz, 6H), 4.69 (d, J = 6.5 Hz, 2H), 2.10 – 1.87 (m, 3H), 0.90 (d, J = 6.4 Hz, 6H); MS (ESI(+)) m/e 395 $(M+H)^+$.

Example 1453

tert-butyl 4-({4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}sulfonyl)piperidine-1-carboxylate

Example 1453A

tert-butyl 4-(4-aminophenylthio)piperidine-1-carboxylate

To a 100 mL round-bottomed flask was added 4-aminobenzenethiol (4.9 g, 39.1 mmol) and potassium carbonate (9.72 g, 70.3 mmol) in dimethylformamide (20 ml). tert-Butyl 4-(tosyloxy)piperidine-1-carboxylate (5 g, 14.07 mmol) was added and the reaction was stirred in a sealed flask at 70°C for 20 hours. The mixture was cooled and filtered through a plug of silica gel with dichloromethane. The filtrate was concentrated under vaccum and chromatographed to give the title compound.

Example 1453B

tert-butyl 4-(4-acetamidophenylthio)piperidine-1-carboxylate

To a 10 mL round-bottomed flask was added tert-butyl 4-(4-aminophenylthio)piperidine-1-carboxylate (100 mg, 0.324 mmol) and triethylamine (249 µl, 1.783 mmol) in dichloromethane (3242 µl). The mixture was cooled to -78°C and acetyl chloride (115 µl, 1.621 mmol) was added. The solution was warmed to room temperature, stirred for 1 h and then diluted with water and additional dichloromethane. The aqueous phase was extracted twice with dichloromethane and the combined organics were dried with sodium sulfate, filtered and concentrated to give the title compound.

Example 1453C

tert-butyl 4-(4-acetamidophenylsulfonyl)piperidine-1-carboxylate

In a 10 mL round-bottomed flask was added tert-butyl 4-(4-acetamidophenylthio)piperidine-1-carboxylate (100 mg, 0.285 mmol) in dichloromethane (2.9 ml). The solution was cooled to -20°C and mCPBA (192 mg, 0.856 mmol) was added. The

reaction mixture was allowed to warm to room temperature and treated with 1N aqueous NaOH. The aqueous layer was extracted with dichloromethane and the combined organics were dried with sodium sulfate, filtered and concentrated to give the title compound.

Example 1453D

tert-butyl 4-(4-aminophenylsulfonyl)piperidine-1-carboxylate

The title compound was prepared as described in Example 1452D, substituting tert-butyl 4-(4-acetamidophenylsulfonyl)piperidine-1-carboxylate for N-(4-(3-(1,1-dimethylethylsulfinamido)oxetan-3-yl)phenyl)acetamide.

Example 1453E

tert-butyl 4-({4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}sulfonyl)piperidine-1-carboxylate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-(4-aminophenylsulfonyl)piperidine-1-carboxylate for 4-amino-N-propylbenzamide and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for methyl isoindoline-5-carboxylate. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.95 (s, 1H), 8.62 (s, 1H), 8.51 (d, J = 5.0 Hz, 1H), 7.90 – 7.83 (m, 2H), 7.76 – 7.69 (m, 2H), 7.44 (d, J = 5.1 Hz, 1H), 4.93 – 4.76 (m, 4H), 4.09 – 3.93 (m, 2H), 2.84 – 2.56 (m, 1H), 1.83 (d, J = 10.8 Hz, 1H), 1.48 – 1.16 (m, 6H); MS (ESI(+)) m/e 431 $(M+H)^+$.

Example 1454

N-{4-[4-(propylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 1454A

1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)piperidine-4-carboxylic acid

The title compound was prepared as described in Example 1246, substituting methyl piperidine-4-carboxylate for methyl azetidine-3-carboxylate hydrochloride in Example 1246A.

Example 1454B

N-{4-[4-(propylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting propan-1-amine for 3-phenylpropan-1-amine and 1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)piperidine-4-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.19 (s, 1H), 7.77 (t, J = 5.6 Hz, 1H), 7.42 (d, J = 5.1 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.89 – 6.83 (m, 2H), 4.77 (d, J = 6.2 Hz, 4H), 3.64 – 3.56 (m, 2H), 3.05 – 2.94 (m, 2H), 2.63 – 2.52 (m, 2H),

2.28 – 2.14 (m, 1H), 1.79 – 1.59 (m, 4H), 1.47 – 1.33 (m, 2H), 0.84 (t, *J* = 7.4 Hz, 3H); MS (ESI(+)) m/e 408 $(M+H)^+$.

Table 23.

The following examples were essentially prepared as described in Example 1C, substituting the appropriate amine for 3-phenylpropan-1-amine and 1-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)piperidine-4-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid.

Ex		Name	^{1}H NMR	MS
1455		N-(4-{4-[(2-methoxyethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.57 (s, 1H), 8.47 (d, *J* = 5.0 Hz, 1H), 7.91 (s, 1H), 7.47 – 7.41 (m, 1H), 7.40 – 7.30 (m, 3H), 6.86 – 6.80 (m, 2H), 4.80 – 4.74 (m, 4H), 3.61 – 3.52 (m, 2H), 3.36 (t, *J* = 5.9 Hz, 2H), 3.28 – 3.17 (m, 5H), 2.64 (td, *J* = 11.7, 3.2 Hz, 2H), 2.32 – 2.20 (m, 1H), 1.82 – 1.63 (m, 4H)	(ESI(+)) m/e 424 $(M+H)^+$
1456		N-(4-{4-[(cyclopentylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.19 (s, 1H), 7.79 (t, *J* = 5.7 Hz, 1H), 7.42 (d, *J* = 5.0 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.89 – 6.83 (m, 2H), 4.80 – 4.74 (m, 4H), 3.64 – 3.56 (m, 2H), 3.01 – 2.94 (m, 2H), 2.64 – 2.53 (m, 2H), 2.30 – 2.16 (m, 1H), 2.04 – 1.91 (m, 1H), 1.74 – 1.43 (m, 10H), 1.29 – 1.06 (m, 2H)	(ESI(+)) m/e 448 $(M+H)^+$
1457		N-(4-{4-[(1,4-dioxan-2-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.19 (s, 1H), 7.90 (t, *J* = 5.8 Hz, 1H), 7.42 (d, *J* = 5.1 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.89 – 6.83 (m, 2H), 4.78 – 4.74 (m, 4H), 3.75 – 3.41 (m, 8H), 3.21 – 3.13 (m, 1H), 3.13 – 3.02 (m, 2H), 2.63 – 2.53 (m, 2H), 2.30 – 2.20 (m, 1H), 1.77 – 1.59 (m, 4H)	(ESI(+)) m/e 466 $(M+H)^+$
1458		N-{4-[4-(cyclopentylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.19 (s, 1H), 7.73 (d, *J* = 7.2 Hz, 1H), 7.42 (d, *J* = 5.1 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.89 – 6.83 (m, 2H), 4.82 – 4.71 (m, 4H), 4.04 – 3.92 (m, 1H), 3.64 – 3.56 (m, 2H), 2.61 – 2.51 (m, 2H), 2.24 – 2.13 (m, 1H), 1.84 – 1.56 (m, 8H), 1.55 – 1.42 (m, 2H), 1.40 – 1.29 (m, 2H)	(ESI(+)) m/e 434 $(M+H)^+$
1459		N-{4-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6, Temp=90 °C) δ ppm 8.57 (s, 1H), 8.47 (d, *J* = 5.0 Hz, 1H), 7.91 (s, 1H), 7.41 – 7.31 (m, 4H), 6.86 – 6.80 (m, 2H), 4.80 – 4.74 (m, 4H), 3.85 – 3.71 (m, 3H), 3.62 – 3.53 (m, 2H), 3.41 – 3.29 (m, 2H), 2.70 – 2.58 (m, 2H), 2.28 – 2.18 (m, 1H), 1.81 – 1.64 (m, 6H), 1.49 – 1.36 (m, 2H)	(ESI(+)) m/e 450 $(M+H)^+$
1460		N-{4-[4-(morpholin-4-ylcarbonyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.19 (s, 1H), 7.42 (d, *J* = 5.1 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.89 – 6.83 (m, 2H), 4.81 – 4.72 (m, 4H), 3.65 – 3.42 (m, 10H), 2.79 – 2.59 (m, 3H), 1.73 – 1.64 (m, 4H)	(ESI(+)) m/e 436 $(M+H)^+$
1461		N-(4-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.19 (s, 1H), 7.81 (t, *J* = 5.8 Hz, 1H), 7.42 (d, *J* = 5.1 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.89 – 6.83 (m, 2H), 4.80 – 4.74 (m, 4H), 3.87 – 3.79 (m, 2H), 3.64 – 3.56 (m, 2H), 3.28 – 3.18 (m, 2H), 2.95 (t, *J* = 6.2 Hz, 2H), 2.64 – 2.52 (m,	(ESI(+)) m/e 464 $(M+H)^+$

		c]pyridine-2-carboxamide	2H), 2.29 – 2.18 (m, 1H), 1.78 – 1.56 (m, 5H), 1.57 – 1.47 (m, 2H), 1.20 – 1.06 (m, 2H)	
1462		N-{4-[4-(cyclopropylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.19 (s, 1H), 7.84 (d, *J* = 4.3 Hz, 1H), 7.42 (d, *J* = 5.1 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.89 – 6.83 (m, 2H), 4.80 – 4.74 (m, 4H), 3.63 – 3.55 (m, 2H), 2.66 – 2.48 (m, 3H), 2.20 – 2.08 (m, 1H), 1.76 – 1.58 (m, 4H), 0.63 – 0.55 (m, 2H), 0.41 – 0.33 (m, 2H)	(ESI(+)) m/e 406 $(M+H)^+$
1463		N-(4-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.59 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.19 (s, 1H), 7.91 (t, *J* = 5.7 Hz, 1H), 7.42 (d, *J* = 4.5 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.89 – 6.83 (m, 2H), 4.80 – 4.74 (m, 4H), 3.73 – 3.54 (m, 5H), 3.40 – 3.34 (m, 1H), 3.09 – 2.98 (m, 2H), 2.64 – 2.53 (m, 2H), 2.37 – 2.27 (m, 1H), 2.27 – 2.17 (m, 1H), 1.94 – 1.83 (m, 1H), 1.79 – 1.61 (m, 4H), 1.57 – 1.46 (m, 1H)	(ESI(+)) m/e 450 $(M+H)^+$
1464		N-(4-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.19 (s, 1H), 7.66 (t, *J* = 6.0 Hz, 1H), 7.42 (d, *J* = 4.6 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.90 – 6.83 (m, 2H), 4.83 – 4.71 (m, 4H), 4.44 (s, 1H), 3.65 – 3.57 (m, 2H), 3.03 (d, *J* = 6.0 Hz, 2H), 2.64 – 2.53 (m, 2H), 2.39 – 2.27 (m, 1H), 1.79 – 1.61 (m, 4H), 1.04 (s, 6H)	(ESI(+)) m/e 438 $(M+H)^+$
1465		N-{4-[4-(butan-2-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide	^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.60 (s, 1H), 8.49 (d, *J* = 5.0 Hz, 1H), 8.19 (s, 1H), 7.56 (d, *J* = 8.2 Hz, 1H), 7.42 (d, *J* = 4.5 Hz, 1H), 7.39 – 7.33 (m, 2H), 6.89 – 6.83 (m, 2H), 4.81 – 4.70 (m, 4H), 3.72 – 3.54 (m, 3H), 2.62 – 2.50 (m, 2H), 2.27 – 2.14 (m, 1H), 1.78 – 1.58 (m, 4H), 1.44 – 1.28 (m, 2H), 1.01 (d, *J* = 6.6 Hz, 3H), 0.81 (t, *J* = 7.4 Hz, 3H)	(ESI(+)) m/e 422 $(M+H)^+$

Example 1472

N-(4-{(4R)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

A racemic mixture of N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide (250 mg) was dissolved in methanol and separated using SCF-LC with a ChiralPak AD-H 21x250mm column to provide N-(4-{(4R)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.41 (s, 1H), 7.66 (d, *J* = 7.6 Hz, 1H), 7.56 – 7.48 (m, 2H), 7.43 (d, *J* = 5.1 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.02 (bs, 1H), 4.84 – 4.77 (m, 4H), 3.89 – 3.73 (m, 1H), 2.44 (ddd, *J* = 12.7, 8.7, 4.6 Hz, 2H), 2.41 – 2.26 (m, 2H), 2.14 – 1.97 (m, 1H), 1.93 – 1.81 (m, 1H), 1.67 – 1.49 (m, 1H), 1.00 (dd, *J* = 6.8, 2.4 Hz, 6H); MS (ESI(+)) m/e 405 $(M+H)^+$.

Example 1473

N-(4-{(4S)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

A racemic mixture of N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide (250 mg) was dissolved in methanol and separated using SCF-LC with a ChiralPak AD-H 21x250mm column to provide

N-(4-{(4S)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, *J* = 5.0 Hz, 1H), 8.41 (s, 1H), 7.66 (d, *J* = 7.6 Hz, 1H), 7.56 – 7.49 (m, 2H), 7.43 (d, *J* = 5.1 Hz, 1H), 7.37 – 7.29 (m, 2H), 6.05 – 5.99 (m, 1H), 4.84 – 4.77 (m, 4H), 3.89 – 3.73 (m, 1H), 2.47 – 2.39 (m, 1H), 2.41 – 2.30 (m, 2H), 2.11 – 1.97 (m, 1H), 1.93 – 1.82 (m, 1H), 1.67 – 1.50 (m, 1H), 1.00 (dd, *J* = 6.8, 2.4 Hz, 6H); MS (ESI(+)) m/e 405 $(M+H)^+$.

Example 1474

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide

Example 1474A

tert-butyl 3-(2-hydroxyethyl)azetidine-1-carboxylate

A solution of 2-(1-(tert-butoxycarbonyl)azetidin-3-yl)acetic acid (1 g, 4.65 mmol) in tetrahydrofuran (5 ml) was cooled to 0°C and treated with borane tetrahydrofuran complex (7.00 ml, 7 mmol) dropwise by syringe. After 1 hour at 0°C the solution was allowed to warm to room temperature and stirred overnight and then it was quenched with 20 ml of 1M aqueous NaOH. The separated aqueous layer was extracted with ether (2 x 15 ml), dried with magnesium sulfate, filtered and concentrated to give the title compound which was used without purification.

Example 1474B

tert-butyl 3-(2-oxoethyl)azetidine-1-carboxylate

To a solution of oxalyl chloride (488 µl, 5.58 mmol) in 40 ml dichloromethane at -78°C was added dimethyl sulfoxide (792 µl, 11.16 mmol) dropwise by syringe. The mixture was stirred for 15 minutes at -78°C when a solution of tert-butyl 3-(2-hydroxyethyl)azetidine-1-carboxylate (936 mg, 4.65 mmol) in 10 ml dichloromethane was added dropwise by syringe. After 1 hour at -78°C, triethylamine (3241 µl, 23.25 mmol) was added and the suspension was warmed to room temperature and stirred for an additional hour. The mixture was quenched with water (25 ml) and saturated aqueous potassium carbonate (10 ml), stirred vigorously and separated. The aqueous layer was extracted with dichloromethane (2 x 20 ml) and the combined organic layers were dried with magnesium sulfate, filtered and concentrated. The crude material was flash chromatographed to give the title compound.

Example 1474C

tert-butyl 3-(3-cyanoallyl)azetidine-1-carboxylate

To a solution of potassium tert-butoxide, 1M in tetrahydrofuran (3694 µl, 3.69 mmol) at 0°C was added dropwise by syringe a solution of diethyl cyanomethylphosphonate (570 µl, 3.52 mmol) in 5 ml tetrahydrofuran. The reaction mixture was warmed to room temperature and then cooled to 0°C again. This solution was treated with tert-butyl 3-(2-oxoethyl)azetidine-1-carboxylate (701 mg, 3.52 mmol) in 2 ml tetrahydrofuran dropwise by syringe and then allowed to warm to room temperature. After stirring overnight the

gelatinous mixture was quenched with water (20 ml) and extracted with ethyl acetate (2 x 20 ml); the organic layers were washed with brine (20 ml), dried with magnesium sulfate, filtered and concentrated. The liquid residue was flash chromatographed to give the title compound as a 1:1 mixture of E/Z isomers.

Example 1474D

tert-butyl 3-(4-aminobutyl)azetidine-1-carboxylate

7M NH_3-CH_3OH (10 mL) was added to tert-butyl 3-(3-cyanoallyl)azetidine-1-carboxylate (640 mg, 2.88 mmol) and Ra-Ni 2800, water slurry (881 mg, 6.75 mmol) in a 20 mL pressure bottle. The mixture was stirred under 30 psi of hydrogen at room temperature for 16 hours. The mixture was filtered through a polypropylene membrane, concentrated by rotovap and dried under vacuum to provide the title compound which was used without purification.

Example 1474E

tert-butyl 3-(4-(isoindoline-2-carboxamido)butyl)azetidine-1-carboxylate

The title compound was prepared as described in Example 344A, substituting tert-butyl 3-(4-aminobutyl)azetidine-1-carboxylate for tert-butyl 5-aminoisoindoline-2-carboxylate.

Example 1474F

N-(4-(azetidin-3-yl)butyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 3-(4-(isoindoline-2-carboxamido)butyl)azetidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 1474G

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-(4-(azetidin-3-yl)butyl)isoindoline-2-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 7.67 – 7.57 (m, 2H), 7.57 – 7.39 (m, 3H), 7.39 – 7.23 (m, 4H), 6.28 (s, 1H), 4.56 (s, 4H), 4.34 (t, J = 8.3 Hz, 1H), 4.11 (t, J = 9.0 Hz, 1H), 4.01 – 3.82 (m, 1H), 3.65 (dd, J = 9.8, 5.8 Hz, 1H), 3.07 (dd, J = 12.7, 6.8 Hz, 2H), 2.66 – 2.53 (m, 1H), 1.59 (dd, J = 15.3, 7.7 Hz, 2H), 1.51 – 1.36 (m, 2H), 1.25 (dd, J = 13.5, 6.4 Hz, 2H); MS (ESI(+)) m/e 378 $(M+H)^+$.

Example 1475

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 1475A

tert-butyl 3-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)butyl)azetidine-1-carboxylate

The title compound was prepared as described in Example 344A, substituting tert-butyl 3-(4-aminobutyl)azetidine-1-carboxylate for tert-butyl 5-aminoisoindoline-2-carboxylate and 1,3-dihydro-2H-pyrrolo[3,4-c]pyridine for isoindoline.

Example 1475B

N-(4-(azetidin-3-yl)butyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 3-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)butyl)azetidine-1-carboxylate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 1475C

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 278, substituting benzoyl chloride for acetyl chloride and N-(4-(azetidin-3-yl)butyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 5-amino-N-(4-(propylcarbamoyl)phenyl)isoindoline-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.55 (s, 1H), 8.46 (d, J = 5.0 Hz, 1H), 7.67 – 7.55 (m, 2H), 7.55 – 7.34 (m, 4H), 6.37 (t, J = 5.5 Hz, 1H), 4.60 (d, J = 2.3 Hz, 4H), 4.35 (t, J = 8.3 Hz, 1H), 4.11 (t, J = 9.1 Hz, 1H), 3.96 – 3.83 (m, 1H), 3.65 (dd, J = 9.7, 5.7 Hz, 1H), 3.07 (dd, J = 12.8, 6.7 Hz, 2H), 2.65 – 2.53 (m, 1H), 1.59 (dd, J = 15.2, 7.6 Hz, 2H), 1.43 (dd, J = 14.4, 7.2 Hz, 2H), 1.34 – 1.09 (m, 2H); MS (ESI(+)) m/e 379 $(M+H)^+$.

Example 1476

N-[trans-3-(benzylcarbamoyl)cyclobutyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 1476A

trans-3-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)cyclobutanecarboxylic acid

The title compound was prepared as described in Example 272A, substituting benzyl trans-3-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]cyclobutanecarboxylate for 4-nitro-N-propylbenzamide.

Example 1476B

N-[trans-3-(benzylcarbamoyl)cyclobutyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting benzylamine for 3-phenylpropan-1-amine and trans-3-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)cyclobutanecarboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.47 (d, J = 5.0 Hz, 1H), 8.26 (t, J = 5.9 Hz, 1H), 7.39 (d, J = 5.1 Hz, 1H), 7.36 – 7.28 (m, 2H), 7.27 – 7.20 (m, 3H), 6.60 (d, J = 7.6 Hz, 1H), 4.65 – 4.59 (m, 4H), 4.45 – 4.29 (m, 1H), 4.28 (d, J = 5.9 Hz, 2H), 2.96 – 2.84 (m, 1H), 2.41 – 2.29 (m, 2H), 2.30 – 2.15 (m, 2H); MS (ESI(+)) m/e 351 $(M+H)^+$.

Example 1477

N-{trans-3-[(2-phenylethyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 2-phenylethylamine for 3-phenylpropan-1-amine and trans-3-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)cyclobutanecarboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.47 (d, J = 5.0 Hz, 1H), 7.80 (t, J = 5.6 Hz, 1H), 7.39 (d, J = 5.1 Hz, 1H), 7.33 – 7.24 (m, 2H), 7.23 – 7.16 (m, 3H), 6.57 (d, J = 7.6 Hz, 1H), 4.65 – 4.58 (m, 4H), 4.38 – 4.24 (m, 1H), 3.33 – 3.23 (m, 2H), 2.84 – 2.74 (m, 1H), 2.72 (t, J = 7.3 Hz, 2H), 2.32 – 2.22 (m, 2H), 2.24 – 2.09 (m, 2H); MS (ESI(+)) m/e 365 $(M+H)^+$.

Example 1478

N-{trans-3-[(3-phenylpropyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting 3-phenylpropylamine for 3-phenylpropan-1-amine and trans-3-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)cyclobutanecarboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (400 MHz, DMSO-d_6) δ ppm 8.56 (s, 1H), 8.47 (d, J = 5.0 Hz, 1H), 7.75 (t, J = 5.5 Hz, 1H), 7.38 (d, J = 5.1 Hz, 1H), 7.32 – 7.24 (m, 2H), 7.24 – 7.13 (m, 3H), 6.58 (d, J = 7.6 Hz, 1H), 4.66 – 4.55 (m, 4H), 4.41 – 4.27 (m, 1H), 3.11 – 3.03 (m, 2H), 2.89 – 2.75 (m, 1H), 2.62 – 2.52 (m, 2H), 2.39 – 2.25 (m, 2H), 2.26 – 2.11 (m, 2H), 1.76 – 1.63 (m, 2H); MS (ESI(+)) m/e 379 $(M+H)^+$.

Example 1525

N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 1525A

tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)cyclohexylcarbamate

The title compound was prepared as described in Example 979A, substituting tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)cyclohex-3-enylcarbamate for tert-Butyl 4-(4-(isoindoline-2-carboxamido)phenyl)-5,6-dihydropyridine-1(2H)-carboxylate.

Example 1525B

N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)phenyl)cyclohexylcarbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 1525C

N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and 2-(2-methoxyethoxy)acetic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (501 MHz, DMSO-d_6) δ 8.59 (bs, 1H), 8.51 – 8.45 (m, 1H), 8.32 (bs, 1H), 7.44 (dd, J = 11.5, 5.2 Hz, 3H), 7.40 (t, J = 7.6 Hz, 1H), 7.17 – 7.11 (m, 2H), 4.81 – 4.74 (m, 4H), 4.03 – 3.96 (m, 1H), 3.90 (d, J = 2.2 Hz, 2H), 3.63 – 3.58 (m, 2H), 3.52 – 3.46 (m, 2H), 3.27 – 3.23 (m, 3H), 1.80 – 1.30 (m, 8H); MS (ESI(+)) m/e 453 $(M+H)^+$.

Example 1526

N-[4-(trans-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and 2-(2-methoxyethoxy)acetic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-[4-(trans-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (501 MHz, DMSO-d_6) δ 8.58 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.31 (s, 1H), 7.50 – 7.39 (m, 4H), 7.15 – 7.09 (m, 2H), 4.81 – 4.74 (m, 4H), 3.85 (s, 2H), 3.74 – 3.58 (m, 1H), 3.58 – 3.55 (m, 2H), 3.49 – 3.46 (m, 2H), 3.28 (s, 3H), 2.45 – 2.37 (m, 1H), 1.89 – 1.82 (m, 2H), 1.83 – 1.75 (m, 2H), 1.58 – 1.42 (m, 2H), 1.44 – 1.29 (m, 2H); MS (ESI(+)) m/e 453 $(M+H)^+$.

Example 1527

N-[4-(cis-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and (S)-tetrahydrofuran-2-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-[4-(cis-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (501 MHz, DMSO-d_6) δ 8.59 (s, 1H), 8.48 (d, J = 5.0 Hz, 1H), 8.32 (s, 1H), 7.47 – 7.38 (m, 4H), 7.17 – 7.12 (m, 2H), 4.81 – 4.75 (m, 4H), 4.29 – 4.22 (m, 1H), 3.94 – 3.86 (m, 2H), 3.77 (t, J = 7.1 Hz, 1H), 2.14 – 2.02 (m, 1H),

1.88 – 1.78 (m, 3H), 1.70 (dd, *J* = 22.1, 8.6 Hz, 3H), 1.63 (t, *J* = 17.3 Hz, 6H); MS (ESI(+)) m/e 435 $(M+H)^+$.

Example 1528

N-[4-(trans-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and (S)-tetrahydrofuran-2-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-[4-(trans-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (501 MHz, DMSO-d_6) δ 8.58 (bs, 1H), 8.51 – 8.45 (m, 1H), 8.30 (bs, 1H), 7.53 – 7.45 (m, 1H), 7.42 (d, *J* = 8.3 Hz, 2H), 7.14 – 7.08 (m, 2H), 4.81 – 4.74 (m, 4H), 4.20 – 4.13 (m, 1H), 3.92 – 3.85 (m, 1H), 3.78 – 3.71 (m, 1H), 3.66 – 3.58 (m, 1H), 2.39 (s, 1H), 2.09 (dd, *J* = 10.8, 6.4 Hz, 1H), 1.79 (s, 7H), 1.62 (s, 1H), 1.45 (dd, *J* = 26.5, 15.7 Hz, 4H); MS (ESI(+)) m/e 435 $(M+H)^+$.

Example 1529

N-[4-(cis-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and (R)-tetrahydrofuran-2-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-[4-(cis-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (501 MHz, DMSO-d_6) δ 8.55 (t, *J* = 21.5 Hz, 1H), 8.46 (s, 1H), 8.32 (d, *J* = 9.4 Hz, 1H), 7.47 – 7.37 (m, 4H), 7.14 (bs, 2H), 4.77 (bs, 4H), 4.29 – 4.20 (m, 1H), 3.96 – 3.84 (m, 2H), 3.80 – 3.71 (m, 1H), 2.12 – 2.01 (m, 1H), 1.76 (d, *J* = 48.5 Hz, 4H), 1.60 (s, 7H); MS (ESI(+)) m/e 435 $(M+H)^+$.

Example 1530

N-[4-(trans-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and (R)-tetrahydrofuran-2-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-[4-(trans-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (501 MHz, DMSO-d_6) δ 8.58 (bs, 1H), 8.50 – 8.45 (m, 1H), 8.31 (bs, 1H), 7.52 – 7.46 (m, 1H), 7.45 – 7.39 (m, 3H), 7.14 – 7.08 (m,

2H), 4.81 – 4.74 (m, 4H), 4.20 – 4.13 (m, 1H), 3.92 – 3.84 (m, 1H), 3.78 – 3.70 (m, 1H), 3.66 – 3.57 (m, 1H), 2.43 – 2.34 (m, 1H), 2.14 – 2.02 (m, 1H), 2.04 – 1.52 (m, 7H), 1.54 – 1.24 (m, 4H); MS (ESI(+)) m/e 435 $(M+H)^+$.

Example 1531

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

Example 1531A

methyl 6-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridazine-3-carboxylate

Methyl 6-aminopyridazine-3-carboxylate (2 g, 13.06 mmol) was suspended in dichloromethane (50 ml) followed by addition of dry pyridine (1.265 ml, 15.67 mmol) under nitrogen. To this suspension was added a dichloromethane solution of 4-nitrophenyl carbonochloridate (2.99 g, 14.37 mmol) via syringe at ambient temperature. The mixture was stirred overnight to give a suspension that was concentrated to half volume under a stream of nitrogen. 2,3-Dihydro-1H-pyrrolo[3,4-c]pyridine, dihydrochloride (2.52 g, 13.06 mmol) was dissolved in 30 ml dimethylformamide with triisopropylethylamine (6.84 ml, 39.2 mmol) and added to the carbamate mixture via syringe. After stirring the mixture overnight and removing most of the solvent under vacuum, water was added; and the resulting suspension was stirred for 30 minutes and filtered to give a solid which was washed with water. Flash chromatography of the dried solid gave the title compound.

Example 1531B

6-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridazine-3-carboxylic acid

The title compound was prepared as described in Example 1B, substituting methyl 6-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridazine-3-carboxylate for methyl 4-(isoindoline-2-carboxamido)benzoate.

Example 1531C

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (2S)-tetrahydrofuran-2-ylmethamine for 3-phenylpropan-1-amine and 6-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 10.09 (s, 1H), 8.81 (t, J = 6.1 Hz, 1H), 8.62 (s, 1H), 8.51 (d, J = 5.0 Hz, 1H), 8.31 (d, J = 9.3 Hz, 1H), 8.12 (d, J = 9.3 Hz, 1H), 7.44 (d, J = 5.1 Hz, 1H), 5.05 – 4.76 (m, 4H), 4.04 (p, J = 6.2 Hz, 1H), 3.85 – 3.74 (m, 1H), 3.70 – 3.59 (m, 1H), 3.45 – 3.31 (m, 2H), 1.99 – 1.72 (m, 3H), 1.69 – 1.54 (m, 1H); MS (ESI(+)) m/e 369 $(M+H)^+$.

Example 1542

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting (2R)-tetrahydrofuran-2-ylmethamine for 3-phenylpropan-1-amine and 6-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 10.09 (bs, 1H), 8.81 (t, J = 6.1 Hz, 1H), 8.61 (s, 1H), 8.51 (d, J = 5.0 Hz, 1H), 8.31 (d, J = 9.3 Hz, 1H), 8.12 (d, J = 9.3 Hz, 1H), 7.44 (d, J = 5.1 Hz, 1H), 5.05 – 4.76 (m, 4H), 4.04 (p, J = 6.2 Hz, 1H), 3.85 – 3.74 (m, 1H), 3.70 – 3.59 (m, 1H), 3.35 (d, J = 25.7 Hz, 2H), 1.99 – 1.72 (m, 3H), 1.69 – 1.54 (m, 1H); MS (ESI(+)) m/e 369 $(M+H)^+$.

Example 1543

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting tetrahydro-2H-pyran-4-ylmethamine for 3-phenylpropan-1-amine and 6-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 10.06 (s, 1H), 9.00 (t, J = 6.2 Hz, 1H), 8.62 (s, 1H), 8.51 (d, J = 5.0 Hz, 1H), 8.29 (d, J = 9.3 Hz, 1H), 8.11 (d, J = 9.3 Hz, 1H), 7.44 (d, J = 5.1 Hz, 1H), 4.96 – 4.89 (m, 4H), 3.89 – 3.79 (m, 2H), 3.22 (d, J = 2.6 Hz, 3H), 1.96 – 1.75 (m, 1H), 1.64 – 1.53 (m, 2H), 1.31 – 1.10 (m, 2H); MS (ESI(+)) m/e 383 $(M+H)^+$.

Example 1544

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting cyclopentylmethamine for 3-phenylpropan-1-amine and 6-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 10.03 (bs, 1H), 8.95 (t, J = 6.1 Hz, 1H), 8.62 (s, 1H), 8.51 (d, J = 5.0 Hz, 1H), 8.29 (d, J = 9.3 Hz, 1H), 8.11 (d, J = 9.3 Hz, 1H), 7.44 (d, J = 5.1 Hz, 1H), 4.99 – 4.75 (m, 4H), 3.28 – 3.20 (m, 2H), 2.31 – 2.13 (m, 1H), 1.75 – 1.38 (m, 6H), 1.39 – 1.18 (m, 2H); MS (ESI(+)) m/e 367 $(M+H)^+$.

Example 1545

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting tetrahydrofuran-3-ylmethamine for 3-phenylpropan-1-amine and 6-(2,3-dihydro-1H-

pyrrolo[3,4-c]pyridine-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 10.05 (s, 1H), 9.13 (t, J = 6.1 Hz, 1H), 8.62 (s, 1H), 8.51 (d, J = 5.0 Hz, 1H), 8.30 (d, J = 9.3 Hz, 1H), 8.12 (d, J = 9.3 Hz, 1H), 7.44 (d, J = 5.1 Hz, 1H), 5.05 – 4.76 (m, 4H), 3.80 – 3.57 (m, 4H), 3.48 (dd, J = 12.1, 6.8 Hz, 1H), 3.37 – 3.31 (m, 1H), 2.62 – 2.52 (m, 1H), 2.01 – 1.80 (m, 1H), 1.71 – 1.56 (m, 1H); MS (ESI(+)) m/e 369 $(M+H)^+$.

Example 1546

N-{6-[(bicyclo[2.2.1]hept-2-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C, substituting bicyclo[2.2.1]hept-2-ylmethamine for 3-phenylpropan-1-amine and 6-(2,3-dihydro-1H-pyrrolo[3,4-c]pyridine-2-carboxamido)pyridazine-3-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 10.05 (bs, 1H), 8.92 (d, J = 42.7 Hz, 1H), 8.61 (s, 1H), 8.51 (d, J = 5.0 Hz, 1H), 8.29 (d, J = 9.3 Hz, 1H), 8.10 (d, J = 9.3 Hz, 1H), 7.47 – 7.41 (m, 1H), 5.07 – 4.74 (m, 4H), 3.23 – 2.84 (m, 2H), 2.30 – 2.02 (m, 3H), 1.86 – 1.57 (m, 2H), 1.58 – 0.99 (m, 6H); MS (ESI(+)) m/e 393 $(M+H)^+$.

Example 1547

N-(4-{trans-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and isobutyric acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-(4-{trans-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.32 (s, 1H), 7.58 (d, J = 7.8 Hz, 1H), 7.48 – 7.40 (m, 3H), 7.17 – 7.09 (m, 2H), 4.82 – 4.76 (m, 4H), 3.65 – 3.47 (m, 1H), 2.41 – 2.23 (m, 2H), 1.93 – 1.69 (m, 4H), 1.62 – 1.38 (m, 2H), 1.39 – 1.12 (m, 2H), 0.99 (d, J = 6.8 Hz, 6H); MS (ESI(+)) m/e 407 $(M+H)^+$.

Example 1548

N-(4-{cis-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and isobutyric acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-(4-{cis-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.33

(s, 1H), 7.68 – 7.61 (m, 1H), 7.49 – 7.40 (m, 3H), 7.21 – 7.14 (m, 2H), 4.83 – 4.76 (m, 4H), 3.98 – 3.90 (m, 1H), 1.97 – 1.49 (m, 9H), 1.04 – 0.97 (m, 6H); MS (ESI(+)) m/e 407 $(M+H)^+$.

Example 1549

N-(4-{cis-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and cyclohexanecarboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-(4-{cis-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.33 (s, 1H), 7.66 – 7.59 (m, 1H), 7.47 (s, 1H), 7.47 – 7.40 (m, 2H), 7.21 – 7.14 (m, 2H), 4.83 – 4.76 (m, 4H), 3.98 – 3.90 (m, 1H), 2.45 (s, 1H), 2.31 – 2.19 (m, 1H), 1.89 – 1.46 (m, 12H), 1.46 – 1.05 (m, 6H); MS (ESI(+)) m/e 447 $(M+H)^+$.

Example 1550

N-(4-{trans-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and cyclohexanecarboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-(4-{trans-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.49 (d, J = 5.0 Hz, 1H), 8.32 (s, 1H), 7.54 (d, J = 7.9 Hz, 1H), 7.47 – 7.40 (m, 3H), 7.16 – 7.09 (m, 2H), 4.82 – 4.75 (m, 4H), 3.62 – 3.42 (m, 1H), 2.42 – 2.33 (m, 1H), 2.12 – 1.99 (m, 1H), 1.87 – 1.61 (m, 8H), 1.55 – 1.37 (m, 3H), 1.38 – 1.08 (m, 7H); MS (ESI(+)) m/e 447 $(M+H)^+$.

Example 1551

N-(4-{trans-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and 2-cyclopropylacetic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-(4-{trans-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.60 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.32 (s, 1H), 7.59 (d, J = 7.8 Hz, 1H), 7.48 – 7.40 (m, 3H), 7.11 (s, 2H), 4.82 – 4.76 (m, 4H), 3.66 – 3.50 (m, 1H), 2.40 (t, J = 10.1 Hz, 1H), 1.94 (t, J = 11.8 Hz, 1H), 1.83 (dd, J = 23.4, 12.2

Hz, 4H), 1.61 – 1.39 (m, 2H), 1.40 – 1.18 (m, 3H), 1.04 – 0.83 (m, 1H), 0.46 – 0.33 (m, 2H), 0.18 – 0.07 (m, 2H); MS (ESI(+)) m/e 419 $(M+H)^+$.

Example 1552

N-(4-{cis-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide

The title compound was prepared as described in Example 1C as a 1:1 cis/trans mixture, substituting N-(4-(4-aminocyclohexyl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide for 3-phenylpropan-1-amine and 2-cyclopropylacetic acid for 4-(isoindoline-2-carboxamido)benzoic acid. HPLC separation of the cis/trans isomers provided N-(4-{cis-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.61 (s, 1H), 8.50 (d, J = 5.0 Hz, 1H), 8.33 (s, 1H), 7.67 – 7.60 (m, 1H), 7.49 – 7.40 (m, 3H), 7.21 – 7.13 (m, 2H), 4.83 – 4.76 (m, 4H), 4.02 – 3.92 (m, 1H), 2.06 (d, J = 7.0 Hz, 2H), 1.84 – 1.65 (m, 4H), 1.65 – 1.47 (m, 4H), 1.25 – 0.90 (m, 1H), 0.47 – 0.34 (m, 2H), 0.23 – 0.11 (m, 2H); MS (ESI(+)) m/e 419 $(M+H)^+$.

Example 1553

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

Example 1553A

tert-butyl 4-(4-nitrophenyl)cyclohex-3-enylcarbamate

The title was prepared as in Example 1018B, substituting 4,4,5,5-tetramethyl-2-(4-nitrophenyl)-1,3,2-dioxaborolane for N-(4-(4,4,5,5-Tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)-1H-pyrrolo[3,4-c]pyridine-2(3H)-carboxamide.

Example 1553B

tert-butyl 4-(4-aminophenyl)cyclohex-3-enylcarbamate

tert-Butyl 4-(4-nitrophenyl)cyclohex-3-enylcarbamate (2.55 g, 8.01 mmol) was suspended in ethanol (30ml) followed by addition of sodium sulfide, nonahydrate (10.37 ml, 80 mmol) dissolved in water (30ml). The mixture was heated to 80ºC for 1.5 h and extracted with dichloromethane; the organic layers were combined, dried over magnesium sulfate, filtered and concentrated to give the title compound.

Example 1553C

tert-butyl 4-(4-(isoindoline-2-carboxamido)phenyl)cyclohex-3-enylcarbamate

The title compound was prepared as described in Example 272B, substituting tert-butyl 4-(4-aminophenyl)cyclohex-3-enylcarbamate for 4-amino-N-propylbenzamide and isoindoline for methyl isoindoline-5-carboxylate hydrochloride.

Example 1553D

N-(4-(4-aminocyclohex-1-enyl)phenyl)isoindoline-2-carboxamide

The title compound was prepared as described in Example 2D, substituting tert-butyl 4-(4-(isoindoline-2-carboxamido)phenyl)cyclohex-3-enylcarbamate for tert-butyl 4-((4-(5-fluoroisoindoline-2-carboxamido)benzamido)methyl)benzylcarbamate.

Example 1553E

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and isobutyric acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.36 (s, 1H), 7.70 (d, J = 7.6 Hz, 1H), 7.54 (d, J = 2.1 Hz, 2H), 7.46 – 7.23 (m, 6H), 6.06 – 5.96 (m, 1H), 4.76 (s, 4H), 3.85 – 3.75 (m, 1H), 2.43 – 2.26 (m, 3H), 2.11 – 1.96 (m, 1H), 1.95 – 1.75 (m, 1H), 1.69 – 1.48 (m, 1H), 1.10 – 0.82 (m, 6H); MS (ESI(+)) m/e 404 $(M+H)^+$.

Example 1554

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and -(2R)-tetrahydrofuran-2-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.36 (s, 1H), 7.61 (dt, J = 9.2, 4.6 Hz, 1H), 7.58 – 7.45 (m, 2H), 7.49 – 7.23 (m, 6H), 6.02 (bs, 1H), 4.77 (s, 4H), 4.25 – 4.16 (m, 1H), 3.97 – 3.66 (m, 3H), 2.42 – 2.24 (m, 1H), 2.26 – 1.98 (m, 3H), 1.98 – 1.53 (m, 6H); MS (ESI(+)) m/e 432 $(M+H)^+$.

Example 1555

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and -(2S)-tetrahydrofuran-2-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.37 (s, 1H), 7.63 (dd, J = 8.2, 3.5 Hz, 1H), 7.57 – 7.50 (m, 2H), 7.49 – 7.23 (m, 6H), 6.04 – 5.96 (m, 1H), 4.76 (s, 4H), 4.25 – 4.16 (m, 1H), 3.96 – 3.67 (m, 4H), 2.38 – 2.29 (m, 1H), 2.27 – 1.99 (m, 3H), 1.97 – 1.56 (m, 5H); MS (ESI(+)) m/e 432 $(M+H)^+$.

Example 1556

N-(4-{4-[(cyclopentylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and

cyclopentylacetic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.34 (s, 1H), 7.72 (d, *J* = 7.6 Hz, 1H), 7.57 – 7.49 (m, 2H), 7.49 – 7.23 (m, 6H), 6.01 (bs, 1H), 4.76 (s, 4H), 3.90 – 3.74 (m, 1H), 2.49 – 2.25 (m, 2H), 2.20 – 1.99 (m, 3H), 1.94 – 1.82 (m, 1H), 1.68 (tdd, *J* = 9.4, 8.9, 4.4 Hz, 2H), 1.64 – 1.42 (m, 7H), 1.31 – 1.01 (m, 2H); MS (ESI(+)) m/e 444 $(M+H)^+$.

Example 1557

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and cyclopropylacetic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.36 (s, 1H), 7.70 (d, *J* = 7.6 Hz, 1H), 7.66 – 7.47 (m, 2H), 7.47 – 7.24 (m, 6H), 6.02 (bs, 1H), 4.76 (s, 4H), 3.88 – 3.78 (m, 1H), 2.49 – 2.26 (m, 3H), 2.12 – 1.82 (m, 4H), 1.72 – 1.50 (m, 1H), 1.13 – 0.88 (m, 1H), 0.52 – 0.33 (m, 2H), 0.18 – 0.01 (m, 2H); MS (ESI(+)) m/e 416 $(M+H)^+$.

Example 1558

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and 2-hydroxy-2-methylpropanoic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.36 (s, 1H), 7.52 (t, *J* = 8.6 Hz, 2H), 7.46 – 7.39 (m, 1H), 7.35 (tdd, *J* = 8.8, 7.1, 3.7 Hz, 6H), 6.07 – 5.96 (m, 1H), 5.40 (s, 1H), 4.77 (s, 4H), 3.92 – 3.76 (m, 1H), 2.46 (s, 1H), 2.39 – 2.25 (m, 1H), 2.24 – 2.09 (m, 2H), 1.93 – 1.78 (m, 1H), 1.70 (dt, *J* = 12.4, 7.7 Hz, 1H), 1.25 (s, 6H); MS (ESI(+)) m/e 420 $(M+H)^+$.

Example 1559

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and tetrahydro-2H-pyran-4-carboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.36 (s, 1H), 7.76 (d, *J* = 7.6 Hz, 1H), 7.57 – 7.49 (m, 2H), 7.46 – 7.23 (m, 6H), 6.02 (bs, 1H), 4.76 (s, 4H), 3.91 – 3.75 (m, 4H), 3.31 – 3.17 (m, 2H), 2.43 – 2.26 (m, 2H), 2.12 – 1.97 (m, 1H), 1.93 – 1.81 (m, 1H), 1.71 – 1.48 (m, 6H); MS (ESI(+)) m/e 446 $(M+H)^+$.


Example 1560

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide

The title compound was prepared as described in Example 1C, substituting N-(4-(4-aminocyclohex-1-enyl)phenyl)isoindoline-2-carboxamide for 3-phenylpropan-1-amine and cyclohexanecarboxylic acid for 4-(isoindoline-2-carboxamido)benzoic acid. ^{1}H NMR (300 MHz, DMSO-d_6) δ 8.35 (s, 1H), 7.64 (d, J = 7.6 Hz, 1H), 7.57 – 7.49 (m, 2H), 7.47 – 7.23 (m, 6H), 6.01 (bs, 1H), 4.76 (s, 4H), 3.84 – 3.54 (m, 1H), 2.49 – 2.24 (m, 2H), 2.20 – 1.93 (m, 2H), 1.91 – 1.77 (m, 1H), 1.78 – 1.48 (m, 6H), 1.47 – 1.06 (m, 6H); MS (ESI(+)) m/e 444 $(M+H)^+$.

WHAT IS CLAIMED IS:

1. A compound of Formula (Ic), and pharmaceutically acceptable salts thereof



Formula (Ic);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^2 is alkyl, alkenyl, alkynyl, phenyl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^2 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^4, OR^4, SR^4, $S(O)R^4$, SO_2R^4, $C(O)R^4$, $CO(O)R^4$, $OC(O)R^4$, $OC(O)OR^4$, $NHC(O)R^4$, $NR^4C(O)R^4$, $NHS(O)_2R^4$, $NR^4S(O)_2R^4$, $NHC(O)OR^4$, $NR^4C(O)OR^4$, $NHC(O)NH_2$, $NHC(O)NHR^4$, $NHC(O)N(R^4)_2$, $NR^4C(O)NHR^4$, $NR^4C(O)N(R^4)_2$, $C(O)NH_2$, $C(O)NHR^4$, $C(O)N(R^4)_2$, C(O)NHOH, $C(O)NHOR^4$, $C(O)NHSO_2R^4$, $C(O)NR^4SO_2R^4$, SO_2NH_2, SO_2NHR^4, $SO_2N(R^4)_2$, C(O)H, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^2 phenyl is optionally substituted at the para position with one independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, $CHNOR^5$, C(O)NHOH, $C(O)NHOR^5$,

$C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, Br or I; wherein each R^2 phenyl is optionally additionally substituted with one F; wherein each R^2 heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^5, OR^5, SR^5, $S(O)R^5$, SO_2R^5, $C(O)R^5$, $CO(O)R^5$, $OC(O)R^5$, $OC(O)OR^5$, NH_2, NHR^5, $N(R^5)_2$, $NHC(O)R^5$, $NR^5C(O)R^5$, $NHS(O)_2R^5$, $NR^5S(O)_2R^5$, $NHC(O)OR^5$, $NR^5C(O)OR^5$, $NHC(O)NH_2$, $NHC(O)NHR^5$, $NHC(O)N(R^5)_2$, $NR^5C(O)NHR^5$, $NR^5C(O)N(R^5)_2$, $C(O)NH_2$, $C(O)NHR^5$, $C(O)N(R^5)_2$, C(O)NHOH, $C(O)NHOR^5$, $C(O)NHSO_2R^5$, $C(O)NR^5SO_2R^5$, SO_2NH_2, SO_2NHR^5, $SO_2N(R^5)_2$, C(O)H, C(O)OH, OH, CN, N_3, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^4, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, cycloalkyl, or heterocyclyl; wherein each R^4 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^7, OR^7, SR^7, $S(O)R^7$, SO_2R^7, $C(O)R^7$, $OC(O)R^7$, $OC(O)OR^7$, NH_2, NHR^7, $NHC(O)R^7$, $NR^7C(O)R^7$, $NHS(O)_2R^7$, $NR^7S(O)_2R^7$, $NHC(O)OR^7$, $NR^7C(O)OR^7$, $NHC(O)NH_2$, $NHC(O)NHR^7$, $NHC(O)N(R^7)_2$, $NR^7C(O)NHR^7$, $NR^7C(O)N(R^7)_2$, $C(O)NH_2$, $C(O)NHR^7$, $C(O)N(R^7)_2$, C(O)NHOH, $C(O)NHOR^7$, $C(O)NHSO_2R^7$, $C(O)NR^7SO_2R^7$, SO_2NH_2, SO_2NHR^7, $SO_2N(R^7)_2$, C(O)H, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^4 aryl and heterocycyl is optionally substituted with one, two, three or four independently selected R^8, OR^8, SR^8, $S(O)R^8$, SO_2R^8, $C(O)R^8$, $CO(O)R^8$, $OC(O)R^8$, $OC(O)OR^8$, NH_2, NHR^8, $NHC(O)R^8$, $NR^8C(O)R^8$, $NHS(O)_2R^8$, $NR^8S(O)_2R^8$, $NHC(O)OR^8$, $NR^8C(O)OR^8$, $NHC(O)NH_2$, $NHC(O)NHR^8$, $NHC(O)N(R^8)_2$, $NR^8C(O)NHR^8$, $NR^8C(O)N(R^8)_2$, $C(O)NH_2$, $C(O)NHR^8$, $C(O)N(R^8)_2$, C(O)NHOH, $C(O)NHOR^8$, $C(O)NHSO_2R^8$, $C(O)NR^8SO_2R^8$, SO_2NH_2, SO_2NHR^8, $SO_2N(R^8)_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$,

$NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^7, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^7 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{11}, OR^{11}, SR^{11}, $S(O)R^{11}$, SO_2R^{11}, NHR^{11}, $N(R^{11})_2$, $C(O)R^{11}$, $C(O)NH_2$, $C(O)NHR^{11}$, $C(O)N(R^{11})_2$, $NHC(O)R^{11}$, $NR^{11}C(O)R^{11}$, $NHSO_2R^{11}$, $NHC(O)OR^{11}$, SO_2NH_2, SO_2NHR^{11}, $SO_2N(R^{11})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{11}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{11}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^7, R^8, R^9, R^{10}, R^{11}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$,

$NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I; wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when X^1, X^2, and X^3 are CH and R^2 is phenyl; R^5 is not methyl;


with the proviso that when X^1, X^2, and X^3 are CH, and R^2 is phenyl substituted with OR^5; R^5 is not methyl;

with the proviso that when R^2 is unsubstituted alkyl or optionally substituted alkyl; R^2 is C_4-C_6-alkyl;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

2. A compound having Formula (Vc), or pharmaceutically acceptable salts thereof



(Vc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$,

$NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^5, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^5 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^9, OR^9, SR^9, $S(O)R^9$, SO_2R^9, $C(O)R^9$, $CO(O)R^9$, $OC(O)R^9$, $OC(O)OR^9$, NH_2, NHR^9, $N(R^9)_2$, $NHC(O)R^9$, $NR^9C(O)R^9$, $NHS(O)_2R^9$, $NR^9S(O)_2R^9$, $NHC(O)OR^9$, $NR^9C(O)OR^9$, $NHC(O)NH_2$, $NHC(O)NHR^9$, $NHC(O)N(R^9)_2$, $NR^9C(O)NHR^9$, $NR^9C(O)N(R^9)_2$, $C(O)NH_2$, $C(O)NHR^9$, $C(O)N(R^9)_2$, C(O)NHOH, $C(O)NHOR^9$, $C(O)NHSO_2R^9$, $C(O)NR^9SO_2R^9$, SO_2NH_2, SO_2NHR^9, $SO_2N(R^9)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^9, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^9 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected alkoxy, OH, cycloalkyl, aryl, or heterocyclyl;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^5, R^6, R^9, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$,

$C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;


R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

3. A compound having Formula (VIIc), or pharmaceutically acceptable salts thereof



(VIIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

 indicates a single or double bond;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH,

$C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

wherein the cyclic moieties represented by R^3, R^6, and R^{10} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$, $C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$,

$NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I;


R^{15}, at each occurrence, is independently selected alkyl, wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy; and

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

4. A compound having Formula (VIIIc), or pharmaceutically acceptable salts thereof



(VIIIc);

wherein

X^1, X^2, and X^3 are CH; or

X^1 and X^3 are CH; and X^2 is N; or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N;

R^1 is R^3, OR^3, SR^3, $S(O)R^3$, SO_2R^3, $C(O)R^3$, $C(O)OR^3$, $OC(O)R^3$, NHR^3, $N(R^3)_2$, $C(O)NH_2$, $C(O)NHR^3$, $C(O)N(R^3)_2$, $NHC(O)R^3$, $NR^3C(O)R^3$, $NHC(O)OR^3$, $NR^3C(O)OR^3$, SO_2NH_2, SO_2NHR^3, $SO_2N(R^3)_2$, $NHSO_2R^3$, $NR^3SO_2R^3$, $NHSO_2NHR^3$, $NHSO_2N(R^3)_2$, $NR^3SO_2NHR^3$, $NR^3SO_2N(R^3)_2$, $C(O)NHSO_2R^3$, $NHSO_2NHR^3$, F, Cl, Br, I, CN, NH_2, NO_2, N_3, OH, C(O)H, CF_3, C(O)OH, or $C(O)NH_2$;

R^3, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, or heterocyclyl; wherein each R^3 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^6, OR^6, SR^6, $S(O)R^6$, SO_2R^6, $C(O)R^6$, $CO(O)R^6$, $OC(O)R^6$, $OC(O)OR^6$, NH_2, NHR^6, $N(R^6)_2$, $NHC(O)R^6$, $NR^6C(O)R^6$, $NHS(O)_2R^6$, $NR^6S(O)_2R^6$, $NHC(O)OR^6$, $NR^6C(O)OR^6$, $NHC(O)NH_2$, $NHC(O)NHR^6$, $NHC(O)N(R^6)_2$, $NR^6C(O)NHR^6$, $NR^6C(O)N(R^6)_2$, $C(O)NH_2$, $C(O)NHR^6$, $C(O)N(R^6)_2$, C(O)NHOH, $C(O)NHOR^6$, $C(O)NHSO_2R^6$, $C(O)NR^6SO_2R^6$, SO_2NH_2, SO_2NHR^6, $SO_2N(R^6)_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^6, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^6 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{10}, OR^{10}, SR^{10}, $S(O)R^{10}$, SO_2R^{10}, NHR^{10}, $N(R^{10})_2$, $C(O)R^{10}$, $C(O)NH_2$, $C(O)NHR^{10}$, $C(O)N(R^{10})_2$, $NHC(O)R^{10}$, $NR^{10}C(O)R^{10}$, $NHSO_2R^{10}$, $NHC(O)OR^{10}$, SO_2NH_2, SO_2NHR^{10}, $SO_2N(R^{10})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{10}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^8, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^8 alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{12}, OR^{12}, SR^{12}, $S(O)R^{12}$, SO_2R^{12}, NHR^{12}, $N(R^{12})_2$, $C(O)R^{12}$, $C(O)NH_2$, $C(O)NHR^{12}$, $C(O)N(R^{12})_2$, $NHC(O)R^{12}$, $NR^{12}C(O)R^{12}$, $NHSO_2R^{12}$, $NHC(O)OR^{12}$, SO_2NH_2, SO_2NHR^{12}, $SO_2N(R^{12})_2$, $NHC(O)NH_2$, $NHC(O)NHR^{12}$, OH, (O), C(O)OH, N_3, CN, NH_2, CF_3, CF_2CF_3, F, Cl, Br or I;

R^{10}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl;

R^{12}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{12} alkyl, alkenyl, and alkynyl is optionally substituted with one or more alkoxy;

wherein the cyclic moieties represented by R^3, R^6, R^8, R^{10}, and R^{12} are optionally substituted with one, two, three, four, five, or six independently selected R^{13}, OR^{13}, SR^{13}, $S(O)R^{13}$, SO_2R^{13}, $C(O)R^{13}$, $CO(O)R^{13}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, NH_2, NHR^{13}, $N(R^{13})_2$, $NHC(O)R^{13}$, $NR^{13}C(O)R^{13}$, $NHS(O)_2R^{13}$, $NR^{13}S(O)_2R^{13}$, $NHC(O)OR^{13}$, $NR^{13}C(O)OR^{13}$, $NHC(O)NH_2$, $NHC(O)NHR^{13}$, $NHC(O)N(R^{13})_2$, $NR^{13}C(O)NHR^{13}$, $NR^{13}C(O)N(R^{13})_2$,

$C(O)NH_2$, $C(O)NHR^{13}$, $C(O)N(R^{13})_2$, C(O)NHOH, $C(O)NHOR^{13}$, $C(O)NHSO_2R^{13}$, $C(O)NR^{13}SO_2R^{13}$, SO_2NH_2, SO_2NHR^{13}, $SO_2N(R^{13})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, SCF_3, F, Cl, Br or I;

R^{13}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, or cycloalkenyl; wherein each R^{13} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected R^{14}, OR^{14}, SR^{14}, $S(O)R^{14}$, SO_2R^{14}, $C(O)R^{14}$, $OC(O)R^{14}$, $OC(O)OR^{14}$, NH_2, NHR^{14}, $N(R^{14})_2$, $NHC(O)R^{14}$, $NR^{14}C(O)R^{14}$, $NHS(O)_2R^{14}$, $NR^{14}S(O)_2R^{14}$, $NHC(O)OR^{14}$, $NR^{14}C(O)OR^{14}$, $NHC(O)NH_2$, $NHC(O)NHR^{14}$, $NHC(O)N(R^{14})_2$, $NR^{14}C(O)NHR^{14}$, $NR^{14}C(O)N(R^{14})_2$, $C(O)NH_2$, $C(O)NHR^{14}$, $C(O)N(R^{14})_2$, C(O)NHOH, $C(O)NHOR^{14}$, $C(O)NHSO_2R^{14}$, $C(O)NR^{14}SO_2R^{14}$, SO_2NH_2, SO_2NHR^{14}, $SO_2N(R^{14})_2$, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{13} aryl, tetrahydrofuranyl, pyridazinyl, pyrazinyl, pyrimidinyl, pyridinyl, thieno[3,2-c]pyridinyl, furo[3,2-c]pyridinyl, pyrrolidin-2-onyl, 1,1-dioxidotetrahydrothien-3-yl, 1,1-dioxidotetrahydro-2*H*-thiopyran-3-yl, dioxanyl, tetrahydropyranyl, piperidinyl, pyrimidinyl, oxazolyl, pyrazolyl, thiazolyl, pyrrolidinyl, pyrrolyl, thienyl, furanyl, morpholinyl, isooxazolyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{15}, OR^{15}, SR^{15}, $S(O)R^{15}$, SO_2R^{15}, $C(O)R^{15}$, $CO(O)R^{15}$, $OC(O)R^{15}$, $OC(O)OR^{15}$, NH_2, NHR^{15}, $N(R^{15})_2$, $NHC(O)R^{15}$, $NR^{15}C(O)R^{15}$, $NHS(O)_2R^{15}$, $NR^{15}S(O)_2R^{15}$, $NHC(O)OR^{15}$, $NR^{15}C(O)OR^{15}$, $NHC(O)NH_2$, $NHC(O)NHR^{15}$, $NHC(O)N(R^{15})_2$, $NR^{15}C(O)NHR^{15}$, $NR^{15}C(O)N(R^{15})_2$, $C(O)NH_2$, $C(O)NHR^{15}$, $C(O)N(R^{15})_2$, C(O)NHOH, $C(O)NHOR^{15}$, $C(O)NHSO_2R^{15}$, $C(O)NR^{15}SO_2R^{15}$, SO_2NH_2, SO_2NHR^{15}, $SO_2N(R^{15})_2$, C(O)H, C(O)OH, OH, CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I;

R^{14}, at each occurrence, is independently selected alkyl, alkenyl, alkynyl, aryl, heterocyclyl, cycloalkyl, or cycloalkenyl; wherein each R^{14} alkyl, alkenyl, and alkynyl is optionally substituted with one, two, three or four independently selected heterocyclyl, alkoxy, NH_2, SO_2NH_2, C(O)H, C(O)OH, OH, (O), CN, N_3, NO_2, CF_3, CF_2CF_3, OCF_3, OCF_2CF_3, F, Cl, Br or I; wherein each R^{14} aryl, heterocyclyl, cycloalkyl, and cycloalkenyl is optionally substituted with one, two, three or four independently selected R^{16}, OR^{16}, OH, F, Cl, Br, or I; wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{15}, at each occurrence, is independently selected alkyl; wherein the R^{15} alkyl is optionally substituted with one, two, three or four alkoxy;

R^{16}, at each occurrence, is independently selected alkyl, wherein the R^{16} alkyl is optionally substituted with one, two, three or four alkoxy;

with the proviso that when R^{13} is piperidinyl, it is substituted piperidinyl; and

with the proviso that when R^{13} is pyrrolinyl, at least one of X^1, X^2, and X^3 is N.

5. The compound of claim 1, claim 2, claim 3, or claim 4, or pharmaceutically acceptable salts thereof; wherein

X^1, X^2, and X^3 are CH, or

X^1 and X^3 are CH; and X^2 is CR^1; or

X^2 and X^3 are CH; and X^1 is CR^1; or

X^1 is CH; and X^2 and X^3 are CR^1.

6. The compound of claim 1, claim 2, claim 3, or claim 4, or pharmaceutically acceptable salts thereof; wherein

X^1 and X^3 are CH; and X^2 is N; or

X^2 is CH; and X^1 and X^3 are N; or

X^2 and X^3 are CH; and X^1 is N; or

X^1 is CH; X^2 is N; and X^3 is CR^1; or

X^1 is CR^1; X^2 is N; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is CH; or

X^1 is N; X^2 is CR^1; and X^3 is N.

7. The compound of claim 1, claim 2, claim 3, or claim 4, or pharmaceutically acceptable salts thereof; wherein

X^1 and X^3 are CH; and X^2 is N.

8. The compound of claim 1, or pharmaceutically acceptable salts thereof; wherein

R^2 is phenyl which is substituted at the para position with R^5; and

R^5 is phthalazin-1(2H)-onyl, isoquinolinyl, isoquinolin-1(2H)-onyl, 5,6,7,8-tetrahydrophthalazin-1(2H)-onyl, 5-fluorophthalazin-1(2H)-onyl, (Z)-3H-benzo[d][1,2]diazepin-4(5H)-onyl, 5-(trifluoromethyl)phthalazin-1(2H)-onyl, pyrrolo[1,2-d][1,2,4]triazin-1(2H)-one, or isoindolin-1-onyl.

9. The compound of claim 1, selected from the group consisting of:

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(furo[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(thieno[3,2-c]pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrimidin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-methoxyphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(4-acetylphenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridazin-3-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(3-fluorophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-cyanophenyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(5-chloropyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-fluorobenzoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(pyridin-4-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,4-dioxa-8-azaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-fluorophenyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiomorpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(2-hydroxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,4-dihydroisoquinolin-2(1H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-dihydro-2H-isoindol-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1H-indol-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-phenylethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}piperidin-4-yl)carbamate;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(cyclohexylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(diethylcarbamoyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-hydroxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5,6-dihydro[1,2,4]triazolo[4,3-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylmethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3,4,9-tetrahydro-2H-beta-carbolin-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[4-(trifluoromethyl)phenyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-difluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-carbamoylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dioxolan-2-ylmethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[butyl(ethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isobutyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-carbamoylphenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(trifluoromethyl)pyrrolidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,6-dimethylmorpholin-4-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethylpyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[isopropyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyanoethyl)(cyclopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[ethyl(isopropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoropyrrolidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-N-isopropyl-beta-alanine;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4,4,4-trifluorobutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpentanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(benzyloxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[N-(2-furoyl)glycyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-thienyl)butanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-oxo-4-phenylbutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(N-benzoylglycyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenoxybutanoyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propionylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(heptanoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pent-4-enoylamino)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopropylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-methylpiperazin-1-yl)propanoyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylate;

2-({4-[(cyclopentylacetyl)amino]phenyl}carbamoyl)isoindoline-5-carboxylic acid;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-cyclopentylethyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-methyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1E)-5-phenylpent-1-en-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxyethyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(1-propyl-1H-pyrazol-4-yl)pyridin-3-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[1-(3-methylbutyl)-1H-pyrazol-4-yl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-phenylpentyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-fluoro-4-(1-propyl-1H-pyrazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{2-fluoro-4-[1-(3-methylbutyl)-1H-pyrazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(isopropylsulfonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-benzoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(isopropylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylsulfonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(benzoylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[3-(butyrylamino)pyrrolidin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperazine-1-carboxylate;

N-[4-(4-propionylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopropylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-butyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-isobutyryl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(2-benzoyl-2,3-dihydro-1H-isoindol-5-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[2-(3-methylbutyl)-2,3-dihydro-1H-isoindol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexyloxy)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(4-chlorophenoxy)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N,N'-hexane-1,6-diylbis(1,3-dihydro-2H-isoindole-2-carboxamide);

N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

ethyl 6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]hexanoate;

N-hexyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-octyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-methyl-1H-pyrazol-4-yl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[6-(methylamino)-6-oxohexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-oxo-6-[(3-phenylpropyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)amino]-6-oxohexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[4-(pyridin-2-yl)piperazin-1-yl]carbonyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-phenylpropyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]-1,3-thiazol-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4,5,6,7,8-hexahydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(8-fluoro-4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(morpholin-4-ylmethyl)-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-4,5-dihydro-3H-2,3-benzodiazepin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(4-methylpiperazin-1-yl)methyl]-N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(dimethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(diethylamino)methyl]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-oxo-8-(trifluoromethyl)-3,4-dihydrophthalazin-1-yl]phenyl}-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(1-methylpiperidin-4-yl)oxy]-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3R)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-{[(3S)-3-fluoropyrrolidin-1-yl]methyl}-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(azetidin-1-ylmethyl)-N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxo-1,2-dihydropyrrolo[1,2-d][1,2,4]triazin-4-yl)phenyl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(5-propyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(piperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[5-(3-methylbutyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-benzyl-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{6-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]-1H-benzimidazol-2-yl}piperazine-1-carboxylate;

N-[2-(piperazin-1-yl)-1H-benzimidazol-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-benzoylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(tetrahydrofuran-3-yl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(tetrahydrofuran-3-ylmethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-methoxyethyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-(2-hydroxyethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-(4-cyanophenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(trifluoromethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-pyridin-2-ylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-butyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide; and

N-[2-(4-acetylpiperazin-1-yl)-1H-benzimidazol-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-furoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-L-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(5-oxo-D-prolyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(1-acetylpiperidin-4-yl)carbonyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-acetamidobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(methylsulfonyl)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-butyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isobutyrylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methylbutanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,3,3-trifluoropropanoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(methoxyacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(tetrahydrofuran-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclopentylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(cyclohexylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-methoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-chlorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-cyanobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[3-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[4-(dimethylamino)benzoyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,4-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3,5-dimethoxybenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(3,4-dimethoxyphenyl)acetyl]piperazin-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(3-furoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrrol-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1H-pyrazol-5-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-isonicotinoylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyridazin-3-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrazin-2-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(pyrimidin-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(N,N-dimethyl-beta-alanyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-acetylpiperazin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(2-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(4-fluorobenzoyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(phenylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(1,3-thiazol-4-ylcarbonyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[4-(morpholin-4-ylacetyl)piperazin-1-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxo-2,3-dihydro-1H-isoindol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(1-oxo-1,2-dihydroisoquinolin-4-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-oxo-3,4-dihydrophthalazin-1-yl)cyclohex-3-en-1-yl]-5-(pyrrolidin-1-ylmethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1-(2-phenylethyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{benzyl[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 4-{[(5-cyano-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoate;

N-(4-{(E)-[(benzyloxy)imino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-aminopyrrolidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methylbutyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-phenylpropyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({benzyl[3-(morpholin-4-yl)propyl]amino}methyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-methyl-1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-methoxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N^2-{4-[(cyclopentylacetyl)amino]phenyl}-N^5-(2-hydroxyethyl)-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(aminomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methoxy-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(pyridin-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-phenylbutyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[1-(3-methylbutyl)-1H-pyrazol-4-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[(3-methylbutyl)carbamoyl]pyrazin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-acetamidohexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(1E)-3-[benzyl(methyl)amino]prop-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-phenoxypiperidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-phenoxyazetidin-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[benzyl(methyl)amino]methyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxypiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5,6-dihydroimidazo[1,5-a]pyrazin-7(8H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbutyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1-benzylpiperidin-4-yl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-phenylpropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(morpholin-4-yl)benzyl]-1H-1,2,3-triazol-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyl-1H-1,2,3-triazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylmethyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxypropyl)-1H-1,2,3-triazol-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]pyridin-2-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-3-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-(4-{[(2-methoxyethoxy)acetyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(1'-isobutyryl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(1'-benzoyl-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-3-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(2-methoxyethoxy)acetyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[4-(methylsulfonyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(ethoxyacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(cyclopentylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-hydroxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-methoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-fluorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-chlorobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(3-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(4-cyanobenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[4-(dimethylamino)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[4-(trifluoromethyl)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[3-(trifluoromethoxy)benzoyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,3-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,4-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(2,5-dimethoxybenzoyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(phenylacetyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(3-fluorophenyl)acetyl]amino}hexyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydrofuran-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-{4-[(morpholin-4-ylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(morpholin-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[6-(benzoylamino)hexyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

4-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{6-[(pyridin-3-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(pyridin-2-ylcarbonyl)amino]hexyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-oxo-7-{[(3R)-tetrahydrofuran-3-ylmethyl]amino}heptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{7-oxo-7-[(tetrahydro-2H-pyran-4-ylmethyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(azetidin-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(trifluoromethyl)piperidin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[5-(morpholin-4-ylmethyl)-1,2,4-oxadiazol-3-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methylpiperazin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(3-methylbutyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-hydroxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydrofuran-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(tetrahydro-2H-pyran-4-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(1,4-dioxan-2-ylcarbonyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1-methylpyrrolidin-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{1'-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(2-hydroxy-2-methylpropanoyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(2-aminoethyl)-1H-imidazol-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}-2-oxoethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3-{benzyl[3-(morpholin-4-yl)propyl]amino}-3-oxopropyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

4-cyano-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-chloro-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-bromo-2-oxoquinolin-1(2H)-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-2,4'-bipyridin-5-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[1'-(morpholin-4-ylacetyl)-1',2',3',6'-tetrahydro-3,4'-bipyridin-6-yl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(2-{(4-fluorobenzyl)[4-(pyridin-3-yl)benzyl]amino}-1,3-thiazol-5-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-benzyl-1,3-thiazol-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(7-{benzyl[3-(morpholin-4-yl)propyl]amino}-7-oxoheptyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(2-furoyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(tetrahydrofuran-2-ylcarbonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[4-(ethylsulfonyl)piperazin-1-yl]carbonyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(5-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}pyridin-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.3]hept-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.4]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(3,9-diazaspiro[5.5]undec-3-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{benzyl[3-(morpholin-4-yl)propyl]amino}-4-oxobutyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-phenylbutyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2-{benzyl[3-(morpholin-4-yl)propyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetyl-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(1-hydroxyethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butyrylamino)phenyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methoxybenzyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-6-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,6-diazaspiro[3.4]oct-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(2-oxa-7-azaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[6-(3-acetylphenyl)-4-(3-hydroxypropyl)-2-oxoquinolin-1(2H)-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-(acetamidomethyl)-N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{5-[2-(2-chlorobenzyl)-1,3-thiazol-4-yl]-2-thienyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-fluorophenyl)butyl]-5-(hydroxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylmethyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(2-hydroxypropan-2-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl {4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzyl}carbamate;

N-{4-[(cyclopentylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylacetyl)amino]phenyl}-5-(methoxymethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[(tetrahydrofuran-2-ylmethyl)amino]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{5-[(4-methoxypiperidin-1-yl)methyl]-1,2,4-oxadiazol-3-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(5-{[4-(2-methoxyethyl)piperazin-1-yl]methyl}-1,2,4-oxadiazol-3-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-pentanoylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butyrylpiperidin-4-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(1-acetylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{6-[(1-isobutyrylpiperidin-4-yl)oxy]pyridin-3-yl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(methoxyacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopropylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclobutylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclopentylacetyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}pyridin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl (2-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}ethyl)carbamate;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)sulfamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-phenylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxyphenyl)acetyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-benzoylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-ethoxypropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(1-methylcyclopropyl)carbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpyrrolidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(4,4,4-trifluorobutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethoxyacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl [(1-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}azetidin-3-yl)methyl]carbamate;

N-(4-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(morpholin-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2-methoxyethoxy)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(2,3-dimethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tricyclo[3.3.1.1~3,7~]dec-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methoxycyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[4-(acetylamino)phenyl]sulfonyl}amino)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-propylphenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(butylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[({[(1S,4R)-7,7-dimethyl-2-oxobicyclo[2.2.1]hept-1-yl]methyl}sulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(benzylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-fluorophenyl)sulfonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(thiophen-2-ylsulfonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[4.4]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,6-diazaspiro[4.5]dec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,7-diazaspiro[4.5]dec-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,9-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,8-diazaspiro[5.5]undec-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[5.5]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.6]undec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-4,8-diazaspiro[5.5]undec-4-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,8-diazaspiro[4.5]dec-8-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,7-diazaspiro[3.5]non-7-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1,6-diazaspiro[3.5]non-1-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(2,5-diazaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(5-oxa-2-azaspiro[3.4]oct-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(6-oxa-2-azaspiro[3.5]non-2-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydro-5H-furo[2,3-c]pyrrol-5-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(tetrahydro-1H-furo[3,4-c]pyrrol-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(hexahydrofuro[3,4-c]pyridin-5(3H)-ylcarbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(4,4-difluorocyclohexyl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(piperidin-1-ylsulfonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}carbonyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[bis(2-methoxyethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(pyrazin-2-yl)piperazin-1-yl]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-cyclohexylpiperazin-1-yl)carbonyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[benzyl(methyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(3-methylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxyethyl)(methyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[methyl(propyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

methyl 1-{4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}azetidine-3-carboxylate;

N-(4-{3-[(3-methylbutyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydrofuran-2-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(benzylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[3-(cyclopentylcarbamoyl)azetidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(cyclopentylmethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(2-methoxyethyl)carbamoyl]azetidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)(3-methylbutanoyl)amino]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(9-chloro-5-oxo-2,3,3a,4,4a,5-hexahydro-6H-furo[2',3':2,3]cyclobuta[1,2-c]quinolin-6-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[7-chloro-1-(2-hydroxyethyl)-3-oxo-1,3-dihydrocyclobuta[c]quinolin-4(2H)-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-acetylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-butanoylpiperidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(methoxyacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3,3-trifluoropropanoyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclobutylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-2-ylcarbonyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydro-2H-pyran-4-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylacetyl)piperidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-ethoxypropanoyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-acetylpiperidin-4-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(ethoxyacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{7-oxo-7-[(3-phenylpropyl)amino]heptyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(bicyclo[2.2.1]hept-2-ylacetyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1,3-thiazol-5-ylcarbonyl)amino]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-yl)carbonyl]amino}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{2-[(3-methylbutanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(4-methylpentanoyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(ethoxyacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2-{[(2-methoxyethoxy)acetyl]amino}ethyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-2-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(cyclopentylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[2-(benzoylamino)ethyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydro-2H-pyran-4-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{2-[(tetrahydrofuran-3-ylacetyl)amino]ethyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-L-prolyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-propanoylazetidin-3-yl)oxy]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pent-4-ynoyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(furan-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-3-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethylglycyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(N,N-dimethyl-beta-alanyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrrolidin-1-ylacetyl)azetidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(pyrrolidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-methylpiperazin-1-yl)acetyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopropylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-cyclopentylethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-3-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3,3-dimethylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclohexylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(3-methylbutyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopentylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(tetrahydrofuran-2-ylmethyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpropyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(butylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(cyclopropylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(phenylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4-fluorophenyl)sulfonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(ethylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propan-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(benzylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(propylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(thiophen-2-ylsulfonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-2-methylbutanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(4,4-difluorocyclohexyl)carbonyl]azetidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(5-oxo-D-prolyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2,2-dimethylpropanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-methylpentanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(2-ethylbutanoyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1H-pyrrol-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(1,2-oxazol-5-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyridazin-3-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrazin-2-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(pyrimidin-4-ylcarbonyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[(5-methylpyrazin-2-yl)carbonyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(piperidin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[1-(morpholin-4-ylacetyl)piperidin-4-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({1-[3-(4-methylpiperazin-1-yl)propanoyl]piperidin-4-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

benzyl trans-3-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]cyclobutanecarboxylate;

N-[4-(4-{[(4-methylpiperazin-1-yl)acetyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(benzoylamino)cyclohex-1-en-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1-methylpiperidin-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3R)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(3S)-tetrahydrofuran-3-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(4-{[(2S)-2-methylbutanoyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{3-[(3-methylbutanoyl)amino]oxetan-3-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

tert-butyl 4-({4-[(1,3-dihydro-2H-pyrrolo[3,4-c]pyridin-2-ylcarbonyl)amino]phenyl}sulfonyl)piperidine-1-carboxylate;

N-{4-[4-(propylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methoxyethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(cyclopentylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(1,4-dioxan-2-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopentylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(morpholin-4-ylcarbonyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(cyclopropylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]piperidin-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[4-(butan-2-ylcarbamoyl)piperidin-1-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{(4R)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{(4S)-4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylazetidin-3-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[trans-3-(benzylcarbamoyl)cyclobutyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(2-phenylethyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{trans-3-[(3-phenylpropyl)carbamoyl]cyclobutyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2-methoxyethoxy)acetyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cis-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(trans-4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohexyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3R)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3R)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(3-methylbutanoyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclobutylcarbonyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2R)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({(3S)-1-[(2S)-tetrahydrofuran-2-ylcarbonyl]pyrrolidin-3-yl}oxy)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-1-(cyclopropylacetyl)pyrrolidin-3-yl]oxy}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(6-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}pyridazin-3-yl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(cyclopentylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(tetrahydrofuran-3-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{6-[(bicyclo[2.2.1]hept-2-ylmethyl)carbamoyl]pyridazin-3-yl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(2-methylpropanoyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclohexylcarbonyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{trans-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{cis-4-[(cyclopropylacetyl)amino]cyclohexyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{4-[(2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2R)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(4-{[(2S)-tetrahydrofuran-2-ylcarbonyl]amino}cyclohex-1-en-1-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopentylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclopropylacetyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(2-hydroxy-2-methylpropanoyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(tetrahydro-2H-pyran-4-ylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{4-[(cyclohexylcarbonyl)amino]cyclohex-1-en-1-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

10. The compound of claim 1, selected from the group consisting of:

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

11. The compound of claim 1, selected from the group consisting of:

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

12. The compound of claim 2, selected from the group consisting of:

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(aminomethyl)benzyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dihydro-1,4-benzodioxin-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5-methyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-fluoro-5-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-nitro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,3-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-methylbutyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(6-aminohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-thienyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1,3-benzodioxol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(benzylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dihydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-propoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-2-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methyl-1H-indazol-5-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 5-({4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}amino)-1H-indazole-3-carboxylate;

N-(4-{[2-(2-oxopyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethyl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(2,3-dihydro-1,4-benzodioxin-6-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methoxy-1H-indol-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-propoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4,5-trimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methylpiperidin-1-yl)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(dimethylamino)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(trifluoromethoxy)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluoro-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,3-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1,3-benzodioxol-5-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

4-chloro-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-{4-[(2-phenoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-hydroxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-fluorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({1-[(3S)-tetrahydrofuran-3-yl]-1H-pyrazol-4-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylthio)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(trifluoromethyl)thio]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,4-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(1H-imidazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-5-(trifluoromethyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(hydroxymethyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-benzodioxol-5-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-isopropyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-ethyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,5-dimethoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-benzylpiperidin-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-acetamido-2-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[3-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-imidazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-(3-cyanophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-cyanophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-chlorophenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(cyanomethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclohexylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(phenylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(diethylamino)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-aminophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-6-methylphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-fluoropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tert-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methylbutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-benzylpyrrolidin-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-fluorophenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopropylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(methylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pentan-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclobutylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(4-fluorophenyl)-1H-pyrazol-4-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-phenyl-1H-pyrazol-4-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[4-(trifluoromethyl)phenyl]ethyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(sec-butylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(prop-2-yn-1-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5,6-dimethoxy-N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(4-chlorophenoxy)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(trifluoromethoxy)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4-phenyl-1,3-thiazol-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

methyl 2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylate;

2-{[4-(propylcarbamoyl)phenyl]carbamoyl}isoindoline-5-carboxylic acid;

5-amino-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(hydroxymethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(aminomethyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(2-hydroxy-2-methylpropanoyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-acetamido-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(N,N-dimethylglycyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-3-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-(1H-pyrazol-4-yl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methoxyacetyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-[(methylsulfonyl)amino]-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-bromo-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,5-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-chlorobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-phenylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(5-chloropyridin-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-hydroxy-4-methoxyphenyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,4-dimethoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(2-oxopyrrolidin-1-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-hydroxycyclopropyl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-5-vinyl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

N-(4-{[(3-phenylpropyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-d]pyrimidine-6-carboxamide;

5-fluoro-N-[4-({[(2S)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-({[(2R)-tetrahydrofuran-2-ylmethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-phenylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-3-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(propylamino)carbonyl]phenyl}-5-pyridin-4-yl-1,3-dihydro-2H-isoindole-2-carboxamide;

N^5-(2-methoxyethyl)-N^2-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3-methylbutyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(tetrahydrofuran-3-ylmethyl)amino]carbonyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-({[(1S)-2-hydroxy-1-pyridin-2-ylethyl]amino}carbonyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-(1,2-dihydroxyethyl)-N-{4-[(propylamino)carbonyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[6-(benzoylamino)hexyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({4-[(benzoylamino)methyl]benzyl}carbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N^5-[2-(dimethylamino)ethyl]-N^2-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2,5-dicarboxamide;

5-(morpholin-4-ylcarbonyl)-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(isobutoxycarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-(methylthio)butan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3S)-1-hydroxy-3-methylpentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S,3R)-1,3-dihydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxyhexan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-hydroxypentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2S)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S,2R)-2-hydroxycyclopentyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-cyclohexyl-3-hydroxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({(2R)-1-hydroxy-3-[(4-methylbenzyl)thio]propan-2-yl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(4-tert-butylphenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methoxy-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-methyl-N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(propylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-hydroxy-4-methylpentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-(hydroxymethyl)-N-{4-[(3-methylbutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-(4-{[(3R)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-hydroxy-2-methylpropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(2-oxopyrrolidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-tetrahydrofuran-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-isopropoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(isobutylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-thienylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isopropoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-isobutoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrimidin-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(pyridin-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2,2-dimethyl-1,3-dioxolan-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-methoxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4S)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(4R)-2,2-dimethyl-1,3-dioxolan-4-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3-methyloxetan-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-thiazol-5-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-3-hydroxy-1-phenylpropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(4-methylphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1,3-dihydroxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-1-hydroxy-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1S)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(4-hydroxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-2-hydroxypropyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(3-furylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2R)-tetrahydrofuran-2-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydrofuran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1R)-2-hydroxy-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(2S)-1-hydroxybutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(2,3-dihydroxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-4-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[2-hydroxy-1-(pyridin-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(1-hydroxy-4-methylpentan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1,1-dioxidotetrahydrothiophen-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(pyrrolidin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(3S)-pyrrolidin-3-ylmethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpyrrolidin-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1-methylpiperidin-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({[(3R)-1-isobutyrylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[(3R)-1-benzoylpyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(tetrahydrofuran-3-ylcarbonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(methylsulfonyl)pyrrolidin-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[1-(morpholin-4-yl)cyclopentyl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-({[3-(hydroxymethyl)oxetan-3-yl]methyl}carbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{[(1S)-1-(4-fluorophenyl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-2-hydroxy-1-(4-methoxyphenyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-(1,3-benzodioxol-5-yl)-2-hydroxyethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-oxa-8-azaspiro[4.5]dec-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-oxa-8-azaspiro[4.5]dec-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[(2-oxa-9-azaspiro[5.5]undec-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-fluoro-N-(4-{[1-(1,3-thiazol-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-D-phenylalaninamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-(4-{[(5-fluoro-1,3-dihydro-2H-isoindol-2-yl)carbonyl]amino}benzoyl)-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(5-methyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-chloro-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-carbamoylbenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(3,4-dimethoxyphenyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

Nalpha-{4-[(5,7-dihydro-6H-pyrrolo[3,4-b]pyridin-6-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxybenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(4-methylpiperazin-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(morpholin-4-yl)benzyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(piperidin-1-yl)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(4,5,6,7-tetrahydro-1H-indazol-5-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

5-fluoro-N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2R)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(pyridin-3-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-1-amino-1-oxobutan-2-yl]carbamoyl}phenyl)-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-methoxyethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(cyclopentylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5-fluoro-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

5-fluoro-N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethylbutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(3-methyl-1,2-oxazol-5-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[4-(dimethylamino)butyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(6-methoxypyridin-3-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanocyclopropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(4-methyl-1,3-thiazol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-hydroxypropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(thiophen-2-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(4-methoxybutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2S)-1-methoxypropan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(1-methyl-1H-pyrrol-2-yl)methyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(propan-2-yloxy)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[3-(dimethylamino)propyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-methoxypropan-2-yl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-aminobenzyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(tetrahydro-2H-pyran-3-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-hydroxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-[4-(butylcarbamoyl)phenyl]-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(1-cyanoethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3R)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopentylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(cyclopropylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(pyridin-4-ylmethyl)carbamoyl]phenyl}-5,7-dihydro-6H-pyrrolo[3,4-b]pyridine-6-carboxamide;

N-{4-[(3-methoxy-2,2-dimethylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(4,4-difluorocyclohexyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-cyanobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxybutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(ethylamino)-1-oxopropan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1S)-1-cyclopropylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3S)-tetrahydrofuran-3-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-3-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,3-oxazol-2-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-({2-[(dimethylamino)methyl]benzyl}carbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1R)-2-amino-2-oxo-1-phenylethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1,3-oxazol-2-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(2,6-dimethylmorpholin-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methylcyclopropyl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(furan-2-yl)-2-(pyrrolidin-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(3S)-1-methyl-2-oxoazepan-3-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1,3-thiazol-2-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(furan-2-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(1-methyl-1H-pyrazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-1-amino-4-methyl-1-oxopentan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[1-(3,5-dimethyl-1H-pyrazol-1-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2,2-difluoroethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(tetrahydro-2H-pyran-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(tetrahydrofuran-2-ylmethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-methoxy-2-methylpropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(5-methyl-1,2-oxazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-4-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3,5-dimethyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

Nalpha-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]benzoyl}-L-phenylalaninamide;

N-(4-{[2-(2-methyl-1,3-thiazol-4-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(thiophen-3-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(5-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(3-methyl-1H-pyrazol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2S)-butan-2-ylcarbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3,3-dimethyl-2-oxobutyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(1-methyl-1H-pyrazol-3-yl)methyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(acetylamino)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-methoxybutan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(tetrahydro-2H-pyran-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(pyrimidin-4-ylcarbamoyl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-(1H-pyrrol-1-yl)ethyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-2-methylbutyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(1-amino-1-oxohexan-2-yl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-amino-2-oxo-1-phenylethyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(3-tert-butoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[3-(methylcarbamoyl)phenyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2R)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[(2S)-3-methylbutan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-1-(morpholin-4-yl)propan-2-yl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{[2-methyl-2-(morpholin-4-yl)propyl]carbamoyl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[(2-ethoxypropyl)carbamoyl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide; and pharmaceutically acceptable salts thereof.

13. The compound of claim 3, selected from the group consisting of:

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}-3,6-dihydropyridine-1(2H)-carboxylate;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

tert-butyl 4-{4-[(1,3-dihydro-2H-isoindol-2-ylcarbonyl)amino]phenyl}piperidine-1-carboxylate;

N-[4-(1-butyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(5-oxo-D-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-propionyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(ethoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methylbenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-methoxybenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-fluorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(4-chlorobenzoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[4-(dimethylamino)benzoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(3-thienylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrrol-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2,5-dimethyl-1H-pyrrol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,3-thiazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1H-pyrazol-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3,5-dimethyl-1,2-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-isonicotinoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridazin-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyrimidin-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[3-(piperidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-butyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyryl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-benzoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-isobutyrylpiperidin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(1,4-dioxan-2-ylcarbonyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpyrrolidin-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(morpholin-4-ylacetyl)piperidin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1-methylpiperidin-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(N,N-dimethylglycyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methylpiperazin-1-yl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydro-2H-pyran-2-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrrolidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(pyrazin-2-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(tetrahydro-2H-pyran-4-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(2-hydroxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

5-cyano-N-{4-[1-(morpholin-4-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3S)-tetrahydrofuran-3-ylcarbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(3R)-tetrahydrofuran-3-ylcarbonyl]piperidin-4-yl}phenyl)-1,3-dihydro-2H-isoindole-2-carboxamide;

N-(4-{1-[(2-methyl-1,3-oxazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(furan-3-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-3-(furan-2-yl)prop-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1,3-oxazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3,3,3-trifluoropropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,5-dimethyl-1H-pyrazol-3-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4-methoxycyclohexyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,3-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-difluorocyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1H-pyrazol-5-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tert-butoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-1,2,4-triazol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-ethoxypropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(3-hydroxy-3-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[3-(1H-pyrrol-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methylpropoxy)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(1-methylprolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-hydroxycyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopentylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-{[1-(methoxymethyl)cyclopropyl]carbonyl}-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(methylsulfonyl)acetyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-acetyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-ethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(5-oxo-L-prolyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2E)-4-methylpent-2-enoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-methoxy-2-methylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopent-1-en-1-ylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(thiophen-3-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-[4-(1-propanoyl-1,2,3,6-tetrahydropyridin-4-yl)phenyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylbutanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(methoxyacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2,2-dimethylpropanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4-methylhexanoyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2,2-dimethylcyclopropyl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-5-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclobutylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(piperidin-1-ylacetyl)-1,2,3,6-tetrahydropyridin-4-yl]phenyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[2-(pyrrolidin-1-yl)propanoyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,3-dimethyl-1H-pyrazol-4-yl)carbonyl]-1,2,3,6-tetrahydropyridin-4-yl}phenyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

14. The compound of claim 4, selected from the group consisting of:

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-5-cyano-1,3-dihydro-2H-isoindole-2-carboxamide;

N-{4-[1-(pyridin-2-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-isoindole-2-carboxamide;

N-[4-(1-benzoylpiperidin-4-yl)butyl]-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-chlorobenzoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-2-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(1,1-dioxidotetrahydrothiophen-3-yl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclohexylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(4,4-difluorocyclohexyl)carbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(2-hydroxy-2-methylpropanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2R)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2S)-tetrahydrofuran-2-ylcarbonyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(2-methoxyethoxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(tetrahydrofuran-3-ylcarbonyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-(4-{1-[(propan-2-yloxy)acetyl]piperidin-4-yl}butyl)-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(cyclopropylacetyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide;

N-{4-[1-(4,4,4-trifluorobutanoyl)piperidin-4-yl]butyl}-1,3-dihydro-2H-pyrrolo[3,4-c]pyridine-2-carboxamide; and pharmaceutically acceptable salts thereof.

15. A composition for treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, in particular depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, said composition comprising an excipient and a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.

16. A composition for treating inflammatory and tissue repair disorders; including rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, including breast cancer, prostate cancer, lung cancer, colon cancer, cervix cancer, ovarian cancer, skin cancer, CNS cancer, bladder cancer, pancreatic cancer, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and viral infections, including Acquired Immune Deficiency

Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia, said composition comprising an excipient and a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.

17. A method of treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders including depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis, in a patient, said method comprising administering to the patient a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.

18. A method of treating inflammatory and tissue repair disorders including rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, including breast cancer, prostate cancer, lung cancer, colon cancer, cervix cancer, ovarian cancer, skin cancer, CNS cancer, bladder cancer, pancreatic cancer, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia in a patient, said method comprising administering to the patient a therapeutically effective amount of a compound of claim 1, or pharmaceutically acceptable salts thereof.

19. A method of treating hypertension, chronic and congestive heart failure, cardiac hypertrophy, restenosis, chronic renal failure, cerebral vasospasm after subarachnoid bleeding, pulmonary hypertension, atherosclerosis, asthma, male erectile dysfunctions, female sexual dysfunction, over-active bladder syndrome, spinal-cord injury, traumatic brain injury, stroke, inflammatory and demyelinating diseases, Alzheimer's disease, pain, multiple sclerosis, amyotrophic lateral sclerosis, Huntington's disease, Parkinson's disease, inflammatory pain, rheumatoid arthritis, osteoarthritis, irritable bowel syndrome, Crohn's disease, psoriasis, ulcerative colitis, lupus, inflammatory bowel disease, cancer, tumor metastasis, viral infections, bacterial infections, insulin resistance, diabetes, ocular hypertension, preterm labor, atherosclerosis, spinal muscular atrophy, encephalomyelitis, osteoporosis, HIV-1, encephalitis, ischemic CNS disorders, vascular or AD type dementia, glaucoma, retinopathy, benign prostatic hypertrophy, psychiatric disorders, including depression, schizophrenia, obsessive compulsive disorder and bipolar disorder, epilepsy and seizure disorders, for decreasing ischemia-reperfusion injury, myocardial infarct size and myocardial fibrosis, for the prevention of graft failure, and cystic fibrosis in a patient, said method comprising administering to the patient therapeutically effective amount of the compound of claim 1, or pharmaceutically acceptable salts thereof; and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.

20. A method of treating inflammatory and tissue repair disorders including rheumatoid arthritis, inflammatory bowel disease, asthma and COPD (chronic obstructive pulmonary disease), osteoarthritis, osteoporosis and fibrotic diseases; dermatosis, including psoriasis, atopic dermatitis and ultra-violet induced skin damage; autoimmune diseases including systemic lupus erythematosis, multiple sclerosis, psoriatic arthritis, ankylosing spondylitis, tissue and organ rejection, Alzheimer's disease, stroke, athersclerosis, restenosis, diabetes, glomerulonephritis, cancer, including breast cancer, prostate cancer, lung cancer, colon cancer, cervix cancer, ovarian cancer, skin cancer, CNS cancer, bladder cancer, pancreatic cancer, leukemia, lymphoma or Hodgkin's disease, cachexia, inflammation associated with infection and certain viral infections, including Acquired Immune Deficiency Syndrome (AIDS), adult respiratory distress syndrome, and ataxia telengiectasia or spleen cancer in a patient, said method comprising administering to the patient therapeutically effective amount of the compound of claim 1, or pharmaceutically acceptable salts thereof; and a therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent.