



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G11B 27/30	A1	(11) International Publication Number: WO 00/57420 (43) International Publication Date: 28 September 2000 (28.09.00)
(21) International Application Number: PCT/EP00/01910 (22) International Filing Date: 6 March 2000 (06.03.00) (30) Priority Data: 99200894.6 23 March 1999 (23.03.99) EP (71) Applicant: KONINKLIJKE PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL). (72) Inventors: HEEMSKERK, Jacobus, P., J.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). NIJBOER, Jakob, G.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). BEKKERS, Joost, J., J.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL). (74) Agent: FAESSEN, Louis, M., H.; Internationaal Octrooibureau B.V., Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt of</i> <i>amendments.</i>
(54) Title: METHOD OF REGISTERING A RUNNING TIME ON AN INFORMATION CARRIER, INFORMATION CARRIER AND APPARATUS		
(57) Abstract Method of registering a running time on an information carrier, the information carrier comprising main data and subcode data, the running time being indicated in a subcode channel by a subcode time expressed in accordance with a predetermined format. A pseudo-running time is described by incrementing the subcode time in accordance with a pseudo-tempo, which is different from an actual tempo, the actual tempo representing a tempo in accordance with the actual running time.		