

5 **Pyrrolo[3,2-*d*]pyrimidine derivatives for the treatment of viral infections and other diseases**

This invention relates to pyrrolo[3,2-*d*]pyrimidine derivatives, processes for their preparation, pharmaceutical compositions, and their use in treatment and /or therapy of diseases.

10 The present invention relates to the use of pyrrolo-pyrimidine derivatives , more specifically to the use of pyrrolo[3,2-*d*]pyrimidine derivatives in the treatment of viral infections, immune or inflammatory disorders, whereby the modulation, or agonism, of toll-like-receptors (TLRs) is involved. Toll-Like Receptors are primary transmembrane proteins characterized by an extracellular leucine rich
15 domain and a cytoplasmic extension that contains a conserved region. The innate immune system can recognize pathogen-associated molecular patterns via these TLRs expressed on the cell surface of certain types of immune cells. Recognition of foreign pathogens activates the production of cytokines and upregulation of co-stimulatory molecules on phagocytes. This leads to the
20 modulation of T cell behaviour.

A majority of mammalian species have between ten and fifteen types of Toll-like receptors. Thirteen TLRs (named simply TLR1 to TLR13) have been identified in humans and mice together, and equivalent forms of many of these have been found in other mammalian species. However, equivalents of certain
25 TLR found in humans are not present in all mammals. For example, a gene coding for a protein analogous to TLR10 in humans is present in mice, but appears to have been damaged at some point in the past by a retrovirus. On the other hand, mice express TLRs 11, 12, and 13, none of which are represented in humans. Other mammals may express TLRs which are not
30 found in humans. Other non-mammalian species may have TLRs distinct from mammals, as demonstrated by TLR14, which is found in the Takifugu pufferfish. This may complicate the process of using experimental animals as models of human innate immunity.

For reviews on toll-like receptors see the following journal articles. Hoffmann,
35 J.A., Nature, 426, p33-38, 2003; Akira, S., Takeda, K., and Kaisho, T., Annual Rev. Immunology, 21, p335-376, 2003; Ulevitch, R. J., Nature Reviews: Immunology, 4, p512-520, 2004.


5 Compounds indicating activity on Toll-Like receptors have been previously described such as heterocyclic derivatives in WO2000006577, adenine derivatives in WO 98/01448 and WO 99/28321, and pyrimidines in WO 2009/067081.

10 In the treatment of certain viral infections, regular injections of interferon (IFN- α) can be administered, as is the case for hepatitis C virus (HCV) (Fried et. al. Peginterferon- α plus ribavirin for chronic hepatitis C virus infection, *N Engl J Med* 2002; 347: 975-82). Orally available small molecule IFN inducers offer the potential advantages of reduced immunogenicity and convenience of administration. Thus, novel IFN inducers are potentially effective new class of
15 drugs for treating virus infections. For an example in the literature of a small molecule IFN inducer having antiviral effect see De Clercq, E.; Descamps, J.; De Somer, P. *Science* 1978, 200, 563-565.

Interferon alpha is also given to patients in combination with other drugs in the treatment of certain types of cancer (Eur. J. Cancer (46) p 2849–57, and
20 Cancer Res. 1992 (52) p.1056). TLR 7/8 agonists are also of interest as vaccine adjuvants because of their ability to induce pronounced Th1 response (Hum.Vaccines, 2009 (5), 381–394).

However, there exists a strong need for novel Toll-Like receptor modulators having preferred selectivity, and an improved safety profile compared to the
25 compounds of the prior art.

In accordance with the present disclosure, a compound of formula (I) is provided



and their pharmaceutically acceptable salt, solvate prodrug, stereoisomers or
30 polymorph thereof wherein

R₁ is H, fluorine or methyl;

R₂ is H, halogen or C₁₋₃ alkyl;

5 R_3 is C_{1-6} alkyl optionally substituted by aryl optionally further substituted by one or more substituents independently selected from aryloxy, halogen, aryl, alkylamino, dialkylamino, heterocycloalkyl, C_{1-6} cycloalkyl, C_{1-6} alkyl, carboxylic acid, carboxylic ester, carboxylic amide, nitrile, or C_{1-6} alkoxy; or


R_3 is C_{1-6} alkyl optionally substituted by C_{1-6} alkene, C_{3-7} cycloalkyl or C_{3-7} heterocycloalkyl; or

R_3 is C_{1-6} alkyl optionally substituted by C_{1-6} alkoxy optionally further substituted by aryl;

R_4 is C_{1-8} alkyl optionally substituted by one or more substituents independently selected from hydroxyl, C_{1-6} alkoxy, C_{1-6} alkyl, C_{3-7} cycloalkyl, C_{2-6} alkenyl, aryl, heteroaryl optionally further substituted by C_{1-6} alkyl, and C_{3-7} cycloalkyl optionally further substituted by C_{1-6} alkyl;

with the proviso that 2-amino-4-(N-butylamino)-5-(α -methylbenzyl)pyrrolo[3,2-d] pyrimidine is excluded.

In one aspect, the present disclosure relates to a compound of formula (I)



and their pharmaceutically acceptable salt, solvate or polymorph thereof wherein

R_1 is H, fluorine or methyl;

R_2 is H, halogen or C_{1-3} alkyl;

25 R_3 is C_{1-6} alkyl optionally substituted by aryl optionally further substituted by one or more substituents independently selected from aryloxy, halogen, aryl, alkylamino, dialkylamino, C_{1-6} alkyl, carboxylic acid, carboxylic ester, carboxylic amide, nitrile, or C_{1-6} alkoxy; or

R_3 is C_{1-6} alkyl optionally substituted by C_{1-6} alkene, C_{3-7} cycloalkyl or C_{3-7} heterocycloalkyl; or

5 R_3 is C_{1-6} alkyl optionally substituted by C_{1-6} alkoxy optionally further substituted by aryl;

R_4 is C_{1-8} alkyl optionally substituted by one or more substituents independently selected from hydroxyl, C_{1-6} alkoxy, C_{1-6} alkyl, C_{3-7} cycloalkyl, C_{2-6} alkenyl, aryl, heteroaryl optionally further substituted by C_{1-6} alkyl, and C_{3-7} cycloalkyl optionally further substituted by C_{1-6} alkyl;

10

with the proviso that 2-amino, 4-(N-butylamino)-5-(α -methylbenzyl)pyrrolo[3,2-d] pyrimidine is excluded.

Preferred compounds are those of formula (I) wherein R_3 is a C_{1-3} alkyl group substituted with an aryl (substituted or unsubstituted), and R_1 , R_2 , and R_4 are described as above.

15

In a second embodiment are the compounds of formula (I) wherein R_3 and R_4 are a C_{1-3} alkyl substituted by an aryl, optionally further substituted as described above.

In a further embodiments are those of formula (I) wherein R_1 is hydrogen, R_2 is fluorine, and R_3 and R_4 are described as above.

20

Other preferred embodiments are those of formula (I) wherein R_1 is fluorine, R_2 is hydrogen, and R_3 and R_4 are described as above.

The compounds, as listed in Tables I and II, having the following numbers # 89, 94, 101, 144, 154, 156, 175, 192, 209, 213 and 215 are of special interest because of their properties according to the disclosure.

25

The compounds of formula (I) and their pharmaceutically acceptable salt, solvate or polymorph thereof have activity as pharmaceuticals, in particular as modulators of Toll-Like Receptor (especially TLR7 and/or TLR8) activity.

5 In a further aspect the present disclosure provides a pharmaceutical composition comprising a compound of formula (I) or a pharmaceutically acceptable salt, solvate or polymorph thereof together with one or more pharmaceutically acceptable excipients, diluents or carriers.

10 Furthermore a compound of formula (I) or a pharmaceutically acceptable salt, solvate or polymorph thereof according to the current disclosure, or a pharmaceutical composition comprising said compound of formula (I) or a pharmaceutically acceptable salt, solvate or polymorph thereof can be used as a medicament. Another aspect of the present disclosure provides a compound of formula (I) or a pharmaceutically acceptable salt, solvate or polymorph
15 thereof as defined herein, or a pharmaceutical composition comprising said compound of formula (I) or a pharmaceutically acceptable salt, solvate or polymorph thereof as defined herein for use as a medicament.

The present disclosure also relates to a compound of formula (I) or a pharmaceutically acceptable salt, solvate or polymorph thereof, or said
20 pharmaceutical composition comprising said compound of formula (I) or a pharmaceutically acceptable salt, solvate or polymorph thereof that can be used accordingly in the treatment of any disorder in which the modulation of TLR7 and /or TLR8 is involved.

25 The term “alkyl” refers to a straight-chain or branched-chain saturated aliphatic hydrocarbon containing the specified number of carbon atoms.

The term “halogen” refers to fluorine, chlorine, bromine or iodine.

The term “alkenyl” refers to an alkyl as defined above consisting of at least two carbon atoms and at least one carbon-carbon double bond.

30 The term “cycloalkyl” refers to a carbocyclic ring containing the specified number of carbon atoms.

The term “alkoxy” refers to an alkyl (carbon and hydrogen chain) group singular bonded to oxygen like for instance a methoxy group or ethoxy group.

35 The term “aryl” means an aromatic ring structure optionally comprising one or two heteroatoms selected from N, O and S, in particular from N and O. Said aromatic ring structure may have 5, 6 or 7 ring atoms. In particular, said aromatic ring structure may have 5 or 6 ring atoms. Said aromatic ring structure

- 5 may also be fused to another aryl ring affording a bicyclic structure (examples include but are not limited to: quinoline, isoquinoline, quinazoline, benzoxazole).

- 5 The term “aryloxy” refers to an aromatic ring structure. Said aromatic group is singularly bonded to oxygen (e.g. phenoxy).

The term “alkene” refers to an unsaturated hydrocarbon chain containing the specified number of carbon atoms containing at least one carbon-to carbon double bond.

- 10 The term “heterocycle” refers to molecules that are saturated or partially saturated and include tetrahydrofuran, dioxane or other cyclic ethers. Heterocycles containing nitrogen include, for example azetidine, morpholine, piperidine, piperazine, pyrrolidine, and the like. Other heterocycles include, for example, thiomorpholine, dioxolanyl, and cyclic sulfones.
- 15 Pharmaceutically acceptable salts of the compounds of formula (I) include the acid addition and base salts thereof. Suitable acid addition salts are formed from acids which form non-toxic salts. Suitable base salts are formed from bases which form non-toxic salts.

- 20 The compounds of the invention may also exist in unsolvated and solvated forms. The term “solvate” is used herein to describe a molecular complex comprising the compound of the invention and one or more pharmaceutically acceptable solvent molecules, for example, ethanol.

The term “polymorph” refers to the ability of the compound of the invention to exist in more than one form or crystal structure.

- 25 The compounds of the present invention may be administered as crystalline or amorphous products. They may be obtained for example as solid plugs, powders, or films by methods such as precipitation, crystallization, freeze drying, spray drying, or evaporative drying. They may be administered alone or in combination with one or more other compounds of the invention or in
- 30 combination with one or more other drugs. Generally, they will be administered as a formulation in association with one or more pharmaceutically acceptable excipients. The term “excipient” is used herein to describe any ingredient other than the compound(s) of the invention. The choice of excipient depends largely on factors such as the particular mode of administration, the effect of the
- 35 excipient on solubility and stability, and the nature of the dosage form.

The compounds of the present invention or any subgroup thereof may be formulated into various pharmaceutical forms for administration purposes. As

5 appropriate compositions there may be cited all compositions usually employed for systemically administering drugs. To prepare the pharmaceutical compositions of this invention, an effective amount of the particular compound, optionally in addition salt form, as the active ingredient is combined in intimate admixture with a pharmaceutically acceptable carrier, which carrier may take a

10 wide variety of forms depending on the form of preparation desired for administration. These pharmaceutical compositions are desirably in unitary dosage form suitable, for example, for oral, rectal, or percutaneous administration. For example, in preparing the compositions in oral dosage form, any of the usual pharmaceutical media may be employed such as, for example,

15 water, glycols, oils, alcohols and the like in the case of oral liquid preparations such as suspensions, syrups, elixirs, emulsions, and solutions; or solid carriers such as starches, sugars, kaolin, diluents, lubricants, binders, disintegrating agents and the like in the case of powders, pills, capsules, and tablets. Because of their ease in administration, tablets and capsules represent the

20 most advantageous oral dosage unit forms, in which case solid pharmaceutical carriers are obviously employed. Also included are solid form preparations that can be converted, shortly before use, to liquid forms. In the compositions suitable for percutaneous administration, the carrier optionally comprises a penetration enhancing agent and/or a suitable wetting agent, optionally

25 combined with suitable additives of any nature in minor proportions, which additives do not introduce a significant deleterious effect on the skin. Said additives may facilitate the administration to the skin and/or may be helpful for preparing the desired compositions. These compositions may be administered in various ways, e.g., as a transdermal patch, as a spot-on, as an ointment.

30 The compounds of the present invention may also be administered via inhalation or insufflation by means of methods and formulations employed in the art for administration via this way. Thus, in general the compounds of the present invention may be administered to the lungs in the form of a solution, a suspension or a dry powder.

35 It is especially advantageous to formulate the aforementioned pharmaceutical compositions in unit dosage form for ease of administration and uniformity of dosage. Unit dosage form as used herein refers to physically discrete units suitable as unitary dosages, each unit containing a predetermined quantity of active ingredient calculated to produce the desired therapeutic effect in

40 association with the required pharmaceutical carrier. Examples of such unit dosage forms are tablets (including scored or coated tablets), capsules, pills,


- 5 powder packets, wafers, suppositories, injectable solutions or suspensions and the like, and segregated multiples thereof.

Those of skill in the treatment of infectious diseases will be able to determine the effective amount from the test results presented hereinafter. In general it is contemplated that an effective daily amount would be from 0.01 mg/kg to 50
10 mg/kg body weight, more preferably from 0.1 mg/kg to 10 mg/kg body weight. It may be appropriate to administer the required dose as two, three, four or more sub-doses at appropriate intervals throughout the day. Said sub-doses may be formulated as unit dosage forms, for example, containing 1 to 1000 mg, and in particular 5 to 200 mg of active ingredient per unit dosage form.

15 The exact dosage and frequency of administration depends on the particular compound of formula (I) used, the particular condition being treated, the severity of the condition being treated, the age, weight and general physical condition of the particular patient as well as other medication the individual may be taking, as is well known to those skilled in the art. Furthermore, it is evident
20 that the effective amount may be lowered or increased depending on the response of the treated subject and/or depending on the evaluation of the physician prescribing the compounds of the instant invention. The effective amount ranges mentioned above are therefore only guidelines and are not intended to limit the scope or use of the invention to any extent.


25 **Experimental Section**

Scheme 1. Overall reaction scheme




- 5 Compounds of type **A** in scheme 1 can be alkylated with benzyl bromides using a polar aprotic solvent, for example DMF. The reaction of alkyl halides with intermediate **A** requires a stronger base (e.g. cesium carbonate) and possibly a longer reaction time and/or increased temperature. The displacement of the chlorine in intermediate **B** with an amine to form compounds of the type **C** may
10 require additional heating or prolonged reaction time as observed with aminoalcohols (for the preparation of aminoalcohols refer to WO2009067081 and WO2008147697). The displacement of the chlorine in intermediate **B** with an amine may also proceed at room temperature in a polar solvent (e.g. DMF or acetonitrile). A variety of bases may be used to aid in the reaction from **B** to
15 **C** including but not limited to the following: triethylamine, diisopropylamine, cesium carbonate, potassium carbonate, or sodium hydride. The reduction of the azido group in compounds represented by the intermediate **D** above may also proceed over Pd/C in a hydrogen atmosphere. Intermediates **B**, **C**, and **D** containing fluorine can be substituted under the same protocols as the unsubstituted analogs, thus, reaction schemes described apply to both types of
20 compounds.

Preparation of intermediate **B**




- Into a 50 mL vial was placed 2,4-dichloro-5H-pyrrolo[3,2-*d*]pyrimidine [CAS
25 63200-54-4] (1 g, 5.319 mmol), DMF (10 mL), DIPEA (2.75 mL, 16 mmol) and benzyl bromide (0.7 mL, 5.85 mmol). The vial was sealed and shaken for 16 hours at room temperature. The solvents were removed under reduced pressure. The crude was purified via silica gel column chromatography using a heptane to ethyl acetate gradient. The best fractions were pooled and the
30 solvents were removed under reduced pressure to afford **B**.

LC-MS (M+H) m/z = 278

5 Preparation of intermediate **B2**

Into a 50 mL vial equipped with a magnetic stir bar was placed **A** (50 mg, 0.27 mmol), anhydrous DMF (1 mL), cesium carbonate (0.259 g, 0.8 mmol) and then 2-bromoethyl methyl ether (0.03 mL, 0.29 mmol). The flask was sealed, and the reaction was allowed to stir at 70°C for 2 hours. The solvents were removed under reduced pressure. The crude was purified via silica gel column chromatography using a heptane to ethyl acetate gradient. The best fractions were pooled and the solvents were removed under reduced pressure to afford **B2**.


15 LC-MS (M+H) m/z = 246

Preparation of intermediate **C**

Into a 50 mL round bottom flask equipped with a magnetic stir bar was placed **B** (1.4 g, 5.03 mmol), n -butylamine (0.59 mL, 6.04 mmol), and 1,4-dioxane (5 mL). The flask was equipped with a reflux condenser and allowed to heat with stirring at 100°C for 16 hours. After cooling to room temperature, the solvents were removed under reduced pressure. The crude was purified via silica gel column chromatography using a heptane to ethyl acetate gradient. The best fractions were pooled and the solvents were removed under reduced pressure to afford **C**.


-10-

5 LC-MS (M+H) m/z = 315

Preparation of intermediate **D**

Into a glass vial equipped with a magnetic stir bar was placed **C** (1 g, 3.18 mmol), sodium azide (0.62 g, 9.53 mmol), and NMP:water (9:1, 4 mL). The glass vial was sealed and the mixture was heated with stirring to 170°C for 5 hours. After cooling to room temperature, the mixture was diluted with ethyl acetate (20 mL) and washed with water (5 x 15 mL). The organic layer was dried over magnesium sulfate, the solids were removed via filtration and the solvents of the filtrate were removed under reduced pressure. The crude was purified via silica gel column chromatography using a heptane to ethyl acetate gradient. The best fractions were combined and the solvents were removed under reduced pressure to afford **D**.

LC-MS (M+H) m/z = 322


Preparation of **1**

Into a glass vial equipped with a magnetic stir bar was placed **D** (100 mg, 0.311 mmol), 1,4-dioxane (4 mL), water (1 mL), and triphenylphosphine (245 mg, 0.93 mmol). The glass vial was sealed and the mixture heated with stirring to 120°C for 48 hours. After cooling to room temperature, the solvents were removed under reduced pressure. The crude was purified via silica gel column chromatography using a

- 5 dichloromethane to 10% methanol in dichloromethane gradient. The best fractions were pooled and the solvents were removed under reduced pressure to afford **1**.


LC-MS (M+H) m/z = 296

Preparation of **86**



- 10 Into a glass vial equipped with a magnetic stir bar was placed **1** (110 mg, 0.372 mmol), nitromethane (1.5 mL), and selectfluor (198 mg, 0.56 mmol). The glass vial was sealed and the mixture stirred at room temperature for 16 hours. The solvents were removed under reduced pressure. The crude was purified via reverse phase chromatography. The best fractions were pooled and the
- 15 solvents were removed under reduced pressure to afford **86**.


Preparation of intermediate **E**



- Into a glass vial equipped with a magnetic stir bar was placed **A** (600 mg, 3.19 mmol), nitromethane (10 mL), and selectfluor (5.67 g, 16 mmol). The glass vial
- 20 was sealed and the mixture stirred at room temperature for 48 hours. NaHCO₃ (sat. aq., 10 mL) was added and extracted with ethyl acetate (3 x 15 mL). The organic layers were pooled, dried over magnesium sulfate, the solids were removed by filtration, and the solvent of the filtrate was removed under reduced pressure to afford crude **E**, used as such in the next step.

- 25 LC-MS (M+H) m/z = 206

-12-

5 Preparation of intermediate **G**

Step 1.


Intermediate **F** was prepared according to the method used to prepare compound 9 in scheme 3 on page 44 of WO2010006025. With the exception that acetyl group was employed in place of the trimethylacetyl group.

Step 2. Preparation of intermediate **G**

Into a 50 mL glass vial equipped with a magnetic stir bar was placed **F** (200 mg, 0.97 mmol), anhydrous DMF (5 mL), DBU (0.435 mL, 2.91 mmol), and BOP (536 mg, 1.2 mmol). The reaction mixture becomes a solution after stirring for several minutes, then *n*-butylamine (0.48 mL, 4.85 mmol) was added and the stirring continues at room temperature for 16 hours. The solvent was removed under reduced pressure and the crude was purified via reverse phase chromatography.

LC-MS (M+H) m/z = 262


20 Scheme 2. Overall reaction scheme



General procedure. Compounds of type **X** in scheme 2 can be functionalized with alcohols using Mitsunobu conditions in a polar aprotic solvent, for example THF. Cleavage of methyl carbamate was performed under basic conditions in 1,4-dioxane to form intermediate **Z**. The displacement of the chlorine in

- 5 intermediate **Z** was performed with an amine and a base (e.g. NaH) in a polar solvent (e.g. NMP) to form compounds of formula (I).


Preparation of intermediate **X**




- 3-Amino-2-ethoxycarbonylpyrrole hydrochloride (25.8 g, 135.3 mmol) was
 10 partitioned between dichloromethane and sat. NaHCO₃, dried over MgSO₄,
 filtered and evaporated to dryness. The residue was dissolved in methanol
 (500 mL) together with 1,3-bis(methoxycarbonyl)-2-methyl-2-
 thiopseudourea (32.1 g, 156 mmol) and acetic acid (39 mL, 677 mmol) and
 stirred 1 hour at room temperature. A precipitate appeared and stirring was
 15 continued overnight. Sodium methoxide (73.1 g, 1353 mmol) was added. An
 exotherm was observed and the reaction mixture was stirred overnight. The
 reaction mixture was brought to pH 5 via addition of acetic acid and the
 precipitate was filtered off, triturated with water (2 x 350 mL), acetonitrile (1 x
 350 mL) and diisopropylether (1 x 350 mL). The obtained methyl N-(4-hydroxy-
 20 5H-pyrrolo[3,2-d]pyrimidin-2-yl)carbamate was dried in the oven.

- Methyl N-(4-hydroxy-5H-pyrrolo[3,2-d]pyrimidin-2-yl)carbamate (25 g, 120
 mmol) was dispensed into acetonitrile (350 mL) in a 500 mL multi neck flask at
 room temperature. POCl₃ (22.1 mL, 238.2 mmol) was added and the reaction
 mixture was heated to 70°C while stirring by an overhead, mechanical stirrer
 25 (300 rpm). Hunig's base (41.4 mL, 240.2 mmol) was added dropwise via a
 syringe pump at a flow rate of 0.2 mL/min. The reaction mixture was cooled to
 room temperature and poured into a stirred solution of sodium acetate (78.8 g,
 961 mmol) in water (500 mL) at 45°C. The organics were evaporated and the
 remaining liquid was stirred and cooled in an ice bath. The formed solid was
 30 isolated by filtration, washed with acetonitrile and triturated with
 diisopropylether to become intermediate **X** as a solid which was dried under
 vacuum.

-14-


5 Preparation of intermediate **Y**

To a suspension of intermediate **X** (5 g, 22 mmol), 2-pyridinemethanol (2.6 mL, 26.5 mmol) and polystyrene-bound triphenylphosphine (18.4 g, 55.2 mmol) in anhydrous THF (153 mL) was added DIAD (6.9 mL, 33 mmol) at room temperature and the reaction mixture stirred for 30 minutes then was concentrated under reduced pressure. The product was purified via silica gel column chromatography using gradient a dichloromethane:methanol 100:0 to 90:10 gradient. The product fractions were collected and concentrated under reduced pressure. The product was recrystallized in acetonitrile, isolated by filtration and dried under vacuum to afford **Y** as a white solid.

Preparation of intermediate **Z**

Y (4.5 g, 14.2 mmol) was dissolved in 1,4-dioxane (68 mL) in a 100 mL round bottom flask and 1 N NaOH (34 mL) was added. The mixture was heated to 60°C for 5h. The mixture was cooled and concentrated under reduced pressure. The residue was treated with water and the precipitate was isolated by filtration and dried to afford **Z**. The product was used as such in the next step.

-15-











Z (175 mg, 0.67 mmol), isoxazol-3-yl-methylamine hydrochloride (136 mg, 1.0 mmol), and diisopropylethylamine (173 mg, 1.3 mmol) were dissolved in NMP (2.4 mL) in a 7 mL glass vial. The mixture was stirred at 100°C for 2h then cooled and concentrated in vacuo. It was purified by Prep HPLC (Stationary phase: RP Vydac Denali C18 - 10 μ m, 200 g, 5 cm), Mobile phase: 0.25% NH_4OAc solution in water, methanol), the desired fractions were collected and concentrated in vacuo. The product was triturated in acetonitrile, isolated by filtration and dried under vacuum to become **155** as a white solid.




Table 1. Compounds of formula (I) and corresponding analytical data.




Compounds were prepared according to the methods described in the experimental section. *R indicates a pure enantiomer of unknown configuration, drawn in R configuration. *S indicates a pure enantiomer of unknown configuration, drawn in S configuration.




#	STRUCTURE	^1H NMR	LC Method, Rt (min)	LC-MS Mass Found
1		^1H NMR (400 MHz, $\text{DMSO}-d_6$) δ ppm 0.77 (t, $J=7.3$ Hz, 3 H), 0.98 - 1.11 (m, 2 H), 1.33 (dt, $J=14.5, 7.2$ Hz, 2 H), 3.25 - 3.30 (m, 2 H), 5.23 (s, 2 H), 5.48 (s, 6 H), 5.75 (t, $J=5.5$ Hz, 1 H), 5.98 (d, $J=3.0$ Hz, 1 H), 6.97 (d, $J=7.0$ Hz, 2 H), 7.19 - 7.35 (m, 4 H)	B, 0.88	296
2		^1H NMR (300 MHz, $\text{CHLOROFORM}-d$) δ ppm 0.76 (t, $J=7.2$ Hz, 3 H), 1.07 (dq, $J=14.9, 7.3$ Hz, 2	A, 2.82	388





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		H), 1.23 - 1.35 (m, 2 H), 3.31 (td, <i>J</i> =6.8, 5.6 Hz, 2 H), 4.90 (t, <i>J</i> =4.9 Hz, 1 H), 5.12 (br. s., 2 H), 5.31 (s, 2 H), 6.21 (d, <i>J</i> =3.0 Hz, 1 H), 6.71 - 6.79 (m, 1 H), 6.86 - 6.94 (m, 3 H), 6.97 - 7.05 (m, 2 H), 7.06 - 7.14 (m, 1 H), 7.20 - 7.27 (m, 1 H), 7.27 - 7.36 (m, 2 H)		
3		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.75 (t, <i>J</i> =7.3 Hz, 3 H), 0.96 - 1.09 (m, 2 H), 1.28 - 1.41 (m, 2 H), 3.25 - 3.33 (m, 2 H), 5.55 (s, 4 H), 5.85 (dd, <i>J</i> =9.7, 2.6 Hz, 1 H), 5.98 (t, <i>J</i> =5.0 Hz, 1 H), 6.08 (d, <i>J</i> =3.0 Hz, 1 H), 7.11 (td, <i>J</i> =8.5, 3.1 Hz, 1 H), 7.30 (d, <i>J</i> =3.0 Hz, 1 H), 7.70 (dd, <i>J</i> =8.8, 5.3 Hz, 1 H)	A, 2.49	393
4		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.91 (t, <i>J</i> =7.2 Hz, 3 H), 1.30 - 1.44 (m, 2 H), 1.49 - 1.61 (m, 2 H), 3.34 (s, 3 H), 3.43 (td, <i>J</i> =7.1, 5.3 Hz, 2 H), 3.69 - 3.77 (m, 2 H), 4.20 - 4.29 (m, 2 H), 5.73 (br. s., 1 H), 6.20 (d, <i>J</i> =3.0 Hz, 1 H), 6.86 (d, <i>J</i> =3.2 Hz, 1 H), 7.11 (br. s., 1 H)	A, 1.95	264
5		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.74 (t, <i>J</i> =7.2 Hz, 3 H), 0.90 - 1.07 (m, 2 H), 1.11 - 1.17 (m, 2 H), 3.18 - 3.28 (m, 2 H), 4.40 (br. s., 1 H), 4.94 (br. s., 2 H), 5.30 (s, 2 H), 6.23 (d, <i>J</i> =3.0 Hz, 1 H), 6.70 (d, <i>J</i> =8.8 Hz, 1 H), 6.79 (d, <i>J</i> =7.7 Hz, 1 H), 6.94 - 7.03 (m, 2 H), 7.30	A, 2.29	314




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		(td, $J=8.0$, 5.8 Hz, 1 H)		
6		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.72 (t, $J=7.2$ Hz, 3 H), 0.88 - 1.03 (m, 2 H), 1.14 - 1.27 (m, 2 H), 3.24 (td, $J=6.7$, 5.3 Hz, 2 H), 4.29 (br. s., 1 H), 4.89 (br. s., 2 H), 5.33 (s, 2 H), 6.24 (d, $J=3.0$ Hz, 1 H), 6.46 - 6.53 (m, 1 H), 6.99 (d, $J=3.0$ Hz, 1 H), 7.10 - 7.22 (m, 2 H), 7.55 - 7.60 (m, 1 H)	A, 2.47	375
7		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.74 (t, $J=7.2$ Hz, 3 H), 0.86 - 1.01 (m, 2 H), 1.06 - 1.18 (m, 2 H), 3.12 - 3.22 (m, 2 H), 4.31 (t, $J=5.0$ Hz, 1 H), 5.18 (br. s., 2 H), 5.19 - 5.24 (m, 2 H), 6.20 (d, $J=3.0$ Hz, 1 H), 6.71 (d, $J=7.7$ Hz, 1 H), 6.96 (d, $J=3.0$ Hz, 1 H), 7.21 - 7.47 (m, 8 H)	A, 2.78	372
8		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.84 (t, $J=7.4$ Hz, 3 H), 0.93 (t, $J=7.3$ Hz, 3 H), 1.06 - 1.27 (m, 2 H), 1.27 - 1.44 (m, 2 H), 1.50 - 1.66 (m, 4 H), 3.44 - 3.54 (m, 2 H), 4.28 (t, $J=6.9$ Hz, 2 H), 5.99 (d, $J=2.9$ Hz, 1 H), 6.17 (br. s., 2 H), 6.79 (br. s., 1 H), 7.28 (d, $J=2.9$ Hz, 1 H)	A, 2.28	262
9		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.86 (t, $J=7.4$ Hz, 3 H), 0.91 (t, $J=7.3$ Hz, 3 H), 1.36 (dq, $J=15.0$, 7.4 Hz, 2 H), 1.52 - 1.65 (m, 2 H), 1.76 (sxt, $J=7.3$ Hz, 2 H), 3.52 (td, $J=7.1$, 5.6 Hz, 2 H), 4.07 (t,	A, 2.06	248



#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		J=7.1 Hz, 2 H), 5.17 - 5.30 (m, 1 H), 5.52 (br. s., 2 H), 6.09 (d, J=3.0 Hz, 1 H), 6.88 (d, J=3.0 Hz, 1 H)		
10		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.92 (t, J=7.3 Hz, 3 H), 1.38 (dq, J=15.0, 7.3 Hz, 2 H), 1.56 - 1.68 (m, 2 H), 3.49 (td, J=7.1, 5.1 Hz, 2 H), 5.28 (s, 2 H), 5.78 (br. s., 2 H), 6.18 (d, J=3.0 Hz, 1 H), 7.06 (d, J=3.0 Hz, 1 H), 7.25 - 7.32 (m, 1 H), 7.34 (d, J=7.7 Hz, 1 H), 7.74 (td, J=7.7, 1.7 Hz, 1 H), 8.48 (d, J=4.4 Hz, 1 H), 8.58 (br. s., 1 H)	A, 2.14	297
11		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.94 (t, J=7.4 Hz, 3 H), 1.39 (dq, J=14.9, 7.4 Hz, 2 H), 1.63 (quin, J=7.3 Hz, 2 H), 2.90 (t, J=7.1 Hz, 2 H), 3.46 - 3.55 (m, 2 H), 4.55 (t, J=7.1 Hz, 2 H), 5.94 (d, J=3.0 Hz, 1 H), 6.33 (br. s., 2 H), 6.97 (br. s., 1 H), 7.02 - 7.12 (m, 3 H), 7.16 - 7.29 (m, 3 H)	A, 2.42	310
12		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.90 (t, J=7.3 Hz, 3 H), 1.34 (dq, J=14.9, 7.3 Hz, 2 H), 1.57 (quin, J=7.3 Hz, 2 H), 1.91 (quin, J=7.5 Hz, 2 H), 2.41 - 2.48 (m, 2 H), 3.41 - 3.49 (m, 2 H), 4.29 (t, J=7.0 Hz, 2 H), 5.57 (s, 2 H), 5.94 (d, J=2.9 Hz, 1 H), 6.32 (t, J=5.4 Hz, 1 H), 7.10 - 7.22 (m, 4 H), 7.22 - 7.31 (m, 2 H)	A, 2.6	324




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
13		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.81 (t, J=7.2 Hz, 3 H), 1.06 (dq, J=14.9, 7.3 Hz, 2 H), 1.22 - 1.35 (m, 2 H), 3.32 (td, J=6.7, 5.4 Hz, 2 H), 4.20 (br. s., 1 H), 4.51 (br. s., 2 H), 5.44 (s, 2 H), 6.31 (d, J=3.2 Hz, 1 H), 6.63 (d, J=7.4 Hz, 1 H), 7.07 (d, J=3.0 Hz, 1 H), 7.16 - 7.25 (m, 1 H), 7.29 - 7.34 (m, 1 H), 7.47 (dd, J=8.0, 1.2 Hz, 1 H)	A, 2.47	330
14		¹ H NMR (400 MHz, CHLOROFORM- <i>d</i>) ppm 0.89 (t, J=6.9 Hz, 3 H), 1.20 - 1.27 (m, 1 H), 1.28 - 1.41 (m, 4 H), 1.64 (q, J=7.0 Hz, 2 H), 3.61 (dd, J=11.2, 6.9 Hz, 1 H), 3.77 (dd, J=11.0, 2.8 Hz, 1 H), 4.24 (td, J=6.9, 2.8 Hz, 1 H), 4.57 (br. s., 2 H), 5.48 - 5.68 (m, 2 H), 6.21 (d, J=3.0 Hz, 1 H), 6.74 (d, J=6.8 Hz, 1 H), 7.10 (d, J=3.0 Hz, 1 H), 7.35 (dd, J=8.5, 1.3 Hz, 1 H), 7.51 (dd, J=8.4, 4.9 Hz, 1 H), 9.16 (dd, J=5.0, 1.3 Hz, 1 H)	B, 0.63	342
15		¹ H NMR (400 MHz, METHANOL- <i>d</i> ₄) δ ppm 0.88 (t, J=7.3 Hz, 3 H), 1.13 - 1.32 (m, 3 H), 1.46 - 1.69 (m, 3 H), 2.39 (t, J=6.8 Hz, 1 H), 3.61 (d, J=5.5 Hz, 2 H), 4.31 (dd, J=8.8, 5.0 Hz, 1 H), 5.62 - 5.87 (m, 2 H), 6.13 (d, J=3.0 Hz, 1 H), 7.39 (d, J=3.0 Hz, 1 H), 7.46 (dd, J=8.5, 1.8 Hz, 1 H), 7.70 (dd, J=8.5, 5.0 Hz, 1 H),	B, 0.55	328





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		9.14 (dd, J=4.9, 1.6 Hz, 1 H)		
16		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.77 (t, J=7.2 Hz, 3 H), 1.02 (dq, J=14.9, 7.3 Hz, 2 H), 1.15 - 1.29 (m, 2 H), 3.25 (td, J=6.8, 5.4 Hz, 2 H), 4.08 - 4.22 (m, 1 H), 4.42 (br. s., 2 H), 5.23 (s, 2 H), 6.20 (d, J=3.0 Hz, 1 H), 6.83 (ddd, J=8.5, 4.3, 2.2 Hz, 1 H), 6.95 (d, J=3.0 Hz, 1 H), 7.04 - 7.12 (m, 2 H)	A, 2.5	348
17		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.69 (t, J=7.3 Hz, 3 H), 0.80 - 0.93 (m, 2 H), 1.05 - 1.17 (m, 1 H), 1.34 - 1.45 (m, 1 H), 3.24 (br. s., 2 H), 4.06 - 4.16 (m, 1 H), 4.63 (br. s., 1 H), 5.03 (d, J=8.6 Hz, 1 H), 5.24 (s, 2 H), 5.40 - 5.57 (m, 2 H), 5.99 (d, J=3.1 Hz, 1 H), 6.98 (d, J=7.0 Hz, 2 H), 7.22 - 7.35 (m, 3 H), 7.36 (d, J=2.9 Hz, 1 H)	B, 0.79	326
18		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.89 (t, J=7.4 Hz, 3 H), 1.18 - 1.39 (m, 2 H), 1.45 - 1.63 (m, 2 H), 2.50 (s, 3 H), 3.36 - 3.46 (m, 2 H), 5.33 (s, 2 H), 5.41 (s, 2 H), 5.96 (d, J=2.9 Hz, 1 H), 7.03 (d, J=7.6 Hz, 1 H), 7.23 (d, J=7.7 Hz, 1 H), 7.28 (t, J=5.2 Hz, 1 H), 7.40 (d, J=3.0 Hz, 1 H), 7.71 (t, J=7.7 Hz, 1 H)	A, 1.68	311





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
19		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.99 (t, <i>J</i> =7.4 Hz, 3 H), 1.26 - 1.43 (m, 2 H), 1.45 (d, <i>J</i> =6.3 Hz, 6 H), 1.67 (quin, <i>J</i> =7.3 Hz, 2 H), 3.54 - 3.63 (m, 2 H), 4.95 (dt, <i>J</i> =12.9, 6.4 Hz, 1 H), 6.18 (d, <i>J</i> =3.2 Hz, 1 H), 6.73 (br. s., 2 H), 7.29 (br. s., 1 H), 7.57 (d, <i>J</i> =3.2 Hz, 1 H)	A, 1.51	248
20		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.89 (t, <i>J</i> =7.3 Hz, 3 H), 1.27 (dq, <i>J</i> =14.9, 7.4 Hz, 2 H), 1.51 (quin, <i>J</i> =7.2 Hz, 2 H), 2.32 (s, 3 H), 3.26 - 3.44 (m, 2 H), 5.33 (s, 2 H), 5.51 (s, 2 H), 5.83 - 5.87 (m, 1 H), 5.97 (d, <i>J</i> =3.0 Hz, 1 H), 6.11 (t, <i>J</i> =5.3 Hz, 1 H), 7.29 (d, <i>J</i> =3.0 Hz, 1 H)	A, 1.45	301
21		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.70 (t, <i>J</i> =7.3 Hz, 3 H), 0.82 - 0.98 (m, 2 H), 1.17 - 1.36 (m, 2 H), 1.37 - 1.48 (m, 1 H), 1.51 - 1.63 (m, 1 H), 3.21 - 3.31 (m, 2 H), 4.17 - 4.29 (m, 1 H), 4.49 (br. s., 1 H), 5.24 (d, <i>J</i> =8.5 Hz, 1 H), 5.30 (s, 2 H), 5.41 - 5.58 (m, 2 H), 6.00 (d, <i>J</i> =3.0 Hz, 1 H), 6.95 (s, 1 H), 6.96 (s, 1 H), 7.20 - 7.27 (m, 1 H), 7.27 - 7.34 (m, 2 H), 7.36 (d, <i>J</i> =3.0 Hz, 1 H)	B, 0.83	340
22		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.87 (t, <i>J</i> =7.3 Hz, 3 H), 1.15 - 1.32 (m, 2 H), 1.45 - 1.59 (m, 1 H), 1.64 (td, <i>J</i> =8.0, 5.0 Hz, 1 H), 3.50 - 3.54 (m, 2 H), 3.72 - 3.79 (m, 1 H), 4.35 (td, <i>J</i> =8.5, 4.8 Hz, 1 H),	B, 0.69	327




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		5.45 - 5.64 (m, 2 H), 6.14 (d, <i>J</i> =3.0 Hz, 1 H), 6.77 (br. s., 2 H), 7.43 (ddd, <i>J</i> =7.7, 4.9, 1.0 Hz, 1 H), 7.51 (d, <i>J</i> =7.8 Hz, 1 H), 7.63 (d, <i>J</i> =3.0 Hz, 1 H), 7.91 (td, <i>J</i> =7.7, 1.8 Hz, 1 H), 8.42 (d, <i>J</i> =7.8 Hz, 1 H), 8.50 - 8.58 (m, 1 H)		
23		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.67 (t, <i>J</i> =7.4 Hz, 3 H), 1.25 (sxt, <i>J</i> =7.3 Hz, 2 H), 3.24 (td, <i>J</i> =7.0, 5.4 Hz, 2 H), 4.65 (br. s., 1 H), 5.16 (br. s., 2 H), 5.39 (s, 2 H), 6.30 (d, <i>J</i> =3.0 Hz, 1 H), 7.03 - 7.13 (m, 3 H), 7.32 - 7.47 (m, 3 H)	A, 2.15	282
24		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.82 (t, <i>J</i> =7.40 Hz, 3 H) 1.13 - 1.24 (m, 2 H) 1.43 - 1.54 (m, 2 H) 1.55 - 1.76 (m, 2 H) 3.38 - 3.46 (m, 2 H) 4.28 - 4.37 (m, 1 H) 4.47 (br. s., 1 H) 5.35 (s, 2 H) 5.43 - 5.51 (m, 2 H) 5.97 (d, <i>J</i> =3.01 Hz, 1 H) 6.88 (d, <i>J</i> =8.28 Hz, 1 H) 7.26 (d, <i>J</i> =7.78 Hz, 1 H) 7.37 (ddd, <i>J</i> =7.53, 5.02, 1.00 Hz, 1 H) 7.43 (d, <i>J</i> =3.01 Hz, 1 H) 7.84 (td, <i>J</i> =7.65, 1.76 Hz, 1 H) 8.53 (dt, <i>J</i> =4.00, 0.80 Hz, 1 H)	B, 0.71	341
25		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.74 - 0.85 (m, 3 H) 1.09 - 1.18 (m, 2 H) 1.18 - 1.30 (m, 2 H) 1.40 - 1.56 (m, 2 H) 1.56 - 1.65 (m, 1 H) 1.65 - 1.76 (m, 1 H) 3.34 - 3.45 (m, 2 H) 4.24 - 4.34 (m, 1 H) 4.47 (br. s., 1 H) 5.22 (s,	B, 0.8	355





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		2 H) 5.39 - 5.53 (m, 2 H) 5.96 (d, J=2.76 Hz, 1 H) 6.75 (d, J=8.28 Hz, 1 H) 7.23 (d, J=7.78 Hz, 1 H) 7.37 (ddd, J=7.53, 4.89, 1.13 Hz, 1 H) 7.41 (d, J=3.01 Hz, 1 H) 7.83 (td, J=7.72, 1.88 Hz, 1 H) 8.50 - 8.55 (m, 1 H)		
26		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.73 (t, J=7.4 Hz, 3 H), 0.77 - 0.93 (m, 2 H), 1.01 - 1.19 (m, 3 H), 1.38 - 1.51 (m, 1 H), 3.23 - 3.30 (m, 2 H), 4.04 - 6.4.17 (m, 1 H), 4.66 (br. s., 1 H), 5.12 (d, J=8.5 Hz, 1 H), 5.35 (s, 2 H), 5.40 - 5.60 (m, 2 H), 6.01 (d, J=3.0 Hz, 1 H), 6.95 - 7.03 (m, 2 H), 7.22 - 7.35 (m, 3 H), 7.38 (d, J=3.0 Hz, 1 H)	B, 0.86	340
27		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.74 (d, J=6.52 Hz, 3 H) 0.82 (d, J=6.78 Hz, 3 H) 0.92 (t, J=7.28 Hz, 3 H) 1.30 - 1.46 (m, 2 H) 1.50 - 1.69 (m, 2 H) 1.87 - 2.01 (m, 1 H) 3.43 - 3.58 (m, 2 H) 3.88 (dd, J=14.68, 8.16 Hz, 1 H) 4.12 (dd, J=14.56, 6.53 Hz, 1 H) 4.28 (m, J=8.40, 3.90 Hz, 1 H) 4.79 (br. s., 1 H) 5.22 (s, 2 H) 5.41 (d, J=8.53 Hz, 1 H) 5.89 (d, J=3.01 Hz, 1 H) 7.15 (d, J=3.01 Hz, 1 H)	B, 0.76	292





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
28		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.69 (d, J=6.9 Hz, 3 H), 0.79 (d, J=6.9 Hz, 3 H), 0.82 - 0.91 (m, 3 H), 1.20 - 1.39 (m, 4 H), 1.49 - 1.65 (m, 2 H), 1.66 - 1.79 (m, 2 H), 1.83 - 1.97 (m, 1 H), 3.43 - 3.58 (m, 2 H), 3.86 (dd, J=14.5, 8.5 Hz, 1 H), 4.12 (dd, J=14.5, 6.5 Hz, 1 H), 4.27 - 4.44 (m, 1 H), 4.71 (br. s., 1 H), 5.21 (s, 2 H), 5.75 (d, J=8.5 Hz, 1 H), 5.87 (d, J=2.8 Hz, 1 H), 7.12 (d, J=3.2 Hz, 1 H)	B, 0.89	320
29		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.75 - 0.85 (m, 3 H), 1.02 (d, J=7.0 Hz, 2 H), 1.11 - 1.26 (m, 2 H), 1.34 (d, J=7.6 Hz, 2 H), 3.28 (s, 2 H), 5.22 (s, 2 H), 5.49 (s, 2 H), 5.76 (s, 1 H), 5.98 (d, J=3.0 Hz, 1 H), 6.97 (d, J=6.7 Hz, 2 H), 7.17 - 7.35 (m, 4 H)	A, 2.47	310
30		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.76 (dd, J=11.42, 6.65 Hz, 6 H) 0.90 (t, J=7.28 Hz, 3 H) 1.26 - 1.37 (m, 2 H) 1.53 - 1.63 (m, 1 H) 1.63 - 1.73 (m, 1 H) 1.74 - 1.90 (m, 3 H) 3.49 - 3.62 (m, 2 H) 4.11 - 4.22 (m, 2 H) 4.55 (m, J=6.50 Hz, 1 H) 4.79 (t, J=4.52 Hz, 1 H) 6.16 (d, J=3.01 Hz, 1 H) 7.24 (d, J=8.28 Hz, 1 H) 7.33 (br. s., 2 H) 7.44 (d, J=2.76 Hz, 1 H) 12.35 (br. s., 1 H)	B, 0.82	306





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
31		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.64 - 0.75 (m, 3 H), 0.77 - 0.97 (m, 2 H), 1.02 - 1.21 (m, 1 H), 1.30 - 1.50 (m, 1 H), 3.33 (d, <i>J</i> =4.3 Hz, 2 H), 4.15 (dd, <i>J</i> =9.2, 4.5 Hz, 1 H), 4.69 (br. s., 1 H), 5.34 (d, <i>J</i> =8.5 Hz, 1 H), 5.42 - 5.64 (m, 2 H), 5.71 (br. s., 2 H), 6.06 (d, <i>J</i> =3.0 Hz, 1 H), 6.99 (d, <i>J</i> =6.6 Hz, 2 H), 7.17 - 7.37 (m, 3 H), 7.44 (d, <i>J</i> =3.0 Hz, 1 H)	A, 2.07	326
32		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.57 (d, <i>J</i> =6.6 Hz, 6 H), 1.19 (s, 2 H), 1.33 - 1.52 (m, 1 H), 3.05 (dd, <i>J</i> =6.8, 5.6 Hz, 2 H), 4.61 - 4.78 (m, 1 H), 5.32 (s, 2 H), 6.25 (d, <i>J</i> =3.0 Hz, 1 H), 6.97 - 7.06 (m, 3 H), 7.26 - 7.39 (m, 3 H)	A, 2.25	296
33		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.74 - 0.82 (m, 3 H), 0.86 (d, <i>J</i> =6.5 Hz, 3 H), 0.93 - 1.28 (m, 4 H), 4.01 - 4.22 (m, 1 H), 4.39 (d, <i>J</i> =7.8 Hz, 1 H), 5.05 (br. s., 2 H), 5.37 (s, 2 H), 6.29 (d, <i>J</i> =3.0 Hz, 1 H), 7.02 - 7.13 (m, 3 H), 7.32 - 7.47 (m, 3 H)	A, 2.4	310
34		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 3.24 (s, 3 H), 3.35 - 3.44 (m, 2 H), 3.57 (q, <i>J</i> =5.6 Hz, 2 H), 5.55 (s, 2 H), 5.97 (br. s., 2 H), 6.09 (d, <i>J</i> =2.9 Hz, 1 H), 6.30 (br. s., 1 H), 7.05 - 7.14 (m, 2 H), 7.25 - 7.41 (m, 3 H), 7.46 (d, <i>J</i> =3.0 Hz, 1 H)	A, 1.81	298





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
35		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.98 (t, <i>J</i> =7.1 Hz, 3 H), 3.23 - 3.44 (m, 2 H), 5.43 (s, 2 H), 5.49 (s, 2 H), 5.96 - 6.07 (m, 2 H), 7.02 (d, <i>J</i> =6.7 Hz, 2 H), 7.17 - 7.38 (m, 4 H)	A, 1.96	268
36		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 1.56 (quin, <i>J</i> =6.4 Hz, 2 H), 3.24 - 3.44 (m, 4 H), 4.45 - 4.58 (m, 1 H), 5.49 (s, 2 H), 5.61 (br. s., 2 H), 6.03 (d, <i>J</i> =2.9 Hz, 1 H), 6.19 (t, <i>J</i> =5.0 Hz, 1 H), 6.96 - 7.04 (m, 2 H), 7.19 - 7.34 (m, 3 H), 7.37 (d, <i>J</i> =3.0 Hz, 1 H)	A, 1.61	298
37		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.74 (t, <i>J</i> =7.3 Hz, 3 H), 0.80 - 0.95 (m, 2 H), 1.02 - 1.17 (m, 2 H), 1.19 - 1.48 (m, 3 H), 1.51 - 1.64 (m, 1 H), 3.21 - 3.27 (m, 2 H), 4.20 (tt, <i>J</i> =8.5, 4.0 Hz, 1 H), 4.49 (br. s., 1 H), 5.18 - 5.32 (m, 3 H), 5.40 - 5.59 (m, 2 H), 6.00 (d, <i>J</i> =3.1 Hz, 1 H), 6.96 (d, <i>J</i> =7.3 Hz, 2 H), 7.19 - 7.39 (m, 4 H)	B, 0.92	354
38		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.62 (d, <i>J</i> =4.0 Hz, 3 H), 0.65 (d, <i>J</i> =6.8 Hz, 3 H), 0.95 - 1.04 (m, 1 H), 1.35 - 1.47 (m, 1 H), 1.89 (s, 3 H), 3.35 - 3.46 (m, 2 H), 3.98 - 4.07 (m, 1 H), 5.06 (d, <i>J</i> =8.8 Hz, 1 H), 5.42 - 5.60 (m, 4 H), 6.01 (d, <i>J</i> =2.9 Hz, 1 H), 6.94 - 6.98 (m, 2 H), 7.23 - 7.28 (m, 1 H), 7.29 - 7.35 (m, 2 H), 7.38 (d, <i>J</i> =3.1 Hz, 1 H)	B, 0.84	340




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
39		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.63 - 0.73 (m, 3 H), 0.75 - 0.95 (m, 2 H), 1.18 - 1.36 (m, 2 H), 1.48 (dd, <i>J</i> =8.9, 4.7 Hz, 1 H), 1.53 - 1.64 (m, 1 H), 3.20 - 3.28 (m, 2 H), 4.13 - 4.29 (m, 1 H), 4.50 (t, <i>J</i> =5.4 Hz, 1 H), 5.28 (s, 2 H), 5.37 (d, <i>J</i> =8.6 Hz, 1 H), 5.47 - 5.69 (m, 2 H), 6.04 (d, <i>J</i> =3.1 Hz, 1 H), 6.81 (d, <i>J</i> =5.9 Hz, 2 H), 7.36 (d, <i>J</i> =2.9 Hz, 1 H), 8.40 - 8.50 (m, 2 H)	B, 0.57	341
40		¹ H NMR (400 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.76 - 0.82 (m, 3 H), 0.87 - 1.00 (m, 2 H), 1.02 - 1.22 (m, 5 H), 1.28 - 1.41 (m, 1 H), 1.72 - 1.85 (m, 1 H), 3.34 (td, <i>J</i> =11.6, 2.4 Hz, 1 H), 3.44 - 3.55 (m, 1 H), 4.12 - 4.27 (m, 2 H), 4.58 (br. s., 2 H), 5.26 - 5.45 (m, 2 H), 6.27 (d, <i>J</i> =3.1 Hz, 1 H), 6.89 - 6.97 (m, 2 H), 7.06 (d, <i>J</i> =3.1 Hz, 1 H), 8.55 - 8.62 (m, 2 H)	B, 0.64	355
41		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.65 - 0.80 (m, 3 H), 0.89 - 1.07 (m, 2 H), 1.11 - 1.22 (m, 2 H), 3.14 - 3.28 (m, 2 H), 3.73 (s, 3 H), 4.76 (br. s., 1 H), 5.08 - 5.24 (m, 2 H), 5.27 (s, 2 H), 6.18 (d, <i>J</i> =3.02 Hz, 1 H), 6.84 (d, <i>J</i> =8.66 Hz, 2 H), 6.94 (d, <i>J</i> =8.66 Hz, 2 H), 7.00 (d, <i>J</i> =3.02 Hz, 1 H)	A, 2.26	326





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
42		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.70 - 0.87 (m, 3 H) 0.97 - 1.14 (m, 2 H) 1.31 - 1.46 (m, 2 H) 3.36 - 3.40 (m, 2 H) 5.52 (s, 2 H) 5.62 (s, 2 H) 6.05 (d, <i>J</i> =3.02 Hz, 1 H) 6.11 (s, 1 H) 6.90 - 7.09 (m, 2 H) 7.09 - 7.24 (m, 2 H) 7.39 (d, <i>J</i> =3.02 Hz, 1 H)	A, 2.23	314
43		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.67 - 0.85 (m, 3 H) 0.94 - 1.13 (m, 2 H) 1.16 - 1.33 (m, 2 H) 3.16 - 3.43 (m, 2 H) 4.33 (br. s., 1 H) 4.54 (br. s., 2 H) 5.32 (s, 2 H) 6.21 (d, <i>J</i> =3.02 Hz, 1 H) 6.67 (t, <i>J</i> =7.35 Hz, 1 H) 6.99 (d, <i>J</i> =3.02 Hz, 1 H) 7.00 - 7.13 (m, 2 H) 7.22 - 7.32 (m, 1 H)	A, 2.27	314
44		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm -0.07 - 0.07 (m, 2 H) 0.21 - 0.43 (m, 3 H) 0.66 - 0.75 (m, 3 H) 0.76 - 0.95 (m, 1 H) 3.22 - 3.51 (m, 2 H) 4.86 (br. s., 1 H) 5.15 (br. s., 2 H) 5.41 (s, 2 H) 6.33 (d, <i>J</i> =3.02 Hz, 1 H) 7.07 (br. s., 1 H) 7.10 (s, 2 H) 7.35 - 7.47 (m, 3 H)	A, 2.46	322
45		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 4.21 (d, <i>J</i> =4.95 Hz, 2 H) 4.48 (br. s., 1 H) 4.70 (br. s., 2 H) 5.18 - 5.30 (m, 2 H) 5.97 (s, 1 H) 6.22 (d, <i>J</i> =3.02 Hz, 1 H) 6.90 (dd, <i>J</i> =6.53, 2.13 Hz, 2 H) 6.98 (s, 1 H) 7.02 (d, <i>J</i> =3.02 Hz, 1 H) 7.20 - 7.29 (m, 4 H)	A, 2.09	320




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
46		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm -0.12 - 0.09 (m, 2 H) 0.24 - 0.46 (m, 2 H) 0.89 (d, <i>J</i> =5.64 Hz, 3 H) 2.84 - 3.06 (m, 1 H) 3.08 - 3.25 (m, 1 H) 4.51 (br. s., 1 H) 4.63 (br. s., 2 H) 5.34 (s, 2 H) 6.23 (d, <i>J</i> =3.02 Hz, 1 H) 7.03 (d, <i>J</i> =2.75 Hz, 2 H) 7.06 (br. s., 1 H) 7.27 - 7.40 (m, 3 H)	A, 2.26	308
47		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 1.42 (s, 3 H) 1.58 (s, 3 H) 3.66 - 3.80 (m, 2 H) 4.42 (br. s., 1 H) 4.71 - 4.88 (m, 1 H) 5.02 (br. s., 2 H) 5.28 (s, 2 H) 6.21 (d, <i>J</i> =3.02 Hz, 1 H) 6.96 - 7.01 (m, 2 H) 7.02 (s, 1 H) 7.24 - 7.41 (m, 3 H)	A, 2.32	308
48		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 2.28 (s, 3 H) 4.46 (d, <i>J</i> =5.22 Hz, 2 H) 4.65 (br. s., 2 H) 4.92 (br. s., 1 H) 5.30 (s, 2 H) 5.54 (s, 1 H) 6.22 (d, <i>J</i> =3.02 Hz, 1 H) 6.89 - 7.01 (m, 2 H) 7.03 (d, <i>J</i> =3.16 Hz, 1 H) 7.21 - 7.27 (m, 3 H)	A, 1.97	335
49		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 3.79 (s, 3 H) 4.44 (d, <i>J</i> =4.67 Hz, 2 H) 5.33 (s, 2 H) 5.60 (br. s., 1 H) 5.84 (d, <i>J</i> =2.06 Hz, 1 H) 6.28 (d, <i>J</i> =3.02 Hz, 1 H) 6.43 (br. s., 2 H) 6.96 (dd, <i>J</i> =6.53, 2.82 Hz, 2 H) 7.02 (d, <i>J</i> =3.02 Hz, 1 H) 7.18 (d, <i>J</i> =2.20 Hz, 1 H) 7.21 - 7.28 (m, 3 H)	A, 1.83	334





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
50		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.83 - 0.91 (m, 3 H) 1.30 - 1.41 (m, 2 H) 1.57 - 1.67 (m, 2 H) 3.44 - 3.60 (m, 2 H) 5.41 (s, 2 H) 6.22 (br. s, 2 H) 6.21 (d, $J=3.02$ Hz, 1 H) 7.05 (d, $J=3.02$ Hz, 1 H) 7.55 - 7.65 (m, 2 H) 7.70 (t, $J=7.49$ Hz, 1 H) 7.76 - 7.86 (m, 1 H) 7.95 (d, $J=8.11$ Hz, 1 H) 8.23 (br. s., 1 H) 9.12 (s, 1 H)	A, 2.52	347
51		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.71 (d, $J=6.32$ Hz, 6 H) 0.74 - 0.86 (m, 1 H) 0.93 - 1.05 (m, 2 H) 3.15 - 3.28 (m, 2 H) 4.59 (br. s., 1 H) 5.29 (s, 2 H) 6.18 (br. s., 2 H) 6.27 (d, $J=3.02$ Hz, 1 H) 6.97 - 7.01 (m, 2 H) 7.02 (br. s., 1 H) 7.26 - 7.42 (m, 3 H)	A, 2.45	310
52		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.89 - 0.95 (m, 1 H) 0.92 (t, $J=7.35$ Hz, 3 H) 1.00 - 1.26 (m, 4 H) 1.31 - 1.44 (m, 2 H) 1.47 - 1.75 (m, 8 H) 3.43 - 3.59 (m, 2 H) 3.83 (d, $J=7.29$ Hz, 2 H) 4.73 (br. s., 1 H) 4.93 (br. s., 2 H) 6.08 (d, $J=3.02$ Hz, 1 H) 6.81 (d, $J=3.02$ Hz, 1 H)	A, 2.68	302
53		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.19 - 0.35 (m, 2 H) 0.50 - 0.65 (m, 2 H) 0.69 - 0.86 (m, 1 H) 0.91 (t, $J=7.29$ Hz, 3 H) 1.33 - 1.45 (m, 2 H) 1.49 - 1.65 (m, 2 H) 3.50 (td, $J=7.11, 5.57$ Hz, 2 H) 4.00 (d, $J=6.05$ Hz, 2 H)	A, 2.19	260




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		4.68 (br. s., 2 H) 4.80 (br. s., 1 H) 6.10 (d, <i>J</i> =3.02 Hz, 1 H) 6.93 (d, <i>J</i> =3.02 Hz, 1 H)		
54		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.69 - 0.74 (m, 3 H) 0.89 - 0.97 (m, 2 H) 1.07 - 1.13 (m, 2 H) 2.21 (s, 3 H) 3.14 - 3.27 (m, 2 H) 4.66 (br. s., 1 H) 5.24 (s, 2 H) 6.40 (br. s., 2 H) 6.78 - 6.86 (m, 1 H) 6.92 - 7.05 (m, 2 H) 7.26 - 7.41 (m, 3 H)	A, 2.46	310
55		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.96 (t, <i>J</i> =7.29 Hz, 3 H) 1.38 - 1.57 (m, 2 H) 1.58 - 1.75 (m, 2 H) 3.54 - 3.64 (m, 2 H) 4.29 - 4.42 (m, 2 H) 4.56 (t, <i>J</i> =4.88 Hz, 2 H) 4.59 (br. s., 2 H) 5.96 (br. s., 1 H) 6.26 (d, <i>J</i> =3.02 Hz, 1 H) 6.79 - 6.91 (m, 2 H) 6.99 (d, <i>J</i> =3.02 Hz, 1 H) 7.00 - 7.08 (m, 1 H) 7.28 - 7.34 (m, 2 H)	A, 2.47	326
56		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.93 (t, <i>J</i> =7.35 Hz, 3 H) 1.36 - 1.52 (m, 2 H) 1.52 - 1.71 (m, 2 H) 3.46 - 3.65 (m, 2 H) 5.35 (s, 2 H) 6.06 (br. s., 2 H) 6.22 (d, <i>J</i> =3.02 Hz, 1 H) 7.13 (d, <i>J</i> =3.02 Hz, 1 H) 7.31 (t, <i>J</i> =5.02 Hz, 1 H) 8.02 (br. s., 1 H) 8.71 (d, <i>J</i> =5.09 Hz, 2 H)	C, 4.68	298
57		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.79 (t, <i>J</i> =7.29 Hz, 3 H) 1.22 (dd, <i>J</i> =15.19, 7.49 Hz, 2 H) 1.39 - 1.56 (m, 2 H) 3.29 - 3.45 (m, 2 H) 4.63	A, 2.49	347




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		(br. s., 2 H) 5.44 (s, 2 H) 6.17 (d, <i>J</i> =3.02 Hz, 1 H) 7.00 (br. s., 1 H) 7.09 (d, <i>J</i> =3.02 Hz, 1 H) 7.18 - 7.28 (m, 1 H) 7.42 - 7.57 (m, 1 H) 7.62 - 7.83 (m, 2 H) 7.97 (d, <i>J</i> =8.39 Hz, 1 H) 8.10 (d, <i>J</i> =8.39 Hz, 1 H)		
58		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.69 - 0.74 (m, 3 H) 0.89 - 0.97 (m, 2 H) 1.07 - 1.13 (m, 2 H) 2.21 (s, 3 H) 3.14 - 3.27 (m, 2 H) 4.66 (br. s., 1 H) 5.24 (s, 2 H) 6.40 (br. s., 2 H) 6.78 - 6.86 (m, 1 H) 6.92 - 7.05 (m, 2 H) 7.26 - 7.41 (m, 3 H)	A, 2.56	310
59		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.89 (t, <i>J</i> =7.22 Hz, 3 H) 1.26 - 1.40 (m, 2 H) 1.41 - 1.57 (m, 2 H) 1.70 - 1.77 (m, 6 H) 3.32 - 3.51 (m, 2 H) 4.47 (br. s., 2 H) 4.66 (d, <i>J</i> =5.64 Hz, 2 H) 4.98 (br. s., 1 H) 5.28 - 5.41 (m, 1 H) 6.06 (d, <i>J</i> =3.02 Hz, 1 H) 6.84 (d, <i>J</i> =3.02 Hz, 1 H)	A, 2.37	274
60		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 4.47 (br. s., 2 H) 4.74 (d, <i>J</i> =5.50 Hz, 2 H) 5.15 (t, <i>J</i> =5.16 Hz, 1 H) 5.32 (s, 2 H) 6.22 (d, <i>J</i> =3.02 Hz, 1 H) 6.94 - 7.01 (m, 2 H) 7.03 (d, <i>J</i> =3.02 Hz, 1 H) 7.14 (d, <i>J</i> =3.30 Hz, 1 H) 7.17 - 7.27 (m, 3 H) 7.58 (d, <i>J</i> =3.30 Hz, 1 H)	A, 1.86	337




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
61		¹ H NMR (300 MHz, chloroform- <i>d</i>) δ ppm 4.38 (d, J=5.36 Hz, 2 H) 4.49 (br. s., 2 H) 4.54 - 4.66 (m, 1 H) 5.26 (s, 2 H) 6.21 (d, J=3.02 Hz, 1 H) 6.84 - 6.92 (m, 2 H) 7.00 - 7.08 (m, 2 H) 7.08 - 7.14 (m, 1 H) 7.14 - 7.23 (m, 3 H) 8.15 - 8.23 (m, 1 H) 8.36 - 8.44 (m, 1 H)	A, 1.28	331
62		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.92 (t, J=7.35 Hz, 3 H) 1.37 (dq, J=14.90, 7.31 Hz, 2 H) 1.52 - 1.63 (m, 2 H) 1.65 - 1.78 (m, 2 H) 1.78 - 1.90 (m, 2 H) 1.91 - 2.05 (m, 2 H) 2.47 - 2.83 (m, 2 H) 3.41 - 3.54 (m, 1 H) 4.05 (d, J=7.01 Hz, 2 H) 4.73 (br. s., 1 H) 4.89 (br. s., 2 H) 6.09 (d, J=3.02 Hz, 1 H) 6.85 (d, J=3.02 Hz, 1 H)	A, 2.33	274
63		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.75 (t, J=7.3 Hz, 3 H), 0.98 - 1.06 (m, 2 H), 1.32 (quin, J=7.2 Hz, 2 H), 2.27 (s, 3 H), 3.24 - 3.28 (m, 2 H), 5.25 (br. s., 6 2 H), 5.44 (s, 2 H), 5.75 (t, J=5.4 Hz, 1 H), 5.87 (s, 1 H), 6.87 (d, J=7.0 Hz, 2 H), 7.19 - 7.25 (m, 1 H), 7.25 - 7.32 (m, 2 H)	B, 0.97	310
64		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.75 (t, J=7.30 Hz, 3 H) 0.89 - 1.06 (m, 2 H) 1.11 - 1.29 (m, 2 H) 3.24 - 3.34 (m, 2 H) 5.16 (br. s., 1 H) 5.47 (s, 2 H) 5.96 (br. s., 2 H) 6.21 (d, J=3.02 Hz, 1 H)	C, 4.21	297




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		7.00 (d, J=3.02 Hz, 1 H) 7.18 - 7.26 (m, 2 H) 8.33 - 8.42 (m, 1 H) 8.49 - 8.59 (m, 1 H)		
65		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.95 (t, J=7.29 Hz, 3 H) 1.30 - 1.54 (m, 2 H) 1.70 (quin, J=7.32 Hz, 2 H) 3.50 (td, J=7.11, 5.02 Hz, 2 H) 4.76 (br. s., 2 H) 5.77 (s, 2 H) 6.14 (d, J=3.02 Hz, 1 H) 7.17 - 7.21 (m, 1 H) 7.62 - 7.73 (m, 3 H) 7.80 - 7.87 (m, 1 H) 8.25 - 8.34 (m, 1 H) 8.37 (d, J=5.77 Hz, 1 H) 8.59 (br. s., 1 H)	A, 2.61	347
66		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.90 (t, J=7.22 Hz, 3 H) 1.25 - 1.40 (m, 2 H) 1.43 - 1.54 (m, 2 H) 3.29 (td, J=7.11, 5.57 Hz, 2 H) 3.87 (br. s., 1 H) 4.07 - 4.22 (m, 2 H) 4.23 - 4.31 (m, 2 H) 4.61 (br. s., 2 H) 6.06 (t, J=2.06 Hz, 2 H) 6.14 (d, J=3.02 Hz, 1 H) 6.29 (t, J=2.06 Hz, 2 H) 6.70 (d, J=3.02 Hz, 1 H)	A, 2.15	299
67		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.92 (t, J=7.29 Hz, 3 H) 1.26 - 1.47 (m, 2 H) 1.49 - 1.67 (m, 2 H) 2.34 - 2.46 (m, 4 H) 2.72 - 2.81 (m, 2 H) 3.52 (td, J=7.22, 5.77 Hz, 2 H) 3.57 - 3.64 (m, 4 H) 4.17 - 4.24 (m, 2 H) 5.75 - 6.08 (m, 2 H) 6.19 (d, J=3.02 Hz, 1 H) 6.87 (d, J=3.02 Hz, 1 H) 8.19 (br. s., 1 H)	A, 1.16	319





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
68		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.90 (t, J=7.29 Hz, 3 H) 1.30 - 1.46 (m, 2 H) 1.58 - 1.73 (m, 2 H) 3.53 (td, J=7.01, 5.22 Hz, 2 H) 5.32 (s, 2 H) 5.78 - 6.11 (m, 2 H) 6.18 (d, J=3.02 Hz, 1 H) 6.78 - 6.84 (m, 1 H) 7.01 (d, J=3.02 Hz, 1 H) 7.18 - 7.24 (m, 2 H) 7.46 (d, J=9.07 Hz, 1 H) 7.54 (s, 1 H) 8.06 (d, J=6.74 Hz, 1 H) 8.92 - 9.11 (m, 0 H)	A, 1.76	336
69		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.74 (t, J=7.30 Hz, 3 H) 0.90 - 1.12 (m, 2 H) 1.14 - 1.27 (m, 2 H) 3.20 - 3.28 (m, 2 H) 3.85 (s, 3 H) 4.55 (br. s., 3 H) 5.22 - 5.27 (m, 2 H) 6.18 (d, J=3.02 Hz, 1 H) 6.62 (d, J=7.01 Hz, 1 H) 6.82 (t, J=7.56 Hz, 1 H) 6.87 (d, J=8.25 Hz, 1 H) 6.98 (d, J=3.02 Hz, 1 H) 7.20 - 7.27 (m, 1 H)	A, 2.44	326
70		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.74 (t, J=7.40 Hz, 3 H) 0.88 - 1.09 (m, 2 H) 1.10 - 1.25 (m, 2 H) 3.18 - 3.28 (m, 2 H) 4.21 (br. s., 1 H) 4.66 (br. s., 2 H) 5.23 (s, 2 H) 6.22 (d, J=3.16 Hz, 2 H) 6.89 (d, J=5.77 Hz, 1 H) 6.96 (d, J=3.02 Hz, 1 H) 8.51 - 8.59 (m, 2 H)	A, 1.14	297
71		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.91 (t, J=7.29 Hz, 3 H) 1.27 - 1.45 (m, 2 H) 1.49 - 1.67 (m, 3 H) 1.85 (d, J=7.01 Hz, 1 H) 1.91 - 2.12	A, 2.17	290





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		(m, 2 H) 3.39 - 3.49 (m, 2 H) 3.72 (t, J=6.67 Hz, 2 H) 4.02 (dd, J=15.81, 4.54 Hz, 1 H) 4.12 - 4.23 (m, 1 H) 4.42 (dd, J=15.74, 1.72 Hz, 1 H) 5.76 - 6.13 (m, 2 H) 6.23 (d, J=3.02 Hz, 1 H) 6.82 (d, J=3.02 Hz, 1 H) 7.61 - 7.79 (m, 1 H)		
72		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.78 (t, J=7.30 Hz, 3 H) 1.00 - 1.15 (m, 2 H) 1.16 - 1.29 (m, 2 H) 3.19 - 3.31 (m, 2 H) 4.46 (br. s., 1 H) 4.59 (br. s., 2 H) 5.27 (s, 2 H) 6.17 (d, J=3.02 Hz, 1 H) 6.82 (dd, J=4.95, 1.10 Hz, 1 H) 6.91 - 6.95 (m, 1 H) 6.97 (d, J=3.02 Hz, 1 H) 7.34 (dd, J=4.95, 2.89 Hz, 1 H)	A, 2.27	302
73		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.79 (t, J=7.20 Hz, 3 H) 1.02 - 1.33 (m, 4 H) 1.90 - 2.08 (m, 2 H) 3.27 (td, J=6.80, 5.36 Hz, 2 H) 4.58 (br. s., 2 H) 5.41 (s, 2 H) 6.19 (d, J=3.02 Hz, 1 H) 6.67 - 6.84 (m, 1 H) 6.93 (dd, J=5.02, 3.51 Hz, 1 H) 6.98 (d, J=3.16 Hz, 1 H) 7.26 (dd, J=5.09, 0.96 Hz, 1 H)	A, 2.28	302
74		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.73 (t, J=7.20 Hz, 3 H) 0.89 (d, J=6.46 Hz, 3 H) 0.93 - 1.07 (m, 2 H) 1.07 - 1.29 (m, 2 H) 4.05 - 4.20 (m, 1 H) 4.43 (d, J=7.84 Hz, 1 H) 5.16 - 5.29 (m, 2 H) 5.33 (s, 2 H) 6.25 (d,	A, 2.53	328




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		J=3.02 Hz, 1 H) 6.68 (t, J=7.49 Hz, 1 H) 7.02 - 7.13 (m, 3 H) 7.23 - 7.34 (m, 1 H)		
75		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.72 (t, J=7.00 Hz, 3 H) 0.83 (d, J=6.46 Hz, 3 H) 0.86 - 1.07 (m, 2 H) 1.08 - 1.22 (m, 2 H) 3.74 (s, 3 H) 4.07 (s, 1 H) 4.57 - 4.62 (m, 1 H) 5.23 (s, 2 H) 5.30 - 5.55 (m, 2 H) 6.24 (d, J=3.02 Hz, 1 H) 6.82 - 6.89 (m, 2 H) 6.90 - 6.97 (m, 2 H) 7.02 (d, J=3.02 Hz, 1 H)	A, 2.58	340
76		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.68 (t, J=7.20 Hz, 1 H) 0.81 - 0.95 (m, 2 H) 0.96 - 1.14 (m, 2 H) 1.16 - 1.36 (m, 2 H) 1.36 - 1.62 (m, 2 H) 3.21 - 3.28 (m, 2 H) 4.09 - 4.25 (m, 1 H) 4.39 - 4.48 (m, 1 H) 5.15 - 5.26 (m, 2 H) 5.32 - 5.39 (m, 1 H) 5.40 - 5.50 (m, 1 H) 5.55 - 5.65 (m, 1 H) 5.96 (d, J=2.90 Hz, 1 H) 6.34 - 6.44 (m, 1 H) 6.97 - 7.05 (m, 1 H) 7.10 - 7.30 (m, 3 H)	A, 2.34	372
77		¹ H NMR (300 MHz, CHLOROFORM- <i>d</i>) δ ppm 0.73 (t, J=7.20 Hz, 3 H) 0.80 - 1.00 (m, 4 H) 1.00 - 1.33 (m, 2 H) 1.47 - 1.83 (m, 3 H) 3.15 - 3.26 (m, 1 H) 3.32 - 3.43 (m, 1 H) 3.72 (s, 3 H) 4.01 - 4.14 (m, 1 H) 4.22 (d, J=8.25 Hz, 1 H) 4.40 (br. s., 2 H) 5.16 - 5.29 (m, 2 H) 6.18 (d, J=3.02 Hz, 1 H) 6.80 - 6.95 (m, 4 H) 7.03 (d, J=3.02	A, 2.34	384





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		Hz, 1 H)		
78		¹ H NMR (300 MHz, CDCl ₃) δ 7.31 (t, <i>J</i> = 7.9 Hz, 1H), 7.12 (d, <i>J</i> = 3.0 Hz, 1H), 6.95 (d, <i>J</i> = 8.5 Hz, 1H), 6.89 (d, <i>J</i> = 7.6 Hz, 1H), 6.63 (d, <i>J</i> = 6.9 Hz, 1H), 6.29 (d, <i>J</i> = 3.0 Hz, 1H), 5.33 (d, <i>J</i> = 6.0 Hz, 2H), 5.02 (s, 2H), 4.60 (s, 1H), 4.20 (s, 1H), 3.92 (s, 3H), 3.50 – 3.35 (m, 1H), 3.24 (td, <i>J</i> = 11.6, 2.7 Hz, 1H), 1.86 – 1.69 (m, 2H), 1.44 – 1.29 (m, 1H), 1.29 – 0.92 (m, 6H), 0.81 (t, <i>J</i> = 7.2 Hz, 3H).	A, 2.42	384
79		¹ H NMR (300 MHz, CDCl ₃) δ 7.34 (t, <i>J</i> = 7.8 Hz, 1H), 7.10 (d, <i>J</i> = 3.0 Hz, 1H), 6.97 (d, <i>J</i> = 8.5 Hz, 1H), 6.91 (d, <i>J</i> = 7.4 Hz, 1H), 6.65 (d, <i>J</i> = 7.4 Hz, 1H), 6.31 (d, <i>J</i> = 3.0 Hz, 1H), 5.33 (s, 2H), 4.76 (d, <i>J</i> = 7.2 Hz, 1H), 4.18 (dt, <i>J</i> = 14.2, 6.9 Hz, 1H), 3.93 (s, 3H), 1.24 – 0.95 (m, 6H), 0.91 (d, <i>J</i> = 6.5 Hz, 3H), 0.79 (t, <i>J</i> = 7.0 Hz, 3H).	A, 2.60	340
80		¹ H NMR (300 MHz, CDCl ₃) δ 7.24 (t, <i>J</i> = 7.8 Hz, 1H), 7.05 (d, <i>J</i> = 3.0 Hz, 1H), 6.88 (d, <i>J</i> = 8.3 Hz, 1H), 6.83 (t, <i>J</i> = 7.8 Hz, 1H), 6.56 (d, <i>J</i> = 7.3 Hz, 1H), 6.21 (d, <i>J</i> = 3.0 Hz, 1H), 5.26 (2d, <i>J</i> = 6.0 Hz, 2H), 4.90 (s, 2H), 4.52 (d, <i>J</i> = 8.3 Hz, 1H), 4.17 (dd, <i>J</i> = 9.1, 6.4 Hz, 1H), 3.86 (s, 3H), 3.36 (ddd, <i>J</i> = 11.8, 5.0, 2.7 Hz, 1H), 3.17 (td, <i>J</i>	A, 2.25	370





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		= 11.5, 2.7 Hz, 1H), 1.77 – 1.60 (m, 1H), 1.37 – 1.13 (m, 2H), 1.09 – 0.75 (m, 4H), 0.71 (t, <i>J</i> = 7.0 Hz, 3H).		
81		¹ H NMR (300 MHz, CDCl ₃) δ 7.27 (dd, <i>J</i> = 13.6, 6.2 Hz, 1H), 7.09 (d, <i>J</i> = 10.1 Hz, 1H), 7.05 (d, <i>J</i> = 3.1 Hz, 1H), 7.02 (d, <i>J</i> = 7.7 Hz, 1H), 6.63 (t, <i>J</i> = 7.2 Hz, 1H), 6.24 (d, <i>J</i> = 3.0 Hz, 1H), 5.42 – 5.25 (m, 2H), 4.78 (s, 2H), 4.43 (s, 1H), 4.20 (s, 1H), 3.48 – 3.36 (m, 1H), 3.25 (td, <i>J</i> = 11.6, 2.5 Hz, 1H), 1.82 – 1.65 (m, 2H), 1.39 – 0.86 (m, 5H), 0.71 (t, <i>J</i> = 7.1 Hz, 3H).	A, 2.19	358
82		¹ H NMR (300 MHz, CDCl ₃) δ 6.92 (d, <i>J</i> = 3.0 Hz, 1H), 6.16 (d, <i>J</i> = 3.0 Hz, 1H), 5.85 (s, 1H), 5.51 (s, 2H), 4.60 – 4.39 (m, 1H), 4.24 – 4.04 (m, 2H), 3.81 (d, <i>J</i> = 6.6 Hz, 2H), 2.71 (dt, <i>J</i> = 14.9, 7.5 Hz, 1H), 2.15 – 1.32 (m, 13H), 0.97 (t, <i>J</i> = 7.3 Hz, 3H).	A, 2.22	318
83		¹ H NMR (300 MHz, CDCl ₃) δ 7.44 – 7.28 (m, 5H), 6.93 (d, <i>J</i> = 3.0 Hz, 1H), 6.17 (d, <i>J</i> = 3.0 Hz, 1H), 4.95 (s, 1H), 4.83 (s, 2H), 4.78 (d, <i>J</i> = 5.2 Hz, 2H), 4.03 (t, <i>J</i> = 7.2 Hz, 2H), 1.85 – 1.59 (m, 2H), 1.35 – 1.10 (m, 2H), 0.84 (t, <i>J</i> = 7.3 Hz, 3H).	A, 2.55	296




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
84		¹ H NMR (300 MHz, CDCl ₃) δ 6.94 (d, <i>J</i> = 3.0 Hz, 1H), 6.17 (d, <i>J</i> = 3.0 Hz, 1H), 5.08 (s, 2H), 4.46 (s, 1H), 4.27 – 3.99 (m, 2H), 3.72 (d, <i>J</i> = 6.9 Hz, 2H), 8.12 – -0.50 (m, 60H), 2.71 (dd, <i>J</i> = 14.9, 7.4 Hz, 1H), 2.13 – 1.31 (m, 16H), 0.92 (t, <i>J</i> = 6.8 Hz, 3H).	A, 2.65	332
85		¹ H NMR (300 MHz, CDCl ₃) δ 8.75 (d, <i>J</i> = 1.9 Hz, 1H), 7.19 (s, <i>J</i> = 1.9 Hz, 1H), 7.02 (d, <i>J</i> = 3.0 Hz, 2H), 6.19 (d, <i>J</i> = 3.0 Hz, 1H), 5.36 (s, 2H), 5.22 – 4.88 (m, 2H), 4.37 (s, 2H), 3.48 (dd, <i>J</i> = 23.1, 14.8 Hz, 3H), 2.03 – 1.83 (m, 2H), 1.81 – 1.05 (m, 5H), 0.82 (dt, <i>J</i> = 19.4, 7.1 Hz, 3H).	A, 1.35	347
86		¹ H NMR (300 MHz, CDCl ₃) δ 7.48 – 7.28 (m, 3H), 7.15 (d, <i>J</i> = 6.8 Hz, 2H), 5.72 (d, <i>J</i> = 3.3 Hz, 1H), 5.25 (s, 2H), 4.44 (s, 2H), 4.16 (s, 1H), 3.23 (dd, <i>J</i> = 12.0, 6.8 Hz, 2H), 1.18 (dd, <i>J</i> = 14.4, 7.1 Hz, 2H), 1.03 (dd, <i>J</i> = 15.0, 7.1 Hz, 2H), 0.79 (t, <i>J</i> = 7.1 Hz, 3H).	A, 2.58	314
87		¹ H NMR (300 MHz, CDCl ₃) δ 6.88 (d, <i>J</i> = 3.0 Hz, 1H), 6.13 (d, <i>J</i> = 2.9 Hz, 1H), 5.60 (s, 1H), 5.46 (s, 2H), 4.57 – 4.45 (m, 1H), 4.00 (dd, <i>J</i> = 15.0, 6.2 Hz, 1H), 3.89 – 3.69 (m, 3H), 2.10 – 1.91 (m, 2H), 1.85 – 1.06 (m, 16H), 0.95 (dd, <i>J</i> = 15.9, 8.6 Hz, 3H).	A, 1.89	346





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
88		¹ H NMR (300 MHz, CDCl ₃) δ 8.79 (d, <i>J</i> = 1.9 Hz, 1H), 7.19 (d, <i>J</i> = 1.6 Hz, 1H), 7.07 (s, 1H), 6.25 (d, <i>J</i> = 8.1 Hz, 1H), 6.22 (d, <i>J</i> = 3.0 Hz, 1H), 5.43 (d, <i>J</i> = 1.3 Hz, 2H), 4.42 (s, 2H), 4.34 (ddd, <i>J</i> = 11.0, 5.5, 2.9 Hz, 1H), 3.57 (dd, <i>J</i> = 11.8, 2.6 Hz, 1H), 3.44 (td, <i>J</i> = 11.7, 2.4 Hz, 2H), 2.03 – 1.87 (m, 2H), 1.70 – 1.45 (m, 2H), 1.41 – 1.18 (m, 4H), 0.87 (t, <i>J</i> = 6.5 Hz, 3H).	A, 1.51	361
89		¹ H NMR (300 MHz, CDCl ₃) δ 9.55 (s, 1H), 8.34 (d, <i>J</i> = 4.5 Hz, 1H), 7.70 (td, <i>J</i> = 7.7, 1.7 Hz, 1H), 7.30 (d, <i>J</i> = 7.8 Hz, 1H), 7.23 (dd, <i>J</i> = 7.0, 5.1 Hz, 1H), 7.04 (d, <i>J</i> = 3.0 Hz, 1H), 6.21 (d, <i>J</i> = 3.0 Hz, 1H), 5.92 (s, 3H), 5.25 (s, 2H), 4.75 (d, <i>J</i> = 5.5 Hz, 2H), 2.32 (s, 3H).	A, 1.25	336
90		¹ H NMR (300 MHz, CDCl ₃) δ 9.39 (s, 1H), 7.63 (t, <i>J</i> = 7.7 Hz, 1H), 7.17 (s, 1H), 7.14 (d, <i>J</i> = 5.5 Hz, 1H), 7.10 (d, <i>J</i> = 3.2 Hz, 1H), 6.24 (d, <i>J</i> = 3.0 Hz, 1H), 6.01 (s, 1H), 5.33 (s, 2H), 5.27 (s, 2H), 4.83 (d, <i>J</i> = 5.6 Hz, 2H), 2.39 (s, 3H), 2.38 (s, 3H).	A, 1.37	350
91		¹ H NMR (300 MHz, CDCl ₃) δ 6.90 (d, <i>J</i> = 3.0 Hz, 1H), 6.26 (d, <i>J</i> = 3.0 Hz, 1H), 5.49 (s, 1H), 5.34 (d, <i>J</i> = 23.9 Hz, 2H), 4.55 – 4.31 (m, 2H), 4.23 (s, 1H), 4.09 (dd, <i>J</i> = 15.8, 4.2 Hz, 1H), 3.85 – 3.49 (m, 4H),	A, 2.22	348




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		2.15 – 1.81 (m, 6H), 1.75 – 1.54 (m, 4H), 1.54 – 1.30 (m, 3H), 0.89 (dd, <i>J</i> = 14.3, 7.3 Hz, 3H).		
92		¹ H NMR (300 MHz, CDCl ₃) δ 6.70 (d, <i>J</i> = 2.9 Hz, 1H), 6.06 (d, <i>J</i> = 3.0 Hz, 1H), 5.43 (s, 1H), 5.31 (s, 2H), 4.26 (t, <i>J</i> = 12.8 Hz, 2H), 4.03 (s, 1H), 3.89 (dd, <i>J</i> = 15.8, 4.3 Hz, 1H), 3.69 – 3.24 (m, 4H), 2.09 – 1.61 (m, 4H), 1.60 – 1.33 (m, 4H), 1.31 – 1.09 (m, 3H), 0.74 (t, <i>J</i> = 7.2 Hz, 3H).	A, 2.00	334
93		¹ H NMR (300 MHz, CDCl ₃) δ 7.37 (t, <i>J</i> = 7.4 Hz, 3H), 7.08 (d, <i>J</i> = 6.6 Hz, 2H), 6.90 (d, <i>J</i> = 2.7 Hz, 1H), 5.25 (s, 2H), 4.53 (s, 2H), 4.35 (s, 1H), 3.25 (dd, <i>J</i> = 12.1, 6.8 Hz, 2H), 1.32 – 1.13 (m, 2H), 1.04 (dq, <i>J</i> = 13.9, 7.1 Hz, 2H), 0.79 (t, <i>J</i> = 7.2 Hz, 3H).	A, 2.40	314
94		¹ H NMR (300 MHz, CDCl ₃) δ 7.38 (q, <i>J</i> = 6.2 Hz, 3H), 7.07 (d, <i>J</i> = 6.5 Hz, 2H), 6.97 (d, <i>J</i> = 2.7 Hz, 1H), 5.26 (d, <i>J</i> = 2.4 Hz, 2H), 4.52 (s, 2H), 4.20 (d, <i>J</i> = 11.6 Hz, 1H), 3.42 (d, <i>J</i> = 11.7 Hz, 1H), 3.22 (td, <i>J</i> = 11.7, 2.4 Hz, 2H), 1.85 – 1.66 (m, 2H), 1.24 (d, <i>J</i> = 7.1 Hz, 2H), 0.95 (ddd, <i>J</i> = 24.8, 13.8, 9.0 Hz, 3H), 0.75 (t, <i>J</i> = 6.8 Hz, 3H).	A, 2.24	358





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
95		¹ H NMR (300 MHz, CDCl ₃) δ 7.46 – 7.31 (m, 3H), 7.07 (d, <i>J</i> = 6.5 Hz, 2H), 6.97 (d, <i>J</i> = 2.7 Hz, 1H), 5.26 (d, <i>J</i> = 3.3 Hz, 2H), 4.55 (s, 2H), 4.32 – 4.02 (m, 1H), 3.53 – 3.33 (m, 1H), 3.22 (td, <i>J</i> = 11.7, 2.5 Hz, 2H), 1.74 (ddd, <i>J</i> = 14.3, 8.6, 4.1 Hz, 2H), 1.38 – 1.08 (m, 3H), 0.93 (ddd, <i>J</i> = 13.8, 11.7, 4.3 Hz, 4H), 0.80 (t, <i>J</i> = 7.2 Hz, 3H).	A, 2.44	372
96		¹ H NMR (300 MHz, CDCl ₃) δ 7.49 – 7.30 (m, 3H), 7.08 (d, <i>J</i> = 6.3 Hz, 2H), 6.91 (d, <i>J</i> = 2.7 Hz, 1H), 5.24 (s, 2H), 4.51 (s, 2H), 4.28 – 3.96 (m, 1H), 1.08 (dddd, <i>J</i> = 18.0, 16.8, 13.6, 10.8 Hz, 7H), 0.85 (d, <i>J</i> = 6.4 Hz, 3H), 0.77 (dd, <i>J</i> = 9.4, 4.5 Hz, 3H).	A, 2.55	328
97		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.94 (t, <i>J</i> = 7.4 Hz, 3 H), 1.29 - 1.47 (m, 2 H), 1.61 (t, <i>J</i> = 7.1 Hz, 2 H), 3.46 (q, <i>J</i> = 6.7 Hz, 2 H), 3.80 (s, 6 H), 5.17 (s, 2 H), 5.31 (s, 2 H), 5.80 (d, <i>J</i> = 2.9 Hz, 1 H), 6.33 (t, <i>J</i> = 5.4 Hz, 1 H), 6.66 - 6.83 (m, 3 H), 7.38 (t, <i>J</i> = 8.5 Hz, 1 H)	A, 2.79	356
98		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.91 (t, <i>J</i> = 7.29 Hz, 3 H) 1.14 - 1.43 (m, 5 H) 1.46 - 1.72 (m, 2 H) 3.79 (s, 6 H) 4.41 - 4.60 (m, 1 H) 5.32 - 5.49 (m, 2 H) 6.02 (d, <i>J</i> = 3.02 Hz, 1 H) 6.72 - 6.88 (m, 5 H) 6.92 (d, <i>J</i> = 3.02 Hz, 1 H) 7.40 (t, <i>J</i> = 8.39 Hz, 1 H)	A, 2.97	370





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
99		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.79 - 0.93 (m, 3 H) 1.18 - 1.39 (m, 4 H) 1.49 - 1.86 (m, 4 H) 3.41 - 3.54 (m, 2 H) 3.78 (s, 6 H) 4.30 - 4.48 (m, 1 H) 4.56 - 4.70 (m, 1 H) 5.10 - 5.24 (m, 2 H) 5.32 (s, 2 H) 5.78 - 5.83 (m, 1 H) 5.85 - 5.93 (m, 1 H) 6.76 (s, 3 H) 7.30 - 7.44 (m, 1 H)	A,2.70	414
100		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.74 - 1.01 (m, 3 H) 1.19 - 1.44 (m, 2 H) 1.46 - 1.74 (m, 2 H) 3.45 - 3.58 (m, 2 H) 3.80 (s, 6 H) 4.24 - 4.43 (m, 1 H) 4.75 - 4.88 (m, 1 H) 5.11 - 5.22 (m, 2 H) 5.23 - 5.36 (m, 2 H) 5.74 - 5.81 (m, 1 H) 5.81 - 5.85 (m, 1 H) 6.78 (s, 3 H) 7.29 - 7.44 (m, 1 H)	A,2.49	386
101		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.75 - 0.93 (m, 3 H) 1.19 - 1.40 (m, 4 H) 1.45 - 1.61 (m, 1 H) 1.61 - 1.78 (m, 1 H) 3.44 - 3.63 (m, 2 H) 3.80 (s, 6 H) 4.31 (d, J=4.95 Hz, 1 H) 4.81 (br. s., 1 H) 5.17 (s, 2 H) 5.30 (s, 2 H) 5.78 (d, J=8.52 Hz, 1 H) 5.83 (d, J=3.02 Hz, 1 H) 6.69 - 6.82 (m, 1 H) 6.69 - 6.82 (m, 2 H) 7.37 (t, J=8.39 Hz, 1 H)	A,2.69	400
102		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 0.89 (t, J=7.40 Hz, 3 H) 1.20 - 1.42 (m, 2 H) 1.44 - 1.85 (m, 4 H) 3.42 - 3.54 (m, 2 H) 3.78 (s, 6 H) 4.32 - 4.51 (m, 1 H) 4.56 - 4.69 (m, 1 H) 5.12 - 5.23 (m, 2 H) 5.32 (s,	A,2.57	400




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		2 H) 5.81 (d, J=2.90 Hz, 1 H) 5.85 - 5.93 (m, 1 H) 6.71 - 6.79 (m, 3 H) 7.31 - 7.44 (m, 1 H)		
103		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.17 (s, 3 H) 3.31 - 3.42 (m, 3 H) 3.45 - 3.56 (m, 3 H) 3.86 (s, 3 H) 5.11 (br. s., 2 H) 5.35 (s, 2 H) 5.62 (t, J=5.05 Hz, 1 H) 5.97 (d, J=2.83 Hz, 1 H) 6.60 - 6.69 (m, 1 H) 6.84 (td, J=7.47, 0.81 Hz, 1 H) 7.05 (d, J=8.07 Hz, 1 H) 7.18 (d, J=3.23 Hz, 1 H) 7.22 - 7.33 (m, 1 H)	D,0.74	328
104		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 1.56 (d, J=6.87 Hz, 3 H) 4.01 (s, 3 H) 5.26 (s, 2 H) 5.49 (t, J=7.01 Hz, 1 H) 5.89 (d, J=2.89 Hz, 1 H) 6.67 (d, J=7.42 Hz, 1 H) 7.14 (d, J=2.89 Hz, 1 H) 7.28 (dd, J=7.01, 5.22 Hz, 1 H) 7.50 (d, J=7.84 Hz, 1 H) 7.78 (td, J=7.70, 1.65 Hz, 1 H) 8.56 (d, J=4.67 Hz, 1 H)	A,1.23	269
105		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 1.53 (d, J=6.87 Hz, 3 H) 3.24 (s, 3 H) 3.68 (t, J=4.81 Hz, 2 H) 4.42 (t, J=4.81 Hz, 2 H) 5.24 (s, 2 H) 5.47 (t, J=7.01 Hz, 1 H) 5.94 (d, J=2.89 Hz, 1 H) 6.93 (d, J=7.42 Hz, 1 H) 7.20 (d, J=3.02 Hz, 1 H) 7.26 (dd, J=7.22, 5.02 Hz, 1 H) 7.47 (d, J=7.84 Hz, 1 H) 7.75 (td, J=7.63, 1.37 Hz, 1 H) 8.55 (d, J=4.81 Hz, 1 H)	A,1.45	313





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
106		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.95 (t, J=7.37 Hz, 3 H) 1.37 - 1.46 (m, 2 H) 1.64 (quin, J=7.26 Hz, 2 H) 3.42 (td, J=6.93, 5.28 Hz, 2 H) 3.90 (s, 3 H) 5.18 (s, 2 H) 5.38 (s, 2 H) 5.89 (d, J=3.08 Hz, 1 H) 7.21 (d, J=3.08 Hz, 1 H) 7.42 (dd, J=8.47, 4.73 Hz, 1 H) 7.54 - 7.60 (m, 2 H) 8.11 (dd, J=4.73, 1.21 Hz, 1 H)	D,0.90	327
107		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.20 (s, 3 H) 3.36 (t, J=6.05 Hz, 2 H) 3.47 - 3.54 (m, 2 H) 3.71 (s, 3 H) 5.29 (s, 2 H) 5.42 (s, 2 H) 5.88 (t, J=5.50 Hz, 1 H) 6.00 (d, J=2.86 Hz, 1 H) 6.61 (d, J=7.48 Hz, 1 H) 6.63 - 6.66 (m, 1 H) 6.83 (dd, J=8.14, 2.20 Hz, 1 H) 7.23 (t, J=7.92 Hz, 1 H) 7.35 (d, J=3.08 Hz, 1 H)	D,0.71	328
108		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.21 (d, J=7.04 Hz, 6 H) 3.02 (m, J=6.60, 6.60, 6.60, 6.60, 6.60 Hz, 0 H) 4.64 (d, J=5.72 Hz, 2 H) 5.35 (s, 2 H) 5.56 (s, 2 H) 5.97 (d, J=3.08 Hz, 1 H) 6.01 (d, J=0.66 Hz, 1 H) 7.24 (t, J=5.83 Hz, 1 H) 7.32 (d, J=3.08 Hz, 1 H) 7.40 (d, J=1.98 Hz, 1 H) 9.03 (d, J=1.76 Hz, 1 H)	D,0.77	370
109		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.70 (t, J=7.04 Hz, 3 H) 0.84 - 0.95 (m, 2 H) 1.17 - 1.35 (m, 2 H) 1.38 - 1.46 (m, 1 H) 1.53 - 1.62 (m, 1 H) 3.23 -	D,0.8	370




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		3.34 (m, 2 H) 3.68 (s, 3 H) 4.22 (dt, J=8.53, 4.43 Hz, 1 H) 4.49 (t, J=5.50 Hz, 1 H) 5.14 (d, J=8.58 Hz, 1 H) 5.23 (s, 2 H) 5.45 (q, J=16.95 Hz, 2 H) 5.98 (d, J=2.86 Hz, 1 H) 6.48 (d, J=7.70 Hz, 1 H) 6.56 - 6.58 (m, 1 H) 6.82 (dd, J=8.14, 2.20 Hz, 1 H) 7.21 (t, J=7.92 Hz, 1 H) 7.34 (d, J=3.08 Hz, 1 H)		
110		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.30 (s, 3 H) 3.80 (s, 3 H) 4.55 (d, J=5.72 Hz, 2 H) 5.34 (s, 2 H) 5.41 (s, 2 H) 5.71 (d, J=0.88 Hz, 1 H) 5.99 (d, J=2.86 Hz, 1 H) 6.44 (dd, J=7.59, 1.43 Hz, 1 H) 6.50 (t, J=5.83 Hz, 1 H) 6.80 (td, J=7.43, 0.99 Hz, 1 H) 7.01 (d, J=7.48 Hz, 1 H) 7.21 - 7.27 (m, 2 H)	D,0.79	365
111		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.59 - 1.70 (m, 4 H) 2.28 - 2.39 (m, 4 H) 3.18 (s, 3 H) 3.32 (t, J=6.46 Hz, 2 H) 3.44 - 3.50 (m, 4 H) 5.26 (s, 2 H) 5.43 (s, 2 H) 5.86 (t, J=4.84 Hz, 1 H) 5.97 (d, J=2.83 Hz, 1 H) 6.84 - 6.90 (m, 0 H) 7.03 (s, 1 H) 7.15 (m, J=7.67 Hz, 1 H) 7.22 (t, J=7.30 Hz, 1 H) 7.32 (d, J=3.23 Hz, 1 H)	E,1.18	381
112		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 2.29 (s, 3 H) 4.55 (d, J=5.50 Hz, 2 H) 5.55 (s, 1 H) 5.61 (s, 2 H) 5.68 (br. s., 2 H) 6.11 (d, J=2.89 Hz, 1 H) 6.83 (d, J=5.64 Hz, 2 H) 6.92 (t,	A,0.994	336





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		J=5.43 Hz, 1 H) 7.43 (d, J=3.02 Hz, 1 H) 8.44 (d, J=5.77 Hz, 2 H)		
113		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.60 (s, 3 H) 3.22 (s, 3 H) 3.52 (t, J=5.70 Hz, 2 H) 3.72 (q, J=5.58 Hz, 2 H) 5.71 (br. s., 2 H) 6.26 (d, J=3.08 Hz, 1 H) 7.21 (d, J=7.48 Hz, 1 H) 7.34 - 7.58 (m, 3 H) 7.72 (d, J=2.86 Hz, 1 H) 7.94 (t, J=7.70 Hz, 1 H) 8.81 - 8.97 (m, 1 H) 12.60 (br. s., 1 H)	E,1.28	313
114		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.87 (t, J=7.37 Hz, 3 H) 1.18 - 1.32 (m, 2 H) 1.50 (quin, J=7.21 Hz, 2 H) 3.33 - 3.38 (m, 2 H) 5.27 (s, 2 H) 5.79 (s, 2 H) 5.99 (d, J=3.08 Hz, 1 H) 6.47 (t, J=5.28 Hz, 1 H) 7.35 (d, J=2.86 Hz, 1 H) 7.67 (d, J=3.08 Hz, 1 H) 7.77 (d, J=3.30 Hz, 1 H)	E,1.6	303
115		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.30 (s, 3 H) 3.52 - 3.57 (m, 2 H) 3.57 - 3.64 (m, 2 H) 3.90 (s, 3 H) 5.23 (s, 2 H) 5.37 (s, 2 H) 5.90 (d, J=3.08 Hz, 1 H) 7.21 (d, J=2.86 Hz, 1 H) 7.41 (dd, J=8.36, 4.62 Hz, 1 H) 7.54 (dd, J=8.58, 1.10 Hz, 1 H) 7.80 (t, J=4.95 Hz, 1 H) 8.12 (dd, J=4.73, 1.21 Hz, 1 H)	D,0.68	329
116		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.78 (t, J=7.30 Hz, 3 H) 1.01 - 1.11 (m, 2 H) 1.33 (quin, J=7.26 Hz, 2 H) 1.62 - 1.68 (m, 4 H) 2.31 - 2.37 (m, 4 H) 3.25 - 3.29 (m, 2 H) 3.48 (s,	D,0.73	379




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		2 H) 5.21 (s, 2 H) 5.47 (s, 2 H) 5.69 (t, J=5.39 Hz, 1 H) 5.97 (d, J=2.86 Hz, 1 H) 6.79 (d, J=7.48 Hz, 1 H) 7.01 (s, 1 H) 7.15 (d, J=7.70 Hz, 1 H) 7.21 (t, J=7.59 Hz, 1 H) 7.31 (d, J=2.86 Hz, 1 H)		
117		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.15 (s, 3 H) 3.35 (t, J=5.83 Hz, 2 H) 3.50 (q, J=5.65 Hz, 2 H) 5.30 (s, 2 H) 5.63 (s, 2 H) 6.01 (d, J=3.08 Hz, 1 H) 6.56 (t, J=5.39 Hz, 1 H) 7.17 (d, J=8.36 Hz, 1 H) 7.39 (d, J=3.08 Hz, 1 H) 8.21 (dd, J=8.36, 1.98 Hz, 1 H) 8.91 - 8.94 (m, 1 H)	D,0.77	367
118		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 3.15 (s, 3 H) 3.25 - 3.31 (m, 2 H) 3.47 (d, J=5.77 Hz, 2 H) 5.32 (s, 2 H) 5.53 (s, 2 H) 5.97 (s, 1 H) 6.03 (d, J=2.89 Hz, 1 H) 6.91 (d, J=5.91 Hz, 2 H) 7.36 (d, J=3.02 Hz, 1 H) 8.47 (d, J=5.91 Hz, 2 H)	A,0.83	299
119		¹ H NMR (300 MHz, DMSO- <i>d</i> ₆) δ ppm 3.26 (s, 3 H) 3.44 - 3.52 (m, 2 H) 3.52 - 3.62 (m, 2 H) 5.30 (s, 2 H) 5.44 (s, 2 H) 5.96 (d, J=3.02 Hz, 1 H) 7.29 (d, J=7.70 Hz, 1 H) 7.33 - 7.45 (m, 1 H) 7.33 - 7.45 (m, 2 H) 7.83 (td, J=7.70, 1.65 Hz, 1 H) 8.56 (d, J=4.26 Hz, 1 H)	A,0.83	299
120		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.25 - 3.29 (m, 3 H) 3.47 - 3.54 (m, 2 H) 3.54 - 3.61 (m, 2 H) 3.81 (s, 3 H) 5.25 (s, 2 H)	D,0.65	329




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		H) 5.33 (s, 2 H) 5.94 (d, J=3.08 Hz, 1 H) 6.95 (dd, J=5.72, 2.64 Hz, 1 H) 6.98 (d, J=2.42 Hz, 1 H) 7.39 (d, J=3.08 Hz, 1 H) 7.74 (t, J=5.06 Hz, 1 H) 8.37 (d, J=5.72 Hz, 1 H)		
121		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.18 (s, 3 H) 3.38 (t, J=5.70 Hz, 2 H) 3.51 (q, J=5.65 Hz, 2 H) 3.91 (s, 3 H) 5.31 (s, 2 H) 5.40 (s, 2 H) 5.95 - 6.00 (m, 2 H) 7.08 (d, J=5.72 Hz, 1 H) 7.21 (d, J=3.08 Hz, 1 H) 7.65 (s, 1 H) 8.38 (d, J=5.72 Hz, 1 H)	D,0.52	329
122		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.28 (s, 3 H) 4.56 (d, J=5.94 Hz, 2 H) 5.38 (s, 2 H) 5.68 (s, 2 H) 5.76 (d, J=0.88 Hz, 1 H) 6.05 (d, J=3.08 Hz, 1 H) 7.04 (d, J=8.36 Hz, 1 H) 7.08 (t, J=5.83 Hz, 1 H) 7.41 (d, J=3.08 Hz, 1 H) 8.16 (dd, J=8.36, 1.98 Hz, 1 H) 8.82 - 8.85 (m, 1 H)	D,0.80	404
123		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.31 (s, 3 H) 3.85 (s, 3 H) 4.56 (d, J=5.72 Hz, 2 H) 5.37 (s, 2 H) 5.44 (s, 2 H) 5.82 (s, 1 H) 6.01 (d, J=3.08 Hz, 1 H) 6.70 (t, J=5.72 Hz, 1 H) 7.05 (d, J=5.72 Hz, 1 H) 7.22 (d, J=2.86 Hz, 1 H) 7.53 (s, 1 H) 8.37 (d, J=5.50 Hz, 1 H)	D,0.58	366





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
124		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.31 (s, 3 H) 3.71 (s, 3 H) 3.72 (s, 3 H) 4.60 (d, J=5.72 Hz, 2 H) 5.32 - 5.37 (m, 4 H) 5.86 (s, 1 H) 5.99 (d, J=2.86 Hz, 1 H) 6.55 (d, J=7.92 Hz, 1 H) 6.83 (t, J=5.83 Hz, 1 H) 7.19 (d, J=7.92 Hz, 1 H) 7.34 (d, J=2.86 Hz, 1 H)	D,0.70	396
125		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.34 (s, 3 H) 4.63 (d, J=5.50 Hz, 2 H) 5.36 (s, 2 H) 5.58 (d, J=1.76 Hz, 2 H) 5.97 (d, J=3.08 Hz, 1 H) 6.06 (d, J=0.88 Hz, 1 H) 7.26 (dd, J=3.08, 0.88 Hz, 1 H) 7.44 - 7.49 (m, 1 H) 7.62 (t, J=5.72 Hz, 1 H) 7.78 (ddd, J=9.90, 8.47, 1.21 Hz, 1 H) 8.21 - 8.24 (m, 1 H)	D,0.67	354
126		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.76 - 0.83 (m, 2 H) 0.99 - 1.04 (m, 2 H) 2.06 (tt, J=8.47, 4.95 Hz, 1 H) 4.59 (d, J=5.50 Hz, 2 H) 5.36 (s, 2 H) 5.48 (s, 2 H) 5.90 (s, 1 H) 5.99 (d, J=2.86 Hz, 1 H) 7.14 - 7.17 (m, 1 H) 7.31 - 7.35 (m, 1 H) 7.40 (d, J=2.86 Hz, 1 H) 7.74 (t, J=5.61 Hz, 1 H) 7.76 - 7.82 (m, 1 H) 8.40 - 8.43 (m, 1 H)	D,0.74	362
127		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.19 (d, J=7.04 Hz, 6 H) 2.94 - 3.08 (m, 1 H) 4.63 (d, J=5.72 Hz, 2 H) 5.37 (s, 2 H) 5.49 (s, 2 H) 5.93 (s, 1 H) 5.99 (d, J=3.08 Hz, 1 H) 7.15 (d, J=7.92 Hz, 1 H) 7.32 (dd,	D,0.79	364




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		J=7.04, 5.06 Hz, 1 H) 7.41 (d, J=2.86 Hz, 1 H) 7.74 (t, J=5.61 Hz, 1 H) 7.78 (td, J=7.70, 1.76 Hz, 1 H) 8.40 (d, J=4.18 Hz, 1 H)		
128		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.35 (d, J=0.66 Hz, 3 H) 3.15 (s, 3 H) 3.55 (t, J=5.06 Hz, 2 H) 4.36 (t, J=4.95 Hz, 2 H) 4.62 (d, J=5.72 Hz, 2 H) 5.31 (s, 2 H) 5.92 (d, J=3.08 Hz, 1 H) 6.18 (d, J=0.88 Hz, 1 H) 6.84 (t, J=5.83 Hz, 1 H) 7.17 (d, J=3.08 Hz, 1 H)	E,1.09	303
129		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.38 (t, J=6.9 Hz, 3 H), 3.15 (s, 3 H), 3.27 - 3.33 (m, 2 H), 3.47 (q, J=5.6 Hz, 2 H), 4.10 (q, J=7.0 Hz, 2 H), 5.29 (s, 2 H), 5.37 (s, 2 H), 5.72 (t, J=5.4 Hz, 1 H), 5.97 (d, J=2.9 Hz, 1 H), 6.59 (dd, J=7.5, 1.5 Hz, 1 H), 6.79 - 6.85 (m, 1 H), 7.02 (d, J=7.7 Hz, 1 H), 7.20 - 7.27 (m, 2 H)	E,1.52	342
130		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.71 - 0.78 (m, 3 H), 0.96 - 1.08 (m, 2 H), 1.28 - 1.38 (m, 2 H), 3.22 - 3.29 (m, 2 H), 5.28 (s, 2 H), 5.59 (s, 2 H), 5.77 (t, J=5.4 Hz, 1 H), 6.03 (d, J=3.1 Hz, 1 H), 6.35 (d, J=7.7 Hz, 1 H), 7.19 - 7.25 (m, 1 H), 7.28 (d, J=3.1 Hz, 1 H), 7.35 - 7.40 (m, 2 H) SLAST_1343_1.1.esp	E,1.84	380




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
131		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.29 - 2.33 (m, 3 H) 3.71 (s, 3 H) 4.59 (d, J=5.72 Hz, 2 H) 5.36 (s, 2 H) 5.44 (s, 2 H) 5.82 - 5.85 (m, 1 H) 6.01 (d, J=3.08 Hz, 1 H) 6.50 (d, J=7.26 Hz, 1 H) 6.70 (d, J=8.14 Hz, 1 H) 6.90 (t, J=5.72 Hz, 1 H) 7.36 (d, J=2.86 Hz, 1 H) 7.62 (dd, J=8.25, 7.37 Hz, 1 H)	D,0.74	366
132		¹ H NMR (300 MHz, chloroform- <i>d</i>) δ ppm 3.30 (s, 3 H) 3.47 - 3.60 (m, 2 H) 3.68 (m, J=5.10, 5.10, 5.10 Hz, 2 H) 5.37 (s, 2 H) 5.77 (br. s., 2 H) 6.20 (d, J=3.02 Hz, 1 H) 7.02 (d, J=3.16 Hz, 1 H) 7.23 - 7.31 (m, 1 H) 7.85 (br. s., 1 H) 8.78 (d, J=1.79 Hz, 1 H)	A,1.61	305
133		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.79 (t, J=7.3 Hz, 3 H), 1.09 (dq, J=15.0, 7.4 Hz, 2 H), 1.30 - 1.35 (m, 2 H), 1.38 (t, J=6.9 Hz, 3 H), 3.24 - 3.29 (m, 2 H), 4.10 (q, J=6.9 Hz, 2 H), 5.22 (s, 2 H), 5.39 (s, 2 H), 5.50 (t, J=5.4 Hz, 1 H), 5.96 (d, J=2.9 Hz, 1 H), 6.48 (dd, J=7.5, 1.3 Hz, 1 H), 6.77 - 6.84 (m, 1 H), 7.03 (d, J=7.9 Hz, 1 H), 7.20 - 7.26 (m, 2 H)	D,1.0	340
134		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.91 (t, J=7.4 Hz, 3 H), 1.29 - 1.39 (m, 2 H), 1.54 - 1.65 (m, 2 H), 1.84 - 1.94 (m, 1 H), 2.17 - 2.30 (m, 1 H), 3.37 - 3.44 (m, 2 H), 3.70 - 3.79 (m, 2 H), 3.82 (s, 3 H), 3.83	D,0.82	413




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		- 3.90 (m, 2 H), 4.97 - 5.04 (m, 1 H), 5.22 (s, 2 H), 5.30 (s, 2 H), 5.93 (d, J=3.1 Hz, 1 H), 7.03 (s, 1 H), 7.40 (d, J=2.9 Hz, 1 H), 7.47 (t, J=5.1 Hz, 1 H), 8.10 (s, 1 H)		
135		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.91 (t, J=7.4 Hz, 3 H), 1.29 - 1.39 (m, 2 H), 1.54 - 1.65 (m, 2 H), 1.84 - 1.94 (m, 1 H), 2.17 - 2.30 (m, 1 H), 3.37 - 3.44 (m, 2 H), 3.70 - 3.79 (m, 2 H), 3.82 (s, 3 H), 3.83 - 3.90 (m, 2 H), 4.97 - 5.04 (m, 1 H), 5.22 (s, 2 H), 5.30 (s, 2 H), 5.93 (d, J=3.1 Hz, 1 H), 7.03 (s, 1 H), 7.40 (d, J=2.9 Hz, 1 H), 7.47 (t, J=5.1 Hz, 1 H), 8.10 (s, 1 H)	D,0.64	415
136		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 4.94 (d, J=5.9 Hz, 2 H), 5.37 (s, 2 H), 5.53 (s, 2 H), 6.01 (d, J=3.1 Hz, 1 H), 7.15 (d, J=7.7 Hz, 1 H), 7.31 (ddd, J=7.7, 6.4, 1.1 Hz, 1 H), 7.43 (d, J=3.1 Hz, 1 H), 7.52 (d, J=3.3 Hz, 1 H), 7.71 (d, J=3.3 Hz, 1 H), 7.78 (td, J=7.7, 2.0 Hz, 1 H), 8.10 (t, J=5.8 Hz, 1 H), 8.42 - 8.46 (m, 1 H)	D,0.60	338
137		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.05 (d, J=6.2 Hz, 6 H), 3.46 - 3.59 (m, 5 H), 5.27 (s, 2 H), 5.44 (s, 2 H), 5.96 (d, J=3.1 Hz, 1 H), 7.17 - 7.25 (m, 2 H), 7.31 - 7.39 (m, 2 H), 7.77 - 7.85 (m, 1 H), 8.51 - 8.59 (m, 1 H)	D,0.73	327





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
138		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.78 (quin, J=6.6 Hz, 2 H), 3.20 (s, 3 H), 3.28 - 3.32 (m, 2 H), 3.37 - 3.44 (m, 2 H), 5.25 (s, 2 H), 5.47 (s, 2 H), 5.96 (d, 6 J=2.9 Hz, 1 H), 7.01 (t, J=5.2 Hz, 1 H), 7.16 (d, J=7.9 Hz, 1 H), 7.32 - 7.39 (m, 2 H), 7.81 (td, J=7.7, 1.8 Hz, 1 H), 8.53 - 8.56 (m, 1 H)	D,0.63	313
139		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.47 - 1.58 (m, 1 H), 1.72 - 1.88 (m, 3 H), 3.39 - 3.54 (m, 2 H), 3.58 - 3.66 (m, 1 H), 3.70 - 3.78 (m, 1 H), 4.00 (quin, 6 J=6.2 Hz, 1 H), 5.26 (s, 2 H), 5.38 - 5.50 (m, 2 H), 5.96 (d, J=2.9 Hz, 1 H), 7.24 (d, J=7.7 Hz, 1 H), 7.30 (t, J=5.4 Hz, 1 H), 7.35 (ddd, J=7.6, 5.0, 1.1 Hz, 1 H), 7.39 (d, J=3.1 Hz, 1 H), 7.82 (td, J=7.7, 1.8 Hz, 1 H), 8.55 (ddd, J=4.8, 1.5, 0.9 Hz, 1 H)	D,0.65	325
140		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.08 (t, J=7.0 Hz, 3 H), 3.43 (q, J=7.0 Hz, 2 H), 3.48 - 3.59 (m, 4 H), 5.27 (s, 2 H), 5.44 (s, 2 H), 5.96 (d, J=3.1 Hz, 1 H), 7.23 - 7.31 (m, 2 H), 7.35 (ddd, J=7.6, 5.0, 1.1 Hz, 1 H), 7.38 (d, J=3.1 Hz, 1 H), 7.81 (td, J=7.7, 1.8 Hz, 1 H), 8.53 - 8.57 (m, 1 H)	D,0.66	313





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
141		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.87 (t, J=7.4 Hz, 3 H), 1.21 - 1.33 (m, 1 H), 1.33 - 1.45 (m, 1 H), 3.26 - 3.33 (m, 1 H), 3.45 (dt, J=13.1, 5.4 Hz, 1 H), 6 3.50 - 3.60 (m, 1 H), 4.81 (br. s., 1 H), 5.27 (s, 2 H), 5.47 (s, 2 H), 5.96 (d, J=3.1 Hz, 1 H), 7.17 - 7.26 (m, 2 H), 7.34 (ddd, J=7.7, 4.8, 1.1 Hz, 1 H), 7.38 (d, J=3.1 Hz, 1 H), 7.81 (td, J=7.7, 1.8 Hz, 1 H), 8.52 - 8.56 (m, 1 H)	D,0.58	313
142		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 4.79 (d, J=5.7 Hz, 2 H), 5.31 (s, 2 H), 5.47 (s, 2 H), 5.99 (d, J=2.9 Hz, 1 H), 7.14 (d, J=0.7 Hz, 1 H), 7.28 - 7.36 (m, 2 6 H), 7.42 (d, J=2.9 Hz, 1 H), 7.81 (td, J=7.7, 1.8 Hz, 1 H), 7.99 (d, J=0.9 Hz, 1 H), 8.06 (t, J=5.6 Hz, 1 H), 8.40 - 8.45 (m, 1 H)	D,0.57	322
143		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.23 - 2.32 (m, 3 H) 4.53 (d, J=5.94 Hz, 2 H) 5.40 (s, 2 H) 5.67 - 5.71 (m, 3 H) 6.07 (d, J=3.08 Hz, 1 H) 6.90 (d, J=7.92 Hz, 1 H) 6.96 (t, J=5.83 Hz, 1 H) 7.41 (d, J=3.08 Hz, 1 H) 7.81 (d, J=7.70 Hz, 1 H) 8.01 (t, J=7.92 Hz, 1 H)	E,1.43	404
144		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.31 - 2.35 (m, 3 H) 4.59 (d, J=5.72 Hz, 2 H) 5.36 (s, 2 H) 5.52 (s, 2 H) 5.89 (d, J=0.88 Hz, 1 H) 6.00 (d, J=3.08 Hz, 1 H) 7.11 (dd,	E,1.49	354




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		J=8.69, 4.51 Hz, 1 H) 7.28 (t, J=5.83 Hz, 1 H) 7.39 (d, J=3.08 Hz, 1 H) 7.70 (td, J=8.80, 2.86 Hz, 1 H) 8.42 (d, J=2.86 Hz, 1 H)		
145		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.31 (d, J=0.66 Hz, 3 H) 4.59 (d, J=5.72 Hz, 2 H) 5.38 (s, 2 H) 5.64 (s, 2 H) 5.84 (d, J=0.66 Hz, 1 H) 6.02 (d, J=3.08 Hz, 1 H) 7.29 (t, J=5.72 Hz, 1 H) 7.42 - 7.45 (m, 2 H) 7.69 - 7.72 (m, 1 H) 8.71 (d, J=5.06 Hz, 1 H)	D,0.79	404
146		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.93 (t, J=7.3 Hz, 3 H), 1.37 (dq, J=15.0, 7.3 Hz, 2 H), 1.56 - 1.66 (m, 2 H), 2.21 (s, 3 H), 2.33 (s, 3 H), 3.36 - 3.42 (m, 6 H), 3.72 (s, 3 H), 5.21 (s, 2 H), 5.44 (s, 2 H), 5.92 (d, J=3.1 Hz, 1 H), 7.30 (d, J=3.1 Hz, 1 H), 7.85 (t, J=5.1 Hz, 1 H), 8.21 (s, 1 H) SLAST_1354_1.1.esp M07(s)	E,1.83	355
147		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.21 (s, 3 H), 2.34 (s, 3 H), 3.28 (s, 3 H), 3.50 - 3.60 (m, 4 H), 3.72 (s, 3 H), 5.25 (s, 2 H), 5.42 (s, 2 H), 5.92 (d, J=3.1 Hz, 1 H), 7.31 (d, J=2.9 Hz, 1 H), 8.14 (t, J=4.7 Hz, 1 H), 8.22 (s, 1 H) SLAST_1354_2.1.esp M04(m)	E,1.45	357





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
148		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.93 (t, J=7.4 Hz, 3 H), 1.38 (dq, J=14.9, 7.4 Hz, 2 H), 1.47 - 1.67 (m, 4 H), 1.69 - 1.84 (m, 1 H), 1.85 - 1.99 (m, 1 H), 3.34 - 3.42 (m, 2 H), 3.56 - 3.74 (m, 2 H), 4.01 - 4.11 (m, 1 H), 4.17 (dd, J=15.2, 6.2 Hz, 1 H), 4.37 (dd, J=15.2, 2.9 Hz, 1 H), 5.26 (s, 2 H), 5.91 (d, J=3.1 Hz, 1 H), 6.51 (t, J=5.2 Hz, 1 H), 7.14 (d, J=2.9 Hz, 1 H)	D,0.81	290
149		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.83 (t, J=7.4 Hz, 3 H), 1.17 (dq, J=14.9, 7.4 Hz, 2 H), 1.42 (quin, J=7.3 Hz, 2 H), 3.21 (t, J=8.7 Hz, 2 H), 3.29 - 3.35 (m, 2 H), 4.60 (t, J=8.7 Hz, 2 H), 5.23 (s, 2 H), 5.34 (s, 2 H), 5.71 (t, J=5.3 Hz, 1 H), 5.95 (d, J=2.9 Hz, 1 H), 6.46 (d, J=7.7 Hz, 1 H), 6.72 (t, J=7.6 Hz, 1 H), 7.14 (d, J=6.6 Hz, 1 H), 7.23 (d, J=3.1 Hz, 1 H)	E,1.72	338
150		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.16 - 3.24 (m, 5 H), 3.40 (t, J=5.8 Hz, 2 H), 3.52 (q, J=5.6 Hz, 2 H), 4.60 (t, J=8.7 Hz, 2 H), 5.28 (s, 2 H), 5.31 (s, 2 H), 5.92 (t, J=5.5 Hz, 1 H), 5.95 (d, J=2.9 Hz, 1 H), 6.58 (d, J=7.5 Hz, 1 H), 6.73 (t, J=7.5 Hz, 1 H), 7.14 (d, J=6.6 Hz, 1 H), 7.22 (d, J=2.9 Hz, 1 H)	E,1.4	340





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
151		¹ H NMR (400 MHz, chloroform- <i>d</i>) δ ppm 1.58 (d, J=6.8 Hz, 3 H), 3.29 (s, 3 H), 3.70 - 3.79 (m, 2 H), 4.32 - 4.41 (m, 2 H), 4.50 (br. s., 2 H), 5.49 (t, J=6.8 Hz, 1 H), 6.17 (d, J=3.1 Hz, 1 H), 6.91 (d, J=3.1 Hz, 1 H), 7.14 (ddd, J=7.5, 4.8, 1.1 Hz, 2 H), 7.33 (d, J=7.7 Hz, 1 H), 7.61 (td, J=7.6, 1.8 Hz, 1 H), 8.50 - 8.60 (m, 1 H)	E,1.2	313
152		¹ H NMR (400 MHz, chloroform- <i>d</i>) δ ppm 1.59 (d, J=6.8 Hz, 3 H), 3.31 (s, 3 H), 3.71 - 3.82 (m, 2 H), 4.39 (d, J=5.1 Hz, 2 H), 4.42 (br. s., 2 H), 5.50 (t, J=6.7 Hz, 1 H), 6.18 (d, J=2.9 Hz, 1 H), 6.93 (d, J=3.1 Hz, 1 H), 7.10 - 7.20 (m, 2 H), 7.35 (d, J=7.9 Hz, 1 H), 7.63 (td, J=7.6, 1.8 Hz, 1 H), 8.53 - 8.60 (m, 1 H)	E,1.44	313
153		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.63 (dt, J=6.66, 3.16 Hz, 4 H) 2.27 (s, 3 H) 2.28 - 2.34 (m, 4 H) 3.44 (s, 2 H) 4.54 (d, J=5.72 Hz, 2 H) 5.32 (s, 2 H) 5.48 (s, 2 H) 5.56 (d, J=0.88 Hz, 1 H) 6.01 (d, J=2.86 Hz, 1 H) 6.61 (t, J=5.94 Hz, 1 H) 6.76 (d, J=7.26 Hz, 1 H) 6.98 (s, 1 H) 7.12 - 7.20 (m, 2 H) 7.35 (d, J=2.86 Hz, 1 H)	E,1.07	418





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
154		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.34 (s, 3 H) 4.62 (d, J=5.72 Hz, 2 H) 5.34 (s, 2 H) 5.55 (s, 2 H) 5.97 (d, J=3.08 Hz, 1 H) 6.02 (s, 1 H) 7.28 (t, J=5.83 Hz, 1 H) 7.32 (d, J=2.86 Hz, 1 H) 7.40 (d, J=1.98 Hz, 1 H) 9.04 (d, J=1.98 Hz, 1 H)	E,1.14	342
155		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 4.70 (d, J=5.72 Hz, 2 H) 5.37 (s, 2 H) 5.48 (s, 2 H) 5.98 (d, J=3.08 Hz, 1 H) 6.38 (d, J=1.76 Hz, 1 H) 7.20 (d, J=7.70 Hz, 1 H) 7.32 (ddd, J=7.54, 5.01, 1.10 Hz, 1 H) 7.41 (d, J=3.08 Hz, 1 H) 7.79 (td, J=7.70, 1.76 Hz, 1 H) 7.87 (t, J=5.61 Hz, 1 H) 8.39 - 8.42 (m, 1 H) 8.77 (d, J=1.76 Hz, 1 H)	E,1.34	322
156		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.34 (d, J=0.66 Hz, 3 H) 4.62 (d, J=5.50 Hz, 2 H) 5.36 (s, 2 H) 5.62 (s, 2 H) 5.97 (d, J=3.08 Hz, 1 H) 6.03 (d, J=0.66 Hz, 1 H) 7.29 (d, J=3.08 Hz, 1 H) 7.42 (dd, J=8.14, 4.84 Hz, 1 H) 7.68 (t, J=5.72 Hz, 1 H) 8.00 (dd, J=8.14, 1.54 Hz, 1 H) 8.32 (dd, J=4.73, 1.43 Hz, 1 H)	D,0.74	370
157		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.27 (s, 3 H) 4.68 (d, J=5.72 Hz, 2 H) 5.33 (s, 2 H) 5.48 (s, 2 H) 5.94 (d, J=2.86 Hz, 1 H) 6.01 (s, 1 H) 6.89 (td, J=6.77, 1.21 Hz, 1 H) 7.26 (ddd, J=9.08, 6.66, 1.21 Hz,	D,0.65	375





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		1 H) 7.35 - 7.38 (m, 2 H) 7.79 (s, 1 H) 8.30 (t, J=5.72 Hz, 1 H) 8.51 (dt, J=6.82, 1.10 Hz, 1 H)		
158		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.33 (s, 3 H) 4.60 (d, J=5.72 Hz, 2 H) 5.38 (s, 2 H) 5.52 (s, 2 H) 5.89 (s, 1 H) 6.01 (d, J=3.08 Hz, 1 H) 7.18 - 7.22 (m, 1 H) 7.39 - 7.50 (m, 3 H) 8.41 (d, J=5.50 Hz, 1 H)	E,1.35	370
159		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.31 (s, 3 H) 4.56 (d, J=5.72 Hz, 2 H) 5.39 (s, 2 H) 5.56 (s, 2 H) 5.75 (s, 1 H) 6.05 (d, J=3.08 Hz, 1 H) 6.68 (d, J=7.48 Hz, 1 H) 6.99 (t, J=5.83 Hz, 1 H) 7.38 (d, J=2.86 Hz, 1 H) 7.41 (d, J=7.92 Hz, 1 H) 7.78 (t, J=7.81 Hz, 1 H)	D,0.73	370
160		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.46 - 1.70 (m, 2 H), 1.70 - 1.83 (m, 1 H), 1.87 - 1.99 (m, 1 H), 3.29 (s, 3 H), 3.48 - 3.56 (m, 3 H), 3.56 - 3.65 (m, 2 H), 6.368 - 3.77 (m, 1 H), 4.05 (qd, J=6.7, 2.8 Hz, 1 H), 4.14 (dd, J=15.1, 6.5 Hz, 1 H), 4.35 (dd, J=15.1, 2.8 Hz, 1 H), 5.23 (s, 2 H), 5.92 (d, J=2.9 Hz, 1 H), 6.61 (t, J=4.8 Hz, 1 H), 7.15 (d, J=3.1 Hz, 1 H)	D,0.58	292
161		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.76 (t, J=7.3 Hz, 3 H), 1.05 (dq, J=15.0, 7.3 Hz, 2 H), 1.30 - 1.40 (m, 2 H), 3.24 - 3.30 (m, 2 H), 5.26 (s, 2 H), 5.51 (s, 6 2 H), 5.70 (t, J=5.5 Hz,	D,0.94	362





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		1 H), 6.00 (d, J=2.9 Hz, 1 H), 6.36 - 6.41 (m, 1 H), 7.06 - 7.12 (m, 1 H), 7.20 - 7.25 (m, 2 H), 7.29 (t, J=73.8 Hz, 1 H), 7.30 - 7.36 (m, 1 H)		
162		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.13 (s, 3 H), 3.32 - 3.35 (m, 2 H), 3.46 (q, J=5.6 Hz, 2 H), 5.32 (s, 2 H), 5.48 (s, 2 H), 5.80 (t, J=5.4 Hz, 1 H), 6.01 (d, J=3.1 Hz, 1 H), 6.51 (dd, J=7.7, 1.3 Hz, 1 H), 7.08 - 7.14 (m, 1 H), 7.20 - 7.25 (m, 2 H), 7.28 (t, J=73.8 Hz, 1 H), 7.31 - 7.36 (m, 1 H)	D,0.78	364
163		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.80 (t, J=7.3 Hz, 3 H), 1.12 (dq, J=15.0, 7.4 Hz, 2 H), 1.34 - 1.44 (m, 2 H), 3.26 - 3.31 (m, 2 H), 4.23 - 4.30 (m, 2 H), 6.430 - 4.37 (m, 2 H), 5.24 (s, 2 H), 5.38 (s, 2 H), 5.59 (t, J=5.4 Hz, 1 H), 5.96 (d, J=3.1 Hz, 1 H), 6.02 (dd, J=7.6, 1.4 Hz, 1 H), 6.68 (t, J=7.8 Hz, 1 H), 6.77 (dd, J=8.1, 1.5 Hz, 1 H), 7.20 (d, J=2.9 Hz, 1 H)	D,0.9	354
164		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.16 (s, 3 H), 3.35 - 3.40 (m, 2 H), 3.51 (q, J=5.6 Hz, 2 H), 4.24 - 4.31 (m, 2 H), 4.31 - 4.37 (m, 2 H), 5.35 (s, 2 H), 6.537 (br. s., 2 H), 5.78 (t, J=5.4 Hz, 1 H), 5.97 (d, J=3.1 Hz, 1 H), 6.16 (dd, J=7.7, 1.5 Hz, 1 H), 6.70 (t, J=7.8 Hz, 1 H), 6.76 - 6.81 (m, 1 H), 7.22 (d, J=2.9 Hz,	D,0.74	356





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		1 H)		
165		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.16 (s, 3 H), 3.35 - 3.40 (m, 2 H), 3.51 (q, J=5.6 Hz, 2 H), 4.24 - 4.31 (m, 2 H), 4.31 - 4.37 (m, 2 H), 5.35 (s, 2 H), 6.537 (br. s., 2 H), 5.78 (t, J=5.4 Hz, 1 H), 5.97 (d, J=3.1 Hz, 1 H), 6.16 (dd, J=7.7, 1.5 Hz, 1 H), 6.70 (t, J=7.8 Hz, 1 H), 6.76 - 6.81 (m, 1 H), 7.22 (d, J=2.9 Hz, 1 H)	D,0.6	277
166		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.92 (t, J=7.4 Hz, 3 H), 1.37 (dq, J=15.0, 7.3 Hz, 2 H), 1.51 - 1.62 (m, 2 H), 2.63 (d, J=4.6 Hz, 3 H), 3.33 - 3.41 (m, 2 H), 4.74 (s, 2 H), 5.40 (br. s., 2 H), 5.94 (d, J=2.9 Hz, 1 H), 6.93 (t, J=5.2 Hz, 1 H), 7.11 (d, J=3.1 Hz, 1 H), 8.31 (d, J=4.4 Hz, 1 H)	D,0.42	293
167		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.34 (s, 3 H) 3.78 (s, 3 H) 4.63 (d, J=5.50 Hz, 2 H) 5.33 - 5.39 (m, 4 H) 5.97 (d, J=3.08 Hz, 1 H) 6.02 (s, 1 H) 6.90 (d, J=2.42 Hz, 1 H) 6.93 (dd, J=5.72, 2.42 Hz, 1 H) 7.41 (d, J=3.08 Hz, 1 H) 8.16 (t, J=5.61 Hz, 1 H) 8.22 (d, J=5.94 Hz, 1 H)	D,0.7	366
168		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.36 (s, 3 H) 3.79 (s, 3 H) 3.88 (s, 3 H) 4.66 (d, J=5.50 Hz, 2 H) 5.33 (s, 2 H) 5.36 (s, 2 H) 5.94 (d, J=2.86 Hz, 1 H) 6.18 (s, 1 H) 7.14 (d,	E,1.62	396




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		J=5.72 Hz, 1 H) 7.23 (d, J=3.08 Hz, 1 H) 8.00 (d, J=5.50 Hz, 1 H) 8.50 (t, J=5.50 Hz, 1 H)		
169		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.17 (s, 3 H) 2.31 (s, 3 H) 2.35 (s, 3 H) 3.71 (s, 3 H) 4.63 (d, J=5.50 Hz, 2 H) 5.32 (s, 2 H) 5.44 (s, 2 H) 5.94 (d, J=3.08 Hz, 1 H) 6.10 (s, 1 H) 7.33 (d, J=2.86 Hz, 1 H) 8.01 (s, 1 H) 8.49 (t, J=5.50 Hz, 1 H)	E,1.76	394
170		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.35 (s, 3 H) 3.88 (s, 3 H) 4.66 (d, J=5.50 Hz, 2 H) 5.33 (s, 2 H) 5.40 (s, 2 H) 5.93 (d, J=2.86 Hz, 1 H) 6.13 (s, 1 H) 7.23 (d, J=3.08 Hz, 1 H) 7.38 (dd, J=8.36, 4.62 Hz, 1 H) 7.52 (d, J=7.92 Hz, 1 H) 7.92 (dd, J=4.62, 1.10 Hz, 1 H) 8.19 (t, J=5.50 Hz, 1 H)	E,1.59	366
171		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.33 (s, 3 H) 3.79 (s, 3 H) 4.63 (d, J=5.50 Hz, 2 H) 5.34 (s, 2 H) 5.40 (s, 2 H) 5.96 (d, J=2.86 Hz, 1 H) 5.98 (d, J=0.88 Hz, 1 H) 7.20 (d, J=8.58 Hz, 1 H) 7.37 - 7.41 (m, 2 H) 7.79 (t, J=5.72 Hz, 1 H) 8.09 (d, J=2.64 Hz, 1 H)	E,1.53	366
172		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.27 (s, 3 H) 4.56 (d, J=5.72 Hz, 2 H) 5.35 (s, 2 H) 5.59 - 5.64 (m, 3 H) 6.04 (d, J=3.08 Hz, 1 H) 6.84 (t, J=5.83 Hz, 1 H) 7.03 (dd, J=6.05, 2.75 Hz, 1 H) 7.45 (d, J=2.86 Hz, 1 H)	E,1.1	379





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		7.65 (br. s., 1 H) 7.80 (br. s., 1 H) 7.86 - 7.92 (m, 2 H)		
173		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.55 (s, 3 H) 4.76 (d, J=5.50 Hz, 2 H) 5.30 (s, 2 H) 5.46 (s, 2 H) 5.98 (d, J=2.86 Hz, 1 H) 7.31 - 7.36 (m, 2 H) 7.42 (d, J=3.08 Hz, 1 H) 7.81 (td, J=7.70, 1.76 Hz, 1 H) 8.06 (t, J=5.61 Hz, 1 H) 8.44 - 8.47 (m, 1 H)	E,1.34	337
174		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.63 (s, 3 H) 4.67 (d, J=5.28 Hz, 2 H) 5.32 (s, 2 H) 5.49 (s, 2 H) 5.98 (d, J=2.86 Hz, 1 H) 7.02 (s, 1 H) 7.23 (d, J=7.70 Hz, 1 H) 7.33 (dd, J=6.93, 5.17 Hz, 1 H) 7.40 (d, J=3.08 Hz, 1 H) 7.75 - 7.83 (m, 2 H) 8.43 (d, J=4.40 Hz, 1 H)	D,0.66	352
175		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.25 (s, 3 H) 2.34 (s, 3 H) 4.62 (d, J=5.50 Hz, 2 H) 5.34 (s, 2 H) 5.42 (s, 2 H) 5.96 - 5.99 (m, 2 H) 7.12 (d, J=7.92 Hz, 1 H) 7.39 (d, J=2.86 Hz, 1 H) 7.60 (dd, J=8.03, 2.09 Hz, 1 H) 7.84 (t, J=5.61 Hz, 1 H) 8.22 - 8.25 (m, 1 H)	D,0.72	350
176		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.22 (s, 3 H) 4.67 (d, J=5.72 Hz, 2 H) 5.35 (s, 2 H) 5.63 (s, 2 H) 5.98 (d, J=3.08 Hz, 1 H) 6.07 - 6.09 (m, 1 H) 7.07 (t, J=5.83 Hz, 1 H) 7.34 (d, J=3.08 Hz, 1 H) 7.46 - 7.51 (m, 1 H) 7.55 - 7.61 (m, 2 H) 7.79 - 7.84 (m, 2 H)	E,1.35	402




#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		8.57 (s, 1 H)		
177		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.25 (s, 3 H) 2.32 (s, 3 H) 4.37 (d, J=5.06 Hz, 2 H) 5.26 (s, 2 H) 5.40 (s, 2 H) 5.95 (d, J=3.08 Hz, 1 H) 7.31 - 7.37 (m, 2 H) 7.39 (d, J=3.08 Hz, 1 H) 7.77 - 7.82 (m, 2 H) 8.45 - 8.48 (m, 1 H)	E,1.23	350
178		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.30 (s, 3 H) 4.56 (d, J=5.72 Hz, 2 H) 5.38 (s, 2 H) 5.54 (s, 2 H) 5.75 - 5.80 (m, 1 H) 6.04 (d, J=2.86 Hz, 1 H) 6.66 (dd, J=7.37, 2.31 Hz, 1 H) 6.87 (t, J=5.83 Hz, 1 H) 7.06 (dd, J=8.14, 2.20 Hz, 1 H) 7.36 (d, J=2.86 Hz, 1 H) 7.85 - 7.92 (m, 1 H)	F,4	354
179		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.30 (s, 3 H) 3.90 (s, 3 H) 4.53 (d, J=5.72 Hz, 2 H) 5.38 (s, 2 H) 5.42 (s, 2 H) 5.72 (s, 1 H) 6.03 (d, J=3.08 Hz, 1 H) 6.60 - 6.65 (m, 2 H) 6.84 (dd, J=7.26, 5.06 Hz, 1 H) 7.27 (d, J=2.86 Hz, 1 H) 8.05 (dd, J=4.95, 1.65 Hz, 1 H)	E,1.27	366
180		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.31 (s, 3 H) 3.69 (s, 6 H) 4.58 (d, J=5.50 Hz, 2 H) 5.33 (s, 2 H) 5.43 (s, 2 H) 5.92 (s, 1 H) 5.99 (d, J=2.64 Hz, 1 H) 6.11 (s, 1 H) 6.80 (t, J=5.61 Hz, 1 H) 7.27 (d, J=2.64 Hz, 1 H)	E,1.34	397





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
181		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.30 (s, 3 H) 2.34 (s, 3 H) 4.61 (d, J=5.72 Hz, 2 H) 5.38 (s, 2 H) 5.52 (s, 2 H) 5.83 (s, 1 H) 6.00 (d, J=3.08 Hz, 1 H) 6.04 (s, 1 H) 6.85 (t, J=5.72 Hz, 1 H) 7.29 (d, J=3.08 Hz, 1 H)	E,1.17	340
182		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.20 (s, 3 H) 4.63 (d, J=5.72 Hz, 2 H) 5.34 (s, 2 H) 5.64 (s, 2 H) 5.82 (s, 1 H) 6.01 (d, J=3.08 Hz, 1 H) 7.45 (d, J=3.08 Hz, 1 H) 7.58 (s, 1 H) 7.66 - 7.70 (m, 1 H) 7.75 - 7.80 (m, 2 H) 7.85 - 7.89 (m, 1 H) 8.13 (d, J=8.14 Hz, 1 H) 9.20 (s, 1 H)	E,1.47	386
183		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.07 (s, 1 H) 2.14 (s, 3 H) 4.57 (d, J=5.72 Hz, 2 H) 5.35 (s, 1 H) 5.77 - 5.82 (m, 3 H) 6.06 (d, J=2.86 Hz, 1 H) 7.18 (d, J=8.36 Hz, 1 H) 7.51 (d, J=2.86 Hz, 1 H) 7.56 (t, J=5.72 Hz, 1 H) 7.64 (dd, J=8.14, 4.18 Hz, 1 H) 8.45 (d, J=8.36 Hz, 2 H) 9.09 (dd, J=4.07, 1.65 Hz, 1 H)	E,1.03	387
184		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.16 (s, 3 H) 4.71 (d, J=5.50 Hz, 2 H) 5.37 (s, 2 H) 5.50 (s, 2 H) 5.95 (s, 1 H) 5.99 (d, J=2.86 Hz, 1 H) 7.18 (d, J=7.70 Hz, 1 H) 7.35 (dd, J=6.82, 5.06 Hz, 1 H) 7.42 (d, J=3.08 Hz, 1 H) 7.81 (td, J=7.65, 1.65 Hz, 1 H)	E,1.11	336





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		7.88 (t, J=5.50 Hz, 1 H) 8.47 (d, J=4.40 Hz, 1 H)		
185		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.34 (s, 3 H) 2.42 (s, 3 H) 4.63 (d, J=5.72 Hz, 2 H) 5.34 (s, 2 H) 5.49 (s, 2 H) 5.95 (d, J=2.86 Hz, 1 H) 6.07 (s, 1 H) 7.27 (dd, J=7.70, 4.84 Hz, 1 H) 7.32 (d, J=3.08 Hz, 1 H) 7.66 (d, J=7.48 Hz, 1 H) 8.17 (dd, J=4.73, 0.99 Hz, 1 H) 8.35 (t, J=5.61 Hz, 1 H)	E,1.35	350
186		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.31 - 2.36 (m, 3 H) 4.58 (d, J=5.72 Hz, 2 H) 5.34 (s, 2 H) 5.62 (s, 2 H) 5.93 (d, J=0.66 Hz, 1 H) 5.97 (d, J=3.08 Hz, 1 H) 7.13 (t, J=5.61 Hz, 1 H) 7.30 (d, J=3.08 Hz, 1 H) 7.43 (t, J=4.95 Hz, 1 H) 8.72 (d, J=5.06 Hz, 2 H)	E,0.98	337
187		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.17 (s, 3 H) 3.65 (s, 3 H) 4.46 (d, J=5.28 Hz, 2 H) 5.29 (s, 2 H) 5.44 (s, 2 H) 5.76 (s, 1 H) 5.96 (d, J=3.08 Hz, 1 H) 7.20 (d, J=7.92 Hz, 1 H) 7.30 - 7.34 (m, 1 H) 7.38 (d, J=3.08 Hz, 1 H) 7.51 (t, J=5.28 Hz, 1 H) 7.78 (td, J=7.70, 1.76 Hz, 1 H) 8.39 (d, J=4.18 Hz, 1 H)	E,1.16	349
188		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.57 (s, 3 H) 4.45 (d, J=5.06 Hz, 2 H) 5.34 (br. s., 2 H) 5.44 (s, 2 H) 5.97 (d, J=2.86 Hz, 1 H) 6.76 (s, 1 H) 7.24 (d, J=7.70 Hz, 1 H) 7.33 (dd,	E,0.92	335





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		J=7.04, 5.28 Hz, 1 H) 7.39 (d, J=2.86 Hz, 1 H) 7.47 (s, 1 H) 7.64 (t, J=4.84 Hz, 1 H) 7.77 - 7.83 (m, 1 H) 8.43 (d, J=4.40 Hz, 1 H)		
189		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.25 (s, 3 H) 4.67 (d, J=5.50 Hz, 2 H) 5.26 (s, 2 H) 5.54 (s, 2 H) 5.99 (d, J=2.86 Hz, 1 H) 6.97 (d, J=7.92 Hz, 1 H) 7.13 (d, J=7.92 Hz, 1 H) 7.32 (ddd, J=6.93, 5.61, 0.88 Hz, 1 H) 7.41 (d, J=3.08 Hz, 1 H) 7.43 (dd, J=8.14, 1.98 Hz, 1 H) 7.62 (t, J=5.61 Hz, 1 H) 7.79 (td, J=7.70, 1.76 Hz, 1 H) 8.30 - 8.32 (m, 1 H) 8.43 (dd, J=4.95, 0.77 Hz, 1 H)	E,1.27	346
190		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.52 (d, J=6.82 Hz, 3 H) 5.21 (s, 2 H) 5.43 (quin, J=6.82 Hz, 1 H) 5.48 - 5.60 (m, 2 H) 5.97 (d, J=2.86 Hz, 1 H) 7.18 - 7.25 (m, 1 H) 7.27 - 7.39 (m, 3 H) 7.44 (d, J=2.86 Hz, 1 H) 7.63 - 7.69 (m, 1 H) 7.76 (d, J=7.26 Hz, 1 H) 7.80 - 7.88 (m, 1 H) 8.46 - 8.52 (m, 2 H)	E,1.31	346
191		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.23 (d, J=1.10 Hz, 3 H) 4.72 (d, J=5.50 Hz, 2 H) 5.31 (s, 2 H) 5.47 (s, 2 H) 5.98 (d, J=2.86 Hz, 1 H) 6.73 (d, J=1.10 Hz, 1 H) 7.28 - 7.36 (m, 2 H) 7.42 (d, J=3.08 Hz, 1 H) 7.81 (td, J=7.70, 1.76 Hz, 1 H) 7.99 (t, J=5.50 Hz, 1 H) 8.40 - 8.44 (m, 1 H)	E,1.11	336





#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
192		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.34 (d, J=0.7 Hz, 3 H), 2.53 (s, 3 H), 4.64 (d, J=5.7 Hz, 2 H), 5.35 (s, 2 H), 5.41 (s, 2 H), 5.95 (d, J=3.1 Hz, 1 H), 6.08 (d, J=0.7 Hz, 1 H), 7.27 (s, 1 H), 7.31 (d, J=3.1 Hz, 1 H), 7.57 (t, J=5.7 Hz, 1 H)	D,0.7	356
193		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.98 (s, 3 H) 4.62 (d, J=5.28 Hz, 2 H) 5.36 (s, 2 H) 5.44 (s, 2 H) 5.96 (d, J=2.86 Hz, 1 H) 7.25 (d, J=7.70 Hz, 1 H) 7.31 - 7.35 (m, 1 H) 7.38 (d, J=3.08 Hz, 1 H) 7.77 - 7.83 (m, 2 H) 7.89 (t, J=5.39 Hz, 1 H) 8.41 (dd, J=4.84, 0.66 Hz, 1 H)	E,0.93	336
194		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.52 (d, J=7.04 Hz, 3 H) 5.21 (s, 2 H) 5.43 (quin, J=7.04 Hz, 1 H) 5.47 - 5.58 (m, 2 H) 5.97 (d, J=2.86 Hz, 1 H) 7.19 - 7.23 (m, 1 H) 7.28 - 7.38 (m, 3 H) 7.44 (d, J=3.08 Hz, 1 H) 7.66 (td, J=7.70, 1.76 Hz, 1 H) 7.76 (d, J=7.26 Hz, 1 H) 7.84 (td, J=7.70, 1.76 Hz, 1 H) 8.47 - 8.51 (m, 2 H).	E,1.27	346
195		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.52 (d, J=6.82 Hz, 3 H) 5.21 (s, 2 H) 5.42 (quin, J=6.99 Hz, 1 H) 5.47 - 5.58 (m, 2 H) 5.97 (d, J=2.86 Hz, 1 H) 7.19 - 7.23 (m, 1 H) 7.28 - 7.38 (m, 3 H) 7.44 (d, J=3.08 Hz, 1 H) 7.66 (td, J=7.65, 1.65 Hz, 1 H) 7.77	E,1.27	346

#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		(d, J=7.26 Hz, 1 H) 7.84 (td, J=7.59, 1.32 Hz, 1 H) 8.47 - 8.51 (m, 2 H)		
196		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.56 (s, 3 H) 3.90 (s, 3 H) 4.81 (d, J=5.72 Hz, 2 H) 5.27 (s, 2 H) 5.40 (s, 2 H) 5.93 (d, J=3.08 Hz, 1 H) 7.25 (d, J=3.08 Hz, 1 H) 7.40 (dd, J=8.36, 4.84 Hz, 1 H) 7.52 - 7.56 (m, 1 H) 7.98 (dd, J=4.84, 1.10 Hz, 1 H) 8.41 (t, J=5.50 Hz, 1 H)	E,1.24	367
197		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.55 (d, J=7.0 Hz, 3 H), 2.58 (s, 3 H), 5.22 (s, 2 H), 5.41 - 5.49 (m, 1 H), 5.46 (d, J=6.8 Hz, 2 H), 5.94 (d, J=3.1 Hz, 1 6 H), 7.23 (ddd, J=7.5, 4.8, 0.9 Hz, 1 H), 7.34 (d, J=3.1 Hz, 1 H), 7.38 (d, J=8.1 Hz, 1 H), 7.40 (s, 1 H), 7.47 (d, J=7.5 Hz, 1 H), 7.69 (td, J=7.7, 1.8 Hz, 1 H), 8.47 - 8.54 (m, 1 H)	E,1.37	366
198		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.15 (s, 6 H) 1.69 - 1.74 (m, 2 H) 3.57 - 3.64 (m, 2 H) 5.62 (s, 2 H) 6.22 (d, J=2.86 Hz, 1 H) 7.34 - 7.48 (m, 4 H) 7.67 (d, J=3.08 Hz, 1 H) 7.91 (td, J=7.70, 1.76 Hz, 1 H) 8.56 - 8.59 (m, 1 H) 8.79 (t, J=4.80 Hz, 1 H) 12.51 (br. s., 1 H)	E,1.09	327



#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
199		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.21 (d, J=7.04 Hz, 6 H) 2.97 - 3.10 (m, 1 H) 3.14 - 3.18 (m, 3 H) 3.56 (t, J=4.95 Hz, 2 H) 4.37 (t, J=5.06 Hz, 2 H) 4.65 (d, J=5.72 Hz, 2 H) 5.37 (s, 2 H) 5.93 (d, J=3.08 Hz, 1 H) 6.18 (s, 1 H) 6.86 (t, J=5.61 Hz, 1 H) 7.17 (d, J=3.08 Hz, 1 H)	D,0.74	331
200		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 0.78 - 0.90 (m, 2 H) 0.94 - 1.06 (m, 2 H) 2.03 - 2.17 (m, 1 H) 3.11 - 3.18 (m, 3 H) 3.55 (t, J=5.06 Hz, 2 H) 4.36 (t, J=5.06 Hz, 2 H) 4.61 (d, J=5.72 Hz, 2 H) 5.36 (s, 2 H) 5.92 (d, J=3.08 Hz, 1 H) 6.15 (s, 1 H) 6.84 (t, J=5.72 Hz, 1 H) 7.17 (d, J=3.08 Hz, 1 H)	D,0.69	329
201		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.54 (d, J=7.04 Hz, 3 H) 3.20 (s, 3 H) 3.63 (dt, J=5.94, 3.19 Hz, 2 H) 4.32 - 4.50 (m, 2 H) 5.23 (s, 2 H) 5.42 (t, J=7.04 Hz, 1 H) 5.92 (d, J=2.86 Hz, 1 H) 6.68 (d, J=7.04 Hz, 1 H) 7.18 (d, J=3.08 Hz, 1 H) 7.34 (ddd, J=7.87, 4.68, 0.66 Hz, 1 H) 7.84 (dt, J=7.92, 1.76 Hz, 1 H) 8.42 (dd, J=4.62, 1.54 Hz, 1 H) 8.68 (d, J=2.20 Hz, 1 H)	D,0.6	313
202		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.27 (s, 3 H) 3.17 - 3.19 (m, 3 H) 3.61 (t, J=5.06 Hz, 2 H) 4.40 (t, J=5.06 Hz, 2 H) 4.70 (d, J=5.50 Hz, 2 H)	D,0.64	313

#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		5.23 (s, 2 H) 5.92 (d, J=3.08 Hz, 1 H) 6.96 (t, J=5.61 Hz, 1 H) 7.17 (d, J=2.86 Hz, 1 H) 7.27 (d, J=7.92 Hz, 1 H) 7.55 (dd, J=8.03, 1.65 Hz, 1 H) 8.26 - 8.42 (m, 1 H)		
203		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.54 (s, 3 H) 4.72 (d, J=5.72 Hz, 2 H) 5.30 (s, 2 H) 5.59 (s, 2 H) 5.98 (d, J=3.08 Hz, 1 H) 7.30 - 7.35 (m, 2 H) 7.45 (t, J=4.95 Hz, 1 H) 8.75 (d, J=4.84 Hz, 2 H)	D,0.48	338
204		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.54 (s, 3 H) 4.71 (d, J=5.72 Hz, 2 H) 5.33 (s, 2 H) 5.63 (s, 2 H) 6.02 (d, J=3.08 Hz, 1 H) 7.22 - 7.30 (m, 1 H) 7.41 (d, J=3.08 Hz, 1 H) 8.43 (s, 1 H) 8.52 (dd, J=2.42, 1.54 Hz, 1 H) 8.56 (d, J=2.42 Hz, 1 H)	E,0.92	338
205		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.57 (s, 3 H) 3.80 (s, 3 H) 4.85 (d, J=5.72 Hz, 2 H) 5.56 (s, 2 H) 6.24 (d, J=2.86 Hz, 1 H) 6.84 - 6.90 (m, 2 H) 7.03 (d, J=8.14 Hz, 1 H) 7.28 - 7.34 (m, 1 H) 7.40 (d, J=2.86 Hz, 1 H) 7.49 (br. s., 2 H) 8.22 - 8.28 (m, 1 H) 12.89 (br. s., 1 H)	E,1.31	366
206		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.21 (d, J=6.6 Hz, 3 H), 2.65 (s, 3 H), 3.27 (s, 3 H), 3.32 - 3.35 (m, 1 H), 3.47 (dd, J=9.2, 5.1 Hz, 1 H), 4.35 - 4.55 (m, 6 H), 5.25 (s, 2 H), 5.36 (d, J=4.8 Hz, 2 H),	E,1.33	333

#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		5.92 (d, J=3.1 Hz, 1 H), 6.76 (d, J=7.5 Hz, 1 H), 7.30 (d, J=3.1 Hz, 1 H), 7.40 (s, 1 H)		
207		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.37 (s, 3 H) 4.97 (d, J=5.06 Hz, 2 H) 5.81 (s, 2 H) 6.31 (d, J=2.86 Hz, 1 H) 7.37 (d, J=7.70 Hz, 1 H) 7.43 (s, 1 H) 7.47 - 7.52 (m, 1 H) 7.57 (br. s., 1 H) 7.75 (d, J=3.08 Hz, 1 H) 7.97 (t, J=7.70 Hz, 1 H) 8.53 (d, J=4.62 Hz, 1 H) 9.50 (br. s., 1 H) 12.88 (br. s., 1 H)	E,1.21	352
208		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 3.37 (s, 3 H) 4.72 (s, 2 H) 4.82 (d, J=5.72 Hz, 2 H) 5.29 (s, 2 H) 5.46 (s, 2 H) 5.96 - 6.00 (m, 1 H) 7.29 - 7.37 (m, 2 H) 7.42 (d, J=3.08 Hz, 1 H) 7.81 (td, J=8.00, 1.50 Hz, 1 H) 8.12 (t, J=6.16 Hz, 1 H) 8.45 - 8.50 (m, 1 H)	E,1.15	367
209		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.49 (s, 3 H) 3.71 (s, 6 H) 4.70 (d, J=5.72 Hz, 2 H) 5.27 (s, 2 H) 5.41 (s, 2 H) 5.98 (d, J=2.86 Hz, 1 H) 6.11 (s, 1 H) 6.79 (t, J=5.61 Hz, 1 H) 7.28 (d, J=2.86 Hz, 1 H)	E,1.23	398
210		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.19 (d, J=1.10 Hz, 3 H) 3.68 (s, 6 H) 4.77 (d, J=5.72 Hz, 2 H) 5.68 (s, 2 H) 6.12 (s, 1 H) 6.28 (d, J=3.08 Hz, 1 H) 6.70 (d, J=1.32 Hz, 1 H) 7.45 (br. s., 1 H) 7.59 (d, J=3.08 Hz, 1 H) 8.12 (t, J=5.50 Hz, 1 H) 12.59 -	E,1.27	397

#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		12.72 (m, 1 H)		
211		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.17 (d, J=6.60 Hz, 3 H) 3.23 - 3.30 (m, 4 H) 3.43 (dd, J=9.02, 5.06 Hz, 1 H) 4.36 - 4.44 (m, 1 H) 5.27 (br. s., 2 H) 5.36 - 5.47 (m, 2 H) 5.95 (d, J=2.64 Hz, 1 H) 7.19 (d, J=7.04 Hz, 1 H) 7.33 - 7.43 (m, 3 H) 7.85 (t, J=7.37 Hz, 1 H) 8.55 (d, J=3.96 Hz, 1 H)	E,1.21	313
212		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 1.18 (d, J=6.60 Hz, 3 H) 3.25 (s, 3 H) 3.29 (s, 3 H) 3.32 - 3.35 (m, 1 H) 3.45 (dd, J=9.35, 5.17 Hz, 1 H) 3.61 (t, J=4.73 Hz, 2 H) 4.28 - 4.39 (m, 2 H) 4.44 (dt, J=12.71, 6.30 Hz, 1 H) 5.32 (br. s., 2 H) 5.93 (br. s., 1 H) 6.24 (d, J=7.70 Hz, 1 H) 7.16 (s, 1 H)	E,1.21	280
213		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.25 (d, J=1.10 Hz, 3 H) 3.89 (s, 3 H) 4.76 (d, J=5.50 Hz, 2 H) 5.29 (s, 2 H) 5.40 (s, 2 H) 5.93 (d, J=3.08 Hz, 1 H) 6.76 (d, J=1.10 Hz, 1 H) 7.25 (d, J=3.08 Hz, 1 H) 7.39 (dd, J=8.36, 4.62 Hz, 1 H) 7.53 (dd, J=8.36, 1.10 Hz, 1 H) 7.94 (dd, J=4.73, 1.21 Hz, 1 H) 8.36 (t, J=5.61 Hz, 1 H)	E,1.29	366
214		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.05 (d, J=1.32 Hz, 3 H) 4.73 (d, J=5.72 Hz, 2 H) 5.31 (s, 2 H) 5.47 (s, 2 H) 5.98 (d, J=3.08 Hz, 1 H) 7.29 - 7.35	E,1.17	336

-76-

#	STRUCTURE	¹ H NMR	LC Method, Rt (min)	LC-MS Mass Found
		(m, 2 H) 7.42 (d, J=3.08 Hz, 1 H) 7.67 (d, J=1.10 Hz, 1 H) 7.81 (td, J=7.70, 1.76 Hz, 1 H) 7.99 (t, J=5.61 Hz, 1 H) 8.41 - 8.45 (m, 1 H)		
215		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.31 (s, 3 H) 3.80 (s, 3 H) 4.77 (d, J=5.72 Hz, 2 H) 5.34 (s, 2 H) 5.43 (s, 2 H) 6.01 (d, J=2.86 Hz, 1 H) 6.46 - 6.50 (m, 1 H) 6.80 (t, J=7.26 Hz, 1 H) 6.90 (t, J=5.83 Hz, 1 H) 7.00 (d, J=8.14 Hz, 1 H) 7.20 - 7.27 (m, 2 H) 7.31 (d, J=1.10 Hz, 1 H)	E,1.42	381
216		¹ H NMR (400 MHz, DMSO- <i>d</i> ₆) δ ppm 2.43 (s, 3 H) 4.85 (d, J=5.72 Hz, 2 H) 5.33 (s, 2 H) 5.49 (s, 2 H) 5.99 (d, J=3.08 Hz, 1 H) 7.24 (d, J=7.70 Hz, 1 H) 7.34 (ddd, J=7.54, 4.90, 0.99 Hz, 1 H) 7.43 (d, J=3.08 Hz, 1 H) 7.80 (td, J=7.70, 1.76 Hz, 1 H) 8.03 (t, J=5.61 Hz, 1 H) 8.44 - 8.47 (m, 1 H)	E,0.98	337

5 Analytical Methods.

All compounds were characterized by LC-MS according to the following LC-MS methods.

Method A. Using a Phenomenex Kinetex column (XB-C18, 50 x 4.6 mm I.D. 2.6 μ m) held at 35°C. MS detection: API-ES positive ionization mode, mass range 100-1200. PDA detection (λ =190-400 nm). The following gradient was used with a 2 μ L injection:

Solvent A	H ₂ O + 0.1% Formic Acid		
Solvent B	Acetonitrile		
Time (min)	%A	%B	Flow (mL/min)
0.0	95	5	3.0
4.2	5	95	3.0
4.9	5	95	3.0
5.0	95	5	3.0

Method B. Reversed phase UPLC (Ultra Performance Liquid Chromatography) was carried out on a bridged ethylsiloxane/silica hybrid (BEH) C18 column (1.7 μ m, 2.1 x 50 mm; Waters Acquity) with a flow rate of 0.8 ml/min. Two mobile phases (10 mM ammonium acetate in H₂O/acetonitrile 95/5; mobile phase B: acetonitrile) were used to run a gradient condition from 95 % A and 5 % B to 5 % A and 95 % B in 1.3 minutes and hold for 0.7 minutes. An injection volume of 0.75 μ L was used. Cone voltage was 30 V for positive ionization mode and 30 V for negative ionization mode.

Method C. Analyses were carried out on a Waters XTerra C18 column (100 x 4.6 mm I.D. 3.5 μ m particles) at 40 °C, with a flow rate of 1.6 mL/min. A gradient elution was performed as follows: from 100% of a solution of ammonium acetate (25 mM) in Water/Acetonitrile 90:10 to a mixture of Acetonitrile/Methanol 50:50 in 7.5 min; from the resulting composition to 100% Acetonitrile in 1.0 min; 100% Acetonitrile for 1.5 min; from 100% Acetonitrile to 100% to 100% of a solution of ammonium acetate (25 mM) in Water/Acetonitrile 90:10 (25mM) in 3.0 minutes. The standard injection volume was 3 μ L. Acquisition ranges were set to 200-400 nm for the UV.

Method D. The LC measurement was performed using an Acquity UPLC (Waters) system comprising a binary pump, a sample organizer, a column

- 5 heater (set at 55 °C), a diode-array detector (DAD) and a column as specified in the respective methods below. Flow from the column was split to a MS spectrometer. The MS detector was configured with an electrospray ionization source. Mass spectra were acquired by scanning from 100 to 1000 in 0.18 seconds using a dwell time of 0.02 seconds. The capillary needle voltage was
- 10 3.5 kV and the source temperature was maintained at 140 °C. Nitrogen was used as the nebulizer gas. Reversed phase UPLC (Ultra Performance Liquid Chromatography) was carried out on a bridged ethylsiloxane/silica hybrid (BEH) C18 column (1.7 µm, 2.1 x 50 mm; Waters Acquity) with a flow rate of 0.8 mL/min. Two mobile phases (10 mM ammonium acetate in H₂O/acetonitrile
- 15 95/5; mobile phase B: acetonitrile) were used to run a gradient condition from 95 % A and 5 % B to 5 % A and 95 % B in 1.3 minutes and hold for 0.3 minutes. An injection volume of 0.5 µl was used. Cone voltage was 10 V for positive ionization mode and 20 V for negative ionization mode.

Method E

Instrument	Column	Mobile phase	Gradient	Flow ----- Col Temp	Run time
Waters: Acquity® UPLC® - DAD and SQD	Waters : HSS T3 (1.8 µm, 2.1*100 mm)	A: 10mM CH ₃ COONH ₄ in 95% H ₂ O + 5% CH ₃ CN B: CH ₃ CN	From 100% A to 5% A in 2.10min, to 0% A in 0.90min, to 5% A in 0.5min	0.8 ----- 55	3.5

20

Method F

Instrument	Column	Mobile phase	Gradient	Flow ----- Col Temp	Run time
Waters: Alliance® - DAD – ZQ and ELSD 2000 Alltech	Waters : Xterra MS C18 (3.5µm, 4.6*100m m)	A: 25mM CH ₃ COONH ₄ in 95% H ₂ O + 5% CH ₃ CN, B: CH ₃ CN, C: CH ₃ OH, D: (40% CH ₃ CN and 40% CH ₃ OH and 20% H ₂ O with 0.25% CH ₃ COOH	From 100% A to 1% A, 49% B and 50% C in 6.5 min, to 1% A and 99% B in 0.5 min,to 100% D in 1 min held for 1.0 min to 100% A in 0.5 min and held for 1.5min.	1.6 ----- 40	11

5

Biological Activity of compounds of formula (I)**Description of Biological Assays****Assessment of TLR7 and TLR8 activity**

10 The ability of compounds to activate human TLR7 and/or TLR8 was assessed in a cellular reporter assay using HEK293 cells transiently transfected with a TLR7 or TLR8 expression vector and NFκB-luc reporter construct.

Briefly, HEK293 cells were grown in culture medium (DMEM supplemented with 10% FCS and 2 mM Glutamine). For transfection of cells in 10 cm dishes, cells were detached with Trypsin-EDTA, transfected with a mix of CMV-TLR7 or TLR8 plasmid (750 ng), NFκB-luc plasmid (375 ng) and a transfection reagent and incubated overnight at 37°C in a humidified 5% CO₂ atmosphere. Transfected cells were then detached with Trypsin-EDTA, washed in PBS and resuspended in medium to a density of 1.67×10^5 cells/mL. Thirty microliters of cells were then dispensed into each well in 384-well plates, where 10 μL of compound in 4% DMSO was already present. Following 6 hours incubation at 37°C, 5% CO₂, the luciferase activity was determined by adding 15 μL of Steady Lite Plus substrate (Perkin Elmer) to each well and readout performed on a ViewLux ultraHTS microplate imager (Perkin Elmer). Dose response curves were generated from measurements performed in quadruplicates. Lowest effective concentrations (LEC) values, defined as the concentration that induces an effect which is at least two fold above the standard deviation of the assay, were determined for each compound.

Compound toxicity was determined in parallel using a similar dilution series of compound with 30 μL per well of cells transfected with the CMV-TLR7 construct alone (1.67×10^5 cells/mL), in 384-well plates. Cell viability was measured after 6 hours incubation at 37°C, 5% CO₂ by adding 15 μL of ATP lite (Perkin Elmer) per well and reading on a ViewLux ultraHTS microplate imager (Perkin Elmer). Data was reported as CC₅₀.

35 In parallel, a similar dilution series of compound was used (10 μL of compound in 4% DMSO) with 30 μL per well of cells transfected with NFκB-luc reporter construct alone (1.67×10^5 cells/mL). Six hours after incubation at 37°C, 5% CO₂, the luciferase activity was determined by adding 15 μL of Steady Lite Plus







- 5 substrate (Perkin Elmer) to each well and readout performed on a ViewLux ultraHTS microplate imager (Perkin Elmer). Counterscreen data is reported as LEC.







Activation of ISRE promoter elements







- 10 The potential of compounds to induce IFN-I was also evaluated by measuring the activation of interferon-stimulated responsive elements (ISRE) by conditioned media from PBMC. The ISRE element of sequence GAAACTGAAACT is highly responsive to the STAT1-STAT2-IRF9 transcription factor, activated upon binding of IFN-I to their receptor IFNAR (Clontech, PT3372-5W). The plasmid pISRE-Luc from Clontech (ref. 631913) contains 5
15 copies of this ISRE element, followed by the firefly luciferase ORF. A HEK293 cell line stably transfected with pISRE-Luc (HEK-ISREluc) was established to profile of the conditioned PBMC cell culture media.







- Briefly, PBMCs were prepared from buffy coats of at least two donors using a standard Ficoll centrifugation protocol. Isolated PBMCs were resuspended in
20 RPMI medium supplemented with 10% human AB serum and 2×10^5 cells/well were dispensed into 384-well plates containing compounds (70 μ L total volume). After overnight incubation, 10 μ L of supernatant was transferred to 384-well plates containing 5×10^3 HEK-ISREluc cells/well in 30 μ L (plated the day before). Following 24 hours of incubation, activation of the ISRE elements
25 was measured by assaying luciferase activity using 40 μ L/well Steady Lite Plus substrate (Perkin Elmer) and measured with ViewLux ultraHTS microplate imager (Perkin Elmer). The stimulating activity of each compound on the HEK-ISREluc cells was reported as LEC value, defined as the compound concentration applied to the PBMCs resulting in a luciferase activity at least two
30 fold above the standard deviation of the assay. The LEC in turn indicates the degree of ISRE activation on transfer of a defined amount of PBMC culture medium. Recombinant interferon α -2a (Roferon-A) was used as a standard control compound.







- Table 2. Activity of compounds of formula (I). All compounds showed no activity
35 (LEC >25 μ M) in the HEK 293 NF-kB counterscreen assay described above.







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
1		0.20	>25	0.20
2		0.50	>25	0.60
3		2.6	>25	1.2
4		0.60	13.5	0.4
5		0.30	>25	0.2
6		1.3	>25	0.7







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
7		0.61	>25	0.8
8		0.49	1.7	0.15
9		0.53	2.1	0.22
10		0.15	>25	0.06
11		1.5	3,5	0.56
12		0.14	0.7	0.05







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
13		0.80	>25	0.89
14		0.52	6,57	0.01
15		5.84	>25	0.1
16		0.89	>25	0.6
17		0.07	12,5	0.01
18		0.07	>25	0.01







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
19		2.5	7.06	0.62
20		0.14	1.3	0.02
21		0.009	7.4	0.0007
22		0.48	9.2	0.02
23		0.83	>25	0.27
24		0.02	6.47	0.0007







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
25		0.01	2.84	0.001
26		0.03	1.95	0.002
27		0.15	0.85	0.17
28		0.11	1.1	0.03
29		0.15	>25	0.04
30		0.16	0.67	0.05







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
31		0.22	>25	0.16
32		0.91	>25	0.52
33		0.03	>25	0.04
34		0.91	>25	0.54
35		1.49	>25	0.70
36		1.06	>25	0.59







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
37		0.005	>25	0.007
38		0.54	>25	0.63
39		0.17	>25	0.009
40		0.12	24.61	0.004
41		0.09	>25	0.11
42		0.28	>25	0.16







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
43		0.11	>25	0.17
44		1.51	>25	2.45
45		19.9	>25	0.74
46		0.83	>25	0.17
47		17.5	>25	1.79
48		0.05	>25	0.03







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
49		22.43	>25	2.34
50		1.01	>25	0.13
51		5.14	>25	0.59
52		0.12	>25	0.09
53		0.38	2.78	0.07
54		1.68	>25	0.90







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
55		0.08	0.81	0.06
56		0.99	17.5	0.07
57		0.33	>25	0.28
58		0.24	>25	0.90
59		0.37	>25	0.22
60		0.39	>25	0.33






#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
61		1.01	>25	1.95
62		0.06	0.9934	0.06
63		0.67	>25	0.18
64		1.36	>25	0.26
65		0.1687	>25	0.08
66		2.57	3.96	0.91







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
67		0.056	6.71	0.04
68		0.19	>25	0.04
69		0.004	0.71	0.002
70		1.53	>25	0.75
71		0.32	4.68	0.24
72		0.13	>25	0.04







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
73		0.28	>25	0.13
74		0.10	>25	0.04
75		0.04	>25	0.04
76		0.01	4.09	0.007
77		0.008	2.62	0.002
78		0.0004	0.5577	<0.0004







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
79		0.004	0.94	0.001
80		<0.0006	0.689	<0.0004
81		0.01	22.02	0.002
82		0.07	0.57	0.01
83		1.57	>25	2.3
84		0.04	1.14	0.01

#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
85		0.03	10.14	0.002
86		1.63	>25	0.47
87		0.01	>25	0.008
88		0.01	2.46	0.0006
89		0.04	>25	0.006
90		0.03	>25	0.01







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
91		0.05	2.17	0.02
92		0.10	4.46	0.02
93		0.26	>25	0.12
94		0.01	>25	0.01
95		0.01	3.26	0.007







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
96		0.05	>25	0.04
97		<0.01	0.23	0.001
98		<0.01	0.22	0.001
99		<0.01	0.1	<0.001
100		<0.01	0.04	<0.001
101		<0.01	0.08	<0.001







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
102		<0.01	0.14	<0.001
103		0.032	>25	0.018
104		11.960	>25	1.980
105		0.827	>25	0.194
106		0.008	0.59	0.005
107		2.030	>25	2.130







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
108		0.126	>25	0.070
109		0.005	7.17	0.003
110		0.002	>25	0.001
111		0.637	>25	0.293
112		0.741	>25	0.209
113		1.320	>25	0.807







-100-






#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
114		0.186	2.27	0.133
115		0.241	7.93	0.079
116		0.049	>25	0.022
117		2.950	>22.7	1.430
118		1.650	>25	3.010
119		1.810	>25	2.180







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
120		3.220	>25	2.160
121		0.172	>25	0.046
122		0.050	>25	0.030
123		0.026	>25	0.002
124		0.003	>22	0.001
125		0.086	>25	0.009







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
126		0.054	>25	0.008
127		0.337	>25	0.019
128		0.342	>25	0.062
129		0.670	>25	0.122
130		1.940	>25	0.804
131		0.004	24.6	0.001







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
132		5.99	>25	0.879
133		0.07	>25	0.023
134		1.20	>25	0.104
135		12.5	>25	4.050
136		3.04	>25	0.559
137		13.8	>25	2.030






#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
138		4.45	>25	0.502
139		1.41	>25	0.588
140		1.24	>25	0.513
141		0.43	>25	0.048
142		0.52	>25	0.134
143		0.10	>25	0.016







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
144		0.07	>25	0.009
145		0.05	>25	0.021
146		0.20	>25	0.139
147		4.49	>25	2.020
148		0.16	3.93	0.056







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
149		0.02	>25	0.006
150		0.25	>25	0.054
151		12.8	>25	2.580
152		0.73	>25	0.142
153		0.05	>25	0.002
154		0.08	>25	0.017







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
155		0.90	>25	0.415
156		0.05	>25	0.040
157		0.03	>25	0.003
158		0.05	>25	0.020
159		0.05	>25	0.019
160		8.07	>25	1.810

#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
161		0.02	>25	0.009
162		0.32	>25	0.128
163		<0.01	0.75	0.001
164		0.04	15.93	0.025
165		4.94	>25	0.957
166		4.88	NA	NA






#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
167		0.09	>25	0.008
168		0.09	>25	0.011
169		0.04	>25	0.011
170		0.01	>25	0.002
171		0.02	>25	NA







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
172		1.40	>25	0.017
173		0.53	>25	0.066
174		6.13	>25	2.200
175		0.02	>25	0.009
176		0.04	>25	0.009
177		8.67	>25	3.930

#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
178		0.15	>25	0.014
179		0.02	>25	0.003
180		0.01	>25	0.004
181		0.06	20.2	0.015
182		0.05	>25	0.018
183		0.59	>25	0.009







#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
184		0.49	>25	0.131
185		0.07	>25	0.018
186		0.14	>25	0.035
187		4.78	>25	0.520
188		7.62	>25	0.047
189		0.40	>25	0.074

#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
190		0.26	>25	0.038
191		0.06	>24	0.006
192		0.07	>25	0.030
193		11.3	>25	0.447
194		2.38	>25	0.507
195		0.16	>25	0.024





#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
196		0.01	12.6	0.002
197		0.39	>25	0.040
198		8.76	>25	0.617
199		0.60	23.5	0.032
200		0.17	11.4	0.035

#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
201		7.30	>25	0.978
202		1.61	>25	0.580
203		1.04	>25	0.138
204		1.78	>25	0.188
205		<0.01	7.7	0.001
206		0.74	15	0.129

-116-


#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
207		0.06	23	0.009
208		5.14	>25	0.402
209		0.04	>25	0.008
210		0.02	>25	0.003
211		6.94	22	0.470
212		7.60	>25	2.090

-117-

#	STRUCTURE	TLR7 LEC (μ M)	TLR8 LEC (μ M)	PBMC LEC (μ M)
213		<0.01	>25	0.001
214		1.16	>25	0.151
215		<0.01	>25	0.001
216		1.24	>25	0.091

5 **Claims**

1. A compound of formula (I)



and their pharmaceutically acceptable salt, solvate or polymorph thereof wherein

10 R_1 is H, fluorine or methyl;

R_2 is H, halogen or C_{1-3} alkyl;

R_3 is C_{1-6} alkyl optionally substituted by aryl optionally further substituted by one or more substituents independently selected from aryloxy, halogen, aryl, alkylamino, dialkylamino, C_{1-6} alkyl, carboxylic acid, carboxylic ester, carboxylic amide, nitrile, or C_{1-6} alkoxy; or

15

R_3 is C_{1-6} alkyl optionally substituted by C_{1-6} alkene, C_{3-7} cycloalkyl or C_{3-7} heterocycloalkyl; or

R_3 is C_{1-6} alkyl optionally substituted by C_{1-6} alkoxy optionally further substituted by aryl;

20 R_4 is C_{1-8} alkyl optionally substituted by one or more substituents independently selected from hydroxyl, C_{1-6} alkoxy, C_{1-6} alkyl, C_{3-7} cycloalkyl, C_{2-6} alkenyl, aryl, heteroaryl optionally further substituted by C_{1-6} alkyl, and C_{3-7} cycloalkyl optionally further substituted by C_{1-6} alkyl;

with the proviso that 2-amino, 4-(N-butylamino)-5-(α -methylbenzyl)pyrrolo[3,2-d]pyrimidine is excluded.

25

2. A compound of formula (I) according to claim 1 wherein R_3 is a methyl group substituted with an aryl (substituted or unsubstituted), and R_1 , R_2 , and R_4 are as described in claim 1.

3. A compound of formula (I) according to claim 1 wherein R_3 and R_4 are a C_{1-3} alkyl substituted by an aryl, optionally further substituted as described in claim 1.
- 30

- 5 4. A compound of formula (I) according to claim 1 wherein R₁ is fluorine, R₂
is hydrogen, and R₃ and R₄ are as described in claim 1.
- 10 5. A pharmaceutical composition comprising a compound of formula (I) or a
pharmaceutically acceptable salt, solvate or polymorph thereof
according to claim 1 together with one or more pharmaceutically
acceptable excipients, diluents or carriers.
- 15 6. A compound of formula (I) or a pharmaceutically acceptable salt, solvate
or polymorph thereof according to claim 1, or a pharmaceutical
composition comprising said compound of formula (I) or a
pharmaceutically acceptable salt, solvate or polymorph thereof
according to claim 5 for use as a medicament.