



FIG.1A

FIG.1B




FIG.1C




FIG.1D



FIG.2A



FIG.2B




FIG.2C



FIG.2D




FIG.3A




FIG.3B

5/39




FIG. 3C




FIG.3D




FIG.3E

8/39




FIG. 3F



FIG.4A



FIG.4B



FIG.4C



FIG.4D




FIG.5A




FIG.5B




FIG.5C




FIG.5D




FIG.6A




FIG.6B




FIG.6C




FIG.6D




FIG.6E



FIG.7A



FIG.7B



FIG.7C



FIG.7D



FIG.7E



FIG.7F



FIG.7G



FIG.7H



FIG.7I



FIG.7J



FIG.7K






FIG.7L

21/39






FIG.9A

23/39

92hrs 1 μ M POM




FIG.9B

92hrs Untreated




FIG.9C




FIG.10A




FIG.10B




FIG.11A




FIG.11C

FIG.11B




FIG.11D




FIG.12A




FIG.12B




FIG.12C




FIG.13

32/39




FIG.14




FIG.15A




FIG.15B

34/39




FIG.15C




FIG.15D




FIG.16A




FIG.16B




FIG.16C




FIG.17




FIG. 18B




FIG. 18D




FIG. 18A




FIG. 18C