

In some embodiments of compounds of Formula I, II, III, IV(a), IV(b), V(a), V(b), VI, VII(a), VII(b), VIII(a), VIII(b), IX, X(a), X(b), XI(a) or XI(b), X is a bond.


In some embodiments, the compound is of Formula XII(a), XII(b), XII(c), XII(d), XII(e), XII(f), XII(g), XII(h), XII(i), XII(j), XII(k), XII(l), XII(m), XII(n) or XII(o), or a pharmaceutically acceptable salt thereof:



Formula XII(a)




Formula XII(b)




Formula XII(c)

In some embodiments of compounds of Formula I, II, III, IV(a), IV(b), V(a), V(b), VI, VII(a), VII(b), VIII(a), VIII(b), IX, X(a), X(b), XI(a) or XI(b), X is a bond.


In some embodiments, the compound is of Formula XII(a), XII(b), XII(c), XII(d), XII(e), XII(f), XII(g), XII(h), XII(i), XII(j), XII(k), XII(l), XII(m), XII(n) or XII(o), or a pharmaceutically acceptable salt thereof:



Formula XII(a)




Formula XII(b)



Formula XII(c)

What is claimed is:

1. A compound of Formula I:



Formula I

or a pharmaceutically acceptable salt thereof, wherein:

R^1 is selected from hydrogen, halogen, CN, C_{1-6} alkyl, C_{1-6} haloalkyl, $C(O)OR^a$, $C(O)NR^bR^c$, OR^a, NR^bR^c, C_{6-10} aryl and 5-10 membered heteroaryl;

R^2 is selected from C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, 5-10 membered heteroaryl and NR^bR^c, wherein each of the C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, $(CH_2)_nOR^a$, $(CH_2)_nOC(O)R^a$, $(CH_2)_nOC(O)OR^a$, $(CH_2)_nOC(O)NR^bR^c$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(O)C(O)NR^bR^c$, $(CH_2)_nNR^dC(S)R^a$, $(CH_2)_nNR^dC(S)OR^a$, $(CH_2)_nNR^dC(S)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)R^a$, $(CH_2)_nC(S)OR^a$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSR^a$, $(CH_2)_nS(O)R^a$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_nC_{6-10}$ aryl and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_nC_{6-10}$ aryl and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^3 is selected from hydrogen, halogen, CN, C_{1-6} alkyl, C_{1-6} haloalkyl, $C(O)OR^a$, $C(O)NR^bR^c$, OR^a, NR^bR^c, C_{6-10} aryl and 5-10 membered heteroaryl;

R^4 is selected from hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$ and SO_2R^a;

R^5 and R^6 are each independently selected from hydrogen, halogen, C_{1-6} alkyl and C_{1-6} haloalkyl;

or alternatively, R^5 and R^6 together with the carbon atom to which they are bound form a group selected from C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl and 3-8 membered heterocycloalkenyl, each optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$, $OC(O)OR^a$, NR^bR^c, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl and C_{1-6} haloalkyl;

R^7 is selected from C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl and 5-10 membered heteroaryl, each optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$, $OC(O)OR^a$, $OC(O)NR^bR^c$, NR^bR^c, $NR^dC(O)R^a$, $NR^dC(O)OR^a$, $NR^dC(O)NR^bR^c$, $NR^dC(O)C(O)NR^bR^c$, $NR^dC(S)R^a$, $NR^dC(S)OR^a$, $NR^dC(S)NR^bR^c$, $NR^dC(NR^e)NR^bR^c$, $NR^dS(O)R^a$, $NR^dSO_2R^a$, $NR^dSO_2NR^bR^c$, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $C(S)R^a$, $C(S)OR^a$, $C(S)NR^bR^c$, $C(NR^e)NR^bR^c$, SR^a, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl, and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^8 and R^9, at each occurrence, are each independently selected from hydrogen, halogen and C_{1-6} alkyl;

X is selected from a bond, $-(CH_2)_p-$, $-(CH_2)_pC(O)(CH_2)_q-$, $-(CH_2)_pO(CH_2)_q-$, $-(CH_2)_pS(CH_2)_q-$, $-(CH_2)_pNR^d(CH_2)_q-$, $-(CH_2)_pC(O)O(CH_2)_q-$, $-(CH_2)_pOC(O)(CH_2)_q-$, $-(CH_2)_pNR^dC(O)(CH_2)_q-$, $-(CH_2)_pC(O)NR^d(CH_2)_q-$, $-(CH_2)_pNR^dC(O)NR^d(CH_2)_q-$, $-(CH_2)_pNR^dSO_2(CH_2)_q-$, and $-(CH_2)_pSO_2NR^d(CH_2)_q-$;

or alternatively, X, R^2 and R^3, together with the carbon atoms to which they are bound, form a 5-6 membered ring optionally containing one or more heteroatoms selected from oxygen nitrogen and sulfur, and optionally containing one or more double bonds, and optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^a, at each occurrence, is independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^b and R^c, at each occurrence, are each independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl, 5-10 membered heteroaryl, $C(O)R^g$, $C(O)OR^g$, $C(O)NR^iR^j$ and SO_2R^g, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^d, at each occurrence, is independently selected from hydrogen and C_{1-6} alkyl;

R^e, at each occurrence, is independently selected from hydrogen, CN, OH, C_{1-6} alkoxy, C_{1-6} alkyl and C_{1-6} haloalkyl;

R^f, at each occurrence, is independently selected from halogen, CN, OR^h, $OC(O)R^h$, $OC(O)OR^h$, $OC(O)NR^iR^j$, NR^iR^j, $NR^dC(O)R^h$, $NR^dC(O)OR^h$, $NR^dC(O)NR^iR^j$, $NR^dC(O)C(O)NR^iR^j$, $NR^dC(S)R^h$, $NR^dC(S)OR^h$, $NR^dC(S)NR^iR^j$, $NR^dC(NR^e)NR^iR^j$, $NR^dS(O)R^h$, $NR^dSO_2R^h$, $NR^dSO_2NR^iR^j$, $C(O)R^h$, $C(O)OR^h$, $C(O)NR^iR^j$, $C(S)R^h$, $C(S)OR^h$, $C(S)NR^iR^j$, $C(NR^e)NR^iR^j$, SR^h, $S(O)R^h$, SO_2R^h, $SO_2NR^iR^j$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl,

C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^k substituents;

or two R^f substituents bound to a single carbon atom, together with the carbon atom to which they are both bound, form a group selected from carbonyl, C_{3-8} cycloalkyl and 3-8 membered heterocycloalkyl;

R^g, at each occurrence, is independently selected from C_{1-6} alkyl, C_{1-6} haloalkyl, phenyl, naphthyl, and C_{7-11} aralkyl, each optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, OH, C_{1-6} alkoxy, C_{1-6} alkyl and C_{1-6} haloalkyl;

R^h, at each occurrence, is independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^k substituents;

R^i and R^j, at each occurrence, are each independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl, 5-10 membered heteroaryl, $C(O)R^g$, and $C(O)OR^g$, wherein each of the C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, OH, C_{1-6} alkoxy, C_{1-6} alkyl and C_{1-6} haloalkyl;

R^k, at each occurrence, is independently selected from halogen, CN,

OH, C_{1-6} alkoxy, NH_2, $NH(C_{1-6}$ alkyl), $N(C_{1-6}$ alkyl$)_2$, $NHC(O)C_{1-6}$ alkyl, $NHC(O)C_{7-11}$ aralkyl, $NHC(O)OC_{1-6}$ alkyl, $NHC(O)OC_{7-11}$ aralkyl, $OC(O)C_{1-6}$ alkyl, $OC(O)C_{7-11}$ aralkyl, $OC(O)OC_{1-6}$ alkyl, $OC(O)OC_{7-11}$ aralkyl, $C(O)C_{1-6}$ alkyl, $C(O)C_{7-11}$ aralkyl, $C(O)OC_{1-6}$ alkyl, $C(O)OC_{7-11}$ aralkyl, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl, wherein each C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, and C_{7-11} aralkyl substituent is optionally substituted with 1, 2 or 3 substituents selected from OH, C_{1-6} alkoxy, NH_2, $NH(C_{1-6}$ alkyl), $N(C_{1-6}$ alkyl$)_2$, $NHC(O)C_{1-6}$ alkyl, $NHC(O)C_{7-11}$ aralkyl, $NHC(O)OC_{1-6}$ alkyl, and $NHC(O)OC_{7-11}$ aralkyl;

or two R^k substituents bound to a single carbon atom, together with the carbon atom to which they are both bound, form a carbonyl group;

m is 0, 1 or 2;

n, at each occurrence, independently is 0, 1 or 2;

p is 0, 1 or 2; and

q is 0, 1 or 2;

provided the compound is not 6-(4-chlorophenyl)-5-methyl-N-(2-methyl-2-(piperidin-1-yl)propyl)pyridazin-3-amine, N-(2-methyl-2-(piperidin-1-yl)propyl)-6-phenyl-5-propylpyridazin-3-amine or N-(2-methyl-2-morpholinopropyl)-6-phenyl-5-propylpyridazin-3-amine.

2. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein m is 0.

3. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein m is 1.

4. The compound of claim 3, wherein R^8 and R^9 are each hydrogen.

5. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 are each C_{1-6} alkyl.

6. The compound of claim 5, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 are each methyl.

7. The compound of any one of claims 1 to 4, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to

which they are bound form a group selected from C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl and 3-8 membered heterocycloalkenyl, each optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$, $OC(O)OR^a$, NR^bR^c, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl and C_{1-6} haloalkyl.

8. The compound of claim 7, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form C_{3-8} cycloalkyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$, $OC(O)OR^a$, NR^bR^c, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl and C_{1-6} haloalkyl.


9. The compound of claim 8, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form a group selected from cyclopropyl, cyclobutyl, cyclopentyl and cyclohexyl, each optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$, $OC(O)OR^a$, NR^bR^c, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl and C_{1-6} haloalkyl.

10. The compound of claim 9, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form cyclobutyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$, $OC(O)OR^a$, NR^bR^c, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl and C_{1-6} haloalkyl.


11. The compound of claim 10, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form cyclobutyl optionally substituted with one or two halogens.

12. The compound of claim 11, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form a group selected from cyclobutyl, 3-fluorocyclobutyl and 3,3-difluorocyclobutyl.

13. The compound of claim 10, wherein the compound is of Formula V(a) or V(b), or a pharmaceutically acceptable salt thereof:



Formula V(a)



Formula V(b)

wherein R^m and R^n are each independently selected from hydrogen, halogen and C_{1-6} alkyl.

14. The compound of claim 13, wherein one of R^m and R^n is hydrogen and the other is halogen.

15. The compound of claim 14, wherein the halogen and R^7 are in a *trans* configuration with respect to one another on the cyclobutyl ring.

16. The compound of claim 14, wherein the halogen and R^7 are in a *cis* configuration with respect to one another on the cyclobutyl ring.

17. The compound of any one of claims 13-16, wherein one of R^m and R^n is hydrogen and the other is fluorine.

18. The compound of any one of claims 1 to 17, or a pharmaceutically acceptable salt thereof, wherein R^7 is phenyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$,

$OC(O)OR^a$, $OC(O)NR^bR^c$, NR^bR^c, $NR^dC(O)R^a$, $NR^dC(O)OR^a$, $NR^dC(O)NR^bR^c$, $NR^dC(O)C(O)NR^bR^c$, $NR^dC(S)R^a$, $NR^dC(S)OR^a$, $NR^dC(S)NR^bR^c$, $NR^dC(NR^e)NR^bR^c$, $NR^dS(O)R^a$, $NR^dSO_2R^a$, $NR^dSO_2NR^bR^c$, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $C(S)R^a$, $C(S)OR^a$, $C(S)NR^bR^c$, $C(NR^e)NR^bR^c$, SR^a, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl, and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

19. The compound of any one of claims 1 to 17, or a pharmaceutically acceptable salt thereof, wherein R^7 is 5-10 membered heteroaryl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$, $OC(O)OR^a$, $OC(O)NR^bR^c$, NR^bR^c, $NR^dC(O)R^a$, $NR^dC(O)OR^a$, $NR^dC(O)NR^bR^c$, $NR^dC(O)C(O)NR^bR^c$, $NR^dC(S)R^a$, $NR^dC(S)OR^a$, $NR^dC(S)NR^bR^c$, $NR^dC(NR^e)NR^bR^c$, $NR^dS(O)R^a$, $NR^dSO_2R^a$, $NR^dSO_2NR^bR^c$, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $C(S)R^a$, $C(S)OR^a$, $C(S)NR^bR^c$, $C(NR^e)NR^bR^c$, SR^a, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl, and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.


20. The compound of claim 19, or a pharmaceutically acceptable salt thereof, wherein R^7 is pyridyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$, $OC(O)OR^a$, $OC(O)NR^bR^c$, NR^bR^c, $NR^dC(O)R^a$, $NR^dC(O)OR^a$, $NR^dC(O)NR^bR^c$, $NR^dC(O)C(O)NR^bR^c$, $NR^dC(S)R^a$, $NR^dC(S)OR^a$, $NR^dC(S)NR^bR^c$, $NR^dC(NR^e)NR^bR^c$, $NR^dS(O)R^a$, $NR^dSO_2R^a$, $NR^dSO_2NR^bR^c$, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $C(S)R^a$, $C(S)OR^a$, $C(S)NR^bR^c$, $C(NR^e)NR^bR^c$, SR^a, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6}

cycloalkyl, C_{3-6} cycloalkenyl, 3-6 membered heterocycloalkyl, 3-6 membered heterocycloalkenyl, phenyl, naphthyl, C_{7-11} aralkyl, and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

21. The compound of claim 20, or a pharmaceutically acceptable salt thereof, wherein R^7 is 2-pyridyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $OC(O)R^a$, $OC(O)OR^a$, $OC(O)NR^bR^c$, NR^bR^c, $NR^dC(O)R^a$, $NR^dC(O)OR^a$, $NR^dC(O)NR^bR^c$, $NR^dC(O)C(O)NR^bR^c$, $NR^dC(S)R^a$, $NR^dC(S)OR^a$, $NR^dC(S)NR^bR^c$, $NR^dC(NR^e)NR^bR^c$, $NR^dS(O)R^a$, $NR^dSO_2R^a$, $NR^dSO_2NR^bR^c$, $C(O)R^a$, $C(O)OR^a$, $C(O)NR^bR^c$, $C(S)R^a$, $C(S)OR^a$, $C(S)NR^bR^c$, $C(NR^e)NR^bR^c$, SR^a, $S(O)R^a$, SO_2R^a, $SO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, 3-6 membered heterocycloalkyl, 3-6 membered heterocycloalkenyl, phenyl, naphthyl, C_{7-11} aralkyl, and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

22. The compound of any one of claims 1 to 21, or a pharmaceutically acceptable salt thereof, wherein X is a bond.

23. The compound of claim 22, wherein the compound is of Formula XII(a), or a pharmaceutically acceptable salt thereof:



Formula XII(a).

24. The compound of any one of claims 1 to 23, or a pharmaceutically acceptable salt thereof, wherein R^2 is phenyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, $(CH_2)_nOR^a$, $(CH_2)_nOC(O)R^a$, $(CH_2)_nOC(O)OR^a$, $(CH_2)_nOC(O)NR^bR^c$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(O)C(O)NR^bR^c$, $(CH_2)_nNR^dC(S)R^a$, $(CH_2)_nNR^dC(S)OR^a$, $(CH_2)_nNR^dC(S)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)R^a$, $(CH_2)_nC(S)OR^a$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSR^a$, $(CH_2)_nS(O)R^a$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

25. The compound of any one of claims 1 to 23, or a pharmaceutically acceptable salt thereof, wherein R^2 is 5-10 membered heteroaryl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, $(CH_2)_nOR^a$, $(CH_2)_nOC(O)R^a$, $(CH_2)_nOC(O)OR^a$, $(CH_2)_nOC(O)NR^bR^c$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(O)C(O)NR^bR^c$, $(CH_2)_nNR^dC(S)R^a$, $(CH_2)_nNR^dC(S)OR^a$, $(CH_2)_nNR^dC(S)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)R^a$, $(CH_2)_nC(S)OR^a$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSR^a$, $(CH_2)_nS(O)R^a$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

26. The compound of claim 25, or a pharmaceutically acceptable salt

thereof, wherein R^2 is selected from pyridyl, pyrimidyl, pyrazyl, pyridazyl, triazyl, furanyl, pyrrolyl, thiophenyl, thiazolyl, isothiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with 1, 2, 3 or 4 substituents selected from halogen, CN, oxo, $(CH_2)_nOR^a$, $(CH_2)_nOC(O)R^a$, $(CH_2)_nOC(O)OR^a$, $(CH_2)_nOC(O)NR^bR^c$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(O)C(O)NR^bR^c$, $(CH_2)_nNR^dC(S)R^a$, $(CH_2)_nNR^dC(S)OR^a$, $(CH_2)_nNR^dC(S)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)R^a$, $(CH_2)_nC(S)OR^a$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSR^a$, $(CH_2)_nS(O)R^a$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

27. The compound of claim 26, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from pyridyl, pyrimidyl, pyrazyl, pyridazyl, triazyl, furanyl, pyrrolyl, thiophenyl, thiazolyl, isothiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with a substituent selected from $(CH_2)_nC(O)OR^a$ and $(CH_2)_nC(O)NR^bR^c$; and optionally substituted with 1, 2 or 3 additional substituents selected from halogen, CN, oxo, $(CH_2)_nOR^a$, $(CH_2)_nOC(O)R^a$, $(CH_2)_nOC(O)OR^a$, $(CH_2)_nOC(O)NR^bR^c$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(O)C(O)NR^bR^c$, $(CH_2)_nNR^dC(S)R^a$, $(CH_2)_nNR^dC(S)OR^a$, $(CH_2)_nNR^dC(S)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)R^a$, $(CH_2)_nC(S)OR^a$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSR^a$, $(CH_2)_nS(O)R^a$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10

membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

28. The compound of claim 27, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from furanyl, pyrrolyl, thiophenyl, thiazolyl, isothiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with $(CH_2)_nC(O)NR^bR^c$.

29. The compound of claim 26, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from pyridyl, pyrimidyl, pyrazyl, pyridazyl, triazyl, furanyl, pyrrolyl, thiophenyl, thiazolyl, isothiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with $(CH_2)_nNR^dC(O)R^a$, wherein R^a is C_{1-6} alkyl or 3-8 membered heterocycloalkyl, each optionally substituted with 1, 2 or 3 additional substituents selected from halogen, CN, oxo, $(CH_2)_nOR^a$, $(CH_2)_nOC(O)R^a$, $(CH_2)_nOC(O)OR^a$, $(CH_2)_nOC(O)NR^bR^c$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(O)C(O)NR^bR^c$, $(CH_2)_nNR^dC(S)R^a$, $(CH_2)_nNR^dC(S)OR^a$, $(CH_2)_nNR^dC(S)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)R^a$, $(CH_2)_nC(S)OR^a$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSR^a$, $(CH_2)_nS(O)R^a$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

30. The compound of claim 29, or a pharmaceutically acceptable salt thereof, wherein R^2 is is selected from furanyl, pyrrolyl, thiophenyl, thiazolyl, isothiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with $(CH_2)_nNR^dC(O)R^a$, wherein R^a

is selected from C_{1-6} alkyl, C_{1-6} alkyl-OH and C_{1-6} alkyl-NH_2, each optionally substituted with 1, 2 or 3 additional substituents selected from halogen, CN, $(CH_2)_nOR^a$, $(CH_2)_nOC(O)R^a$, $(CH_2)_nOC(O)OR^a$, $(CH_2)_nOC(O)NR^bR^c$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nSR^a$, $(CH_2)_nS(O)R^a$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl.

31. The compound of claim 25, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from indolyl, indazolyl, benzimidazolyl, benzoxazolyl and benzoisoxazolyl, each optionally substituted with 1, 2, 3 or 4 substituents selected from halogen, CN, oxo, $(CH_2)_nOR^a$, $(CH_2)_nOC(O)R^a$, $(CH_2)_nOC(O)OR^a$, $(CH_2)_nOC(O)NR^bR^c$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(O)C(O)NR^bR^c$, $(CH_2)_nNR^dC(S)R^a$, $(CH_2)_nNR^dC(S)OR^a$, $(CH_2)_nNR^dC(S)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)R^a$, $(CH_2)_nC(S)OR^a$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSR^a$, $(CH_2)_nS(O)R^a$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, $(CH_2)_nC_{3-8}$ cycloalkyl, $(CH_2)_n$3-8 membered heterocycloalkyl, $(CH_2)_n$phenyl, $(CH_2)_n$naphthyl and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

32. The compound of any one of claims 1 to 31, or a pharmaceutically acceptable salt thereof, wherein R^1 is selected from hydrogen, halogen, CN, CF_3 and methyl.

33. The compound of claim 32, or a pharmaceutically acceptable salt thereof, wherein R^1 is hydrogen.

34. The compound of any one of claims 1 to 33, or a pharmaceutically

acceptable salt thereof, wherein R^3 is selected from hydrogen, halogen, CN, CF_3 and methyl.

35. The compound of claim 34, or a pharmaceutically acceptable salt thereof, wherein R^3 is hydrogen.

36. The compound of any one of claims 1 to 35, or a pharmaceutically acceptable salt thereof, wherein R^4 is hydrogen.

37. A compound selected from the compounds in Table 2, or a pharmaceutically acceptable salt thereof.

38. A pharmaceutical composition comprising a compound of any one of claims 1 to 37, or a pharmaceutically acceptable salt thereof.

39. The pharmaceutical composition of claim 38, wherein the pharmaceutical composition is formulated for oral, sublingual, subcutaneous, parenteral, intravenous, intranasal, topical, transdermal, intraperitoneal, intramuscular, intrapulmonary, vaginal, rectal, or intraocular administration.

40. The pharmaceutical composition of claim 39, wherein the pharmaceutical composition is formulated for oral administration.


41. The use of a compound of any one of claims 1 to 37, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment of a disease or condition selected from neuromuscular disorders, conditions of muscle wasting, muscular myopathies, rehabilitation-related deficits, peripheral vascular disease, peripheral arterial disease, frailty, muscle atrophy and fatigue, metabolic syndrome, chronic fatigue syndrome. and obesity.

42. The use of a compound of any one of claims 1 to 37, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment of a disease selected from Amyotrophic Lateral Sclerosis (ALS), Spinal Muscular Atrophy (SMA) and myasthenia gravis.

43. The use of a compound of any one of claims 1 to 37, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment of a disease selected from peripheral vascular disease and peripheral arterial disease.

CLAIMS

1. A compound of Formula I:



Formula I

or a pharmaceutically acceptable salt thereof, wherein:

R^1 is selected from hydrogen, halogen, CN, C_{1-6} alkyl, and $C(O)NR^bR^c$,

R^2 is selected from C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, and 5-10 membered heteroaryl, wherein each of the C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, $(CH_2)_nOR^a$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^3 is selected from hydrogen, and C_{1-6} alkyl;

R^4 is selected from hydrogen, C_{1-6} alkyl, $C(O)OR^a$, and SO_2R^a;

R^5 and R^6 together with the carbon atom to which they are bound form a group selected from C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl and 3-8 membered heterocycloalkenyl, each optionally substituted with 1, 2[[,]] or 3-substituents

selected from halogen, OR^a, $C(O)R^a$, $C(O)OR^a$, SO_2R^a, and C_{1-6} alkyl;

R^7 is selected from C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl and 5-10 membered heteroaryl, each optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, oxo, OR^a, $C(O)OR^a$, $C(O)NR^bR^c$, C_{1-6} alkyl, and C_{1-6} haloalkyl, wherein the C_{1-6} alkyl is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^8 and R^9, at each occurrence, are each hydrogen;

X is a bond;

R^a, at each occurrence, is independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{3-8} cycloalkyl, 3-8 membered heterocycloalkyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{3-8} cycloalkyl, 3-8 membered heterocycloalkyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^b and R^c, at each occurrence, are each independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{3-8} cycloalkyl, and 3-8 membered heterocycloalkyl, wherein each of the C_{1-6} alkyl, C_{3-8} cycloalkyl, and 3-8 membered heterocycloalkyl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^d, at each occurrence, is independently selected from hydrogen and C_{1-6} alkyl;

R^e, at each occurrence, is independently selected from hydrogen, CN, and C_{1-6} alkyl;

R^f, at each occurrence, is independently selected from halogen, CN, OR^h, $OC(O)R^h$, NR^iR^j, $NR^dC(O)R^h$, $NR^dC(O)OR^h$, $C(O)R^h$, $C(O)OR^h$, $C(O)NR^iR^j$, $S(O)R^h$, SO_2R^h, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{3-8} cycloalkyl, and 3-8 membered heterocycloalkyl, wherein each of the C_{1-6} alkyl, C_{3-8} cycloalkyl and 3-8 membered heterocycloalkyl groups is optionally substituted with 1, 2, 3, 4 or 5 R^k substituents;

or two R^f substituents bound to a single carbon atom, together with the carbon atom to which they are both bound, form a carbonyl;

R^h, at each occurrence, is independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkenyl, 3-8 membered heterocycloalkyl, 3-8 membered heterocycloalkenyl, C_{6-10} aryl, C_{7-11} aralkyl and 5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^k substituents;

R^i and R^j, at each occurrence, are each independently selected from hydrogen[[,]] and C_{1-6} alkyl;

R^k, at each occurrence, is independently selected from halogen, OH, NH_2, and $OC(O)C_{1-6}$ alkyl;

m is 0[[,]] or 1; and

n, at each occurrence, independently is 0, 1 or 2

2. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein m is 0.

3. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein m is 1.

4. The compound of any one of claims 1 to 3, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form a group selected from C_{3-8} cycloalkyl, and 3-8 membered heterocycloalkyl, each optionally substituted with 1[[,]] or 2 substituents selected from halogen, OR^a, $C(O)R^a$, $C(O)OR^a$, SO_2R^a, and C_{1-6} alkyl.

5. The compound of claim 4, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form C_{3-8} cycloalkyl optionally substituted with 1[[,]] or 2 substituents selected from halogen, OR^a, and C_{1-6} alkyl.

6. The compound of claim 5, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form a group selected from cyclopropyl, cyclobutyl, cyclopentyl and cyclohexyl, each optionally substituted with


substituted with 1[[,]] or 2 substituents selected from halogen, OR^a, $C(O)R^a$, $C(O)OR^a$, SO_2R^a, and C_{1-6} alkyl.

7. The compound of claim 6, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form cyclobutyl optionally substituted with 1[[,]] or 2 substituents selected from halogen, OR^a, and C_{1-6} alkyl.


8. The compound of claim 7, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form cyclobutyl optionally substituted with one or two halogens.

9. The compound of claim 8, or a pharmaceutically acceptable salt thereof, wherein R^5 and R^6 together with the carbon atom to which they are bound form a group selected from cyclobutyl, 3-fluorocyclobutyl and 3,3-difluorocyclobutyl.

10. The compound of claim 1, wherein the compound is of Formula V(a) or V(b), or a pharmaceutically acceptable salt thereof:



Formula V(a)



Formula V(b)

wherein R^m and R^n are each independently selected from hydrogen, halogen and C_{1-6} alkyl.

11. The compound of claim 10, wherein one of R^m and R^n is hydrogen and the other is halogen.

12. The compound of claim 11, wherein the halogen and R^7 are in a *trans* configuration with respect to one another on the cyclobutyl ring.

13. The compound of claim 12, wherein the halogen and R^7 are in a *cis* configuration with respect to one another on the cyclobutyl ring.

14. The compound of any one of claims 10 to 13, wherein one of R^m and R^n is hydrogen and the other is fluorine.

15. The compound of any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, wherein R^7 is phenyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, OR^a, $C(O)OR^a$, $C(O)NR^bR^c$, C_{1-6} alkyl, and C_{1-6} haloalkyl, wherein the C_{1-6} alkyl is optionally substituted with 1[[,]] or 2 R^f substituents.

16. The compound of any one of claims 1 to 14, or a pharmaceutically acceptable salt thereof, wherein R^7 is 5-10 membered heteroaryl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, OR^a, $C(O)OR^a$, $C(O)NR^bR^c$, C_{1-6} alkyl, and C_{1-6} haloalkyl, wherein the C_{1-6} alkyl is optionally substituted with 1[[,]] or 2 R^f substituents.

17. The compound of claim 16, or a pharmaceutically acceptable salt thereof, wherein R^7 is pyridyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, OR^a, $C(O)OR^a$, $C(O)NR^bR^c$, C_{1-6} alkyl, and C_{1-6} haloalkyl, wherein the C_{1-6} alkyl is optionally substituted with 1[[,]] or 2 R^f substituents.

18. The compound of claim 17, or a pharmaceutically acceptable salt thereof, wherein R^7 is 2-pyridyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, OR^a, $C(O)OR^a$, $C(O)NR^bR^c$, C_{1-6} alkyl, and C_{1-6} haloalkyl, wherein the C_{1-6} alkyl is optionally substituted with 1[[,]] or 2 R^f substituents.

19. The compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt thereof, wherein R^2 is phenyl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, $(CH_2)_nOR^a$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

20. The compound of any one of claims 1 to 18, or a pharmaceutically acceptable salt thereof, wherein R^2 is 5-10 membered heteroaryl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, $(CH_2)_nOR^a$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents.

21. The compound of claim 20, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from pyridyl, pyrimidyl, pyrazyl, pyridazyl, pyrrolyl, pyrazolyl, thiophenyl, thiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with 1, 2, 3 or 4 substituents selected from halogen, CN, $(CH_2)_nOR^a$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered

heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1[[,]] or 2 R^f substituents.

22. The compound of claim 20, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from pyridyl, pyrimidyl, pyrazyl, pyridazyl, pyrrolyl, pyrazolyl, thiophenyl, thiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with a substituent selected from $(CH_2)_nC(O)OR^a$ and $(CH_2)_nC(O)NR^bR^c$; and optionally substituted with 1, 2 or 3 additional substituents selected from halogen, CN, $(CH_2)_nOR^a$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1[[,]] or 2 R^f substituents.

23. The compound of claim 20, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from pyrrolyl, pyrazolyl, thiophenyl, thiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with $(CH_2)_nC(O)NR^bR^c$.

24. The compound of claim 20, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from pyridyl, pyrimidyl, pyrazyl, pyridazyl, pyrrolyl, pyrazolyl, thiophenyl, thiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with $(CH_2)_nNR^dC(O)R^a$, wherein R^a is C_{1-6} alkyl optionally substituted with 1, 2 or 3 additional substituents selected from halogen, $(CH_2)_nOR^a$, $(CH_2)_nNR^bR^c$, and C_{1-6} haloalkyl.

25. The compound of claim 20, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from pyrrolyl, pyrazolyl, thiophenyl, thiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, imidazolyl, triazolyl and tetrazolyl, each optionally substituted with $(CH_2)_nNR^dC(O)R^a$, wherein R^a is selected from C_{1-6} alkyl, C_{1-6} alkyl-OH

and C_{1-6} alkyl-NH_2.

26. The compound of claim 20, or a pharmaceutically acceptable salt thereof, wherein R^2 is selected from indolyl, indazolyl, benzimidazolyl, benzoxazolyl and benzoisoxazolyl, each optionally substituted with 1, 2, 3 or 4 substituents selected from halogen, CN, $(CH_2)_nOR^a$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dC(NR^e)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nC(S)NR^bR^c$, $(CH_2)_nC(NR^e)NR^bR^c$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl, wherein each of the C_{1-6} alkyl, C_{2-6} alkenyl, $(CH_2)_n$3-8 membered heterocycloalkyl, and $(CH_2)_n$5-10 membered heteroaryl groups is optionally substituted with 1[[,]] or 2 R^f substituents.

27. The compound of any one of claims 1 to 26, or a pharmaceutically acceptable salt thereof, wherein R^1 is selected from hydrogen, halogen, CN, and methyl.

28. The compound of claim 27, or a pharmaceutically acceptable salt thereof, wherein R^1 is hydrogen.

29. The compound of any one of claims 1 to 28, or a pharmaceutically acceptable salt thereof, wherein R^3 is selected from hydrogen and methyl.

30. The compound of claim 29, or a pharmaceutically acceptable salt thereof, wherein R^3 is hydrogen.

31. The compound of any one of claims 1 to 30, or a pharmaceutically acceptable salt thereof, wherein R^4 is hydrogen.

32. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein:

m is 0;

R^2 is selected from phenyl and 5-10 membered heteroaryl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, $(CH_2)_nOR^a$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, and C_{2-6}

alkenyl, wherein each of the C_{1-6} alkyl, and C_{2-6} alkenyl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^4 is hydrogen;

R^5 and R^6 together with the carbon atom to which they are bound form cyclobutyl optionally substituted with one or two halogens; and

R^7 is selected from phenyl and pyridyl, each optionally substituted with 1, 2 or 3 substituents selected from halogen, CN, OR^a, C_{1-6} alkyl, and C_{1-6} haloalkyl.

33. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein:

m is 1;

R^2 is selected from phenyl and 5-10 membered heteroaryl optionally substituted with 1, 2, 3, 4 or 5 substituents selected from halogen, CN, $(CH_2)_nOR^a$, $(CH_2)_nNR^bR^c$, $(CH_2)_nNR^dC(O)R^a$, $(CH_2)_nNR^dC(O)OR^a$, $(CH_2)_nNR^dC(O)NR^bR^c$, $(CH_2)_nNR^dS(O)R^a$, $(CH_2)_nNR^dSO_2R^a$, $(CH_2)_nNR^dSO_2NR^bR^c$, $(CH_2)_nC(O)R^a$, $(CH_2)_nC(O)OR^a$, $(CH_2)_nC(O)NR^bR^c$, $(CH_2)_nSO_2R^a$, $(CH_2)_nSO_2NR^bR^c$, C_{1-6} alkyl, C_{1-6} haloalkyl, and C_{2-6} alkenyl, wherein each of the C_{1-6} alkyl, and C_{2-6} alkenyl groups is optionally substituted with 1, 2, 3, 4 or 5 R^f substituents;

R^4 is hydrogen;

R^5 and R^6 together with the carbon atom to which they are bound form cyclobutyl optionally substituted with one or two halogens;

R^7 is selected from phenyl and pyridyl, each optionally substituted with 1, 2 or 3 substituents selected from halogen, CN, OR^a, C_{1-6} alkyl, and C_{1-6} haloalkyl;

R^8 is hydrogen; and

R^9 is hydrogen.

34. The compound of claim 32 or 33, or a pharmaceutically acceptable salt thereof, wherein R^1 is hydrogen and R^3 is hydrogen.

35. The compound of claim 1, wherein the compound is 4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide, or a pharmaceutically acceptable salt thereof.

36. The compound of claim 1, wherein the compound is 4-fluoro-3-[6-({[(*trans*)-3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide, or a

pharmaceutically acceptable salt thereof.

37. The compound of claim 1, wherein the compound is 4-fluoro-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide, or a pharmaceutically acceptable salt thereof.

38. The compound of claim 1, wherein the compound is [6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine, or a pharmaceutically acceptable salt thereof.

39. The compound of claim 1, wherein the compound is [6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine, or a pharmaceutically acceptable salt thereof.

40. The compound of claim 1, wherein the compound is [6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(*trans*)-3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine, or a pharmaceutically acceptable salt thereof.

41. The compound of claim 1, wherein the compound is N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-2-hydroxyacetamide, or a pharmaceutically acceptable salt thereof.

42. The compound of claim 1, wherein the compound is 2-amino-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-2-methylpropanamide, or a pharmaceutically acceptable salt thereof.

43. The compound of claim 1, wherein the compound is (2S)-2-amino-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)propanamide, or a pharmaceutically acceptable salt thereof.

44. The compound of claim 1, wherein the compound is (2R)-2-amino-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)propanamide, or a pharmaceutically acceptable salt thereof.

45. The compound of claim 1, wherein the compound is (2S)-2-amino-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-3-hydroxy-3-methylbutanamide, or a pharmaceutically acceptable salt thereof.

46. The compound of claim 1, wherein the compound is selected from:

3-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

(6-(1H-indazol-5-yl)pyridazin-3-yl)[(4-fluorophenyl)cyclobutyl]amine;

[6-(2-aminopyrimidin-5-yl)pyridazin-3-yl][(4-fluorophenyl)cyclobutyl]amine;

amino-N-[4-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)phenyl]amide;

3-(6-{[(2-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

3-(6-{[(3-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

3-{6-[(2-pyridylcyclobutyl)amino]pyridazin-3-yl}benzamide;

(phenylcyclobutyl)(6-phenylpyridazin-3-yl)amine;

3-{6-[(phenylcyclobutyl)amino]pyridazin-3-yl}benzamide;

3-(6-{[(3-fluoro-2-pyridyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

3-(6-{[(5-fluoro-2-pyridyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

4-fluoro-3-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

[(4-fluorophenyl)cyclobutyl][6-(6-methoxy(2-pyridyl))pyridazin-3-yl]amine;

(6-benzimidazol-5-ylpyridazin-3-yl)[(4-fluorophenyl)cyclobutyl]amine;

[(4-fluorophenyl)cyclobutyl](6-pyrazol-4-ylpyridazin-3-yl)amine;

3-{6-[(1,3-thiazol-2-ylcyclobutyl)amino]pyridazin-3-yl}benzamide;

4-fluoro-3-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)benzamide;

3-(6-{[(4-methoxy-2-pyridyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

[6-(3-fluoro(4-pyridyl))pyridazin-3-yl][(4-fluorophenyl)cyclobutyl]amine;

[(4-fluorophenyl)cyclobutyl](6-(4-pyridyl)pyridazin-3-yl)amine;

4-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)pyridine-2-carbonitrile;

4-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)pyridine-2-carboxamide;

[4-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)phenyl](methylsulfonyl)amine;

[(4-fluorophenyl)cyclobutyl][6-(2-methoxy(3-pyridyl))pyridazin-3-yl]amine;

[(4-fluorophenyl)cyclobutyl]{6-[2-(2,2,2-trifluoroethoxy)(3-pyridyl)]pyridazin-3-yl}amine;

3-(6-{[(4-chlorophenyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

3-(6-{[(4-cyanophenyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

3-(6-{[(3-chloro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)-4-fluorobenzamide;

[3-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)phenyl](methylsulfonyl)amine;

3-(6-{[(4-carbamoylphenyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

[(4-fluorophenyl)cyclobutyl][6-(2-methyl(4-pyridyl))pyridazin-3-yl]amine;

[(4-fluorophenyl)cyclobutyl][6-(2-methoxy(4-pyridyl))pyridazin-3-yl]amine;

3-(6-{[(6-methoxy-2-pyridyl)cyclobutyl]amino}pyridazin-3-yl)benzamide;

4-fluoro-3-(6-{[(6-methoxy(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)benzamide;

[3-(6-{[(6-methoxy(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)phenyl](methylsulfonyl)amine;

[3-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)phenyl](methylsulfonyl)amine;

amino-N-[4-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)phenyl]amide;

(6-(1H-indazol-6-yl)pyridazin-3-yl)[(3-fluoro(2-pyridyl))cyclobutyl]amine;

(6-benzimidazol-6-ylpyridazin-3-yl)[(3-fluoro(2-pyridyl))cyclobutyl]amine;

3-[6-({[6-(difluoromethoxy)-2-pyridyl]cyclobutyl}amino)pyridazin-3-yl]benzamide;

3-[6-({[6-(difluoromethoxy)(2-pyridyl)]cyclobutyl}amino)pyridazin-3-yl]-4-fluorobenzamide;

{3-[6-({[6-(difluoromethoxy)(2-pyridyl)]cyclobutyl}amino)pyridazin-3-yl]phenyl}(methylsulfonyl)amine;

4-fluoro-3-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)benzoic acid;

[4-fluoro-3-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)phenyl]-N-(2-hydroxy-2-methylpropyl)carboxamide;

3-(6-{[(3-bromo(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)-4-fluorobenzamide;

4-chloro-3-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)benzamide;

[4-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)(2-pyridyl)]-N-methylcarboxamide;

(6-(1H-indazol-5-yl)pyridazin-3-yl)[(3-fluoro(2-pyridyl))cyclobutyl]amine;

[6-(6-fluoro(1H-indazol-5-yl))pyridazin-3-yl][(3-fluoro(2-pyridyl))cyclobutyl]amine;

amino-N-[4-fluoro-3-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)phenyl]amide;

amino[4-fluoro-3-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-

yl)phenyl]sulfonamide;

amino[3-fluoro-4-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)phenyl]sulfonamide;

amino-N-[3-fluoro-4-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)phenyl]amide;

3-(6-{[(4-cyano(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)-4-fluorobenzamide;

2-({[6-(3-carbamoyl-6-fluorophenyl)pyridazin-3-yl]amino}cyclobutyl)pyridine-4-carboxamide;

3-(6-{[(5-cyano(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)-4-fluorobenzamide;

3-(6-{[(6-cyano(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)-4-fluorobenzamide;

6-({[6-(3-carbamoyl-6-fluorophenyl)pyridazin-3-yl]amino}cyclobutyl)pyridine-2-carboxamide;

4-fluoro-3-(6-{[(3-hydroxy(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)benzamide;

4-fluoro-3-(6-{[(3-methoxy(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)benzamide;

3-[6-({[3-(difluoromethoxy)(2-pyridyl)]cyclobutyl}amino)pyridazin-3-yl]-4-fluorobenzamide;

3-[6-({[3-(difluoromethoxy)-2-pyridyl]cyclobutyl}amino)pyridazin-3-yl]benzamide;

{3-[6-({[3-(difluoromethoxy)(2-pyridyl)]cyclobutyl}amino)pyridazin-3-yl]phenyl}(methylsulfonyl)amine;

4-fluoro-3-(6-{[(5-methoxy(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)benzamide;

3-[6-({[5-(difluoromethoxy)(2-pyridyl)]cyclobutyl}amino)pyridazin-3-yl]-4-fluorobenzamide;

4-fluoro-3-(6-{[(5-hydroxy(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)benzamide;

4-fluoro-3-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)benzenecarbonitrile;

[(3-fluoro(2-pyridyl))cyclobutyl](6-phenylpyridazin-3-yl)amine;

(6-cyclohexylpyridazin-3-yl)[(3-fluoro(2-pyridyl))cyclobutyl]amine;

(6-cyclohex-1-enylpyridazin-3-yl)[(3-fluoro(2-pyridyl))cyclobutyl]amine;

4-fluoro-3-(6-{[(3-fluoro(2-pyridyl))cyclopentyl]amino}pyridazin-3-yl)benzamide;

2-(6-{[(3-fluoro-2-pyridyl)cyclobutyl]amino}pyridazin-3-yl)-1,3-thiazole-5-carboxamide;

5-(6-{[(3-fluoro(2-pyridyl))cyclobutyl]amino}pyridazin-3-yl)-2-hydroxybenzamide;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl][(3-fluoro(2-pyridyl))cyclobutyl]amine;

2-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)-1,3-thiazole-5-carboxamide;

5-(6-{[(3-fluoro-2-pyridyl)cyclobutyl]amino}pyridazin-3-yl)thiophene-2-carboxamide;

5-(6-{[(4-fluorophenyl)cyclobutyl]amino}pyridazin-3-yl)thiophene-2-carboxamide; and

5-(6-{[(3-fluoro-2-pyridyl)cyclobutyl]amino}pyridazin-3-yl)thiophene-2-carboxylic acid;

or a pharmaceutically acceptable salt thereof.

47. The compound of claim 1, wherein the compound is selected from:

3-[6-({[(4-fluorophenyl)cyclopropyl]methyl}amino)pyridazin-3-yl]benzamide;

5-[6-({[(4-fluorophenyl)cyclopropyl]methyl}amino)pyridazin-3-yl]pyridine-3-carboxamide

5-[6-({[(4-fluorophenyl)cyclopropyl]methyl}amino)pyridazin-3-yl]pyridine-3-carbonitrile;

3-[6-({[(2-chlorophenyl)cyclopropyl]methyl}amino)pyridazin-3-yl]benzamide;

5-[6-({[(4-fluorophenyl)cyclopropyl]methyl}amino)pyridazin-3-yl]-3-hydrobenzimidazol-2-one;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(4-fluorophenyl)cyclopropyl]methyl}amine;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(2-fluorophenyl)cyclopropyl]methyl}amine;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(2-fluorophenyl)cyclobutyl]methyl}amine;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(4-fluorophenyl)cyclobutyl]methyl}amine;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(2-fluorophenyl)cyclopentyl]methyl}amine;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(4-fluorophenyl)cyclohexyl]

methyl}amine;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl][(phenylcyclopropyl)methyl]amine;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl][(phenylcyclobutyl)methyl]amine;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl][(2,2-dimethyl-1-phenylcyclopropyl)methyl]amine;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(4-fluorophenyl)cyclopentyl]methyl}amine;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

{[(4-fluorophenyl)cyclobutyl]methyl}[6-(2-methoxypyrimidin-5-yl)pyridazin-3-yl]amine;

5-[6-({[(4-fluorophenyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-3-hydropyrimidin-2-one;

[6-(3-amino(1H-indazol-5-yl))pyridazin-3-yl]{[(5-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

3-[6-({[(5-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

4-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

(6-(1H-indazol-5-yl)pyridazin-3-yl){[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

(6-(1H-indazol-6-yl)pyridazin-3-yl){[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

(6-(1H-indazol-6-yl)pyridazin-3-yl){[(6-methoxy(2-pyridyl))cyclobutyl]methyl}amine;

(6-(1H-indazol-5-yl)pyridazin-3-yl){[(6-methoxy(2-pyridyl))cyclobutyl]methyl}amine;

4-fluoro-3-[6-({[(6-methoxy(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

4-fluoro-3-(6-{[(2-pyridylcyclobutyl)methyl]amino}pyridazin-3-yl)benzamide;

(6-(1H-indazol-5-yl)pyridazin-3-yl)[(2-pyridylcyclobutyl)methyl]amine;

(6-(1H-indazol-6-yl)pyridazin-3-yl)[(2-pyridylcyclobutyl)methyl]amine;

2-fluoro-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

3-fluoro-4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

6-({[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}cyclobutyl)pyridin-2-ol;

6-({[(6-(1H-indazol-6-yl)pyridazin-3-yl)amino]methyl}cyclobutyl)pyridin-2-ol;

4-fluoro-3-[6-({[(6-hydroxy(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

2-({[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}cyclobutyl)pyridin-4-ol;

4-fluoro-3-[6-({[(4-methoxy(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

(6-(1H-indazol-5-yl)pyridazin-3-yl){[(4-methoxy(2-pyridyl))cyclobutyl]methyl}amine;

(6-(1H-indazol-6-yl)pyridazin-3-yl){[(4-methoxy(2-pyridyl))cyclobutyl]methyl}amine;

2-({[(6-(1H-indazol-6-yl)pyridazin-3-yl)amino]methyl}cyclobutyl)pyridin-4-ol;

4-fluoro-3-[6-({[(4-hydroxy(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-3-hydrobenzimidazol-2-one;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-pyrazol-4-ylpyridazin-3-yl)amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(1-methylpyrazol-4-yl)pyridazin-3-yl]amine;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzenesulfonamide;

{4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}(methylsulfonyl)amine;

{3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}(methylsulfonyl)amine;

4-fluoro-3-[6-({[(3-methoxy(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

(6-(1H-indazol-5-yl)pyridazin-3-yl){[(3-methoxy(2-pyridyl))cyclobutyl]methyl}amine;

(6-(1H-indazol-6-yl)pyridazin-3-yl){[(3-methoxy(2-pyridyl))cyclobutyl]methyl}amine;

4-fluoro-3-[6-({[(5-methoxy(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

(6-(1H-indazol-5-yl)pyridazin-3-yl){[(5-methoxy(2-pyridyl))cyclobutyl]methyl}amine;

(6-(1H-indazol-6-yl)pyridazin-3-yl){[(5-methoxy(2-pyridyl))cyclobutyl]methyl}amine;

3-{[(6-(1H-indazol-6-yl)pyridazin-3-yl)amino]methyl}-3-(2-pyridyl)cyclobutan-1-ol;

3-{[(6-(1H-indazol-6-yl)pyridazin-3-yl)amino]methyl}-3-(2-pyridyl)cyclobutan-1-ol;

3-[6-({[(4-fluorophenyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-methylbenzamide;

6-({[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}cyclobutyl) pyridine-3-carbonitrile;

6-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-3,3-dimethylindolin-2-one;

3-[6-({[(4-cyano-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

2-[({[6-(3-carbamoylphenyl)pyridazin-3-yl]amino}methyl)cyclobutyl]pyridine-4-carboxamide;

3-[6-({[(4-cyano(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-fluorobenzamide;

2-[({[6-(3-carbamoyl-6-fluorophenyl)pyridazin-3-yl]amino}methyl)cyclobutyl]pyridine-4-carboxamide;

2-({[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}cyclobutyl)pyridine-4-carbonitrile;

2-({[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}cyclobutyl)pyridine-4-carboxamide;

3-[6-({[(6-cyano-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

6-[({[6-(3-carbamoylphenyl)pyridazin-3-yl]amino}methyl)cyclobutyl]pyridine-2-carboxamide;

6-({[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}cyclobutyl)pyridine-2-carbonitrile;

6-({[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}cyclobutyl)pyridine-2-carboxamide;

(6-(1H-indazol-6-yl)pyridazin-3-yl){[(4-fluorophenyl)cyclobutyl]methyl}amine;

(6-(1H-indazol-5-yl)pyridazin-3-yl){[(4-fluorophenyl)cyclobutyl]methyl}amine;

4-fluoro-3-[6-({[(1-methyl-6-oxo(2-hydropyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

3-(6-{[(2-pyridylcyclobutyl)methyl]amino}pyridazin-3-yl)benzamide;

methyl 3-(3-fluoro(2-pyridyl))-3-{[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}azetidinecarboxylate;

methyl 3-({[6-(3-carbamoylphenyl)pyridazin-3-yl]amino}methyl)-3-(3-fluoro(2-pyridyl))azetidinecarboxylate;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}{6-[3-(methylamino)(1H-indazol-5-yl)]pyridazin-3-yl}amine;

2-fluoro-5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzoic acid;

{2-fluoro-5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-methylcarboxamide;

N-{5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1H-indazol-3-yl}acetamide;

2-amino-N-{5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1H-indazol-3-yl)}acetamide;

{5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1H-indazol-3-yl)}(methylsulfonyl)amine;

3-amino-5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1H-indazolecarboxamide;

[6-(3-aminophenyl)pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

[6-(4-aminophenyl)pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

(6-{3-[(2-aminoethyl)amino](1H-indazol-5-yl)}pyridazin-3-yl){[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

amino{3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamidine;

amino{4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamidine;

3-(6-{[(pyrazin-2-ylcyclobutyl)methyl]amino}pyridazin-3-yl)benzamide;

(6-(1H-indazol-6-yl)pyridazin-3-yl)[(pyrazin-2-ylcyclobutyl)methyl]amine;

(6-(1H-indazol-5-yl)pyridazin-3-yl)[(pyrazin-2-ylcyclobutyl)methyl]amine;

amino-N-{3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}amide;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzene-1,3-dicarboxylic acid;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzene-1,3-dicarboxamide;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]benzenecarboxamidine;

3-[6-({[1-acetyl-3-(3-fluoro(2-pyridyl))azetidin-3-yl]methyl}amino)pyridazin-3-yl]benzamide;

1-acetyl-3-(3-fluoro(2-pyridyl))-3-{[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}azetidine;

(6-(1H-indazol-5-yl)pyridazin-3-yl){[3-(3-fluoro(2-pyridyl))azetidin-3-yl]methyl}amine;

3-[6-({[3-(3-fluoro-2-pyridyl)azetidin-3-yl]methyl}amino)pyridazin-3-yl]benzamide;

3-(3-fluoro(2-pyridyl))-3-{[(6-(1H-indazol-5-yl)pyridazin-3-yl)amino]methyl}-1-(methylsulfonyl)azetidine;

3-[6-({[3-(3-fluoro(2-pyridyl))-1-(methylsulfonyl)azetidin-3-yl]methyl}amino)pyridazin-3-yl]benzamide;

(6-(1H-indazol-5-yl)pyridazin-3-yl){[3-(3-fluoro(2-pyridyl))azetidin-3-yl]methyl}(methylsulfonyl)amine;

amino{5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1H-indazol-3-yl)}carboxamidine;

3-[6-({[3-(4-fluorophenyl)oxetan-3-yl]methyl}amino)pyridazin-3-yl]benzamide;

{6-[3-(ethylamino)(1H-indazol-5-yl)]pyridazin-3-yl}{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

N-{4-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]imidazol-2-yl}acetamide;

[6-(2-aminoimidazol-4-yl)pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-{3-[(methylethyl)amino](1H-indazol-5-yl)}pyridazin-3-yl)amine;

{6-[3-(ethylamino)(1H-indazol-5-yl)]pyridazin-3-yl}[(2-pyridylcyclobutyl)methyl]amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}{6-[2-(trifluoromethoxy)phenyl]pyridazin-3-yl}amine;

{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}methan-1-ol;

[6-(5-amino(2-pyridyl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

[6-(6-amino(3-pyridyl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

[6-(4-amino-3-fluorophenyl)pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

(6-benzotriazol-6-ylpyridazin-3-yl){[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

4-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]indolin-2-one;

(6-benzimidazol-5-ylpyridazin-3-yl){[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

N-{3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}acetamide;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(4-morpholin-4-ylphenyl)pyridazin-3-yl]amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(2-methylpyrimidin-5-yl)pyridazin-3-yl]amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-pyrimidin-2-ylpyridazin-3-yl)amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-pyrazin-2-ylpyridazin-3-yl)amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-phenylpyridazin-3-yl)amine;

N-{4-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-

yl]phenyl}acetamide;

[6-(2-aminopyrimidin-5-yl)pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

N-{5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidin-2-yl}acetamide;

N-{5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidin-2-yl}methoxycarboxamide;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(5-methoxy(2-pyridyl))pyridazin-3-yl]amine;

6-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyridin-3-ol;

{5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidin-2-yl}(methylsulfonyl)amine;

[6-(2,3-difluorophenyl)pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(3-fluoro(2-pyridyl))pyridazin-3-yl]amine;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]indolin-2-one;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1H-2-hydroindazol-3-one;

N-{3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}(methylamino)carboxamide;

N-{4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}(methylamino)carboxamide;

tert-butyl 4-{5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidin-2-yl}piperazinecarboxylate;

2-({5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidin-2-yl}amino)acetamide;

{6-[2-(aminomethyl)-5-fluorophenyl]pyridazin-3-yl}{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

{6-[2-(aminomethyl)phenyl]pyridazin-3-yl}{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

{6-[4-(aminomethyl)phenyl]pyridazin-3-yl}{[(3-fluoro(2-pyridyl))cyclobutyl]

methyl}amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(2-piperazinylpyrimidin-5-yl)pyridazin-3-yl]amine;

[6-(3-chloro(2-pyridyl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(2-methyl(3-pyridyl))pyridazin-3-yl]amine;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyridine-2-carbonitrile;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyridine-2-carboxamide;

methyl 3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyridine-2-carboxylate;

2-{3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-2-pyridyl}propan-2-ol;

amino-N-{4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}amide;

2-amino-2-{3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}acetamide;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-pyridazin-4-ylpyridazin-3-yl)amine;

3-[6-({[3,3-difluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

(6-(1H-indazol-5-yl)pyridazin-3-yl){[3,3-difluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-(methylethyl)-1H-2-hydroindazol-3-one;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1-(methylethyl)-1H-2-hydroindazol-3-one;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-(2-pyridyl)pyridazin-3-yl)amine;

{3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-2-pyridyl}methan-1-ol;

amino-N-{5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](2-pyridyl)}amide;

1-amino-1-{4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-2-methylpropan-2-ol;

amino-N-{5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidin-2-yl}amide;

(6-(1H-indazol-6-yl)pyridazin-3-yl){[3,3-difluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

[6-(2-amino(3-pyridyl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

[6-(6-amino-5-fluoro(3-pyridyl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

6-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]indolin-2-one;

amino-N-{4-[6-({[3,3-difluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}amide;

(6-cyclohex-1-enylpyridazin-3-yl){[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

(6-cyclohexylpyridazin-3-yl){[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

(2S,1R)-2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]cyclopropanecarboxamide;

amino-N-{4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]cyclohexyl}amide;

amino-N-{4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]cyclohexyl}amide;

amino-N-{3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]cyclobutyl}amide;

amino-N-{3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]cyclobutyl}amide;

amino-N-{4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]cyclohex-3-enyl}amide;

phenylmethyl 3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]azetidinecarboxylate;

(6-azetidin-3-ylpyridazin-3-yl){[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

methyl 3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]azetidinecarboxylate;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]azetidinecarboxamide;

1-acetyl-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]azetidine;

ethyl 5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]isoxazole-3-carboxylate;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]isoxazole-3-carboxylic acid;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]isoxazole-3-carboxamide;

amino-N-{5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1H-indazol-3-yl)}amide;

4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1-methylimidazole-2-carboxamide;

4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-methoxybenzamide;

4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzamide;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-methoxybenzamide;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzamide;

4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-methoxybenzoic acid;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-methoxybenzoic acid;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-oxazole-2-carboxamide;

4-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]imidazole-2-carboxamide;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]isoxazole-5-carboxamide;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrazole-5-carboxamide;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1-methylpyrazole-5-carboxamide;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1-methylpyrazole-3-carboxamide;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-oxazole-5-carboxamide;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-4-carboxamide;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,2,4-oxadiazole-3-carboxamide;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-2-imidazoline-5-carboxamide;

methyl 2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-2-imidazoline-5-carboxylate;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-2-imidazoline-5-carboxylic acid;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-oxazole-4-carboxamide;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-5-carboxamide;

methyl 2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-oxazole-4-carboxylate;

methyl 2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-4-carboxylate;

methyl 2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-

oxazole-5-carboxylate;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]imidazole-4-carboxamide;

methyl 2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]imidazole-4-carboxylate;

4-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-2-carboxamide;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-2-carboxamide;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,2,4-oxadiazole-5-carboxamide;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-4H-1,2,4-triazole-3-carboxamide;

methyl 2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1-methylimidazole-4-carboxylate;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1-methylimidazole-4-carboxamide;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1-methylimidazole-5-carboxamide;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]thiophene-2-carboxamide;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3,4-thiadiazole-2-carboxamide;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-(1,3-thiazol-2-yl)pyridazin-3-yl)amine;

(6-(2H-1,2,3,4-tetraazol-5-yl)pyridazin-3-yl){[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3,4-oxadiazole-2-carboxamide;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-methyl-1,3-thiazole-5-carboxamide;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-5-

carboxylic acid;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-5-carbonitrile;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]thiophene-2-carboxylic acid;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-hydroxy-1,3-thiazole-5-carboxamide;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-3-pyrazolino[3,4-d]1,3-thiazol-3-one;

{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methan-1-ol;

[6-(5-(2H-1,2,3,4-tetraazol-5-yl)(1,3-thiazol-2-yl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

5-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}-1,3,4-oxadiazolin-2-one;

ethyl 3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-5-hydroxypyrazole-4-carboxylate;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-3-pyrazolin-5-one;

3-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}-1,2,4-triazolin-5-one;

3-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}-1,2,4-oxadiazolin-5-one;

ethyl 2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-hydroxy-1,3-thiazole-5-carboxylate;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-methoxy-1,3-thiazole-5-carboxamide;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-methoxy-1,3-thiazole-5-carboxylic acid;

1-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}ethan-1-ol;

2,2,2-trifluoro-1-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}ethan-1-ol;

{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-(methylethyl)carboxamide;

ethyl 2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-4-carboxylate;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-3-pyrrolino[3,4-d]1,3-thiazol-6-one;

1-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}ethan-1-one;

2-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}propan-2-ol;

1,1,1-trifluoro-2-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}propan-2-ol;

{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-methylcarboxamide;

3-(6-{[(2-pyridylcyclobutyl)methyl]amino}pyridazin-3-yl)benzenecarbonitrile;

3-(6-{methyl[(2-pyridylcyclobutyl)methyl]amino}pyridazin-3-yl)benzamide;

6-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrazine-2-carbonitrile;

6-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrazine-2-carboxamide;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-hydroxy-1,3-thiazole-5-carbonitrile;

2-(6-{[(2-pyridylcyclobutyl)methyl]amino}pyridazin-3-yl)-1,3-thiazole-5-carboxamide;

2-(6-{[(2-pyridylcyclobutyl)methyl]amino}pyridazin-3-yl)-1,3-thiazole-5-carboxylic acid;

3-{5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-2-thienyl}-1,2,4-triazolin-5-one;

3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,2,4-triazolin-5-

one;

amino{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methane-1-thione;

2,2,2-trifluoro-1-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}ethane-1,1-diol;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}{6-[5-(2,2,2-trifluoroethyl)(1,3-thiazol-2-yl)]pyridazin-3-yl}amine;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]thiophene-2-carbonitrile;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]thiopheno[2,3-c]3-pyrrolin-6-one;

{6-[5-(1-amino-2,2,2-trifluoroethyl)(1,3-thiazol-2-yl)]pyridazin-3-yl}{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

[6-(2-aminopyrimidin-4-yl)pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

2-{5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,2,3,4-tetraazol-2-yl}acetamide;

{6-[2-(2-aminoethyl)(1,2,3,4-tetraazol-5-yl)]pyridazin-3-yl}{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

[6-(3-(2H-1,2,3,4-tetraazol-5-yl)phenyl)pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

3-{3-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-1,2,4-triazolin-5-one;

3-{4-fluoro-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-1,2,4-triazolin-5-one;

{6-[5-(aminomethyl)(1,3-thiazol-2-yl)]pyridazin-3-yl}{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

N-((2-(6-((1-(3-fluoropyridin-2-yl)cyclobutyl)methylamino)pyridazin-3-yl)thiazol-5-yl)methyl)-2-methylpropane-2-sulfinamide;

{6-[5-(aminoethyl)(1,3-thiazol-2-yl)]pyridazin-3-yl}{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

{6-[5-(3-aminooxetan-3-yl)(1,3-thiazol-2-yl)]pyridazin-3-yl}{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidine-4-carboxamide;

{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-(2-hydroxyethyl)carboxamide;

ethyl 5-chloro-2-[5-chloro-6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-4-carboxylate;

N-{4-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidin-2-yl}acetamide;

{4-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidin-2-yl}(methylsulfonyl)amine;

(2E)-3-amino-3-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-2-azaprop-2-enenitrile;

N-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)acetamide;

({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)(methylsulfonyl)amine;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)methoxycarboxamide;

2,2-difluoro-1-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}ethan-1-ol;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl) morpholin-4-yl ketone;

N-(2-aminoethyl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

N-(2,3-dihydroxypropyl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-pyrrolidin-3-ylcarboxamide;

2-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-

yl}acetamide;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(5-pyrazol-4-yl(1,3-thiazol-2-yl))pyridazin-3-yl]amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(5-pyrazol-3-yl(1,3-thiazol-2-yl))pyridazin-3-yl]amine;

4-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidine-2-carboxamide;

6-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]pyrimidine-4-carboxamide;

N-(carbamoylmethyl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

4-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}carbonyl)piperazine-2-carboxamide;

[6-(5-chloro(1,3-thiazolino[5,4-b]pyridin-2-yl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-(1,3-thiazolino[5,4-b]pyridin-2-yl)pyridazin-3-yl)amine;

[6-(5-amino(1,3-thiazolino[5,4-b]pyridin-2-yl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

amino{4-fluoro-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}sulfonamide;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl) 3-hydroxypyrrolidinyl ketone;

4-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}carbonyl)-1,4-thiazaperhydroine-1,1-dione;

N-(1,1-dioxothiolan-3-yl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-[2-(methylsulfonyl)ethyl]carboxamide;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl) 3-hydroxypiperidyl ketone;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-pyrazolo[5,4-d]1,3-thiazol-5-ylpyridazin-3-yl)amine;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl) 4-hydroxypiperidyl ketone;

4-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}carbonyl)piperazin-2-one;

{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-(oxolan-2-ylmethyl)carboxamide;

1-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}carbonyl)piperidine-3-carboxamide;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazolino[5,4-b]pyridine-5-carboxamide;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(5-methoxy(1,3-thiazolino[5,4-b]pyridin-2-yl))pyridazin-3-yl]amine;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazolino[5,4-b]pyridin-5-ol;

N-((2R)-2,3-dihydroxypropyl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

N-((2S)-2,3-dihydroxypropyl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

N-(2-amino-3,3,3-trifluoropropyl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

N-(3-amino-2,2-difluoropropyl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N,N-dimethylcarboxamide;

N-(2,2-difluoro-3-hydroxypropyl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-(2-oxopyrrolidin-3-yl)carboxamide;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-

yl]benzamide;

2-amino-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)acetamide;

((2S)pyrrolidin-2-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

((2R)pyrrolidin-2-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-(3-pyrrolino[3,4-d]1,3-thiazol-2-yl)pyridazin-3-yl)amine;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-5-(methylsulfonyl)-3-pyrrolino[3,4-d]1,3-thiazole;

2-[({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)amino]acetamide;

((2S)-5-oxopyrrolidin-2-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-2-hydroxy-2-methylpropanamide;

N-((3S)pyrrolidin-3-yl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

N-((3R)pyrrolidin-3-yl){2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}carboxamide;

((3S)morpholin-3-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)pyrazol-5-ylcarboxamide;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)imidazol-2-ylcarboxamide;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)pyrazol-4-ylcarboxamide;

((4S)-2-oxoimidazolidin-4-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

((3S)-6-oxo(3-piperidyl))-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

2H-1,2,3-triazol-4-yl-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

(2S)-2-amino-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-3-hydroxypropanamide;

(2R)-2-amino-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-3-hydroxypropanamide;

((2S)-4-acetylpiperazin-2-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

[(2S)-4-(methylsulfonyl)piperazin-2-yl]-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

((3S)morpholin-3-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

1H-1,2,4-triazol-5-yl-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

((2R)-6-oxo(2-piperidyl))-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)imidazol-5-ylcarboxamide;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)(2-hydroxyimidazol-5-yl)carboxamide;

((3R)-1,1-dioxo(1,4-thiazaperhydroin-3-yl))-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

((2S)-4,4-difluoropyrrolidin-2-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

tert-butyl (2S)-4,4-difluoro-2-[N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carbamoyl]pyrrolidinecarboxylate;

((2S)-4,4-difluoro-1-formylpyrrolidin-2-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

((2R,4R)-4-fluoropyrrolidin-2-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-2-methylpropanamide;

amino-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)amide;

((3S)-1,1-dioxo(1,4-thiazaperhydroin-3-yl))-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

N-({2-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)acetamide;

N-({2-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)acetamide;

4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzenecarbonitrile;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-hydroxybenzamide;

4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzoic acid;

N-((2R)-2,3-dihydroxypropyl){4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

N-((3R)pyrrolidin-3-yl){4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

N-((3S)pyrrolidin-3-yl){4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

[6-(3-(2H-1,2,3,4-tetraazol-5-yl)phenyl)pyridazin-3-yl]{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazole-5-sulfonamide;

(aminocyclopropyl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

(N-{1-[N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-

thiazol-5-yl)}methyl)carbamoyl]-isopropyl}carbamoyloxy)ethyl 2-methylpropanoate;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzoic acid;

3-(6-{[(3-fluoro-1-(2-pyridyl)cyclobutyl)methyl]amino}pyridazin-3-yl)benzoic acid;

3-(6-{[(3-fluoro-1-(2-pyridyl)cyclobutyl)methyl]amino}pyridazin-3-yl)benzoic acid;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzenecarbonitrile;

N-((2S)-2,3-dihydroxypropyl){4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

methyl 4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzoate;

{4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-methylcarboxamide;

{4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-(methylethyl)carboxamide;

methyl 3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzoate;

methylethyl 4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzoate;

6-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]imidazo[2,1-b]1,3-thiazoline-3-carboxamide;

6-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]imidazo[2,1-b]1,3-thiazoline-3-carboxylic acid;

6-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]imidazo[2,1-b]1,3-thiazoline-3-carboxamide;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzenesulfonamide;

{5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1H-indazol-3-yl)}(methylsulfonyl)amine;

{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}{6-[3-(methylamino)(1H-indazol-5-yl)]pyridazin-3-yl}amine;

{6-[3-(ethylamino)(1H-indazol-5-yl)]pyridazin-3-yl}{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

ethyl 2-fluoro-5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzoate;

2-fluoro-5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzoic acid;

2-{4-fluoro-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}acetamide;

methyl 2-{4-fluoro-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}acetate;

N-({4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}methyl)acetamide;

N-({3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}methyl)acetamide;

{2-fluoro-5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-methylcarboxamide;

N-ethyl{2-fluoro-5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

methyl 5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-(methylamino)benzoate;

ethyl 5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-(methylamino)benzoate;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}methan-1-ol;

((2S)azetidin-2-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

ethyl 2-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-4-yl}acetate;

2-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-4-yl}acetamide;

2-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-

5-yl)}-2-methylpropanenitrile;

2-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-2-methylpropanamide;

3-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}propanamide;

3-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}propanoic acid;

methyl 3-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}propanoate;

2-amino-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-2-methyl-N-methylpropanamide;

2-{2-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}acetamide;

2-{2-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}acetic acid;

(3-aminooxetan-3-yl)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)carboxamide;

{3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-methylcarboxamide;

{4-fluoro-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-methylcarboxamide;

N-({5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-2-yl}methyl)acetamide;

N-({4-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-2-yl}methyl)acetamide;

2-{2-[6-({[1-(3-chloro(2-pyridyl))-3-fluorocyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}acetamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-methylcarboxamide;

2-{2-[6-({[(3-chloro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}acetamide;

2-{2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}acetic acid;

2-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-methylacetamide;

2-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N,N-dimethylacetamide;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-2-methyl-2-(methylamino)propanamide;

N-ethyl{4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

N-(2-fluoroethyl){4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

N-(2,2-difluoroethyl){4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

{4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-(2,2,2-trifluoroethyl)carboxamide;

{4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N,N-dimethylcarboxamide;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-hydroxybenzoic acid;

{3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-hydroxyphenyl}-N-methylcarboxamide;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-hydroxybenzamide;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-methoxypyridine-3-carbonitrile;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-methoxypyridine-3-carboxamide;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-oxohydropyridine-3-carboxylic acid;

5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-

oxohydropyridine-3-carboxamide;

5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzoic acid;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-[2-hydroxy-1-(hydroxymethyl)ethyl]carboxamide;

{5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxyphenyl}-N-methylcarboxamide;

5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-hydroxyphenyl}-N-methylcarboxamide;

{5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](2-thienyl)}-N-methylcarboxamide;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-4,5,6-trihydrocyclopenta[1,2-d]1,3-thiazole-4-carboxamide;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-4,5,6-trihydrocyclopenta[1,2-d]1,3-thiazole-4-carboxylic acid;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-(4,5,6,7-tetrahydro-1,3-thiazolo[5,4-c]pyridin-2-yl)pyridazin-3-yl)amine;

N-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](4,5,6-trihydrocyclopenta[2,3-d]1,3-thiazol-4-yl)}methoxycarboxamide;

2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-4,5,6,7-tetrahydro-1,3-thiazolo[5,4-c]pyridine-5-carboxamide;

5-acetyl-2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4,5,6,7-tetrahydro-1,3-thiazolo[5,4-c]pyridine;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-5-(methylsulfonyl)-4,5,6,7-tetrahydro-1,3-thiazolo[5,4-c]pyridine;

{5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxyphenyl}-N,N-dimethylcarboxamide;

4-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]isoindolin-1-one;

5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]isoindolin-1-one;

6-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]isoindolin-1-one;

[6-(6-amino(4,5,6,7-tetrahydrobenzothiazol-2-yl))pyridazin-3-yl]{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

amino-N-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](4,5,6,7-tetrahydrobenzothiazol-6-yl)}amide;

N-{3-fluoro-4-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}(methylamino)carboxamide;

N-{4-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-methyl(methylamino)carboxamide;

2-{2-[6-({[1-(3-chloro(2-pyridyl))-3-fluorocyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-methylacetamide;

N-{4-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}(methylamino)carboxamide;

2-{2-[6-({[(3-chloro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}-N-methylacetamide;

N-cyclopropyl{4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

5-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-8-hydro-3-pyrazolino[1,5-a]pyrimidin-7-one;

7-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-4-hydro-4-imidazolino[1,2-a]pyrimidin-5-one;

{4-fluoro-5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxyphenyl}-N-methylcarboxamide;

4-fluoro-5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzamide;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4-methyl-3-pyrazolin-5-one;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-4,4-dimethyl-2-

pyrazolin-5-one;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)-4-methylpyridazin-3-yl]benzenecarbonitrile;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)-4-methylpyridazin-3-yl]benzamide;

N-cyclobutyl{4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

4-fluoro-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)-4-methylpyridazin-3-yl]benzamide;

N-(3,3-difluorocyclobutyl){4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzamide;

2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)-4-methylpyridazin-3-yl]-1,3-thiazole-5-carboxamide;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)-5-methylpyridazin-3-yl]benzamide;

N-cyclopropyl{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

[6-(2-aminopyrimidin-5-yl)pyridazin-3-yl]{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

N-azetidin-3-yl{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

N-(1-acetylazetidin-3-yl){3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-[1-(methylsulfonyl)azetidin-3-yl]carboxamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-(2-hydroxy-2-methylpropyl)carboxamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-(1-methylazetidin-3-yl)carboxamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-oxetan-3-ylcarboxamide;

2-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)-4-methylpyridazin-3-yl]-1,3-thiazol-5-yl}acetic acid;

{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)-4-methylpyridazin-3-yl]-1,3-thiazol-5-yl}methan-1-ol;

2-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)-4-methylpyridazin-3-yl](1,3-thiazol-5-yl)}-N-methylacetamide;

2-{2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)-4-methylpyridazin-3-yl]-1,3-thiazol-5-yl}acetamide;

{4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-(1-methylazetidin-3-yl)carboxamide;

N-(1-acetylazetidin-3-yl){4-fluoro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-(3-hydroxycyclobutyl)carboxamide;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}{6-[5-(piperazinylmethyl)(1,3-thiazol-2-yl)]pyridazin-3-yl}amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}{6-[5-(morpholin-4-ylmethyl)(1,3-thiazol-2-yl)]pyridazin-3-yl}amine;

4-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)-1,4-thiazaperhydroine-1,1-dione;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}(6-{5-[(4-methylpiperazinyl)methyl](1,3-thiazol-2-yl)}pyridazin-3-yl)amine;

{[(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(5-{[4-(2,2,2-trifluoroethyl)piperazinyl]methyl}(1,3-thiazol-2-yl))pyridazin-3-yl]amine;

1-acetyl-4-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)piperazine;

1-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-4-(methylsulfonyl)piperazine;

[(2S)-1-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-

thiazol-5-yl)}methyl)piperazin-2-yl]methan-1-ol;

[(2R)-1-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)piperazin-2-yl]methan-1-ol;

N-(2H-3,4,5,6-tetrahydropyran-4-yl){3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-(3-hydroxy-3-methylcyclobutyl)carboxamide;

N-((3S)oxolan-3-yl){3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

N-((3R)oxolan-3-yl){3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

N-((3S,4S)-4-hydroxy-1,1-dioxothiolan-3-yl){3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

N-(1,1-dioxothiolan-3-yl){3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzamide;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzamide;

5-amino-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzenecarbonitrile;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-5-(trifluoromethyl)benzamide;

5-chloro-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-5-hydroxybenzamide;

5-amino-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]benzamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxyphenyl}-N-methylcarboxamide;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzenecarbonitrile;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-methoxybenzenecarbonitrile;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzoic acid;

5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-methoxybenzamide;

N-(1,1-dioxothietan-3-yl){3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}carboxamide;

4-fluoro-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzamide;

4-fluoro-5-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]phenyl}-N-[(hydroxycyclopropyl)methyl]carboxamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-5-methylphenyl}-N-methylcarboxamide;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-5-methylbenzamide;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxy-5-methylbenzamide;

3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxy-5-methylbenzenecarbonitrile;

5-bromo-3-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxybenzenecarbonitrile;

3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-methoxybenzamide;

{5-bromo-3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-hydroxyphenyl}-N-methylcarboxamide;

{3-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]-2-

hydroxy-5-methylphenyl}-N-methylcarboxamide;

methyl 5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]indole-2-carboxylate;

5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]indole-2-carboxamide;

5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]indole-2-carboxylic acid;

{5-[6-({[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl]indol-2-yl}-N-methylcarboxamide;

[6-(6-amino(3-pyridyl))pyridazin-3-yl]{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}{6-[6-(methylamino)(3-pyridyl)]pyridazin-3-yl}amine;

{6-[6-(cyclopropylamino)(3-pyridyl)]pyridazin-3-yl}{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

{6-[6-amino-5-(trifluoromethyl)(3-pyridyl)]pyridazin-3-yl}{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

[N-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)carbamoyl]methyl acetate;

[N-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)carbamoyl]methyl (2S)-2-amino-3-methylbutanoate;

[N-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)carbamoyl]methyl (2S)-2-aminopropanoate;

{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}[6-(6-methoxy-5-methyl(3-pyridyl))pyridazin-3-yl]amine;

[6-(6-amino-5-methyl(3-pyridyl))pyridazin-3-yl]{[3-fluoro-1-(3-fluoro(2-pyridyl))cyclobutyl]methyl}amine;

(2S)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-2-hydroxypropanamide;

(2R)-N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-2-hydroxypropanamide;

2-[({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)amino]ethan-1-ol;

N-({2-[6-({[(3-fluoro(2-pyridyl))cyclobutyl]methyl}amino)pyridazin-3-yl](1,3-thiazol-5-yl)}methyl)-2-hydroxy-N-methylacetamide;

[N-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)carbamoyl]methyl (2S)-2-((2S)-2-aminopropanoylamino)propanoate; and

[N-({2-[6-({[(3-fluoro-2-pyridyl)cyclobutyl]methyl}amino)pyridazin-3-yl]-1,3-thiazol-5-yl}methyl)carbamoyl]methyl (2S)-2-((2S)-2-amino-3-methylbutanoylamino)-3-methylbutanoate;

or a pharmaceutically acceptable salt thereof.

48. A pharmaceutical composition comprising a compound of any one of claims 1 to 47, or a pharmaceutically acceptable salt thereof.

49. The pharmaceutical composition of claim 48, wherein the pharmaceutical composition is formulated as a tablet.

50. The pharmaceutical composition of claim 48, wherein the pharmaceutical composition is formulated as a capsule.

51. The use of a compound of any one of claims 1 to 47, or a pharmaceutically acceptable salt thereof, for the preparation of a medicament for the treatment of a disease selected from Amyotrophic Lateral Sclerosis (ALS), Spinal Muscular Atrophy (SMA) and myasthenia gravis.