


WO 2025/121903

PCT/KR2024/019820

[51]




WO 2025/121903

PCT/KR2024/019820

[도2]

No.	Pos. [°2 θ]	d-spacing [Å]	Height [cts]	Rel. Int. [%]	Height [cps]
1	5.2391	16.86824	1968.41	100	104.31
2	6.5315	13.53293	55.5	2.82	2.94
3	8.0709	10.95488	1414.3	71.85	74.95
4	9.5242	9.28629	107.27	5.45	5.68
5	10.4191	8.49064	314.93	16	16.69
6	12.5736	7.04018	257.6	13.09	13.65
7	13.1717	6.7218	168.52	8.56	8.93
8	13.7764	6.42812	170.39	8.66	9.03
9	15.4949	5.71884	150.65	7.65	7.98
10	16.566	5.35141	392.01	19.92	20.77
11	16.9806	5.22168	882.34	44.83	46.76
12	17.9787	4.93397	505.61	25.69	26.79
13	18.3979	4.82248	479.21	24.34	25.4
14	18.8081	4.71822	162.22	8.24	8.6
15	19.1669	4.6307	74.7	3.79	3.96
16	19.6171	4.52544	171.11	8.69	9.07
17	20.1893	4.39846	266.37	13.53	14.12
18	20.5328	4.32563	290.85	14.78	15.41
19	21.3841	4.15531	358.64	18.22	19.01
20	21.6749	4.10022	679.95	34.54	36.03
21	23.6611	3.76034	171.54	8.71	9.09
22	24.2448	3.67111	180.19	9.15	9.55
23	25.2551	3.5265	251.78	12.79	13.34
24	26.0287	3.42342	122.71	6.23	6.5
25	27.1815	3.28079	162.39	8.25	8.61
26	27.8045	3.20868	200.92	10.21	10.65
27	29.4977	3.02824	59.5	3.02	3.15
28	30.3184	2.94811	123.81	6.29	6.56
29	31.8655	2.80842	51.15	2.6	2.71
30	33.3002	2.69063	42.62	2.17	2.26
31	35.1996	2.54968	21.05	1.07	1.12
32	35.9126	2.50067	23.28	1.18	1.23
33	38.1927	2.35647	41.88	2.13	2.22
34	38.9996	2.30955	26.79	1.36	1.42
35	41.9932	2.15157	60.69	3.08	3.22

[도3]



[도4]

