



1/10
FIG. 1



2/10
FIG. 2



3/10
FIG. 3






FIG. 4




4/10
FIG. 5



- 2: COMPRESSOR
- 4: BLOWER FAN
- 6: OPERATION PANEL
- 6a: OPERATION PART
- 6b: DISPLAY PART
- 8: CONTROLLER
- 8a: PROCESSOR (CPU)
- 8b: MEMORY
- 12: DOOR OPENING AND CLOSING DETECTION SWITCH
- 13: THERMISTOR
- 14: LIGHT-EMITTING PART

FIG. 6



5/10
FIG. 7






FIG. 8



6/10
FIG. 9

NAME OF COLOR	GREEN	RED	TOTAL
WAVELENGTH [nm]	527	622	—
PHOTON FLUX DENSITY [$\mu\text{mol}/\text{m}^2\cdot\text{s}$]	60	60	120
ENERGY AMOUNT [W/m^2]	14	12	26


FIG. 10



7/10
FIG. 11

NAME OF COLOR	GREEN	RED	TOTAL
WAVELENGTH [nm]	527	622	—
PHOTON FLUX DENSITY [$\mu\text{mol}/\text{m}^2 \cdot \text{s}$]	35	85	120
ENERGY AMOUNT [W/m^2]	8	16	24

FIG. 12



8/10
FIG. 13




FIG. 14






FIG. 15



9/10
FIG. 16



S201: TURN ON FIRST, SECOND, AND THIRD LIGHT SOURCE
 S202: TIMER $t = 0$
 S204: TURN OFF THIRD LIGHT SOURCE
 S205: TIMER $t = 0$
 S207: TURN OFF FIRST AND SECOND LIGHT SOURCE
 S208: TIMER $t = 0$

10/10
FIG. 17




FIG. 18

