

WHAT IS CLAIMED IS:

1. A recombinant host cell, wherein the cell is modified to reduce or eliminate the activity of one or more enzyme relative to the activity of the enzyme in an unmodified cell.
2. The recombinant host cell of claim 1, wherein the one or more enzyme is selected
 - 5 from the group consisting of: Lipoprotein lipase (LPL); phospholipase B-domain containing 2 (PLBL2/PLBD2); Lipase A (Lysosomal acid lipase/cholesteryl ester hydrolase, Lipase) (LIPA); Phospholipase A-2-activating protein (PLAA); Phospholipase D3 (PLD3); Phospholipase A2 group XV (LPLA2); Phospholipase C beta 1 (PLCB1); Phospholipase C delta 1 (PLCD1); DDHD domain containing protein 1 (Fragment)
 - 10 (DDHD1); Lysophospholipase-like protein 1 (LYPLAL1); Phospholipase A2 group XIIA (PLA2G12A); Peroxiredoxin 6 (PRDX6); Sphingomyelin phosphodiesterase (SMPD1); Palmitoyl-protein thioesterase 1 (PPT1); Isoamyl acetate hydrolyzing esterase 1 (putative) (IAH1); OTU deubiquitinase, ubiquitin aldehyde binding 1 (OTUB1); Lysophospholipase 2 (Acyl-protein thioesterase 2) (LYPLA2); Acyl-coenzyme A thioesterase 13 (ACOT13);
 - 15 Fatty acid synthase (FASN); Phospholipase A2 group VII (PLA2G7); Ubiquitin specific peptidase 5 (USP5); N-acylsphingosine amidohydrolase 1 (Acid ceramidase) (ASAH1); Lipase Maturation Factor 1 (LMF1); Apolipoprotein C-II (APOC2); Acylcarnitine hydrolase (HACH); Carboxylesterase 1F (CES1F) or Liver carboxylesterase B-1-like (CES-B1L); Lysophospholipase 1 (LYPLA1); Carboxylesterase 1 (CES1); Phospholipase
 - 20 A1 member A (PLA1A); and Sialic acid acetyltransferase (SIAE).
 3. The recombinant host cell of claim 2, wherein the activity of:
 - a) PPT1;
 - b) LPLA2; LPL; and LIPA;
 - c) LPLA2; LPL; LIPA; PPT1; PLBL2; PLD3; and SMPD1;
 - 25 d) LPLA2; LPL; LIPA; PPT1; PLBL2; PLD3; SMPD1; PLAA; IAH1; OTUB1; LYPLA2; and PLA2G12A;
 - e) BAX; BAK; LPLA2; LPL; LIPA; PPT1; PLD3; and SMPD1;
 - f) BAX; BAK; LPLA2; LPL; LIPA; PPT1; PLBL2; PLD3; SMPD1; CLU; PRDX1; PLAA; and ACOT13;
 - 30 g) LPLA2; LPL; and PPT1
 - h) LPLA2; LPL; LIPA and PPT1
 - i) HACH; CES1F/CES-B1L; and LYPLA1
 - j) LPLA2; LPL; LIPA; PPT1; HACH; CES1F/CES-B1L; and LYPLA1
 - k) SMPD1; CES1; PLA1A; and SIAE

- 1) LPLA2; LPL, LIPA; PPT1; HACH; CES1F/CES-B1L; LYPLA1; SMPD1; CES1; PLA1A; and SIAE
- m) LPLA2; LMF1; LIPA; PPT1; HACH; CES1F/CES-B1L; and LYPLA1
- n) LPLA2; LMF1; APOC2; LIPA; PPT1; HACH; CES1F/CES-B1L; and
5 LYPLA1 or
- o) LMF1 and APOC2
- is reduced or eliminated.
4. The recombinant host cell of claims 1-3, wherein the activity of the one or more enzyme is reduced or eliminated by:
- 10 (a) knocking down expression of the enzyme;
(b) or knocking out expression of the enzyme; or
(c) altering the nucleic acid sequence encoding the enzyme.
5. The recombinant host cell of claim 1, wherein the cell comprises one or more altered enzyme genes.
- 15 6. The recombinant host cell of claim 5, wherein the one or more altered enzyme genes have no detectable enzymatic activity.
7. The recombinant host cell of claims 1-6, wherein the cell is a mammalian cell.
8. The recombinant host cell of claim 7, wherein the cell is a CHO cell.
9. The recombinant host cell of any one of claims 1-8, comprising a nucleic acid
20 sequence encoding a product of interest.
10. The recombinant host cell of claim 9, wherein the product of interest comprises a protein, a viral particle or a viral vector.
11. The recombinant host cell of claim 9 or 10, wherein the product of interest comprises a recombinant protein.
- 25 12. The recombinant host cell of any one of claims 9-11, wherein the product of interest comprises an antibody or an antigen-binding fragment thereof.
13. The recombinant host cell of claim 12, wherein the antibody is a multispecific antibody or an antigen-binding fragment thereof.
14. The recombinant host cell of claim 12, wherein the antibody consists of a single
30 heavy chain sequence and a single light chain sequence or antigen-binding fragments thereof.
15. The recombinant host cell of any one of claims 12-14, wherein the antibody comprises a chimeric antibody, a human antibody or a humanized antibody.

16. The recombinant host cell of any one of claims 12-15, wherein the antibody comprises a monoclonal antibody.
17. The recombinant host cell of any one of claims 9-16, wherein the nucleic acid sequence is integrated in the cellular genome of the mammalian cell at a targeted location.
- 5 18. The recombinant host cell of claim 17, further comprising a nucleic acid encoding the product of interest that is randomly integrated in the cellular genome of the mammalian cell.
19. The recombinant host cell of claim 1, wherein the modified cell does not express any detectable LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1;
10 DDHD1; LYPLAL1; PLA2G12A; PRDX6; SMPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE.
20. A composition comprising a recombinant host cell of any one of claims 1-19.
21. A method for reducing enzymatic activity in a cell, comprising knocking down or
15 knocking out the expression of LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SMPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE.
22. A method for reducing enzymatic activity in a cell, comprising modulating a cell
20 culture process and/or media composition, wherein modulating a cell culture process and/or media composition results in reduced activity of LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SMPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE.
- 25 23. A method for reducing enzymatic activity in a cell, comprising selecting cells with reduced activity of LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SMPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE.
- 30 24. A method for reducing enzymatic activity in a cell, comprising altering the gene encoding one or more of LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SMPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE.

25. A method for reducing or eliminating enzymatic activity in a cell, comprising administering to the cell a genetic engineering system, wherein the genetic engineering system knocks down or knocks out the expression of LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SMPD1; 5 PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE.

26. A method for reducing or eliminating enzymatic activity in a cell, comprising administering to the cell a genetic engineering system, wherein the genetic engineering system alters the nucleic acid sequence encoding one or more of LPL; PLBL2/PLBD2; 10 LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SMPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; and ASAH1 so that the one or more of LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; 15 HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE have reduced or eliminated enzymatic activity.

27. The method of claim 25 or 26, wherein the genetic engineering system is selected from the group consisting of a CRISPR/Cas system, a zinc-finger nuclease (ZFN) system, a transcription activator-like effector nuclease (TALEN) system and a combination 20 thereof.

28. The method of claim 27, wherein the genetic engineering system is a CRISPR/Cas9 system.

29. The method of claim 28, wherein the CRISPR/Cas9 system comprises:

- (a) a Cas9 molecule, and
- 25 (b) one or more guide RNAs (gRNAs) comprising a targeting sequence that is complementary to a target sequence in a gene encoding LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; HACH; LMF1; APOC2; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE.

30. The method of claim 25 or 26, wherein the genetic engineering system comprises an RNA selected from the group consisting of: a short hairpin RNA (shRNA), a small interference RNA (siRNA), and a microRNA (miRNA), wherein the RNA is complementary to a portion of an mRNA expressed by one or more of the LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; 30

PLA2G12A; PRDX6; SPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE genes.

31. The method of claim 25 or 26, wherein the genetic engineering system is a zinc-finger nuclease (ZFN) system or a transcription activator-like effector nuclease (TALEN) system.

32. The method of any one of claims 21-31, wherein the cell is a mammalian cell.

33. The method of claim 32, wherein the mammalian cell is a CHO cell.

34. The method of any one of claims 21-33, wherein the cell expresses a product of interest.

35. The method of claim 34, wherein the product of interest expressed by the cells is encoded by a nucleic acid sequence.

36. The method of claim 35, wherein the nucleic acid sequence is integrated in the cellular genome of the cell at a targeted location.

37. The method of any one of claims 34-36, wherein the product of interest expressed by the cells is further encoded by a nucleic acid sequence that is randomly integrated in the cellular genome of the mammalian cell.

38. The method of any one of claims 34-37, wherein the product of interest comprises a protein.

39. The method of claim 38, wherein the product of interest comprises a recombinant protein.

40. The method of any one of claims 34-39, wherein the product of interest comprises an antibody or an antigen-binding fragment thereof.

41. The method of claim 40, wherein the antibody is a multispecific antibody or an antigen-binding fragment thereof.

42. The method of claim 40, wherein the antibody consists of a single heavy chain sequence and a single light chain sequence or antigen-binding fragments thereof.

43. The method of any one of claims 40-42, wherein the antibody is a chimeric antibody, a human antibody or a humanized antibody.

44. The method of any one of claims 40-43, wherein the antibody is a monoclonal antibody.

45. A method of producing a product of interest comprising culturing mammalian cells expressing the product of interest, wherein the mammalian cells express the product of interest and have reduced or eliminated activity of one or more of the following LPL;

PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SMPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE.

- 5 46. A method of culturing a population of mammalian cells expressing a product of interest, wherein the mammalian cells have reduced or eliminated activity of one or more of the following LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; and ASAH1.
- 10 47. The method of claim 35 or 36, wherein the reduction or elimination of activity is of:
 - a) PPT1;
 - b) LPLA2; LPL; and LIPA;
 - c) LPLA2; LPL; LIPA; PPT1; PLBL2; PLD3; and SMPD1;
 - 15 d) LPLA2; LPL; LIPA; PPT1; PLBL2; PLD3; SMPD1; PLAA; IAH1; OTUB1; LYPLA2; and PLA2G12A;
 - e) BAX; BAK; LPLA2; LPL; LIPA; PPT1; PLD3; and SMPD1;
 - f) BAX; BAK; LPLA2; LPL; LIPA; PPT1; PLBL2; PLD3; SPD1; CLU; PRDX1; PLAA; and ACOT13;
 - 20 g) LPLA2; LPL; and PPT1
 - h) LPLA2; LPL; LIPA and PPT1
 - i) HACH; CES1F/CES-B1L; and LYPLA1
 - j) LPLA2; LPL; LIPA; PPT1; HACH; CES1F/CES-B1L; and LYPLA1
 - k) SMPD1; CES1; PLA1A; and SIAE
 - 25 l) LPLA2; LPL; LIPA; PPT1; HACH; CES1F/CES-B1L; LYPLA1; SMPD1; CES1; PLA1A; and SIAE
 - m) LPLA2; LMF1; LIPA; PPT1; HACH; CES1F/CES-B1L; and LYPLA1
 - n) LPLA2; LMF1; APOC2; LIPA; PPT1; HACH; CES1F/CES-B1L; and LYPLA1 or
 - 30 o) LMF1 and APOC2

in the mammalian cells.

48. The method of any one of claims 45-47, wherein the mammalian cells are CHO cells.

49. The method of any one of claims 45-47, wherein the product of interest expressed by the mammalian cells is encoded by a nucleic acid sequence.
50. The method of claim 49, wherein the nucleic acid sequence is integrated in the cellular genome of the mammalian cells at a targeted location.
- 5 51. The method of any one of claims 45-50, wherein the product of interest expressed by the cells is further encoded by a nucleic acid sequence that is randomly integrated in the cellular genome of the mammalian cells.
52. The method of any one of claims 45-51, wherein the product of interest comprises a protein, a viral particle or a viral vector.
- 10 53. The method of any one of claims 45-42, wherein the product of interest comprises a recombinant protein.
54. The method of any one of claims 45-53, wherein the product of interest comprises an antibody or an antigen-binding fragment thereof.
55. The method of claim 54, wherein antibody is a multispecific antibody or an
15 antigen-binding fragment thereof.
56. The method of claim 54, wherein the antibody consists of a single heavy chain sequence and a single light chain sequence or antigen-binding fragments thereof.
57. The method of any one of claims 54-56, wherein the antibody is a chimeric antibody, a human antibody or a humanized antibody.
- 20 58. The method of any one of claims 54-57, wherein the antibody is a monoclonal antibody.
59. The method of any one of claims 45-58, further comprising purifying the product of interest, harvesting the product of interest, and/or formulating the product of interest.
60. The method of any one of claims 21-58, wherein the degradation of
25 polyoxyethylene sorbitan monolaurate is reduced.
61. The method of any of claims 21-58, wherein the degradation of polysorbate 20 (PS20 or Tween 20) is reduced.
62. The method of any of claims 21-58, wherein the degradation of polysorbate 80 (PS80 or Tween 80) is reduced.
- 30 63. A recombinant host cell comprising one or more altered enzyme genes.
64. The recombinant host cell of claim 63, wherein the one or more altered enzyme genes are altered by disruption of a coding region.
65. The recombinant host cell of claim 63, wherein the one or more enzyme genes alteration comprises a biallelic alteration.

66. The recombinant host cell of claim 65, wherein the one or more enzyme genes alteration comprises a deletion of 1 or more base pairs, 2 or more base pairs, 3 or more base pairs, 4 or more base pairs, 5 or more base pairs, 6 or more base pairs, 7 or more base pairs, 8 or more base pairs, 9 or more base pairs, 10 or more base pairs, 11 or more base pairs, 12 or more base pairs, 13 or more base pairs, 14 or more base pairs, 15 or more base pairs, 16 or more base pairs, 17 or more base pairs, 18 or more base pairs, 19 or more base pairs, or 20 or more base pairs.

67. The recombinant host cell of claim 63, wherein the one or more enzyme genes are LPL; PLBL2/PLBD2; LIPA; PLAA; PLD3; LPLA2; PLCB1; PLCD1; DDHD1; LYPLAL1; PLA2G12A; PRDX6; SPD1; PPT1; IAH1; OTUB1; LYPLA2; ACOT13; FASN; PLA2G7; USP5; ASAH1; LMF1; APOC2; HACH; CES1F/CES-B1L; LYPLA1; CES1; PLA1A; and/or SIAE.

68. A recombinant host cell, wherein the cell is modified to reduce or eliminate the activity of LPLA2, LPL, LIPA and PPT1 enzymes relative to the activity of the enzymes in an unmodified cell.

69. A recombinant host cell, wherein the cell is modified to reduce or eliminate the activity of HACH, CES1F/CES-B1L, and LYPLA1 enzymes relative to the activity of the enzymes in an unmodified cell.

70. A recombinant host cell, wherein the cell is modified to reduce or eliminate the activity of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1 enzymes relative to the activity of the enzymes in an unmodified cell.

71. A recombinant host cell, wherein the cell is modified to reduce or eliminate the activity of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, LYPLA1, SMPD1, CES1, PLA1A, and SIAE enzymes relative to the activity of the enzymes in an unmodified cell.

72. A recombinant host cell, wherein the cell is modified to reduce or eliminate the activity of LPLA2, LMF1, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1 enzymes relative to the activity of the enzymes in an unmodified cell.

73. A recombinant host cell, wherein the cell is modified to reduce or eliminate the activity of LPLA2, LMF1, APOC2, LIPA, PPT1, HACH, CES1F/CES-B1L and LYPLA1 enzymes relative to the activity of the enzymes in an unmodified cell.

74. A recombinant host cell, wherein the cell is modified to reduce or eliminate the level of LMF1 and APOC2 relative to their levels in an unmodified cell.

75. A composition comprising a recombinant host cell of any one of claims 68-74.

76. A method for reducing enzymatic activity in a cell, comprising knocking down or knocking out the expression of LPLA2, LPL, LIPA and PPT1.
77. A method for reducing enzymatic activity in a cell, comprising knocking down or knocking out the expression of HACH, CES1F/CES-B1L, and LYPLA1.
- 5 78. A method for reducing enzymatic activity in a cell, comprising knocking down or knocking out the expression of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
79. A method for reducing enzymatic activity in a cell, comprising knocking down or knocking out the expression of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L,
- 10 LYPLA1, SMPD1, CES1, PLA1A, and SIAE.
80. A method for reducing enzymatic activity in a cell, comprising knocking down or knocking out the expression of LPLA2, LMF1, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
81. A method for reducing enzymatic activity in a cell, comprising knocking down or
- 15 knocking out the expression of LPLA2, LMF1, APOC2, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
82. A method for reducing enzymatic activity in a cell, comprising knocking down or knocking out the expression of LMF1 and APOC2.
83. A method for reducing enzymatic activity in a cell, comprising modulating a cell
- 20 culture process and/or media composition, wherein modulating a cell culture process and/or media composition results in reduced activity of LPLA2; LPL; LIPA and PPT1.
84. A method for reducing enzymatic activity in a cell, comprising modulating a cell culture process and/or media composition, wherein modulating a cell culture process and/or media composition results in reduced activity of HACH, CES1F/CES-B1L, and
- 25 LYPLA1.
85. A method for reducing enzymatic activity in a cell, comprising modulating a cell culture process and/or media composition, wherein modulating a cell culture process and/or media composition results in reduced activity of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
- 30 86. A method for reducing enzymatic activity in a cell, comprising modulating a cell culture process and/or media composition, wherein modulating a cell culture process and/or media composition results in reduced activity of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, LYPLA1, SMPD1, CES1, PLA1A, and SIAE.

87. A method for reducing enzymatic activity in a cell, comprising modulating a cell culture process and/or media composition, wherein modulating a cell culture process and/or media composition results in reduced activity of LPLA2, LMF1, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
- 5 88. A method for reducing enzymatic activity in a cell, comprising modulating a cell culture process and/or media composition, wherein modulating a cell culture process and/or media composition results in reduced activity of LPLA2, LMF1, APOC2, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
89. A method for reducing enzymatic activity in a cell, comprising modulating a cell
10 culture process and/or media composition, wherein modulating a cell culture process and/or media composition results in reduced activity of LMF1 and APOC2.
90. A method for reducing enzymatic activity in a cell, comprising selecting cells with reduced activity of LPLA2, LPL, LIPA and PPT1.
91. A method for reducing enzymatic activity in a cell, comprising selecting cells with
15 reduced activity of HACH, CES1F/CES-B1L, and LYPLA1.
92. A method for reducing enzymatic activity in a cell, comprising selecting cells with reduced activity of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
93. A method for reducing enzymatic activity in a cell, comprising selecting cells with reduced activity of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, LYPLA1,
20 SMPD1, CES1, PLA1A, and SIAE.
94. A method for reducing enzymatic activity in a cell, comprising selecting cells with reduced activity of LPLA2, LMF1, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
95. A method for reducing enzymatic activity in a cell, comprising selecting cells with reduced activity of LPLA2, LMF1, APOC2, LIPA, PPT1, HACH, CES1F/CES-B1L, and
25 LYPLA1.
96. A method for reducing enzymatic activity in a cell, comprising selecting cells with reduced activity of LMF1 and APOC2.
97. A method for reducing enzymatic activity in a cell, comprising altering the gene encoding one or more of LPLA2, LPL, LIPA and PPT1.
- 30 98. A method for reducing enzymatic activity in a cell, comprising altering the gene encoding one or more of HACH, CES1F/CES-B1L, and LYPLA1.
99. A method for reducing enzymatic activity in a cell, comprising altering the gene encoding one or more of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.

100. A method for reducing enzymatic activity in a cell, comprising altering the gene encoding one or more of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, LYPLA1, SMPD1, CES1, PLA1A, and SIAE.
101. A method for reducing enzymatic activity in a cell, comprising altering the gene
5 encoding one or more of LPLA2, LMF1, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
102. A method for reducing enzymatic activity in a cell, comprising altering the gene encoding one or more of LPLA2, LMF1, APOC2, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
- 10 103. A method for reducing enzymatic activity in a cell, comprising altering the gene encoding one or more of LMF1 and APOC2.
104. A method for reducing or eliminating enzymatic activity in a cell, comprising administering to the cell a genetic engineering system, wherein the genetic engineering system knocks down or knocks out the expression of LPLA2, LPL, LIPA and PPT1.
- 15 105. A method for reducing or eliminating enzymatic activity in a cell, comprising administering to the cell a genetic engineering system, wherein the genetic engineering system knocks down or knocks out the expression of HACH, CES1F/CES-B1L, and LYPLA1.
106. A method for reducing or eliminating enzymatic activity in a cell, comprising
20 administering to the cell a genetic engineering system, wherein the genetic engineering system knocks down or knocks out the expression of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.
107. A method for reducing or eliminating enzymatic activity in a cell, comprising administering to the cell a genetic engineering system, wherein the genetic engineering
25 system knocks down or knocks out the expression of LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, LYPLA1, SMPD1, CES1, PLA1A, and SIAE.
108. A method for reducing or eliminating enzymatic activity in a cell, comprising administering to the cell a genetic engineering system, wherein the genetic engineering system knocks down or knocks out the expression of LPLA2, LMF1, LIPA, PPT1, HACH,
30 CES1F/CES-B1L, and LYPLA1.
109. A method for reducing or eliminating enzymatic activity in a cell, comprising administering to the cell a genetic engineering system, wherein the genetic engineering system knocks down or knocks out the expression of LPLA2, LMF1, APOC2, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1.

110. A method for reducing or eliminating enzymatic activity in a cell, comprising administering to the cell a genetic engineering system, wherein the genetic engineering system knocks down or knocks out the expression of LMF1 and APOC2.
111. A method for reducing or eliminating enzymatic activity in a cell, comprising
5 administering to the cell a genetic engineering system, wherein the genetic engineering system alters the nucleic acid sequence encoding LPLA2, LPL, LIPA and PPT1 so that the LPLA2, LPL, LIPA and PPT1 have reduced or eliminated enzymatic activity.
112. A method for reducing or eliminating enzymatic activity in a cell, comprising
10 administering to the cell a genetic engineering system, wherein the genetic engineering system alters the nucleic acid sequence encoding HACH, CES1F/CES-B1L, and LYPLA1 so that the HACH, CES1F/CES-B1L, and LYPLA1 have reduced or eliminated enzymatic activity.
113. A method for reducing or eliminating enzymatic activity in a cell, comprising
15 administering to the cell a genetic engineering system, wherein the genetic engineering system alters the nucleic acid sequence encoding LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1 so that the LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1 have reduced or eliminated enzymatic activity.
114. A method for reducing or eliminating enzymatic activity in a cell, comprising
20 administering to the cell a genetic engineering system, wherein the genetic engineering system alters the nucleic acid sequence encoding LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, LYPLA1, SMPD1, CES1, PLA1A, and SIAE so that the LPLA2, LPL, LIPA, PPT1, HACH, CES1F/CES-B1L, LYPLA1, SMPD1, CES1, PLA1A, and SIAE have reduced or eliminated enzymatic activity.
115. A method for reducing or eliminating enzymatic activity in a cell, comprising
25 administering to the cell a genetic engineering system, wherein the genetic engineering system alters the nucleic acid sequence encoding LPLA2, LMF1, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1 so that the LPLA2, LMF1, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1 have reduced or eliminated enzymatic activity.
116. A method for reducing or eliminating enzymatic activity in a cell, comprising
30 administering to the cell a genetic engineering system, wherein the genetic engineering system alters the nucleic acid sequence encoding LPLA2, LMF1, APOC2, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1 so that the LPLA2, LMF1, APOC2, LIPA, PPT1, HACH, CES1F/CES-B1L, and LYPLA1 have reduced or eliminated enzymatic activity.

117. A method for reducing or eliminating enzymatic activity in a cell, comprising administering to the cell a genetic engineering system, wherein the genetic engineering system alters the nucleic acid sequence encoding LMF1 and APOC2 so that the LMF1 and APOC2 have reduced or eliminated enzymatic activity.